



# Open Source Used In Intersight Mobile App 1.0.275

## **Cisco Systems, Inc.**

[www.cisco.com](http://www.cisco.com)

Cisco has more than 200 offices worldwide.  
Addresses, phone numbers, and fax numbers  
are listed on the Cisco website at  
[www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Text Part Number: 78EE117C99-1426206592

**This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please contact us at [external-opensource-requests@cisco.com](mailto:external-opensource-requests@cisco.com).**

**In your requests please include the following reference number 78EE117C99-1426206592**

## Contents

### **1.1 @segment/loosely-validate-event 2.0.0**

1.1.1 Available under license

### **1.2 sax 1.2.4**

1.2.1 Available under license

### **1.3 remove-trailing-slash 0.1.1**

1.3.1 Available under license

### **1.4 @babel/plugin-transform-async-to-generator 7.18.6**

1.4.1 Available under license

### **1.5 uuid 3.3.2**

1.5.1 Available under license

### **1.6 debug 4.3.4**

1.6.1 Available under license

### **1.7 @babel/plugin-transform-react-jsx 7.18.10**

1.7.1 Available under license

### **1.8 is-plain-obj 1.1.0**

1.8.1 Available under license

### **1.9 @babel/plugin-transform-computed-properties 7.18.9**

1.9.1 Available under license

### **1.10 @babel/plugin-transform-for-of 7.18.8**

1.10.1 Available under license

### **1.11 nth-check 2.1.1**

1.11.1 Available under license

### **1.12 pretty-bytes 5.6.0**

1.12.1 Available under license

### **1.13 tmp 0.0.33**

1.13.1 Available under license

- 1.14 @babel/template 7.18.10**
  - 1.14.1 Available under license
- 1.15 d3-interpolate-path 2.0.0**
  - 1.15.1 Available under license
- 1.16 babel-plugin-syntax-top-level-await 7.14.5**
  - 1.16.1 Available under license
- 1.17 nullthrows 1.1.1**
  - 1.17.1 Available under license
- 1.18 define-lazy-prop 2.0.0**
  - 1.18.1 Available under license
- 1.19 setimmediate 1.0.5**
  - 1.19.1 Available under license
- 1.20 log-symbols 2.2.0**
  - 1.20.1 Available under license
- 1.21 log-symbols 4.1.0**
  - 1.21.1 Available under license
- 1.22 qs 6.7.0**
  - 1.22.1 Available under license
- 1.23 react-native-web 0.17.7**
  - 1.23.1 Available under license
- 1.24 pirates 4.0.5**
  - 1.24.1 Available under license
- 1.25 fetch-retry 4.1.1**
  - 1.25.1 Available under license
- 1.26 yallist 4.0.0**
  - 1.26.1 Available under license
- 1.27 @babel/plugin-transform-unicode-regex 7.18.6**
  - 1.27.1 Available under license
- 1.28 @babel/plugin-transform-modules-amd 7.18.6**
  - 1.28.1 Available under license
- 1.29 is-path-inside 3.0.3**
  - 1.29.1 Available under license
- 1.30 node-releases 2.0.6**
  - 1.30.1 Available under license
- 1.31 strict-uri-encode 1.1.0**
  - 1.31.1 Available under license
- 1.32 types-yargs-parser 21.0.0**
  - 1.32.1 Available under license
- 1.33 mkdirp 0.5.6**

- 1.33.1 Available under license
- 1.34 string-width 4.2.3**
  - 1.34.1 Available under license
- 1.35 minipass-flush 1.0.5**
  - 1.35.1 Available under license
- 1.36 asap 2.0.6**
  - 1.36.1 Available under license
- 1.37 react-native-safe-area-context 4.2.4**
  - 1.37.1 Available under license
- 1.38 expo-file-system 14.0.0**
  - 1.38.1 Available under license
- 1.39 @babel/plugin-syntax-dynamic-import 7.8.3**
  - 1.39.1 Available under license
- 1.40 babel-helper-create-class-features-plugin 7.18.13**
  - 1.40.1 Available under license
- 1.41 appdirsjs 1.2.7**
  - 1.41.1 Available under license
- 1.42 png-js 3.4.0**
  - 1.42.1 Available under license
- 1.43 defaults 1.0.3**
  - 1.43.1 Available under license
- 1.44 freeport-async 2.0.0**
  - 1.44.1 Available under license
- 1.45 react-native-drawer 2.5.1**
  - 1.45.1 Available under license
- 1.46 del 6.1.1**
  - 1.46.1 Available under license
- 1.47 inflight 1.0.6**
  - 1.47.1 Available under license
- 1.48 get-stream 4.1.0**
  - 1.48.1 Available under license
- 1.49 @expo/config-types 46.0.2**
  - 1.49.1 Available under license
- 1.50 react-native-iphone-x-helper 1.3.1**
  - 1.50.1 Available under license
- 1.51 base64-js 1.5.1**
  - 1.51.1 Available under license
- 1.52 @expo/package-manager 0.0.56**
  - 1.52.1 Available under license

## **1.53 @babel/plugin-transform-template-literals 7.18.9**

1.53.1 Available under license

## **1.54 scheduler 0.20.2**

1.54.1 Available under license

## **1.55 source-map 0.6.1**

1.55.1 Available under license

## **1.56 util-deprecate 1.0.2**

1.56.1 Available under license

## **1.57 p-try 2.2.0**

1.57.1 Available under license

## **1.58 regexpu-core 5.1.0**

1.58.1 Available under license

## **1.59 @babel/helper-module-imports 7.18.6**

1.59.1 Available under license

## **1.60 clone 1.0.4**

1.60.1 Available under license

## **1.61 fontfaceobserver 2.3.0**

1.61.1 Available under license

## **1.62 ini 1.3.8**

1.62.1 Available under license

## **1.63 is-stream 2.0.1**

1.63.1 Available under license

## **1.64 is-buffer 1.1.6**

1.64.1 Available under license

## **1.65 @babel/plugin-transform-dotall-regex 7.18.6**

1.65.1 Available under license

## **1.66 requires-port 1.0.0**

1.66.1 Available under license

## **1.67 ua-parser-js 0.7.31**

1.67.1 Available under license

## **1.68 @babel/traverse 7.18.13**

1.68.1 Available under license

## **1.69 text-table 0.2.0**

1.69.1 Available under license

## **1.70 @babel/plugin-transform-arrow-functions 7.18.6**

1.70.1 Available under license

## **1.71 expo 45.0.5**

1.71.1 Available under license

## **1.72 jest-react-native 18.0.0**

- 1.72.1 Available under license
- 1.73 password-prompt 1.1.2**
  - 1.73.1 Available under license
- 1.74 mimic-fn 2.1.0**
  - 1.74.1 Available under license
- 1.75 inline-style-prefixer 6.0.1**
  - 1.75.1 Available under license
- 1.76 p-map 4.0.0**
  - 1.76.1 Available under license
- 1.77 lines-and-columns 1.2.4**
  - 1.77.1 Available under license
- 1.78 buffer-fill 1.0.0**
  - 1.78.1 Available under license
- 1.79 braces 3.0.2**
  - 1.79.1 Available under license
- 1.80 hoist-non-react-statics 1.2.0**
  - 1.80.1 Available under license
- 1.81 concat-map 0.0.1**
  - 1.81.1 Available under license
- 1.82 semver 5.7.1**
  - 1.82.1 Available under license
- 1.83 semver 7.3.7**
  - 1.83.1 Available under license
- 1.84 @babel/plugin-proposal-class-properties 7.18.6**
  - 1.84.1 Available under license
- 1.85 @babel/helper-optimise-call-expression 7.18.6**
  - 1.85.1 Available under license
- 1.86 is-docker 2.2.1**
  - 1.86.1 Available under license
- 1.87 write-file-atomic 2.4.3**
  - 1.87.1 Available under license
- 1.88 lodash-omit 4.5.0**
  - 1.88.1 Available under license
- 1.89 babel-plugin-proposal-optional-chaining 7.18.9**
  - 1.89.1 Available under license
- 1.90 once 1.4.0**
  - 1.90.1 Available under license
- 1.91 @babel/plugin-transform-destructuring 7.18.13**
  - 1.91.1 Available under license

## **1.92 react-native-draggable-flatlist 3.0.4**

1.92.1 Available under license

## **1.93 d3-color 1.4.1**

1.93.1 Available under license

## **1.94 resolve 1.22.1**

1.94.1 Available under license

## **1.95 safer-buffer 2.1.2**

1.95.1 Available under license

## **1.96 regenerator-runtime 0.13.9**

1.96.1 Available under license

## **1.97 is-root 2.1.0**

1.97.1 Available under license

## **1.98 @babel/helper-builder-binary-assignment-operator-visitor 7.18.9**

1.98.1 Available under license

## **1.99 has 1.0.3**

1.99.1 Available under license

## **1.100 sucrase 3.25.0**

1.100.1 Available under license

## **1.101 os-tmpdir 1.0.2**

1.101.1 Available under license

## **1.102 supports-preserve-symlinks-flag 1.0.0**

1.102.1 Available under license

## **1.103 @expo/bunyan 4.0.0**

1.103.1 Available under license

## **1.104 ansi-styles 2.2.1**

1.104.1 Available under license

## **1.105 minimist 1.2.6**

1.105.1 Available under license

## **1.106 string\_decoder 1.3.0**

1.106.1 Available under license

## **1.107 open 8.4.0**

1.107.1 Available under license

## **1.108 d3-collection 1.0.7**

1.108.1 Available under license

## **1.109 chownr 2.0.0**

1.109.1 Available under license

## **1.110 js-yaml 4.1.0**

1.110.1 Available under license

## **1.111 yocto-queue 0.1.0**

- 1.111.1 Available under license
- 1.112 micromatch 4.0.5**
  - 1.112.1 Available under license
- 1.113 strip-eof 1.0.0**
  - 1.113.1 Available under license
- 1.114 @babel/helper-skip-transparent-expression-wrappers 7.18.9**
  - 1.114.1 Available under license
- 1.115 @babel/plugin-syntax-class-properties 7.12.13**
  - 1.115.1 Available under license
- 1.116 react-tween-state 0.1.5**
  - 1.116.1 Available under license
- 1.117 babel-plugin-syntax-typescript 7.18.6**
  - 1.117.1 Available under license
- 1.118 urql-core-internal 0.0.0**
  - 1.118.1 Available under license
- 1.119 domhandler 4.3.1**
  - 1.119.1 Available under license
- 1.120 mylib 0.0.0**
  - 1.120.1 Available under license
- 1.121 autobind-decorator 2.1.0**
  - 1.121.1 Available under license
- 1.122 strip-json-comments 2.0.1**
  - 1.122.1 Available under license
- 1.123 expo-eas-client 0.2.1**
  - 1.123.1 Available under license
- 1.124 @react-navigation/stack 5.10.0**
  - 1.124.1 Available under license
- 1.125 any-promise 1.3.0**
  - 1.125.1 Available under license
- 1.126 isexe 2.0.0**
  - 1.126.1 Available under license
- 1.127 iconv-lite 0.6.3**
  - 1.127.1 Available under license
- 1.128 @babel/helper-explode-assignable-expression 7.18.6**
  - 1.128.1 Available under license
- 1.129 @babel/compat-data 7.18.13**
  - 1.129.1 Available under license
- 1.130 nice-try 1.0.5**
  - 1.130.1 Available under license



- 1.131 ip-regex 2.1.0**
  - 1.131.1 Available under license
- 1.132 cacache 15.3.0**
  - 1.132.1 Available under license
- 1.133 react-redux 7.2.8**
  - 1.133.1 Available under license
- 1.134 styled-components 5.3.5**
  - 1.134.1 Available under license
- 1.135 function-bind 1.1.1**
  - 1.135.1 Available under license
- 1.136 @babel/helper-environment-visitor 7.18.9**
  - 1.136.1 Available under license
- 1.137 isobject 3.0.1**
  - 1.137.1 Available under license
- 1.138 @babel/plugin-transform-modules-systemjs 7.18.9**
  - 1.138.1 Available under license
- 1.139 css-select 4.3.0**
  - 1.139.1 Available under license
- 1.140 babel-plugin-polyfill-corejs3 0.5.3**
  - 1.140.1 Available under license
- 1.141 @babel/types 7.18.13**
  - 1.141.1 Available under license
- 1.142 slugify 1.6.5**
  - 1.142.1 Available under license
- 1.143 babel-plugin-syntax-decorators 7.18.6**
  - 1.143.1 Available under license
- 1.144 object-inspect 1.12.2**
  - 1.144.1 Available under license
- 1.145 is-invalid-path 0.1.0**
  - 1.145.1 Available under license
- 1.146 @react-native-community/cli-tools 7.0.1**
  - 1.146.1 Available under license
- 1.147 camelcase 5.3.1**
  - 1.147.1 Available under license
- 1.148 is-glob 2.0.1**
  - 1.148.1 Available under license
- 1.149 charenc 0.0.2**
  - 1.149.1 Available under license
- 1.150 @expo/rudder-sdk-node 1.1.1**

- 1.150.1 Available under license
- 1.151 sort-keys 2.0.0**
  - 1.151.1 Available under license
- 1.152 query-string 5.1.1**
  - 1.152.1 Available under license
- 1.153 md5 2.3.0**
  - 1.153.1 Available under license
- 1.154 @babel/helper-hoist-variables 7.18.6**
  - 1.154.1 Available under license
- 1.155 ansi-styles 4.3.0**
  - 1.155.1 Available under license
- 1.156 statuses 1.5.0**
  - 1.156.1 Available under license
- 1.157 p-limit 3.1.0**
  - 1.157.1 Available under license
- 1.158 fast-glob 3.2.11**
  - 1.158.1 Available under license
- 1.159 is-fullwidth-code-point 3.0.0**
  - 1.159.1 Available under license
- 1.160 boolbase 1.0.0**
  - 1.160.1 Available under license
- 1.161 js-yaml 3.14.1**
  - 1.161.1 Available under license
- 1.162 crypto-js 3.1.9-1**
  - 1.162.1 Available under license
- 1.163 @expo/dev-server 0.1.119**
  - 1.163.1 Available under license
- 1.164 has-flag 3.0.0**
  - 1.164.1 Available under license
- 1.165 @gar/promisify 1.1.3**
  - 1.165.1 Available under license
- 1.166 is-valid-path 0.1.1**
  - 1.166.1 Available under license
- 1.167 react 17.0.2**
  - 1.167.1 Available under license
- 1.168 glob-parent 5.1.2**
  - 1.168.1 Available under license
- 1.169 regenerate-unicode-properties 10.0.1**
  - 1.169.1 Available under license

- 1.170 arg 4.1.0**
  - 1.170.1 Available under license
- 1.171 p-locate 4.1.0**
  - 1.171.1 Available under license
- 1.172 mimic-fn 1.2.0**
  - 1.172.1 Available under license
- 1.173 minipass-collect 1.0.2**
  - 1.173.1 Available under license
- 1.174 @babel/helper-plugin-utils 7.18.9**
  - 1.174.1 Available under license
- 1.175 dom-serializer 2.0.0**
  - 1.175.1 Available under license
- 1.176 expo-constants 13.1.1**
  - 1.176.1 Available under license
- 1.177 qs 6.11.0**
  - 1.177.1 Available under license
- 1.178 @jridgewell/gen-mapping 0.3.2**
  - 1.178.1 Available under license
- 1.179 react-native-reanimated 2.8.0**
  - 1.179.1 Available under license
- 1.180 d3-format 1.4.5**
  - 1.180.1 Available under license
- 1.181 resolve 1.7.1**
  - 1.181.1 Available under license
- 1.182 rc 1.2.8**
  - 1.182.1 Available under license
- 1.183 babel-plugin-dynamic-import-node 2.3.3**
  - 1.183.1 Available under license
- 1.184 color-name 1.1.4**
  - 1.184.1 Available under license
- 1.185 @expo/json-file 8.2.36**
  - 1.185.1 Available under license
- 1.186 memory-cache 0.2.0**
  - 1.186.1 Available under license
- 1.187 expo-modules-core 0.9.2**
  - 1.187.1 Available under license
- 1.188 @babel/helper-wrap-function 7.18.11**
  - 1.188.1 Available under license
- 1.189 babel-plugin-proposal-nullish-coalescing-operator 7.18.6**

- 1.189.1 Available under license
- 1.190 run-parallel 1.2.0**
  - 1.190.1 Available under license
- 1.191 array-find-index 1.0.2**
  - 1.191.1 Available under license
- 1.192 lodash-template 4.5.0**
  - 1.192.1 Available under license
- 1.193 babel-plugin-transform-typescript 7.18.12**
  - 1.193.1 Available under license
- 1.194 find-up 5.0.0**
  - 1.194.1 Available under license
- 1.195 env-editor 0.4.2**
  - 1.195.1 Available under license
- 1.196 @types/prop-types 15.7.5**
  - 1.196.1 Available under license
- 1.197 babel-plugin-react-native-web 0.17.7**
  - 1.197.1 Available under license
- 1.198 @babel/plugin-transform-named-capturing-groups-regex 7.18.6**
  - 1.198.1 Available under license
- 1.199 babel-plugin-syntax-nullish-coalescing-operator 7.8.3**
  - 1.199.1 Available under license
- 1.200 jsonfile 2.4.0**
  - 1.200.1 Available under license
- 1.201 inherits 2.0.4**
  - 1.201.1 Available under license
- 1.202 p-limit 2.3.0**
  - 1.202.1 Available under license
- 1.203 update-browserslist-db 1.0.5**
  - 1.203.1 Available under license
- 1.204 imurmurhash 0.1.4**
  - 1.204.1 Available under license
- 1.205 json5 2.2.1**
  - 1.205.1 Available under license
- 1.206 esutils 2.0.3**
  - 1.206.1 Available under license
- 1.207 shebang-regex 3.0.0**
  - 1.207.1 Available under license
- 1.208 @babel/helper-split-export-declaration 7.18.6**
  - 1.208.1 Available under license

### **1.209 fs-minipass 2.1.0**

1.209.1 Available under license

### **1.210 bl 4.1.0**

1.210.1 Available under license

### **1.211 babel-plugin-module-resolver 4.1.0**

1.211.1 Available under license

### **1.212 form-data 4.0.0**

1.212.1 Available under license

### **1.213 content-type 1.0.4**

1.213.1 Available under license

### **1.214 expo-keep-awake 10.1.1**

1.214.1 Available under license

### **1.215 query-string 6.14.1**

1.215.1 Available under license

### **1.216 babel-plugin-transform-runtime 7.18.10**

1.216.1 Available under license

### **1.217 normalize-url 2.0.1**

1.217.1 Available under license

### **1.218 png-js 5.0.0**

1.218.1 Available under license

### **1.219 babel-helper-compilation-targets 7.18.9**

1.219.1 Available under license

### **1.220 querystringify 2.2.0**

1.220.1 Available under license

### **1.221 y18n 4.0.3**

1.221.1 Available under license

### **1.222 get-intrinsic 1.1.2**

1.222.1 Available under license

### **1.223 css-to-react-native 3.0.0**

1.223.1 Available under license

### **1.224 media-typer 0.3.0**

1.224.1 Available under license

### **1.225 @urql/core 2.3.6**

1.225.1 Available under license

### **1.226 react-dom 17.0.2**

1.226.1 Available under license

### **1.227 p-locate 5.0.0**

1.227.1 Available under license

### **1.228 fs-extra 9.1.0**

- 1.228.1 Available under license
- 1.229 d3-array 1.2.4**
  - 1.229.1 Available under license
- 1.230 set-blocking 2.0.0**
  - 1.230.1 Available under license
- 1.231 @jridgewell/resolve-uri 3.1.0**
  - 1.231.1 Available under license
- 1.232 glob 7.2.3**
  - 1.232.1 Available under license
- 1.233 metro-react-native-babel-preset 0.67.0**
  - 1.233.1 Available under license
- 1.234 balanced-match 1.0.2**
  - 1.234.1 Available under license
- 1.235 object.assign 4.1.4**
  - 1.235.1 Available under license
- 1.236 supports-color 8.1.1**
  - 1.236.1 Available under license
- 1.237 mz 2.7.0**
  - 1.237.1 Available under license
- 1.238 expo-font 10.1.0**
  - 1.238.1 Available under license
- 1.239 semver 6.3.0**
  - 1.239.1 Available under license
- 1.240 hyphenate-style-name 1.0.4**
  - 1.240.1 Available under license
- 1.241 type-fest 0.12.0**
  - 1.241.1 Available under license
- 1.242 @babel/helper-annotate-as-pure 7.18.6**
  - 1.242.1 Available under license
- 1.243 @babel/highlight 7.18.6**
  - 1.243.1 Available under license
- 1.244 require-directory 2.1.1**
  - 1.244.1 Available under license
- 1.245 deep-extend 0.6.0**
  - 1.245.1 Available under license
- 1.246 is-extglob 1.0.0**
  - 1.246.1 Available under license
- 1.247 statuses 2.0.1**
  - 1.247.1 Available under license

- 1.248 form-data 3.0.1**
  - 1.248.1 Available under license
- 1.249 expo-modules-autolinking 0.8.1**
  - 1.249.1 Available under license
- 1.250 has-property-descriptors 1.0.0**
  - 1.250.1 Available under license
- 1.251 mime-db 1.52.0**
  - 1.251.1 Available under license
- 1.252 fbjs 0.8.18**
  - 1.252.1 Available under license
- 1.253 path-parse 1.0.7**
  - 1.253.1 Available under license
- 1.254 @jridgewell/sourcemap-codec 1.4.14**
  - 1.254.1 Available under license
- 1.255 is-unicode-supported 0.1.0**
  - 1.255.1 Available under license
- 1.256 traverse 0.6.6**
  - 1.256.1 Available under license
- 1.257 @types/node 18.7.14**
  - 1.257.1 Available under license
- 1.258 css-color-keywords 1.0.0**
  - 1.258.1 Available under license
- 1.259 @babel/plugin-proposal-private-methods 7.18.6**
  - 1.259.1 Available under license
- 1.260 fs-extra 8.1.0**
  - 1.260.1 Available under license
- 1.261 nodelib-fs-scandir 2.1.5**
  - 1.261.1 Available under license
- 1.262 commander 4.1.1**
  - 1.262.1 Available under license
- 1.263 @react-navigation/routers 5.7.4**
  - 1.263.1 Available under license
- 1.264 to-fast-properties 2.0.0**
  - 1.264.1 Available under license
- 1.265 react-native-easy-grid 0.2.2**
  - 1.265.1 Available under license
- 1.266 is-number 7.0.0**
  - 1.266.1 Available under license
- 1.267 unicode-property-aliases-ecmascript 2.0.0**

- 1.267.1 Available under license
- 1.268 mime-types 2.1.35**
  - 1.268.1 Available under license
- 1.269 @babel/plugin-transform-object-assign 7.18.6**
  - 1.269.1 Available under license
- 1.270 sudo-prompt 9.1.1**
  - 1.270.1 Available under license
- 1.271 tempy 0.7.1**
  - 1.271.1 Available under license
- 1.272 sprintf-js 1.0.3**
  - 1.272.1 Available under license
- 1.273 esprima 4.0.1**
  - 1.273.1 Available under license
- 1.274 babel-plugin-transform-reserved-words 7.18.6**
  - 1.274.1 Available under license
- 1.275 babel-plugin-transform-flow-strip-types 7.18.9**
  - 1.275.1 Available under license
- 1.276 @babel/plugin-syntax-export-namespace-from 7.8.3**
  - 1.276.1 Available under license
- 1.277 tween-functions 1.2.0**
  - 1.277.1 Available under license
- 1.278 xmlhttprequest 1.8.0**
  - 1.278.1 Available under license
- 1.279 @babel/plugin-bugfix-safari-id-structuring-collision-in-function-expression 7.18.6**
  - 1.279.1 Available under license
- 1.280 crypto-random-string 2.0.0**
  - 1.280.1 Available under license
- 1.281 babel-helper-create-regexp-features-plugin 7.18.6**
  - 1.281.1 Available under license
- 1.282 semver 7.0.0**
  - 1.282.1 Available under license
- 1.283 @babel/plugin-transform-regenerator 7.18.6**
  - 1.283.1 Available under license
- 1.284 ms 2.1.2**
  - 1.284.1 Available under license
- 1.285 default-gateway 4.2.0**
  - 1.285.1 Available under license
- 1.286 terminal-link 2.1.1**



- 1.286.1 Available under license
- 1.287 ansi-escapes 3.2.0**
  - 1.287.1 Available under license
- 1.288 onetime 5.1.2**
  - 1.288.1 Available under license
- 1.289 is-glob 4.0.3**
  - 1.289.1 Available under license
- 1.290 @babel/plugin-transform-object-super 7.18.6**
  - 1.290.1 Available under license
- 1.291 @graphql-typed-document-node/core 3.1.1**
  - 1.291.1 Available under license
- 1.292 chalk 2.4.2**
  - 1.292.1 Available under license
- 1.293 on-finished 2.4.1**
  - 1.293.1 Available under license
- 1.294 @babel/plugin-syntax-class-static-block 7.14.5**
  - 1.294.1 Available under license
- 1.295 caniuse-lite 1.0.30001385**
  - 1.295.1 Available under license
- 1.296 which 1.3.1**
  - 1.296.1 Available under license
- 1.297 is-core-module 2.10.0**
  - 1.297.1 Available under license
- 1.298 ms 2.0.0**
  - 1.298.1 Available under license
- 1.299 expo-structured-headers 2.2.1**
  - 1.299.1 Available under license
- 1.300 @expo/config-plugins 5.0.1**
  - 1.300.1 Available under license
- 1.301 wrap-ansi 6.2.0**
  - 1.301.1 Available under license
- 1.302 color-name 1.1.3**
  - 1.302.1 Available under license
- 1.303 shebang-regex 1.0.0**
  - 1.303.1 Available under license
- 1.304 is-interactive 1.0.0**
  - 1.304.1 Available under license
- 1.305 @types/scheduler 0.16.2**
  - 1.305.1 Available under license

- 1.306 types-yargs 15.0.14**
  - 1.306.1 Available under license
- 1.307 escape-string-regexp 1.0.5**
  - 1.307.1 Available under license
- 1.308 commander 5.1.0**
  - 1.308.1 Available under license
- 1.309 simple-plist 1.3.1**
  - 1.309.1 Available under license
- 1.310 jsesc 0.5.0**
  - 1.310.1 Available under license
- 1.311 is-ci 2.0.0**
  - 1.311.1 Available under license
- 1.312 restore-cursor 2.0.0**
  - 1.312.1 Available under license
- 1.313 path-type 4.0.0**
  - 1.313.1 Available under license
- 1.314 ncp 2.0.0**
  - 1.314.1 Available under license
- 1.315 color 3.1.4**
  - 1.315.1 Available under license
- 1.316 pump 3.0.0**
  - 1.316.1 Available under license
- 1.317 @emotion/is-prop-valid 1.2.0**
  - 1.317.1 Available under license
- 1.318 expo-json-utils 0.3.0**
  - 1.318.1 Available under license
- 1.319 simple-swizzle 0.2.2**
  - 1.319.1 Available under license
- 1.320 @babel/plugin-transform-function-name 7.18.9**
  - 1.320.1 Available under license
- 1.321 get-caller-file 2.0.5**
  - 1.321.1 Available under license
- 1.322 filter-obj 1.1.0**
  - 1.322.1 Available under license
- 1.323 minipass 3.1.6**
  - 1.323.1 Available under license
- 1.324 @babel/plugin-transform-exponentiation-operator 7.18.6**
  - 1.324.1 Available under license
- 1.325 string-hash-64 1.0.3**

- 1.325.1 Available under license
- 1.326 minimatch 3.1.2**
  - 1.326.1 Available under license
- 1.327 raf 3.4.1**
  - 1.327.1 Available under license
- 1.328 finalhandler 1.2.0**
  - 1.328.1 Available under license
- 1.329 rimraf 2.4.5**
  - 1.329.1 Available under license
- 1.330 expo-manifests 0.3.1**
  - 1.330.1 Available under license
- 1.331 prompts 2.4.2**
  - 1.331.1 Available under license
- 1.332 side-channel 1.0.4**
  - 1.332.1 Available under license
- 1.333 shell-quote 1.7.3**
  - 1.333.1 Available under license
- 1.334 @babel/plugin-proposal-async-generator-functions 7.18.10**
  - 1.334.1 Available under license
- 1.335 utils-merge 1.0.1**
  - 1.335.1 Available under license
- 1.336 cross-spawn 6.0.5**
  - 1.336.1 Available under license
- 1.337 types-hoist-non-react-statics 3.3.1**
  - 1.337.1 Available under license
- 1.338 css-tree 1.1.3**
  - 1.338.1 Available under license
- 1.339 color-convert 1.9.3**
  - 1.339.1 Available under license
- 1.340 uuid 8.3.2**
  - 1.340.1 Available under license
- 1.341 get-port 3.2.0**
  - 1.341.1 Available under license
- 1.342 domutils 3.0.1**
  - 1.342.1 Available under license
- 1.343 create-react-class 15.6.3**
  - 1.343.1 Available under license
- 1.344 xmlbuilder 14.0.0**
  - 1.344.1 Available under license

- 1.345 @expo/configure-splash-screen 0.6.0**
  - 1.345.1 Available under license
- 1.346 expo-secure-store 11.2.0**
  - 1.346.1 Available under license
- 1.347 fill-range 7.0.1**
  - 1.347.1 Available under license
- 1.348 @xmldom/xmldom 0.7.5**
  - 1.348.1 Available under license
- 1.349 csstype 3.1.0**
  - 1.349.1 Available under license
- 1.350 css-in-js-utils 2.0.1**
  - 1.350.1 Available under license
- 1.351 rimraf 2.7.1**
  - 1.351.1 Available under license
- 1.352 globby 11.1.0**
  - 1.352.1 Available under license
- 1.353 unique-filename 1.1.1**
  - 1.353.1 Available under license
- 1.354 bplist-parser 0.3.2**
  - 1.354.1 Available under license
- 1.355 @babel/plugin-transform-spread 7.18.9**
  - 1.355.1 Available under license
- 1.356 @babel/parser 7.18.13**
  - 1.356.1 Available under license
- 1.357 axios 0.27.2**
  - 1.357.1 Available under license
- 1.358 compare-urls 2.0.0**
  - 1.358.1 Available under license
- 1.359 @react-navigation/native 5.4.0**
  - 1.359.1 Available under license
- 1.360 wonka 4.0.15**
  - 1.360.1 Available under license
- 1.361 ci-info 2.0.0**
  - 1.361.1 Available under license
- 1.362 connect 3.7.0**
  - 1.362.1 Available under license
- 1.363 expo-asset 8.5.0**
  - 1.363.1 Available under license
- 1.364 restore-cursor 3.1.0**

- 1.364.1 Available under license
- 1.365 thenify 3.3.1**
  - 1.365.1 Available under license
- 1.366 react-native-splash-screen 3.2.0**
  - 1.366.1 Available under license
- 1.367 @emotion/stylis 0.8.5**
  - 1.367.1 Available under license
- 1.368 ci-info 3.3.2**
  - 1.368.1 Available under license
- 1.369 progress 2.0.3**
  - 1.369.1 Available under license
- 1.370 jsencrypt 3.0.0-rc.1**
  - 1.370.1 Available under license
- 1.371 qrcode-terminal 0.11.0**
  - 1.371.1 Available under license
- 1.372 wrappy 1.0.2**
  - 1.372.1 Available under license
- 1.373 strict-uri-encode 2.0.0**
  - 1.373.1 Available under license
- 1.374 expo-updates 0.13.4**
  - 1.374.1 Available under license
- 1.375 react-native-svg 12.3.0**
  - 1.375.1 Available under license
- 1.376 domelementtype 2.3.0**
  - 1.376.1 Available under license
- 1.377 ee-first 1.1.1**
  - 1.377.1 Available under license
- 1.378 regenerate 1.4.2**
  - 1.378.1 Available under license
- 1.379 ts-interface-checker 0.1.13**
  - 1.379.1 Available under license
- 1.380 tempy 0.3.0**
  - 1.380.1 Available under license
- 1.381 color-string 1.9.1**
  - 1.381.1 Available under license
- 1.382 follow-redirects 1.15.1**
  - 1.382.1 Available under license
- 1.383 whatwg-url 5.0.0**
  - 1.383.1 Available under license

- 1.384 @expo/devcert 1.0.0**
  - 1.384.1 Available under license
- 1.385 node-fetch 3.2.1**
  - 1.385.1 Available under license
- 1.386 infer-owner 1.0.4**
  - 1.386.1 Available under license
- 1.387 mv 2.1.1**
  - 1.387.1 Available under license
- 1.388 jest-types 26.6.2**
  - 1.388.1 Available under license
- 1.389 dir-glob 3.0.1**
  - 1.389.1 Available under license
- 1.390 @react-native-community/cli-platform-ios 7.0.1**
  - 1.390.1 Available under license
- 1.391 d3-scale 1.0.7**
  - 1.391.1 Available under license
- 1.392 react-is 17.0.2**
  - 1.392.1 Available under license
- 1.393 safe-json-stringify 1.2.0**
  - 1.393.1 Available under license
- 1.394 negotiator 0.6.3**
  - 1.394.1 Available under license
- 1.395 validate-npm-package-name 3.0.0**
  - 1.395.1 Available under license
- 1.396 babel-plugin-proposal-dynamic-import 7.18.6**
  - 1.396.1 Available under license
- 1.397 reusify 1.0.4**
  - 1.397.1 Available under license
- 1.398 lodash-frompairs 4.0.1**
  - 1.398.1 Available under license
- 1.399 @babel/plugin-syntax-private-property-in-object 7.14.5**
  - 1.399.1 Available under license
- 1.400 native-base 2.15.2**
  - 1.400.1 Available under license
- 1.401 @babel/plugin-proposal-class-static-block 7.18.6**
  - 1.401.1 Available under license
- 1.402 @babel/plugin-transform-duplicate-keys 7.18.9**
  - 1.402.1 Available under license
- 1.403 prepend-http 2.0.0**

- 1.403.1 Available under license
- 1.404 encoding 0.1.13**
  - 1.404.1 Available under license
- 1.405 escape-string-regexp 4.0.0**
  - 1.405.1 Available under license
- 1.406 @babel/plugin-transform-parameters 7.18.8**
  - 1.406.1 Available under license
- 1.407 osenv 0.1.5**
  - 1.407.1 Available under license
- 1.408 @babel/helper-remap-async-to-generator 7.18.9**
  - 1.408.1 Available under license
- 1.409 babel-plugin-transform-member-expression-literals 7.18.6**
  - 1.409.1 Available under license
- 1.410 electron-to-chromium 1.4.235**
  - 1.410.1 Available under license
- 1.411 expo-web-browser 10.2.1**
  - 1.411.1 Available under license
- 1.412 tslib 1.14.1**
  - 1.412.1 Available under license
- 1.413 @jridgewell/trace-mapping 0.3.15**
  - 1.413.1 Available under license
- 1.414 find-babel-config 1.2.0**
  - 1.414.1 Available under license
- 1.415 @babel/plugin-syntax-export-default-from 7.18.6**
  - 1.415.1 Available under license
- 1.416 is-wsl 2.2.0**
  - 1.416.1 Available under license
- 1.417 @expo/config 6.0.26**
  - 1.417.1 Available under license
- 1.418 nodelib-fs-walk 1.2.8**
  - 1.418.1 Available under license
- 1.419 @codler/react-native-keyboard-aware-scroll-view 1.0.1**
  - 1.419.1 Available under license
- 1.420 path-exists 4.0.0**
  - 1.420.1 Available under license
- 1.421 @babel/plugin-syntax-numeric-separator 7.10.4**
  - 1.421.1 Available under license
- 1.422 css-what 6.1.0**
  - 1.422.1 Available under license

- 1.423 patch-package 6.4.7**
  - 1.423.1 Available under license
- 1.424 @babel/helper-function-name 7.18.9**
  - 1.424.1 Available under license
- 1.425 lru-cache 6.0.0**
  - 1.425.1 Available under license
- 1.426 commander 7.2.0**
  - 1.426.1 Available under license
- 1.427 component-type 1.2.1**
  - 1.427.1 Available under license
- 1.428 gensync 1.0.0-beta.2**
  - 1.428.1 Available under license
- 1.429 shebang-command 1.2.0**
  - 1.429.1 Available under license
- 1.430 @expo/xcpretty 4.2.2**
  - 1.430.1 Available under license
- 1.431 @babel/plugin-transform-react-jsx-self 7.18.6**
  - 1.431.1 Available under license
- 1.432 buffer 5.7.1**
  - 1.432.1 Available under license
- 1.433 regjsgen 0.6.0**
  - 1.433.1 Available under license
- 1.434 is-path-cwd 2.2.0**
  - 1.434.1 Available under license
- 1.435 requireg 0.2.2**
  - 1.435.1 Available under license
- 1.436 @babel/plugin-transform-block-scoped-functions 7.18.6**
  - 1.436.1 Available under license
- 1.437 @types/react 18.0.18**
  - 1.437.1 Available under license
- 1.438 url-parse 1.5.10**
  - 1.438.1 Available under license
- 1.439 signal-exit 3.0.7**
  - 1.439.1 Available under license
- 1.440 d3-time 1.1.0**
  - 1.440.1 Available under license
- 1.441 ignore 5.2.0**
  - 1.441.1 Available under license
- 1.442 @expo/osascript 2.0.33**



- 1.442.1 Available under license
- 1.443 native-base-shoutem-theme 0.3.1**
  - 1.443.1 Available under license
- 1.444 @babel/helper-replace-supers 7.18.9**
  - 1.444.1 Available under license
- 1.445 core-js 1.2.7**
  - 1.445.1 Available under license
- 1.446 path-is-absolute 1.0.1**
  - 1.446.1 Available under license
- 1.447 command-exists 1.2.9**
  - 1.447.1 Available under license
- 1.448 pkg-up 3.1.0**
  - 1.448.1 Available under license
- 1.449 ora 3.4.0**
  - 1.449.1 Available under license
- 1.450 require-main-filename 2.0.0**
  - 1.450.1 Available under license
- 1.451 sudo-prompt 8.2.5**
  - 1.451.1 Available under license
- 1.452 picomatch 2.3.1**
  - 1.452.1 Available under license
- 1.453 decamelize 1.2.0**
  - 1.453.1 Available under license
- 1.454 color 3.2.1**
  - 1.454.1 Available under license
- 1.455 clone 2.1.2**
  - 1.455.1 Available under license
- 1.456 babel-plugin-proposal-decorators 7.18.10**
  - 1.456.1 Available under license
- 1.457 lodash-templatesettings 4.2.0**
  - 1.457.1 Available under license
- 1.458 type-is 1.6.18**
  - 1.458.1 Available under license
- 1.459 @babel/preset-env 7.18.10**
  - 1.459.1 Available under license
- 1.460 supports-color 7.2.0**
  - 1.460.1 Available under license
- 1.461 uuid 3.4.0**
  - 1.461.1 Available under license

- 1.462 react-is 16.13.1**
  - 1.462.1 Available under license
- 1.463 eslint-config-prettier 6.15.0**
  - 1.463.1 Available under license
- 1.464 moment 2.29.4**
  - 1.464.1 Available under license
- 1.465 serialize-error 6.0.0**
  - 1.465.1 Available under license
- 1.466 @babel/plugin-syntax-async-generators 7.8.4**
  - 1.466.1 Available under license
- 1.467 npm-force-resolutions 0.0.10**
  - 1.467.1 Available under license
- 1.468 react-native-iphone-x-helper 1.2.0**
  - 1.468.1 Available under license
- 1.469 bplist-parser 0.3.1**
  - 1.469.1 Available under license
- 1.470 pretty-format 26.6.2**
  - 1.470.1 Available under license
- 1.471 ssri 8.0.1**
  - 1.471.1 Available under license
- 1.472 unicode-match-property-ecmascript 2.0.0**
  - 1.472.1 Available under license
- 1.473 expo-splash-screen 0.15.1**
  - 1.473.1 Available under license
- 1.474 @react-navigation/bottom-tabs 5.10.0**
  - 1.474.1 Available under license
- 1.475 @babel/plugin-transform-sticky-regex 7.18.6**
  - 1.475.1 Available under license
- 1.476 @jridgewell/set-array 1.1.2**
  - 1.476.1 Available under license
- 1.477 is-arrayish 0.3.2**
  - 1.477.1 Available under license
- 1.478 print-message 2.1.0**
  - 1.478.1 Available under license
- 1.479 @expo/code-signing-certificates 0.0.1**
  - 1.479.1 Available under license
- 1.480 react-native-localize 1.3.1**
  - 1.480.1 Available under license
- 1.481 opencollective-postinstall 2.0.3**

- 1.481.1 Available under license
- 1.482 @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining 7.18.9**
  - 1.482.1 Available under license
- 1.483 camelize 1.0.0**
  - 1.483.1 Available under license
- 1.484 types-istanbul-reports 3.0.1**
  - 1.484.1 Available under license
- 1.485 mkdirp 1.0.4**
  - 1.485.1 Available under license
- 1.486 xml 1.6.11**
  - 1.486.1 Available under license
- 1.487 thenify-all 1.6.0**
  - 1.487.1 Available under license
- 1.488 md5-file 3.2.3**
  - 1.488.1 Available under license
- 1.489 d3-path 1.0.9**
  - 1.489.1 Available under license
- 1.490 getenv 1.0.0**
  - 1.490.1 Available under license
- 1.491 unique-slug 2.0.2**
  - 1.491.1 Available under license
- 1.492 join-component 1.1.0**
  - 1.492.1 Available under license
- 1.493 @babel/helper-module-transforms 7.18.9**
  - 1.493.1 Available under license
- 1.494 has-ansi 2.0.0**
  - 1.494.1 Available under license
- 1.495 @babel/plugin-transform-classes 7.18.9**
  - 1.495.1 Available under license
- 1.496 @babel/preset-modules 0.1.5**
  - 1.496.1 Available under license
- 1.497 cliui 6.0.0**
  - 1.497.1 Available under license
- 1.498 is-stream 1.1.0**
  - 1.498.1 Available under license
- 1.499 glob 7.1.6**
  - 1.499.1 Available under license
- 1.500 types-istanbul-lib-coverage 2.0.4**
  - 1.500.1 Available under license

### **1.501 babel-plugin-syntax-optional-chaining 7.8.3**

1.501.1 Available under license

### **1.502 babel-plugin-styled-components 2.0.7**

1.502.1 Available under license

### **1.503 supports-color 2.0.0**

1.503.1 Available under license

### **1.504 is-wsl 1.1.0**

1.504.1 Available under license

### **1.505 safe-buffer 5.2.1**

1.505.1 Available under license

### **1.506 @urql/exchange-retry 0.3.0**

1.506.1 Available under license

### **1.507 babel-plugin-syntax-jsx 6.18.0**

1.507.1 Available under license

### **1.508 convert-source-map 1.8.0**

1.508.1 Available under license

### **1.509 has-symbols 1.0.3**

1.509.1 Available under license

### **1.510 @emotion/memoize 0.8.0**

1.510.1 Available under license

### **1.511 builtins 1.0.3**

1.511.1 Available under license

### **1.512 babel-plugin-polyfill-regenerator 0.4.0**

1.512.1 Available under license

### **1.513 lodash-reinterpolate 3.0.0**

1.513.1 Available under license

### **1.514 md5-hex 1.0.0**

1.514.1 Available under license

### **1.515 prop-types 15.6.2**

1.515.1 Available under license

### **1.516 strip-ansi 3.0.1**

1.516.1 Available under license

### **1.517 clean-stack 2.2.0**

1.517.1 Available under license

### **1.518 better-opn 3.0.2**

1.518.1 Available under license

### **1.519 cli-cursor 3.1.0**

1.519.1 Available under license

### **1.520 brace-expansion 1.1.11**

- 1.520.1 Available under license
- 1.521 mime 2.6.0**
  - 1.521.1 Available under license
- 1.522 onetime 2.0.1**
  - 1.522.1 Available under license
- 1.523 promise-inflight 1.0.1**
  - 1.523.1 Available under license
- 1.524 ansi-escapes 4.3.2**
  - 1.524.1 Available under license
- 1.525 @babel/plugin-transform-modules-commonjs 7.18.6**
  - 1.525.1 Available under license
- 1.526 call-bind 1.0.2**
  - 1.526.1 Available under license
- 1.527 object-keys 1.1.1**
  - 1.527.1 Available under license
- 1.528 normalize-css-color 1.0.2**
  - 1.528.1 Available under license
- 1.529 i18njs 3.3.0**
  - 1.529.1 Available under license
- 1.530 crypt 0.0.2**
  - 1.530.1 Available under license
- 1.531 globals 11.12.0**
  - 1.531.1 Available under license
- 1.532 fbjs 3.0.4**
  - 1.532.1 Available under license
- 1.533 @babel/plugin-syntax-jsx 7.18.6**
  - 1.533.1 Available under license
- 1.534 define-properties 1.1.4**
  - 1.534.1 Available under license
- 1.535 @emotion/unitless 0.7.5**
  - 1.535.1 Available under license
- 1.536 @expo/vector-icons 13.0.0**
  - 1.536.1 Available under license
- 1.537 @babel/helper-member-expression-to-functions 7.18.9**
  - 1.537.1 Available under license
- 1.538 ipaddr.js 1.9.1**
  - 1.538.1 Available under license
- 1.539 babel-preset-typescript 7.18.6**
  - 1.539.1 Available under license

### **1.540 type-fest 0.21.3**

1.540.1 Available under license

### **1.541 require-from-string 2.0.2**

1.541.1 Available under license

### **1.542 accepts 1.3.8**

1.542.1 Available under license

### **1.543 inherits 2.0.3**

1.543.1 Available under license

### **1.544 open 6.4.0**

1.544.1 Available under license

### **1.545 @expo/prebuild-config 4.0.4**

1.545.1 Available under license

### **1.546 find-up 4.1.0**

1.546.1 Available under license

### **1.547 eol 0.9.1**

1.547.1 Available under license

### **1.548 slash 3.0.0**

1.548.1 Available under license

### **1.549 find-up 3.0.0**

1.549.1 Available under license

### **1.550 indent-string 4.0.0**

1.550.1 Available under license

### **1.551 escape-html 1.0.3**

1.551.1 Available under license

### **1.552 types-react-redux 7.1.24**

1.552.1 Available under license

### **1.553 fbemitter 3.0.0**

1.553.1 Available under license

### **1.554 entities 4.3.1**

1.554.1 Available under license

### **1.555 performance-now 2.1.0**

1.555.1 Available under license

### **1.556 loose-envify 1.4.0**

1.556.1 Available under license

### **1.557 warn-once 0.1.1**

1.557.1 Available under license

### **1.558 iconv-lite 0.4.24**

1.558.1 Available under license

### **1.559 fs-extra 9.0.0**

- 1.559.1 Available under license
- 1.560 @babel/plugin-transform-new-target 7.18.6**
  - 1.560.1 Available under license
- 1.561 @babel/plugin-proposal-json-strings 7.18.6**
  - 1.561.1 Available under license
- 1.562 cli-spinners 2.7.0**
  - 1.562.1 Available under license
- 1.563 @babel/plugin-transform-shorthand-properties 7.18.6**
  - 1.563.1 Available under license
- 1.564 encodeurl 1.0.2**
  - 1.564.1 Available under license
- 1.565 unpipe 1.0.0**
  - 1.565.1 Available under license
- 1.566 lodash.isequal 4.5.0**
  - 1.566.1 Available under license
- 1.567 lodash 4.17.21**
  - 1.567.1 Available under license
- 1.568 types-istanbul-lib-report 3.0.0**
  - 1.568.1 Available under license
- 1.569 @babel/plugin-proposal-export-default-from 7.18.10**
  - 1.569.1 Available under license
- 1.570 sisteransi 1.0.5**
  - 1.570.1 Available under license
- 1.571 expo-status-bar 1.3.0**
  - 1.571.1 Available under license
- 1.572 tr46 0.0.3**
  - 1.572.1 Available under license
- 1.573 react-native-screens 3.11.1**
  - 1.573.1 Available under license
- 1.574 @expo/code-signing-certificates 0.0.2**
  - 1.574.1 Available under license
- 1.575 open 7.4.2**
  - 1.575.1 Available under license
- 1.576 promise 7.3.1**
  - 1.576.1 Available under license
- 1.577 node-forge 1.3.1**
  - 1.577.1 Available under license
- 1.578 json5 0.5.1**
  - 1.578.1 Available under license

- 1.579 whatwg-fetch 2.0.4**
  - 1.579.1 Available under license
- 1.580 emoji-regex 8.0.0**
  - 1.580.1 Available under license
- 1.581 depd 1.1.2**
  - 1.581.1 Available under license
- 1.582 @babel/helpers 7.18.9**
  - 1.582.1 Available under license
- 1.583 expo-error-recovery 3.1.0**
  - 1.583.1 Available under license
- 1.584 fs.realpath 1.0.0**
  - 1.584.1 Available under license
- 1.585 @expo/config-types 45.0.0**
  - 1.585.1 Available under license
- 1.586 supports-hyperlinks 2.2.0**
  - 1.586.1 Available under license
- 1.587 aggregate-error 3.1.0**
  - 1.587.1 Available under license
- 1.588 postcss-value-parser 4.2.0**
  - 1.588.1 Available under license
- 1.589 prop-types 15.8.1**
  - 1.589.1 Available under license
- 1.590 wrap-ansi 7.0.0**
  - 1.590.1 Available under license
- 1.591 queue-microtask 1.2.3**
  - 1.591.1 Available under license
- 1.592 json5 1.0.1**
  - 1.592.1 Available under license
- 1.593 xcode 3.0.1**
  - 1.593.1 Available under license
- 1.594 jimp-compact 0.16.1**
  - 1.594.1 Available under license
- 1.595 uuid 7.0.3**
  - 1.595.1 Available under license
- 1.596 reset 0.1.0**
  - 1.596.1 Available under license
- 1.597 jsesc 2.5.2**
  - 1.597.1 Available under license
- 1.598 body-parser 1.19.0**



- 1.598.1 Available under license
- 1.599 js-tokens 4.0.0**
  - 1.599.1 Available under license
- 1.600 react-refresh 0.4.3**
  - 1.600.1 Available under license
- 1.601 @babel/plugin-transform-unicode-escapes 7.18.10**
  - 1.601.1 Available under license
- 1.602 babel-preset-expo 9.1.0**
  - 1.602.1 Available under license
- 1.603 chalk 1.1.1**
  - 1.603.1 Available under license
- 1.604 get-stdin 6.0.0**
  - 1.604.1 Available under license
- 1.605 end-of-stream 1.4.4**
  - 1.605.1 Available under license
- 1.606 lodash.debounce 4.0.8**
  - 1.606.1 Available under license
- 1.607 supports-color 5.5.0**
  - 1.607.1 Available under license
- 1.608 react-native-community-netinfo 8.2.0**
  - 1.608.1 Available under license
- 1.609 domhandler 5.0.3**
  - 1.609.1 Available under license
- 1.610 react-native-vector-icons 7.1.0**
  - 1.610.1 Available under license
- 1.611 picocolors 1.0.0**
  - 1.611.1 Available under license
- 1.612 safe-buffer 5.1.2**
  - 1.612.1 Available under license
- 1.613 expo-local-authentication 12.2.0**
  - 1.613.1 Available under license
- 1.614 monorepo-symlink-test 0.0.0**
  - 1.614.1 Available under license
- 1.615 unicode-canonical-property-names-ecmascript 2.0.0**
  - 1.615.1 Available under license
- 1.616 create-react-class 15.7.0**
  - 1.616.1 Available under license
- 1.617 tar 6.1.11**
  - 1.617.1 Available under license

**1.618 temp-dir 2.0.0**

1.618.1 Available under license

**1.619 babel-plugin-transform-property-literals 7.18.6**

1.619.1 Available under license

**1.620 react-freeze 1.0.3**

1.620.1 Available under license

**1.621 os-homedir 1.0.2**

1.621.1 Available under license

**1.622 react-native-gesture-handler 2.6.0**

1.622.1 Available under license

**1.623 exec-async 2.2.0**

1.623.1 Available under license

**1.624 p-finally 1.0.0**

1.624.1 Available under license

**1.625 nested-error-stacks 2.0.1**

1.625.1 Available under license

**1.626 @expo/config 7.0.1**

1.626.1 Available under license

**1.627 yargs-parser 21.1.1**

1.627.1 Available under license

**1.628 minizlib 2.1.2**

1.628.1 Available under license

**1.629 fs-extra 2.1.2**

1.629.1 Available under license

**1.630 xml2js 0.4.23**

1.630.1 Available under license

**1.631 universalify 0.1.2**

1.631.1 Available under license

**1.632 @babel/code-frame 7.18.6**

1.632.1 Available under license

**1.633 md5 2.2.1**

1.633.1 Available under license

**1.634 is-extglob 2.1.1**

1.634.1 Available under license

**1.635 cross-fetch 3.1.5**

1.635.1 Available under license

**1.636 delayed-stream 1.0.0**

1.636.1 Available under license

**1.637 nanoid 4.0.0**

- 1.637.1 Available under license
- 1.638 d3-interpolate 1.4.0**
- 1.638.1 Available under license
- 1.639 at-least-node 1.0.0**
- 1.639.1 Available under license
- 1.640 @babel/plugin-transform-react-jsx-source 7.5.0**
- 1.640.1 Available under license
- 1.641 bytes 3.1.0**
- 1.641.1 Available under license
- 1.642 @babel/plugin-proposal-export-namespace-from 7.18.9**
- 1.642.1 Available under license
- 1.643 wcwidth 1.0.1**
- 1.643.1 Available under license
- 1.644 @npmcli/fs 1.1.1**
- 1.644.1 Available under license
- 1.645 yarnpkg-lockfile 1.1.0**
- 1.645.1 Available under license
- 1.646 graphql-tag 2.12.6**
- 1.646.1 Available under license
- 1.647 buffer-alloc-unsafe 1.1.0**
- 1.647.1 Available under license
- 1.648 nodelib-fs-stat 2.0.5**
- 1.648.1 Available under license
- 1.649 @expo/plist 0.0.18**
- 1.649.1 Available under license
- 1.650 split-on-first 1.1.0**
- 1.650.1 Available under license
- 1.651 jsonfile 4.0.0**
- 1.651.1 Available under license
- 1.652 redux-thunk 2.3.0**
- 1.652.1 Available under license
- 1.653 shallowequal 1.1.0**
- 1.653.1 Available under license
- 1.654 symbol-observable 1.2.0**
- 1.654.1 Available under license
- 1.655 @babel/plugin-syntax-optional-catch-binding 7.8.3**
- 1.655.1 Available under license
- 1.656 unique-string 2.0.0**
- 1.656.1 Available under license

**1.657 graceful-fs 4.2.10**

1.657.1 Available under license

**1.658 buffer-alloc 1.2.0**

1.658.1 Available under license

**1.659 debug 2.6.9**

1.659.1 Available under license

**1.660 path-exists 3.0.0**

1.660.1 Available under license

**1.661 @expo/metro-config 0.3.19**

1.661.1 Available under license

**1.662 @types/hammerjs 2.0.41**

1.662.1 Available under license

**1.663 @expo/image-utils 0.3.21**

1.663.1 Available under license

**1.664 regjsparser 0.8.4**

1.664.1 Available under license

**1.665 locate-path 6.0.0**

1.665.1 Available under license

**1.666 json-schema-deref-sync 0.13.0**

1.666.1 Available under license

**1.667 @expo/metro-config 0.3.22**

1.667.1 Available under license

**1.668 mdn-data 2.0.14**

1.668.1 Available under license

**1.669 blueimp-md 2.19.0**

1.669.1 Available under license

**1.670 types-invariant 2.2.35**

1.670.1 Available under license

**1.671 babel-plugin-syntax-flow 7.18.6**

1.671.1 Available under license

**1.672 hosted-git-info 3.0.8**

1.672.1 Available under license

**1.673 @react-native-community/datetimestpicker 3.5.2**

1.673.1 Available under license

**1.674 core-js-compat 3.25.0**

1.674.1 Available under license

**1.675 d3-time-format 2.3.0**

1.675.1 Available under license

**1.676 toidentifier 1.0.0**

- 1.676.1 Available under license
- 1.677 has-flag 4.0.0**
  - 1.677.1 Available under license
- 1.678 @react-native-picker/picker 1.16.8**
  - 1.678.1 Available under license
- 1.679 asynckit 0.4.0**
  - 1.679.1 Available under license
- 1.680 beaker 1.0.0**
  - 1.680.1 Available under license
- 1.681 klaw-sync 6.0.0**
  - 1.681.1 Available under license
- 1.682 babel-plugin-polyfill-corejs2 0.3.2**
  - 1.682.1 Available under license
- 1.683 ansi-styles 3.2.1**
  - 1.683.1 Available under license
- 1.684 chalk 4.1.2**
  - 1.684.1 Available under license
- 1.685 @babel/plugin-syntax-logical-assignment-operators 7.10.4**
  - 1.685.1 Available under license
- 1.686 minipass-pipeline 1.2.4**
  - 1.686.1 Available under license
- 1.687 xmlbuilder 11.0.1**
  - 1.687.1 Available under license
- 1.688 universalify 2.0.0**
  - 1.688.1 Available under license
- 1.689 @babel/plugin-transform-react-display-name 7.18.6**
  - 1.689.1 Available under license
- 1.690 jsonfile 6.1.0**
  - 1.690.1 Available under license
- 1.691 setprototypeof 1.1.1**
  - 1.691.1 Available under license
- 1.692 @babel/plugin-proposal-numeric-separator 7.18.6**
  - 1.692.1 Available under license
- 1.693 fbjs-css-vars 1.0.2**
  - 1.693.1 Available under license
- 1.694 which-module 2.0.0**
  - 1.694.1 Available under license
- 1.695 url-join 4.0.0**
  - 1.695.1 Available under license

**1.696 argparse 1.0.10**

1.696.1 Available under license

**1.697 @expo/config-plugins 4.1.5**

1.697.1 Available under license

**1.698 yargs 15.4.1**

1.698.1 Available under license

**1.699 clamp 1.0.1**

1.699.1 Available under license

**1.700 parseurl 1.3.3**

1.700.1 Available under license

**1.701 js-base64 2.5.1**

1.701.1 Available under license

**1.702 locate-path 5.0.0**

1.702.1 Available under license

**1.703 @babel/plugin-transform-literals 7.18.9**

1.703.1 Available under license

**1.704 kleur 3.0.3**

1.704.1 Available under license

**1.705 d3-shape 1.3.7**

1.705.1 Available under license

**1.706 @ampproject/remapping 2.2.0**

1.706.1 Available under license

**1.707 unicode-match-property-value-ecmascript 2.0.0**

1.707.1 Available under license

**1.708 @babel/generator 7.18.13**

1.708.1 Available under license

**1.709 big-integer 1.6.51**

1.709.1 Available under license

**1.710 decode-uri-component 0.2.0**

1.710.1 Available under license

**1.711 fastq 1.13.0**

1.711.1 Available under license

**1.712 json-format 1.0.1**

1.712.1 Available under license

**1.713 npm-run-path 2.0.2**

1.713.1 Available under license

**1.714 valid-url 1.0.9**

1.714.1 Available under license

**1.715 glob 6.0.4**

- 1.715.1 Available under license
- 1.716 npm-package-arg 7.0.0**
  - 1.716.1 Available under license
- 1.717 combined-stream 1.0.8**
  - 1.717.1 Available under license
- 1.718 @jridgewell/gen-mapping 0.1.1**
  - 1.718.1 Available under license
- 1.719 escalade 3.1.1**
  - 1.719.1 Available under license
- 1.720 type-fest 0.16.0**
  - 1.720.1 Available under license
- 1.721 @egjs/hammerjs 2.0.17**
  - 1.721.1 Available under license
- 1.722 semver 7.3.2**
  - 1.722.1 Available under license
- 1.723 compare-versions 3.6.0**
  - 1.723.1 Available under license
- 1.724 expo-application 4.1.0**
  - 1.724.1 Available under license
- 1.725 internal-ip 4.3.0**
  - 1.725.1 Available under license
- 1.726 @babel/plugin-proposal-optional-catch-binding 7.18.6**
  - 1.726.1 Available under license
- 1.727 @babel/code-frame 7.10.4**
  - 1.727.1 Available under license
- 1.728 @babel/plugin-syntax-object-rest-spread 7.8.3**
  - 1.728.1 Available under license
- 1.729 regenerator-transform 0.15.0**
  - 1.729.1 Available under license
- 1.730 to-regexp-range 5.0.1**
  - 1.730.1 Available under license
- 1.731 through 2.3.8**
  - 1.731.1 Available under license
- 1.732 react-native-animatable 1.3.3**
  - 1.732.1 Available under license
- 1.733 dag-map 1.0.2**
  - 1.733.1 Available under license
- 1.734 expo-blur 11.1.0**
  - 1.734.1 Available under license

### **1.735 invariant 2.2.4**

1.735.1 Available under license

### **1.736 redux 4.0.1**

1.736.1 Available under license

### **1.737 @babel/helper-define-polyfill-provider 0.3.2**

1.737.1 Available under license

### **1.738 ora 5.4.1**

1.738.1 Available under license

### **1.739 graphql 15.8.0**

1.739.1 Available under license

### **1.740 stream-buffers 2.2.0**

1.740.1 Available under license

### **1.741 split 1.0.1**

1.741.1 Available under license

### **1.742 @babel/plugin-proposal-logical-assignment-operators 7.18.9**

1.742.1 Available under license

### **1.743 raw-body 2.4.0**

1.743.1 Available under license

### **1.744 lodash.isstring 4.0.1**

1.744.1 Available under license

### **1.745 @babel/plugin-syntax-import-assertions 7.18.6**

1.745.1 Available under license

### **1.746 parse-png 2.1.0**

1.746.1 Available under license

### **1.747 finalhandler 1.1.2**

1.747.1 Available under license

### **1.748 object-assign 4.1.1**

1.748.1 Available under license

### **1.749 xmlbuilder 15.1.1**

1.749.1 Available under license

### **1.750 strip-ansi 6.0.1**

1.750.1 Available under license

### **1.751 react-native-svg-charts 5.4.0**

1.751.1 Available under license

### **1.752 jwt-decode 2.2.0**

1.752.1 Available under license

### **1.753 node-forge-flash 0.0.0**

1.753.1 Available under license

### **1.754 @npmcli/move-file 1.1.2**



- 1.754.1 Available under license
- 1.755 merge2 1.4.1**
  - 1.755.1 Available under license
- 1.756 @babel/plugin-proposal-object-rest-spread 7.18.9**
  - 1.756.1 Available under license
- 1.757 @babel/helper-validator-identifier 7.18.6**
  - 1.757.1 Available under license
- 1.758 path-key 2.0.1**
  - 1.758.1 Available under license
- 1.759 lodash-pick 4.4.0**
  - 1.759.1 Available under license
- 1.760 structured-headers 0.4.1**
  - 1.760.1 Available under license
- 1.761 @react-native/normalize-color 2.0.0**
  - 1.761.1 Available under license
- 1.762 isomorphic-fetch 2.2.1**
  - 1.762.1 Available under license
- 1.763 fs-extra 7.0.1**
  - 1.763.1 Available under license
- 1.764 array-union 2.1.0**
  - 1.764.1 Available under license
- 1.765 debug 3.2.7**
  - 1.765.1 Available under license
- 1.766 @babel/runtime 7.18.9**
  - 1.766.1 Available under license
- 1.767 http-errors 1.7.2**
  - 1.767.1 Available under license
- 1.768 @expo/sdk-runtime-versions 1.0.0**
  - 1.768.1 Available under license
- 1.769 tslib 2.4.0**
  - 1.769.1 Available under license
- 1.770 @expo/spawn-async 1.5.0**
  - 1.770.1 Available under license
- 1.771 expo-updates-interface 0.6.0**
  - 1.771.1 Available under license
- 1.772 plist 3.0.6**
  - 1.772.1 Available under license
- 1.773 application-config-path 0.1.0**
  - 1.773.1 Available under license

- 1.774 @babel/plugin-transform-block-scoping 7.18.9**
  - 1.774.1 Available under license
- 1.775 hoist-non-react-statics 3.3.2**
  - 1.775.1 Available under license
- 1.776 browserslist 4.21.3**
  - 1.776.1 Available under license
- 1.777 @babel/plugin-proposal-private-property-in-object 7.18.6**
  - 1.777.1 Available under license
- 1.778 @react-navigation/core 5.16.1**
  - 1.778.1 Available under license
- 1.779 webidl-conversions 3.0.1**
  - 1.779.1 Available under license
- 1.780 @expo/cli 0.1.5**
  - 1.780.1 Available under license
- 1.781 @babel/plugin-transform-modules-umd 7.18.6**
  - 1.781.1 Available under license
- 1.782 @babel/helper-validator-option 7.18.6**
  - 1.782.1 Available under license
- 1.783 rimraf 3.0.2**
  - 1.783.1 Available under license
- 1.784 reselect 4.1.6**
  - 1.784.1 Available under license
- 1.785 source-map-support 0.5.21**
  - 1.785.1 Available under license
- 1.786 @babel/plugin-syntax-json-strings 7.8.3**
  - 1.786.1 Available under license
- 1.787 readable-stream 3.6.0**
  - 1.787.1 Available under license
- 1.788 cli-cursor 2.1.0**
  - 1.788.1 Available under license
- 1.789 buffer-from 1.1.2**
  - 1.789.1 Available under license
- 1.790 @babel/helper-simple-access 7.18.6**
  - 1.790.1 Available under license
- 1.791 color-convert 2.0.1**
  - 1.791.1 Available under license
- 1.792 execa 1.0.0**
  - 1.792.1 Available under license
- 1.793 find-yarn-workspace-root 2.0.0**

- 1.793.1 Available under license
- 1.794 on-finished 2.3.0**
- 1.794.1 Available under license
- 1.795 ieee754 1.2.1**
- 1.795.1 Available under license
- 1.796 cross-fetch-polyfill 0.0.0**
- 1.796.1 Available under license
- 1.797 @babel/plugin-proposal-unicode-property-regex 7.18.6**
- 1.797.1 Available under license
- 1.798 resolve-from 5.0.0**
- 1.798.1 Available under license
- 1.799 @babel/helper-string-parser 7.18.10**
- 1.799.1 Available under license
- 1.800 slash 2.0.0**
- 1.800.1 Available under license
- 1.801 @babel/core 7.18.13**
- 1.801.1 Available under license
- 1.802 path-browserify 1.0.1**
- 1.802.1 Available under license
- 1.803 bplist-creator 0.1.0**
- 1.803.1 Available under license
- 1.804 install 0.13.0**
- 1.804.1 Available under license
- 1.805 ansi-regex 5.0.1**
- 1.805.1 Available under license
- 1.806 @babel/plugin-transform-typeof-symbol 7.18.9**
- 1.806.1 Available under license

## 1.1 @segment/loosely-validate-event 2.0.0

### 1.1.1 Available under license :

The MIT License

Copyright (c) 2017 Segment.io friends@segment.com

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.2 sax 1.2.4

### 1.2.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

====

`String.fromCodePoint` by Mathias Bynens used according to terms of MIT License, as follows:

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.3 remove-trailing-slash 0.1.1

### 1.3.1 Available under license :

MIT

## 1.4 @babel/plugin-transform-async-to-generator 7.18.6

### 1.4.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.5 uuid 3.3.2

## 1.5.1 Available under license :

The MIT License (MIT)

Copyright (c) 2010-2016 Robert Kieffer and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.6 debug 4.3.4

## 1.6.1 Available under license :

(The MIT License)

Copyright (c) 2014-2017 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2018-2021 Josh Junon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.7 @babel/plugin-transform-react-jsx 7.18.10

### 1.7.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.8 is-plain-obj 1.1.0

### 1.8.1 Available under license :

MIT License

Copyright (c) 2020 Anton Zinovyev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.9 @babel/plugin-transform-computed-properties 7.18.9

### 1.9.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.10 @babel/plugin-transform-for-of 7.18.8

### 1.10.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors



Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.11 nth-check 2.1.1

### 1.11.1 Available under license :

Copyright (c) Felix Bhm  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.12 pretty-bytes 5.6.0

## 1.12.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.13 tmp 0.0.33

## 1.13.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 KARASZI Istvn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.14 @babel/template 7.18.10

## 1.14.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.15 d3-interpolate-path 2.0.0

## 1.15.1 Available under license :

Copyright 2016, Peter Beshai

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.16 babel-plugin-syntax-top-level-await

### 7.14.5

#### 1.16.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.17 nullthrows 1.1.1

#### 1.17.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Andres Suarez

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.18 define-lazy-prop 2.0.0

### 1.18.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.19 setimmediate 1.0.5

### 1.19.1 Available under license :

Copyright (c) 2012 Barnesandnoble.com, llc, Donavon West, and Domenic Denicola

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.20 log-symbols 2.2.0

### 1.20.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](https://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.21 log-symbols 4.1.0

### 1.21.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the

rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.22 qs 6.7.0

### 1.22.1 Available under license :

Copyright (c) 2014 Nathan LaFreniere and other contributors.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* The names of any contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS AND CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* \* \*

The complete list of contributors can be found at: <https://github.com/hapijs/qs/graphs/contributors>

# 1.23 react-native-web 0.17.7

## 1.23.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Adapts focus styles based on the user's active input modality (i.e., how
 * they are interacting with the UI right now).
 *
 * Focus styles are only relevant when using the keyboard to interact with the
 * page. If we only show the focus ring when relevant, we can avoid user
 * confusion without compromising accessibility.
 *
 * The script uses two heuristics to determine whether the keyboard is being used:
 *
 * 1. a keydown event occurred immediately before a focus event;
 * 2. a focus event happened on an element which requires keyboard interaction (e.g., a text field);
 *
 * This software or document includes material copied from or derived from https://github.com/WICG/focus-visible.
 * Copyright © 2018 W3C® (MIT, ERCIM, Keio, Beihang).
 * W3C Software Notice and License: https://www.w3.org/Consortium/Legal/2015/copyright-software-and-document
 *
 */
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/StyleSheet/modality.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/cjs/exports/StyleSheet/modality.js
```

No license file was found, but licenses were detected in source scan.


```
/**
 * Copyright (c) Facebook, Inc. and its affiliates.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @flow
 * @format
 */

/**
 * PAN RESPONDER
 *
 * `PanResponder` uses the Responder System to reconcile several touches into
```



- \* a single gesture. It makes single-touch gestures resilient to extra touches,
- \* and can be used to recognize simple multi-touch gestures. For each handler,
- \* it provides a `gestureState` object alongside the ResponderEvent object.
- \*
- \* By default, `PanResponder` holds an `InteractionManager` handle to block
- \* long-running JS events from interrupting active gestures.
- \*

\* A graphical explanation of the touch data flow:



'use strict';

```

import type {PressEvent} from '../vendor/react-native/Types/CoreEventTypes';
import InteractionManager from '../InteractionManager';
import TouchHistoryMath from '../vendor/react-native/TouchHistoryMath';
export type GestureState = {
  // ID of the gestureState; persisted as long as there's a pointer on screen
  stateID: number,
  // The latest screen coordinates of the gesture
  x: number,
  // The latest screen coordinates of the gesture
  y: number,

```

```

// The screen coordinates of the responder grant
initialX: number,
// The screen coordinates of the responder grant
initialY: number,
// Accumulated distance of the gesture since it started
deltaX: number,
// Accumulated distance of the gesture since it started
deltaY: number,
// Current velocity of the gesture
velocityX: number,
// Current velocity of the gesture
velocityY: number,
// Number of touches currently on screen
numberActiveTouches: number,
_accountsForMovesUpTo: number,
};
type ActiveCallback = (event:PressEvent, gestureState: GestureState) => boolean;
type PassiveCallback = (event:PressEvent, gestureState: GestureState) => void;
type PanResponderConfig = $ReadOnly<{|
  // Negotiate for the responder
  onMoveShouldSetResponder?: ?ActiveCallback,
  onMoveShouldSetResponderCapture?: ?ActiveCallback,
  onStartShouldSetResponder?: ?ActiveCallback,
  onStartShouldSetResponderCapture?: ?ActiveCallback,
  onPanTerminationRequest?: ?ActiveCallback,
  // Gesture started
  onPanGrant?: ?PassiveCallback,
  // Gesture rejected
  onPanReject?: ?PassiveCallback,
  // A pointer touched the screen
  onPanStart?: ?PassiveCallback,
  // A pointer moved
  onPanMove?: ?PassiveCallback,
  // A pointer was removed from the screen
  onPanEnd?: ?PassiveCallback,
  // All pointers removed, gesture successful
  onPanRelease?: ?PassiveCallback,
  // Gesture cancelled
  onPanTerminate?: ?PassiveCallback,
}|>;
const {
  currentCentroidX,
  currentCentroidY,
  currentCentroidXOfTouchesChangedAfter,
  currentCentroidYOfTouchesChangedAfter,
  previousCentroidXOfTouchesChangedAfter,
  previousCentroidYOfTouchesChangedAfter
} = TouchHistoryMath;

```

```

const PanResponder = {
  _initializeGestureState(gestureState: GestureState) {
    gestureState.x = 0;
    gestureState.y = 0;
    gestureState.initialX = 0;
    gestureState.initialY = 0;
    gestureState.deltaX = 0;
    gestureState.deltaY = 0;
    gestureState.velocityX = 0;
    gestureState.velocityY = 0;
    gestureState.numberActiveTouches = 0; // All `gestureState` accounts for timeStamps up until:

    gestureState._accountsForMovesUpTo = 0;
  },

  /**
   * Take all recently moved touches, calculate how the centroid has changed just for those
   * recently moved touches, and append that change to an accumulator. This is
   * to (at least) handle the case where the user is moving three fingers, and
   * then one of the fingers stops but the other two continue.
   *
   * This is very different than taking all of the recently moved touches and
   * storing their centroid as `dx/dy`. For correctness, we must *accumulate
   * changes* in the centroid of recently moved touches.
   *
   * There is also some nuance with how we handle multiple moved touches in a
   * single event. Multiple touches generate two 'move' events, each of
   * them triggering `onResponderMove`. But with the way `PanResponder` works,
   * all of the gesture inference is performed on the first dispatch, since it
   * looks at all of the touches. Therefore, `PanResponder` does not call
   * `onResponderMove` passed the first dispatch. This diverges from the
   * typical responder callback pattern (without using `PanResponder`), but
   * avoids more dispatches than necessary.
   *
   * When moving two touches in opposite directions, the cumulative
   * distance is zero in each dimension. When two touches move in parallel five
   * pixels in the same direction, the cumulative distance is five, not ten. If
   * two touches start, one moves five in a direction, then stops and the other
   * touch moves fives in the same direction, the cumulative distance is ten.
   *
   * This logic requires a kind of processing of time "clusters" of touch events
   * so that two touch moves that essentially occur in parallel but move every
   * other frame respectively, are considered part of the same movement.
   *
   * x/y: If a move event has been observed, `(x, y)` is the centroid of the most
   * recently moved "cluster" of active touches.
   * deltaX/deltaY: Cumulative touch distance. Accounts for touch moves that are
   * clustered together in time, moving the same direction. Only valid when

```

```

* currently responder (otherwise, it only represents the drag distance below
* the threshold).
*/
_updateGestureStateOnMove(gestureState: GestureState, touchHistory: $PropertyType<PressEvent,
'touchHistory'>) {
    const movedAfter = gestureState._accountsForMovesUpTo;
    const prevX = previousCentroidXOfTouchesChangedAfter(touchHistory, movedAfter);
    const prevY = previousCentroidYOfTouchesChangedAfter(touchHistory, movedAfter);
    const prevDeltaX = gestureState.deltaX;
    const prevDeltaY = gestureState.deltaY;
    const x = currentCentroidXOfTouchesChangedAfter(touchHistory, movedAfter);
    const y = currentCentroidYOfTouchesChangedAfter(touchHistory, movedAfter);
    const deltaX = prevDeltaX + (x - prevX);
    const deltaY = prevDeltaY + (y - prevY); // TODO: This must be filtered intelligently.

    const dt = touchHistory.mostRecentTimeStamp - gestureState._accountsForMovesUpTo;
    gestureState.deltaX = deltaX;
    gestureState.deltaY = deltaY;
    gestureState.numberActiveTouches = touchHistory.numberActiveTouches;
    gestureState.velocityX = (deltaX - prevDeltaX) / dt;
    gestureState.velocityY = (deltaY - prevDeltaY) / dt;
    gestureState.x = x;
    gestureState.y = y;
    gestureState._accountsForMovesUpTo = touchHistory.mostRecentTimeStamp;
},

/**
 * Enhanced versions of all of the responder callbacks that provide not only
 * the `ResponderEvent`, but also the `PanResponder` gesture state.
 *
 * In general, for events that have capture equivalents, we update the
 * gestureState once in the capture phase and can use it in the bubble phase
 * as well.
 */
create(config: PanResponderConfig): {|
    getInteractionHandle: () => ?number,
    panHandlers: {|
        onMoveShouldSetResponder: (event: PressEvent) => boolean,
        onMoveShouldSetResponderCapture: (event: PressEvent) => boolean,
        onResponderEnd: (event: PressEvent) => void,
        onResponderGrant: (event: PressEvent) => void,
        onResponderMove: (event: PressEvent) => void,
        onResponderReject: (event: PressEvent) => void,
        onResponderRelease: (event: PressEvent) => void,
        onResponderStart: (event: PressEvent) => void,
        onResponderTerminate: (event: PressEvent) => void,
        onResponderTerminationRequest: (event: PressEvent) => boolean,
        onStartShouldSetResponder: (event: PressEvent) => boolean,

```

```

    onStartShouldSetResponderCapture: (event: PressEvent) => boolean,
  ],
} {
const interactionState = {
  handle: (null: ?number)
};
const gestureState: GestureState = {
  // Useful for debugging
  stateID: Math.random(),
  x: 0,
  y: 0,
  initialX: 0,
  initialY: 0,
  deltaX: 0,
  deltaY: 0,
  velocityX: 0,
  velocityY: 0,
  numberActiveTouches: 0,
  _accountsForMovesUpTo: 0
};
const {
  onStartShouldSetResponder,
  onStartShouldSetResponderCapture,
  onMoveShouldSetResponder,
  onMoveShouldSetResponderCapture,
  onPanGrant,
  onPanStart,
  onPanMove,
  onPanEnd,
  onPanRelease,
  onPanReject,
  onPanTerminate,
  onPanTerminationRequest
} = config;
const panHandlers = {
  onStartShouldSetResponder(event: PressEvent): boolean {
    return onStartShouldSetResponder != null ? onStartShouldSetResponder(event, gestureState) : false;
  },

  onMoveShouldSetResponder(event: PressEvent): boolean {
    return onMoveShouldSetResponder != null ? onMoveShouldSetResponder(event, gestureState) : false;
  },

  onStartShouldSetResponderCapture(event: PressEvent): boolean {
    // TODO: Actually, we should reinitialize the state any time
    // touches.length increases from 0 active to > 0 active.
    if (event.nativeEvent.touches.length === 1) {
      PanResponder._initializeGestureState(gestureState);
    }
  }
};

```

```

    }

    gestureState.numberActiveTouches = event.touchHistory.numberActiveTouches;
    return onStartShouldSetResponderCapture != null ? onStartShouldSetResponderCapture(event, gestureState) :
false;
    },

    onMoveShouldSetResponderCapture(event: PressEvent): boolean {
        const touchHistory = event.touchHistory; // Responder system incorrectly dispatches should* to current
        responder
        // Filter out any touch moves past the first one - we would have
        // already processed multi-touch geometry during the first event.
        // NOTE: commented out because new responder system should get it right.
        //if (gestureState._accountsForMovesUpTo === touchHistory.mostRecentTimeStamp) {
        // return false;
        //}

        PanResponder._updateGestureStateOnMove(gestureState, touchHistory);

        return onMoveShouldSetResponderCapture != null ? onMoveShouldSetResponderCapture(event, gestureState)
: false;
    },

    onResponderGrant(event: PressEvent): void {
        if (!interactionState.handle) {
            interactionState.handle = InteractionManager.createInteractionHandle();
        }

        gestureState.initialX = currentCentroidX(event.touchHistory);
        gestureState.initialY = currentCentroidY(event.touchHistory);
        gestureState.deltaX = 0;
        gestureState.deltaY = 0;

        if (onPanGrant != null) {
            onPanGrant(event, gestureState);
        }
    },

    onResponderReject(event: PressEvent): void {
        clearInteractionHandle(interactionState, onPanReject, event, gestureState);
    },

    onResponderStart(event: PressEvent): void {
        const {
            numberActiveTouches
        } = event.touchHistory;
        gestureState.numberActiveTouches = numberActiveTouches;

```

```

    if (onPanStart != null) {
        onPanStart(event, gestureState);
    }
},

onResponderMove(event:PressEvent): void {
    const touchHistory = event.touchHistory; // Guard against the dispatch of two touch moves when there are two
    // simultaneously changed touches.

    if (gestureState._accountsForMovesUpTo === touchHistory.mostRecentTimeStamp) {
        return;
    } // Filter out any touch moves past the first one - we would have
    // already processed multi-touch geometry during the first event.

    PanResponder._updateGestureStateOnMove(gestureState, touchHistory);

    if (onPanMove != null) {
        onPanMove(event, gestureState);
    }
},

onResponderEnd(event:PressEvent): void {
    const {
        numberActiveTouches
    } = event.touchHistory;
    gestureState.numberActiveTouches = numberActiveTouches;
    clearInteractionHandle(interactionState, onPanEnd, event, gestureState);
},

onResponderRelease(event:PressEvent): void {
    clearInteractionHandle(interactionState, onPanRelease, event, gestureState);

    PanResponder._initializeGestureState(gestureState);
},

onResponderTerminate(event:PressEvent): void {
    clearInteractionHandle(interactionState, onPanTerminate, event, gestureState);

    PanResponder._initializeGestureState(gestureState);
},

onResponderTerminationRequest(event:PressEvent): boolean {
    return onPanTerminationRequest != null ? onPanTerminationRequest(event, gestureState) : true;
}

};

return {

```

```

panHandlers,

getInteractionHandle(): ?number {
  return interactionState.handle;
}

};
}

};
declare function clearInteractionHandle(interactionState: {
  handle: ?number
}, callback: ?(ActiveCallback | PassiveCallback), event:PressEvent, gestureState: GestureState): any;
export default PanResponder;

```

Found in path(s):

```

* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/PanResponder/Alternative.js.flow

```

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright (c) Nicolas Gallagher.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @flow
 */
export type ColorValue = null | string;
export type DimensionValue = null | number | string;
export type EdgeInsetsValue = {|
  top: number,
  left: number,
  right: number,
  bottom: number,
|};
export type GenericStyleProp<+T> = null | void | $ReadOnly<T> | false | " |
$ReadOnlyArray<GenericStyleProp<T>>;
export type LayoutValue = {
  x: number,
  y: number,
  width: number,
  height: number,
};
export type LayoutEvent = {
  nativeEvent: {
    layout: LayoutValue,
    target: any,

```



```

    },
    timeStamp: number,
  };
  export type PointValue = {
    x: number,
    y: number,
  };
  type LayoutCallback = (x: number, y: number, width: number, height: number, left: number, top: number) => void;
  type MeasureInWindowCallback = (left: number, top: number, width: number, height: number) => void; // Mixin to
  HTMLDivElement that represents additions from the `usePlatformMethods` hook

```

```

export interface PlatformMethods {
  blur: () => void,
  focus: () => void,
  measure: (callback: LayoutCallback) => void,
  measureInWindow: (callback: MeasureInWindowCallback) => void,
  measureLayout: (relativeToNativeNode: {}, onSuccess: LayoutCallback, onFail: () => void) => void,
  setNativeProps: (nativeProps: {}) => void,
}

```

Found in path(s):

```

* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/types/index.js.flow

```

No license file was found, but licenses were detected in source scan.

```

/**

```

```

* Copyright (c) Nicolas Gallagher.

```

```

*

```

```

* This source code is licensed under the MIT license found in the

```

```

* LICENSE file in the root directory of this source tree.

```

```

*

```

```

* useLayoutEffect throws an error on the server. On the few occasions where is

```

```

* problematic, use this hook.

```

```

*

```

```

*

```

```

*/

```

Found in path(s):

```

* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/cjs/modules/useLayoutEffect/index.js

```

```

* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/useLayoutEffect/index.js

```

No license file was found, but licenses were detected in source scan.

```

/**

```

```

* Copyright (c) Nicolas Gallagher.

```

```

*

```

```

* This source code is licensed under the MIT license found in the

```

\* LICENSE file in the root directory of this source tree.

\*

\* @flow

\*/

```
declare export default function pick(obj: Object, list: {
  [string]: boolean
}): Object;
```

Found in path(s):

\*/opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/pick/index.js.flow

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Facebook, Inc. and its affiliates.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @flow strict-local

\*/

```
export const defaultProps = {
  children: true,
  dataSet: true,
  nativeID: true,
  ref: true,
  suppressHydrationWarning: true,
  testID: true
};
export const accessibilityProps = {
  accessibilityActiveDescendant: true,
  accessibilityAtomic: true,
  accessibilityAutoComplete: true,
  accessibilityBusy: true,
  accessibilityChecked: true,
  accessibilityColumnCount: true,
  accessibilityColumnIndex: true,
  accessibilityColumnSpan: true,
  accessibilityControls: true,
  accessibilityCurrent: true,
  accessibilityDescribedBy: true,
  accessibilityDetails: true,
  accessibilityDisabled: true,
  accessibilityErrorMessage: true,
  accessibilityExpanded: true,
  accessibilityFlowTo: true,
  accessibilityHasPopup: true,
  accessibilityHidden: true,
```

```
accessibilityInvalid: true,
accessibilityKeyShortcuts: true,
accessibilityLabel: true,
accessibilityLabelledBy: true,
accessibilityLevel: true,
accessibilityLiveRegion: true,
accessibilityModal: true,
accessibilityMultiline: true,
accessibilityMultiSelectable: true,
accessibilityOrientation: true,
accessibilityOwns: true,
accessibilityPlaceholder: true,
accessibilityPosInSet: true,
accessibilityPressed: true,
accessibilityReadOnly: true,
accessibilityRequired: true,
accessibilityRole: true,
accessibilityRoleDescription: true,
accessibilityRowCount: true,
accessibilityRowIndex: true,
accessibilityRowSpan: true,
accessibilitySelected: true,
accessibilitySetSize: true,
accessibilitySort: true,
accessibilityValueMax: true,
accessibilityValueMin: true,
accessibilityValueNow: true,
accessibilityValueText: true,
dir: true,
focusable: true,
// Deprecated
accessible: true,
accessibilityState: true,
accessibilityValue: true
};
export const clickProps = {
  onClick: true,
  onClickCapture: true,
  onContextMenu: true
};
export const focusProps = {
  onBlur: true,
  onFocus: true
};
export const keyboardProps = {
  onKeyDown: true,
  onKeyDownCapture: true,
  onKeyUp: true,
```

```

onKeyUpCapture: true
};
export const mouseProps = {
  onMouseDown: true,
  onMouseEnter: true,
  onMouseLeave: true,
  onMouseMove: true,
  onMouseOver: true,
  onMouseOut: true,
  onMouseUp: true
};
export const touchProps = {
  onTouchCancel: true,
  onTouchCancelCapture: true,
  onTouchEnd: true,
  onTouchEndCapture: true,
  onTouchMove: true,
  onTouchMoveCapture: true,
  onTouchStart: true,
  onTouchStartCapture: true
};
export const styleProps = {
  classList: true,
  style: true
};

```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/forwardedProps/index.js.flow

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright (c) Nicolas Gallagher.
 * Copyright (c) Facebook, Inc. and its affiliates.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @flow
 */
const Platform = {
  OS: 'web',
  select: (obj: Object): any => 'web' in obj ? obj.web : obj.default,

  get isTesting(): boolean {
    if (process.env.NODE_ENV === 'test') {
      return true;
    }
  }
}

```

```
    return false;
  }

};
export default Platform;
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/Platform/index.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
*
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/cjs/modules/useResponderEvents/ResponderTouchHistoryStore.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/mergeRefs/index.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/Touchable/ensurePositiveDelayProps.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/cjs/modules/mergeRefs/index.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/NativeEventEmitter/index.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/cjs/exports/NativeEventEmitter/index.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/useHover/index.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/createEventHandle/index.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/useStable/index.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/cjs/modules/useStable/index.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/Touchable/Position.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/UnimplementedView/index.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/cjs/exports/VirtualizedList/index.js
```

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/useHover/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/useResponderEvents/ResponderTouchHistoryStore.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/Touchable/Position.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/VirtualizedList/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/useMergeRefs/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/ImageBackground/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/Touchable/ensurePositiveDelayProps.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/forwardedProps/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Text/TextAncestorContext.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/useMergeRefs/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/forwardedProps/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/createEventHandle/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/AccessibilityInfo/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/SectionList/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/SectionList/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/useEvent/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/Text/TextAncestorContext.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/useEvent/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/AccessibilityInfo/index.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Nicolas Gallagher.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @flow

\*/

```

const dataUriPattern = /^data:/;
declare export class ImageUriCache {
  static _maximumEntries: number,
  static _entries: any,
  static has(uri: string): boolean,
  static add(uri: string): any,
  static remove(uri: string): any,
  static _cleanUpIfNeeded(): any,
}
let id = 0;
const requests = {};
const ImageLoader = {
  abort(requestId: number) {
    let image = requests[`${requestId}`];

    if (image) {
      image.onerror = null;
      image.onload = null;
      image = null;
      delete requests[`${requestId}`];
    }
  },

  getSize(uri: string, success: (width: number, height: number) => void, failure: () => void) {
    let complete = false;
    const interval = setInterval(callback, 16);
    const requestId = ImageLoader.load(uri, callback, errorCallback);
    declare function callback(): any;
    declare function errorCallback(): any;
  },

  has(uri: string): boolean {
    return ImageUriCache.has(uri);
  },

  load(uri: string, onLoad: Function, onError: Function): number {
    id += 1;
    const image = new window.Image();
    image.onerror = onError;

    image.onload = e => {
      // avoid blocking the main thread
      declare var onDecode: () => any;

      if (typeof image.decode === 'function') {
        // Safari currently throws exceptions when decoding svgs.
        // We want to catch that error and allow the load handler
        // to be forwarded to the onLoad handler in this case

```

```

        image.decode().then(onDecode, onDecode);
    } else {
        setTimeout(onDecode, 0);
    }
};

image.src = uri;
requests[`${id}`] = image;
return id;
},

prefetch(uri: string): Promise<void> {
    return new Promise((resolve, reject) => {
        ImageLoader.load(uri, () => {
            // Add the uri to the cache so it can be immediately displayed when used
            // but also immediately remove it to correctly reflect that it has no active references
            ImageUriCache.add(uri);
            ImageUriCache.remove(uri);
            resolve();
        }, reject);
    });
},

queryCache(uris: Array<string>): Promise<{|
    [uri: string]: 'disk/memory'
|}> {
    const result = {};
    uris.forEach(u => {
        if (ImageUriCache.has(u)) {
            result[u] = 'disk/memory';
        }
    });
    return Promise.resolve(result);
}

};
export default ImageLoader;

```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/ImageLoader/index.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```



```
*
* @format
* @flow strict
*/
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/Easing.js.flow
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/emitter/_EmitterSubscription.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/emitter/_EmitterSubscription.js.flow
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/emitter/_EventSubscriptionVendor.js.flow
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/Easing.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/emitter/_EventSubscription.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/emitter/_EventSubscriptionVendor.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/SpringConfig.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/emitter/_EventSubscription.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) Nicolas Gallagher.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @noflow
 */
import UIManager from '../UIManager'; // NativeModules shim
```

```
const NativeModules = {
  UIManager
};
export default NativeModules;
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/NativeModules/index.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) Nicolas Gallagher.
```

\* Copyright (c) Facebook, Inc. and its affiliates.  
\*  
\* This source code is licensed under the MIT license found in the  
\* LICENSE file in the root directory of this source tree.  
\*  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/AppState/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/Modal/ModalContent.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/FlatList/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Modal/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/TextInputState/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/ScrollResponder/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/AppRegistry/AppContainer.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/processColor/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Picker/PickerItem.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/Modal/ModalPortal.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/Picker/PickerItem.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/Modal/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Linking/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/CheckBox/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/InteractionManager/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/unitlessNumbers/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/StyleSheet/flattenStyle.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/InteractionManager/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/ReactNativePropRegistry.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-

tgz/package/dist/cjs/exports/StyleSheet/ReactNativePropRegistry.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/SafeAreaView/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Vibration/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/RefreshControl/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Clipboard/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/YellowBox/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Modal/ModalFocusTrap.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Clipboard/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Vibration/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Dimensions/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/FlatList/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/findNodeHandle/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/ScrollResponder/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/useColorScheme/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Linking/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Modal/ModalFocusTrap.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/processColor/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Modal/ModalPortal.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/View/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/YellowBox/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/BackHandler/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Platform/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Text/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/I18nManager/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-

tgz/package/dist/exports/Keyboard/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/unitlessNumbers/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Modal/ModalAnimation.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/BackHandler/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Dimensions/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/LayoutAnimation/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Modal/ModalAnimation.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/KeyboardAvoidingView/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/AppRegistry/AppContainer.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Picker/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Touchable/BoundingDimensions.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/I18nManager/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Appearance/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Keyboard/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/AppRegistry/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Modal/ModalContent.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Button/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Button/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/flattenStyle.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/TextInput/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Touchable/BoundingDimensions.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/useColorScheme/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/findNodeHandle/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Appearance/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-

tgz/package/dist/exports/Share/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/AppRegistry/renderApplication.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/PixelRatio/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/PixelRatio/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/TextInputState/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/ScrollView/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/ActivityIndicator/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Platform/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/LayoutAnimation/index.js  
No license file was found, but licenses were detected in source scan.

```
/**  
 * Copyright (c) Nicolas Gallagher  
 *  
 * This source code is licensed under the MIT license found in the  
 * LICENSE file in the root directory of this source tree.  
 *  
 */
```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/isSelectionValid/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/useResponderEvents/ResponderEventTypes.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/useResponderEvents/ResponderSystem.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/useResponderEvents/createResponderEvent.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/useResponderEvents/ResponderSystem.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/useResponderEvents/Utils.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/useResponderEvents/createResponderEvent.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/useResponderEvents/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/useResponderEvents/Utils.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-

```
tgz/package/dist/modules/useResponderEvents/ResponderEventTypes.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/cjs/modules/useResponderEvents/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/isSelectionValid/index.js
No license file was found, but licenses were detected in source scan.
```

```
/**
 * Copyright (c) Nicolas Gallagher.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @flow
 */
const accessibilityRoleToWebRole = {
  adjustable: 'slider',
  button: 'button',
  header: 'heading',
  image: 'img',
  imagebutton: null,
  keyboardkey: null,
  label: null,
  link: 'link',
  none: 'presentation',
  search: 'search',
  summary: 'region',
  text: null
};
declare var propsToAriaRole: (arg0: {
  accessibilityRole?: string
}) => string | void;
export default propsToAriaRole;
```

```
Found in path(s):
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/AccessibilityUtil/propsToAriaRole.js.flow
No license file was found, but licenses were detected in source scan.
```

```
/**
 * Copyright (c) Facebook, Inc. and its affiliates.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @flow strict
 * @format
 */
```

Found in path(s):

- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/TurboModule/RCTExport.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/emitter/EventSubscription.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/NativeEventEmitter/RCTDeviceEventEmitter.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/emitter/EventEmitter.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/emitter/EventEmitter.js.flow
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Types/CoreEventTypes.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Nicolas Gallagher.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @flow

\*/

Found in path(s):

- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Switch/index.js.flow
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/useElementLayout/index.js.flow
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/ScrollView/ScrollViewBase.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/AccessibilityUtil/index.js.flow
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/StyleSheet.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/i18nStyle.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/resolveShadowValue.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/render/index.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/AssetRegistry/index.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/TouchableNativeFeedback/index.js.flow
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/DeviceInfo/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Switch/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/prefixStyles/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/TouchableNativeFeedback/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/TextInput/types.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/StyleSheet.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Easing/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/isWebColor/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/AccessibilityUtil/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/ScrollView/ScrollViewBase.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/AccessibilityUtil/propsToAriaRole.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/prefixStyles/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/usePlatformMethods/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/DeviceInfo/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/styleResolver.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Animated/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/normalizeColor/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/pick/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/ProgressBar/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/requestIdleCallback/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StatusBar/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/dismissKeyboard/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/styleResolver.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/usePlatformMethods/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/types/styles.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-



tgz/package/dist/modules/requestIdleCallback/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/i18nStyle.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/render/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/src/modules/dismissKeyboard/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/src/exports/ProgressBar/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/src/modules/ImageLoader/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/src/modules/modality/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/TextInput/types.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/src/exports/StyleSheet/initialRules.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/resolveShadowValue.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/AccessibilityUtil/propsToAccessibilityComponent.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/src/modules/AccessibilityUtil/isDisabled.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/src/exports/Animated/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/modality/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Easing/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/src/modules/flattenArray/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/types/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/src/modules/AccessibilityUtil/propsToAccessibilityComponent.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/normalizeColor/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/src/exports/Alert/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/src/modules/useElementLayout/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/types/styles.js.flow

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Nicolas Gallagher.  
\* Copyright (c) Facebook, Inc. and its affiliates.  
\*

\* This source code is licensed under the MIT license found in the  
\* LICENSE file in the root directory of this source tree.  
\*  
\* @noflow  
\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/AppState/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/findNodeHandle/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/ScrollView/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/findNodeHandle/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/AppState/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/ScrollView/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Picker/PickerItem.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Picker/PickerItem.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Portions Copyright (c) Facebook, Inc. and its affiliates.  
\*  
\* This source code is licensed under the MIT license found in the  
\* LICENSE file in the root directory of this source tree.  
\*  
\* @flow strict  
\* @format  
\*/  
/\*\*

\* BezierEasing - use bezier curve for transition easing function  
\* <https://github.com/gre/bezier-easing>  
\* @copyright 2014-2015 Gaëtan Renaudeau. MIT License.  
\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/bezier.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Facebook, Inc. and its affiliates.  
\*

\* This source code is licensed under the MIT license found in the  
\* LICENSE file in the root directory of this source tree.  
\*  
\* @flow  
\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/UnimplementedView/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/useResponderEvents/ResponderTouchHistoryStore.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Touchable/ensurePositiveDelayProps.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/useHover/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/createEventHandle/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/NativeEventEmitter/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/NativeEventEmitter/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/ImageBackground/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/useResponderEvents/ResponderTouchHistoryStore.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/AccessibilityInfo/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/useEvent/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/UnimplementedView/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/useEvent/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/AccessibilityInfo/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/ImageBackground/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/VirtualizedList/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/SectionList/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Touchable/ensurePositiveDelayProps.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/createEventHandle/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/SectionList/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-

tgz/package/dist/modules/useHover/index.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-

tgz/package/src/exports/VirtualizedList/index.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Nicolas Gallagher.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @flow

\*/

```
export type PackagerAsset = {
```

```
  __packager_asset: boolean,
```

```
  fileSystemLocation: string,
```

```
  httpServerLocation: string,
```

```
  width: ?number,
```

```
  height: ?number,
```

```
  scales: Array<number>,
```

```
  hash: string,
```

```
  name: string,
```

```
  type: string,
```

```
};
```

```
const assets: Array<PackagerAsset> = [];
```

```
declare export function registerAsset(asset: PackagerAsset): number;
```

```
declare export function getAssetByID(assetId: number): PackagerAsset;
```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-

tgz/package/dist/modules/AssetRegistry/index.js.flow

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Nicolas Gallagher.

\* Copyright (c) Facebook, Inc. and its affiliates.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @flow

\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-

tgz/package/dist/exports/Touchable/BoundingDimensions.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-

tgz/package/src/exports/BackHandler/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Button/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/View/types.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/I18nManager/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/AppRegistry/renderApplication.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Text/types.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Linking/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/AppRegistry/AppContainer.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Button/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Keyboard/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Dimensions/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/PixelRatio/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/SafeAreaView/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Modal/ModalFocusTrap.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Image/types.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/RefreshControl/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Image/types.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/InteractionManager/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Dimensions/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/CheckBox/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/flattenStyle.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/ScrollResponder/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/CheckBox/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Appearance/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Modal/ModalAnimation.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/AppRegistry/renderApplication.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/AppRegistry/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Touchable/BoundingDimensions.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/ActivityIndicator/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/TextInputState/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/I18nManager/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/FlatList/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/KeyboardAvoidingView/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Linking/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Picker/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/flattenStyle.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Modal/ModalPortal.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Clipboard/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/AppRegistry/AppContainer.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Image/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/KeyboardAvoidingView/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/View/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/ReactNativePropRegistry.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/InteractionManager/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Share/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/TextInput/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Keyboard/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/LayoutAnimation/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Modal/ModalPortal.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Vibration/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Modal/ModalContent.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/SafeAreaView/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/TextInput/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/ActivityIndicator/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Modal/ModalAnimation.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/YellowBox/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/unitlessNumbers/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Modal/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/processColor/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/ScrollResponder/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Picker/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/RefreshControl/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Appearance/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/LayoutAnimation/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Text/types.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/useColorScheme/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/YellowBox/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Modal/ModalFocusTrap.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/PixelRatio/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Text/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/FlatList/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Share/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/useColorScheme/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Modal/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Modal/ModalContent.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/AppRegistry/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/processColor/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Text/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/View/types.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/TextInputState/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/View/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Platform/index.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Facebook, Inc. and its affiliates.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @format

\* @flow

\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/deepDiffer/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/StaticRenderer/index.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Utilities/setAndForwardRef.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/StaticRenderer/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Utilities/setAndForwardRef.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Facebook, Inc. and its affiliates.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.



```
*
* @format
* @flow strict-local
*/
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/StaticContainer/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/StaticContainer/index.js.flow
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/useWindowDimensions/index.js.flow
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Batchinator/index.js.flow
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/useWindowDimensions/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Batchinator/index.js
```

No license file was found, but licenses were detected in source scan.

```
/**
* Copyright (c) Nicolas Gallagher
*
* This source code is licensed under the MIT license found in the
* LICENSE file in the root directory of this source tree.
*
* @flow
*/
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/useResponderEvents/createResponderEvent.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/useResponderEvents/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/isSelectionValid/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/useResponderEvents/index.js.flow
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/useResponderEvents/utils.js.flow
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/useResponderEvents/ResponderSystem.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/useResponderEvents/ResponderEventTypes.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/useResponderEvents/utils.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/useResponderEvents/createResponderEvent.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) Nicolas Gallagher.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @flow
 */
declare var isWebColor: (color: string) => boolean;
export default isWebColor;
```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/isWebColor/index.js.flow

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) Nicolas Gallagher.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @noflow
 */
```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/css.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/createReactDOMStyle.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/UIManager/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/createReactDOMStyle.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/createElement/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/unmountComponentAtNode/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/unmountComponentAtNode/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/createDOMProps/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/index.js

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/UIManager/index.js.flow
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/StyleSheet/createStyleResolver.js.flow
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/src/exports/NativeModules/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/src/exports/StyleSheet/constants.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/src/exports/StyleSheet/createStyleResolver.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/src/modules/multiplyStyleLengthValue/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/StyleSheet/css.js.flow
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/src/modules/createDOMProps/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/src/exports/createElement/index.js
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* From React 16.0.0
```

```
* @noflow
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/src/modules/setValueForStyles/dangerousStyleValue.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/setValueForStyles/dangerousStyleValue.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Nicolas Gallagher.
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow
```

```
*/
```

```
const emptyObject = {};
```

```
const objects = {};
```

```
const prefix = 'r';
let uniqueID = 1;
declare var createKey: (id: any) => any;
declare export default class ReactNativePropRegistry {
  static register(object: Object): number,
  static getByID(id: number): Object,
}
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/StyleSheet/ReactNativePropRegistry.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @format
```

```
* @flow strict
```

```
* @typecheck
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/emitter/_EventEmitter.js.flow
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-
native/emitter/_EventEmitter.js
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Nicolas Gallagher.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* useLayoutEffect throws an error on the server. On the few occasions where is
```

```
* problematic, use this hook.
```

```
*
```

```
* @flow
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/useLayoutEffect/index.js.flow
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/src/modules/useLayoutEffect/index.js
```

No license file was found, but licenses were detected in source scan.

```
// React Native exposes these features as props and proprietary styles
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Image/index.js
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Nicolas Gallagher.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow strict
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/src/modules/getBoundingClientRect/index.js
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Nicolas Gallagher.
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow
```

```
*/
```

```
declare function emptyFunction(): any;
```

```
const BackHandler = {
```

```
  exitApp: emptyFunction,
```

```
  addEventListener(): {|
```

```
    remove: () => void
```

```
  |} {
```

```
    return {
```

```
      remove: emptyFunction
```

```
    };
```

```
  },
```

```
  removeEventListener: emptyFunction
```

```
};
```

```
export default BackHandler;
```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/BackHandler/index.js.flow

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2016-present, Nicolas Gallagher.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\*

\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/LogBox/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/LogBox/index.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Facebook, Inc. and its affiliates.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* From React 16.0.0

\*

\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/setValueForStyles/dangerousStyleValue.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/setValueForStyles/dangerousStyleValue.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Nicolas Gallagher.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @flow

\*/

```
declare function flattenArray(array: Array<any>): Array<any>;
```

```
export default flattenArray;
```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/flattenArray/index.js.flow

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Nicolas Gallagher.

\* Copyright (c) Facebook, Inc. and its affiliates.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @flow

\*/

```
const unitlessNumbers = {
  animationIterationCount: true,
  aspectRatio: true,
  backgroundImageOutset: true,
  backgroundImageSlice: true,
  backgroundImageWidth: true,
  boxFlex: true,
  boxFlexGroup: true,
  boxOrdinalGroup: true,
  columnCount: true,
  flex: true,
  flexGrow: true,
  flexOrder: true,
  flexPositive: true,
  flexShrink: true,
  flexNegative: true,
  fontWeight: true,
  gridRow: true,
  gridRowEnd: true,
  gridRowGap: true,
  gridRowStart: true,
  gridColumn: true,
  gridColumnEnd: true,
  gridColumnGap: true,
  gridColumnStart: true,
  lineClamp: true,
  opacity: true,
  order: true,
  orphans: true,
  tabSize: true,
  widows: true,
  zIndex: true,
  zoom: true,
```

```

// SVG-related
fillOpacity: true,
floodOpacity: true,
stopOpacity: true,
strokeDasharray: true,
strokeDashoffset: true,
strokeMiterlimit: true,
strokeOpacity: true,
strokeWidth: true,
// transform types
scale: true,
scaleX: true,
scaleY: true,
scaleZ: true,
// RN properties
shadowOpacity: true
};
/**
 * Support style names that may come passed in prefixed by adding permutations
 * of vendor prefixes.
 */

```

```

const prefixes = ['ms', 'Moz', 'O', 'Webkit'];
declare var prefixKey: (prefix: string, key: string) => any;
Object.keys(unitlessNumbers).forEach(prop => {
  prefixes.forEach(prefix => {
    unitlessNumbers[prefixKey(prefix, prop)] = unitlessNumbers[prop];
  });
});
export default unitlessNumbers;

```

Found in path(s):

```

* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/unitlessNumbers/index.js.flow

```

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright (c) Nicolas Gallagher.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @flow strict-local
 */

```

Found in path(s):

```

* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/StyleSheet/compile.js.flow

```



\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/compile.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/validate.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/createOrderedCSSStyleSheet.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/createCompileableStyle.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/createCSSStyleSheet.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/normalizeValueWithProperty.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/normalizeValueWithProperty.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/createCompileableStyle.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/validate.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Facebook, Inc. and its affiliates.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @flow strict-local

\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/useMergeRefs/index.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/forwardedProps/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/useStable/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/useStable/index.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/useMergeRefs/index.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Facebook, Inc. and its affiliates.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

```
* @format
*
* @typecheck
*/
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/emitter/_EventEmitter.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/emitter/_EventEmitter.js
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Nicolas Gallagher.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow
```

```
*/
```

```
declare var emptyFunction: () => any;
```

```
declare function StatusBar(): null;
```

```
StatusBar.setBackgroundColor = emptyFunction;
```

```
StatusBar.setBarStyle = emptyFunction;
```

```
StatusBar.setHidden = emptyFunction;
```

```
StatusBar.setNetworkActivityIndicatorVisible = emptyFunction;
```

```
StatusBar.setTranslucent = emptyFunction;
```

```
export default StatusBar;
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StatusBar/index.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Nicolas Gallagher.
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow
```

```
*/
```

```
type VibratePattern = number | Array<number>;
```

```
declare var vibrate: (pattern: VibratePattern) => any;
```

```
const Vibration = {
```

```
  cancel() {
```

```
    vibrate(0);
```

```

},

vibrate(pattern: VibratePattern = 400) {
  vibrate(pattern);
}

};
export default Vibration;

```

Found in path(s):

```

* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/Vibration/index.js.flow

```

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright (c) Facebook, Inc. and its affiliates.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @flow strict-local
 * @format
 */
'use strict';

type ClickEvent = any;
type KeyboardEvent = any;
type ResponderEvent = any;
export type PressResponderConfig = $ReadOnly<{|
  // The gesture can be interrupted by a parent gesture, e.g., scroll.
  // Defaults to true.
  cancelable?: ?boolean,
  // Whether to disable initialization of the press gesture.
  disabled?: ?boolean,
  // Duration (in addition to `delayPressStart`) after which a press gesture is
  // considered a long press gesture. Defaults to 500 (milliseconds).
  delayLongPress?: ?number,
  // Duration to wait after press down before calling `onPressStart`.
  delayPressStart?: ?number,
  // Duration to wait after letting up before calling `onPressEnd`.
  delayPressEnd?: ?number,
  // Called when a long press gesture has been triggered.
  onLongPress?: ?(event: ResponderEvent) => void,
  // Called when a press gesture has been triggered.
  onPress?: ?(event: ClickEvent) => void,
  // Called when the press is activated to provide visual feedback.
  onPressChange?: ?(event: ResponderEvent) => void,
  // Called when the press is activated to provide visual feedback.

```

```

onPressStart?: ?(event: ResponderEvent) => void,
// Called when the press location moves. (This should rarely be used.)
onPressMove?: ?(event: ResponderEvent) => void,
// Called when the press is deactivated to undo visual feedback.
onPressEnd?: ?(event: ResponderEvent) => void,
]}>;
export type EventHandlers = $ReadOnly<{
  onClick: (event: ClickEvent) => void,
  onContextMenu: (event: ClickEvent) => void,
  onKeyDown: (event: KeyboardEvent) => void,
  onResponderGrant: (event: ResponderEvent) => void,
  onResponderMove: (event: ResponderEvent) => void,
  onResponderRelease: (event: ResponderEvent) => void,
  onResponderTerminate: (event: ResponderEvent) => void,
  onResponderTerminationRequest: (event: ResponderEvent) => boolean,
  onStartShouldSetResponder: (event: ResponderEvent) => boolean,
]}>;
type TouchState = 'NOT_RESPONDER' | 'RESPONDER_INACTIVE_PRESS_START' |
'RESPONDER_ACTIVE_PRESS_START' | 'RESPONDER_ACTIVE_LONG_PRESS_START' | 'ERROR';
type TouchSignal = 'DELAY' | 'RESPONDER_GRANT' | 'RESPONDER_RELEASE' |
'RESPONDER_TERMINATED' | 'LONG_PRESS_DETECTED';
const DELAY = 'DELAY';
const ERROR = 'ERROR';
const LONG_PRESS_DETECTED = 'LONG_PRESS_DETECTED';
const NOT_RESPONDER = 'NOT_RESPONDER';
const RESPONDER_ACTIVE_LONG_PRESS_START = 'RESPONDER_ACTIVE_LONG_PRESS_START';
const RESPONDER_ACTIVE_PRESS_START = 'RESPONDER_ACTIVE_PRESS_START';
const RESPONDER_INACTIVE_PRESS_START = 'RESPONDER_INACTIVE_PRESS_START';
const RESPONDER_GRANT = 'RESPONDER_GRANT';
const RESPONDER_RELEASE = 'RESPONDER_RELEASE';
const RESPONDER_TERMINATED = 'RESPONDER_TERMINATED';
const Transitions = Object.freeze({
  NOT_RESPONDER: {
    DELAY: ERROR,
    RESPONDER_GRANT: RESPONDER_INACTIVE_PRESS_START,
    RESPONDER_RELEASE: ERROR,
    RESPONDER_TERMINATED: ERROR,
    LONG_PRESS_DETECTED: ERROR
  },
  RESPONDER_INACTIVE_PRESS_START: {
    DELAY: RESPONDER_ACTIVE_PRESS_START,
    RESPONDER_GRANT: ERROR,
    RESPONDER_RELEASE: NOT_RESPONDER,
    RESPONDER_TERMINATED: NOT_RESPONDER,
    LONG_PRESS_DETECTED: ERROR
  },
  RESPONDER_ACTIVE_PRESS_START: {
    DELAY: ERROR,

```

```

RESPONDER_GRANT: ERROR,
RESPONDER_RELEASE: NOT_RESPONDER,
RESPONDER_TERMINATED: NOT_RESPONDER,
LONG_PRESS_DETECTED: RESPONDER_ACTIVE_LONG_PRESS_START
},
RESPONDER_ACTIVE_LONG_PRESS_START: {
  DELAY: ERROR,
  RESPONDER_GRANT: ERROR,
  RESPONDER_RELEASE: NOT_RESPONDER,
  RESPONDER_TERMINATED: NOT_RESPONDER,
  LONG_PRESS_DETECTED: RESPONDER_ACTIVE_LONG_PRESS_START
},
ERROR: {
  DELAY: NOT_RESPONDER,
  RESPONDER_GRANT: RESPONDER_INACTIVE_PRESS_START,
  RESPONDER_RELEASE: NOT_RESPONDER,
  RESPONDER_TERMINATED: NOT_RESPONDER,
  LONG_PRESS_DETECTED: NOT_RESPONDER
}
});
declare var isActiveSignal: (signal: any) => any;
declare var isButtonRole: (element: any) => any;
declare var isPressStartSignal: (signal: any) => any;
declare var isTerminalSignal: (signal: any) => any;
declare var isValidKeyPress: (event: any) => any;
const DEFAULT_LONG_PRESS_DELAY_MS = 450; // 500 - 50

const DEFAULT_PRESS_DELAY_MS = 50;
/**
 * ===== PressResponder Tutorial =====
 *
 * The `PressResponder` class helps you create press interactions by analyzing the
 * geometry of elements and observing when another responder (e.g. ScrollView)
 * has stolen the touch lock. It offers hooks for your component to provide
 * interaction feedback to the user:
 *
 * - When a press has activated (e.g. highlight an element)
 * - When a press has deactivated (e.g. un-highlight an element)
 * - When a press should trigger an action, meaning it activated and deactivated
 *   while within the geometry of the element without the lock being stolen.
 *
 * A high quality interaction isn't as simple as you might think. There should
 * be a slight delay before activation. Moving your finger beyond an element's
 * bounds should trigger deactivation, but moving the same finger back within an
 * element's bounds should trigger reactivation.
 *
 * In order to use `PressResponder`, do the following:
 *

```

```

*   const pressResponder = new PressResponder(config);
*
* 2. Choose the rendered component who should collect the press events. On that
*   element, spread `pressability.getEventHandlers()` into its props.
*
*   return (
*     <View {...this.state.pressResponder.getEventHandlers()} />
*   );
*
* 3. Reset `PressResponder` when your component unmounts.
*
*   componentWillUnmount() {
*     this.state.pressResponder.reset();
*   }
*
* ===== Implementation Details =====
*
* `PressResponder` only assumes that there exists a `HitRect` node. The `PressRect`
* is an abstract box that is extended beyond the `HitRect`.
*
* # Geometry
*
* - Presses start anywhere within `HitRect`.
*
* VisualRect
*   - When pressed down for sufficient amount of time
*   HitRect   before letting up, `VisualRect` activates.
*
* Out Region  o
*
*           When the press is released outside the `HitRect`,
*           the responder is NOT eligible for a "press".
*
* # State Machine
*
* RESPONDER_RELEASE
* NOT_RESPONDER
* RESPONDER_TERMINATED
*
* RESPONDER_GRANT (HitRect)
*
*
* RESPONDER_INACTIVE_ DELAY RESPONDER_ACTIVE_ T + DELAY RESPONDER_ACTIVE_
* PRESS_START PRESS_START LONG_PRESS_START
*
*

```

```
* T + DELAY => LONG_PRESS_DELAY + DELAY
```

```
*
```

```
* Not drawn are the side effects of each transition. The most important side  
* effect is the invocation of `onLongPress`. Only when the browser produces a  
* `click` event is `onPress` invoked.
```

```
*/
```

```
declare export default class PressResponder {  
  _config: PressResponderConfig,  
  _eventHandlers: ?EventHandlers,  
  _isPointerTouch: ?boolean,  
  _longPressDelayTimeout: ?TimeoutID,  
  _longPressDispatched: ?boolean,  
  _pressDelayTimeout: ?TimeoutID,  
  _pressOutDelayTimeout: ?TimeoutID,  
  _selectionTerminated: ?boolean,  
  _touchActivatePosition: ?$ReadOnly<{|  
    pageX: number,  
    pageY: number,  
  }>,  
  _touchState: TouchState,  
  constructor(config: PressResponderConfig): any,  
  configure(config: PressResponderConfig): void,  
  reset(): void,  
  getEventHandlers(): EventHandlers,  
  _createEventHandlers(): EventHandlers,  
  _receiveSignal(signal: TouchSignal, event: ResponderEvent): void,  
  _performTransitionSideEffects(prevState: TouchState, nextState: TouchState, signal: TouchSignal, event:  
  ResponderEvent): void,  
  _activate(event: ResponderEvent): void,  
  _deactivate(event: ResponderEvent): void,  
  _handleLongPress(event: ResponderEvent): void,  
  _cancelLongPressDelayTimeout(): void,  
  _cancelPressDelayTimeout(): void,  
  _cancelPressOutDelayTimeout(): void,  
}  
declare function normalizeDelay(delay: ?number, min: any, fallback: any): number;  
declare function getTouchFromResponderEvent(event: ResponderEvent): any;
```

```
Found in path(s):
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/usePressEvents/PressResponder.js.flow
```

```
No license file was found, but licenses were detected in source scan.
```

```
/**
```

```
* Copyright (c) 2015-present, Facebook, Inc.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

\* LICENSE file in the root directory of this source tree.

\*

\* @format

\*

\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/JSEventLoopWatchdog/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/JSEventLoopWatchdog/index.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2015-present, Facebook, Inc.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @format

\* @flow

\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/JSEventLoopWatchdog/index.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/JSEventLoopWatchdog/index.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Facebook, Inc. and its affiliates.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @flow strict

\* @format

\*/

```
import EventEmitter, { type IEventEmitter } from './emitter/EventEmitter'; // FIXME: use typed events
```

```
type RCTDeviceEventDefinitions = $FlowFixMe;
```

/\*\*

\* Global EventEmitter used by the native platform to emit events to JavaScript.

\* Events are identified by globally unique event names.

\*

\* NativeModules that emit events should instead subclass `NativeEventEmitter`.

\*/



```
export default (new EventEmitter(): IEventEmitter<RCTDeviceEventDefinitions>);
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/NativeEventEmitter/RCTDeviceEventEmitter.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Nicolas Gallagher.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow strict
```

```
*/
```

```
declare var getBoundingClientRect: (node: ?HTMLElement) => void | ClientRect;
```

```
export default getBoundingClientRect;
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/getBoundingClientRect/index.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow
```

```
* @format
```

```
*/
```

```
'use strict';
```

```
export type FillRateInfo = Info;
```

```
declare class Info {
```

```
  any_blank_count: number,
```

```
  any_blank_ms: number,
```

```
  any_blank_speed_sum: number,
```

```
  mostly_blank_count: number,
```

```
  mostly_blank_ms: number,
```

```
  pixels_blank: number,
```

```
  pixels_sampled: number,
```

```
  pixels_scrolled: number,
```

```
  total_time_spent: number,
```

```
  sample_count: number,
```

```
}
```

```

type FrameMetrics = {
  inLayout?: boolean,
  length: number,
  offset: number,
  ...
};
const DEBUG = false;
let _listeners: Array<(Info) => void> = [];
let _minSampleCount = 10;

let _sampleRate = DEBUG ? 1 : null;
/**
 * A helper class for detecting when the maximum fill rate of `VirtualizedList` is exceeded.
 * By default the sampling rate is set to zero and this will do nothing. If you want to collect
 * samples (e.g. to log them), make sure to call `FillRateHelper.setSampleRate(0.0-1.0)`.
 *
 * Listeners and sample rate are global for all `VirtualizedList`s - typical usage will combine with
 * `SceneTracker.getActiveScene` to determine the context of the events.
 */

declare class FillRateHelper {
  _anyBlankStartTime: any,
  _enabled: any,
  _getFrameMetrics: (index: number) => ?FrameMetrics,
  _info: any,
  _mostlyBlankStartTime: any,
  _samplesStartTime: any,
  static addListener(callback: (FillRateInfo) => void): {
    remove: () => void,
    ...
  },
  static setSampleRate(sampleRate: number): any,
  static setMinSampleCount(minSampleCount: number): any,
  constructor(getFrameMetrics: (index: number) => ?FrameMetrics): any,
  activate(): any,
  deactivateAndFlush(): any,
  computeBlankness(props: {
    data: any,
    getItemCount: (data: any) => number,
    initialNumToRender: number,
    ...
  }, state: {
    first: number,
    last: number,
    ...
  }, scrollMetrics: {
    dOffset: number,

```

```

    offset: number,
    velocity: number,
    visibleLength: number,
    ...
  }): number,
  enabled(): boolean,
  _resetData(): any,
}
export default FillRateHelper;

```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/FillRateHelper/index.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Nicolas Gallagher
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow
```

```
*/
```

```
export type Touch = {
```

```
  force: number,
```

```
  identifier: number,
```

```
  // The locationX and locationY properties are non-standard additions
```

```
  locationX: any,
```

```
  locationY: any,
```

```
  pageX: number,
```

```
  pageY: number,
```

```
  target: any,
```

```
  // Touches in a list have a timestamp property
```

```
  timestamp: number,
```

```
};
```

```
export type TouchEvent = {
```

```
  altKey: boolean,
```

```
  ctrlKey: boolean,
```

```
  metaKey: boolean,
```

```
  shiftKey: boolean,
```

```
  // TouchList is an array in the Responder system
```

```
  changedTouches: Array<Touch>,
```

```
  force: number,
```

```
  // React Native adds properties to the "nativeEvent that are usually only found on W3C Touches \_()\_
```

```
  identifier: number,
```

```
  locationX: any,
```

```
  locationY: any,
```

```
  pageX: number,
```

```

pageY: number,
target: any,
// The timestamp has a lowercase "s" in the Responder system
timestamp: number,
// TouchList is an array in the Responder system
touches: Array<Touch>,
};
export const BLUR = 'blur';
export const CONTEXT_MENU = 'contextmenu';
export const FOCUS_OUT = 'focusout';
export const MOUSE_DOWN = 'mousedown';
export const MOUSE_MOVE = 'mousemove';
export const MOUSE_UP = 'mouseup';
export const MOUSE_CANCEL = 'dragstart';
export const TOUCH_START = 'touchstart';
export const TOUCH_MOVE = 'touchmove';
export const TOUCH_END = 'touchend';
export const TOUCH_CANCEL = 'touchcancel';
export const SCROLL = 'scroll';
export const SELECT = 'select';
export const SELECTION_CHANGE = 'selectionchange';
declare export function isStartish(eventType: mixed): boolean;
declare export function isMoveish(eventType: mixed): boolean;
declare export function isEndish(eventType: mixed): boolean;
declare export function isCancelish(eventType: mixed): boolean;
declare export function isScroll(eventType: mixed): boolean;
declare export function isSelectionChange(eventType: mixed): boolean;

```

Found in path(s):

```

* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/useResponderEvents/ResponderEventTypes.js.flow

```

No license file was found, but licenses were detected in source scan.

```

/**

```

```

* Copyright (c) Nicolas Gallagher

```

```

*

```

```

* This source code is licensed under the MIT license found in the

```

```

* LICENSE file in the root directory of this source tree.

```

```

*

```

```

* @flow

```

```

*/

```

```

declare export default function isSelectionValid(): boolean;

```

Found in path(s):

```

* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/isSelectionValid/index.js.flow

```

No license file was found, but licenses were detected in source scan.

```

/**
 * Portions Copyright (c) Facebook, Inc. and its affiliates.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @flow strict
 * @format
 */

/**
 * BezierEasing - use bezier curve for transition easing function
 * https://github.com/gre/bezier-easing
 * @copyright 2014-2015 Gaëtan Renaudeau. MIT License.
 */

'use strict'; // These values are established by empiricism with tests (tradeoff: performance VS precision)

const NEWTON_ITERATIONS = 4;
const NEWTON_MIN_SLOPE = 0.001;
const SUBDIVISION_PRECISION = 0.0000001;
const SUBDIVISION_MAX_ITERATIONS = 10;
const kSplineTableSize = 11;
const kSampleStepSize = 1.0 / (kSplineTableSize - 1.0);
const float32ArraySupported = typeof Float32Array === 'function';
declare function A(aA1: any, aA2: any): any;
declare function B(aA1: any, aA2: any): any;
declare function C(aA1: any): any; // Returns x(t) given t, x1, and x2, or y(t) given t, y1, and y2.

declare function calcBezier(aT: any, aA1: any, aA2: any): any; // Returns dx/dt given t, x1, and x2, or dy/dt given t,
y1, and y2.

declare function getSlope(aT: any, aA1: any, aA2: any): any;
declare function binarySubdivide(aX: any, _aA: any, _aB: any, mX1: any, mX2: any): any;
declare function newtonRaphsonIterate(aX: any, _aGuessT: any, mX1: any, mX2: any): any;
declare export default function bezier(mX1: number, mY1: number, mX2: number, mY2: number): (x: number) =>
number;
;

Found in path(s):
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/Animated/bezier.js.flow
No license file was found, but licenses were detected in source scan.

/**
 * Copyright (c) Nicolas Gallagher.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.

```

```

*
* @noflow
*/
export const STYLE_ELEMENT_ID = 'react-native-stylesheet';
export const STYLE_GROUPS = {
  reset: 0,
  modality: 0.1,
  classicReset: 0.5,
  classic: 1,
  atomic: 2.2,
  custom: {
    borderColor: 2,
    borderRadius: 2,
    borderStyle: 2,
    borderWidth: 2,
    display: 2,
    flex: 2,
    margin: 2,
    overflow: 2,
    overscrollBehavior: 2,
    padding: 2,
    marginHorizontal: 2.1,
    marginVertical: 2.1,
    paddingHorizontal: 2.1,
    paddingVertical: 2.1
  }
};
export const STYLE_SHORT_FORM_EXPANSIONS = {
  borderColor: ['borderTopColor', 'borderRightColor', 'borderBottomColor', 'borderLeftColor'],
  borderRadius: ['borderTopLeftRadius', 'borderTopRightRadius', 'borderBottomRightRadius', 'borderBottomLeftRadius'],
  borderStyle: ['borderTopStyle', 'borderRightStyle', 'borderBottomStyle', 'borderLeftStyle'],
  borderWidth: ['borderTopWidth', 'borderRightWidth', 'borderBottomWidth', 'borderLeftWidth'],
  margin: ['marginTop', 'marginRight', 'marginBottom', 'marginLeft'],
  marginHorizontal: ['marginRight', 'marginLeft'],
  marginVertical: ['marginTop', 'marginBottom'],
  overflow: ['overflowX', 'overflowY'],
  overscrollBehavior: ['overscrollBehaviorX', 'overscrollBehaviorY'],
  padding: ['paddingTop', 'paddingRight', 'paddingBottom', 'paddingLeft'],
  paddingHorizontal: ['paddingRight', 'paddingLeft'],
  paddingVertical: ['paddingTop', 'paddingBottom']
};
export const MONOSPACE_FONT_STACK = 'monospace,monospace';
export const SYSTEM_FONT_STACK = '-apple-system,BlinkMacSystemFont,"Segoe UI",Roboto,Helvetica,Arial,sans-serif';

```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-

tgz/package/dist/exports/StyleSheet/constants.js.flow

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @format
```

```
* @flow strict
```

```
*/
```

```
'use strict';
```

```
type SpringConfigType = {
```

```
  stiffness: number,
```

```
  damping: number,
```

```
  ...
```

```
};
```

```
declare function stiffnessFromOrigamiValue(oValue: any): any;
```

```
declare function dampingFromOrigamiValue(oValue: any): any;
```

```
declare function fromOrigamiTensionAndFriction(tension: number, friction: number): SpringConfigType;
```

```
declare function fromBouncinessAndSpeed(bounciness: number, speed: number): SpringConfigType;
```

```
export default {
```

```
  fromOrigamiTensionAndFriction,
```

```
  fromBouncinessAndSpeed
```

```
};
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/SpringConfig.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) 2016-present, Nicolas Gallagher.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow
```

```
*/
```

```
const LogBox = {
```

```
  ignoreLogs() {},
```

```
  ignoreAllLogs() {},
```

```
  uninstall() {},
```

```
install() {}  
  
};  
export default LogBox;
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/LogBox/index.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Portions Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
*
```

```
* @format
```

```
*/
```

```
/**
```

```
* BezierEasing - use bezier curve for transition easing function
```

```
* https://github.com/gre/bezier-easing
```

```
* @copyright 2014-2015 Gaëtan Renaudeau. MIT License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-  
native/Animated/bezier.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-  
native/Animated/bezier.js
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @format
```

```
* @flow
```

```
*/
```

```
'use strict';
```

```
/*
```

```
* @returns {bool} true if different, false if equal
```

```
*/
```

```
const deepDiffer = function (one: any, two: any, maxDepth: number = -1): boolean {
```

```
  if (maxDepth === 0) {
```



```

    return true;
}

if (one === two) {
    // Short circuit on identical object references instead of traversing them.
    return false;
}

if (typeof one === 'function' && typeof two === 'function') {
    // We consider all functions equal
    return false;
}

if (typeof one !== 'object' || one === null) {
    // Primitives can be directly compared
    return one !== two;
}

if (typeof two !== 'object' || two === null) {
    // We know they are different because the previous case would have triggered
    // otherwise.
    return true;
}

if (one.constructor !== two.constructor) {
    return true;
}

if (Array.isArray(one)) {
    // We know two is also an array because the constructors are equal
    const len = one.length;

    if (two.length !== len) {
        return true;
    }

    for (let ii = 0; ii < len; ii++) {
        if (deepDiffer(one[ii], two[ii], maxDepth - 1)) {
            return true;
        }
    }
} else {
    for (const key in one) {
        if (deepDiffer(one[key], two[key], maxDepth - 1)) {
            return true;
        }
    }
}

```

```

for (const twoKey in two) {
  // The only case we haven't checked yet is keys that are in two but aren't
  // in one, which means they are different.
  if (one[twoKey] === undefined && two[twoKey] !== undefined) {
    return true;
  }
}

return false;
};

export default deepDiffer;

```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/deepDiffer/index.js.flow

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright (c) Nicolas Gallagher.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @flow strict-local
 */
type Groups = {
  [key: number]: {
    start: ?number,
    rules: Array<string>,
  }
};

type Selectors = {
  [key: string]: boolean
};

const slice = Array.prototype.slice;

/**
 * Order-based insertion of CSS.
 *
 * Each rule is associated with a numerically defined group.
 * Groups are ordered within the style sheet according to their number, with the
 * lowest first.
 *
 * Groups are implemented using marker rules. The selector of the first rule of
 * each group is used only to encode the group number for hydration. An
 * alternative implementation could rely on CSSMediaRule, allowing groups to be
 * treated as a sub-sheet, but the Edge implementation of CSSMediaRule is

```

```
* broken.  
* https://developer.mozilla.org/en-US/docs/Web/API/CSSMediaRule  
* https://gist.github.com/necolas/aa0c37846ad6bd3b05b727b959e82674  
*/
```

```
declare export default function createOrderedCSSStyleSheet(sheet: ?CSSStyleSheet): {|  
  gettextContent: () => string,  
  insert: (cssText: string, groupValue: number) => void,  
|};  
/**  
* Helper functions  
*/
```

```
declare function encodeGroupRule(group: any): any;  
declare function decodeGroupRule(cssRule: any): any;  
declare function getOrderedGroups(obj: {  
  [key: number]: any  
}): any;  
const pattern = /^s*([,])\s*/g;  
declare function getSelectorText(cssText: any): any;  
declare function insertRuleAt(root: any, cssText: string, position: number): boolean;
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/createOrderedCSSStyleSheet.js.flow  
No license file was found, but licenses were detected in source scan.
```

```
/**
```

```
* Copyright (c) Nicolas Gallagher.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow strict-local
```

```
*/
```

```
import { canUseDOM } from 'fbjs/lib/ExecutionEnvironment'; // $FlowFixMe: HTMLStyleElement is incorrectly  
typed - https://github.com/facebook/flow/issues/2696
```

```
declare export default function createCSSStyleSheet(id: string): ?CSSStyleSheet;
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/createCSSStyleSheet.js.flow  
No license file was found, but licenses were detected in source scan.
```

```
/**
```

```
* Copyright (c) Nicolas Gallagher.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
* LICENSE file in the root directory of this source tree.
*
* @flow
*/
```

```
declare var isDisabled: (props: Object) => boolean;
export default isDisabled;
```

Found in path(s):

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/AccessibilityUtil/isDisabled.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @format
```

```
*
```

```
*/
```

Found in path(s):

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/emitter/_EventSubscriptionVendor.js
```

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/StaticRenderer/index.js
```

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/emitter/_EmitterSubscription.js
```

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/emitter/_EventSubscription.js
```

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-
native/emitter/_EventSubscriptionVendor.js
```

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-
native/Animated/SpringConfig.js
```

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/Batchinator/index.js
```

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-
native/deepDiffer/index.js
```

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-
native/StaticContainer/index.js
```

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/Animated/SpringConfig.js
```

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/Animated/Easing.js
```

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-
native/StaticRenderer/index.js
```

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/deepDiffer/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/emitter/\_EmitterSubscription.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Batchinator/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/useWindowDimensions/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Utilities/setAndForwardRef.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Utilities/setAndForwardRef.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/Easing.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/useWindowDimensions/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/emitter/\_EventSubscription.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/StaticContainer/index.js  
No license file was found, but licenses were detected in source scan.

/\*\*

\* Adapts focus styles based on the user's active input modality (i.e., how they are interacting with the UI right now).  
\*  
\* Focus styles are only relevant when using the keyboard to interact with the page. If we only show the focus ring when relevant, we can avoid user confusion without compromising accessibility.  
\*  
\* The script uses two heuristics to determine whether the keyboard is being used:  
\*  
\* 1. a keydown event occurred immediately before a focus event;  
\* 2. a focus event happened on an element which requires keyboard interaction (e.g., a text field);  
\*  
\* This software or document includes material copied from or derived from <https://github.com/WICG/focus-visible>.  
\* Copyright © 2018 W3C® (MIT, ERCIM, Keio, Beihang).  
\* W3C Software Notice and License: <https://www.w3.org/Consortium/Legal/2015/copyright-software-and-document>  
\*  
\* @noflow  
\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/modality.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/StyleSheet/modality.js

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) Facebook, Inc. and its affiliates.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @format
 */
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/TouchHistoryMath/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/TouchHistoryMath/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/TouchHistoryMath/index.js
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) Facebook, Inc. and its affiliates.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @flow strict
 */
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/mergeRefs/index.js.flow
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/mergeRefs/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Text/TextAncestorContext.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Text/TextAncestorContext.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) Nicolas Gallagher.
 * Copyright (c) Facebook, Inc. and its affiliates.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 */
```

```
*/  
// React Native exposes these features as props and proprietary styles  
  
Found in path(s):  
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Image/index.js  
No license file was found, but licenses were detected in source scan.
```

```
/**  
* Copyright (c) Facebook, Inc. and its affiliates.  
*  
* This source code is licensed under the MIT license found in the  
* LICENSE file in the root directory of this source tree.  
*  
* @flow strict  
* @format  
*/  
'use strict';  
/**  
* NOTE: This is React Native specific export type.  
*  
* RCTExport is an interface type that allows native code generation for React  
* Native native modules. It exists as a hint to the codegen tool that any  
* interface that extends it needs to be codegen'ed. Example usage:  
*  
* export interface RCTFoobar extends RCTExport<void> {}  
*  
* Native definition for RCTFoobar will then be generated.  
*  
* The type param T is a placeholder for future codegen hinting, like versioning  
* information, native base classes, etc. For now, simply use `void` type as  
* there's nothing to give hint about.  
*/  
// eslint-disable-next-line no-unused-vars  
  
export interface RCTExport<T: void = void> {  
  +getConstants?: () => {}  
} // eslint-disable-next-line lint/react-native-modules  
  
export interface TurboModule extends RCTExport<void> {}
```

```
Found in path(s):  
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-  
native/TurboModule/RCTExport.js.flow  
No license file was found, but licenses were detected in source scan.
```

```
/**  
* Copyright 2013-present, Facebook, Inc.
```

\*  
\* This source code is licensed under the MIT license found in the  
\* LICENSE file in the root directory of this source tree.  
\*  
\* From React 16.0.0  
\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/PooledClass/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/PooledClass/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/PooledClass/index.js

No license file was found, but licenses were detected in source scan.

/\*\*  
\* Copyright (c) Nicolas Gallagher.  
\*  
\* This source code is licensed under the MIT license found in the  
\* LICENSE file in the root directory of this source tree.  
\*  
\* @flow  
\*/

```
const resets = [// minimal top-level reset  
'html{-ms-text-size-adjust:100%;-webkit-text-size-adjust:100%;-webkit-tap-highlight-color:rgba(0,0,0,0);}',  
'body{margin:0;}', // minimal form pseudo-element reset  
'button::-moz-focus-inner,input::-moz-focus-inner{border:0;padding:0;}', ('input::-webkit-search-cancel-  
button,input::-webkit-search-decoration,' + 'input::-webkit-search-results-button,input::-webkit-search-results-  
decoration{display:none;}' : string)];  
export default resets;
```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/initialRules.js.flow

No license file was found, but licenses were detected in source scan.

/\*\*  
\* Copyright (c) Facebook, Inc. and its affiliates.  
\*  
\* This source code is licensed under the MIT license found in the  
\* LICENSE file in the root directory of this source tree.  
\*  
\* @flow strict-local  
\* @format  
\*/

Found in path(s):



\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Pressable/index.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/components/AnimatedScrollView.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/NativeAnimatedHelper.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/components/AnimatedFlatList.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/TouchableHighlight/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/components/AnimatedImage.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/TouchableWithoutFeedback/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/components/AnimatedView.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/components/AnimatedScrollView.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/usePressEvent/PressResponder.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/usePressEvent/index.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/components/AnimatedFlatList.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedWithChildren.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/TouchableOpacity/index.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/NativeAnimatedHelper.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/components/AnimatedText.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/TouchableWithoutFeedback/index.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/components/AnimatedSectionList.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/NativeEventEmitter/index.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/NativeEventEmitter/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedWithChildren.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/TouchableOpacity/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/components/AnimatedSectionList.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/TouchableHighlight/index.js.flow

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/components/AnimatedView.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/VirtualizedList/VirtualizedListContext.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/usePressEvent/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/VirtualizedList/VirtualizedListContext.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/components/AnimatedText.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/components/AnimatedImage.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Pressable/index.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2016-present, Nicolas Gallagher.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @flow

\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/LogBox/index.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Nicolas Gallagher

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @flow

\*/

/\*\*

\* RESPONDER EVENT SYSTEM

\*

\* A single, global "interaction lock" on views. For a view to be the "responder" means

\* that pointer interactions are exclusive to that view and none other. The "interaction

\* lock" can be transferred (only) to ancestors of the current "responder" as long as

\* pointers continue to be active.


\*

\* Responder being granted:

```

*
* A view can become the "responder" after the following events:
* * "pointerdown" (implemented using "touchstart", "mousedown")
* * "pointermove" (implemented using "touchmove", "mousemove")
* * "scroll" (while a pointer is down)
* * "selectionchange" (while a pointer is down)
*
* If nothing is already the "responder", the event propagates to (capture) and from
* (bubble) the event target until a view returns `true` for
* `on*ShouldSetResponder(Capture)`.
*
* If something is already the responder, the event propagates to (capture) and from
* (bubble) the lowest common ancestor of the event target and the current "responder".
* Then negotiation happens between the current "responder" and a view that wants to
* become the "responder": see the timing diagram below.
*
* (NOTE: Scrolled views either automatically become the "responder" or release the
* "interaction lock". A native scroll view that isn't built on top of the responder
* system must result in the current "responder" being notified that it no longer has
* the "interaction lock" - the native system has taken over.
*
* Responder being released:
*
* As soon as there are no more active pointers that *started* inside descendants
* of the *current* "responder", an `onResponderRelease` event is dispatched to the
* current "responder", and the responder lock is released.
*
* Typical sequence of events:
* * startShouldSetResponder
* * responderGrant/Reject
* * responderStart
* * responderMove
* * responderEnd
* * responderRelease
*/

```



```

+-----+-----+ none |
| return|
+-----v-----+true| +-----+
|onStartShouldSetResponder|---->| onResponderStart (cur) |<-----+
+-----+-----+ | +-----+-----+ |
| | | +-----+-----+
| returned true for| false:REJECT +----->|onResponderReject
| wantsResponderID | | +-----+-----+
| (now attempt | +-----+-----+ |
| handoff) || onResponder ||
+----->| TerminationRequest ||
| +-----+-----+ |
| | | +-----+-----+
| true:GRANT +----->|onResponderGrant|
| | +-----+-----+
| +-----+-----+ | |
|| onResponderTerminate |<-----+
| +-----+-----+ |
| | | +-----+-----+
| +----->|onResponderStart|
| | +-----+-----+
Bubble to find first ID | |
to return true:wantsResponderID| |
| |
+-----+ | |
| onTouchMove | | |
+-----+-----+ none | |
| return| |
+-----v-----+true| +-----+
|onMoveShouldSetResponder |---->| onResponderMove (cur) |<-----+
+-----+-----+ | +-----+-----+ |
| | | +-----+-----+
| returned true for| false:REJECT +----->|onResponderReject
| wantsResponderID | | +-----+-----+
| (now attempt | +-----+-----+ |
| handoff) || onResponder ||
+----->| TerminationRequest| |
| +-----+-----+ |
| | | +-----+-----+
| true:GRANT +----->|onResponderGrant|
| | +-----+-----+
| +-----+-----+ | |
|| onResponderTerminate |<-----+
| +-----+-----+ |
| | | +-----+-----+
| +----->|onResponderMove |
| | +-----+-----+
| |

```

```

    |
Some active touch started|
inside current responder | +-----+
+----->| onResponderEnd ||
| +-----+ |
+-----+ |
| onTouchEnd | |
+-----+ |
| +-----+ |
+----->| onResponderEnd ||
No active touches started| +-----+
inside current responder | |
| v |
| +-----+ |
|| onResponderRelease ||
| +-----+ |
| |
+ + */

```

```

import type { ResponderEvent } from './createResponderEvent';
import { canUseDOM } from 'fbjs/lib/ExecutionEnvironment';
import createResponderEvent from './createResponderEvent';
import { isCancelish, isEndish, isMoveish, isScroll, isSelectionChange, isStartish } from './ResponderEventTypes';
import { getLowestCommonAncestor, getResponderPaths, hasTargetTouches, hasValidSelection,
isPrimaryPointerDown, setResponderId } from './utils';
import ResponderTouchHistoryStore from './ResponderTouchHistoryStore';
/* ----- TYPES ----- */

```

```

type ResponderId = number;
type ActiveResponderInstance = {
  id: ResponderId,
  idPath: Array<number>,
  node: any,
};
type EmptyResponderInstance = {
  id: null,
  idPath: null,
  node: null,
};
type ResponderInstance = ActiveResponderInstance | EmptyResponderInstance;
export type ResponderConfig = {
  // Direct responder events dispatched directly to responder. Do not bubble.
  onResponderEnd?: ?(e: ResponderEvent) => void,
  onResponderGrant?: ?(e: ResponderEvent) => void | boolean,
  onResponderMove?: ?(e: ResponderEvent) => void,
  onResponderRelease?: ?(e: ResponderEvent) => void,
  onResponderReject?: ?(e: ResponderEvent) => void,
  onResponderStart?: ?(e: ResponderEvent) => void,
  onResponderTerminate?: ?(e: ResponderEvent) => void,

```

```

onResponderTerminationRequest?: ?(e: ResponderEvent) => boolean,
// On pointer down, should this element become the responder?
onStartShouldSetResponder?: ?(e: ResponderEvent) => boolean,
onStartShouldSetResponderCapture?: ?(e: ResponderEvent) => boolean,
// On pointer move, should this element become the responder?
onMoveShouldSetResponder?: ?(e: ResponderEvent) => boolean,
onMoveShouldSetResponderCapture?: ?(e: ResponderEvent) => boolean,
// On scroll, should this element become the responder? Do no bubble
onScrollShouldSetResponder?: ?(e: ResponderEvent) => boolean,
onScrollShouldSetResponderCapture?: ?(e: ResponderEvent) => boolean,
// On text selection change, should this element become the responder?
onSelectionChangeShouldSetResponder?: ?(e: ResponderEvent) => boolean,
onSelectionChangeShouldSetResponderCapture?: ?(e: ResponderEvent) => boolean,
};
const emptyObject = {};
/* ----- IMPLEMENTATION ----- */

const startRegistration = ['onStartShouldSetResponderCapture', 'onStartShouldSetResponder', {
  bubbles: true
}];
const moveRegistration = ['onMoveShouldSetResponderCapture', 'onMoveShouldSetResponder', {
  bubbles: true
}];
const scrollRegistration = ['onScrollShouldSetResponderCapture', 'onScrollShouldSetResponder', {
  bubbles: false
}];
const shouldSetResponderEvents = {
  touchstart: startRegistration,
  mousedown: startRegistration,
  touchmove: moveRegistration,
  mousemove: moveRegistration,
  scroll: scrollRegistration
};
const emptyResponder = {
  id: null,
  idPath: null,
  node: null
};
const responderListenersMap = new Map();
let isEmulatingMouseEvents = false;
let trackedTouchCount = 0;
let currentResponder: ResponderInstance = {
  id: null,
  node: null,
  idPath: null
};
declare function changeCurrentResponder(responder: ResponderInstance): any;
declare function getResponderConfig(id: ResponderId): ResponderConfig | Object;

```

```

/**
 * Process native events
 *
 * A single event listener is used to manage the responder system.
 * All pointers are tracked in the ResponderTouchHistoryStore. Native events
 * are interpreted in terms of the Responder System and checked to see if
 * the responder should be transferred. Each host node that is attached to
 * the Responder System has an ID, which is used to look up its associated
 * callbacks.
 */

declare function eventListener(domEvent: any): any;
/**
 * Walk the event path to/from the target node. At each node, stop and call the
 * relevant "shouldSet" functions for the given event type. If any of those functions
 * call "stopPropagation" on the event, stop searching for a responder.
 */

declare function findWantsResponder(eventPaths: any, domEvent: any, responderEvent: any): any;
/**
 * Attempt to transfer the responder.
 */

declare function attemptTransfer(responderEvent: ResponderEvent, wantsResponder: ActiveResponderInstance):
any;
/* ----- PUBLIC API ----- */

/**
 * Attach Listeners
 *
 * Use native events as ReactDOM doesn't have a non-plugin API to implement
 * this system.
 */

const documentEventsCapturePhase = ['blur', 'scroll'];
const documentEventsBubblePhase = [// mouse
'mousedown', 'mousemove', 'mouseup', 'dragstart', // touch
'touchstart', 'touchmove', 'touchend', 'touchcancel', // other
'contextmenu', 'select', 'selectionchange'];
declare export function attachListeners(): any;
/**
 * Register a node with the ResponderSystem.
 */

declare export function addNode(id: ResponderId, node: any, config: ResponderConfig): any;
/**
 * Unregister a node with the ResponderSystem.
 */

```

```
declare export function removeNode(id: ResponderId): any;
/**
 * Allow the current responder to be terminated from within components to support
 * more complex requirements, such as use with other React libraries for working
 * with scroll views, input views, etc.
 */
```

```
declare export function terminateResponder(): any;
/**
 * Allow unit tests to inspect the current responder in the system.
 * FOR TESTING ONLY.
 */
```

```
declare export function getResponderNode(): any;
```

Found in path(s):

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/modules/useResponderEvents/ResponderSystem.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) Facebook, Inc. and its affiliates.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @noflow
 */
```

Found in path(s):

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/exports/Touchable/Position.js.flow
```

```
*/opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/src/exports/Touchable/Position.js
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) Facebook, Inc. and its affiliates.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @flow strict
 * @format
 */
'use strict';
```



```

export type SyntheticEvent<T> = $ReadOnly<{
  bubbles: ?boolean,
  cancelable: ?boolean,
  currentTarget: HTMLInputElement,
  defaultPrevented: ?boolean,
  dispatchConfig: $ReadOnly<{
    registrationName: string
  }>,
  eventPhase: ?number,
  preventDefault: () => void,
  isDefaultPrevented: () => boolean,
  stopPropagation: () => void,
  isPropagationStopped: () => boolean,
  isTrusted: ?boolean,
  nativeEvent: T,
  persist: () => void,
  target: ?HTMLInputElement,
  timeStamp: number,
  type: ?string,
}>;
export type ResponderSyntheticEvent<T> = $ReadOnly<{ ...SyntheticEvent<T>,
  touchHistory: $ReadOnly<{
    indexOfSingleActiveTouch: number,
    mostRecentTimeStamp: number,
    numberActiveTouches: number,
    touchBank: $ReadOnlyArray<$ReadOnly<{
      touchActive: boolean,
      startPageX: number,
      startPageY: number,
      startTimeStamp: number,
      currentPageX: number,
      currentPageY: number,
      currentTimeStamp: number,
      previousPageX: number,
      previousPageY: number,
      previousTimeStamp: number,
    }>>,
  }>,
}>;
export type Layout = $ReadOnly<{
  x: number,
  y: number,
  width: number,
  height: number,
}>;
export type TextLayout = $ReadOnly<{ ...Layout,
  ascender: number,
  capHeight: number,

```

```

descender: number,
text: string,
xHeight: number,
|>;
export type LayoutEvent = SyntheticEvent<$ReadOnly<{|
  layout: Layout
|}>>;
export type TextLayoutEvent = SyntheticEvent<$ReadOnly<{|
  lines: Array<TextLayout>
|}>>;
export type PressEvent = ResponderSyntheticEvent<$ReadOnly<{|
  changedTouches: $ReadOnlyArray<$PropertyType<PressEvent, 'nativeEvent'>>,
  force: number,
  identifier: number,
  locationX: number,
  locationY: number,
  pageX: number,
  pageY: number,
  target: ?HTMLElement,
  timestamp: number,
  touches: $ReadOnlyArray<$PropertyType<PressEvent, 'nativeEvent'>>,
|}>>;
export type ScrollEvent = SyntheticEvent<$ReadOnly<{|
  contentInset: $ReadOnly<{|
    bottom: number,
    left: number,
    right: number,
    top: number,
  |}>,
  contentOffset: $ReadOnly<{|
    y: number,
    x: number,
  |}>,
  contentSize: $ReadOnly<{|
    height: number,
    width: number,
  |}>,
  layoutMeasurement: $ReadOnly<{|
    height: number,
    width: number,
  |}>,
  targetContentOffset?: $ReadOnly<{|
    y: number,
    x: number,
  |}>,
  velocity?: $ReadOnly<{|
    y: number,
    x: number,

```

```
    |>,
    zoomScale?: number,
    responderIgnoreScroll?: boolean,
  |>>;
export type SwitchChangeEvent = SyntheticEvent<$ReadOnly<{
  value: boolean
}|>>;
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Types/CoreEventTypes.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* From React 16.3.0
```

```
* @noflow
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/setValueForStyles/index.js.flow
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/modules/setValueForStyles/index.js
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow
```

```
* @format
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/SectionList/index.js.flow
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/animations/Animation.js.flow
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedDiffClamp.js
```

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
```

native/Animated/nodes/AnimatedInterpolation.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/animations/SpringAnimation.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/NativeAnimatedModule.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/TurboModule/TurboModuleRegistry.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedProps.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedAddition.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedNode.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedDiffClamp.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/FillRateHelper/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedDivision.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/TurboModule/TurboModuleRegistry.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/animations/TimingAnimation.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/VirtualizeUtils/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/animations/TimingAnimation.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/AnimatedMock.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/VirtualizeUtils/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Touchable/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedModulo.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/AnimatedMock.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/PanResponder/Alternative.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedMultiplication.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/AnimatedEvent.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedMultiplication.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/VirtualizedList/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-

native/Animated/nodes/AnimatedTracking.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedTransform.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedStyle.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/Animated.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/ViewabilityHelper/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/VirtualizedList/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedNode.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/AnimatedImplementation.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/animations/DecayAnimation.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/VirtualizedSectionList/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/animations/Animation.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedValueXY.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedProps.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedValue.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedTracking.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedSubtraction.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/ViewabilityHelper/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedTransform.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/animations/DecayAnimation.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/VirtualizedSectionList/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/AnimatedImplementation.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/PanResponder/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/animations/SpringAnimation.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedDivision.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-

native/PanResponder/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/createAnimatedComponent.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedModulo.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedSubtraction.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/NativeAnimatedModule.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/FlatList/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedStyle.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedValueXY.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/Animated.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/NativeAnimatedTurboModule.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedInterpolation.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/NativeAnimatedTurboModule.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedAddition.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/Animated/nodes/AnimatedValue.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/LayoutAnimation/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/LayoutAnimation/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/SectionList/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/FlatList/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Touchable/index.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/createAnimatedComponent.js.flow  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/AnimatedEvent.js.flow

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Nicolas Gallagher.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*  
\*  
\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/normalizeColor/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/unmountComponentAtNode/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/css.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/dismissKeyboard/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/initialRules.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/AssetRegistry/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/multiplyStyleLengthValue/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/AccessibilityUtil/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/normalizeColor/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/StyleSheet/normalizeValueWithProperty.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/StyleSheet/styleResolver.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/createCSSStyleSheet.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/TouchableNativeFeedback/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/multiplyStyleLengthValue/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/flattenArray/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/validate.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/modality/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/UIManager/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/StyleSheet/styleResolver.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/flattenArray/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/createDOMProps/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-

tgz/package/dist/exports/createElement/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StyleSheet/createCSSStyleSheet.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/ScrollView/ScrollViewBase.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/NativeModules/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/dismissKeyboard/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/usePlatformMethods/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/render/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StyleSheet/resolveShadowValue.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/DeviceInfo/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/NativeModules/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/useElementLayout/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/createElement/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/TouchableNativeFeedback/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StyleSheet/css.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/prefixStyles/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/AccessibilityUtil/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/pick/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Easing/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/normalizeValueWithProperty.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/ImageLoader/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StatusBar/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/createOrderedCSSStyleSheet.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/isWebColor/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-



tgz/package/dist/cjs/modules/AccessibilityUtil/propsToAriaRole.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/unmountComponentAtNode/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Animated/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/StyleSheet.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/requestIdleCallback/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/modality/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/getBoundingClientRect/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/requestIdleCallback/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/AccessibilityUtil/isDisabled.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Alert/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Alert/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/AssetRegistry/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StyleSheet/validate.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/render/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/UIManager/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/isWebColor/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StyleSheet/constants.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/compile.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/ProgressBar/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/AccessibilityUtil/propsToAccessibilityComponent.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Easing/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/DeviceInfo/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/ImageLoader/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/resolveShadowValue.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-

tgz/package/dist/modules/getBoundingClientRect/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/createCompileableStyle.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/useElementLayout/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/AccessibilityUtil/propsToAccessibilityComponent.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/createReactDOMStyle.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StyleSheet/createReactDOMStyle.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/pick/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StyleSheet/initialRules.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/modules/AccessibilityUtil/propsToAriaRole.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StyleSheet/createStyleResolver.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/AccessibilityUtil/isDisabled.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/Switch/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/constants.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StyleSheet/createOrderedCSSStyleSheet.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StyleSheet/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StatusBar/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/createStyleResolver.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StyleSheet/StyleSheet.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/modules/prefixStyles/index.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/StyleSheet/i18nStyle.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/exports/StyleSheet/i18nStyle.js  
\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-  
tgz/package/dist/cjs/exports/Animated/index.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Nicolas Gallagher.

\*

\* This source code is licensed under the MIT license found in the  
\* LICENSE file in the root directory of this source tree.

\*

\* @flow

\*/

```
declare class Alert {  
  static alert(): any  
}  
export default Alert;
```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Alert/index.js.flow

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Nicolas Gallagher.

\* Copyright (c) Facebook, Inc. and its affiliates.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @flow

\*/

```
let clipboardAvailable;  
declare export default class Clipboard {  
  static isAvailable(): boolean,  
  static getString(): Promise<string>,  
  static setString(text: string): boolean,  
}
```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Clipboard/index.js.flow

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2013-present, Facebook, Inc.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/infoLog/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/vendor/react-native/infoLog/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/infoLog/index.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Facebook, Inc. and its affiliates.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* From React 16.3.0

\*

\*/

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/setValueForStyles/index.js

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/setValueForStyles/index.js

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Nicolas Gallagher.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\* @noflow

\*/

```
const CSS_UNIT_RE = /^[+-]?d*(?:\.\d+)?(?:[Ee][+-]?d+)?(%\w*)/;
```

```
declare var getUnit: (str: any) => any;
```

```
declare var isNumeric: (n: any) => any;
```

```
declare var multiplyStyleLengthValue: (value: string | number, multiple: any) => any;
```

```
export default multiplyStyleLengthValue;
```

Found in path(s):

\* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/multiplyStyleLengthValue/index.js.flow

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) Facebook, Inc. and its affiliates.

\*

\* This source code is licensed under the MIT license found in the

\* LICENSE file in the root directory of this source tree.

\*

\*

\* @format

\*/

Found in path(s):

- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/components/AnimatedImage.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/AnimatedImplementation.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/LayoutAnimation/index.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/components/AnimatedScrollView.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Pressable/index.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedWithChildren.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/nodes/AnimatedAddition.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/nodes/AnimatedTransform.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/PanResponder/Alternative.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/Touchable/index.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/usePressEvent/index.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedTransform.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedInterpolation.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/PanResponder/Alternative.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/TouchableOpacity/index.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/TouchableHighlight/index.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/AnimatedImplementation.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/ViewabilityHelper/index.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/NativeAnimatedModule.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/TurboModule/TurboModuleRegistry.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/AnimatedEvent.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/nodes/AnimatedInterpolation.js
- \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-

native/ViewabilityHelper/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/TurboModule/RCTExport.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedProps.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/NativeAnimatedHelper.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/VirtualizedSectionList/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/components/AnimatedSectionList.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/SectionList/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/Touchable/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/TouchableWithoutFeedback/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/TurboModule/RCTExport.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/VirtualizedSectionList/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/PanResponder/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/TouchableOpacity/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/nodes/AnimatedValue.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/components/AnimatedText.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/animations/TimingAnimation.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedModulo.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/AnimatedMock.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/components/AnimatedView.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/NativeEventEmitter/RCTDeviceEventEmitter.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedStyle.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/NativeEventEmitter/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/components/AnimatedFlatList.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/NativeAnimatedHelper.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-

native/FillRateHelper/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/emitter/EventEmitter.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/PanResponder/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/exports/TouchableHighlight/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/components/AnimatedImage.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedValue.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/createAnimatedComponent.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/nodes/AnimatedMultiplication.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/NativeEventEmitter/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/createAnimatedComponent.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedAddition.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/VirtualizeUtils/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/NativeAnimatedTurboModule.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedDiffClamp.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/animations/SpringAnimation.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedValueXY.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/animations/Animation.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/exports/TouchableWithoutFeedback/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/VirtualizedList/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/nodes/AnimatedTracking.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/components/AnimatedText.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/nodes/AnimatedStyle.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedSubtraction.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/usePressEvent/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-

native/emitter/EventSubscription.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/NativeEventEmitter/RCTDeviceEventEmitter.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/nodes/AnimatedModulo.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/emitter/EventEmitter.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/Animated.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/animations/DecayAnimation.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedNode.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/nodes/AnimatedDivision.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/animations/Animation.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/nodes/AnimatedMultiplication.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/nodes/AnimatedDiffClamp.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/nodes/AnimatedNode.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/modules/usePressEvent/PressResponder.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/TurboModule/TurboModuleRegistry.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/components/AnimatedView.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Animated/animations/TimingAnimation.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/animations/SpringAnimation.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/Types/CoreEventTypes.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/SectionList/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-native/VirtualizeUtils/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Types/CoreEventTypes.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/Animated/animations/DecayAnimation.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/modules/usePressEvent/PressResponder.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/FlatList/index.js  
 \* /opt/cola/permits/1381072290\_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-



```

native/Animated/nodes/AnimatedWithChildren.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/Animated/nodes/AnimatedTracking.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/VirtualizedList/VirtualizedListContext.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-
tgz/package/dist/cjs/exports/Pressable/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/Animated/nodes/AnimatedDivision.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/FillRateHelper/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/Animated/NativeAnimatedModule.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-
native/Animated/NativeAnimatedTurboModule.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-
native/Animated/nodes/AnimatedSubtraction.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/Animated/AnimatedEvent.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-
native/Animated/AnimatedMock.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-
native/LayoutAnimation/index.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-
native/Animated/nodes/AnimatedProps.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-
native/Animated/nodes/AnimatedValueXY.js
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/cjs/vendor/react-
native/emitter/EventSubscription.js

```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow strict
```

```
* @format
```

```
*/
```

```
'use strict'; // This exists as a separate file only to avoid circular dependencies from
```

```
// using this in `_EmitterSubscription`. Combine this back into `EventEmitter`
```

```
// after migration and cleanup is done.
```

```
export interface EventSubscription {
```

```
  remove(): void
```

```
}
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/dist/vendor/react-native/emitter/EventSubscription.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Nicolas Gallagher.
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow
```

```
*/
```

```
// React Native exposes these features as props and proprietary styles
```

Found in path(s):

```
* /opt/cola/permits/1381072290_1659629185.3109171/0/react-native-web-0-17-7-tgz/package/src/exports/Image/index.js
```

## 1.24 pirates 4.0.5

### 1.24.1 Available under license :

MIT License

Copyright (c) 2016-2018 Ari Porad

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.25 fetch-retry 4.1.1

## 1.25.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Jon K. Bernhardsen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.26 yallist 4.0.0

## 1.26.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.27 @babel/plugin-transform-unicode-regex

## 7.18.6

### 1.27.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.28 @babel/plugin-transform-modules-amd

## 7.18.6

### 1.28.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.29 is-path-inside 3.0.3

### 1.29.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.30 node-releases 2.0.6

### 1.30.1 Available under license :

The MIT License

Copyright (c) 2017 Sergey Rubanov (<https://github.com/chicoxyzyzy>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.31 strict-uri-encode 1.1.0

### 1.31.1 Available under license :

The MIT License (MIT)

Copyright (c) Kevin Mrtensson <kevinmartensson@gmail.com> (github.com/kevva)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.32 types-yargs-parser 21.0.0

### 1.32.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.33 mkdirp 0.5.6

### 1.33.1 Available under license :

Copyright 2010 James Halliday (mail@substack.net)

This project is free software released under the MIT/X11 license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.34 string-width 4.2.3

### 1.34.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.35 minipass-flush 1.0.5

### 1.35.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.36 asap 2.0.6

### 1.36.1 Available under license :

Copyright 20092014 Contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is



furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.37 react-native-safe-area-context 4.2.4

### 1.37.1 Available under license :

MIT License

Copyright (c) 2019 Th3rd Wave

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.38 expo-file-system 14.0.0

### 1.38.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2016-present 650 Industries. All rights reserved.

Found in path(s):

```
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXFileSystem.m  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXFileSystem.h  
No license file was found, but licenses were detected in source scan.
```

```
// Copyright 2015-present 650 Industries. All rights reserved.
```

```
Found in path(s):
```

```
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionHandler.m  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionTaskDispatcher.m  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionTaskDelegate.h  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionTaskDelegate.m  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/NSData+EXFileSystem.m  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXFilePermissionModule.m  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXTaskHandlersManager.h  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionCancelableUploadTaskDelegate.m  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionUploadTaskDelegate.h  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXFilePermissionModule.h  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionResumableDownloadTaskDelegate.h  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/NSData+EXFileSystem.h  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionUploadTaskDelegate.m  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionTaskDispatcher.h  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionDownloadTaskDelegate.m  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionResumableDownloadTaskDelegate.m  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXTaskHandlersManager.m  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionHandler.h  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-  
tgz/package/ios/EXFileSystem/EXSessionTasks/EXSessionCancelableUploadTaskDelegate.h  
* /opt/cola/permits/1381073281_1659629429.4316738/0/expo-file-system-14-0-0-
```

## 1.39 @babel/plugin-syntax-dynamic-import

### 7.8.3

#### 1.39.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.40 babel-helper-create-class-features-plugin 7.18.13

#### 1.40.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.41 appdirsjs 1.2.7

### 1.41.1 Available under license :

MIT

## 1.42 png-js 3.4.0

### 1.42.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.43 defaults 1.0.3

## 1.43.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Elijah Insua

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.44 freeport-async 2.0.0

### 1.44.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 650 Industries

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.45 react-native-drawer 2.5.1

## 1.45.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present Zack Story

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.46 del 6.1.1

## 1.46.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.47 inflight 1.0.6

## 1.47.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.48 get-stream 4.1.0

## 1.48.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.49 @expo/config-types 46.0.2

## 1.49.1 Available under license :

The MIT License (MIT)

Copyright (c) 2020-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.50 react-native-iphone-x-helper 1.3.1

## 1.50.1 Available under license :

MIT License

Copyright (c) 2017 Elad Gil

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.51 base64-js 1.5.1

## 1.51.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jameson Little

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.52 @expo/package-manager 0.0.56

## 1.52.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.53 @babel/plugin-transform-template-literals 7.18.9

### 1.53.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.54 scheduler 0.20.2

### 1.54.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.55 source-map 0.6.1

### 1.55.1 Available under license :

Copyright (c) 2009-2011, Mozilla Foundation and contributors  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the names of the Mozilla Foundation nor the names of project contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.56 util-deprecate 1.0.2

## 1.56.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
util-deprecate
```

```
=====
```

```
### The Node.js `util.deprecate()` function with browser support
```

In Node.js, this module simply re-exports the `util.deprecate()` function.

In the web browser (i.e. via browserify), a browser-specific implementation of the `util.deprecate()` function is used.

```
## API
```

A `deprecate()` function is the only thing exposed by this module.

```
``` javascript
```

```
// setup:
```

```
exports.foo = deprecate(foo, 'foo() is deprecated, use bar() instead');
```

```
// users see:
```

```
foo();
```

```
// foo() is deprecated, use bar() instead
```

```
foo();
```

```
foo();
```

```
```
```

```
## License
```

(The MIT License)

Copyright (c) 2014 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

\* /opt/cola/permits/1162001807\_1620776304.13/0/fis-components-util-deprecate-1-0-2-0-geb62f48-1-tar-gz/fis-components-util-deprecate-d252d2b/README.md

## 1.57 p-try 2.2.0

### 1.57.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.58 regexpu-core 5.1.0

### 1.58.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.59 @babel/helper-module-imports 7.18.6

### 1.59.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.60 clone 1.0.4

## 1.60.1 Available under license :

Copyright 2011-2015 Paul Vorbach <paul@vorba.ch>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.61 fontfaceobserver 2.3.0

## 1.61.1 Available under license :

Copyright (c) 2014 - Bram Stein

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.62 ini 1.3.8

### 1.62.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.63 is-stream 2.0.1

### 1.63.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.64 is-buffer 1.1.6



## 1.64.1 Available under license :

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.65 @babel/plugin-transform-dotall-regex

## 7.18.6

### 1.65.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.66 requires-port 1.0.0

### 1.66.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Unshift.io, Arnout Kazemier, the Contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.67 ua-parser-js 0.7.31

### 1.67.1 Available under license :

MIT License

Copyright (c) 2012-2021 Faisal Salman <<f@faisalman.com>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.68 @babel/traverse 7.18.13

### 1.68.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.69 text-table 0.2.0

### 1.69.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.70 @babel/plugin-transform-arrow-functions 7.18.6

### 1.70.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.71 expo 45.0.5

### 1.71.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2016-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381072645\_1659629381.304734/0/expo-45-0-5-tgz/package/ios/EXAppDefinesLoader.h  
\* /opt/cola/permits/1381072645\_1659629381.304734/0/expo-45-0-5-tgz/package/ios/EXAppDefinesLoader.m

## 1.72 jest-react-native 18.0.0

### 1.72.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*\*

\* Copyright (c) 2014-present, Facebook, Inc. All rights reserved.

\*

\* This source code is licensed under the BSD-style license found in the

\* LICENSE file in the root directory of this source tree. An additional grant

\* of patent rights can be found in the PATENTS file in the same directory.

\*/

Found in path(s):

\* /opt/cola/permits/1162009038\_1620774024.99/0/jest-react-native-18-0-0-tgz/package/build/index.js

## 1.73 password-prompt 1.1.2

### 1.73.1 Available under license :

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE

Version 2, December 2004

Copyright (C) 2004 Sam Hocevar <sam@hocevar.net>

Everyone is permitted to copy and distribute verbatim or modified copies of this license document, and changing it is allowed as long as the name is changed.

DO WHAT THE FUCK YOU WANT TO PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. You just DO WHAT THE FUCK YOU WANT TO.

# 1.74 mimic-fn 2.1.0

## 1.74.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.75 inline-style-prefixer 6.0.1

## 1.75.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Robin Frischmann

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.76 p-map 4.0.0

### 1.76.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.77 lines-and-columns 1.2.4

### 1.77.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Brian Donovan

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.78 buffer-fill 1.0.0

### 1.78.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.79 braces 3.0.2

### 1.79.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2018, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is



furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.80 hoist-non-react-statics 1.2.0

### 1.80.1 Available under license :

Software License Agreement (BSD License)

=====

Copyright (c) 2015, Yahoo! Inc. All rights reserved.

-----

Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Yahoo! Inc. nor the names of YUI's contributors may be used to endorse or promote products derived from this software without specific prior written permission of Yahoo! Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.81 concat-map 0.0.1

## 1.81.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.82 semver 5.7.1

## 1.82.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.83 semver 7.3.7

## 1.83.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.84 @babel/plugin-proposal-class-properties

## 7.18.6

### 1.84.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.85 @babel/helper-optimise-call-expression

## 7.18.6

### 1.85.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.86 is-docker 2.2.1

### 1.86.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.87 write-file-atomic 2.4.3

### 1.87.1 Available under license :

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.88 lodash-omit 4.5.0

### 1.88.1 Available under license :

Copyright jQuery Foundation and other contributors <<https://jquery.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the `node_modules` and `vendor` directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

## 1.89 babel-plugin-proposal-optional-chaining

### 7.18.9

#### 1.89.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.90 once 1.4.0

### 1.90.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.91 @babel/plugin-transform-destructuring

### 7.18.13

#### 1.91.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.92 react-native-draggable-flatlist 3.0.4

### 1.92.1 Available under license :

MIT License

Copyright (c) 2019 computerjazz

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.93 d3-color 1.4.1

### 1.93.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation



and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.94 resolve 1.22.1

### 1.94.1 Available under license :

MIT License

Copyright (c) 2012 James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.95 safer-buffer 2.1.2

## 1.95.1 Available under license :

MIT License

Copyright (c) 2018 Nikita Skovoroda <chalkerx@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.96 regenerator-runtime 0.13.9

## 1.96.1 Available under license :

MIT License

Copyright (c) 2014-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.97 is-root 2.1.0

## 1.97.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.98 @babel/helper-builder-binary-assignment-operator-visitor 7.18.9

## 1.98.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.99 has 1.0.3

### 1.99.1 Available under license :

Copyright (c) 2013 Thiago de Arruda

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.100 sucrose 3.25.0

### 1.100.1 Available under license :

The MIT License (MIT)

Copyright (c) 2012-2018 various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.101 os-tmpdir 1.0.2

### 1.101.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.102 supports-preserve-symlinks-flag 1.0.0

### 1.102.1 Available under license :

MIT License

Copyright (c) 2022 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.103 @expo/bunyan 4.0.0

### 1.103.1 Available under license :

# This is the MIT license

Copyright 2016 Trent Mick  
Copyright 2016 Joyent Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.104 ansi-styles 2.2.1

## 1.104.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.105 minimalist 1.2.6

### 1.105.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.106 string\_decoder 1.3.0

## 1.106.1 Available under license :

Node.js is licensed for use as follows:

""

Copyright Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""

This license applies to parts of Node.js originating from the <https://github.com/joyent/node> repository:

""

Copyright Joyent, Inc. and other Node contributors. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING



FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS  
IN THE SOFTWARE.

""""

## 1.107 open 8.4.0

### 1.107.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.108 d3-collection 1.0.7

### 1.108.1 Available under license :

Copyright 2010-2016, Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.109 chownr 2.0.0

### 1.109.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.110 js-yaml 4.1.0

### 1.110.1 Available under license :

(The MIT License)

Copyright (C) 2011-2015 by Vitaly Puzrin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.111 yocto-queue 0.1.0

### 1.111.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.112 micromatch 4.0.5

### 1.112.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.113 strip-eof 1.0.0

### 1.113.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.114 @babel/helper-skip-transparent-expression-wrappers 7.18.9

### 1.114.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.115 @babel/plugin-syntax-class-properties

### 7.12.13

#### 1.115.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.116 react-tween-state 0.1.5

## 1.116.1 Available under license :

BSD License

For react-tween-state software

Copyright (c) 2014, Cheng Lou. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name Cheng Lou nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.117 babel-plugin-syntax-typescript 7.18.6

## 1.117.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.118 urql-core-internal 0.0.0

### 1.118.1 Available under license :

MIT License

Copyright (c) 20182020 Formidable

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.119 domhandler 4.3.1

### 1.119.1 Available under license :

Copyright (c) Felix Bhm

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the

following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.120 mylib 0.0.0

## 1.120.1 Available under license :

MIT License

Copyright (c) 2012 James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.121 autobind-decorator 2.1.0

## 1.121.1 Available under license :

MIT License

Copyright (c) 2017 Andrey Popp

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.122 strip-json-comments 2.0.1

## 1.122.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.123 expo-eas-client 0.2.1

### 1.123.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2015-present 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1381073883_1659629284.6097462/0/expo-eas-client-0-2-1-tgz/package/ios/EASClient/EASClientID.swift
```

```
* /opt/cola/permits/1381073883_1659629284.6097462/0/expo-eas-client-0-2-1-tgz/package/ios/EASClient/EASClientModule.swift
```

No license file was found, but licenses were detected in source scan.

```
// Copyright (c) 2020 650 Industries, Inc. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1381073883_1659629284.6097462/0/expo-eas-client-0-2-1-tgz/package/ios/Tests/EASClientIDTest.swift
```

## 1.124 @react-navigation/stack 5.10.0

### 1.124.1 Available under license :

MIT License

Copyright (c) 2017 React Navigation Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.125 any-promise 1.3.0

### 1.125.1 Available under license :

Copyright (C) 2014-2016 Kevin Beaty

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.126 isexe 2.0.0

### 1.126.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.127 iconv-lite 0.6.3

## 1.127.1 Available under license :

Copyright (c) 2011 Alexander Shtuchkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.128 @babel/helper-explode-assignable-expression 7.18.6

## 1.128.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.129 @babel/compat-data 7.18.13

### 1.129.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.130 nice-try 1.0.5

### 1.130.1 Available under license :

The MIT License (MIT)

Copyright (c) 2018 Tobias Reich

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.131 ip-regex 2.1.0

### 1.131.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.132 cacache 15.3.0

### 1.132.1 Available under license :

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.133 react-redux 7.2.8

### 1.133.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present Dan Abramov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.134 styled-components 5.3.5

### 1.134.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"styled-components.native.cjs.js","sources":["../../src/utils/generateAlphabeticName.js","../../src/utils/hash.js","../../src/utils/generateComponentId.js","../../src/utils/getComponentName.js","../../src/utils/isFunction.js","../../src/utils/isStatelessFunction.js","../../src/utils/isPlainObject.js","../../src/utils/isStyledComponent.js","../../src/constants.js","../../src/utils/empties.js","../../src/utils/errors.js","../../src/utils/error.js","../../src/sheet/GroupedTag.js","../../src/sheet/GroupIDAllocator.js","../../src/sheet/Rehydration.js","../../src/utils/nonce.js","../../src/sheet/dom.js","../../src/sheet/Tag.js","../../src/s
```

```

heet/Sheet.js", "../../src/utils/stylisPluginInsertRule.js", "../../src/utils/stylis.js", "../../src/models/StyleSheetManager.js",
"../../src/models/Keyframes.js", "../../src/utils/hyphenateStyleName.js", "../../src/utils/addUnitIfNeeded.js", "../../src/uti
s/flatten.js", "../../src/vendor/postcss/warn-
once.js", "../../src/vendor/postcss/tokenize.js", "../../src/vendor/postcss/terminal-
highlight.js", "../../src/vendor/postcss/css-syntax-
error.js", "../../src/vendor/postcss/stringifier.js", "../../src/vendor/postcss/stringify.js", "../../src/vendor/postcss/node.js",
"../../src/vendor/postcss/declaration.js", "../../src/vendor/postcss/comment.js", "../../src/vendor/postcss/parser.js", "../../s
rc/vendor/postcss/parse.js", "../../src/vendor/postcss/container.js", "../../src/vendor/postcss/at-
rule.js", "../../src/vendor/postcss/list.js", "../../src/vendor/postcss/rule.js", "../../src/vendor/postcss/warning.js", "../../src/v
endor/postcss/result.js", "../../src/vendor/postcss/lazy-
result.js", "../../src/vendor/postcss/processor.js", "../../src/vendor/postcss/root.js", "../../src/vendor/postcss/input.js", "../../
src/vendor/postcss-safe-parser/safe-parser.js", "../../src/vendor/postcss-safe-
parser/parse.js", "../../src/models/InlineStyle.js", "../../src/utils/mixinDeep.js", "../../src/utils/determineTheme.js", "../../s
rc/utils/isTag.js", "../../src/utils/generateDisplayName.js", "../../src/models/ThemeProvider.js", "../../src/models/Styled
NativeComponent.js", "../../src/utils/interleave.js", "../../src/constructors/css.js", "../../src/constructors/constructWithOp
tions.js", "../../src/hoc/withTheme.js", "../../src/hooks/useTheme.js", "../../src/native/index.js"], "sourcesContent": ["//
@flow\n/* eslint-disable no-bitwise *\n\nconst AD_REPLACER_R = /(a)(d)(g)i;\n\n/* This is the \"capacity\" of
our alphabet i.e. 2x26 for all letters plus their capitalised\n * counterparts *\nconst charsLength = 52;\n\n/* start at
75 for 'a' until 'z' (25) and then start at 65 for capitalised letters *\nconst getAlphabeticChar = (code: number): string
=>\n String.fromCharCode(code + (code > 25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to
base-52 *\nexport default function generateAlphabeticName(code: number): string {\n let name = \";\n let x;\n\n /*
get a char and divide by alphabet-length *\n for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0)
{\n name = getAlphabeticChar(x % charsLength) + name;\n }\n\n return (getAlphabeticChar(x % charsLength) +
name).replace(AD_REPLACER_R, '$1-$2');\n}\n\n\", \"// @flow\n/* eslint-disable *\n\nexport const SEED =
5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we pretend that
we're still looping over\n// the same string\nexport const phash = (h: number, x: string): number => {\n let i =
x.length;\n\n while (i) {\n h = (h * 33) ^ x.charCodeAt(--i);\n }\n\n return h;\n};\n\n// This is a djb2 hashing
function\nexport const hash = (x: string): number => {\n return phash(SEED, x);\n};\n\n\", \"// @flow\n/* eslint-disable
*\n\nimport generateAlphabeticName from './generateAlphabeticName';\nimport { hash } from './hash';\n\nexport
default (str: string): string => {\n return generateAlphabeticName(hash(str) >>> 0);\n};\n\n\", \"// @flow\nimport type {
IStyledComponent } from './types';\n\nexport default function getComponentName(\n target:
$PropertyType<IStyledComponent, 'target'>): string {\n return (\n (process.env.NODE_ENV !== 'production' ?
typeof target === 'string' && target : false) ||\n // $FlowFixMe\n target.displayName ||\n // $FlowFixMe\n
target.name ||\n 'Component'\n );\n}\n\n\", \"// @flow\nexport default function isFunction(test: any): boolean %checks
{\n return typeof test === 'function';\n}\n\n\", \"// @flow\nexport default function isStatelessFunction(test: any):
boolean {\n return (\n typeof test === 'function'\n && !(\n test.prototype\n &&
test.prototype.isReactComponent\n )\n );\n}\n\n\", \"// @flow\nimport { typeOf } from 'react-is';\n\nexport default (x:
any): boolean =>\n x !== null &&\n typeof x === 'object' &&\n (x.toString ? x.toString() :
Object.prototype.toString.call(x)) === '[object Object]' &&\n !typeof(x);\n\n\", \"// @flow\nexport default function
isStyledComponent(target: any): boolean %checks {\n return target && typeof target.styledComponentId ===
'string';\n}\n\n\", \"// @flow\nndeclare var SC_DISABLE_SPEEDY: ?boolean;\ndeclare var __VERSION__:
string;\n\nexport const SC_ATTR: string =\n (typeof process !== 'undefined' &&
(process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||\n 'data-styled';\n\nexport const
SC_ATTR_ACTIVE = 'active';\n\nexport const SC_ATTR_VERSION = 'data-styled-version';\n\nexport const
SC_VERSION = __VERSION__;\n\nexport const SPLITTER = '/*!sc*\n';\n\nexport const IS_BROWSER = typeof
window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE_SPEEDY =\n Boolean(typeof
SC_DISABLE_SPEEDY === 'boolean'\n ? SC_DISABLE_SPEEDY\n : (typeof process !== 'undefined' &&
typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined' &&

```



```

process.env.REACT_APP_SC_DISABLE_SPEEDY !== "\n    ?
process.env.REACT_APP_SC_DISABLE_SPEEDY === 'false' ? false :
process.env.REACT_APP_SC_DISABLE_SPEEDY\n    : (typeof process !== 'undefined' && typeof
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== "\n    ?
process.env.SC_DISABLE_SPEEDY === 'false' ? false : process.env.SC_DISABLE_SPEEDY\n    :
process.env.NODE_ENV !== 'production'\n    )\n    ));\n\n// Shared empty execution context when generating static
styles\n\nexport const STATIC_EXECUTION_CONTEXT = {};\n\n// @flow\n\nexport const EMPTY_ARRAY =
Object.freeze([]);\n\nexport const EMPTY_OBJECT = Object.freeze({});\n\n", "export default {\n  "1": "Cannot create
styled-component for component: %s.\n\n", "2": "Can't collect styles once you've consumed a
`ServerStyleSheet`'s styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.\n\n- Are you
trying to reuse it across renders?\n\n- Are you accidentally calling collectStyles twice?\n\n", "3": "Streaming SSR
is only supported in a Node.js environment; Please do not try to call this method in the browser.\n\n", "4": "The
`StyleSheetManager` expects a valid target or sheet prop!\n\n- Does this error occur on the client and is your target
falsy?\n\n- Does this error occur on the server and is the sheet falsy?\n\n", "5": "The clone method cannot be used
on the client!\n\n- Are you running in a client-like environment on the server?\n\n- Are you trying to run SSR on the
client?\n\n", "6": "Trying to insert a new style tag, but the given Node is unmounted!\n\n- Are you using a
custom target that isn't mounted?\n\n- Does your document not have a valid head element?\n\n- Have you accidentally
removed a style tag manually?\n\n", "7": "ThemeProvider: Please return an object from your `\"theme\"` prop
function, e.g.\n\n```\n\ntheme={ () => ({}) }\n\n```\n\n", "8": "ThemeProvider: Please make your `\"theme\"`
prop an object.\n\n", "9": "Missing document `<head>\n\n", "10": "Cannot find a StyleSheet instance. Usually
this happens if there are multiple copies of styled-components loaded at once. Check out this issue for how to
troubleshoot and fix the common cases where this situation can happen: https://github.com/styled-
components/styled-components/issues/1941#issuecomment-417862021\n\n", "11": "_ This error was replaced
with a dev-time warning, it will be deleted for v4 final. _ [createGlobalStyle] received children which will not be
rendered. Please use the component without passing children elements.\n\n", "12": "It seems you are interpolating
a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer
supported in v4 as keyframes are now injected on-demand. Please wrap your string in the css` helper which
ensures the styles are injected correctly. See https://www.styled-components.com/docs/api#css\n\n", "13": "%s is
not a styled component and cannot be referred to via component selector. See https://www.styled-
components.com/docs/advanced#referring-to-other-components for more details.\n\n", "14": "ThemeProvider:
`\"theme\"` prop is required.\n\n", "15": "A stylis plugin has been supplied that is not named. We need a name
for each plugin to be able to prevent styling collisions between different stylis configurations within the same app.
Before you pass your plugin to `<StyleSheetManager stylisPlugins={ [] }>`, please make sure each plugin is
uniquely-named, e.g.\n\n```\n\njs\n\nObject.defineProperty(importedPlugin, 'name', { value: 'some-unique-name'
});\n\n```\n\n", "16": "Reached the limit of how many styled components may be created at group %s.\n\nYou may
only create up to 1,073,741,824 components. If you're creating components dynamically,\n\nas for instance in your
render method then you may be running into this limitation.\n\n", "17": "CSSStyleSheet could not be found on
HTMLStyleElement.\n\nHas styled-components' style tag been unmounted or altered by another script?\n\n"};\n\n//
@flow\n\nimport errorMap from './errors';\n\nconst ERRORS = process.env.NODE_ENV !== 'production' ? errorMap
: {};\n\n/**\n * super basic version of sprintf\n *\nfunction format(...args) {\n  let a = args[0];\n  const b = [];\n\n  for (let c = 1, len = args.length; c < len; c += 1) {\n    b.push(args[c]);\n  }\n\n  b.forEach(d => {\n    a =
a.replace(/%[a-z]/, d);\n  });\n\n  return a;\n}\n\n**\n * Create an error file out of errors.md for development and a
simple web link to the full errors\n * in production mode.\n *\nexport default function
throwStyledComponentsError(\n  code: string | number,\n  ...interpolations: Array<any>)\n) {\n  if
(process.env.NODE_ENV === 'production') {\n    throw new Error(\n      `An error occurred. See
https://git.io/JUIaE#${code} for more information.`\n      interpolations.length > 0 ? ` Args:
${interpolations.join(',')} ` : "\n    }\n    );\n  } else {\n    throw new Error(format(ERRORS[code],
...interpolations).trim());\n  }\n}\n\n", // @flow\n\n/* eslint-disable no-use-before-define *\n\nimport type {

```

```

GroupedTag, Tag } from './types';\nimport { SPLITTER } from './constants';\nimport throwStyledError from
'./utils/error';\n\n/** Create a GroupedTag with an underlying Tag implementation */\nexport const
makeGroupedTag = (tag: Tag): GroupedTag => {\n  return new DefaultGroupedTag(tag);\n};\n\nconst BASE_SIZE
= 1 << 9;\n\nclass DefaultGroupedTag implements GroupedTag {\n  groupSizes: Uint32Array;\n  length:
number;\n  tag: Tag;\n\n  constructor(tag: Tag) {\n    this.groupSizes = new Uint32Array(BASE_SIZE);\n    this.length = BASE_SIZE;\n    this.tag = tag;\n  }\n\n  indexOfGroup(group: number): number {\n    let index = 0;\n    for (let i = 0; i < group; i++) {\n      index += this.groupSizes[i];\n    }\n    return index;\n  }\n\n  insertRules(group: number, rules: string[]): void {\n    if (group >= this.groupSizes.length) {\n      const oldBuffer =
this.groupSizes;\n      const oldSize = oldBuffer.length;\n      let newSize = oldSize;\n      while (group >=
newSize) {\n        newSize <=< 1;\n        if (newSize < 0) {\n          throwStyledError(16, ` ${group}`);\n        }\n      }\n      this.groupSizes = new Uint32Array(newSize);\n      this.groupSizes.set(oldBuffer);\n      this.length =
newSize;\n      for (let i = oldSize; i < newSize; i++) {\n        this.groupSizes[i] = 0;\n      }\n    }\n    let ruleIndex
= this.indexOfGroup(group + 1);\n    for (let i = 0, l = rules.length; i < l; i++) {\n      if (this.tag.insertRule(ruleIndex,
rules[i])) {\n        this.groupSizes[group]++;\n        ruleIndex++;\n      }\n    }\n    clearGroup(group: number):
void {\n      if (group < this.length) {\n        const length = this.groupSizes[group];\n        const startIndex =
this.indexOfGroup(group);\n        const endIndex = startIndex + length;\n        this.groupSizes[group] = 0;\n        for
(let i = startIndex; i < endIndex; i++) {\n          this.tag.deleteRule(startIndex);\n        }\n      }\n    }\n\n    getGroup(group:
number): string {\n      let css = "";\n      if (group >= this.length || this.groupSizes[group] === 0) {\n        return css;\n      }\n      const length = this.groupSizes[group];\n      const startIndex = this.indexOfGroup(group);\n      const endIndex
= startIndex + length;\n      for (let i = startIndex; i < endIndex; i++) {\n        css +=
` ${this.tag.getRule(i)} ${SPLITTER}`;\n      }\n      return css;\n    }\n\n  };\n\n  // @flow\n\n  import throwStyledError from
'./utils/error';\n\n  const MAX_SMI = 1 << 31 - 1;\n  let groupIDRegister: Map<string, number> = new Map();\n  let
reverseRegister: Map<number, string> = new Map();\n  let nextFreeGroup = 1;\n\n  export const resetGroupIds = () =>
{\n    groupIDRegister = new Map();\n    reverseRegister = new Map();\n    nextFreeGroup = 1;\n  };\n\n  export const
getGroupForId = (id: string): number => {\n    if (groupIDRegister.has(id)) {\n      return (groupIDRegister.get(id):
any);\n    }\n\n    while (reverseRegister.has(nextFreeGroup)) {\n      nextFreeGroup++;\n    }\n\n    const group =
nextFreeGroup++;\n\n    if (\n      process.env.NODE_ENV !== 'production' &&\n      ((group | 0) < 0 || group >
MAX_SMI)\n    ) {\n      throwStyledError(16, ` ${group}`);\n    }\n\n    groupIDRegister.set(id, group);\n    reverseRegister.set(group, id);\n    return group;\n  };\n\n  export const getIdForGroup = (group: number): void | string
=> {\n    return reverseRegister.get(group);\n  };\n\n  export const setGroupForId = (id: string, group: number) => {\n    if
(group >= nextFreeGroup) {\n      nextFreeGroup = group + 1;\n    }\n\n    groupIDRegister.set(id, group);\n    reverseRegister.set(group, id);\n  };\n\n  // @flow\n\n  import { SPLITTER, SC_ATTR, SC_ATTR_ACTIVE,
SC_ATTR_VERSION, SC_VERSION } from './constants';\n  import { getIdForGroup, setGroupForId } from
'./GroupIDAllocator';\n  import type { Sheet } from './types';\n\n  const SELECTOR =
`style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`;\n  const MARKER_RE = new
RegExp(`^${SC_ATTR}\\\\.g(\\\\d+)(\\\\[id=\\\"(\\\\\\\\w\\\\d-]+)\\\"\\\\.\\\\.*?\\\"(\\\\\\[\\\\]*)`);\n\n  export const outputSheet =
(sheet: Sheet) => {\n    const tag = sheet.getTag();\n    const { length } = tag;\n    let css = "";\n    for (let group = 0;
group < length; group++) {\n      const id = getIdForGroup(group);\n      if (id === undefined) continue;\n\n      const
names = sheet.names.get(id);\n      const rules = tag.getGroup(group);\n      if (!names || !rules || !names.size)
continue;\n\n      const selector = `${SC_ATTR}.g${group}[id=${id}]`;\n      let content = "";\n      if (names !==
undefined) {\n        names.forEach(name => {\n          if (name.length > 0) {\n            content += `${name},`;\n          }\n        });\n      }\n      // NOTE: It's easier to collect rules and have the marker\n      // after the actual rules to simplify the
rehydration\n      css += `${rules}${selector}{content: "${content}"} ${SPLITTER}`;\n    }\n\n    return
css;\n  };\n\n  const rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n    const names =
content.split(',');\n    let name;\n    for (let i = 0, l = names.length; i < l; i++) {\n      // eslint-disable-next-line\n      if
((name = names[i])) {\n        sheet.registerName(id, name);\n      }\n    };\n\n    const rehydrateSheetFromTag = (sheet:
Sheet, style: HTMLStyleElement) => {\n      const parts = (style.textContent || "").split(SPLITTER);\n      const rules:
string[] = [];\n      for (let i = 0, l = parts.length; i < l; i++) {\n        const part = parts[i].trim();\n        if (!part) continue;\n      }\n    };\n  };\n}

```

```

const marker = part.match(MARKER_RE);\n  if (marker) {\n    const group = parseInt(marker[1], 10) | 0;\n    const id = marker[2];\n    if (group !== 0) {\n      // Rehydrate componentId to group index mapping\n      setGroupForId(id, group);\n      // Rehydrate names and rules\n      // looks like: data-  

styled.g11[id="idA"]{content:"nameA,"}\n      rehydrateNamesFromContent(sheet, id, marker[3]);\n      sheet.getTag().insertRules(group, rules);\n    }\n    rules.length = 0;\n  } else {\n    rules.push(part);\n  }\n}\n};\n\nexport const rehydrateSheet = (sheet: Sheet) => {\n  const nodes =  

document.querySelectorAll(SELECTOR);\n  for (let i = 0, l = nodes.length; i < l; i++) {\n    const node =  

((nodes[i]: any): HTMLStyleElement);\n    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)  

{\n      rehydrateSheetFromTag(sheet, node);\n      if (node.parentNode) {\n  

node.parentNode.removeChild(node);\n      }\n    }\n  }\n};\n\n", "// @flow\n/* eslint-disable camelcase, no-undef  

*\n\ndeclare var window: { __webpack_nonce__: string };\n\nconst getNonce = () => {\n  return typeof window  

!== 'undefined'\n  ? typeof window.__webpack_nonce__ !== 'undefined'\n  ? window.__webpack_nonce__\n  : null\n  : null;\n};\n\nexport default getNonce;\n", "// @flow\n\nimport { SC_ATTR, SC_ATTR_ACTIVE,  

SC_ATTR_VERSION, SC_VERSION } from '../constants';\nimport getNonce from '../utils/nonce';\nimport  

throwStyledError from '../utils/error';\n\nconst ELEMENT_TYPE = 1; /* Node.ELEMENT_TYPE *\n\n/** Find  

last style element if any inside target *\n\nconst findLastStyleTag = (target: HTMLElement): void |  

HTMLStyleElement => {\n  const { childNodes } = target;\n  for (let i = childNodes.length; i >= 0; i--) {\n    const  

child = ((childNodes[i]: any): ?HTMLElement);\n    if (child && child.nodeType === ELEMENT_TYPE &&  

child.hasAttribute(SC_ATTR)) {\n      return ((child: any): HTMLStyleElement);\n    }\n  }\n  return  

undefined;\n};\n\n/** Create a style element inside `target` or <head> after the last *\n\nexport const makeStyleTag =  

(target?: HTMLElement): HTMLStyleElement => {\n  const head = ((document.head: any): HTMLElement);\n  const  

parent = target || head;\n  const style = document.createElement('style');\n  const prevStyle =  

findLastStyleTag(parent);\n  const nextSibling = prevStyle !== undefined ? prevStyle.nextSibling : null;\n  \n  style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n  style.setAttribute(SC_ATTR_VERSION,  

SC_VERSION);\n  const nonce = getNonce();\n  if (nonce) style.setAttribute('nonce', nonce);\n  \n  parent.insertBefore(style, nextSibling);\n  \n  return style;\n};\n\n/** Get the CSSStyleSheet instance for a given style  

element *\n\nexport const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n  if (tag.sheet) {\n    return  

((tag.sheet: any): CSSStyleSheet);\n  }\n  // Avoid Firefox quirk where the style element might not have a sheet  

property\n  const { styleSheets } = document;\n  for (let i = 0, l = styleSheets.length; i < l; i++) {\n    const sheet =  

styleSheets[i];\n    if (sheet.ownerNode === tag) {\n      return ((sheet: any): CSSStyleSheet);\n    }\n  }\n  \n  throwStyledError(17);\n  return (undefined: any);\n};\n\n", "// @flow\n\n/* eslint-disable no-use-before-define  

*\n\nimport { makeStyleTag, getSheet } from './dom';\nimport type { SheetOptions, Tag } from './types';\n\n/**  

Create a CSSStyleSheet-like tag depending on the environment *\n\nexport const makeTag = ({ isServer,  

useCSSOMInjection, target }: SheetOptions): Tag => {\n  if (isServer) {\n    return new VirtualTag(target);\n  } else  

if (useCSSOMInjection) {\n    return new CSSOMTag(target);\n  } else {\n    return new TextTag(target);\n  }\n}\n};\n\nexport class CSSOMTag implements Tag {\n  element: HTMLStyleElement;\n  sheet:  

CSSStyleSheet;\n  length: number;\n  constructor(target?: HTMLElement) {\n    const element = (this.element =  

makeStyleTag(target));\n    // Avoid Edge bug where empty style elements don't create sheets\n  

element.appendChild(document.createTextNode("));\n    this.sheet = getSheet(element);\n    this.length = 0;\n  }\n  \n  insertRule(index: number, rule: string): boolean {\n    try {\n      this.sheet.insertRule(rule, index);\n  

this.length++;\n      return true;\n    } catch (_error) {\n      return false;\n    }\n  }\n  \n  deleteRule(index: number):  

void {\n    this.sheet.deleteRule(index);\n    this.length--;\n  }\n  \n  getRule(index: number): string {\n    const rule =  

this.sheet.cssRules[index];\n    // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n    if (rule  

!== undefined && typeof rule.cssText === 'string') {\n      return rule.cssText;\n    } else {\n      return "";\n    }\n  }\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes *\n\nexport class TextTag implements  

Tag {\n  element: HTMLStyleElement;\n  nodes: NodeList<Node>;\n  length: number;\n  constructor(target?:  

HTMLElement) {\n    const element = (this.element = makeStyleTag(target));\n    this.nodes =  

element.childNodes;\n    this.length = 0;\n  }\n  \n  insertRule(index: number, rule: string): boolean {\n    if (index <=

```

```

this.length && index >= 0) {\n    const node = document.createTextNode(rule);\n    const refNode =
this.nodes[index];\n    this.element.insertBefore(node, refNode || null);\n    this.length++;\n    return true;\n }
else {\n    return false;\n } } } \n\n deleteRule(index: number): void {\n
this.element.removeChild(this.nodes[index]);\n    this.length--;\n } \n\n getRule(index: number): string {\n    if
(index < this.length) {\n    return this.nodes[index].textContent;\n    } else {\n    return ";\n    }\n } \n\n /** A
completely virtual (server-side) Tag that doesn't manipulate the DOM */ \n\n export class VirtualTag implements Tag
{\n    rules: string[];\n\n    length: number;\n\n    constructor(_target?: HTMLElement) {\n    this.rules = [];\n
this.length = 0;\n    }\n\n    insertRule(index: number, rule: string): boolean {\n    if (index <= this.length) {\n
this.rules.splice(index, 0, rule);\n    this.length++;\n    return true;\n    } else {\n    return false;\n    }\n } \n\n
deleteRule(index: number): void {\n    this.rules.splice(index, 1);\n    this.length--;\n } \n\n getRule(index: number):
string {\n    if (index < this.length) {\n    return this.rules[index];\n    } else {\n    return ";\n    }\n } \n\n /**
@flow\n\n import { DISABLE_SPEEDY, IS_BROWSER } from './constants';\n\n import { EMPTY_OBJECT } from
'./utils/empties';\n\n import { makeGroupedTag } from './GroupedTag';\n\n import { getGroupForId } from
'./GroupIDAllocator';\n\n import { outputSheet, rehydrateSheet } from './Rehydration';\n\n import { makeTag } from
'./Tag';\n\n import type { GroupedTag, Sheet, SheetOptions } from './types';\n\n let SHOULD_REHYDRATE =
IS_BROWSER;\n\n type SheetConstructorArgs = {\n    isServer?: boolean,\n    useCSSOMInjection?: boolean,\n    target?:
HTMLElement,\n };\n\n type GlobalStylesAllocationMap = { [key: string]: number }; \n\n type
NamesAllocationMap = Map<string, Set<string>>;\n\n const defaultOptions: SheetOptions = {\n    isServer:
!IS_BROWSER,\n    useCSSOMInjection: !DISABLE_SPEEDY,\n };\n\n /** Contains the main stylesheet logic for
stringification and caching */ \n\n export default class StyleSheet implements Sheet {\n    gs:
GlobalStylesAllocationMap;\n\n    names: NamesAllocationMap;\n\n    options: SheetOptions;\n\n    server:
boolean;\n\n    tag: void | GroupedTag;\n\n    /** Register a group ID to give it an index */ \n\n    static registerId(id:
string): number {\n    return getGroupForId(id);\n } \n\n    constructor(\n    options: SheetConstructorArgs =
EMPTY_OBJECT,\n    globalStyles?: GlobalStylesAllocationMap = {},\n    names?: NamesAllocationMap\n ) {\n
this.options = {\n    ...defaultOptions,\n    ...options,\n }; \n\n    this.gs = globalStyles;\n    this.names = new
Map(names);\n    this.server = !options.isServer;\n\n    // We rehydrate only once and use the sheet that is created
first\n    if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n    SHOULD_REHYDRATE =
false;\n    rehydrateSheet(this);\n } \n\n    reconstructWithOptions(options: SheetConstructorArgs,
withNames?: boolean = true) {\n    return new StyleSheet(\n    { ...this.options, ...options },\n    this.gs,\n
(withNames && this.names) || undefined\n );\n } \n\n    allocateGSInstance(id: string) {\n    return (this.gs[id] =
(this.gs[id] || 0) + 1);\n } \n\n    /** Lazily initialises a GroupedTag for when it's actually needed */ \n\n    getTag():
GroupedTag {\n    return this.tag || (this.tag = makeGroupedTag(makeTag(this.options)));\n } \n\n    /** Check
whether a name is known for caching */ \n\n    hasNameForId(id: string, name: string): boolean {\n    return
this.names.has(id) && (this.names.get(id): any).has(name);\n } \n\n    /** Mark a group's name as known for caching
*/ \n\n    registerName(id: string, name: string) {\n    getGroupForId(id);\n\n    if (!this.names.has(id)) {\n    const
groupNames = new Set();\n    groupNames.add(name);\n    this.names.set(id, groupNames);\n } else {\n
(this.names.get(id): any).add(name);\n } \n\n    /** Insert new rules which also marks the name as known */ \n\n
insertRules(id: string, name: string, rules: string[]) {\n    this.registerName(id, name);\n
this.getTag().insertRules(getGroupForId(id), rules);\n } \n\n    /** Clears all cached names for a given group ID */ \n\n
clearNames(id: string) {\n    if (this.names.has(id)) {\n    (this.names.get(id): any).clear();\n } \n\n } \n\n    /** Clears
all rules for a given group ID */ \n\n    clearRules(id: string) {\n    this.getTag().clearGroup(getGroupForId(id));\n
this.clearNames(id);\n } \n\n    /** Clears the entire tag which deletes all rules but not its names */ \n\n    clearTag() {\n
// NOTE: This does not clear the names, since it's only used during SSR\n // so that we can continuously output
only new rules\n    this.tag = undefined;\n } \n\n    /** Outputs the current sheet as a CSS string with markers for SSR
*/ \n\n    toString(): string {\n    return outputSheet(this);\n } \n\n } \n\n /** MIT License\n * Copyright (c) 2016
Sultan Tarimo\n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this
software and associated documentation files (the "Software"),\n * to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell

```

copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

\* The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

eslint-disable
export default
function(insertRule) {
  const delimiter = '/*';
  const needle = `${delimiter}`;
  function toSheet(block) {
    if (block) {
      try {
        insertRule(`${block}`);
      } catch (e) {}
    }
    return function ruleSheet(
      context,
      content,
      selectors,
      parents,
      line,
      column,
      length,
      ns,
      depth,
      at ) {
      switch (context) {
        // property
        case 1:
          // @import
          if (depth === 0 && content.charCodeAt(0) === 64) return insertRule(`${content};`);
          break;
          // selector
          case 2:
            if (ns === 0) return content + delimiter;
            break;
            // at-rule
          case 3:
            switch (ns) {
              // @font-face, @page
              case 102:
              case 112:
                return insertRule(selectors[0] + content, ";");
              default:
                return content + (at === 0 ? delimiter : "");
            }
          case -2:
            content.split(needle).forEach(toSheet);
          }
    };
  }
  "import Stylis from '@emotion/stylis';
  import { type Stringifier } from './types';
  import {
    EMPTY_ARRAY, EMPTY_OBJECT } from './empties';
  import throwError from './error';
  import { phash, SEED } from './hash';
  import insertRulePlugin from './stylisPluginInsertRule';
  const COMMENT_REGEX =
    /\s*\|\|.*/gm;
  const COMPLEX_SELECTOR_PREFIX = [':', '[', '!', '#'];
  type StylisInstanceConstructorArgs =
    {
      options?: Object,
      plugins?: Array<Function>,
    };
  export default function createStylisInstance(
    {
      options = EMPTY_OBJECT,
      plugins = EMPTY_ARRAY,
    }: StylisInstanceConstructorArgs =
    EMPTY_OBJECT) {
    const stylis = new Stylis(options);
    // Wrap `insertRulePlugin` to build a list of rules,
    // and then make our own plugin to return the rules. This
    // makes it easier to hook into the existing SSR
    architecture
    let parsingRules = [];
    // eslint-disable-next-line consistent-return
    const returnRulesPlugin =
      context => {
        if (context === -2) {
          const parsedRules = parsingRules;
          parsingRules = [];
          return parsedRules;
        }
      };
    const parseRulesPlugin = insertRulePlugin(
      rule => {
        parsingRules.push(rule);
      }
    );
    let _componentId: string;
    let _selector: string;
    let _selectorRegExp: RegExp;
    let _consecutiveSelfRefRegExp: RegExp;
    const selfReferenceReplacer = (match, offset, string) => {
      if (
        // do not replace the first occurrence if it is complex (has a modifier)
        (offset === 0 ?
          COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length]) === -1 : true) &&
        // no consecutive self refs (.b.b); that is a precedence boost and treated differently
        !string.match(_consecutiveSelfRefRegExp)
      ) {
        return `.${_componentId}`;
      }
      return match;
    };
    /**
     * When writing a style like
     *
     * & + & {
     *   color: red;
     * }
     *
     * The second ampersand should be a reference to the static component class. stylis
     * has no knowledge of static class so we have to intelligently replace the base selector.
     *
     * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <- more info about the context phase values
     *
     * "2"
     * means this plugin is taking effect at the very end after all other processing is complete
     */
    const selfReferenceReplacementPlugin = (context, _, selectors) => {
      if (context === 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {
        // eslint-disable-next-line no-param-reassign
        selectors[0] = selectors[0].replace(_selectorRegExp, selfReferenceReplacer);
      }
    };
    stylis.use([
      ...plugins,
      selfReferenceReplacementPlugin,
      parseRulesPlugin,
      returnRulesPlugin
    ]);
    function stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {
      const flatCSS = css.replace(COMMENT_REGEX, "");
      const cssStr = selector && prefix ? `${prefix} ${selector} { ${flatCSS} }` : flatCSS;
      // stylis has no concept of state to be passed to plugins
      // but since JS is single-threaded, we can rely on that to ensure
      // these properties stay in sync with the current stylis run
      _componentId = componentId;
      _selector = selector;
      _selectorRegExp = new RegExp(`\\|\\|${_selector}\\|\\|b`, 'g');
      _consecutiveSelfRefRegExp = new RegExp(`(\\|\\|${_selector}\\|\\|b){2,}`);
      return stylis(prefix || !selector ? " : selector, cssStr);
    }
  }
}

```

```

stringifyRules.hash = plugins.length\n  ? plugins\n    .reduce((acc, plugin) => {\n      if (!plugin.name) {\n        throwStyledError(15);\n      }\n      return phash(acc, plugin.name);\n    }, SEED)\n  .toString()\n  :
";\n\n return stringifyRules;\n}\n", "// @flow\nimport React, { type Context, type Node, useContext, useEffect,
useMemo, useState } from 'react';\nimport shallowequal from 'shallowequal';\nimport StyleSheet from
'./sheet';\nimport type { Stringifier } from './types';\nimport createStylisInstance from './utils/stylis';\n\ntype Props
= {\n  children?: Node,\n  disableCSSOMInjection?: boolean,\n  disableVendorPrefixes?: boolean,\n  sheet?:
StyleSheet,\n  stylisPlugins?: Array<Function>,\n  target?: HTMLElement,\n};\n\nexport const StyleSheetContext:
Context<StyleSheet | void> = React.createContext();\nexport const StyleSheetConsumer =
StyleSheetContext.Consumer;\nexport const StylisContext: Context<Stringifier | void> =
React.createContext();\nexport const StylisConsumer = StylisContext.Consumer;\n\nexport const masterSheet:
StyleSheet = new StyleSheet();\nexport const masterStylis: Stringifier = createStylisInstance();\n\nexport function
useStyleSheet(): StyleSheet {\n  return useContext(StyleSheetContext) || masterSheet;\n}\n\nexport function
useStylis(): Stringifier {\n  return useContext(StylisContext) || masterStylis;\n}\n\nexport default function
StyleSheetManager(props: Props) {\n  const [plugins, setPlugins] = useState(props.stylisPlugins);\n  const
contextStyleSheet = useStyleSheet();\n\n  const styleSheet = useMemo(() => {\n    let sheet = contextStyleSheet;\n    if (props.sheet) {\n      // eslint-disable-next-line prefer-destructuring\n      sheet = props.sheet;\n    } else if
(props.target) {\n      sheet = sheet.reconstructWithOptions({ target: props.target }, false);\n    }\n    if
(props.disableCSSOMInjection) {\n      sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });\n    }\n  }\n  return sheet;\n}, [props.disableCSSOMInjection, props.sheet, props.target]);\n\n  const stylis = useMemo(\n    () =>\n      createStylisInstance({\n        options: { prefix: !props.disableVendorPrefixes },\n        plugins,\n      }),\n    [props.disableVendorPrefixes, plugins]\n  );\n\n  useEffect(() => {\n    if (!shallowequal(plugins,
props.stylisPlugins)) setPlugins(props.stylisPlugins);\n  }, [props.stylisPlugins]);\n\n  return (\n
<StyleSheetContext.Provider value={styleSheet}>\n   <StylisContext.Provider value={stylis}>\n
{process.env.NODE_ENV !== 'production'\n   ? React.Children.only(props.children)\n   : props.children}\n
</StylisContext.Provider>\n </StyleSheetContext.Provider>\n );\n}\n", "// @flow\nimport StyleSheet from
'./sheet';\nimport { type Stringifier } from './types';\nimport throwStyledError from './utils/error';\nimport {
masterStylis } from './StyleSheetManager';\n\nexport default class Keyframes {\n  id: string;\n  name: string;\n
rules: string;\n\n  constructor(name: string, rules: string) {\n    this.name = name;\n    this.id = `sc-keyframes-
${name}`;\n    this.rules = rules;\n  }\n\n  inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis)
=> {\n    const resolvedName = this.name + stylisInstance.hash;\n\n    if (!styleSheet.hasNameForId(this.id,
resolvedName)) {\n      styleSheet.insertRules(\n        this.id,\n        resolvedName,\n        stylisInstance(this.rules,
resolvedName, '@keyframes')\n      );\n    }\n  }\n\n  toString = () => {\n    return throwStyledError(12,
String(this.name));\n  }\n\n  getName(stylisInstance: Stringifier = masterStylis) {\n    return this.name +
stylisInstance.hash;\n  }\n}\n", "// @flow\n\n/**\n * inlined version of\n *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n *
\nconst
uppercaseCheck = /([A-Z])/;\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-/;\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/**\n * Hyphenates a camelcased
CSS property name, for example:\n * > hyphenateStyleName('backgroundColor')\n * < \"background-
color\"\n * > hyphenateStyleName('MozTransition')\n * < \"-moz-transition\"\n * >
hyphenateStyleName('msTransition')\n * < \"-ms-transition\"\n *
\n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `ms-`.\n *
\n * @param {string} string\n *
\n * @return {string}\n */\nexport default function hyphenateStyleName(string: string): string {\n  return
uppercaseCheck.test(string)\n    ? string\n      .replace(uppercasePattern, prefixAndLowerCase)\n      .replace(msPattern,
'-ms-')\n    : string;\n}\n", "// @flow\nimport unitless from '@emotion/unitless';\n\n// Taken from
https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-
dom/src/shared/dangerousStyleValue.js\nexport default function addUnitIfNeeded(name: string, value: any): any {\n
// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n if (value === null ||
typeof value === 'boolean' || value === '') {\n  return '';\n }\n\n if (typeof value === 'number' && value !== 0 &&

```

```

!(name in unitless)) {\n  return `${value}px`; // Presumes implicit 'px' suffix for unitless numbers\n } \n\n return
String(value).trim();\n}\n", "// @flow\nimport { isElement } from 'react-is';\nimport componentName from
'./getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from
'./isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from
'./isStyledComponent';\nimport Keyframes from './models/Keyframes';\nimport hyphenate from
'./hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from
'./types';\n\n/**\n * It's falsish not falsy because 0 is allowed.\n */\nconst isFalsish = chunk => chunk ===
undefined || chunk === null || chunk === false || chunk === "";\n\nexport const objToCssArray = (obj: Object,
prevKey?: string): Array<string | Function> => {\n  const rules = [];\n\n  for (const key in obj) {\n    if
(!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n    if ((Array.isArray(obj[key]) && obj[key].isCss) ||
isFunction(obj[key])) {\n      rules.push(`${hyphenate(key)}:`, obj[key], `;`);\n    } else if (isPlainObject(obj[key]))
{\n      rules.push(...objToCssArray(obj[key], key));\n    } else {\n      rules.push(`${hyphenate(key)}:
${addUnitIfNeeded(key, obj[key]);`);\n    }\n  }\n\n  return prevKey ? [`${prevKey} {`, ...rules, `}`] :
rules;\n};\n\nexport default function flatten(\n  chunk: any,\n  executionContext: ?Object,\n  styleSheet: ?Object,\n  stylisInstance: ?Stringifier\n): any {\n  if (Array.isArray(chunk)) {\n    const ruleSet = [];\n\n    for (let i = 0, len =
chunk.length, result; i < len; i += 1) {\n      result = flatten(chunk[i], executionContext, styleSheet,
stylisInstance);\n\n      if (result === "") continue;\n      else if (Array.isArray(result)) ruleSet.push(...result);\n      else
ruleSet.push(result);\n    }\n\n    return ruleSet;\n  }\n\n  if (isFalsish(chunk)) {\n    return "";\n  }\n\n  /* Handle other
components */\n  if (isStyledComponent(chunk)) {\n    return `${chunk.styledComponentId}`;\n  }\n\n  /* Either
execute or defer the function */\n  if (isFunction(chunk)) {\n    if (isStatelessFunction(chunk) && executionContext)
{\n      const result = chunk(executionContext);\n\n      if (process.env.NODE_ENV !== 'production' &&
isElement(result)) {\n        // eslint-disable-next-line no-console\n        console.warn(\n
`${getComponentName(\n          chunk\n        )} is not a styled component and cannot be referred to via
component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components for
more details.`\n        );\n      }\n\n      return flatten(result, executionContext, styleSheet, stylisInstance);\n    }
else return chunk;\n  }\n\n  if (chunk instanceof Keyframes) {\n    if (styleSheet) {\n      chunk.inject(styleSheet,
stylisInstance);\n      return chunk.getName(stylisInstance);\n    } else return chunk;\n  }\n\n  /* Handle objects */\n
return isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString();\n}\n", "// @flow\nconst printed =
{};\n\nexport default function warnOnce(message) {\n  if (printed[message]) return;\n  printed[message] = true;\n\n  if (typeof console !== 'undefined' && console.warn) console.warn(message);\n}\n", "// @flow\nconst
SINGLE_QUOTE = `\"`.charCodeAt(0);\nconst DOUBLE_QUOTE = `\"`.charCodeAt(0);\nconst BACKSLASH = `\\`.charCodeAt(0);\nconst SLASH = `/`.charCodeAt(0);\nconst NEWLINE = `\\n`.charCodeAt(0);\nconst SPACE = ` `
.charCodeAt(0);\nconst FEED = `\\f`.charCodeAt(0);\nconst TAB = `\\t`.charCodeAt(0);\nconst CR = `\\r`.charCodeAt(0);\nconst OPEN_SQUARE = `[`.charCodeAt(0);\nconst CLOSE_SQUARE = `]`.charCodeAt(0);\nconst OPEN_PARENTHESSES = `(`.charCodeAt(0);\nconst CLOSE_PARENTHESSES = `)`.charCodeAt(0);\nconst OPEN_CURLY = `{`.charCodeAt(0);\nconst CLOSE_CURLY = `}`.charCodeAt(0);\nconst SEMICOLON = `;`.charCodeAt(0);\nconst ASTERISK = `*`.charCodeAt(0);\nconst COLON = `:`.charCodeAt(0);\nconst AT = `@`.charCodeAt(0);\nconst RE_AT_END = /[\n\\n\\t\\r\\f\\{\\|\\(\\)\"'\\\\\\\\/\\[\\]#]/g;\nconst RE_WORD_END = /[\n\\n\\t\\r\\f\\(\\)\\{\\|\\};@!\"'\\\\\\\\\\[\\]#]\\\\/?(?=\n*)/g;\nconst RE_BAD_BRACKET = /.[\\\\\\\\\\|\\(\\)\"'\\\\\\\\/\\[\\]#];\n\nexport default function tokenize(input, options = {}) {\n  const tokens
= [];\n  const css = input.css.valueOf();\n  const ignore = options.ignoreErrors;\n\n  let code,\n  next,\n  quote,\n  lines,\n  last,\n  content,\n  escape,\n  nextLine,\n  nextOffset,\n  escaped,\n  escapePos,\n  prev,\n  n;\n\n  const length = css.length;\n  let offset = -1;\n  let line = 1;\n  let pos = 0;\n\n  function unclosed(what) {\n    throw
input.error(`Unclosed ${what}`, line, pos - offset);\n  }\n\n  while (pos < length) {\n    code =
css.charCodeAtAt(pos);\n\n    if (code === NEWLINE || code === FEED || (code === CR && css.charCodeAtAt(pos +
1) !== NEWLINE)) {\n      offset = pos;\n      line += 1;\n    }\n\n    switch (code) {\n      case NEWLINE:\n      case SPACE:\n      case TAB:\n      case CR:\n      case FEED:\n        next = pos;\n        do {\n          next += 1;\n          code = css.charCodeAtAt(next);\n\n          if (code === NEWLINE) {\n            offset = next;\n            line += 1;\n

```

```

}\n    } while (\n        code === SPACE ||\n        code === NEWLINE ||\n        code === TAB ||\n        code === CR ||\n        code === FEED\n    );\n\n    tokens.push(['space', css.slice(pos, next)];\n    pos = next - 1;\n    break;\n\n    case OPEN_SQUARE:\n    tokens.push(['[', '[', line, pos - offset]);\n    break;\n\n    case CLOSE_SQUARE:\n    tokens.push([']', ']', line, pos - offset]);\n    break;\n\n    case OPEN_CURLY:\n    tokens.push(['{', '{', line, pos - offset]);\n    break;\n\n    case CLOSE_CURLY:\n    tokens.push(['}', '}', line, pos - offset]);\n    break;\n\n    case COLON:\n    tokens.push([':', ':', line, pos - offset]);\n    break;\n\n    case SEMICOLON:\n    tokens.push([';', ';', line, pos - offset]);\n    break;\n\n    case OPEN_PARENTHESSES:\n    prev = tokens.length ? tokens[tokens.length - 1][1] : '';\n    n = css.charCodeAt(pos + 1);\n    if (\n        prev === 'url' &&\n        n !== SINGLE_QUOTE &&\n        n !== DOUBLE_QUOTE &&\n        n !== SPACE &&\n        n !== NEWLINE &&\n        n !== TAB &&\n        n !== FEED &&\n        n !== CR\n    ) {\n        next = pos;\n        do {\n            escaped = false;\n            next = css.indexOf(')', next + 1);\n            if (next === -1) {\n                if (ignore) {\n                    next = pos;\n                    break;\n                } else {\n                    unclosed('bracket');\n                }\n            }\n            escapePos = next;\n            while (css.charCodeAt(escapePos - 1) === BACKSLASH) {\n                escapePos -= 1;\n                escaped = !escaped;\n            }\n        } while (escaped);\n\n        tokens.push([\n            'brackets',\n            css.slice(pos, next + 1),\n            line,\n            pos - offset,\n            line,\n            next - offset,\n            ]);\n        pos = next;\n    } else {\n        next = css.indexOf(')', pos + 1);\n        content = css.slice(pos, next + 1);\n        if (next === -1 || RE_BAD_BRACKET.test(content)) {\n            tokens.push(['(', '(', line, pos - offset]);\n        } else {\n            tokens.push(['brackets', content, line, pos - offset, line, next - offset]);\n            pos = next;\n        }\n    }\n\n    break;\n\n    case CLOSE_PARENTHESSES:\n    tokens.push([')', ')', line, pos - offset]);\n    break;\n\n    case SINGLE_QUOTE:\n    case DOUBLE_QUOTE:\n    quote = code === SINGLE_QUOTE ? '\"' : '\'';\n    next = pos;\n    do {\n        escaped = false;\n        next = css.indexOf(quote, next + 1);\n        if (next === -1) {\n            if (ignore) {\n                next = pos + 1;\n                break;\n            } else {\n                unclosed('quote');\n            }\n        }\n        escapePos = next;\n        while (css.charCodeAt(escapePos - 1) === BACKSLASH) {\n            escapePos -= 1;\n            escaped = !escaped;\n        }\n    } while (escaped);\n\n    content = css.slice(pos, next + 1);\n    lines = content.split('\\n');\n    last = lines.length - 1;\n    if (last > 0) {\n        nextLine = line + last;\n        nextOffset = next - lines[last].length;\n    } else {\n        nextLine = line;\n        nextOffset = offset;\n    }\n\n    tokens.push([\n        'string',\n        css.slice(pos, next + 1),\n        line,\n        pos - offset,\n        nextLine,\n        next - nextOffset,\n        ]);\n\n    offset = nextOffset;\n    line = nextLine;\n    pos = next;\n    break;\n\n    case AT:\n    RE_AT_END.lastIndex = pos + 1;\n    RE_AT_END.test(css);\n    if (RE_AT_END.lastIndex === 0) {\n        next = css.length - 1;\n    } else {\n        next = RE_AT_END.lastIndex - 2;\n    }\n\n    tokens.push(['at-word', css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n    pos = next;\n    break;\n\n    case BACKSLASH:\n    next = pos;\n    escape = true;\n    while (css.charCodeAt(next + 1) === BACKSLASH) {\n        next += 1;\n        escape = !escape;\n    }\n\n    code = css.charCodeAt(next + 1);\n    if (\n        escape &&\n        (code !== SLASH &&\n        code !== SPACE &&\n        code !== NEWLINE &&\n        code !== TAB &&\n        code !== CR &&\n        code !== FEED)\n    ) {\n        next += 1;\n    }\n\n    tokens.push(['word', css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n    pos = next;\n    break;\n\n    default:\n    if (code === SLASH && css.charCodeAt(pos + 1) === ASTERISK) {\n        next = css.indexOf('*/', pos + 2) + 1;\n        if (next === 0) {\n            if (ignore) {\n                next = css.length;\n            } else {\n                unclosed('comment');\n            }\n        }\n\n        content = css.slice(pos, next + 1);\n        lines = content.split('\\n');\n        last = lines.length - 1;\n        if (last > 0) {\n            nextLine = line + last;\n            nextOffset = next - lines[last].length;\n        } else {\n            nextLine = line;\n            nextOffset = offset;\n        }\n\n        tokens.push(['comment', content, line, pos - offset, nextLine, next - nextOffset]);\n        offset = nextOffset;\n        line = nextLine;\n        pos = next;\n    } else {\n        RE_WORD_END.lastIndex = pos + 1;\n        RE_WORD_END.test(css);\n        if (RE_WORD_END.lastIndex === 0) {\n            next = css.length - 1;\n        } else {\n            next = RE_WORD_END.lastIndex - 2;\n        }\n\n        tokens.push(['word', css.slice(pos, next + 1), line, pos - offset, line, next - offset]);\n        pos = next;\n    }\n\n    break;\n    }\n\n    pos++;\n}\n\nreturn tokens;\n}

```



```

@flow\nimport tokenize from './tokenize';\nimport Input from './input';\n\nconst HIGHLIGHT_THEME = {\n  brackets: [36, 39], // cyan\n  string: [31, 39], // red\n  'at-word': [31, 39], // red\n  comment: [90, 39], // gray\n  '{': [32, 39], // green\n  '}': [32, 39], // green\n  ':': [1, 22], // bold\n  ';': [1, 22], // bold\n  '(': [1, 22], // bold\n  ')': [1, 22], // bold\n};\n\nfunction code(color) {\n  return `\\u001b[${color}m`;\n}\n\nfunction terminalHighlight(css) {\n  const tokens = tokenize(new Input(css), { ignoreErrors: true });\n  const result = [];\n  tokens.forEach(token => {\n    const color = HIGHLIGHT_THEME[token[0]];\n    if (color) {\n      result.push(\n        token[1]\n        .split(/\\r?\\n/)\n        .map(i => code(color[0]) + i + code(color[1]))\n        .join("\\n")\n      );\n    } else {\n      result.push(token[1]);\n    }\n  });\n  return result.join("");\n}\n\nexport default terminalHighlight;\n", "// @flow\nimport supportsColor from 'supports-color';\n\nimport terminalHighlight from './terminal-highlight';\nimport warnOnce from './warn-once';\n\n/**\n * The CSS parser throws this error for broken CSS.\n * Custom parsers can throw this error for broken custom syntax using\n * the { @link Node#error } method.\n * PostCSS will use the input source map to detect the original error location.\n * If you wrote a Sass file, compiled it to CSS and then parsed it with PostCSS,\n * PostCSS will show the original position in the Sass file.\n * If you need the position in the PostCSS input\n * (e.g., to debug the previous compiler), use `error.input.file`.\n * @example\n * // Catching and checking syntax error\n * try {\n *   postcss.parse('a{')\n * } catch (error) {\n *   if (error.name === 'CssSyntaxError') {\n *     error\n *     //=> CssSyntaxError\n *   }\n * }\n * @example\n * // Raising error from plugin\n * throw node.error('Unknown variable', { plugin: 'postcss-vars' });\n *\n * class CssSyntaxError {\n *   @param {string} message - error message\n *   @param {number} [line] - source line of the error\n *   @param {number} [column] - source column of the error\n *   @param {string} [source] - source code of the broken file\n *   @param {string} [file] - absolute path to the broken file\n *   @param {string} [plugin] - PostCSS plugin name, if error came from plugin\n *   ^\n *   constructor(message, line, column, source, file, plugin) {\n *     /**\n *      * @member {string} - Always equal to `CssSyntaxError`.\n *      * You should always check error type by `error.name === 'CssSyntaxError'` instead of `error instanceof CssSyntaxError`, because npm could have several PostCSS versions.\n *      * @example\n *      * if (error.name === 'CssSyntaxError') {\n *        error\n *        //=> CssSyntaxError\n *      }\n *      ^\n *      this.name = 'CssSyntaxError';\n *      /**\n *      * @member {string} - Error message.\n *      * @example\n *      * error.message //=> 'Unclosed block'\n *      ^\n *      this.reason = message;\n *      \n *      if (file) {\n *        /**\n *         * @member {string} - Absolute path to the broken file.\n *         * @example\n *         * error.file //=> 'a.sass'\n *         * error.input.file //=> 'a.css'\n *         ^\n *         this.file = file;\n *       }\n *       \n *       if (source) {\n *        /**\n *         * @member {string} - Source code of the broken file.\n *         * @example\n *         * error.source //=> 'a { b {} }'\n *         * error.input.column //=> 'a b { }'\n *         ^\n *         this.source = source;\n *       }\n *       \n *       if (plugin) {\n *        /**\n *         * @member {string} - Plugin name, if error came from plugin.\n *         * @example\n *         * error.plugin //=> 'postcss-vars'\n *         ^\n *         this.plugin = plugin;\n *       }\n *       \n *       if (typeof line !== 'undefined' && typeof column !== 'undefined') {\n *        /**\n *         * @member {number} - Source line of the error.\n *         * @example\n *         * error.line //=> 2\n *         * error.input.line //=> 4\n *         ^\n *         this.line = line;\n *        /**\n *         * @member {number} - Source column of the error.\n *         * @example\n *         * error.column //=> 1\n *         * error.input.column //=> 4\n *         ^\n *         this.column = column;\n *       }\n *       \n *       this.setMessage();\n *     }\n *     \n *     if (Error.captureStackTrace) {\n *       Error.captureStackTrace(this, CssSyntaxError);\n *     }\n *     \n *     setMessage() {\n *       /**\n *        * @member {string} - Full error text in the GNU error format\n *        * with plugin, file, line and column.\n *        * @example\n *        * error.message //=> 'a.css:1:1: Unclosed block'\n *        ^\n *        this.message = this.plugin ? `${this.plugin}: ` : ` `;\n *        this.message += this.file ? this.file : '<css input>';\n *        if (typeof this.line !== 'undefined') {\n *          this.message += `:${this.line}:${this.column}`;\n *        }\n *        this.message += `:${this.reason}`;\n *      }\n *     }\n *     \n *     Returns a few lines of CSS source that caused the error.\n *     If the CSS has an input source map without `sourceContent`,\n *     this method will return an empty string.\n *     @param {boolean} [color] whether arrow will be colored red by terminal\n *     color codes. By default, PostCSS will detect\n *     color support by `process.stdout.isTTY` and\n *     `process.env.NODE_DISABLE_COLORS`.\n *     @example\n *     error.showSourceCode() //=> ` 4 |`\n *     // 5 | a {\n *     // > 6 | bad\n *     // | ^\n *     // 7 |`\n *     // 8 | b {\n *     * @return {string} few lines of CSS source that caused the error\n *     ^\n *     }\n *   }\n * }\n *

```

```

showSourceCode(color) {\n  if (!this.source) return ''; \n\n  let css = this.source; \n  if (typeof color ===
'undefined') color = supportsColor; \n  if (color) css = terminalHighlight(css); \n\n  const lines =
css.split(/\r?\n/); \n  const start = Math.max(this.line - 3, 0); \n  const end = Math.min(this.line + 2,
lines.length); \n\n  const maxWidth = String(end).length; \n\n  return lines\n    .slice(start, end)\n    .map((line,
index) => {\n    const number = start + 1 + index; \n    const padded = `${number}`.slice(-maxWidth); \n
const gutter = `${padded} | `; \n    if (number === this.line) {\n    const spacing =\n
gutter.replace(/\\d/g, ' ') + line.slice(0, this.column - 1).replace(/[^\\t]/g, ' '); \n    return `>${gutter}${line}\\n
${spacing}^`; \n    } else {\n    return `${gutter}${line}`; \n    } \n  })\n  .join("\\n"); \n\n  /** \n *
Returns error position, message and source code of the broken part. \n * \n * @example \n * error.toString() // =>
'CssSyntaxError: app.css:1:1: Unclosed block \n * // > 1 | a { \n * // | ^' \n * \n *
@return {string} error position, message and source code \n * \n * toString() {\n  let code =
this.showSourceCode(); \n  if (code) {\n  code = `\\n\\n${code}\\n`; \n  } \n  return `${this.name}:
${this.message}${code}`; \n  } \n\n  get generated() {\n  warnOnce('CssSyntaxError#generated is deprecated. Use
input instead.');
```

```
(typeof value !== 'undefined') return false;\n    });\n  }\n\n  if (typeof value === 'undefined') value =\n  defaultRaw[detect];\n\n  root.rawCache[detect] = value;\n  return value;\n}\n\nrawSemicolon(root) {\n  let\n  value;\n  root.walk(i => {\n    if (i.nodes && i.nodes.length && i.last.type === 'decl') {\n      value =\n      i.raws.semicolon;\n      if (typeof value !== 'undefined') return false;\n    }\n  });\n  return value;\n}\n\nrawEmptyBody(root) {\n  let value;\n  root.walk(i => {\n    if (i.nodes && i.nodes.length === 0) {\n      value =\n      i.raws.after;\n      if (typeof value !== 'undefined') return false;\n    }\n  });\n  return value;\n}\n\nrawIndent(root) {\n  if (root.raws.indent) return root.raws.indent;\n  let value;\n  root.walk(i => {\n    const p =\n    i.parent;\n    if (p && p !== root && p.parent && p.parent === root) {\n      if (typeof i.raws.before !==\n      'undefined') {\n        const parts = i.raws.before.split("\\n");\n        value = parts[parts.length - 1];\n        value =\n        value.replace(/^[^\\s]/g, "");\n        return false;\n      }\n    }\n  });\n  return value;\n}\n\nrawBeforeComment(root, node) {\n  let value;\n  root.walkComments(i => {\n    if (typeof i.raws.before !==\n    'undefined') {\n      value = i.raws.before;\n      if (value.indexOf("\\n") !== -1) {\n        value =\n        value.replace(/^[^\\n]+$/g, "");\n      }\n      return false;\n    }\n  });\n  if (typeof value === 'undefined') {\n    value = this.raw(node, null, 'beforeDecl');\n  }\n  return value;\n}\n\nrawBeforeDecl(root, node) {\n  let\n  value;\n  root.walkDecls(i => {\n    if (typeof i.raws.before !== 'undefined') {\n      value = i.raws.before;\n      if\n      (value.indexOf("\\n") !== -1) {\n        value = value.replace(/^[^\\n]+$/g, "");\n      }\n      return false;\n    }\n  });\n  if (typeof value === 'undefined') {\n    value = this.raw(node, null, 'beforeRule');\n  }\n  return value;\n}\n\nrawBeforeRule(root) {\n  let value;\n  root.walk(i => {\n    if (i.nodes && (i.parent !== root || root.first !== i))\n    {\n      if (typeof i.raws.before !== 'undefined') {\n        value = i.raws.before;\n        if (value.indexOf("\\n") !== -\n        1) {\n          value = value.replace(/^[^\\n]+$/g, "");\n        }\n        return false;\n      }\n    }\n  });\n  return\n  value;\n}\n\nrawBeforeClose(root) {\n  let value;\n  root.walk(i => {\n    if (i.nodes && i.nodes.length > 0)\n    {\n      if (typeof i.raws.after !== 'undefined') {\n        value = i.raws.after;\n        if (value.indexOf("\\n") !== -1)\n        {\n          value = value.replace(/^[^\\n]+$/g, "");\n        }\n        return false;\n      }\n    }\n  });\n  return value;\n}\n\nrawBeforeOpen(root) {\n  let value;\n  root.walk(i => {\n    if (i.type !== 'decl') {\n      value =\n      i.raws.between;\n      if (typeof value !== 'undefined') return false;\n    }\n  });\n  return value;\n}\n\nrawColon(root) {\n  let value;\n  root.walkDecls(i => {\n    if (typeof i.raws.between !== 'undefined') {\n      value = i.raws.between.replace(/^[^\\s:]/g, "");\n      return false;\n    }\n  });\n  return value;\n}\n\nbeforeAfter(node, detect) {\n  let value;\n  if (node.type === 'decl') {\n    value = this.raw(node, null,\n    'beforeDecl');\n  } else if (node.type === 'comment') {\n    value = this.raw(node, null, 'beforeComment');\n  } else if (detect === 'before') {\n    value = this.raw(node, null, 'beforeRule');\n  } else {\n    value = this.raw(node,\n    null, 'beforeClose');\n  }\n\n  let buf = node.parent;\n  let depth = 0;\n  while (buf && buf.type !== 'root') {\n    depth += 1;\n    buf = buf.parent;\n  }\n\n  if (value.indexOf("\\n") !== -1) {\n    const indent = this.raw(node,\n    null, 'indent');\n    if (indent.length) {\n      for (let step = 0; step < depth; step++) value += indent;\n    }\n  }\n\n  return value;\n}\n\nrawValue(node, prop) {\n  const value = node[prop];\n  const raw = node.raws[prop];\n  if (raw && raw.value === value) {\n    return raw.raw;\n  } else {\n    return value;\n  }\n}\n\nexport\n  default Stringifier;\n\n"/" @flow\nimport Stringifier from './stringifier';\nexport default function stringify(node,\n  builder) {\n  const str = new Stringifier(builder);\n  str.stringify(node);\n}\n\n"/" @flow\nimport CssSyntaxError\n  from './css-syntax-error';\nimport Stringifier from './stringifier';\nimport stringify from './stringify';\nimport\n  warnOnce from './warn-once';\n\n/**\n * @typedef {object} position\n * @property {number} line - source line in\n  file\n * @property {number} column - source column in file\n * ^\n\n/**\n * @typedef {object} source\n * @property {Input} input - {@link Input} with input file\n * @property {position} position\n * @property {number} start - The starting position of\n  the node's source\n * @property {position} end - The ending position of the node's source\n * ^\n\nconst\n  cloneNode = function(obj, parent) {\n  const cloned = new obj.constructor();\n\n  for (const i in obj) {\n    if\n    (!obj.hasOwnProperty(i)) continue;\n    let value = obj[i];\n    const type = typeof value;\n\n    if (i === 'parent' &&\n    type === 'object') {\n      if (parent) cloned[i] = parent;\n    } else if (i === 'source') {\n      cloned[i] = value;\n    }\n    else if (value instanceof Array) {\n      cloned[i] = value.map(j => cloneNode(j, cloned));\n    } else if (i !== 'before'\n    && i !== 'after' && i !== 'between' && i !== 'semicolon') {\n      if (type === 'object' && value !== null) value =\n      cloneNode(value);\n      cloned[i] = value;\n    }\n  }\n\n  return cloned;\n};\n\n/**\n * All node classes inherit the
```

following common methods.

```

@abstract
^nclass Node {
  /**
   * @param {object} [defaults] - value
   for node properties
   */
  constructor(defaults = {}) {
    this.raws = {};
    for (const name in defaults) {
      this[name] = defaults[name];
    }
  }
  /**
   * Returns a CssSyntaxError instance containing the original
   position
   * of the node in the source, showing line and column numbers and also
   * a small excerpt to facilitate
   debugging.
   * If present, an input source map will be used to get the original position
   * of the source,
   even from a previous compilation step
   * (e.g., from Sass compilation).
   * This method produces very
   useful error messages.
   * @param {string} message - error description
   * @param {object} [opts] -
   options
   * @param {string} opts.plugin - plugin name that created this error.
   * PostCSS will
   set it automatically.
   * @param {string} opts.word - a word inside a node's string that should
   *
   be highlighted as the source of the error
   * @param {number} opts.index - an index inside a node's string that
   should
   *
   be highlighted as the source of the error
   */
  @return {CssSyntaxError} error
  object to throw it
  /**
   * @example
   * if ( !variables[name] ) {
   *   throw decl.error('Unknown variable ' +
   name, { word: name });
   * } // CssSyntaxError: postcss-vars:a.sass:4:3: Unknown variable $black
   * // color:
   $black
   * // a
   * //
   ^
   * // background: white
   */
  error(message, opts = {}) {
    if
    (this.source) {
      const pos = this.positionBy(opts);
      return this.source.input.error(message, pos.line,
      pos.column, opts);
    } else {
      return new CssSyntaxError(message);
    }
  }
  /**
   * This method is
   provided as a convenience wrapper for Result#warn.
   * @param {Result} result - the Result
   instance
   *
   that will receive the warning
   * @param {string} text - warning
   message
   * @param {object} [opts] - options
   * @param {string} opts.plugin - plugin name that created this
   warning.
   * PostCSS will set it automatically.
   * @param {string} opts.word - a word
   inside a node's string that should
   *
   be highlighted as the source of the warning
   * @param
   {number} opts.index - an index inside a node's string that should
   *
   be highlighted as the
   source of the warning
   */
  @return {Warning} created warning object
  /**
   * @example
   * const plugin
   = postcss.plugin('postcss-deprecated', () => {
   *   return (root, result) => {
   *     root.walkDecls('bad', decl =>
   {
   *       decl.warn(result, 'Deprecated property bad');
   *     });
   *   };
   * });
   * warn(result, text, opts)
   {
   *   const data = { node: this };
   *   for (const i in opts) data[i] = opts[i];
   *   return result.warn(text, data);
   * }
   */
  /**
   * Removes the node from its parent and cleans the parent properties
   * from the node and its children.
   */
  @example
  if ( decl.prop.match(/^-webkit-/) ) {
    decl.remove();
  }
  @return {Node}
  node to make calls chain
  remove()
  if (this.parent) {
    this.parent.removeChild(this);
  }
  this.parent = undefined;
  return this;
  /**
   * Returns a CSS string representing the node.
   */
  @param {stringifier[syntax]} [stringifier] - a syntax to use
   in string generation
  @return {string} CSS string of this node
  @example
  postcss.rule({ selector: 'a' }).toString()
  // => "a {}"
  toString(stringifier = stringify) {
    if (stringifier.stringify) stringifier = stringifier.stringify;
    let result = "";
    stringifier(this, i => {
      result += i;
    });
    return result;
  }
  /**
   * Returns a clone
   of the node.
   * The resulting cloned node and its (cloned) children will have
   * a clean parent and code
   style properties.
   * @param {object} [overrides] - new properties to override in the clone.
   */
  @example
  const cloned = decl.clone({ prop: '-moz-' + decl.prop });
  cloned.raws.before // => undefined
  * cloned.parent // => undefined
  cloned.toString() // => -moz-transform: scale(0)
  @return {Node}
  clone of the node
  clone(overrides = {}) {
    const cloned = cloneNode(this);
    for (const name in
    overrides) {
      cloned[name] = overrides[name];
    }
    return cloned;
  }
  /**
   * Shortcut to clone the
   node and insert the resulting cloned node
   * before the current node.
   */
  @param {object} [overrides] - new
   properties to override in the clone.
  @example
  decl.cloneBefore({ prop: '-moz-' + decl.prop });
  @return {Node} - new node
  cloneBefore(overrides = {}) {
    const cloned = this.clone(overrides);
    this.parent.insertBefore(this, cloned);
    return cloned;
  }
  /**
   * Shortcut to clone the node and insert the
   resulting cloned node
   * after the current node.
   */
  @param {object} [overrides] - new properties to
   override in the clone.
  @return {Node} - new node
  cloneAfter(overrides = {}) {
    const cloned
    = this.clone(overrides);
    this.parent.insertAfter(this, cloned);
    return cloned;
  }
  /**
   * Inserts node(s)
   before the current node and removes the current node.
   */
  @param {...Node} nodes - node(s) to replace

```

```

current one\n * \n * @example\n * if ( atrule.name === 'mixin' ) {\n *
atrule.replaceWith(mixinRules[atrule.params]);\n * }\n * \n * @return {Node} current node to methods chain\n
*/\n replaceWith(...nodes) {\n if (this.parent) {\n nodes.forEach(node => {\n this.parent.insertBefore(this,
node);\n });\n this.remove();\n }\n return this;\n }\n /**\n * Removes the node from its current
parent and inserts it\n * at the end of `newParent`.\n * \n * This will clean the `before` and `after` code {@link
Node#raws} data\n * from the node and replace them with the indentation style of `newParent`.\n * It will also
clean the `between` property\n * if `newParent` is in another {@link Root}.\n * \n * @param {Container}
newParent - container node where the current node\n * will be moved\n * \n * @example\n
* atrule.moveTo(atrule.root());\n * \n * @return {Node} current node to methods chain\n */\n
moveTo(newParent) {\n this.cleanRaws(this.root() === newParent.root());\n this.remove();\n
newParent.append(this);\n return this;\n }\n /**\n * Removes the node from its current parent and inserts it
into\n * a new parent before `otherNode`.\n * \n * This will also clean the node's code style properties just as it
would\n * in {@link Node#moveTo}.\n * \n * @param {Node} otherNode - node that will be before current
node\n * \n * @return {Node} current node to methods chain\n */\n moveBefore(otherNode) {\n
this.cleanRaws(this.root() === otherNode.root());\n this.remove();\n otherNode.parent.insertBefore(otherNode,
this);\n return this;\n }\n /**\n * Removes the node from its current parent and inserts it into\n * a new parent
after `otherNode`.\n * \n * This will also clean the node's code style properties just as it would\n * in {@link
Node#moveTo}.\n * \n * @param {Node} otherNode - node that will be after current node\n * \n * @return
{Node} current node to methods chain\n */\n moveAfter(otherNode) {\n this.cleanRaws(this.root() ===
otherNode.root());\n this.remove();\n otherNode.parent.insertAfter(otherNode, this);\n return this;\n }\n
/**\n * Returns the next child of the node's parent.\n * Returns `undefined` if the current node is the last child.\n
*\n * @return {Node|undefined} next node\n * \n * @example\n * if ( comment.text === 'delete next' ) {\n *
const next = comment.next();\n * if ( next ) {\n * next.remove();\n * }\n * }\n */\n next() {\n const
index = this.parent.index(this);\n return this.parent.nodes[index + 1];\n }\n /**\n * Returns the previous child
of the node's parent.\n * Returns `undefined` if the current node is the first child.\n * \n * @return
{Node|undefined} previous node\n * \n * @example\n * const annotation = decl.prev();\n * if ( annotation.type
=== 'comment' ) {\n * readAnnotation(annotation.text);\n * }\n */\n prev() {\n const index =
this.parent.index(this);\n return this.parent.nodes[index - 1];\n }\n toJSON() {\n const fixed = {};\n for
(const name in this) {\n if (!this.hasOwnProperty(name)) continue;\n if (name === 'parent') continue;\n
const value = this[name];\n if (value instanceof Array) {\n fixed[name] = value.map(i => {\n if
(typeof i === 'object' && i.toJSON) {\n return i.toJSON();\n } else {\n return i;\n }\n
});\n } else if (typeof value === 'object' && value.toJSON) {\n fixed[name] = value.toJSON();\n } else
{\n fixed[name] = value;\n }\n }\n return fixed;\n }\n /**\n * Returns a {@link Node#raws} value.
If the node is missing\n * the code style property (because the node was manually built or cloned),\n * PostCSS
will try to autodetect the code style property by looking\n * at other nodes in the tree.\n * \n * @param {string}
prop - name of code style property\n * @param {string} [defaultType] - name of default value, it can be
missed\n * if the value is the same as prop\n * \n * @example\n * const root =
postcss.parse('a { background: white }');\n * root.nodes[0].append({ prop: 'color', value: 'black' });\n *
root.nodes[0].nodes[1].raws.before //=> undefined\n * root.nodes[0].nodes[1].raw('before') //=> '\n * \n *
@return {string} code style value\n */\n raw(prop, defaultType) {\n const str = new Stringifier();\n return
str.raw(this, prop, defaultType);\n }\n /**\n * Finds the Root instance of the node's tree.\n * \n * @example\n
* root.nodes[0].nodes[0].root() === root\n * \n * @return {Root} root parent\n */\n root() {\n let result =
this;\n while (result.parent) result = result.parent;\n return result;\n }\n cleanRaws(keepBetween) {\n delete
this.raws.before;\n delete this.raws.after;\n if (!keepBetween) delete this.raws.between;\n }\n
positionInside(index) {\n const string = this.toString();\n let column = this.source.start.column;\n let line =
this.source.start.line;\n for (let i = 0; i < index; i++) {\n if (string[i] === '\\n') {\n column = 1;\n line
+= 1;\n } else {\n column += 1;\n }\n }\n return { line, column };\n }\n positionBy(opts) {\n let
pos = this.source.start;\n if (opts.index) {\n pos = this.positionInside(opts.index);\n } else if (opts.word) {\n

```

```

const index = this.toString().indexOf(opts.word);\n    if (index !== -1) pos = this.positionInside(index);\n    }\n    return pos;\n  }\n  removeSelf() {\n    warnOnce('Node#removeSelf is deprecated. Use Node#remove.);\n    return this.remove();\n  }\n  replace(nodes) {\n    warnOnce('Node#replace is deprecated. Use Node#replaceWith');\n    return this.replaceWith(nodes);\n  }\n  style(own, detect) {\n    warnOnce('Node#style() is deprecated. Use Node#raw());\n    return this.raw(own, detect);\n  }\n  cleanStyles(keepBetween) {\n    warnOnce('Node#cleanStyles() is deprecated. Use Node#cleanRaws());\n    return this.cleanRaws(keepBetween);\n  }\n  get before() {\n    warnOnce('Node#before is deprecated. Use Node#raws.before');\n    return this.raws.before;\n  }\n  set before(val) {\n    warnOnce('Node#before is deprecated. Use Node#raws.before');\n    this.raws.before = val;\n  }\n  get between() {\n    warnOnce('Node#between is deprecated. Use Node#raws.between');\n    return this.raws.between;\n  }\n  set between(val) {\n    warnOnce('Node#between is deprecated. Use Node#raws.between');\n    this.raws.between = val;\n  }\n  /**\n   * @memberof Node#\n   * @member {string} type - String representing the node's type.\n   *                               Possible values are `root`,\n   *                               `atrule`, `rule`,\n   *                               `decl`, or `comment`.\n   * @example\n   * postcss.decl({ prop: 'color',\n   * value: 'black' }).type // => 'decl'\n   * ^\n   * /**\n   * @memberof Node#\n   * @member {Container} parent - the\n   * node's parent node.\n   * @example\n   * root.nodes[0].parent == root;\n   * ^\n   * /**\n   * @memberof\n   * Node#\n   * @member {source} source - the input source of the node\n   * @example\n   * The property is used in source map\n   * generation.\n   * @example\n   * If you create a node manually (e.g., with `postcss.decl()`),\n   * that node will not have a\n   * `source` property and will be absent\n   * from the source map. For this reason, the plugin developer should\n   * consider cloning nodes to create new ones (in which case the new node's\n   * source will reference the original,\n   * cloned node) or setting\n   * the `source` property manually.\n   * @example\n   * `js`\n   * // Bad\n   * const prefixed =\n   * postcss.decl({\n   *   prop: '-moz-' + decl.prop,\n   *   value: decl.value\n   * });\n   * // Good\n   * const prefixed =\n   * decl.clone({\n   *   prop: '-moz-' + decl.prop\n   * });\n   * `js`\n   * if ( atrule.name == 'add-link' ) {\n   *   const\n   * rule = postcss.rule({\n   *     selector: 'a',\n   *     source: atrule.source\n   * });\n   *   atrule.parent.insertBefore(atrule, rule);\n   * }\n   * `js`\n   * @example\n   * decl.source.input.from // => '/home/ai/a.sass'\n   * decl.source.start // => { line: 10,\n   * column: 2 }\n   * decl.source.end // => { line: 10, column: 12 }\n   * ^\n   * /**\n   * @memberof Node#\n   * @member {object} raws - Information to generate byte-to-byte equal\n   * node string as it was in the\n   * origin input.\n   * @example\n   * Every parser saves its own properties,\n   * but the default CSS parser uses:\n   * `before`: the space symbols before the node. It also stores ` ` and ` _ ` symbols before the declaration (IE\n   * hack).\n   * `after`: the space symbols after the last child of the node\n   * to the end of the node.\n   * `between`: the symbols between the property and value\n   * for declarations, selector and `{` for rules, or last\n   * parameter\n   * and `{` for at-rules.\n   * `semicolon`: contains true if the last child has\n   * an (optional)\n   * semicolon.\n   * `afterName`: the space between the at-rule name and its parameters.\n   * `left`: the space\n   * symbols between `/*` and the comment's text.\n   * `right`: the space symbols between the comment's text\n   * and &#47;.\n   * `important`: the content of the important statement,\n   * if it is not just\n   * `important`.\n   * @example\n   * PostCSS cleans selectors, declaration values and at-rule parameters\n   * from comments and\n   * extra spaces, but it stores origin content in raws\n   * properties. As such, if you don't change a declaration's\n   * value,\n   * PostCSS will use the raw value with comments.\n   * @example\n   * const root = postcss.parse('a\n   * {\n   *   color:black\n   * }')\n   * root.first.first.raws // => { before: '\n   * ', between: ':' }\n   * ^\n   * }\n   * export default\n   * Node;\n   * ,// @flow\n   * import warnOnce from './warn-once';\n   * import Node from './node';\n   * /**\n   * Represents a CSS\n   * declaration.\n   * @extends Node\n   * @example\n   * const root = postcss.parse('a { color: black }');\n   * const\n   * decl = root.first.first;\n   * decl.type // => 'decl'\n   * decl.toString() // => ' color: black'\n   * ^\n   * class Declaration\n   * extends Node {\n   *   constructor(defaults) {\n   *     super(defaults);\n   *     this.type = 'decl';\n   *   }\n   *   get _value() {\n   *     warnOnce('Node#_value was deprecated. Use Node#raws.value');\n   *     return this.raws.value;\n   *   }\n   *   set\n   * _value(val) {\n   *     warnOnce('Node#_value was deprecated. Use Node#raws.value');\n   *     this.raws.value = val;\n   *   }\n   *   get _important() {\n   *     warnOnce('Node#_important was deprecated. Use Node#raws.important');\n   *     return\n   * this.raws.important;\n   *   }\n   *   set _important(val) {\n   *     warnOnce('Node#_important was deprecated. Use\n   * Node#raws.important');\n   *     this.raws.important = val;\n   *   }\n   * /**\n   * @memberof Declaration#\n   * @member\n   * {string} prop - the declaration's property name\n   * @example\n   * const root = postcss.parse('a { color: black

```

```

});\n * const decl = root.first.first;\n * decl.prop //=> 'color'\n * /\n\n /**\n * @memberof Declaration#\n * @member {string} value - the declaration's value\n * /\n * @example\n * const root = postcss.parse('a { color: black }');\n * const decl = root.first.first;\n * decl.value //=> 'black'\n * /\n\n /**\n * @memberof Declaration#\n * @member {boolean} important - `true` if the declaration\n * has an !important annotation.\n * /\n * @example\n * const root = postcss.parse('a { color: black !important; color: red }');\n * root.first.first.important //=> true\n * root.first.last.important //=> undefined\n * /\n\n /**\n * @memberof Declaration#\n * @member {object} raws - Information to generate byte-to-byte equal\n * node string as it was in the origin input.\n * /\n * Every parser saves its own properties,\n * but the default CSS parser uses:\n * * `before`: the space symbols before the node. It also stores `*\n * and ` _` symbols before the declaration (IE hack).\n * * `between`: the symbols between the property and value\n * for declarations, selector and `{` for rules, or last parameter\n * and `{` for at-rules.\n * * `important`: the content of the important statement,\n * if it is not just `!important`.\n * /\n * PostCSS cleans declaration from comments and extra spaces,\n * but it stores origin content in raws properties.\n * As such, if you don't change a declaration's value,\n * PostCSS will use the raw value with comments.\n * /\n * @example\n * const root = postcss.parse('a {\n color:black\n}');\n * root.first.first.raws //=> { before: '\n ', between: ':' }\n * /\n}\n\nexport default Declaration;\n", "\n @flow\nimport warnOnce from './warn-once';\nimport Node from './node';\n\n/**\n * Represents a comment between declarations or statements (rule and at-rules).\n * Comments inside selectors, at-rule parameters, or declaration values\n * will be stored in the `raws` properties explained above.\n * /\n * @extends Node\n * /\n class Comment extends Node {\n constructor(defaults) {\n super(defaults);\n this.type = 'comment';\n }\n\n get left() {\n warnOnce('Comment#left was deprecated. Use Comment#raws.left');\n return this.raws.left;\n }\n\n set left(val) {\n warnOnce('Comment#left was deprecated. Use Comment#raws.left');\n this.raws.left = val;\n }\n\n get right() {\n warnOnce('Comment#right was deprecated. Use Comment#raws.right');\n return this.raws.right;\n }\n\n set right(val) {\n warnOnce('Comment#right was deprecated. Use Comment#raws.right');\n this.raws.right = val;\n }\n\n /**\n * @memberof Comment#\n * @member {string} text - the comment's text\n * /\n\n /**\n * @memberof Comment#\n * @member {object} raws - Information to generate byte-to-byte equal\n * node string as it was in the origin input.\n * /\n * Every parser saves its own properties,\n * but the default CSS parser uses:\n * * `before`: the space symbols before the node.\n * * `left`: the space symbols between `/*` and the comment's text.\n * * `right`: the space symbols between the comment's text.\n * /\n}\n\nexport default Comment;\n", "\n @flow\nimport Declaration from './declaration';\nimport tokenizer from './tokenizer';\nimport Comment from './comment';\nimport AtRule from './at-rule';\nimport Root from './root';\nimport Rule from './rule';\n\nexport default class Parser {\n constructor(input) {\n this.input = input;\n\n this.pos = 0;\n this.root = new Root();\n this.current = this.root;\n this.spaces = '';\n this.semicolon = false;\n\n this.root.source = { input, start: { line: 1, column: 1 } };\n\n\n tokenize() {\n this.tokens = tokenizer(this.input);\n }\n\n loop() {\n let token;\n while (this.pos < this.tokens.length) {\n token = this.tokens[this.pos];\n\n switch (token[0]) {\n case 'space':\n case ';':\n this.spaces += token[1];\n break;\n\n case '}':\n this.end(token);\n break;\n\n case 'comment':\n this.comment(token);\n break;\n\n case 'at-word':\n this.atrule(token);\n break;\n\n case '{':\n this.emptyRule(token);\n break;\n\n default:\n this.other();\n break;\n }\n\n this.pos += 1;\n }\n\n this.endFile();\n }\n\n comment(token) {\n const node = new Comment();\n this.init(node, token[2], token[3]);\n node.source.end = { line: token[4], column: token[5] };\n\n const text = token[1].slice(2, -2);\n if (/^\s*$/ .test(text)) {\n node.text = '';\n node.raws.left = text;\n node.raws.right = '';\n } else {\n const match = text.match(/^(\\s*)([^\s*])(\\s*)$/);\n node.text = match[2];\n node.raws.left = match[1];\n node.raws.right = match[3];\n }\n }\n\n emptyRule(token) {\n const node = new Rule();\n this.init(node, token[2], token[3]);\n node.selector = '';\n node.raws.between = '';\n this.current = node;\n }\n\n other() {\n let token;\n let end = false;\n let type = null;\n let colon = false;\n let bracket = null;\n\n const brackets = [];\n const start = this.pos;\n while (this.pos < this.tokens.length) {\n token = this.tokens[this.pos];\n type = token[0];\n\n if (type === '(' || type === '[') {\n if (!bracket) bracket = token;\n brackets.push(type === '(' ? ')' : ']');\n } else if (brackets.length === 0) {\n if (type === ';') {\n

```

```

    if (colon) {\n      this.decl(this.tokens.slice(start, this.pos + 1));\n      return;\n    } else {\n
break;\n    }\n  } else if (type === '{') {\n    this.rule(this.tokens.slice(start, this.pos + 1));\n    return;\n
  } else if (type === '}') {\n    this.pos -= 1;\n    end = true;\n    break;\n  } else if (type === ':') {\n
    colon = true;\n  }\n  } else if (type === brackets[brackets.length - 1]) {\n    brackets.pop();\n    if
(brackets.length === 0) bracket = null;\n  }\n  this.pos += 1;\n  }\n  if (this.pos === this.tokens.length) {\n
    this.pos -= 1;\n    end = true;\n  }\n  if (brackets.length > 0) this.unclosedBracket(bracket);\n  if (end &&
colon) {\n    while (this.pos > start) {\n      token = this.tokens[this.pos][0];\n      if (token !== 'space' && token
!== 'comment') break;\n      this.pos -= 1;\n    }\n    this.decl(this.tokens.slice(start, this.pos + 1));\n    return;\n
  }\n  this.unknownWord(start);\n  }\n  rule(tokens) {\n    tokens.pop();\n    const node = new Rule();\n    this.init(node, tokens[0][2], tokens[0][3]);\n    node.rows.between = this.spacesFromEnd(tokens);\n
    this.raw(node, 'selector', tokens);\n    this.current = node;\n  }\n  decl(tokens) {\n    const node = new
Declaration();\n    this.init(node);\n    const last = tokens[tokens.length - 1];\n    if (last[0] === ':') {\n
      this.semicolon = true;\n      tokens.pop();\n    }\n    if (last[4]) {\n      node.source.end = { line: last[4], column:
last[5] };\n    } else {\n      node.source.end = { line: last[2], column: last[3] };\n    }\n    while (tokens[0][0] !==
'word') {\n      node.rows.before += tokens.shift()[1];\n    }\n    node.source.start = { line: tokens[0][2], column:
tokens[0][3] };\n    node.prop = ";\n    while (tokens.length) {\n      const type = tokens[0][0];\n      if (type === ':' ||
type === 'space' || type === 'comment') {\n        break;\n      }\n      node.prop += tokens.shift()[1];\n    }\n    node.rows.between = ";\n    let token;\n    while (tokens.length) {\n      token = tokens.shift();\n      if (token[0]
=== ':') {\n        node.rows.between += token[1];\n        break;\n      } else {\n        node.rows.between += token[1];\n
      }\n    }\n    if (node.prop[0] === '_' || node.prop[0] === '*') {\n      node.rows.before += node.prop[0];\n
      node.prop = node.prop.slice(1);\n    }\n    node.rows.between += this.spacesFromStart(tokens);\n
    this.precheckMissedSemicolon(tokens);\n    for (let i = tokens.length - 1; i > 0; i--) {\n      token = tokens[i];\n
      if (token[1] === 'important') {\n        node.important = true;\n        let string = this.stringFrom(tokens, i);\n
        string = this.spacesFromEnd(tokens) + string;\n        if (string !== '!important') node.rows.important = string;\n
        break;\n      } else if (token[1] === 'important') {\n        const cache = tokens.slice(0);\n        let str = ";\n        for (let j
= i; j > 0; j--) {\n          const type = cache[j][0];\n          if (str.trim().indexOf('!') === 0 && type !== 'space') {\n
            break;\n          }\n          str = cache.pop()[1] + str;\n        }\n        if (str.trim().indexOf('!') === 0) {\n
          node.important = true;\n          node.rows.important = str;\n          tokens = cache;\n        }\n      }\n    }\n    if (token[0]
!== 'space' && token[0] !== 'comment') {\n      break;\n    }\n  }\n  this.raw(node, 'value', tokens);\n  if
(node.value.indexOf(':') !== -1) this.checkMissedSemicolon(tokens);\n  }\n  atrule(token) {\n    const node = new
AtRule();\n    node.name = token[1].slice(1);\n    if (node.name === "") {\n      this unnamedAtRule(node, token);\n
    }\n    this.init(node, token[2], token[3]);\n    let last = false;\n    let open = false;\n    const params = [];\n    this.pos += 1;\n    while (this.pos < this.tokens.length) {\n      token = this.tokens[this.pos];\n      if (token[0] ===
':') {\n        node.source.end = { line: token[2], column: token[3] };\n        this.semicolon = true;\n        break;\n      }
      else if (token[0] === '{') {\n        open = true;\n        break;\n      } else if (token[0] === '}') {\n        this.end(token);\n
        break;\n      } else {\n        params.push(token);\n      }\n    }\n    this.pos += 1;\n    }\n    if (this.pos ===
this.tokens.length) {\n      last = true;\n    }\n    node.rows.between = this.spacesFromEnd(params);\n    if
(params.length) {\n      node.rows.afterName = this.spacesFromStart(params);\n      this.raw(node, 'params',
params);\n      if (last) {\n        token = params[params.length - 1];\n        node.source.end = { line: token[4], column:
token[5] };\n        this.spaces = node.rows.between;\n        node.rows.between = ";\n      }\n    } else {\n
      node.rows.afterName = ";\n      node.params = ";\n    }\n    if (open) {\n      node.nodes = [];\n      this.current =
node;\n    }\n  }\n  end(token) {\n    if (this.current.nodes && this.current.nodes.length) {\n
      this.current.rows.semicolon = this.semicolon;\n    }\n    this.semicolon = false;\n    this.current.rows.after =
(this.current.rows.after || "") + this.spaces;\n    this.spaces = ";\n    if (this.current.parent) {\n
      this.current.source.end = { line: token[2], column: token[3] };\n      this.current = this.current.parent;\n    } else {\n
      this.unexpectedClose(token);\n    }\n  }\n  endFile() {\n    if (this.current.parent) this.unclosedBlock();\n    if
(this.current.nodes && this.current.nodes.length) {\n      this.current.rows.semicolon = this.semicolon;\n    }\n
    this.current.rows.after = (this.current.rows.after || "") + this.spaces;\n  }\n  // Helpers\n  init(node, line, column)

```



```

{\n  this.current.push(node);\n\n  node.source = { start: { line, column }, input: this.input };\n  node.raws.before
= this.spaces;\n  this.spaces = ";\n  if (node.type !== 'comment') this.semicolon = false;\n } \n\n raw(node, prop,
tokens) {\n  let token, type;\n  const length = tokens.length;\n  let value = ";\n  let clean = true;\n  for (let i = 0;
i < length; i += 1) {\n    token = tokens[i];\n    type = token[0];\n    if (type === 'comment' || (type === 'space'
&& i === length - 1)) {\n      clean = false;\n    } else {\n      value += token[1];\n    }\n  }\n  if (!clean) {\n
const raw = tokens.reduce((all, i) => all + i[1], "");\n  node.raws[prop] = { value, raw };\n  }\n  node[prop] =
value;\n  }\n\n spacesFromEnd(tokens) {\n  let lastTokenType;\n  let spaces = ";\n  while (tokens.length) {\n
lastTokenType = tokens[tokens.length - 1][0];\n  if (lastTokenType !== 'space' && lastTokenType !==
'comment') break;\n  spaces = tokens.pop()[1] + spaces;\n  }\n  return spaces;\n  }\n\n spacesFromStart(tokens)
{\n  let next;\n  let spaces = ";\n  while (tokens.length) {\n    next = tokens[0][0];\n    if (next !== 'space' &&
next !== 'comment') break;\n    spaces += tokens.shift()[1];\n  }\n  return spaces;\n  }\n\n stringFrom(tokens,
from) {\n  let result = ";\n  for (let i = from; i < tokens.length; i++) {\n    result += tokens[i][1];\n  }\n
tokens.splice(from, tokens.length - from);\n  return result;\n  }\n\n colon(tokens) {\n  let brackets = 0;\n  let
token, type, prev;\n  for (let i = 0; i < tokens.length; i++) {\n    token = tokens[i];\n    type = token[0];\n\n
if (type === '(') {\n    brackets += 1;\n  } else if (type === ')') {\n    brackets -= 1;\n  } else if (brackets === 0
&& type === ':') {\n    if (!prev) {\n      this.doubleColon(token);\n    } else if (prev[0] === 'word' &&
prev[1] === 'progid') {\n      continue;\n    } else {\n      return i;\n    }\n  }\n\n  prev = token;\n  }\n
return false;\n  }\n\n // Errors\n\n unclosedBracket(bracket) {\n  throw this.input.error('Unclosed bracket',
bracket[2], bracket[3]);\n  }\n\n unknownWord(start) {\n  const token = this.tokens[start];\n  throw
this.input.error('Unknown word', token[2], token[3]);\n  }\n\n unexpectedClose(token) {\n  throw
this.input.error('Unexpected ', token[2], token[3]);\n  }\n\n unclosedBlock() {\n  const pos =
this.current.source.start;\n  throw this.input.error('Unclosed block', pos.line, pos.column);\n  }\n\n
doubleColon(token) {\n  throw this.input.error('Double colon', token[2], token[3]);\n  }\n\n unnamedAtrule(node,
token) {\n  throw this.input.error('At-rule without name', token[2], token[3]);\n  }\n\n
precheckMissedSemicolon(tokens) {\n  // Hook for Safe Parser\n  tokens;\n  }\n\n
checkMissedSemicolon(tokens) {\n  const colon = this.colon(tokens);\n  if (colon === false) return;\n\n  let
founded = 0;\n  let token;\n  for (let j = colon - 1; j >= 0; j--) {\n    token = tokens[j];\n    if (token[0] !==
'space') {\n      founded += 1;\n      if (founded === 2) break;\n    }\n  }\n  throw this.input.error('Missed
semicolon', token[2], token[3]);\n  }\n\n", "// @flow\n\nimport Parser from './parser';\n\nimport Input from
'./input';\n\nexport default function parse(css, opts) {\n  if (opts && opts.safe) {\n    throw new Error('Option safe
was removed. ' + 'Use parser: require(\"postcss-safe-parser\");\n  }\n\n  const input = new Input(css, opts);\n
const parser = new Parser(input);\n  try {\n    parser.tokenize();\n    parser.loop();\n  } catch (e) {\n    if (e.name ===
'CssSyntaxError' && opts && opts.from) {\n      if (/\\.scss$/i.test(opts.from)) {\n        e.message +=\n        "\nYou
tried to parse SCSS with ' +\n        'the standard CSS parser; ' +\n        'try again with the postcss-scss parser';\n
      } else if (/\\.less$/i.test(opts.from)) {\n        e.message +=\n        "\nYou tried to parse Less with ' +\n
        'the
standard CSS parser; ' +\n        'try again with the postcss-less parser';\n      }\n    }\n    throw e;\n  }\n\n
return
parser.root;\n  }\n\n", "// @flow\n\nimport parse from './parse';\n\nimport Root from './root';\n\nimport Rule from
'./rule';\n\nimport AtRule from './at-rule';\n\nimport Declaration from './declaration';\n\nimport warnOnce from './warn-
once';\n\nimport Comment from './comment';\n\nimport Node from './node';\n\nfunction cleanSource(nodes) {\n  return
nodes.map(i => {\n    if (i.nodes) i.nodes = cleanSource(i.nodes);\n    delete i.source;\n    return i;\n  });\n  }\n\n\n**\n
* @callback childCondition\n* @param {Node} node - container child\n* @param {number} index - child
index\n* @param {Node[]} nodes - all container children\n* @return {boolean}\n* /\n\n**\n* @callback
childIterator\n* @param {Node} node - container child\n* @param {number} index - child index\n* @return
{false|undefined} returning `false` will break iteration\n* /\n\n**\n* The {@link Root}, {@link AtRule}, and
{@link Rule} container nodes\n* inherit some common methods to help work with their children.\n* \n* Note that
all containers can store any content. If you write a rule inside\n* a rule, PostCSS will parse it.\n* \n* @extends
Node\n* @abstract\n* /\n\nclass Container extends Node {\n  push(child) {\n    child.parent = this;\n
this.nodes.push(child);\n    return this;\n  }\n\n  /**\n   * Iterates through the container's immediate children,\n   *

```

calling `callback` for each child.

- \* Returning `false` in the callback will break iteration.
- \* This method only iterates through the container's immediate children.
- \* If you need to recursively iterate through all the container's descendant nodes, use `{@link Container#walk}`.
- \* Unlike the `for`{}`-cycle` or `Array#forEach` this iterator is safe if you are mutating the array of child nodes during iteration.
- \* PostCSS will adjust the current index to match the mutations.
- \* @param {childIterator} callback - iterator receives each node and index
- \* @return {false|undefined} returns `false` if iteration was broke

```
@example
const root = postcss.parse('a { color: black; z-index: 1 }');
const rule = root.first;
for (let decl of rule.nodes) {
  decl.cloneBefore({ prop: '-webkit-' + decl.prop });
  // Cycle will be infinite, because cloneBefore moves the current node // to the next index
  rule.each(decl => {
    decl.cloneBefore({ prop: '-webkit-' + decl.prop });
    // Will be executed only for color and z-index
  });
  each(callback) {
    if (!this.lastEach) this.lastEach = 0;
    if (!this.indexes) this.indexes = {};
    this.lastEach += 1;
    const id = this.lastEach;
    this.indexes[id] = 0;
    if (!this.nodes) return undefined;
    let index, result;
    while (this.indexes[id] < this.nodes.length) {
      index = this.indexes[id];
      result = callback(this.nodes[index], index);
      if (result === false) break;
      this.indexes[id] += 1;
    }
    delete this.indexes[id];
    return result;
  }
}
/**
 * Traverses the container's descendant nodes, calling callback
 * for each node.
 * Like container.each(), this method is safe to use if you are mutating arrays during iteration.
 * If you only need to iterate through the container's immediate children, use {@link Container#each}.
 * @param {childIterator} callback - iterator receives each node and index
 * @return {false|undefined} returns `false` if iteration was broke
 * @example
 * root.walk(node => {
 // Traverses all descendant nodes.
 });
 walk(callback) {
 return this.each((child, i) => {
 let result = callback(child, i);
 if (result !== false && child.walk) {
 result = child.walk(callback);
 }
 return result;
 });
}
/**
 * Traverses the container's descendant nodes, calling callback
 * for each declaration node.
 * If you pass a filter, iteration will only happen over declarations with matching properties.
 * Like {@link Container#each}, this method is safe to use if you are mutating arrays during iteration.
 * @param {string|RegExp} [prop] - string or regular expression to filter declarations by property name
 * @param {childIterator} callback - iterator receives each node and index
 * @return {false|undefined} returns `false` if iteration was broke
 * @example
 * root.walkDecls(decl => {
 checkPropertySupport(decl.prop);
 });
 * root.walkDecls('border-radius', decl => {
 decl.remove();
 });
 * root.walkDecls(/^background/, decl => {
 decl.value = takeFirstColorFromGradient(decl.value);
 });
 walkDecls(prop, callback) {
 if (!callback) {
 callback = prop;
 return this.walk((child, i) => {
 if (child.type === 'decl') {
 return callback(child, i);
 }
 });
 } else if (prop instanceof RegExp) {
 return this.walk((child, i) => {
 if (child.type === 'decl' && prop.test(child.prop)) {
 return callback(child, i);
 }
 });
 } else {
 return this.walk((child, i) => {
 if (child.type === 'decl' && child.prop === prop) {
 return callback(child, i);
 }
 });
 }
}
/**
 * Traverses the container's descendant nodes, calling callback
 * for each rule node.
 * If you pass a filter, iteration will only happen over rules with matching selectors.
 * Like {@link Container#each}, this method is safe to use if you are mutating arrays during iteration.
 * @param {string|RegExp} [selector] - string or regular expression to filter rules by selector
 * @param {childIterator} callback - iterator receives each node and index
 * @return {false|undefined} returns `false` if iteration was broke
 * @example
 * const selectors = [];
 * root.walkRules(rule => {
 selectors.push(rule.selector);
 });
 * console.log(`Your CSS uses ${selectors.length} selectors`);
 walkRules(selector, callback) {
 if (!callback) {
 callback = selector;
 return this.walk((child, i) => {
 if (child.type === 'rule') {
 return callback(child, i);
 }
 });
 } else if (selector instanceof RegExp) {
 return this.walk((child, i) => {
 if (child.type === 'rule' && selector.test(child.selector)) {
 return callback(child, i);
 }
 });
 } else {
 return this.walk((child, i) => {
 if (child.type === 'rule' && child.selector === selector) {
 return callback(child, i);
 }
 });
 }
}
/**
 * Traverses the container's descendant nodes, calling callback
 * for each at-rule node.
 * If you pass a filter, iteration will only happen over at-rules that
```

```

have matching names.\n * \n * Like { @link Container#each}, this method is safe\n * to use if you are mutating
arrays during iteration.\n * \n * @param {string|RegExp} [name] - string or regular expression\n *
to filter at-rules by name\n * @param {childIterator} callback - iterator receives each node and index\n * \n
* @return {false|undefined} returns `false` if iteration was broke\n * \n * @example\n * root.walkAtRules(rule
=> {\n *   if ( isOld(rule.name) ) rule.remove();\n * });\n * \n * let first = false;\n * root.walkAtRules('charset',
rule => {\n *   if ( !first ) {\n *     first = true;\n *   } else {\n *     rule.remove();\n *   }\n * });\n * \n
walkAtRules(name, callback) {\n   if (!callback) {\n     callback = name;\n     return this.walk((child, i) => {\n
if (child.type === 'atrule') {\n     return callback(child, i);\n     }\n   });\n   } else if (name instanceof RegExp)
{\n     return this.walk((child, i) => {\n     if (child.type === 'atrule' && name.test(child.name)) {\n     return
callback(child, i);\n     }\n   });\n   } else {\n     return this.walk((child, i) => {\n     if (child.type === 'atrule'
&& child.name === name) {\n     return callback(child, i);\n     }\n   });\n   }\n }\n\n /**\n * Traverses the
container's descendant nodes, calling callback\n * for each comment node.\n * \n * Like { @link
Container#each}, this method is safe\n * to use if you are mutating arrays during iteration.\n * \n * @param
{childIterator} callback - iterator receives each node and index\n * \n * @return {false|undefined} returns `false` if
iteration was broke\n * \n * @example\n * root.walkComments(comment => {\n *   comment.remove();\n *
});\n * \n walkComments(callback) {\n   return this.walk((child, i) => {\n     if (child.type === 'comment') {\n
return callback(child, i);\n     }\n   });\n }\n\n /**\n * Inserts new nodes to the start of the container.\n * \n *
@param {...(Node|object|string|Node[])} children - new nodes\n * \n * @return {Node} this node for methods
chain\n * \n * @example\n * const decl1 = postcss.decl({ prop: 'color', value: 'black' });\n * const decl2 =
postcss.decl({ prop: 'background-color', value: 'white' });\n * rule.append(decl1, decl2);\n * \n * root.append({
name: 'charset', params: '"UTF-8"' }); // at-rule\n * root.append({ selector: 'a' }); // rule\n *
rule.append({ prop: 'color', value: 'black' }); // declaration\n * rule.append({ text: 'Comment' }) //
comment\n * \n * root.append('a {}');\n * root.first.append('color: black; z-index: 1');\n * \n append(...children)
{\n   children.forEach(child => {\n     const nodes = this.normalize(child, this.last);\n     nodes.forEach(node =>
this.nodes.push(node));\n   });\n   return this;\n }\n\n /**\n * Inserts new nodes to the end of the container.\n * \n
@param {...(Node|object|string|Node[])} children - new nodes\n * \n * @return {Node} this node for methods
chain\n * \n * @example\n * const decl1 = postcss.decl({ prop: 'color', value: 'black' });\n * const decl2 =
postcss.decl({ prop: 'background-color', value: 'white' });\n * rule.prepend(decl1, decl2);\n * \n * root.append({
name: 'charset', params: '"UTF-8"' }); // at-rule\n * root.append({ selector: 'a' }); // rule\n *
rule.append({ prop: 'color', value: 'black' }); // declaration\n * rule.append({ text: 'Comment' }) //
comment\n * \n * root.append('a {}');\n * root.first.append('color: black; z-index: 1');\n * \n prepend(...children)
{\n   children = children.reverse();\n   children.forEach(child => {\n     const nodes = this.normalize(child,
this.first, 'prepend').reverse();\n     nodes.forEach(node => this.nodes.unshift(node));\n     for (const id in
this.indexes) {\n     this.indexes[id] = this.indexes[id] + nodes.length;\n     }\n   });\n   return this;\n }\n\n
cleanRaws(keepBetween) {\n   super.cleanRaws(keepBetween);\n   if (this.nodes) {\n     this.nodes.forEach(node
=> node.cleanRaws(keepBetween));\n   }\n }\n\n /**\n * Insert new node before old node within the container.\n * \n
*\n * @param {Node|number} exist - child or child's index.\n * @param {Node|object|string|Node[]} add
- new node\n * \n * @return {Node} this node for methods chain\n * \n * @example\n * rule.insertBefore(decl,
decl.clone({ prop: '-webkit-' + decl.prop }));\n * \n insertBefore(exist, add) {\n   exist = this.index(exist);\n
const type = exist === 0 ? 'prepend' : false;\n   const nodes = this.normalize(add, this.nodes[exist], type).reverse();\n
nodes.forEach(node => this.nodes.splice(exist, 0, node));\n\n   let index;\n   for (const id in this.indexes) {\n
index = this.indexes[id];\n   if (exist <= index) {\n     this.indexes[id] = index + nodes.length;\n   }\n }\n\n
return this;\n }\n\n /**\n * Insert new node after old node within the container.\n * \n * \n * @param {Node|number}
exist - child or child's index\n * @param {Node|object|string|Node[]} add - new node\n * \n * @return
{Node} this node for methods chain\n * \n insertAfter(exist, add) {\n   exist = this.index(exist);\n\n   const nodes
= this.normalize(add, this.nodes[exist]).reverse();\n   nodes.forEach(node => this.nodes.splice(exist + 1, 0,
node));\n\n   let index;\n   for (const id in this.indexes) {\n     index = this.indexes[id];\n     if (exist < index) {\n
this.indexes[id] = index + nodes.length;\n     }\n   }\n }\n\n return this;\n }\n\n remove(child) {\n   if (typeof child

```

```

!=='undefined') {\n  warnOnce('Container#remove is deprecated.' + 'Use Container#removeChild');\n
this.removeChild(child);\n } else {\n  super.remove();\n }\n return this;\n }\n\n /**\n * Removes node
from the container and cleans the parent properties\n * from the node and its children.\n *\n * @param
{Node|number} child - child or child's index\n *\n * @return {Node} this node for methods chain\n *\n *
@example\n * rule.nodes.length //=> 5\n * rule.removeChild(decl);\n * rule.nodes.length //=> 4\n *
decl.parent //=> undefined\n *\n removeChild(child) {\n  child = this.index(child);\n
this.nodes[child].parent = undefined;\n  this.nodes.splice(child, 1);\n\n  let index;\n  for (const id in this.indexes)
{\n    index = this.indexes[id];\n    if (index >= child) {\n      this.indexes[id] = index - 1;\n    }\n  }\n\n  return
this;\n }\n\n /**\n * Removes all children from the container\n * and cleans their parent properties.\n *\n *
@return {Node} this node for methods chain\n *\n * @example\n * rule.removeAll();\n * rule.nodes.length
//=> 0\n *\n removeAll() {\n  this.nodes.forEach(node => (node.parent = undefined));\n  this.nodes = [];\n
return this;\n }\n\n /**\n * Passes all declaration values within the container that match pattern\n * through
callback, replacing those values with the returned result\n * of callback.\n *\n * This method is useful if you
are using a custom unit or function\n * and need to iterate through all values.\n *\n * @param
{string|RegExp} pattern - replace pattern\n * @param {object} opts - options to speed up the
search\n * @param {string|string[]} opts.props - an array of property names\n * @param {string} opts.fast
- string that's used\n * to narrow down values and speed up\n
the regexp search\n * @param {function|string} callback - string to replace pattern\n *
or callback that returns a new\n * value.\n * The callback will
receive\n * the same arguments as those\n * passed to a
function parameter\n * of `String#replace`.\n *\n * @return {Node} this node for
methods chain\n *\n * @example\n * root.replaceValues(/\\d+rem/, { fast: 'rem' }, string => {\n * return
15 * parseInt(string) + 'px';\n * });\n *\n replaceValues(pattern, opts, callback) {\n  if (!callback) {\n
callback = opts;\n  opts = {};\n }\n\n  this.walkDecls(decl => {\n    if (opts.props &&
opts.props.indexOf(decl.prop) === -1) return;\n    if (opts.fast && decl.value.indexOf(opts.fast) === -1) return;\n\n
decl.value = decl.value.replace(pattern, callback);\n  });\n\n  return this;\n }\n\n /**\n * Returns `true` if
callback returns `true`\n * for all of the container's children.\n *\n * @param {childCondition} condition -
iterator returns true or false.\n *\n * @return {boolean} is every child pass condition\n *\n * @example\n *
const noPrefixes = rule.every(i => i.prop[0] !== '-');\n *\n every(condition) {\n  return
this.nodes.every(condition);\n }\n\n /**\n * Returns `true` if callback returns `true` for (at least) one\n * of the
container's children.\n *\n * @param {childCondition} condition - iterator returns true or false.\n *\n *
@return {boolean} is some child pass condition\n *\n * @example\n * const hasPrefix = rule.some(i =>
i.prop[0] === '-');\n *\n some(condition) {\n  return this.nodes.some(condition);\n }\n\n /**\n * Returns a
`child`'s index within the {@link Container#nodes} array.\n *\n * @param {Node} child - child of the current
container.\n *\n * @return {number} child index\n *\n * @example\n * rule.index( rule.nodes[2] ) //=> 2\n
*\n index(child) {\n  if (typeof child === 'number') {\n    return child;\n  } else {\n    return
this.nodes.indexOf(child);\n  }\n }\n\n /**\n * The container's first child.\n *\n * @type {Node}\n *\n *
@example\n * rule.first == rules.nodes[0];\n *\n get first() {\n  if (!this.nodes) return undefined;\n  return
this.nodes[0];\n }\n\n /**\n * The container's last child.\n *\n * @type {Node}\n *\n * @example\n *
rule.last == rule.nodes[rule.nodes.length - 1];\n *\n get last() {\n  if (!this.nodes) return undefined;\n  return
this.nodes[this.nodes.length - 1];\n }\n\n normalize(nodes, sample) {\n  if (typeof nodes === 'string') {\n    nodes
= cleanSource(parse(nodes).nodes);\n  } else if (!Array.isArray(nodes)) {\n    if (nodes.type === 'root') {\n
nodes = nodes.nodes;\n    } else if (nodes.type) {\n    nodes = [nodes];\n    } else if (nodes.prop) {\n    if
(typeof nodes.value === 'undefined') {\n      throw new Error('Value field is missed in node creation');\n    }
else if (typeof nodes.value !== 'string') {\n    nodes.value = String(nodes.value);\n    }\n    nodes = [new
Declaration(nodes)];\n  } else if (nodes.selector) {\n    nodes = [new Rule(nodes)];\n  } else if (nodes.name)
{\n    nodes = [new AtRule(nodes)];\n  } else if (nodes.text) {\n    nodes = [new Comment(nodes)];\n  }
else {\n    throw new Error('Unknown node type in node creation');\n  }\n }\n\n const processed =

```

```

nodes.map(i => {\n    if (typeof i.raws === 'undefined') i = this.rebuild(i);\n    if (i.parent) i = i.clone();\n    if (typeof i.raws.before === 'undefined') {\n        if (sample && typeof sample.raws.before !== 'undefined') {\n            i.raws.before = sample.raws.before.replace(/^[^\\s]/g, '');\n        }\n        i.parent = this;\n        return i;\n    });\n    return processed;\n }\n\n rebuild(node, parent) {\n    let fix;\n    if (node.type === 'root') {\n        fix = new Root();\n    } else if (node.type === 'atrule') {\n        fix = new AtRule();\n    } else if (node.type === 'rule') {\n        fix = new Rule();\n    } else if (node.type === 'decl') {\n        fix = new Declaration();\n    } else if (node.type === 'comment') {\n        fix = new Comment();\n    }\n\n    for (const i in node) {\n        if (i === 'nodes') {\n            fix.nodes = node.nodes.map(j => this.rebuild(j, fix));\n        } else if (i === 'parent' && parent) {\n            fix.parent = parent;\n        } else if (node.hasOwnProperty(i)) {\n            fix[i] = node[i];\n        }\n    }\n\n    return fix;\n }\n\n eachInside(callback) {\n    warnOnce('Container#eachInside is deprecated. ' + 'Use Container#walk instead.);\n    return this.walk(callback);\n }\n\n eachDecl(prop, callback) {\n    warnOnce('Container#eachDecl is deprecated. ' + 'Use Container#walkDecls instead.);\n    return this.walkDecls(prop, callback);\n }\n\n eachRule(selector, callback) {\n    warnOnce('Container#eachRule is deprecated. ' + 'Use Container#walkRules instead.);\n    return this.walkRules(selector, callback);\n }\n\n eachAtRule(name, callback) {\n    warnOnce('Container#eachAtRule is deprecated. ' + 'Use Container#walkAtRules instead.);\n    return this.walkAtRules(name, callback);\n }\n\n eachComment(callback) {\n    warnOnce('Container#eachComment is deprecated. ' + 'Use Container#walkComments instead.);\n    return this.walkComments(callback);\n }\n\n get semicolon() {\n    warnOnce('Node#semicolon is deprecated. Use Node#raws.semicolon');\n    return this.raws.semicolon;\n }\n\n set semicolon(val) {\n    warnOnce('Node#semicolon is deprecated. Use Node#raws.semicolon');\n    this.raws.semicolon = val;\n }\n\n get after() {\n    warnOnce('Node#after is deprecated. Use Node#raws.after');\n    return this.raws.after;\n }\n\n set after(val) {\n    warnOnce('Node#after is deprecated. Use Node#raws.after');\n    this.raws.after = val;\n }\n\n /**\n  * @memberof Container#\n  * @member {Node[]} nodes - an array containing the container's children\n  * \n  * @example\n  * const root = postcss.parse('a { color: black }');\n  * root.nodes.length // => 1\n  * root.nodes[0].selector // => 'a'\n  * root.nodes[0].nodes[0].prop // => 'color'\n  */\n\n export default Container;\n", "// @flow\nimport Container from './container';\nimport warnOnce from './warn-once';\n\n /**\n  * Represents an at-rule.\n  * \n  * If it's followed in the CSS by a { } block, this node will have\n  * a nodes property representing its children.\n  * \n  * @extends Container\n  * \n  * @example\n  * const root = postcss.parse('@charset "UTF-8"; @media print {}');\n  * \n  * const charset = root.first;\n  * \n  * charset.type // => 'atrule'\n  * \n  * charset.nodes // => undefined\n  * \n  * const media = root.last;\n  * \n  * media.nodes // => []\n  */\n\n class AtRule extends Container {\n    constructor(defaults) {\n        super(defaults);\n        this.type = 'atrule';\n    }\n\n    append(...children) {\n        if (!this.nodes) this.nodes = [];\n        return super.append(...children);\n    }\n\n    prepend(...children) {\n        if (!this.nodes) this.nodes = [];\n        return super.prepend(...children);\n    }\n\n    get afterName() {\n        warnOnce('AtRule#afterName was deprecated. Use AtRule#raws.afterName');\n        return this.raws.afterName;\n    }\n\n    set afterName(val) {\n        warnOnce('AtRule#afterName was deprecated. Use AtRule#raws.afterName');\n        this.raws.afterName = val;\n    }\n\n    get _params() {\n        warnOnce('AtRule#_params was deprecated. Use AtRule#raws.params');\n        return this.raws.params;\n    }\n\n    set _params(val) {\n        warnOnce('AtRule#_params was deprecated. Use AtRule#raws.params');\n        this.raws.params = val;\n    }\n\n    /**\n     * @memberof AtRule#\n     * @member {string} name - the at-rule's name immediately follows the `@`\n     * \n     * @example\n     * const root = postcss.parse('@media print {}');\n     * \n     * media.name // => 'media'\n     * \n     * const media = root.first;\n     * \n     * media.name // => 'media'\n     * \n     * @memberof AtRule#\n     * @member {string} params - the at-rule's parameters, the values\n     * \n     * that follow the at-rule's name but precede\n     * \n     * any { } block\n     * \n     * @example\n     * const root = postcss.parse('@media print, screen {}');\n     * \n     * const media = root.first;\n     * \n     * media.params // => 'print, screen'\n     * \n     * @memberof AtRule#\n     * @member {object} raws - Information to generate byte-to-byte equal\n     * \n     * node string as it was in the origin input.\n     * \n     * \n     * Every parser saves its own properties,\n     * \n     * but the default CSS parser uses:\n     * \n     * `before`: the space symbols before the node. It also stores ` ` and `_` symbols before the declaration (IE hack).\n     * \n     * `after`: the space symbols after the last child of the node\n     * \n     * to the end of the node.\n     * \n     * `between`: the symbols between the property and value\n     * \n     * for declarations, selector and `{` for rules, or last parameter\n     * \n     * and `{` for at-rules.\n     */

```

```

* `semicolon`: contains true if the last child has
* an (optional) semicolon.
* * `afterName`: the space
between the at-rule name and its parameters.
* * `PostCSS` cleans at-rule parameters from comments and extra
spaces,
* but it stores origin content in raws properties.
* As such, if you don't change a declaration's value,
* PostCSS will use the raw value with comments.
* * @example
* const root = postcss.parse(
@media\print {\n})
* root.first.first.raws //=> { before: ' ',
* // between: ' ',
* // afterName: '\n',
* // after: '\n' }
*\n\nexport default AtRule;\n",
* // @flow
*\n\n
Contains helpers for safely splitting lists of CSS values,
* preserving parentheses and quotes.
* * @example
* const list = postcss.list;
* * @namespace list
* /\nconst list = {\n split(string, separators, last) {\n const
array = [];\n let current = ";\n let split = false;\n let func = 0;\n let quote = false;\n let escape = false;\n
for (let i = 0; i < string.length; i++) {\n const letter = string[i];\n if (quote) {\n if (escape) {\n
escape = false;\n } else if (letter === '\\') {\n escape = true;\n } else if (letter === quote) {\n
quote = false;\n } else if (letter === '"' || letter === "'"") {\n quote = letter;\n } else if (letter ===
'(') {\n func += 1;\n } else if (letter === ')') {\n if (func > 0) func -= 1;\n } else if (func === 0) {\n
if (separators.indexOf(letter) !== -1) split = true;\n } else if (split) {\n if (current !== "
array.push(current.trim());\n current = ";\n split = false;\n } else {\n current += letter;\n }
}\n\n if (last || current !== " array.push(current.trim());\n return array;\n },\n\n
* Safely splits space-separated values (such as those for `background`,
* `border-radius`, and other shorthand properties).
* * @param {string} string - space-separated values
* * @return {string[]} splitted values
* * @example
* postcss.list.space('1px calc(10% + 1px)') //=> ['1px', 'calc(10% + 1px)']
* /\n space(string) {\n const spaces =
[' ', '\n', '\t'];\n return list.split(string, spaces);\n },\n\n
* Safely splits comma-separated values (such as
those for `transition-*`
* and `background` properties).
* * @param {string} string - comma-separated
values
* * @return {string[]} splitted values
* * @example
* postcss.list.comma('black, linear-gradient(white, black)')
* //=> ['black', 'linear-gradient(white, black)']
* /\n comma(string) {\n const comma
= ',';\n return list.split(string, [comma], true);\n },\n\n\nexport default list;\n",
* // @flow
*\n\nimport './at-rule';
break cyclical dependency deadlock - #87
*\nimport Container from './container';
*\nimport warnOnce from './warn-once';
*\nimport list from './list';
*\n\n
* Represents a CSS rule: a selector followed by a declaration block.
* * @extends Container
* * @example
* const root = postcss.parse('a {}');
* const rule = root.first;
* rule.type //=> 'rule'
* rule.toString() //=> 'a {}'
*\n\n
class Rule extends Container {\n constructor(defaults) {\n
super(defaults);\n this.type = 'rule';\n if (!this.nodes) this.nodes = [];\n }
*\n\n
* An array containing the
rule's individual selectors.
* * Groups of selectors are split at commas.
* * @type {string[]}
* * @example
* const root = postcss.parse('a, b {}');
* const rule = root.first;
* rule.selector //=> 'a, b'
* rule.selectors //=> ['a', 'b']
* rule.selectors = ['a', 'strong'];
* rule.selector //=> 'a, strong'
*\n\n
get selectors() {\n return list.comma(this.selector);\n }
*\n\n
set selectors(values) {\n const match = this.selector ?
this.selector.match(/,\s*/) : null;\n const sep = match ? match[0] : `,$${this.raw('between', 'beforeOpen')}`;\n
this.selector = values.join(sep);\n }
*\n\n
get _selector() {\n warnOnce('Rule#_selector is deprecated. Use
Rule#raws.selector');\n return this.raws.selector;\n }
*\n\n
set _selector(val) {\n warnOnce('Rule#_selector is
deprecated. Use Rule#raws.selector');\n this.raws.selector = val;\n }
*\n\n\n
* @memberof Rule#
* @member {string} selector - the rule's full selector represented
as a string
* * @example
* const root = postcss.parse('a, b {}');
* const rule = root.first;
* rule.selector //=> 'a, b'
*\n\n\n
* @memberof Rule#
* @member {object} raws - Information to generate byte-to-byte equal
node string as it was in the origin input.
* * Every parser saves its own properties,
* but the default CSS parser uses:
* * `before`: the space symbols before the node. It also stores ` `
and ` `
symbols before the declaration (IE hack).
* * `after`: the space symbols after the last child of the node
to the end of the node.
* * `between`: the symbols between the property and value
for declarations, selector
and `{` for rules, or last parameter
* and `{` for at-rules.
* * `semicolon`: contains true if the last child has
an (optional) semicolon.
* * PostCSS cleans selectors from comments and extra spaces,
* but it stores origin content in raws properties.
* As such, if you don't change a declaration's value,
* PostCSS will use the raw value with comments.
* * @example
* const root = postcss.parse('a {\n color:black\n}')

```

```

root.first.first.raws //=> { before: ", between: ', after: '\\n' }
}

Represents a plugin's warning. It can be created using { @link Node#warn }.
if ( decl.important ) {
  decl.warn(result, 'Avoid !important', { word: 'important' });
}

class Warning {
  @param {string} text - warning message
  @param {Object} [opts] - warning options
  @param {Node} opts.node - CSS node that caused the warning
  @param {string} opts.word - word in CSS source that caused the warning
  @param {number} opts.index - index in CSS node string that caused
    the warning
  @param {string} opts.plugin - name of the plugin that created
    this warning. { @link Result#warn } fills this property automatically.
  constructor(text, opts = {}) {
    @member {string} - Type to filter warnings from
    { @link Result#messages }. Always equal to "warning".
    const nonWarning = result.messages.filter(i => i.type !== 'warning');
    this.type = 'warning';
    @member {string} - The warning message.
    @example warning.text //=> 'Try to avoid !important'
    this.text = text;
    if (opts.node && opts.node.source) {
      const pos = opts.node.positionBy(opts);
      @member {number} - Line in the input file
      with this warning's source.
      @example warning.line //=> 5
      this.line = pos.line;
      @member {number} - Column in the input file
      with this warning's source.
      @example warning.column //=> 6
      this.column = pos.column;
    }
    for (const opt in opts) this[opt] = opts[opt];
  }
  /**
   * Returns a warning position and message.
   * @example
   * warning.toString() //=> 'postcss-lint:a.css:10:14: Avoid !important'
   * @return {string} warning position and message
   * toString() {
   *   if (this.node) {
   *     return this.node.error(this.text, {
   *       plugin: this.plugin,
   *       index: this.index,
   *       word: this.word,
   *     }).message;
   *   } else if (this.plugin) {
   *     return `${this.plugin}: ${this.text}`;
   *   } else {
   *     return this.text;
   *   }
   * }
   * @memberof Warning#
   * @member {string} plugin - The name of the plugin that created
    it will fill this property automatically.
    this warning. When you call { @link Node#warn }
    @example warning.plugin //=> 'postcss-important'
    @memberof Warning#
    @member {Node} node - Contains the CSS node that caused the warning.
    @example warning.node.toString() //=> 'color: white !important'
  }
}

export default Warning;

import Warning from './warning';
@typedef {object} Message
@property {string} type - message type
@property {string} plugin - source PostCSS plugin name
Provides the result of the PostCSS transformations.
A Result instance is returned by { @link LazyResult#then } or { @link Root#toResult } methods.
@example
postcss([cssnext]).process(css).then(function (result) {
  console.log(result.css);
});
@example
var result2 = postcss.parse(css).toResult();

class Result {
  @param {Processor} processor - processor used for this transformation.
  @param {Root} root - Root node after all transformations.
  @param {processOptions} opts - options from the { @link Processor#process }
    or { @link Root#toResult }
  constructor(processor, root, opts) {
    @member {Processor} - The Processor instance used
    for this transformation.
    @example
    for ( let plugin of result.processor.plugins ) {
      if ( plugin.postcssPlugin === 'postcss-bad' ) {
        throw 'postcss-good is incompatible with postcss-bad';
      }
    };
    this.processor = processor;
    @member {Message[]} - Contains messages from plugins
    (e.g., warnings or custom messages).
    Each message should have type and plugin properties.
    @example
    postcss.plugin('postcss-min-browser', () => {
      return (root, result) => {
        var browsers = detectMinBrowsersByCanIUse(root);
        result.messages.push({
          type: 'min-browser',
          plugin: 'postcss-min-browser',
          browsers: browsers
        });
      };
    });
    this.messages = [];
    @member {Root} - Root node after all transformations.
    @example
    * root.toResult().root == root;
    this.root = root;
    @member {processOptions} - Options from the { @link Processor#process }
    or { @link Root#toResult } call that produced this Result instance.
    @example
    * root.toResult(opts).opts == opts;
    this.opts = opts;
    @member {string} - A CSS string representing of { @link Result#root }.

```

```

@example\n * postcss.parse('a{}').toResult().css //=> \"a{}\" \n * \n this.css = undefined; \n /** \n *
@member {SourceMapGenerator} - An instance of `SourceMapGenerator` \n * class from the
`source-map` library, \n * representing changes \n * to the {@link
Result#root} instance. \n * \n * @example \n * result.map.toJSON() //=> { version: 3, file: 'a.css', ... } \n * \n
* @example \n * if (result.map) { \n * fs.writeFileSync(result.opts.to + '.map', result.map.toString()); \n *
} \n * \n this.map = undefined; \n } \n /** \n * Returns for {@link Result#css} content. \n * \n * @example \n
* result + " === result.css \n * \n * @return {string} string representing of {@link Result#root} \n * \n toString()
{ \n return this.css; \n } \n /** \n * Creates an instance of {@link Warning} and adds it \n * to {@link
Result#messages}. \n * \n * @param {string} text - warning message \n * @param {Object} [opts] -
warning options \n * @param {Node} opts.node - CSS node that caused the warning \n * @param {string}
opts.word - word in CSS source that caused the warning \n * @param {number} opts.index - index in CSS node
string that caused \n * the warning \n * @param {string} opts.plugin - name of the plugin that
created \n * this warning. {@link Result#warn} fills \n * this property
automatically. \n * \n * @return {Warning} created warning \n * \n warn(text, opts = {}) { \n if (!opts.plugin)
{ \n if (this.lastPlugin && this.lastPlugin.postcssPlugin) { \n opts.plugin = this.lastPlugin.postcssPlugin; \n
} \n } \n \n const warning = new Warning(text, opts); \n this.messages.push(warning); \n \n return warning; \n
} \n /** \n * Returns warnings from plugins. Filters {@link Warning} instances \n * from {@link
Result#messages}. \n * \n * @example \n * result.warnings().forEach(warn => { \n *
console.warn(warn.toString()); \n * }); \n * \n * @return {Warning[]} warnings from plugins \n * \n warnings()
{ \n return this.messages.filter(i => i.type === 'warning'); \n } \n /** \n * An alias for the {@link Result#css}
property. \n * Use it with syntaxes that generate non-CSS output. \n * @type {string} \n * \n * @example \n *
result.css === result.content; \n * \n get content() { \n return this.css; \n } \n } \n \n export default Result; \n " \n //
@flow \n import stringify from './stringify'; \n import warnOnce from './warn-once'; \n import Result from
'./result'; \n import parse from './parse'; \n \n function isPromise(obj) { \n return typeof obj === 'object' && typeof
obj.then === 'function'; \n } \n /** \n * @callback onFulfilled \n * @param {Result} result \n * \n /** \n * @callback
onRejected \n * @param {Error} error \n * \n /** \n * A Promise proxy for the result of PostCSS transformations. \n
* \n * A `LazyResult` instance is returned by {@link Processor#process}. \n * \n * @example \n * const lazy =
postcss([cssnext]).process(css); \n * \n class LazyResult { \n constructor(processor, css, opts) { \n this.stringified =
false; \n this.processed = false; \n \n let root; \n if (typeof css === 'object' && css.type === 'root') { \n root =
css; \n } else if (css instanceof LazyResult || css instanceof Result) { \n root = css.root; \n if (css.map) { \n
if (typeof opts.map === 'undefined') opts.map = {}; \n if (!opts.map.inline) opts.map.inline = false; \n
opts.map.prev = css.map; \n } \n } else { \n let parser = parse; \n if (opts.syntax) parser =
opts.syntax.parse; \n if (opts.parser) parser = opts.parser; \n if (parser.parse) parser = parser.parse; \n \n try
{ \n root = parser(css, opts); \n } catch (error) { \n this.error = error; \n } \n } \n \n this.result = new
Result(processor, root, opts); \n } \n /** \n * Returns a {@link Processor} instance, which will be used \n * for
CSS transformations. \n * @type {Processor} \n * \n get processor() { \n return this.result.processor; \n } \n \n
/** \n * Options from the {@link Processor#process} call. \n * @type {processOptions} \n * \n get opts() { \n
return this.result.opts; \n } \n /** \n * Processes input CSS through synchronous plugins, converts `Root` \n * to a
CSS string and returns {@link Result#css}. \n * \n * This property will only work with synchronous plugins. \n *
If the processor contains any asynchronous plugins \n * it will throw an error. This is why this method is only \n *
for debug purpose, you should always use {@link LazyResult#then}. \n * \n * @type {string} \n * @see
Result#css \n * \n get css() { \n return this.stringify().css; \n } \n /** \n * An alias for the `css` property. Use it
with syntaxes \n * that generate non-CSS output. \n * \n * This property will only work with synchronous
plugins. \n * If the processor contains any asynchronous plugins \n * it will throw an error. This is why this method
is only \n * for debug purpose, you should always use {@link LazyResult#then}. \n * \n * @type {string} \n *
@see Result#content \n * \n get content() { \n return this.stringify().content; \n } \n /** \n * Processes input
CSS through synchronous plugins \n * and returns {@link Result#map}. \n * \n * This property will only work
with synchronous plugins. \n * If the processor contains any asynchronous plugins \n * it will throw an error. This

```



is why this method is only for debug purpose, you should always use `{@link LazyResult#then}`.

```

    @type {SourceMapGenerator}
    @see Result#map
    ^
    get map() {
        return this.stringify().map();
    }
    /**
     * Processes input CSS through synchronous plugins
     * and returns {@link Result#root}.
     * This property will only work with synchronous plugins. If the processor
     * contains any asynchronous plugins it will throw an error.
     * This is why this method is only for debug purpose,
     * you should always use {@link LazyResult#then}.
     * @type {Root}
     * @see Result#root
     ^
    get root() {
        return this.sync().root();
    }
    /**
     * Processes input CSS through synchronous plugins
     * and returns {@link Result#messages}.
     * This property will only work with synchronous plugins. If the processor
     * contains any asynchronous plugins it will throw an error.
     * This is why this method is only for debug purpose,
     * you should always use
     * {@link LazyResult#then}.
     * @type {Message[]}
     * @see Result#messages
     ^
    get messages() {
        return this.sync().messages();
    }
    /**
     * Processes input CSS through synchronous plugins
     * and calls
     * {@link Result#warnings()}.
     * @return {Warning[]} warnings from plugins
     ^
    warnings() {
        return this.sync().warnings();
    }
    /**
     * Alias for the {@link LazyResult#css} property.
     * @example
     * lazy + " === lazy.css;
     * @return {string} output CSS
     ^
    toString() {
        return this.css();
    }
    /**
     * Processes input CSS through synchronous and asynchronous plugins
     * and calls `onFulfilled` with a Result instance. If a plugin throws
     * an error, the `onRejected` callback will be executed.
     * It implements standard Promise API.
     * @param {onFulfilled} onFulfilled - callback will be executed
     *

```

```

    when all plugins will finish work
    @param {onRejected} onRejected - callback will be executed on any
    error
    @return {Promise} Promise API to make queue
    @example
    postcss([cssnext]).process(css).then(result => {
        console.log(result.css);
    });
    ^
    then(onFulfilled, onRejected) {
        return this.async().then(onFulfilled, onRejected);
    }
    /**
     * Processes input CSS through synchronous and asynchronous plugins
     * and calls onRejected for each error thrown in any plugin.
     * It implements standard Promise API.
     * @param {onRejected} onRejected - callback will be executed on any
    error
    @return {Promise} Promise API to make queue
    @example
    postcss([cssnext]).process(css).then(result => {
        console.log(result.css);
    }).catch(error => {
        console.error(error);
    });
    ^
    catch(onRejected) {
        return this.async().catch(onRejected);
    }
    handleError(error, plugin) {
        try {
            this.error = error;
            if (error.name === 'CssSyntaxError' && !error.plugin) {
                error.plugin = plugin.postcssPlugin;
                error.setMessage();
            } else if (plugin.postcssVersion) {
                const pluginName = plugin.postcssPlugin;
                const pluginVer = plugin.postcssVersion;
                const runtimeVer = this.result.processor.version;
                const a = pluginVer.split('.');
                const b = runtimeVer.split('.');
                if (a[0] !== b[0] || parseInt(a[1]) > parseInt(b[1])) {
                    warnOnce(
                        `Your current PostCSS version ' + 'is ' + runtimeVer, but ${pluginName} ` + 'uses
                    ${pluginVer}. Perhaps this is ` + 'the source of the error below.` + ');
                }
            }
        } catch (err) {
            if (console && console.error) console.error(err);
        }
    }
    asyncTick(resolve, reject) {
        if (this.plugin >= this.processor.plugins.length) {
            this.processed = true;
            return resolve();
        }
        try {
            const plugin = this.processor.plugins[this.plugin];
            const promise = this.run(plugin);
            this.plugin += 1;
            if (isPromise(promise)) {
                promise
                    .then(() => {
                        this.asyncTick(resolve, reject);
                    })
                    .catch(error => {
                        this.handleError(error, plugin);
                        this.processed = true;
                        reject(error);
                    });
            } else {
                this.asyncTick(resolve, reject);
            }
        } catch (error) {
            this.processed = true;
            reject(error);
        }
    }
    async() {
        if (this.processed) {
            return new Promise((resolve, reject) => {
                if (this.error) {
                    reject(this.error);
                } else {
                    resolve(this.stringify());
                }
            });
        }
        if (this.processing) {
            return this.processing;
        }
        this.processing = new Promise((resolve, reject) => {
            if (this.error) {
                return reject(this.error);
            }
            this.plugin = 0;
            this.asyncTick(resolve, reject);
        }).then(() => {
            this.processed = true;
            return this.stringify();
        });
        return this.processing;
    }
    sync() {
        if (this.processed) {
            return this.result;
        }
        this.processed = true;
        if (this.processing) {
            throw new Error('Use process(css).then(cb) to work with async plugins');
        }
        if (this.error) {
            throw this.error;
        }
        this.result.processor.plugins.forEach(plugin => {
            const promise = this.run(plugin);
            if (isPromise(promise)) {
                throw new Error('Use process(css).then(cb) to work with async plugins');
            }
        });
        return

```

```

this.result;\n }\n\n run(plugin) {\n  this.result.lastPlugin = plugin;\n\n  try {\n    return plugin(this.result.root,\n    this.result);\n  } catch (error) {\n    this.handleError(error, plugin);\n    throw error;\n  }\n}\n\n stringify() {\n  if (this.stringified) return this.result;\n  this.stringified = true;\n\n  this.sync();\n\n  const opts = this.result.opts;\n  let str = stringify;\n  if (opts.syntax) str = opts.syntax.stringify;\n  if (opts.stringifier) str = opts.stringifier;\n  if\n  (str.stringify) str = str.stringify;\n\n  let result = \";\n  str(this.root, i => {\n    result += i;\n  });\n  this.result.css\n  = result;\n\n  return this.result;\n }\n}\n\nexport default LazyResult;\n\"// @flow\nimport LazyResult from './lazy-\nresult';\n\n/**\n * @callback builder\n * @param {string} part - part of generated CSS connected to this\n node\n * @param {Node} node - AST node\n * @param {\"start\"|\"end\"} [type] - node's part type\n *\n * @callback parser\n * @param {string|toString} css - string with input CSS or any object\n *\n * with toString() method, like a Buffer\n * @param {processOptions} [opts] - options with only `from`\n and `map` keys\n *\n * @return {Root} PostCSS AST\n *\n * @callback stringifier\n *\n * @param {Node}\n node - start node for stringifying. Usually { @link Root },\n * @param {builder} builder - function to concatenate\n CSS from node's parts\n *\n * or generate string and source map\n *\n * @return {void}\n *\n *\n * @typedef {object} syntax\n * @property {parser} parse - function to generate AST by string\n * @property\n {stringifier} stringify - function to generate string by AST\n *\n * @typedef {object} toString\n *\n * @property {function} toString\n *\n * @callback pluginFunction\n * @param {Root} root - parsed input\n CSS\n * @param {Result} result - result to set warnings or check other plugins\n *\n * @typedef {object}\n Plugin\n * @property {function} postcss - PostCSS plugin function\n *\n * @typedef {object}\n processOptions\n * @property {string} from - the path of the CSS source file.\n *\n You should always set `from`,\n * because it is used in source map\n *\n generation and syntax error messages.\n * @property {string} to - the path where you'll put the output\n *\n CSS file. You should always set `to`\n * to generate correct source\n\n maps.\n * @property {parser} parser - function to generate AST by string\n * @property {stringifier}\n stringifier - class to generate string by AST\n *\n * @property {syntax} syntax - object with `parse` and\n `stringify`\n * @property {object} map - source map options\n * @property {boolean} map.inline\n - does source map should\n * be embedded in the output\n *\n CSS as a base64-encoded\n * comment\n * @property\n {string|object|false|function} map.prev - source map content\n * from a previous\n *\n processing step\n * (for example, Sass).\n *\n PostCSS will try to find\n * previous map\n *\n automatically, so you\n * could disable it by\n *\n `false` value.\n * @property {boolean} map.sourcesContent - does PostCSS should set\n *\n the origin content to map\n * @property {string|false} map.annotation - does\n\n PostCSS should set\n * annotation comment to map\n * @property {string}\n map.from - override `from` in map's\n * `sources`\n *\n\n Contains plugins to process CSS. Create one `Processor` instance,\n * initialize its plugins, and then use that\n instance on numerous CSS files.\n *\n * @example\n * const processor = postcss([autoprefixer, precss]);\n * processor.process(css1).then(result => console.log(result.css));\n * processor.process(css2).then(result =>\n console.log(result.css));\n *\n\n class Processor {\n  /**\n * @param {Array.<Plugin|pluginFunction>} Processor\n plugins - PostCSS\n * plugins. See { @link Processor#use} for plugin format.\n *\n * constructor(plugins = [])\n *\n * @member {string} - Current PostCSS version.\n *\n * @example\n * if (\n result.processor.version.split('.')[0] !== '5') {\n * throw new Error('This plugin works only with PostCSS 5');\n\n * }\n *\n * this.version = '5.2.0';\n *\n * @member {pluginFunction[]} - Plugins added to this processor.\n\n * @example\n * const processor = postcss([autoprefixer, precss]);\n * processor.plugins.length // => 2\n\n * this.plugins = this.normalize(plugins);\n }\n\n /**\n * Adds a plugin to be used as a CSS processor.\n *\n * PostCSS plugin can be in 4 formats:\n * * A plugin created by { @link postcss.plugin} method.\n * * A\n function. PostCSS will pass the function a { @link Root }\n * as the first argument and current { @link Result}\n instance\n * as the second.\n * * An object with a `postcss` method. PostCSS will use that method\n * as

```

described in #2. Another `{@link Processor}` instance. `PostCSS` will copy plugins from that instance into this one. Plugins can also be added by passing them as arguments when creating a `postcss` instance (see `[postcss(plugins)]`). Asynchronous plugins should return a `Promise` instance.

`@param {Plugin|pluginFunction|Processor} plugin` - `PostCSS` plugin or `{@link Processor}` with plugins

`@example` `const processor = postcss().use(autoprefixer).use(precss);`

`@return` `{Processes}` current processor to make methods chain

`use(plugin)` `{this.plugins = this.plugins.concat(this.normalize([plugin]); return this;}`

Parses source CSS and returns a `{@link LazyResult}` Promise proxy. Because some plugins can be asynchronous it doesn't make any transformations. Transformations will be applied in the `{@link LazyResult}` methods.

`@param {string|toString|Result} css` - String with input CSS or any object with a `toString()` method, like a `Buffer`.

Optionally, send a `{@link Result}` instance and the processor will take the `{@link Root}` from it.

`@param {processOptions} [opts]` - options

`@return` `{LazyResult}` Promise proxy

`@example` `processor.process(css, { from: 'a.css', to: 'a.out.css' }).then(result => { console.log(result.css); });`

`process(css, opts = {})` `{return new LazyResult(this, css, opts);}`

`normalize(plugings)` `{let normalized = []; plugings.forEach(i => { if (i.postcss) i = i.postcss; if (typeof i === 'object' && Array.isArray(i.plugins)) { normalized = normalized.concat(i.plugins); } else if (typeof i === 'function') { normalized.push(i); } else { throw new Error(`${i} is not a PostCSS plugin`); } }); return normalized;}`

`export default Processor;`

`import './rule';` // break cyclical dependency deadlock – #87

`import Container from './container';`

`import LazyResult from './lazy-result';`

`import Processor from './processor';`

`import warnOnce from './warn-once';`

Represents a CSS file and contains all its parsed nodes.

`@extends` `Container`

`@example` `const root = postcss.parse('a{color:black} b{z-index:2}');` `root.type // => 'root'`

`root.nodes.length // => 2`

`class Root extends Container` `{constructor(defaults) {super(defaults); this.type = 'root'; if (!this.nodes) this.nodes = [];}`

`removeChild(child)` `{child = this.index(child); if (child === 0 && this.nodes.length > 1) { this.nodes[1].raws.before = this.nodes[child].raws.before; } return super.removeChild(child);}`

`normalize(child, sample, type)` `{const nodes = super.normalize(child); if (sample) { if (type === 'prepend') { if (this.nodes.length > 1) { sample.raws.before = this.nodes[1].raws.before; } else { delete sample.raws.before; } } else if (this.first !== sample) { nodes.forEach(node => { node.raws.before = sample.raws.before; }); } } return nodes;}`

Returns a `{@link Result}` instance representing the root's CSS.

`@param {processOptions} [opts]` - options with only ``to`` and ``map`` keys

`@return` `{Result}` result with current root's CSS

`@example` `const root1 = postcss.parse(css1, { from: 'a.css' });`

`const root2 = postcss.parse(css2, { from: 'b.css' });`

`root1.append(root2);`

`const result = root1.toResult({ to: 'all.css', map: true });`

`toResult(opts = {})` `{const lazy = new LazyResult(new Processor(), this, opts); return lazy.stringify();}`

`remove(child)` `{warnOnce('Root#remove is deprecated. Use Root#removeChild'); this.removeChild(child);}`

`prevMap()` `{warnOnce('Root#prevMap is deprecated. Use Root#source.input.map'); return this.source.input.map;}`

`@memberof` `Root#`

`@member` `{object}` `raws` - Information to generate byte-to-byte equal node string as it was in the origin input.

Every parser saves its own properties, but the default CSS parser uses:

- `after`: the space symbols after the last child to the end of file
- `semicolon`: is the last child has an (optional) semicolon

`@example` `postcss.parse('a {}').raws // => { after: '\n' }`

`postcss.parse('a { }').raws // => { after: " } \n" }`

`export default Root;`

`import './root';` // break cyclical dependency deadlock – #87

`import CssSyntaxError from './css-syntax-error';`

`import PreviousMap from './previous-map';`

`let sequence = 0;`

`@typedef` `{object}` `filePosition`

`@property` `{string}` `file` - path to file

`@property` `{number}` `line` - source line in file

`@property` `{number}` `column` - source column in file

Represents the source CSS.

`@example` `const root = postcss.parse(css, { from: file });`

`const input = root.source.input;`

`class Input` `{`

```

{string} css - input CSS source\n * @param {object} [opts] - {@link Processor#process} options\n */\n
constructor(css, opts = {}) {\n /**\n * @member {string} - input CSS source\n */\n * @example\n *
const input = postcss.parse('a{', { from: file }).input;\n * input.css //=> \"a{ }\";\n */\n this.css =
css.toString();\n\n if (this.css[0] === \"\uFEFF\" || this.css[0] === \"\uFFFE\") {\n this.css = this.css.slice(1);\n
}\n\n if (opts.from) {\n if (/^\w+:\|\/\|.test(opts.from)) {\n /**\n * @member {string} - The absolute
path to the CSS source file\n *
defined with the `from` option.\n */\n * @example\n *
const root = postcss.parse(css, { from: 'a.css' });\n * root.source.input.file //=> '/home/ai/a.css'\n */\n
this.file = opts.from;\n } else {\n this.file = path.resolve(opts.from);\n }\n }\n\n /**\n let map =
new PreviousMap(this.css, opts);\n if ( map.text ) {\n /**\n * @member {PreviousMap} - The
input source map passed from\n *
a compilation step before PostCSS\n *
(for example, from Sass compiler).\n */\n * @example\n *
root.source.input.map.consumer().sources //=> ['a.sass']\n */\n this.map = map;\n let file =
map.consumer().file;\n if ( !this.file && file ) this.file = this.mapResolve(file);\n }\n\n if (!this.file)
{\n sequence += 1;\n /**\n * @member {string} - The unique ID of the CSS source. It will be\n *
created if `from` option is not provided\n *
(because PostCSS does not know the file path).\n */\n * @example\n *
const root = postcss.parse(css);\n * root.source.input.file //=> undefined\n *
root.source.input.id //=> \"<input css 1>\"\n */\n this.id = `<input css ${sequence}>`;\n }\n if (this.map)
this.map.file = this.from;\n }\n\n error(message, line, column, opts = {}) {\n let result;\n const origin =
this.origin(line, column);\n if (origin) {\n result = new CssSyntaxError(\n message,\n origin.line,\n
origin.column,\n origin.source,\n origin.file,\n opts.plugin\n );\n } else {\n result = new
CssSyntaxError(message, line, column, this.css, this.file, opts.plugin);\n }\n\n result.input = { line, column,
source: this.css };\n if (this.file) result.input.file = this.file;\n return result;\n }\n\n /**\n * Reads the input
source map and returns a symbol position\n *
in the input source (e.g., in a Sass file that was compiled\n *
to CSS before being passed to PostCSS).\n */\n * @param {number} line - line in input CSS\n * @param {number}
column - column in input CSS\n */\n * @return {filePosition} position in input source\n */\n * @example\n *
root.source.input.origin(1, 1) //=> { file: 'a.css', line: 3, column: 1 }\n */\n origin(line, column) {\n if (!this.map)
return false;\n const consumer = this.map.consumer();\n\n const from = consumer.originalPositionFor({ line,
column });\n if (!from.source) return false;\n\n const result = {\n file: this.mapResolve(from.source),\n
line: from.line,\n column: from.column,\n };\n\n const source = consumer.sourceContentFor(from.source);\n
if (source) result.source = source;\n return result;\n }\n\n mapResolve(file) {\n if (/^\w+:\|\/\|.test(file)) {\n
return file;\n } else {\n return path.resolve(this.map.consumer().sourceRoot || '.', file);\n }\n }\n\n /**\n *
The CSS source identifier. Contains {@link Input#file} if the user\n *
set the `from` option, or {@link Input#id} if
they did not.\n * @type {string}\n */\n * @example\n *
const root = postcss.parse(css, { from: 'a.css' });\n *
root.source.input.from //=> '/home/ai/a.css'\n */\n * const root = postcss.parse(css);\n * root.source.input.from
//=> \"<input css 1>\"\n */\n get from() {\n return this.file || this.id;\n }\n}\n\nexport default Input;\n\""/\n
@flow\nimport tokenize from './postcss/tokenize';\nimport Comment from './postcss/comment';\nimport Parser
from './postcss/parser';\n\nexport default class SafeParser extends Parser {\n tokenize() {\n this.tokens =
tokenize(this.input, { ignoreErrors: true });\n }\n\n comment(token) {\n const node = new Comment();\n
this.init(node, token[2], token[3]);\n node.source.end = { line: token[4], column: token[5] };\n\n let text =
token[1].slice(2);\n if (text.slice(-2) === '*/') text = text.slice(0, -2);\n\n if (/^\s*$/ .test(text)) {\n node.text =
\";\n node.raws.left = text;\n node.raws.right = \";\n } else {\n const match =
text.match(/^(\\s*)([^\s]*)(\\s*)$/);\n node.text = match[2];\n node.raws.left = match[1];\n
node.raws.right = match[3];\n }\n }\n\n unclosedBracket() {\n\n unknownWord(start) {\n const buffer =
this.tokens.slice(start, this.pos + 1);\n this.spaces += buffer.map(i => i[1]).join(\"\");\n }\n\n unexpectedClose() {\n
this.current.raws.after += '};\n }\n\n doubleColon() {\n\n unnamedAtrule(node) {\n node.name = \";\n }\n\n
precheckMissedSemicolon(tokens) {\n const colon = this.colon(tokens);\n if (colon === false) return;\n\n let
split;\n for (split = colon - 1; split >= 0; split--) {\n if (tokens[split][0] === 'word') break;\n }\n for (split --
= 1; split >= 0; split--) {\n if (tokens[split][0] !== 'space') {\n split += 1;\n break;\n }\n }\n const

```

```

other = tokens.splice(split, tokens.length - split);\n  this.decl(other);\n }
\n\n checkMissedSemicolon() {\n\n
endFile() {\n  if (this.current.nodes && this.current.nodes.length) {\n    this.current.raws.semicolon =
this.semicolon;\n  }\n  this.current.raws.after = (this.current.raws.after || "") + this.spaces;\n\n  while
(this.current.parent) {\n    this.current = this.current.parent;\n    this.current.raws.after = ";\n  }\n }\n\n",
"@flow\nimport Input from './postcss/input';\nimport SafeParser from './safe-parser';\n\nexport default function
safeParse(css, opts) {\n  const input = new Input(css, opts);\n\n  const parser = new SafeParser(input);\n
parser.tokenize();\n  parser.loop();\n\n  return parser.root;\n}\n",
"@flow\n/* eslint-disable import/no-unresolved
*\nimport transformDeclPairs from 'css-to-react-native';\nimport generateComponentId from
'./utils/generateComponentId';\nimport type { RuleSet, StyleSheet } from './types';\nimport flatten from
'./utils/flatten';\n// $FlowFixMe\nimport parse from './vendor/postcss-safe-parser/parse';\n\nlet generated =
{};\n\nexport const resetStyleCache = () => {\n  generated = {};\n};\n\n/*\nInlineStyle takes arbitrary CSS and
generates a flat object\n*/\nexport default (styleSheet: StyleSheet) => {\n  class InlineStyle {\n    rules: RuleSet;\n
constructor(rules: RuleSet) {\n    this.rules = rules;\n  }\n\n  generateStyleObject(executionContext: Object) {\n
const flatCSS = flatten(this.rules, executionContext).join(");\n    const hash =
generateComponentId(flatCSS);\n    if (!generated[hash]) {\n      const root = parse(flatCSS);\n      const
declPairs = [];\n      root.each(node => {\n        if (node.type === 'decl') {\n          declPairs.push([node.prop,
node.value]);\n        } else if (process.env.NODE_ENV !== 'production' && node.type !== 'comment') {\n
/* eslint-disable no-console */\n          console.warn(`Node of type ${node.type} not supported as an inline
style`);\n        }\n      });\n      // RN currently does not support differing values for the corner radii of Image\n
// components (but does for View). It is almost impossible to tell whether we'll have\n      // support, so we'll just
disable multiple values here.\n      // https://github.com/styled-components/css-to-react-native/issues/11\n      const
styleObject = transformDeclPairs(declPairs, [\n        'borderRadius',\n        'borderWidth',\n        'borderColor',\n
        'borderStyle',\n        ]);\n      const styles = styleSheet.create({\n        generated: styleObject,\n        });\n
generated[hash] = styles.generated;\n      }\n      return generated[hash];\n    }\n  }\n\n  return InlineStyle;\n};\n",
"/*
eslint-disable */\n\nmixin-deep; https://github.com/jonschlinkert/mixin-deep\nInlined such that it will be
consistently transpiled to an IE-compatible syntax.\n\nThe MIT License (MIT)\n\nCopyright (c) 2014-present,
Jon Schlinkert.\n\nPermission is hereby granted, free of charge, to any person obtaining a copy\nof this software
and associated documentation files (the "Software"), to deal\nin the Software without restriction, including
without limitation the rights\n to use, copy, modify, merge, publish, distribute, sublicense, and/or sell\n copies of
the Software, and to permit persons to whom the Software is\n furnished to do so, subject to the following
conditions:\n\n The above copyright notice and this permission notice shall be included in\n all copies or
substantial portions of the Software.\n\n THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY
OF ANY KIND, EXPRESS OR\n IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY,\n FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO
EVENT SHALL THE\n AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
OR OTHER\n LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM,\n OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN\n THE SOFTWARE.\n\nconst isObject = val => {\n  return (\n    typeof val === 'function' || (typeof val ===
'object' && val !== null && !Array.isArray(val))\n  );\n};\n\nconst isValidKey = key => {\n  return key !==
'__proto__' && key !== 'constructor' && key !== 'prototype';\n};\n\nfunction mixin(target, val, key) {\n  const obj
= target[key];\n  if (isObject(val) && isObject(obj)) {\n    mixinDeep(obj, val);\n  } else {\n    target[key] = val;\n
}\n}\n\nexport default function mixinDeep(target, ...rest) {\n  for (const obj of rest) {\n    if (isObject(obj)) {\n      for
(const key in obj) {\n        if (isValidKey(key)) {\n          mixin(target, obj[key], key);\n        }\n      }\n    }\n
}\n\n  return target;\n}\n",
"@flow\nimport { EMPTY_OBJECT } from './empties';\n\n type Props = {\n  theme?:
any,\n};\n\nexport default (props: Props, providedTheme: any, defaultProps: any = EMPTY_OBJECT) => {\n  return
(props.theme !== defaultProps.theme && props.theme) || providedTheme || defaultProps.theme;\n};\n",
"@flow\nimport type { IStyledComponent } from './types';\n\nexport default function isTag(target:
$PropertyType<IStyledComponent, 'target'>): boolean %checks {\n  return (\n    typeof target === 'string' &&\n

```

```

(process.env.NODE_ENV !== 'production'\n    ? target.charAt(0) === target.charAt(0).toLowerCase()\n    : true)\n );\n\n", "// @flow\nimport type { IStyledComponent } from './types';\nimport getComponentName from './getComponentName';\nimport isTag from './isTag';\n\n\nexport default function generateDisplayName(\n target: $PropertyType<IStyledComponent, 'target'>)\n: string {\n return isTag(target) ? `styled.${target}` : `Styled(${getComponentName(target)})`;\n}\n\n", "// @flow\nimport React, { useContext, useMemo, type Element, type Context } from 'react';\nimport throwStyledError from './utils/error';\nimport isFunction from './utils/isFunction';\n\n\nexport type Theme = { [key: string]: mixed };\n\n\nexport type ThemeArgument = Theme | ((outerTheme?: Theme) => Theme);\n\n\nexport type Props = {\n children?: Element<any>,\n theme: ThemeArgument,\n};\n\n\nexport const ThemeContext: Context<Theme | void> = React.createContext();\n\n\nexport const ThemeConsumer = ThemeContext.Consumer;\n\n\nfunction mergeTheme(theme: ThemeArgument, outerTheme?: Theme): Theme {\n if (!theme) {\n return throwStyledError(14);\n }\n\n if (isFunction(theme)) {\n const mergedTheme = theme(outerTheme);\n\n if (\n process.env.NODE_ENV !== 'production' &&\n (mergedTheme === null || Array.isArray(mergedTheme) || typeof mergedTheme !== 'object')\n ) {\n return throwStyledError(7);\n }\n\n return mergedTheme;\n }\n\n if (Array.isArray(theme) || typeof theme !== 'object') {\n return throwStyledError(8);\n }\n\n return outerTheme ? { ...outerTheme, ...theme } : theme;\n}\n\n\n/**\n * Provide a theme to an entire react component tree via context\n */\n\nexport default function ThemeProvider(props: Props) {\n const outerTheme = useContext(ThemeContext);\n const themeContext = useMemo(() => mergeTheme(props.theme, outerTheme), [\n props.theme,\n outerTheme,\n ]);\n\n if (!props.children) {\n return null;\n }\n\n return <ThemeContext.Provider value={themeContext}>{\n props.children\n}</ThemeContext.Provider>;\n}\n\n", "// @flow\nimport React, { createElement, Component } from 'react';\nimport hoist from 'hoist-non-react-statics';\nimport merge from './utils/mixinDeep';\nimport determineTheme from './utils/determineTheme';\nimport { EMPTY_ARRAY, EMPTY_OBJECT } from './utils/empties';\nimport generateDisplayName from './utils/generateDisplayName';\nimport isFunction from './utils/isFunction';\nimport isTag from './utils/isTag';\nimport isStyledComponent from './utils/isStyledComponent';\nimport { ThemeConsumer } from './ThemeProvider';\nimport type { Theme } from './ThemeProvider';\nimport type { Attrs, RuleSet, Target } from './types';\n\n\n// NOTE: no hooks available for react-native yet;\n// if the user makes use of ThemeProvider or StyleSheetManager things will break.\n\n\nValidator defaults to true if not in HTML/DOM env\n\nconst validAttr = () => true;\n\n\nclass StyledNativeComponent extends Component<*, *> {\n root: ?Object;\n\n attrs = {};\n\n render() {\n return (\n <ThemeConsumer>\n ((theme?: Theme) => {\n const {\n $as: transientAsProp,\n as: renderAs,\n forwardedComponent,\n forwardedAs,\n forwardedRef,\n testID,\n style = [],\n ...props\n } = this.props;\n\n const { defaultProps, target, shouldForwardProp } = forwardedComponent;\n\n const elementToBeRendered =\n this.attrs.$as || this.attrs.as || transientAsProp || renderAs || target;\n\n const generatedStyles = this.generateAndInjectStyles(\n determineTheme(this.props, theme, defaultProps) || EMPTY_OBJECT,\n this.props\n );\n\n const isTargetTag = isTag(elementToBeRendered);\n\n const computedProps = this.attrs !== props ? { ...props, ...this.attrs } : props;\n\n const propFilterFn = shouldForwardProp || (isTargetTag && validAttr);\n\n const propsForElement = {};\n\n let key;\n\n for (key in computedProps) {\n if (key[0] === '$' || key === 'as') continue;\n else if (key === 'forwardedAs') {\n propsForElement.as = props[key];\n } else if (!propFilterFn || propFilterFn(key, validAttr)) {\n // Don't pass through filtered tags through to native elements\n propsForElement[key] = computedProps[key];\n }\n }\n\n propsForElement.style = typeof style === 'function' ?\n (state) => {\n return [generatedStyles].concat(style(state))\n } : [generatedStyles].concat(style);\n\n propsForElement.testID = testID;\n\n if (forwardedRef) propsForElement.ref = forwardedRef;\n\n if (forwardedAs) propsForElement.as = forwardedAs;\n\n return createElement(elementToBeRendered, propsForElement);\n }\n }\n\n </ThemeConsumer>\n );\n }\n\n buildExecutionContext(theme: ?Object, props: Object, attrs: Attrs) {\n const context = { ...props, theme };\n\n if (!attrs.length) return context;\n\n this.attrs = {};\n\n attrs.forEach(attrDef => {\n let resolvedAttrDef = attrDef;\n let attr;\n let key;\n\n if

```

```

(isFunction(resolvedAttrDef)) {\n    resolvedAttrDef = resolvedAttrDef(context);\n    }\n\n    /* eslint-disable
guard-for-in */\n    for (key in resolvedAttrDef) {\n        attr = resolvedAttrDef[key];\n        this.attrs[key] = attr;\n        context[key] = attr;\n    }\n    /* eslint-enable */\n    });\n\n    return context;\n    }\n\n    generateAndInjectStyles(theme: any, props: any) {\n        const { inlineStyle } = props.forwardedComponent;\n\n        const executionContext = this.buildExecutionContext(\n            theme,\n            props,\n            props.forwardedComponent.attrs\n        );\n\n        return inlineStyle.generateStyleObject(executionContext);\n    }\n\n    setNativeProps(nativeProps: Object) {\n        if (this.root !== undefined) {\n            // $FlowFixMe\n            this.root.setNativeProps(nativeProps);\n        } else if (process.env.NODE_ENV !== 'production') {\n            // eslint-
disable-next-line no-console\n            console.warn(\n                'setNativeProps was called on a Styled Component wrapping
a stateless functional component.'\n            );\n        }\n    }\n\n    export default (InlineStyle: Function) => {\n        const
createStyledNativeComponent = (target: Target, options: Object, rules: RuleSet) => {\n            const {\n                attrs =
EMPTY_ARRAY,\n                displayName = generateDisplayName(target),\n                ParentComponent =
StyledNativeComponent,\n            } = options;\n\n            const isClass = !isTag(target);\n            const isTargetStyledComp =
isStyledComponent(target);\n\n            // $FlowFixMe\n            const WrappedStyledNativeComponent =
React.forwardRef((props, ref) => (\n                <ParentComponent\n                    {...props}\n                \n                forwardedComponent={
WrappedStyledNativeComponent}\n                forwardedRef={ref}\n            />\n            ));\n\n            const
finalAttrs =\n                // $FlowFixMe\n                isTargetStyledComp && target.attrs\n                ?
Array.prototype.concat(target.attrs, attrs).filter(Boolean)\n                : attrs;\n\n            // eslint-disable-next-line prefer-
destructuring\n            let shouldForwardProp = options.shouldForwardProp;\n\n            // $FlowFixMe\n            if
(isTargetStyledComp && target.shouldForwardProp) {\n                if (shouldForwardProp) {\n                    // compose nested
shouldForwardProp calls\n                    shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n                        //
$FlowFixMe\n                        target.shouldForwardProp(prop, filterFn, elementToBeCreated) &&\n                            options.shouldForwardProp(prop, filterFn, elementToBeCreated);\n                } else {\n                    // eslint-disable-next-line
prefer-destructuring\n                    shouldForwardProp = target.shouldForwardProp;\n                }\n            }\n\n            /**\n             * forwardRef
creates a new interim component, which we'll take advantage of\n             * instead of extending ParentComponent to
create _another_ interim class\n             */\n\n            // $FlowFixMe\n            WrappedStyledNativeComponent.attrs =
finalAttrs;\n\n            WrappedStyledNativeComponent.displayName = displayName;\n\n            // $FlowFixMe\n            WrappedStyledNativeComponent.shouldForwardProp = shouldForwardProp;\n\n            // $FlowFixMe\n            WrappedStyledNativeComponent.inlineStyle = new InlineStyle(\n                // $FlowFixMe\n                isTargetStyledComp ?
target.inlineStyle.rules.concat(rules) : rules\n            );\n\n            // $FlowFixMe\n            WrappedStyledNativeComponent.styledComponentId = 'StyledNativeComponent';\n\n            // $FlowFixMe\n            WrappedStyledNativeComponent.target = isTargetStyledComp\n                ? // $FlowFixMe\n                target.target\n                :
target;\n\n            // $FlowFixMe\n            WrappedStyledNativeComponent.withComponent = function withComponent(tag:
Target) {\n                const { displayName: _, componentId: __, ...optionsToCopy } = options;\n                const newOptions =
{\n                    ...optionsToCopy,\n                    attrs: finalAttrs,\n                    ParentComponent,\n                };\n\n                return
createStyledNativeComponent(tag, newOptions, rules);\n            };\n\n            // $FlowFixMe\n            Object.defineProperty(WrappedStyledNativeComponent, 'defaultProps', {\n                get() {\n                    return
this._foldedDefaultProps;\n                },\n                set(obj) {\n                    // $FlowFixMe\n                    this._foldedDefaultProps =
isTargetStyledComp ? merge({}, target.defaultProps, obj) : obj;\n                },\n            });\n\n            if (isClass) {\n                hoist(WrappedStyledNativeComponent, (target: any), {\n                    // all SC-specific things should not be hoisted\n                    attrs: true,\n                    displayName: true,\n                    shouldForwardProp: true,\n                    inlineStyle: true,\n                    styledComponentId: true,\n                    target: true,\n                    withComponent: true,\n                });\n            }\n\n            return
WrappedStyledNativeComponent;\n        };\n\n        return createStyledNativeComponent;\n    };
}

export type {
Interpolation } from './types';\n\nexport default (\n    strings: Array<string>,\n    interpolations:
Array<Interpolation>): Array<Interpolation> => {\n    const result = [strings[0]];\n\n    for (let i = 0, len =
interpolations.length; i < len; i += 1) {\n        result.push(interpolations[i], strings[i + 1]);\n    }\n\n    return
result;\n};

export { }

export type {
Interpolation } from './utils/interleave';\n\nimport isPlainObject from
'./utils/isPlainObject';\n\nimport { EMPTY_ARRAY } from './utils/empties';\n\nimport isFunction from

```

```

../utils/isFunction';\nimport flatten from '../utils/flatten';\nimport type { Interpolation, RuleSet, Styles } from
../types';\n\n/**\n * Used when flattening object styles to determine if we should\n * expand an array of styles.\n */\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles: Styles, ...interpolations:
Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return
addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n  if (interpolations.length === 0
&& styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n  //
$FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations)));\n}\n\n", /* @flow\nimport {
isValidElementType } from 'react-is';\nimport css from './css';\nimport throwStyledError from '../utils/error';\nimport
{ EMPTY_OBJECT } from '../utils/empties';\nimport type { Target } from '../types';\n\nexport default function
constructWithOptions(\n  componentConstructor: Function,\n  tag: Target,\n  options: Object =
EMPTY_OBJECT\n) {\n  if (!isValidElementType(tag)) {\n    return throwStyledError(1, String(tag));\n  }\n  /*
This is callable directly as a template function *\n  // $FlowFixMe: Not typed to avoid destructuring arguments\n
const templateFunction = (...args) => componentConstructor(tag, options, css(...args));\n  /* If config methods are
called, wrap up a new template function and merge options *\n  templateFunction.withConfig = config =>\n
constructWithOptions(componentConstructor, tag, { ...options, ...config });\n  /* Modify/inject new props at
runtime *\n  templateFunction.attrs = attrs =>\n    constructWithOptions(componentConstructor, tag, {\n
...options,\n    attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n  });\n  return
templateFunction;\n}\n\n", /* @flow\nimport React, { useContext, type AbstractComponent } from 'react';\nimport
hoistStatics from 'hoist-non-react-statics';\nimport { ThemeContext } from '../models/ThemeProvider';\nimport
determineTheme from '../utils/determineTheme';\nimport getComponentName from
../utils/getComponentName';\n\n// NOTE: this would be the correct signature:\n// export default <Config: { theme?:
any }, Instance>(\n//   Component: AbstractComponent<Config, Instance>\n// ): AbstractComponent<$Diff<Config,
{ theme?: any }> & { theme?: any }, Instance>\n\n// but the old build system tooling doesn't support the
syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n  // $FlowFixMe This should be
React.forwardRef<Config, Instance>\n  const WithTheme = React.forwardRef((props, ref) => {\n    const theme =
useContext(ThemeContext);\n    // $FlowFixMe defaultProps isn't declared so it can be inferrable\n    const {
defaultProps } = Component;\n    const themeProp = determineTheme(props, theme, defaultProps);\n    if
(process.env.NODE_ENV !== 'production' && themeProp === undefined) {\n      // eslint-disable-next-line no-
console\n      console.warn(\n        `[withTheme] You are not using a ThemeProvider nor passing a theme prop or a
theme in defaultProps in component class \`${getComponentName(\n          Component\n        )}\`\n      );\n    }\n    return <Component { ...props } theme={themeProp} ref={ref} />;\n  });\n  hoistStatics(WithTheme,
Component);\n  WithTheme.displayName = `WithTheme(${getComponentName(Component)})`; \n  return
WithTheme;\n};\n\n", /* @flow\nimport { useContext } from 'react';\nimport { ThemeContext } from
../models/ThemeProvider';\n\nconst useTheme = () => useContext(ThemeContext);\n\nexport default
useTheme;\n\n", /* @flow\n\n/* eslint-disable import/no-unresolved *\nimport _InlineStyle from
../models/InlineStyle';\nimport _StyledNativeComponent from '../models/StyledNativeComponent';\n\nimport css
from '../constructors/css';\nimport constructWithOptions from '../constructors/constructWithOptions';\nimport
ThemeProvider, { ThemeConsumer, ThemeContext } from '../models/ThemeProvider';\nimport withTheme from
../hoc/withTheme';\nimport useTheme from '../hooks/useTheme';\nimport isStyledComponent from
../utils/isStyledComponent';\n\nimport type { Target } from '../types';\n\nconst reactNative = require('react-
native');\n\nconst InlineStyle = _InlineStyle(reactNative.StyleSheet);\nconst StyledNativeComponent =
_StyledNativeComponent(InlineStyle);\nconst styled = (tag: Target) =>
constructWithOptions(StyledNativeComponent, tag);\n\n/* React native lazy-requires each of these modules for
some reason, so let's\n * assume it's for a good reason and not eagerly load them all *\n\nconst aliases =
`ActivityIndicator ActivityIndicatorIOS ART Button DatePickerIOS DrawerLayoutAndroid\n Image
ImageBackground ImageEditor ImageStore KeyboardAvoidingView ListView MapView Modal NavigatorIOS\n
Picker PickerIOS ProgressBarAndroid ProgressViewIOS ScrollView SegmentedControlIOS Slider\n SliderIOS

```



SnapshotViewIOS Switch RecyclerViewBackedScrollView RefreshControl SafeAreaView StatusBar\n SwipeableView SwitchAndroid SwitchIOS TabBarIOS TextInput ToastAndroid ToolbarAndroid\n Touchable TouchableHighlight TouchableNativeFeedback TouchableOpacity TouchableWithoutFeedback\n View ViewPagerAndroid WebView FlatList SectionList VirtualizedList Pressable`;\n\n/\* Define a getter for each alias which simply gets the reactNative component\n \* and passes it to styled \*\n\n aliases.split(/\\s+/m).forEach(alias =>\n Object.defineProperty(styled, alias, {\n enumerable: true,\n configurable: false,\n get() {\n return styled(reactNative[alias]);\n },\n });\n\n\nexport { css, isStyledComponent, ThemeProvider, ThemeConsumer, ThemeContext, withTheme, useTheme };\n\nexport default styled;\n\n"],"names":["AD\_REPLACER\_R","charsLength","getAlphabeticChar","code","String","fromCharCode","generateAlphabeticName","name","x","Math","abs","replace","SEED","phash","h","i","length","charCodeAt","hash","str","getComponentName","target","process","env","NODE\_ENV","displayName","isFunction","test","isStatelessFunction","prototype","isReactComponent","toString","Object","call","typeof","isStyledComponent","styledComponentId","SC\_ATTR","REACT\_APP\_SC\_ATTR","SC\_ATTR\_ACTIVE","SC\_ATTR\_VERSION","SC\_VERSION","\_\_VERSION\_\_","SPLITTER","IS\_BROWSER","window","DISABLE\_SPEEDY","Boolean","SC\_DISABLE\_SPEEDY","REACT\_APP\_SC\_DISABLE\_SPEEDY","EMPTY\_ARRAY","freeze","EMPTY\_OBJECT","ERRORS","errorMap","format","a","b","c","len","push","forEach","d","throwStyledComponentsError","interpolations","Error","join","trim","makeGroupedTag","tag","DefaultGroupedTag","BASE\_SIZE","groupSizes","Uint32Array","indexOfGroup","group","index","insertRules","rules","oldBuffer","oldSize","newSize","throwStyledError","set","ruleIndex","l","insertRule","clearGroup","startIndex","endIndex","deleteRule","getGroup","css","getRule","MAX\_SMI","groupIDRegister","Map","reverseRegister","nextFreeGroup","getGroupForId","id","has","get","getIdForGroup","setGroupForId","SELECTOR","MARKER\_RE","RegExp","outputSheet","sheet","getTag","undefined","names","size","selector","content","rehydrateNamesFromContent","split","registerName","rehydrateSheetFromTag","style","parts","textContent","part","marker","match","parseInt","rehydrateSheet","nodes","document","querySelectorAll","node","getAttribute","parentNode","removeChild","getNonce","\_\_webpack\_nonce\_\_","ELEMENT\_TYPE","findLastStyleTag","childNodes","child","nodeType","hasAttribute","makeStyleTag","head","parent","createElement","prevStyle","nextSibling","setAttribute","nonce","insertBefore","getSheet","styleSheets","ownerNode","makeTag","isServer","useCSSOMInjection","VirtualTag","CSSOMTag","TextTag","element","appendChild","createTextNode","rule","\_error","cssRules","cssText","refNode","\_target","splice","SHOULD\_REHYDRATE","defaultOptions","StyleSheet","registerId","options","globalStyles","gs","server","reconstructWithOptions","withNames","allocateGSInstance","hasNameForId","groupNames","Set","add","clearNames","clear","clearRules","clearTag","delimiter","needle","toSheet","block","e","ruleSheet","context","selectors","parents","line","column","ns","depth","at","COMMENT\_REGEX","COMPLEX\_SELECTOR\_PREFIX","createStylisInstance","plugins","stylis","Stylis","parsingRules","returnRulesPlugin","parsedRules","parseRulesPlugin","insertRulePlugin","\_componentId","\_selector","\_selectorRegexp","\_consecutiveSelfRefRegExp","selfReferenceReplacer","offset","string","indexOf","selfReferenceReplacementPlugin","\_","lastIndexOf","use","stringifyRules","prefix","componentId","flatCSS","cssStr","reduce","acc","plugin","StyleSheetContext","React","createContext","StyleSheetConsumer","Consumer","StylisContext","StylisConsumer","masterSheet","masterStylis","Keyframes","inject","styleSheet","stylisInstance","resolvedName","getName","uppercaseCheck","uppercasePattern","msPattern","prefixAndLowerCase","char","toLowerCase","hyphenateStyleName","addUnitIfNeeded","value","unitless","isFalsish","chunk","objToCssArray","obj","prevKey","key","hasOwnProperty","Array","isArray","isCss","hyphenate","isPlainObject","flatten","executionContext","ruleSet","result","isElement","console","warn","printed","warnOnce","message","SINGLE\_QUOTE","DOUBLE\_QUOTE","BACKSLASH","SLASH","NEWLINE","SPACE","FEED","TAB","CR","OPEN\_SQUARE","CLOSE\_SQUARE","OPEN\_PARENTHESES","CLOSE\_PARENTHESES","OPEN\_CURLY","CLOSE\_CURLY","SEMICOLON","ASTERISK","COLON","AT","RE\_AT\_END","RE\_WORD\_END","RE\_BAD\_BRACKET","tokenize","input","tokens","valueOf","ignore","ignoreErrors","next","quote","lines","last","escape","nextLine","nextOffset","escaped","escapePos","prev","n","pos","unclosed","what","error","slice","lastIndex","HIGHLIGHT\_THEME","brackets","comment","color","terminalHighlight","Input","token","map","CssSyntaxError","source","file","reason","setMessage","captureStackTrace","showSourceCode","supportsColor","start","max","end","min","maxWidth","number","padded","gutter","spacing","

defaultRaw", "colon", "indent", "beforeDecl", "beforeRule", "beforeOpen", "beforeClose", "beforeComment", "after", "emptyBody", "commentLeft", "commentRight", "capitalize", "toUpperCase", "Stringifier", "builder", "stringify", "semicolon", "type", "root", "body", "raws", "left", "raw", "right", "text", "decl", "between", "prop", "rawValue", "important", "atrul", "params", "afterName", "before", "own", "detect", "first", "rawCache", "beforeAfter", "method", "walk", "rawSemicolon", "rawEmptyBody", "rawIndent", "p", "rawBeforeComment", "walkComments", "rawBeforeDecl", "walkDecls", "rawBeforeRule", "rawBeforeClose", "rawBeforeOpen", "rawColon", "buf", "step", "cloneNode", "cloned", "constructor", "j", "Node", "defaults", "opts", "positionBy", "data", "remove", "stringifier", "clone", "overrides", "cloneBefore", "cloneAfter", "insertAfter", "replaceWith", "moveTo", "newParent", "cleanRaws", "append", "moveBefore", "otherNode", "moveAfter", "toJSON", "fixed", "defaultType", "keepBetween", "positionInside", "word", "removeSelf", "cleanStyles", "val", "Declaration", "Comment", "Parser", "Root", "current", "spaces", "tokenizer", "loop", "emptyRule", "other", "endFile", "init", "Rule", "bracket", "pop", "unclosedBracket", "unknownWord", "spacesFromEnd", "shift", "spacesFromStart", "precheckMissedSemicolon", "stringFrom", "cache", "checkMissedSemicolon", "AtRule", "unnamedAtrule", "open", "unexpectedClose", "unclosedBlock", "clean", "all", "lastTokenType", "from", "doubleColon", "founded", "parse", "safe", "parser", "cleanSource", "Container", "each", "callback", "lastEach", "indexes", "walkRules", "walkAtRules", "children", "normalize", "prepend", "reverse", "unshift", "exist", "removeAll", "replaceValues", "pattern", "props", "fast", "every", "condition", "some", "sample", "processed", "rebuild", "fix", "eachInside", "eachDecl", "eachRule", "eachAtRule", "eachComment", "list", "separators", "array", "func", "letter", "space", "comma", "values", "sep", "Warning", "opt", "Result", "processor", "messages", "lastPlugin", "postcssPlugin", "warning", "warnings", "filter", "isPromise", "then", "LazyResult", "stringified", "inline", "syntax", "sync", "onFulfilled", "onRejected", "async", "handleError", "postcssVersion", "pluginName", "pluginVer", "runtimeVersion", "version", "err", "asyncTick", "resolve", "reject", "promise", "run", "Promise", "processing", "Processor", "concat", "normalized", "postcss", "toResult", "lazy", "prevMap", "sequence", "path", "origin", "consumer", "originalPositionFor", "mapResolve", "sourceContentFor", "sourceRoot", "SafeParser", "buffer", "safeParse", "generated", "InlineStyle", "generateStyleObject", "generateComponentId", "declPairs", "styleObject", "transformDeclPairs", "styles", "create", "isObject", "isValidKey", "mixin", "mixinDeep", "rest", "providedTheme", "defaultProps", "theme", "isTag", "charAt", "generateDisplayName", "ThemeContext", "ThemeConsumer", "mergeTheme", "outerTheme", "mergedTheme", "ThemeProvider", "useContext", "themeContext", "useMemo", "validAttr", "StyledNativeComponent", "attrs", "render", "transientAsProp", "\$as", "renderAs", "as", "forwardedComponent", "forwardedAs", "forwardedRef", "testID", "shouldForwardProp", "elementToBeRendered", "generatedStyles", "generateAndInjectStyles", "determineTheme", "isTargetTag", "computedProps", "propFilterFn", "propsForElement", "state", "ref", "buildExecutionContext", "attrDef", "resolvedAttrDef", "attr", "inlineStyle", "setNativeProps", "nativeProps", "Component", "createStyledNativeComponent", "ParentComponent", "isClass", "isTargetStyledComp", "WrappedStyledNativeComponent", "forwardRef", "finalAttrs", "filterFn", "elementToBeCreated", "withComponent", "\_\_", "optionsToCopy", "newOptions", "defineProperty", "\_foldedDefaultProps", "merge", "hoist", "strings", "addTag", "arg", "interleave", "constructWithOptions", "componentConstructor", "isValidElementType", "templateFunction", "withConfig", "config", "WithTheme", "themeProp", "hoistStatics", "useTheme", "reactNative", "require", "\_InlineStyle", "\_StyledNativeComponent", "styled", "aliases", "alias", "enumerable", "configurable"], "mappings": ":", "A", "AA", "AAA", "AAAA", "AACA", "AAEA", "IAAMA", "aAAa", "GAAG", "UAATB", "AAEA", "AAEA", "IAAMC", "WAAW", "GAAG", "EAAP", "AAEA", "AACA", "IAAMC", "iBAAiB", "GAAG", "SAAPBA", "iBAAoB", "CAACC", "IAAD", "AAAA", "SACxBC", "MAAM", "CAACC", "YAAP", "CAAoBF", "IAAI", "IAAIA", "IAAI", "GAAG", "EAAP", "GAAY", "EAAZ", "GAAiB", "EAArB", "CAAxB", "CADwB", "AAAA", "CAAIB", "AAGAA", "AACe", "SAASG", "sBAAT", "CAAgCH", "IAAhC", "EAASd", "AACnE", "MAAII", "IAAI", "GAAG", "EAAX", "AACA", "MAAIC", "CAAJ", "AAEA", "AACA", "OAKA", "CAAC", "GAAGC", "IAAI", "CAACC", "GAAL", "CAASP", "IAAT", "CAAT", "EAAyBK", "CAAC", "GAAGP", "WAA7B", "EAA0CO", "CAAC", "GAAIA", "CAAC", "GAAGP", "WAAL", "GAAoB", "CAAIE", "EAAqE", "AACnEM", "IAAAA", "IAAI", "GAAGL", "iBAAiB", "CAACM", "CAAC", "GAAGP", "WAAL", "CAAjB", "GAAqCM", "IAA5C", "AACD", "AAED", "SAAO", "CAACL", "iBAAiB", "CAACM", "CAAC", "GAAGP", "WAAL", "CAAjB", "GAAqCM", "IAATc", "EAA4CI", "OAA5C", "CAAoDX", "aAApD", "EAAmE", "OAA nE", "CAAP", "AACD", "ACxBD", "AACA", "AAEA", "AAAO", "IAAMY", "IAAI", "GAAG", "IAAb", "AAGP", "AACA", "AACA", "AAAO", "IAAMC", "KAAK", "GAAG", "SAARA", "KAAQ", "CAACC", "CAAD", "EAAYN", "CAAZ", "EAAkC", "AACrD", "MAAIO", "CAAC", "GAAGP", "CAAC", "CAACQ", "MAAV", "AAEA", "SAAOD", "CAAP", "EAAU", "AACRD", "IAAAA", "CAAC", "GAAIA", "CAAC", "GAAG", "EAAL", "GAAWN", "CAAC", "CAACS", "UAAF", "CAAa", "EAAEF", "CAAf", "CAAF", "AACD", "AAED", "SAAOD", "CAAP", "AACD", "CARM", "AAWP", "AAAO", "IAAMI", "IAAI", "GAAG", "SAAPA", "IAAO", "CAACV", "CAAD", "EAAuB", "AACzC", "SAAOK", "KAAK", "CAACD", "IAAD", "E

AAOJ,CAAP,CAAZ;AACD,CAFm;;ACnBP;AAKA,2BA Ae,UAACW,GAAD,EAAyB;AACtC,SAAOb,sBAAsB,CAACY,IAAI,CAACC,GAAD,CAAJ,KAAc,CAAf,CAA7B;AACD,CAFD;;ACLA;AAGA,AAAE,SAASC,gBAAT,CACbC,MADa,EAEL;AACR,SACE,CAACC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GAAwC,OAAOH,MAAP,KAAkB,QAAIB,IAA8BA,MAAE,EAA+E,KAAhF;AAEAA,EAAAA,MAAM,CAACI,WAFP;AAIAJ,EAAAA,MAAM,CAACd,IAJP,IAKA,WANF;AAQD;;ACdD;AACa,AAAE,SAASmB,UAAT,CAAoBC,IAApB,EAAgD;AAC7D,SAAO,OAAOA,IAAP,KAAgB,UAAvB;AACD;;ACHD;AACa,AAAE,SAASC,mBAAT,CAA6BD,IAA7B,EAAiD;AAC9D,SACE,OAAOA,IAAP,KAAgB,UAAhB,IACG,EACDA,IAAI,CAACE,SAAL,IACGF,IAAI,CAACE,SAAL,CAAeC,gBAFjB,CAFL;AAOD;;ACTD;AACa,AAEA,qBA Ae,UAAcTB,CAAD;AA AA,SACbA,CAAC,KAAK,IAAN,IACA,OAAOA,CAAP,KAAa,QADb,IAEA,CAACA,CAAC,CAACuB,QAAF,GA AvB,CAAC,CAACuB,QAAF,EAAb,GAA4BC,MAAM,CAACH,SAAP,CAAiBe,QAAjB,CAA0BE,IAA1B,CA A+BzB,CAA/B,CAA7B,MAAoE,iBAFpE,IAGA,CAAC0B,cAAM,CAAC1B,CAAD,CAJM;AAAA,CAAf;;ACHA ;AACa,AAAE,SAAS2B,iBAAT,CAA2Bd,MAA3B,EAAyD;AACtE,SAAOA,MAAM,IAAI,OAAOA,MAAM,CA ACe,iBAAd,KAAoC,QAArD;AACD;;ACHD;AAKA,AAAO,IAAMC,OAA O,GACjB,OAAOf,OAAP,KAAmB,WAAAnB,KAAmCA,OAAO,CAACC,GAAR,CAAYe,iBAAZ,IAAiChB,OAAO ,CAACC,GAAR,CAAYc,OAAhF,CAAD,IACA,aAFK;AAIP,AAAO,IAAME,cAAc,GAAG,QAAvB;AACP,AAA O,IAAMC,eAAe,GAAG,qBA AxB;AACP,AAAO,IAAMC,UAAU,GAAGC,OAAAnB;AACP,AAAO,IAAMC,QAA Q,GAAG,WAAjB;AAEP,AAAO,IAAMC,UAAU,GAAG,OAAOC,MAAP,KAAkB,WAAIB,IAAiC,iBAAiBA,MA ArE;AAEP,AAAO,IAAMC,cAAc,GACzBC,OAAO,CAAC,OAAOC,iBAAP,KAA6B,SAA7B,GACJA,iBADI,GA EH,OAAO1B,OAAP,KAAmB,WAAAnB,IAAkC,OAAOA,OAAO,CAACC,GAAR,CAAY0B,2BAAnB,KAAmD,W AArF,IAAoG3B,OAAO,CAACC,GAAR,CAAY0B,2BAAZ,KAA4C,EAAhJ,GACC3B,OAAO,CAACC,GAAR,C AAY0B,2BAAZ,KAA4C,OAA5C,GAAsD,KAAiD,GAA8D3B,OAAO,CAACC,GAAR,CAAY0B,2BAD3E,GAEE ,OAAO3B,OAAP,KAAmB,WAAAnB,IAAkC,OAAOA,OAAO,CAACC,GAAR,CAAYyB,iBAAnB,KAAyC,WAA3 E,IAA0F1B,OAAO,CAACC,GAAR,CAAYyB,iBAAZ,KAAkC,EAA5H,GACC1B,OAAO,CAACC,GAAR,CAAY yB,iBAAZ,KAAkC,OAAIC,GAA4C,KAA5C,GAAoD1B,OAAO,CAACC,GAAR,CAAYyB,iBADjE,GAEC1B,O AAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAN1B,CADF;;AChBP;AACa,AAAO,IAAM0B,WAAW,GAAG IB,MAAM,CAACmB,MAAP,CAAc,EAAd,CAApB;AACP,AAAO,IAAMC,YAAy,GAAGpB,MAAM,CAACmB, MAAP,CAAc,EAAd,CAArB;;ACFP,eAAe;AAAC,OAAI,uDAAL;AAA6D,OAAI,+PAAjE;AAAiU,OAAI,qHAAr U;AAA2b,OAAI,qMAA/b;AAAqoB,OAAI,iKAAzoB;AAA2yB,OAAI,2OAA/yB;AAA2hC,OAAI,sHAA/hC;AAA spC,OAAI,+DAA1pC;AAA0tC,OAAI,+BAA9tC;AAA8vC,QAAK,gUAAAnwC;AAAokD,QAAK,uNAAzkD;AAAi yD,QAAK,oWAAtyD;AAA2oE,QAAK,wLAAhpE;AAAY0E,QAAK,gDAA90E;AAA+3E,QAAK,0ZAAp4E;AAA +xF,QAAK,sQAAPyF;AAA2iG,QAAK;AAAhjG,CAAf;;ACAA;AACa,AAEA,IAAME,MAAM,GAAG/B,OAAO ,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GAAwC8B,QAAxC,GAAMd,EAAIE;AAEA;;;AAGA,SAAS C,MAAT,GAAYB;AACvB,MAAIC,CAAC,mDAAL;AACa,MAAMC,CAAC,GAAG,EAAV;;AAEA,OAAK,IAAI C,CAAC,GAAG,CAAR,EAAWC,GAAG,GAAG,UAAK3C,MAA3B,EAAmC0C,CAAC,GAAGC,GAAvC,EAA4 CD,CAAC,IAAI,CAAjD,EAAoD;AACIDD,IAAAA,CAAC,CAACG,IAAF,CAAYF,CAAZ,4BAAYA,CAAZ,yBA AYA,CAAZ;AACD;;AAEDD,EAAAA,CAAC,CAACI,OAAF,CAAU,UAAAC,CAAC,EAAI;AACbN,IAAAA,CA AC,GAAGA,CAAC,CAAC7C,OAAF,CAAU,QAAV,EAAoBmD,CAApB,CAAJ;AACD,GAFD;AAIA,SAAON,C AAP;AACD;AAED;;AAIA,AAAE,SAASO,0BAAT,CACb5D,IADa,EAGb;AAAA,oCADG6D,cACH;AADGA,I AAAAA,cACH;AAAA;;AACa,MAAI1C,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAA7B,EAA2C;AACz C,UAAAM,IAAIyC,KAAJ,kDAC2C9D,IAD3C,+BAEF6D,cAAc,CAACHd,MAAf,GAAwB,CAAxB,eAAsCgD,cA Ac,CAACE,IAAf,CAAoB,IAApB,CAAtC,GAAoE,EAfIE,EAAN;AAKD,GAND,MAMO;AACL,UAAAM,IAAID, KAAJ,CAAUV,MAAM,MAAN,UAAOF,MAAM,CAACID,IAAD,CAAb,SAAwB6D,cAAxB,GAAwCG,IAAxC,E AAV,CAAN;AACD;AACF;;ACxCD;AAOA;;AACa,AAAO,IAAMC,cAAc,GAAG,SAAjBA,cAAiB,CAACC,GA AD,EAA0B;AACtD,SAAO,IAAIC,iBAAJ,CAAsBD,GAAtB,CAAP;AACD,CAFm;AAIP,IAAME,SAAS,GAAG, KAAK,CAAvB;;IAEMD;AAOJ,6BAAYD,GAAZ,EAA5B;AACpB,SAAKG,UAAAL,GAAkB,IAAIC,WAAJ,CAAg BF,SAAhB,CAAIB;AACa,SAAKvD,MAAL,GAACuD,SAAd;AACa,SAAKF,GAAL,GAAWA,GAAX;AACD;;; SAEDK,eAAA,sBAACa,KAAb,EAAoC;AACIC,QAAIC,KAAK,GAAG,CAAZ;;AACa,SAAK,IAAI7D,CAAC,G AAG,CAAb,EAAgBA,CAAC,GAAG4D,KAApB,EAA2B5D,CAAC,EAA5B,EAAgC;AAC9B6D,MAAAA,KAA

K,IAAI,KAAKJ,UAAL,CAA<sub>g</sub>BzD,CAA<sub>h</sub>B,CAAT;AACD;;AAED,WAAO6D,KAAP;AACD;;SAEDC,cAAA,qBA  
AYF,KA AZ,EAA2BG,KAA3B,EAakD;AAC<sub>h</sub>D,QAAIH,KAAK,IAAI,KAAKH,UAAL,CAA<sub>g</sub>BxD,MAA7B,EAA  
qC;AAC<sub>n</sub>C,UAAM+D,SAAS,GAAG,KAAKP,UAA<sub>v</sub>B;AACA,UAAMQ,OAAO,GAAGD,SAAS,CAAC/D,MAA1  
B;AAEA,UAAIIE,OAAO,GAAGD,OAA<sub>d</sub>;;AACA,aAAOL,KAAK,IAAIM,OAA<sub>h</sub>B,EAAYB;AAC<sub>v</sub>BA,QAAAA,O  
AAO,KAAK,CAAZ;;AACA,YAAIA,OAAO,GAAG,CAA<sub>d</sub>,EAAiB;AAC<sub>f</sub>C,UAAAA,0BAA<sub>g</sub>B,CAAC,EAAD,OA  
AQP,KAAR,CAA<sub>h</sub>B;AACD;AACF;;AAED,WAAKH,UAAL,GAakB,IAAIC,WAAJ,CAA<sub>g</sub>BQ,OAA<sub>h</sub>B,CAAIB;  
AACA,WAAKT,UAAL,CAA<sub>g</sub>BW,GAa<sub>h</sub>B,CAA<sub>o</sub>BJ,SAAPB;AACA,WAAK/D,MAAL,GAACiE,OAA<sub>d</sub>;;AAEA,  
WAAK,IAAIIE,CAAC,GAAGiE,OAA<sub>b</sub>,EAAsBjE,CAAC,GAAGkE,OAA1B,EAAMCIE,CAAC,EAAPC,EAawC;  
AACtC,aAAKyD,UAAL,CAA<sub>g</sub>BzD,CAA<sub>h</sub>B,IAAqB,CAArB;AACD;AACF;;AAED,QAAIqE,SAAS,GAAG,KAA  
KV,YAAL,CAakBC,KAAK,GAAG,CAA1B,CAA<sub>h</sub>B;;AACA,SAAK,IAAI5D,EAAC,GAAG,CAAR,EAAsE,C  
AAC,GAAGP,KAAK,CAAC9D,MAA1B,EAakCD,EAAC,GAAGsE,CAA<sub>t</sub>C,EAAYCtE,EAAC,EAA1C,EAA8C;  
AAC5C,UAAI,KAAKsD,GAAL,CAASiB,UAAT,CAA<sub>o</sub>BF,SAAPB,EAA+BN,KAAK,CAAC/D,EAAD,CAAPC,C  
AAJ,EAA8C;AAC5C,aAAKyD,UAAL,CAA<sub>g</sub>BG,KAa<sub>h</sub>B;AACAS,QAAAA,SAAS;AACV;AACF;AACF;;SAED  
G,aAAA,oBAAWZ,KAAAX,EAAGC;AAC9B,QAAIA,KAAK,GAAG,KAAK3D,MAAjB,EAAYB;AAC<sub>v</sub>B,UAAM  
A,MAAM,GAAG,KAAKwD,UAAL,CAA<sub>g</sub>BG,KAa<sub>h</sub>B,CAAF;AACA,UAAMa,UAAU,GAAG,KAAKd,YAAL,C  
AAkBC,KAAIB,CAAnB;AACA,UAAMc,QAAQ,GAAGD,UAAU,GAAGx<sub>E</sub>,MAA9B;AAEA,WAAKwD,UAAL,  
CAA<sub>g</sub>BG,KAa<sub>h</sub>B,IAAYB,CAAzB;;AAEA,WAAK,IAAI5D,CAAC,GAAGyE,UAA<sub>b</sub>,EAAYBzE,CAAC,GAAG0E,  
QAA7B,EAa<sub>u</sub>C1E,CAAC,EAAXC,EAA4C;AAC1C,aAAKsD,GAAL,CAASqB,UAAT,CAA<sub>o</sub>BF,UAAPB;AACD;  
AACF;AACF;;SAEDG,WAAA,kBAASHB,KAAT,EAAGC;AAC9B,QAAIiB,GAAG,GAAG,EAAV;;AACA,QAAI  
jB,KAAK,IAAI,KAAK3D,MAAd,IAAwB,KAAKwD,UAAL,CAA<sub>g</sub>BG,KAa<sub>h</sub>B,MAA2B,CAA<sub>v</sub>D,EAA0D;AACx  
D,aAAOiB,GAAP;AACD;;AAED,QAAM5E,MAAM,GAAG,KAAKwD,UAAL,CAA<sub>g</sub>BG,KAa<sub>h</sub>B,CAAF;AACA,  
QAAMa,UAAU,GAAG,KAAKd,YAAL,CAakBC,KAAIB,CAAnB;AACA,QAAMc,QAAQ,GAAGD,UAAU,GA  
AGx<sub>E</sub>,MAA9B;;AAEA,SAAK,IAAID,CAAC,GAAGyE,UAA<sub>b</sub>,EAAYBzE,CAAC,GAAG0E,QAA7B,EAa<sub>u</sub>C1E,C  
AAC,EAAXC,EAA4C;AAC1C6E,MAAAA,GAAG,SAAO,KAAKvB,GAAL,CAASwB,OAAT,CAAiB9E,CAAjB,  
CAAP,GAA6B4B,QAAhC;AACD;;AAED,WAAOiD,GAAP;AACD;;;;AChGH;AAEA,AAEA,IAAME,OAAO,G  
AAG,KAAK,KAAK,CAA1B;AAEA,IAAIC,eAAe,GAawB,IAAIC,GAAJ,EAA3C;AACA,IAAIC,eAAe,GAawB,  
IAAID,GAAJ,EAA3C;AACA,IAAIE,aAAa,GAAG,CAAPB;AAEA,AAMO,IAAMC,aAAa,GAAG,SAAhBA,aAA  
gB,CAACC,EAAD,EAawB;AACnD,MAAIL,eAAe,CAACM,GAa<sub>h</sub>B,CAAoBD,EAAPB,CAAJ,EAA6B;AAC3B,  
WAAQL,eAAe,CAACO,GAa<sub>h</sub>B,CAAoBF,EAAPB,CAAR;AACD;;AAED,SAAOH,eAAe,CAACI,GAa<sub>h</sub>B,CAAo  
BH,aAApB,CAAP,EAA2C;AACzCA,IAAAA,aAAa;AACd;;AAED,MAAMvB,KAAK,GAAGuB,aAAa,EAA3B;;  
AAEA,MACE5E,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC,CAACmD,KAAK,GAAG,CA  
AT,IAAc,CAA<sub>d</sub>,IAAmBA,KAAK,GAAGmB,OAD5B,CADF,EAGE;AACAZ,IAAAA,0BAA<sub>g</sub>B,CAAC,EAAD,O  
AAQP,KAAR,CAA<sub>h</sub>B;AACD;;AAEDoB,EAAAA,eAAe,CAACZ,GAa<sub>h</sub>B,CAAoBiB,EAAPB,EAawBzB,KAAx  
B;AACAsB,EAAAA,eAAe,CAACd,GAa<sub>h</sub>B,CAAoBR,KAAPB,EAA2ByB,EAA3B;AACA,SAAOzB,KAAP;AAC  
D,CARBM;AAuBP,AAAO,IAAM4B,aAAa,GAAG,SAAhBA,aAAgB,CAAC5B,KAAD,EAakC;AAC7D,SAAOsB,  
eAAe,CAACK,GAa<sub>h</sub>B,CAAoB3B,KAAPB,CAAP;AACD,CAFm;AAIP,AAAO,IAAM6B,aAAa,GAAG,SAAhBA  
,aAAgB,CAACJ,EAAD,EAazB,KAAb,EAA+B;AAC1D,MAAIA,KAAK,IAAIuB,aAAb,EAA4B;AAC1BA,IAA  
AA,aAAa,GAAGvB,KAAK,GAAG,CAAxB;AACD;;AAEDoB,EAAAA,eAAe,CAACZ,GAa<sub>h</sub>B,CAAoBiB,EAAP  
B,EAawBzB,KAAxB;AACAsB,EAAAA,eAAe,CAACd,GAa<sub>h</sub>B,CAAoBR,KAAPB,EAA2ByB,EAA3B;AACD,C  
APM;;AC3CP;AAEA,AAIA,IAAMK,QAAQ,cAAYpE,OAAZ,UAAwBG,eAAxB,WAA4CC,UAA5C,QAA<sub>d</sub>;AAC  
A,IAAMiE,SAAS,GAAG,IAAIC,MAAJ,OAAetE,OAaf,sDAAIB;AAEA,AAAO,IAAMuE,WAAW,GAAG,SAAd  
A,WAAc,CAACC,KAAD,EAakB;AAC3C,MAAMxC,GAAG,GAAGwC,KAAK,CAACC,MAAN,EAAZ;AAD2C  
,MAEnC9F,MAFmC,GAExBqD,GAfwB,CAEnCrD,MAFmC;AAI3C,MAAI4E,GAAG,GAAG,EAAV;;AACA,O  
AAK,IAAIjB,KAAK,GAAG,CAAjB,EAAoBA,KAAK,GAAG3D,MAA5B,EAAoC2D,KAAK,EAAzC,EAA6C;A  
AC3C,QAAMyB,EAAE,GAAGG,aAAa,CAAC5B,KAAD,CAAxB;AACA,QAAIyB,EAAE,KAAKW,SAAX,EAA  
sB;AAEtB,QAAMC,KAAK,GAAGH,KAAK,CAACG,KAAN,CAAYV,GAAZ,CAA<sub>g</sub>BF,EAa<sub>h</sub>B,CAAd;AACA,Q  
AAMtB,KAAK,GAAGT,GAAG,CAACsB,QAAJ,CAAa<sub>h</sub>B,KAAb,CAAd;AACA,QAAI,CAACqC,KAAD,IAAU,  
CAACIC,KAAAX,IAAoB,CAACKC,KAAK,CAACC,IAA/B,EAAqC;AAErC,QAAMC,QAAQ,GAAM7E,OAAN,U

AAkBsC,KAAIB,cAA+ByB,EAA/B,QAAd;AAEA,QAAIe,OAAO,GAAG,EAAd;;ACA,QAAIH,KAAK,KAAK  
D,SAAd,EAAYB;AACvBC,MAAAA,KAAK,CAACnD,OAAN,CAAc,UAAAdD,IAAI,EAAI;AACpB,YAAIA,IAA  
I,CAACS,MAAL,GAAC,CAAIB,EAAqB;AACnBmG,UAAAA,OAAO,IAAO5G,IAAP,MAAP;AACD;AACF,OAJ  
D;AAKD,KAJB0C;AAoB3C;;;AACaQF,IAAAA,GAAG,SAAOd,KAAP,GAAeoC,QAaf,mBAAoCC,OAApC,WA  
AgDxE,QAAAnD;AACD;;AAED,SAAOiD,GAAP;AACD,CA9BM;;AAgCP,IAAMwB,yBAAyB,GAAG,SAA5BA,  
yBAA4B,CAACP,KAAD,EAaeT,EAaf,EAA2Be,OAA3B,EAA+C;AAC/E,MAAMH,KAAK,GAAGG,OAAO,CA  
ACE,KAAR,CAAc,GAAd,CAAd;ACA,MAAI9G,IAAJ;;AAEA,OAAK,IAAIQ,CAAC,GAAG,CAAR,EAAWsE,  
CAAC,GAAG2B,KAAK,CAACgH,MAA1B,EAakCD,CAAC,GAAGsE,CAAtC,EAAYCtE,CAAC,EAA1C,EAA8  
C;AAC5C;ACA,QAAKR,IAAI,GAAGyG,KAAK,CAACjG,CAAD,CAAjB,EAauB;AACrB8F,MAAAA,KAAK,  
CAACS,YAAN,CAAmBIB,EAAnB,EAauB7F,IAAvB;AACD;AACF;AACF,CAVD;;AAYA,IAAMgH,qBAAqB,  
GAAG,SAAxB,qBAAwB,CAACV,KAAD,EAaeW,KAaf,EAA2C;AACvE,MAAMC,KAAK,GAAG,CAACD,K  
AAK,CAACE,WAAN,IAAQB,EAAtB,EAA0BL,KAA1B,CAAgC1E,QAAhC,CAAd;ACA,MAAMmC,KAAK,G  
AAa,EAAXB;;AAEA,OAAK,IAAI/D,CAAC,GAAG,CAAR,EAAWsE,CAAC,GAAGoC,KAAK,CAACzG,MAA1  
B,EAakCD,CAAC,GAAGsE,CAAtC,EAAYCtE,CAAC,EAA1C,EAA8C;AAC5C,QAAm4G,IAAI,GAAGF,KAA  
K,CAAC1G,CAAD,CAAL,CAASoD,IAAT,EAAb;ACA,QAAI,CAACwD,IAAL,EAAW;AAEX,QAAmC,MAA  
M,GAAGD,IAAI,CAACE,KAAL,CAAWnB,SAAX,CAAF;;AAEA,QAAIkB,MAAJ,EAAY;AACV,UAAMjD,KA  
AK,GAAGmD,QAAQ,CAACF,MAAM,CAAC,CAAD,CAAP,EAAY,EAaz,CAAR,GAA0B,CAAxC;ACA,UA  
AMxB,EAae,GAAGwB,MAAM,CAAC,CAAD,CAAjB;;AAEA,UAAIjD,KAAK,KAAK,CAAd,EAaiB;AACf;A  
ACA6B,QAAAA,aAAa,CAACJ,EAAD,EAakzB,KAAL,CAAb,CAFe;AAIf;;AACAYC,QAAAA,yBAAyB,CAAC  
P,KAAD,EAaQT,EAAR,EAAYwB,MAAM,CAAC,CAAD,CAAIB,CAAzB;AACaf,QAAAA,KAAK,CAACC,M  
AAN,GAAejC,WAAf,CAA2BF,KAA3B,EAakCG,KAAIC;AACD;;AAEDA,MAAAA,KAAK,CAAC9D,MAAN,  
GAAe,CAAF;AACD,KADd,MAcO;AACL8D,MAAAA,KAAK,CAACIB,IAAN,CAAW+D,IAAX;AACD;AACF;  
AACF,CA5BD;;AA8BA,AAAO,IAAMI,cAAc,GAAG,SAAjBa,cAAiB,CAACIB,KAAD,EAakB;AAC9C,MAA  
MmB,KAAK,GAAGC,QAAQ,CAACC,gBAAT,CAA0BzB,QAA1B,CAAd;;AAEA,OAAK,IAAI1F,CAAC,GAAG  
,CAAR,EAAWsE,CAAC,GAAG2C,KAAK,CAACgH,MAA1B,EAakCD,CAAC,GAAGsE,CAAtC,EAAYCtE,CA  
AC,EAA1C,EAA8C;AAC5C,QAAm0H,IAAI,GAAKH,KAAK,CAACjH,CAAD,CAApB;;ACA,QAAIoH,IAAI,I  
AAIA,IAAI,CAACC,YAAL,CAakB/F,OAAIB,MAA+BE,cAA3C,EAA2D;AACzDgF,MAAAA,qBAAqB,CAAC  
V,KAAD,EAQsB,IAAR,CAArB;;AAEA,UAAIA,IAAI,CAACE,UAAT,EAaqB;AACnBF,QAAAA,IAAI,CAAC  
E,UAAL,CAAgBC,WAAhB,CAA4BH,IAA5B;AACD;AACF;AACF;AACF,CAbM;;ACnFP;;ACA;AAIA,IAAM  
I,QAAQ,GAAG,SAAXA,QAAW,GAAM;AAErB,SAAO,OAAO1F,MAAP,KAakB,WAAIB,GACH,OAAOA,MA  
AM,CAAC2F,iBAAd,KAAoC,WAApC,GACE3F,MAAM,CAAC2F,iBADT,GAEE,IAHC,GAIH,IAJJ;AAKD,CA  
PD;;ACLA;AAEA,AAIA,IAAMC,YAAY,GAAG,CAArB;AAAwB;;AAEXB;;ACA,IAAMC,gBAAgB,GAAG,S  
AAAnBA,gBAAmB,CAACrH,MAAD,EAakD;AAAA,MACjEsH,UADiE,GACIDtH,MADkD,CACjEsH,UADiE;;A  
AGzE,OAAK,IAAI5H,CAAC,GAAG4H,UAAU,CAAC3H,MAAxB,EAAGCD,CAAC,IAAI,CAArC,EAawCA,CA  
AC,EAAzC,EAA6C;AAC3C,QAAm6H,KAAK,GAAKD,UAAU,CAAC5H,CAAD,CAA1B;;ACA,QAAI6H,KA  
AK,IAAIA,KAAK,CAACC,QAAAN,KAAmBJ,YAA5B,IAA4CG,KAAK,CAACE,YAAN,CAAmBzG,OAAAnB,CA  
AhD,EAA6E;AAC3E,aAASuG,KAAT;AACD;AACF;;AAED,SAAO7B,SAAP;AACD,CAXD;AAaA;;ACA,AA  
AO,IAAMgC,YAAY,GAAG,SAafA,YAAe,CAAC1H,MAAD,EAA4C;AACtE,MAAM2H,IAAI,GAakf,QAAQ,  
CAACe,IAAXB;ACA,MAAMC,MAAM,GAAG5H,MAAM,IAAI2H,IAAzB;ACA,MAAMxB,KAAK,GAAGS,  
QAAQ,CAACiB,aAAT,CAAuB,OAAvB,CAAd;ACA,MAAMC,SAAS,GAAGT,gBAAgB,CAACO,MAAD,CA  
AIC;ACA,MAAMG,WAAW,GAAGD,SAAS,KAAKpC,SAAd,GAA0BoC,SAAS,CAACC,WAApC,GAakD,IA  
AtE;AAEA5B,EAAAA,KAAK,CAAC6B,YAAN,CAAmBhH,OAAAnB,EAA4BE,cAA5B;AACAiF,EAAAA,KAA  
K,CAAC6B,YAAN,CAAmB7G,eAAAnB,EAAoCC,UAApC;AAEA,MAAM6G,KAAK,GAAGf,QAAQ,EAAtB;AA  
EA,MAAIe,KAAJ,EAAW9B,KAAK,CAAC6B,YAAN,CAAmB,OAAAnB,EAA4BC,KAA5B;AAEXL,EAAAA,MA  
AM,CAACM,YAAP,CAAoB/B,KAApB,EAA2B4B,WAA3B;AAEA,SAAO5B,KAAP;AACD,CAjBM;AAmBP;;A  
ACA,AAAO,IAAMgC,QAAQ,GAAG,SAAXA,QAAW,CAACnF,GAAD,EAA0C;AACHE,MAAIA,GAAG,CAAC  
wC,KAAR,EAae;AACb,WAASxC,GAAG,CAACwC,KAAb;AACD,GAH+D;;;AAAA,kBAMxCoB,QANwC;AA  
AA,MAMxDwB,WANwD,aAMxDA,WANwD;;AAOhE,OAAK,IAAI1I,CAAC,GAAG,CAAR,EAAWsE,CAAC,

GAAGoE,WAAW,CAACzI,MAAhC,EAAwCD,CAAC,GAAGsE,CAA5C,EAA+CtE,CAAC,EAAhD,EAAoD;AACID,QAAM8F,KAAK,GAAG4C,WAAW,CAAC1I,CAAD,CAAzB;;AACA,QAAl8F,KAAK,CAAC6C,SAAN,KA AoBrF,GAAxB,EAA6B;AAC3B,aAASwC,KAAT;AACD;AACF;;AAED3B,EAAAA,0BAAGB,CAAC,EAAD,CA AhB;AACA,SAAQ6B,SAAR;AACD,CAhBM;;AC3CP;AAMA;;AACA,AAAO,IAAM4C,OAAO,GAAG,SAAVA, OAAU,OAAgE;AAAA,MAA7DC,QAA6D,QAA7DA,QAA6D;AAAA,MAAnDC,iBAAMd,QAAAnDA,iBAAMd; AAAA,MAAhCxI,MAAgC,QAAhCA,MAAgC;;AACrF,MAAIuI,QAAlJ,EAAc;AACZ,WAAO,IAAIE,UAAJ,CAA ezI,MAAf,CAAP;AACD,GAfD,MAEO,IAAIwI,iBAAJ,EAAuB;AAC5B,WAAO,IAAIE,QAAlJ,CAAaI,MAAb,C AAP;AACD,GAfM,MAEA;AACL,WAAO,IAAI2I,OAAJ,CAAY3I,MAAZ,CAAP;AACD;AACF,CARM;AAUP,I AAa0I,QAAb;AAOE,oBAAY1I,MAAZ,EAakC;AAChC,QAAM4I,OAAO,GAAl,KAAKA,OAAL,GAAelB,YAA Y,CAAC1H,MAAD,CAA5C,CADgC;;AAIhC4I,IAAAA,OAAO,CAACC,WAAO,CAAoBjC,QAAlQ,CAACkC,cA AT,CAAwB,EAAxB,CAApB;AAEA,SAAKtD,KAAL,GAAa2C,QAAlQ,CAACS,OAAO,CAArB;AACA,SAAKjJ, MAAL,GAAC,CAAd;AACD;;AAfH;;AAAA,SAiBEsE,UajBF,GAiBE,oBAAWV,KAAAX,EAA0BwF,IAA1B,EAA iD;AAC/C,QAAl;AACF,WAAKvD,KAAL,CAAWvB,UAAAX,CAAsB8E,IAAtB,EAA4BxF,KAA5B;AACA,WAA K5D,MAAL;AACA,aAAO,IAAP;AACD,KAJD,CAIE,OAAOqJ,MAAP,EAAe;AACf,aAAO,KAAP;AACD;AACF ,GAzBH;;AAAA,SA2BE3E,UA3BF,GA2BE,oBAAWd,KAAAX,EAAgC;AAC9B,SAAKiC,KAAL,CAAWnB,UAA X,CAAsBd,KAAtB;AACA,SAAK5D,MAAL;AACD,GA9BH;;AAAA,SAgCE6E,OAhCF,GAgCE,iBAAQjB,KAA R,EAA+B;AAC7B,QAAMwF,IAAl,GAAG,KAAKvD,KAAL,CAAWyD,QAAX,CAAoB1F,KAAPB,CAAb,CAD6 B;;AAG7B,QAAlwF,IAAl,KAAKrD,SAAT,IAAsB,OAAOqD,IAAl,CAACG,OAAZ,KAAwB,QAAlD,EAA4D;A AC1D,aAAOH,IAAl,CAACG,OAAZ;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF,GAxCH;;AAAA; AAAA;AA2CA;;AACA,IAAaP,OAAb;AAOE,mBAAY3I,MAAZ,EAakC;AAChC,QAAM4I,OAAO,GAAl,KAA KA,OAAL,GAAelB,YAAAY,CAAC1H,MAAD,CAA5C;AACA,SAAK2G,KAAL,GAAaiC,OAAO,CAACtB,UAAr B;AACA,SAAK3H,MAAL,GAAC,CAAd;AACD;;AAXH;;AAAA,UAAEsE,UAbF,GAaE,oBAAWV,KAAAX,EAA0 BwF,IAA1B,EAAiD;AAC/C,QAAlxF,KAAK,IAAl,KAAK5D,MAAd,IAAwB4D,KAAK,IAAl,CAArC,EAAwC;A ACtC,UAAmUD,IAAl,GAAGF,QAAlQ,CAACkC,cAAT,CAAWBC,IAAxB,CAAb;AACA,UAAmI,OAAO,GAAG, KAAKxC,KAAL,CAAWpD,KAAAX,CAAhB;AACA,WAAKqF,OAAL,CAAaV,YAAb,CAA0BpB,IAA1B,EAAgC qC,OAAO,IAAl,IAA3C;AACA,WAAKxJ,MAAL;AACA,aAAO,IAAP;AACD,KAND,MAMO;AACL,aAAO,KA AP;AACD;AACF,GAvBH;;AAAA,UAYBE0E,UazBF,GAyBE,oBAAWd,KAAAX,EAAgC;AAC9B,SAAKqF,OAA L,CAAa3B,WAAb,CAAYB,KAAKN,KAAL,CAAWpD,KAAAX,CAAzB;AACA,SAAK5D,MAAL;AACD,GA5BH; ;AAAA,UA8BE6E,OA9BF,GA8BE,iBAAQjB,KAAAR,EAA+B;AAC7B,QAAlA,KAAK,GAAG,KAAK5D,MAAjB ,EAAyB;AACvB,aAAO,KAAKgH,KAAL,CAAWpD,KAAAX,EAakB8C,WAAzB;AACD,KAFD,MAEO;AACL,a AAO,EAAP;AACD;AACF,GApCH;;AAAA;AAAA;AAuCa;;AACA,IAAaoC,UAAb;AAKE,sBAAYW,OAAZ,E AAmC;AACjC,SAAK3F,KAAL,GAAa,EAAb;AACA,SAAK9D,MAAL,GAAC,CAAd;AACD;;AARH;;AAAA,U AUEsE,UAVF,GAUE,oBAAWV,KAAAX,EAA0BwF,IAA1B,EAAiD;AAC/C,QAAlxF,KAAK,IAAl,KAAK5D,M AAIB,EAA0B;AACxB,WAAK8D,KAAL,CAAW4F,MAAX,CAAKB9F,KAAIB,EAAyB,CAAzB,EAA4BwF,IAA 5B;AACA,WAAKpJ,MAAL;AACA,aAAO,IAAP;AACD,KAJD,MAIO;AACL,aAAO,KAAP;AACD;AACF,GAIB H;;AAAA,UAAoBE0E,UApBF,GAoBE,oBAAWd,KAAAX,EAAgC;AAC9B,SAAKE,KAAL,CAAW4F,MAAX,CAA kB9F,KAAIB,EAAyB,CAAzB;AACA,SAAK5D,MAAL;AACD,GAvBH;;AAAA,UAYBE6E,OAzBF,GAyBE,iBA AQjB,KAAAR,EAA+B;AAC7B,QAAlA,KAAK,GAAG,KAAK5D,MAAjB,EAAyB;AACvB,aAAO,KAAK8D,KA AL,CAAWF,KAAAX,CAAP;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF,GA/BH;;AAAA;AAAA;;A C5FA,IAAl+F,gBAAGB,GAAG/H,UAAvB;AAWA,IAAMgI,cAAc,GAAlB;AACnChB,EAAAA,QAAlQ,EAAE,C AACHH,UADwB;AAEnCiH,EAAAA,iBAAiB,EAAE,CAAC/G;AAFe,CAArC;AAKA;;IACqB+H;AAWnB;aACO C,aAAP,oBAAkB1E,EAAIB,EAAcC;AACpC,WAAOD,aAAa,CAACC,EAAD,CAApB;AACD;;AAED,sBACE2E, OADF,EAEEC,YAFF,EAGEhE,KAHF,EAIE;AAAA,QAHA+D,OAGA;AAHAA,MAAAA,OAGA,GAHgC3H,Y AGhC;AAAA;;AAAA,QAFA4H,YAEA;AAFAA,MAAAA,YAEA,GAF2C,EAE3C;AAAA;;AACA,SAAKD,OAAL,gBACKH,cADL,MAEKG,OAFL;AAKA,SAAKE,EAAL,GAAUD,YAAV;AACA,SAAKhE,KAAL,GAAa,IAAl hB,GAAJ,CAAQgB,KAAAR,CAAb;AACA,SAAKkE,MAAL,GAAC,CAAC,CAACH,OAAO,CAACnB,QAAXB,CA RA;;AAWA,QAAl,CAAC,KAAKsB,MAAN,IAAgBtI,UAAhB,IAA8B+H,gBAAIC,EAAoD;AACIDA,MAAAA,g BAAgB,GAAG,KAAAnB;ACA5C,MAAAA,cAAc,CAAC,IAAD,CAAd;AACD;AACF;;;;SAEDoD,yBAAA,gCA

AuBJ,OAAvB,EAAsDK,SAAtD,EAakF;AAAA,QAA5BA,SAA4B;AAA5BA,MAAAA,SAA4B,GAAN,IAAM;A  
AAA;;AACHF,WAAO,IAAIP,UAAJ,cACA,KAAKE,OADL,MACiBA,OADjB,GAEL,KAAKE,EAFa,EAGJG,SA  
AS,IAAI,KAAKpE,KAAAnB,IAA6BD,SAHxB,CAAP;AAKD;;SAEDsE,qBAAA,4BAAmBjF,EAAnB,EAA+B;AA  
C7B,WAAQ,KAAK6E,EAAL,CAAQ7E,EAAR,IAAc,CAAC,KAAK6E,EAAL,CAAQ7E,EAAR,KAAe,CAAhB,I  
AAqB,CAA3C;AACD;AAED;;;SACAU,SAAA,kBAAqB;AACnB,WAAO,KAAKzC,GAAL,KAAa,KAAKA,GA  
AL,GAAWD,cAAc,CAACuF,OAAO,CAAC,KAAKoB,OAAN,CAAR,CAAtC,CAAP;AACD;AAED;;;SACAO,eA  
AA,sBAAaIF,EAAb,EAAyB7F,IAAzB,EAAGD;AAC9C,WAAO,KAAKyG,KAAL,CAAWX,GAAX,CAAeD,EAA  
f,KAAuB,KAAKY,KAAL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA0BC,GAA1B,CAA8B9F,IAA9B,CAA7B;  
AACD;AAED;;;SACA+G,eAAA,sBAAaIB,EAAb,EAAyB7F,IAAzB,EAAuC;AACrC4F,IAAAA,aAAa,CAACC,E  
AAD,CAAb;;AAEA,QAAI,CAAC,KAAKY,KAAL,CAAWX,GAAX,CAAeD,EAAf,CAAL,EAAyB;AACvB,UAA  
MmF,UAAU,GAAG,IAAIC,GAAJ,EAAnB;AACAD,MAAAA,UAAU,CAACE,GAAX,CAAeL,IAAf;AACa,WA  
AKyG,KAAL,CAAW7B,GAAX,CAAeiB,EAAf,EAAMbMf,UAAAnB;AACD,KAJD,MAIO;AACJ,WAAKvE,KA  
AL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA0BqF,GAA1B,CAA8BIL,IAA9B;AACD;AACF;AAED;;;SACAs  
E,cAAA,qBAAyUB,EAAZ,EAAwB7F,IAAxB,EAAsCuE,KAAiC,EAAD;AACrD,SAAKwC,YAAL,CAAKBIB,E  
AAIB,EAAsB7F,IAAtB;AACa,SAAKuG,MAAL,GAACjC,WAAd,CAA0BsB,aAAa,CAACC,EAAD,CAAvC,EA  
A6CtB,KAA7C;AACD;AAED;;;SACA4G,aAAA,oBAAWtF,EAAX,EAuB;AACrB,QAAI,KAAKY,KAAL,CAA  
WX,GAAX,CAAeD,EAAf,CAAJ,EAawB;AACrB,WAAKY,KAAL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA  
0BuF,KAA1B;AACD;AACF;AAED;;;SACAC,aAAA,oBAAWxF,EAAX,EAuB;AACrB,SAAKU,MAAL,GAAC  
vB,UAAAd,CAAyBY,aAAa,CAACC,EAAD,CAAtC;AACa,SAAKsF,UAAAL,CAAgBtF,EAAhB;AACD;AAED;;;S  
ACAyF,WAAA,oBAAW;AACT;AACa;AACa,SAAKxH,GAAL,GAAW0C,SAAX;AACD;AAED;;;SACAhF,W  
AAA,oBAAmB;AACjB,WAAO6E,WAAW,CAAC,IAAD,CAAIB;AACD;;;AC/HH;;;;;;;;;;;;;AAoBA;AAEA  
,AAAE,2BAAsT,UAAT,EAAqB;AACIC,MAAMwG,SAAS,GAAG,OAAIB;AACa,MAAMC,MAAM,GAAMD,  
SAAN,MAAZ;;AAEA,WAASE,OAAT,CAAIbC,KAAjB,EAawB;AACTb,QAAIA,KAAJ,EAaw;AACT,UAAI;A  
ACF3G,QAAAA,UAAU,CAAI2G,KAAJ,OAAV;AACD,OAFD,CAEE,OAAOC,CAAP,EAAU;AACb;AACF;;AA  
ED,SAAO,SAASC,SAAT,CACLC,OADK,EAELjF,OAFK,EAGLkF,SAHK,EAILC,OAJK,EAKLC,IALK,EAML  
C,MANK,EAOLxL,MAPK,EAQLyL,EARK,EASLC,KATK,EAULC,EAVK,EAWL;AACa,YAAQP,OAAR;AAC  
E;AACa,WAAK,CAAL;AAACE;AACa,YAAIM,KAAK,KAAK,CAAV,IAAevF,OAAO,CAACIG,UAAAR,CAAmB  
,CAAnB,MAA0B,EAA7C,EAAiD,OAAOqE,UAAU,CAAI6B,OAAJ,OAAV,EAA2B,EAAIC;AACjD;AACF;;AA  
CA,WAAK,CAAL;AAACE,YAAIsF,EAAE,KAAK,CAAX,EAAC,OAAOtF,OAAO,GAAG2E,SAAjB;AACd;AACF  
;;AACa,WAAK,CAAL;AAACE,gBAAQW,EAAR;AAACE;AACa,eAAK,GAAL;AACa,eAAK,GAAL;AAACE,mBA  
AOnH,UAAU,CAAC+G,SAAS,CAAC,CAAD,CAAT,GAAEiF,OAAhB,CAAV,EAAoC,EAA3C;;AACF;AAACE,m  
BAAOA,OAAO,IAAIwF,EAAE,KAAK,CAAP,GAAWb,SAAX,GAAuB,EAA3B,CAAd;AANJ;;AAQF,WAAK,C  
AAC,CAAN;AAACE3E,QAAAA,OAAO,CAACE,KAAAR,CAAc0E,MAAd,EAAsBII,OAAtB,CAA8BmI,OAA9B;A  
ArBJ;AAuBD,GAnCD;AAoCD;;AC/DD,IAAMY,aAAa,GAAG,eAAtB;AACa,IAAMC,uBAAuB,GAAG,CAAC,  
GAAD,EAAM,GAAN,EAaw,GAAX,EAAGb,GAAhB,CAAhC;AAOA,AAAE,SAASC,oBAAT,QAGkC;AAAA,g  
CAAdIJ,YAAc;AAAA,0BAF/C2H,OAE+C;AAAA,MAF/CA,OAE+C,6BAFrC3H,YAEqC;AAAA,0BAD/C2J,OA  
C+C;AAAA,MAD/CA,OAC+C,6BADrC7J,WACqC;;AAC/C,MAAM8J,MAAM,GAAG,IAAIC,MAAJ,CAAWIC,  
OAAAX,CAAF,CAD+C;AAI/C;AACa;;AAEA,MAAImC,YAAy,GAAG,EAAnB,CAP+C;;AAU/C,MAAMC,iBAA  
iB,GAAG,SAApBa,iBAAoB,CAAaf,OAAO,EAAl;AACnC,QAAIA,OAAO,KAAK,CAAC,CAAjB,EAAoB;AAC  
IB,UAAAMgB,WAAW,GAAGF,YAApB;AACAA,MAAAA,YAAy,GAAG,EAAf;AACa,aAAOE,WAAP;AACD;  
AACF,GAND;;AAQA,MAAMC,gBAAgB,GAAGC,gBAAgB,CAAC,UAAAI,IAAI,EAAl;AACChD8C,IAAAA,Y  
AAy,CAActJ,IAAb,CAAKbWg,IAAIB;AACD,GAfwC,CAAZC;;AAIA,MAAImD,YAAJ;;AACa,MAAIC,SAAJ;  
;AACa,MAAIC,eAAJ;;AACa,MAAIC,yBAAJ;;AAEA,MAAMC,qBAAqB,GAAG,SAAXBA,qBAawB,CAAC9F  
,KAAD,EAAQ+F,MAAR,EAAgBC,MAAhB,EAA2B;AACvD;AAEE,KAACD,MAAM,KAAK,CAAX,GAAEf,uB  
AAuB,CAACiB,OAAxB,CAAgCD,MAAM,CAACL,SAAS,CAACxM,MAAX,CAAtC,MAA8D,CAAC,CAA9E,G  
AAkF,IAAnF;AAEA,KAAc6M,MAAM,CAACHg,KAAP,CAAa6F,yBAAb,CAJH,EAKE;AACa,mBAAWH,YA  
AX;AACD;;AAED,WAAO1F,KAAP;AACD,GAXD;AAaA;;;;;;;;;;;;;AAaA,MAAMkG,8BAA8B,GAAG,SAAjC  
A,8BAAiC,CAAC3B,OAAD,EAAU4B,CAAV,EAAa3B,SAAb,EAA2B;AACHe,QAAID,OAAO,KAAK,CAAZ,IA

AiBC,SAAS,CAACrL,MAA3B,IAAqCqL,SAAS,CAAC,CAAD,CAAT,CAAa4B,WAAb,CAAyBT,SAAzB,IAAsC,CAA/E,EAaKf;AACHf;AACAnB,MAAAA,SAAS,CAAC,CAAD,CAAT,GAAeA,SAAS,CAAC,CAAD,CAAT,CAAa1L,OAAb,CAAqB8M,eAArB,EAAsCE,qBAATc,CAAf;AACD;AACF,GALD;;AAOAX,EAAAA,MAAM,CAACkB,GAAP,WAAenB,OAaf,GAAwBgB,8BAAXB,EAAwDV,gBAAXD,EAA0EF,iBAA1E;;AAEA,WAAsgB,cAAT,CAAwBvI,GAAxB,EAA6BsB,QAA7B,EAAuCKH,MAAvC,EAA+CC,WAA/C,EAA+E;AAAA,QAaHCA,WAAgC;AAAhCA,MAAAA,WAAgC,GAAIB,GAAkB;AAAA;;AAC7E,QAAMC,OAAO,GAAGI,GAAG,CAACjF,OAAJ,CAAYiM,aAAZ,EAA2B,EAA3B,CAAhB;AACa,QAAM2B,MAAM,GAAGrH,QAAQ,IAAIkH,MAAZ,GAAwBA,MAAxB,SAaKCIH,QAAIC,WAAgDoH,OAaHd,UAA8DA,OAA7E,CAF6E;AAK7E;AACa;;AACaf,IAAAA,YAAY,GAAGc,WAAf;AACAb,IAAAA,SAAS,GAAGtG,QAAZ;AACAuG,IAAAA,eAAe,GAAG,IAAI9G,MAAJ,QAAgB6G,SAaHb,UAAgC,GAAhC,CAAIB;AACAE,IAAAA,yBAAYB,GAAG,IAAI/G,MAAJ,SAAiB6G,SAAJB,cAA5B;AAEA,WAAOR,MAAM,CAACoB,MAAM,IAAI,CAACIH,QAAAX,GAASB,EAATB,GAA2BA,QAASB,EAAsCqH,MAATc,CAAb;AACD;;AAEDJ,EAAAA,cAAc,CAACjN,IAAf,GAASB6L,OAAO,CAAC/L,MAAR,GACIB+L,OAAO,CACJyB,MADH,CACU,UAAcC,GAAD,EAAMC,MAAN,EAaiB;AACvB,QAAl,CAACA,MAAM,CAACnO,IAAZ,EAaKb;AAChB2E,MAAAA,0BAAGB,CAAC,EAAD,CAAhB;AACD;;AAED,WAAOrE,KAAK,CAAC4N,GAAD,EAAMC,MAAM,CAACnO,IAAb,CAAZ;AACD,GAPH,EAOKK,IAPL,EAQGmB,QARH,EADkB,GAUIB,EAVJ;AAYA,SAAOoM,cAAP;AACD;;AC5GD;AACa,AAeO,IAAMQ,iBAAiB,GAA+BC,cAAK,CAACC,aAAN,EAAtD;AACp,AAAO,IAAMC,kBAaKb,GAAGH,iBAAiB,CAACI,QAA7C;AACp,AAAO,IAAMC,aAAa,GAAGcJ,cAAK,CAACC,aAAN,EAAnD;AACp,AAAO,IAAMI,cAAc,GAAGD,aAAa,CAACD,QAARc;AAEP,AAAO,IAAMG,WAAW,GAAe,IAAIrE,UAAJ,EAaHc;AACp,AAAO,IAAMsE,YAAY,GAAGBrC,oBAAoB,EAATD;;ACtBP;AACa;IAKqBsC;AAOnB,qBAAy7O,IAAZ,EAA0BuE,KAA1B,EAAYC;AAAA;;AAAA,SAMzCuK,MANyC,GAMhC,UAAcC,UAAD,EAAYBC,cAAzB,EAAwE;AAAA,UAA/CA,cAA+C;AAA/CA,QAAAA,cAA+C,GAajBJ,YAAiB;AAAA;;AAC/E,UAAAMK,YAAY,GAAG,KAAI,CAACjP,IAAL,GAAYgP,cAAc,CAACrO,IAAhD;;AAEA,UAAI,CAACoO,UAAU,CAACHe,YAAX,CAAwB,KAAI,CAACIF,EAA7B,EAAiCoJ,YAAjC,CAAL,EAAqD;AACnDF,QAAAA,UAAU,CAACzK,WAAAX,CACE,KAAI,CAACuB,EADP,EAEEoJ,YAFF,EAGED,cAAc,CAAC,KAAI,CAACzK,KAAAN,EAa0K,YAAAb,EAA2B,YAA3B,CAHhB;AAKD;AACF,KAhBwC;;AAAA,SAkBzCzN,QAlByC,GakB9B,YAAM;AACf,aAAOmD,0BAAGB,CAAC,EAAD,EAaK9E,MAAM,CAAC,KAAI,CAACG,IAAN,CAAX,CAAvB;AACD,KApBwC;;AACvC,SAAKA,IAAL,GAAYA,IAAZ;AACa,SAAK6F,EAAL,qBAA0B7F,IAA1B;AACa,SAAKuE,KAAAL,GAAaA,KAAAb;AACD;;;SAkBD2K,UAAA,iBAAQF,cAAR,EAAoD;AAAA,QAA5CA,cAA4C;AAA5CA,MAAAA,cAA4C,GAADJ,YAAc;AAAA;;AACID,WAAO,KAAK50,IAAL,GAAYgP,cAAc,CAACrO,IAAIC;AACD;;;ACrCH;;AAEA;;;AKA,IAAMwO,cAAc,GAAG,SAAvB;AACa,IAAMC,gBAAGB,GAAG,UAAzB;AACa,IAAMC,SAAS,GAAG,MAAIB;;AACa,IAAMC,kBAaKb,GAAG,SAArBA,kBAaQb,CAACC,KAAD;AAAA,eAA8BA,KAAI,CAACC,WAAAL,EAA9B;AAAA,CAA3B;AAEA;;;AAgBA,AAAE,SAASC,kBAAT,CAA4BnC,MAA5B,EAAoD;AACjE,SAAO6B,cAAc,CAAC/N,IAAf,CAAoBkM,MAApB,IACLA,MAAM,CACLIN,OADD,CACSGP,gBADT,EAC2BE,kBAD3B,EAECIP,OAFD,CAESiP,SAFT,EAEOB,MAFPB,CADK,GAIL/B,MAJF;AAKD;;ACICD;AACa;AAGA,AAAE,SAASoC,eAAT,CAAYBIP,IAAZB,EAAuC2P,KAAvC,EAawD;AACrE;AACa;AACa,MAAIA,KAAK,IAAI,IAAT,IAAiB,OAAOA,KAAP,KAAiB,SAaIC,IAA+CA,KAAK,KAAK,EAA7D,EAAiE;AAC/D,WAAO,EAAP;AACD;;AAED,MAAI,OAAOA,KAAP,KAAiB,QAAjB,IAA6BA,KAAK,KAAK,CAAvC,IAA4C,EAaE3P,IAAI,IAAI4P,QAAV,CAAhD,EAAqE;AACnE,WAAUD,KAAV,QADmE;AAEpE;;AAED,SAAO9P,MAAM,CAAC8P,KAAD,CAAN,CAAC/L,IAAAd,EAAP;AACD;;AChBD;AACa,AAWA;;;AAGA,IAAMiM,SAAS,GAAG,SAAZA,SAAY,CAAAC,KAAK;AAAA,SAaIA,KAAK,KAAKtJ,SAAV,IAAuBsJ,KAAK,KAAK,IAAjC,IAAyCA,KAAK,KAAK,KAAAnD,IAA4DA,KAAK,KAAK,EAA1E;AAAA,CAAvB;;AAEA,AAAO,IAAMC,aAAa,GAAG,SAaHBA,aAAgB,CAACC,GAAD,EAACc,OAAd,EAA6D;AACxF,MAAM1L,KAAK,GAAG,EAAd;;AAEA,OAaK,IAAM2L,GAAX,IAAkBF,GAAlB,EAAuB;AACrB,QAAl,CAACA,GAAG,CAACG,cAAJ,CAAmBD,GAAnB,CAAD,IAA4BL,SAAS,CAACG,GAAG,CAACE,GAAD,CAAJ,CAAzC,EAAqD;;AAErD,QAAKE,KAAK,CAACC,OAAN,CAACl,GAAG,CAACE,GAAD,CAAjB,KAA2BF,GAAG,CAACE,GAAD,CAAH,CAASI,KAArC,IAA+CnP,UAAU,CAAC6O,GAAG,CAACE,GAAD,CAAJ,CAA7D,EAAYE;AACvE3L,MAAAA,KAAK,CAACIB,IAAN,CAACkN,kBAAS,CAACL,GAAD,CAAvB,QAAiCF,GAAG,CAACE,GAAD,CAAPc,EAA2C,GAA3C;AACD,KAFD,MAEO,IAAIM,aAAa,CAA



CR,GAAG,CAACE,GAAD,CAAJ,CAAjB,EAA6B;AACIC3L,MAAAA,KAAK,CAACIB,IAAN,OAAAkB,KAAK ,EASwL,aAAa,CAACC,GAAG,CAACE,GAAD,CAAJ,EAWA,GAAX,CAAtB,CAAL;AACD,KAFM,MAEA; AACL3L,MAAAA,KAAK,CAACIB,IAAN,CAAcN,kBAAS,CAACL,GAAD,CAAvB,UAAiCR,eAAe,CAACQ, GAAD,EAAMF,GAAG,CAACE,GAAD,CAAT,CAAhD;AACD;AACF;;AAED,SAAOD,OAAO,IAAOA,OAAP,g BAAuB1L,KAAvB,GAA8B,GAA9B,KAAqCA,KAAhD;AACD,CAhBM;AAkBP,AAAE,SAASkM,OAAT,CACb X,KADa,EAEBY,gBAFa,EAGb3B,UAHa,EAIbC,cAJa,EAKR;AACL,MAAIoB,KAAK,CAACC,OAAN,CAAcP,K AAd,CAAJ,EAA0B;AACxB,QAAMa,OAAO,GAAG,EAAhB;;AAEA,SAAK,IAAIInQ,CAAC,GAAG,CAAR,EAA W4C,GAAG,GAAG0M,KAAK,CAACrP,MAAvB,EAA+BmQ,MAApC,EAA4CpQ,CAAC,GAAG4C,GAAhD,EA AqD5C,CAAC,IAAI,CAA1D,EAA6D;AAC3DoQ,MAAAA,MAAM,GAAGH,OAAO,CAACX,KAAK,CAACtP,C AAD,CAAN,EAAWkQ,gBAAX,EAA6B3B,UAA7B,EAAyCC,cAAzC,CAAhB;AAEA,UAAI4B,MAAM,KAAK, EAAf,EAAmB,SAAnB,KACK,IAAIR,KAAK,CAACC,OAAN,CAAcO,MAAd,CAAJ,EAA2BD,OAAO,CAACtN, IAAR,OAAAsN,OAAO,EAASC,MAAT,CAAP,CAA3B,KACAD,OAAO,CAACtN,IAAR,CAAauN,MAAb;AAC N;;AAED,WAAOD,OAAP;AACD;;AAED,MAAIId,SAAS,CAACC,KAAD,CAAb,EAAsB;AACpB,WAAO,EAAP ;AACD;AAED;;;AACa,MAAIIO,iBAAiB,CAACkO,KAAD,CAArB,EAA8B;AAC5B,iBAAWA,KAAK,CAACjO ,iBAAjB;AACD;AAED;;;AACa,MAAIV,UAAU,CAAC2O,KAAD,CAAd,EAAuB;AACrB,QAAlzO,mBAAmB,C AACyO,KAAD,CAAnB,IAA8BY,gBAAlC,EAAoD;AACID,UAME,OAAM,GAAGd,KAAK,CAACY,gBAAD, CAApB;;AAEA,UAAI3P,OAAO,CAACC,GAAR,CAAYC,QAAY,KAAYB,YAAzB,IAAYC4P,iBAAS,CAACD,O AAD,CAAtD,EAAgE;AAC9D;AACAE,QAAAA,OAAO,CAACC,IAAR,CACKIQ,gBAAgB,CACjBiP,KADiB,C ADrB;AAKD;;AAED,aAAOW,OAAO,CAACG,OAAD,EAASF,gBAAT,EAA2B3B,UAA3B,EAauCC,cAAvC,C AAd;AACD,KAbD,MAAo,OAAOc,KAAP;AACR;;AAED,MAAIA,KAAK,YAAYjB,SAArB,EAAgC;AAC9B,QA AIE,UAAJ,EAAgB;AACde,MAAAA,KAAK,CAACb,MAAN,CAAaC,UAAb,EAAyBC,cAAzB;AACa,aAAOc, KAAK,CAACZ,OAAN,CAAcF,cAAd,CAAP;AACD,KAHD,MAGO,OAAOc,KAAP;AACR;AAED;;;AACa,SAA OU,aAAa,CAACV,KAAD,CAAb,GAAuBC,aAAa,CAACD,KAAD,CAApC,GAA8CA,KAAK,CAACtO,QAAN,E AArD;AACD;;AC3FD;AACa,IAAMwP,OAAO,GAAG,EAAhB;AAEA,AAAE,SAASC,QAAT,CAAKBC,OAAIB, EAA2B;AACxC,MAAIF,OAAO,CAACE,OAAD,CAAX,EAAsB;AACtBF,EAAAA,OAAO,CAACE,OAAD,CAA P,GAAmB,IAAnB;AAEA,MAAI,OAAOJ,OAAP,KAAmB,WAAAnB,IAAkCA,OAAO,CAACC,IAA9C,EAAoDD, OAAO,CAACC,IAAR,CAAaG,OAAb;AACrD;;ACRD;AACa,IAAMC,YAAY,GAAG,IAAIzQ,UAAJ,CAAe,CA Af,CAArB;AACa,IAAM0Q,YAAY,GAAG,IAAI1Q,UAAJ,CAAe,CAAf,CAArB;AACa,IAAM2Q,SAAS,GAAG, KAAK3Q,UAAAL,CAAgB,CAAhB,CAAIb;AACa,IAAM4Q,KAAK,GAAG,IAAI5Q,UAAJ,CAAe,CAAf,CAAd;A ACA,IAAM6Q,OAAO,GAAG,KAAK7Q,UAAAL,CAAgB,CAAhB,CAAhB;AACa,IAAM8Q,KAAK,GAAG,IAAI 9Q,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM+Q,IAAI,GAAG,KAAK/Q,UAAAL,CAAgB,CAAhB,CAAb;AACa,IA AMgR,GAAG,GAAG,KAAKhR,UAAAL,CAAgB,CAAhB,CAAZ;AACa,IAAMiR,EAAE,GAAG,KAAKjR,UAAAL, CAAGB,CAAhB,CAAX;AACa,IAAMkR,WAAW,GAAG,IAAIIR,UAAJ,CAAe,CAAf,CAApB;AACa,IAAMmR, YAAY,GAAG,IAAIInR,UAAJ,CAAe,CAAf,CAArB;AACa,IAAMoR,gBAAgB,GAAG,IAAIpR,UAAJ,CAAe,CA Af,CAAZB;AACa,IAAMqR,iBAAiB,GAAG,IAAIrR,UAAJ,CAAe,CAAf,CAAIb;AACa,IAAMsR,UAAU,GAA G,IAAIrR,UAAJ,CAAe,CAAf,CAAnB;AACa,IAAMuR,WAAW,GAAG,IAAIvR,UAAJ,CAAe,CAAf,CAApB;A ACA,IAAMwR,SAAS,GAAG,IAAIxR,UAAJ,CAAe,CAAf,CAAIb;AACa,IAAMyR,QAQ,GAAG,IAAIzR,UA AJ,CAAe,CAAf,CAAjB;AACa,IAAM0R,KAAK,GAAG,IAAI1R,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM2R,E AAE,GAAG,IAAI3R,UAAJ,CAAe,CAAf,CAAX;AAEA,IAAM4R,SAAS,GAAG,+BAAIb;AACa,IAAMC,WAA W,GAAG,4CAApB;AACa,IAAMC,cAAc,GAAG,eAAvB;AAEA,AAAE,SAASC,QAAT,CAAKBC,KAAIB,EAAy BII,OAAzB,EAAuC;AAAA,MAAdA,OAAC;AAAdA,IAAAA,OAAC,GAAJ,EAAl;AAAA;;AACpD,MAAMmI,M AAM,GAAG,EAAf;AACa,MAAMtN,GAAG,GAAGqN,KAAK,CAACrN,GAAN,CAAUuN,OAAV,EAAZ;AAE A,MAAMC,MAAM,GAAGrI,OAAO,CAACsI,YAAvB;AAEA,MAAIIT,IAAJ,EACEmT,IADF,EAEEC,KAFF,EA GEC,KAHF,EAIEC,IAJF,EAKEtM,OALF,EAMEuM,MANF,EAOEC,QAPF,EAQEC,UARF,EASEC,OATF,EAU EC,SAVF,EAWEC,IAXF,EAYEC,CAZF;AAcA,MAAMhT,MAAM,GAAG4E,GAAG,CAAC5E,MAAnB;AACa, MAAI4M,MAAM,GAAG,CAAC,CAAd;AACa,MAAIrB,IAAI,GAAG,CAAX;AACa,MAAI0H,GAAG,GAAG,C AAV;;AAEA,WAASC,QAAT,CAAKBC,IAAIb,EAAwB;AACtB,UAAMIB,KAAK,CAACmB,KAAAN,eAAwBD,I AAXB,EAAgC5H,IAAhC,EAAc0H,GAAG,GAAGrG,MAA5C,CAAN;AACD;;AAED,SAAOqG,GAAG,GAAGj

T,MAAb,EAAqB;AACnBb,IAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAegT,GAaf,CAAP;;AAEA,QAA  
I9T,IAAI,KAAK2R,OAAT,IAAoB3R,IAAI,KAAK6R,IAA7B,IAAsC7R,IAAI,KAAK+R,EAAT,IAAetM,GAAG,  
CAAC3E,UAAJ,CAAegT,GAAG,GAAG,CAArB,MAA4BnC,OAArF,EAA+F;AAC7FIE,MAAAA,MAAM,GAA  
GqG,GAAT;AACAIH,MAAAA,IAAI,IAAI,CAAR;AACD;;AAED,YAAQpM,IAAR;AAACE,WAAK2R,OAAL;A  
ACA,WAAKC,KAAL;ACA,WAAKE,GAAL;ACA,WAAKC,EAAL;ACA,WAAKF,IAAL;AAcEsB,QAAA  
A,IAAI,GAAGW,GAAP;;ACA,WAAAG;AACDX,UAAAA,IAAI,IAAI,CAAR;AACAnT,UAAAA,IAAI,GAAGy  
F,GAAG,CAAC3E,UAAJ,CAAeqS,IAAf,CAAP;;ACA,cAAInT,IAAI,KAAK2R,OAAb,EAAsB;AACpBIE,YAA  
AA,MAAM,GAAG0F,IAAT;ACA/G,YAAAA,IAAI,IAAI,CAAR;AACD;AACF,SAPD,QAQEpM,IAAI,KAAK4  
R,KAAT,IACA5R,IAAI,KAAK2R,OADT,IAEA3R,IAAI,KAAK8R,GAFT,IAGA9R,IAAI,KAAK+R,EAHT,IAIA/  
R,IAAI,KAAK6R,IAZX;;AAeAkB,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,OAAD,EAAUgC,GAAG,CA  
ACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAf,CAAV,CAAZ;AACAW,QAAAA,GAAG,GAAGX,IAAI,GAAG,CAA  
b;ACA;;AAEF,WAAKnB,WAAL;AAcEe,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAA  
N,EAAW2I,IAAX,EAAiB0H,GAAG,GAAGrG,MAAvB,CAAZ;ACA;;AAEF,WAAKwE,YAAL;AAcEc,QAAA  
A,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,GAAGrG,MA  
AvB,CAAZ;ACA;;AAEF,WAAK2E,UAAL;AAcEW,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,E  
AAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,GAAGrG,MAAvB,CAAZ;ACA;;AAEF,WAAK4E,WAAL;AA  
CEU,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,G  
AAGrG,MAAvB,CAAZ;ACA;;AAEF,WAAK+E,KAAL;AAcEO,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAA  
C,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,GAAGrG,MAAvB,CAAZ;ACA;;AAEF,WAAK6E,  
SAAL;AAcES,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0  
H,GAAG,GAAGrG,MAAvB,CAAZ;ACA;;AAEF,WAAKyE,gBAAL;AAcE0B,QAAAA,IAAI,GAAGb,MAAM,  
CAACIS,MAAP,GAAGbKs,MAAM,CAACA,MAAM,CAACIS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAA1B,  
CAAhB,GAA+C,EAAtD;AACAgT,QAAAA,CAAC,GAAGpO,GAAG,CAAC3E,UAAJ,CAAegT,GAAG,GAAG,  
CAArB,CAAJ;;ACA,YACEF,IAAI,KAAK,KAAT,IACAC,CAAC,KAAKtC,YADN,IAEAsC,CAAC,KAAKrC,Y  
AFN,IAGaQc,CAAC,KAAKjC,KAHN,IAIAiC,CAAC,KAAKIC,OAJN,IAKAkC,CAAC,KAAK/B,GALN,IAMA  
+B,CAAC,KAAKhC,IANN,IAOAgC,CAAC,KAAK9B,EARR,EASE;AACAOB,UAAAA,IAAI,GAAGW,GAAP;;  
ACA,aAAG;AACDJ,YAAAA,OAAG,GAAG,KAAY;AACAP,YAAAA,IAAI,GAAGIN,GAAG,CAACKI,OAAL,  
CAAY,GAAZ,EAAiBwF,IAAI,GAAG,CAAxB,CAAP;;ACA,gBAAlA,IAAI,KAAK,CAAC,CAAd,EAAiB;AAC  
f,kBAAlF,MAAJ,EAAY;AACVE,gBAAAA,IAAI,GAAGW,GAAP;ACA;AACD,eAHD,MAGO;AACLC,gBAA  
AA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF;;AACDJ,YAAAA,SAAS,GAAGR,IAAZ;;ACA,mBAAO1N,GA  
AG,CAAC3E,UAAJ,CAAe6S,SAAS,GAAG,CAA3B,MAAKCIC,SAAZC,EAAoD;AACIDkC,cAAAA,SAAS,IAAI  
,CAAb;AACAD,cAAAA,OAAG,GAAG,CAACA,OAAX;AACD;AACF,WAhBD,QAgBSA,OAhBT;;AAkBAx,U  
AAAA,MAAM,CAACtP,IAAP,CAAY,CACV,UADU,EAEvGc,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,  
IAAI,GAAG,CAAtB,CAFU,EAGV/G,IAHU,EAIV0H,GAAG,GAAGrG,MAJI,EAKVrB,IALU,EAMV+G,IAAI,G  
AAGIF,MANG,CAAZ;AAQAqG,UAAAA,GAAG,GAAGX,IAAN;AACD,SAtCD,MAcCO;AACLA,UAAAA,IA  
AI,GAAGIN,GAAG,CAACKI,OAAL,CAAY,GAAZ,EAAiBmG,GAAG,GAAG,CAAvB,CAAP;ACA9M,UAAA  
A,OAAG,GAAGvB,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAV;;AAEA,cAAI  
A,IAAI,KAAK,CAAC,CAAV,IAAeP,cAAc,CAACpR,IAAf,CAAoBwF,OAAPb,CAAnB,EAAiD;AAC/C+L,YAA  
AA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,GAAGrG,M  
AAvB,CAAZ;AACD,WAFD,MAEO;AACLSF,YAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,UAAD,EAAauD,  
OAAb,EAAsBoF,IAAtB,EAA4B0H,GAAG,GAAGrG,MAAIC,EAA0CrB,IAA1C,EAAgD+G,IAAI,GAAGIF,MA  
AvD,CAAZ;AACAQg,YAAAA,GAAG,GAAGX,IAAN;AACD;AACF;;AAED;;AAEF,WAAKhB,iBAAL;AAcE  
Y,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,GA  
AGrG,MAAvB,CAAZ;ACA;;AAEF,WAAK8D,YAAL;ACA,WAAKC,YAAL;AAcE4B,QAAAA,KAAK,GA  
AGpT,IAAI,KAAKuR,YAAT,GAAwB,GAAXB,GAA8B,GAAtC;ACA4B,QAAAA,IAAI,GAAGW,GAAP;;AAC  
A,WAAG;AACDJ,UAAAA,OAAG,GAAG,KAAY;AACAP,UAAAA,IAAI,GAAGIN,GAAG,CAACKI,OAAL,CA  
AYyF,KAAZ,EAAmBD,IAAI,GAAG,CAA1B,CAAP;;ACA,cAAIA,IAAI,KAAK,CAAC,CAAd,EAAiB;AACf,g  
BAAlF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAGW,GAAG,GAAG,CAAb;ACA;AACD,aAHD,MAGO;AAC

LC,cAAAA,QAAQ,CAAC,OAAD,CAAR;AACD;AACF;;AACDJ,UAAAA,SAAS,GAAGR,IAAZ;;ACA,iBAA  
OIN,GAAG,CAAC3E,UAAJ,CAAe6S,SAAS,GAAG,CAA3B,MAAkCIC,SAAzC,EAAoD;AACIDkC,YAAAA,S  
AAS,IAAI,CAAb;AACAD,YAAAA,OOAO,GAAG,CAACA,OAAX;AACD;AACF,SAhBD,QAgBSA,OAhBT;;A  
AkBA1M,QAAAA,OOAO,GAAGvB,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAA  
V;AACAE,QAAAA,KAAK,GAAGrM,OOAO,CAACE,KAAR,CAAc,IAAd,CAAR;AACAOm,QAAAA,IAAI,GA  
AGD,KAAK,CAACxS,MAAN,GAAe,CAAtB;;AAEA,YAAIyS,IAAI,GAAG,CAAX,EAAc;AACZE,UAAAA,QA  
AQ,GAAGpH,IAAI,GAAGkH,IAAIB;AACAG,UAAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,C  
AAL,CAAYzS,MAAhC;AACD,SAHD,MAGO;AACL2S,UAAAA,QAAQ,GAAGpH,IAAX;AACqH,UAAAA,U  
AAU,GAAGhG,MAAb;AACD;;AAEDsF,QAAAA,MAAM,CAACtP,IAAP,CAAY,CACV,QADU,EAEVgC,GAA  
G,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAFU,EAGV/G,IAHU,EAIV0H,GAAG,GAAG  
rG,MAJI,EAKV+F,QALU,EAMVL,IAAI,GAAGM,UANG,CAAZ;AASAhG,QAAAA,MAAM,GAAGgG,UAAT;  
AACArH,QAAAA,IAAI,GAAGoH,QAAP;AACAM,QAAAA,GAAG,GAAGX,IAAN;AACa;;AAEF,WAAKV,E  
AAL;AACEC,QAAAA,SAAS,CAACyB,SAAV,GAAsBL,GAAG,GAAG,CAA5B;AACApB,QAAAA,SAAS,CAA  
CIR,IAAV,CAAeiE,GAaf;;ACA,YAAIiN,SAAS,CAACyB,SAAV,KAAwB,CAA5B,EAA+B;AAC7BhB,UAAA  
A,IAAI,GAAG1N,GAAG,CAAC5E,MAAJ,GAAa,CAApB;AACD,SAFD,MAEO;AACLSs,UAAAA,IAAI,GAAG  
T,SAAS,CAACyB,SAAV,GAAsB,CAA7B;AACD;;AACDpB,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,SA  
AD,EAAyGc,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAZ,EAAc/G,IAAtC,EA  
A4C0H,GAAG,GAAGrG,MAAID,EAA0DrB,IAA1D,EAAgE+G,IAAI,GAAG1F,MAAvE,CAAZ;AACqG,QAA  
AA,GAAG,GAAGX,IAAN;AACa;;AAEF,WAAK1B,SAAL;AAEC0B,QAAAA,IAAI,GAAGW,GAAP;AACAP,  
QAAAA,MAAM,GAAG,IAAT;;ACA,eAA09N,GAAG,CAAC3E,UAAJ,CAAeqS,IAAI,GAAG,CAAtB,MAA6  
B1B,SAAPc,EAA+C;AAC7C0B,UAAAA,IAAI,IAAI,CAAR;AACAI,UAAAA,MAAM,GAAG,CAACA,MAAV;  
AACD;;AACDvT,QAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAeqS,IAAI,GAAG,CAAtB,CAAP;;AAC  
A,YACEI,MAAM,IACLvT,IAAI,KAAK0R,KAAT,IACC1R,IAAI,KAAK4R,KADV,IAEC5R,IAAI,KAAK2R,OA  
FV,IAGC3R,IAAI,KAAK8R,GAHV,IAIC9R,IAAI,KAAK+R,EAJV,IAKC/R,IAAI,KAAK6R,IAPb,EAQE;AAC  
sB,UAAAA,IAAI,IAAI,CAAR;AACD;;AACDJ,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,MAAD,EAASgC  
,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAT,EAAmC/G,IAAnC,EAAyC0H,GA  
AG,GAAGrG,MAA/C,EAAuDrB,IAAvD,EAA6D+G,IAAI,GAAG1F,MAApE,CAAZ;AACqG,QAAAA,GAAG,  
GAAGX,IAAN;AACa;;AAEF;AAEC, YAAInT,IAAI,KAAK0R,KAAT,IAAkBjM,GAAG,CAAC3E,UAAJ,CAAe  
gT,GAAG,GAAG,CAArB,MAA4BvB,QAAlD,EAA4D;AAC1DY,UAAAA,IAAI,GAAG1N,GAAG,CAACKI,OA  
AJ,CAAY,IAAZ,EAABmG,GAAG,GAAG,CAAxB,IAA6B,CAAPc;;ACA,cAAIX,IAAI,KAAK,CAAb,EAAGB  
;AACd,gBAAIF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAG1N,GAAG,CAAC5E,MAAX;AACD,aAFD,MAEO;  
AACLkT,cAAAA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF;;AAED/M,UAAAA,OOAO,GAAGvB,GAAG,CA  
ACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAV;AACAE,UAAAA,KAAK,GAAGrM,OOAO,C  
AAEC,KAAR,CAAc,IAAd,CAAR;AACAOm,UAAAA,IAAI,GAAGD,KAAK,CAACxS,MAAN,GAAe,CAAtB;;A  
AEA,cAAIyS,IAAI,GAAG,CAAX,EAAc;AACZE,YAAAA,QAAQ,GAAGpH,IAAI,GAAGkH,IAAIB;AACAG,Y  
AAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,CAAL,CAAYzS,MAAhC;AACD,WAHD,MAGO;  
AACL2S,YAAAA,QAAQ,GAAGpH,IAAX;AACqH,YAAAA,UAAU,GAAGhG,MAAb;AACD;;AAEDsF,UAA  
AA,MAAM,CAACtP,IAAP,CAAY,CAAC,SAAD,EAAyD,OOAZ,EAAqBoF,IAArB,EAA2B0H,GAAG,GAAGr  
G,MAAJc,EAAyC+F,QAAzC,EAAmDL,IAAI,GAAGM,UAA1D,CAAZ;AAEAhG,UAAAA,MAAM,GAAGgG,U  
AAT;AACArH,UAAAA,IAAI,GAAGoH,QAAP;AACAM,UAAAA,GAAG,GAAGX,IAAN;AACD,SA3BD,MA2  
BO;AACLR,UAAAA,WAAW,CAACwB,SAAZ,GAAwBL,GAAG,GAAG,CAA9B;AACAnB,UAAAA,WAAW,C  
AACnR,IAAZ,CAAiBiE,GAAjB;;ACA,cAAIkN,WAAW,CAACwB,SAAZ,KAA0B,CAA9B,EAAiC;AAC/BhB,  
YAAAA,IAAI,GAAG1N,GAAG,CAAC5E,MAAJ,GAAa,CAApB;AACD,WAFD,MAEO;AACLSs,YAAAA,IAAI  
,GAAGR,WAAW,CAACwB,SAAZ,GAAwB,CAA/B;AACD;;AAEDpB,UAAAA,MAAM,CAACtP,IAAP,CAAY,  
CAAC,MAAD,EAASgC,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAT,EAAmC/  
G,IAAnC,EAAyC0H,GAAG,GAAGrG,MAA/C,EAAuDrB,IAAvD,EAA6D+G,IAAI,GAAG1F,MAApE,CAAZ;A  
ACAqG,UAAAA,GAAG,GAAGX,IAAN;AACD;;AAED;AAzOJ;;AA40AW,IAAAA,GAAG;AACJ;;AAED,SAA  
Of,MAAP;AACD;;AC9SD;AACa,AAGA,IAAMqB,eAAe,GAAG;AACtBC,EAAAA,QAAQ,EAAE,CAAC,EAA

D,EAAK,EAAL,CADY;AACF;AACpB3G,EAAAA,MAAM,EAAE,CAAC,EAAD,EAAK,EAAL,CAFc;AAEJ;AA  
CIB,aAAW,CAAC,EAAD,EAAK,EAAL,CAHW;AAGD;AACrB4G,EAAAA,OAAO,EAAE,CAAC,EAAD,EAAK  
,EAAL,CAJa;AAIH;AACnB,OAAK,CAAC,EAAD,EAAK,EAAL,CALiB;AAKP;AACf,OAAK,CAAC,EAAD,EA  
AK,EAAL,CANiB;AAMP;AACf,OAAK,CAAC,CAAD,EAAI,EAAJ,CAPiB;AAOR;AACd,OAAK,CAAC,CAAD,  
EAAI,EAAJ,CARiB;AAQR;AACd,OAAK,CAAC,CAAD,EAAI,EAAJ,CATiB;AASR;AACd,OAAK,CAAC,CAA  
D,EAAI,EAAJ,CAViB;;AAAA,CAAxB;;AAaA,SAASuU,IAAT,CAAcuU,KAAAd,EAAqB;AACnB,mBAAiBA,KA  
AjB;AACD;;AAED,SAASC,iBAAT,CAA2B/O,GAA3B,EAAgC;AAC9B,MAAMsN,MAAM,GAAGF,QAAQ,CA  
AC,IAAI4B,KAAJ,CAAUhP,GAAY,CAAD,EAAiB;AAAEyN,IAAAA,YAAY,EAAE;AAAhB,GAAjB,CAAvB;A  
ACA,MAAMIC,MAAM,GAAG,EAAf;AACa+B,EAAAA,MAAM,CAACrP,OAAP,CAAe,UAAAgR,KAAK,EAA  
I;AACtB,QAAMH,KAAK,GAAGH,eAAe,CAACM,KAAK,CAAC,CAAD,CAAN,CAA7B;;AACA,QAAIH,KAAJ  
,EAAW;AACTvD,MAAAA,MAAM,CAACvN,IAAP,CACEiR,KAAK,CAAC,CAAD,CAAL,CACGxN,KADH,C  
ACS,OADT,EAEGyN,GAFH,CAEO,UAAA/T,CAAC;AAAA,eAAIZ,IAAI,CAACuU,KAAK,CAAC,CAAD,CAA  
N,CAAJ,GAAiB3T,CAAjB,GAAqBZ,IAAI,CAACuU,KAAK,CAAC,CAAD,CAAN,CAA7B;AAAA,OAFR,EAG  
GxQ,IAHH,CAGQ,IAHR,CADF;AAMD,KAPD,MAOO;AACLiN,MAAAA,MAAM,CAACvN,IAAP,CAAYiR,K  
AAK,CAAC,CAAD,CAAjB;AACD;AACF,GAZD;AAaA,SAAO1D,MAAM,CAACjN,IAAP,CAAY,EAAZ,CAAP  
;AACD;;AChCD;IA2BM6Q;AACJ;AAQA,0BAAyTd,OAAZ,EAAqBIF,IAArB,EAA2BC,  
MAA3B,EAAmCwI,MAAnC,EAA2CC,IAA3C,EAAiDvG,MAAjD,EAAyD;AACvD;AAYA,SAAKnO,IA  
AL,GAAY,gBAAZ;AACa;AAMA,SAAK2U,MAAL,GAACzD,OAAAd;AAEA,QAAIwD,IAAJ,EAAU;AACR;  
AAOA,WAAKA,IAAL,GAAYA,IAAZ;AACD;AACD,QAAID,MAAJ,EAAy;AACV;AAOA,WAAKA,  
MAAL,GAACa,MAAd;AACD;AACD,QAAIG,MAAJ,EAAy;AACV;AAMA,WAAKA,MAAL,GAACa,MA  
Ad;AACD;AACD,QAAI,OAAOnC,IAAP,KAAgB,WAAhB,IAA+B,OAAOC,MAAP,KAAkB,WAArD,EAAkE;A  
AChE;AAOA,WAAKD,IAAL,GAAYA,IAAZ;AACa;AAOA,WAAKC,MAAL,GAACa,MAAd;AACD;;  
AAED,SAAK2I,UAAAL;AAEA,QAAIIR,KAAK,CAACmR,iBAAV,EAA6B;AAC3BnR,MAAAA,KAAK,CAACm  
R,iBAAN,CAAwB,IAAxB,EAA8BL,cAA9B;AACD;AACF;SAEDI,aAAA,sBAAa;AACX;AAOA,SAAK1D  
,OAAAL,GA Ae,KAAK/C,MAAL,GA AiB,KAAKA,MAAtB,UAAmC,EAAID;AACA,SAAK+C,OAAAL,IAAgB,KA  
AKwD,IAAL,GAAY,KAAKA,IAAjB,GAAwB,aAAxC;;AACA,QAAI,OAAO,KAAK1I,IAAZ,KAAqB,WAAzB,E  
AAsC;AACpC,WAAKkF,OAAAL,UAAoB,KAAKIF,IAAZB,SAAiC,KAAKC,MAAtC;AACD;AACD,SAAKiF,OA  
AL,WAAqB,KAAKyD,MAA1B;AACD;AAED;SAqBAG,iBAAA,wBAAeX,KAAf,EAAsB;AAAA  
;AACpB,QAAI,CAAC,KAAKM,MAAV,EAAkB,OAAO,EAAP;AAEIB,QAAIpP,GAAG,GAAG,KAAKoP,MAA  
f;AACA,QAAI,OAAON,KAAP,KAAiB,WAArB,EAAkCA,KAAK,GAAGY,aAAR;AACIC,QAAIZ,KAAJ,EAAW  
9O,GAAG,GAAG+O,iBAAiB,CAAC/O,GAAD,CAAvB;AAEX,QAAM4N,KAAK,GAAG5N,GAAG,CAACyB,K  
AAJ,CAAU,OAAV,CAAd;AACA,QAAMkO,KAAK,GAAG9U,IAAI,CAAC+U,GAAL,CAAS,KAAKjJ,IAAL,G  
AAY,CAArB,EAAwB,CAAxB,CAAd;AACA,QAAMkJ,GAAG,GAAGhV,IAAI,CAACiV,GAAL,CAAS,KAAKnJ  
,IAAL,GAAY,CAArB,EAAwBiH,KAAK,CAACxS,MAA9B,CAAZ;AAEA,QAAM2U,QAAQ,GAAGvV,MAAM,  
CAACqV,GAAD,CAAN,CAAYzU,MAA7B;AAEA,WAAOWS,KAAK,CACTa,KADI,CACEkB,KADF,EACSE,G  
ADT,EAEXJ,GAFI,CAEA,UAAcV,I,IAAD,EAAO3H,KAAP,EAAiB;AACpB,UAAmGr,MAAM,GAAGL,KAAK,  
GAAG,CAAR,GAAY3Q,KAA3B;AACA,UAAmIR,MAAM,GAAG,OAAID,MAAJ,EAAavB,KAAb,CAAmB,CA  
ACsB,QAApB,CAAf;AACA,UAAmG,MAAM,SAAOD,MAAP,QAAZ;AACA,UAAID,MAAM,KAAK,KAAI,C  
AACrJ,IAApB,EAA0B;AACxB,YAAMwJ,OAAO,GACXD,MAAM,CAACnV,OAAP,CAAe,KAAf,EAAsB,GAAt  
B,IAA6B4L,IAAI,CAAC8H,KAAAL,CAAW,CAAX,EAAc,KAAI,CAAC7H,MAAL,GAAC,CAA5B,EAA+B7L,OA  
A/B,CAAuC,QAAvC,EAAiD,GAAjD,CAD/B;AAEA,qBAAWmV,MAAX,GAAoBvJ,IAApB,WAA8BwJ,OAA9B  
;AACD,OAJD,MAIO;AACL,qBAAWD,MAAX,GAAoBvJ,IAApB;AACD;AACF,KABl,EACJrI,IAdI,CACc,IAdD,  
CAAP;AAED;AAED;SAUAnC,WAAA,oBAAW;AACT,QAAI5B,IAAI,GAAG,KAAKvV,cAAL,EAAx;;  
AACA,QAAIIV,IAAJ,EAAU;AACRA,MAAAA,IAAI,YAAUA,IAAV,OAAP;AACD;AACD,WAAU,KAAKI,IA  
Af,UAAwB,KAAKkR,OAA7B,GAAuCrI,IAAvC;AACD;;wBAEe;AACdqR,MAAAA,QAAQ,CAAC,4DAAD,C  
AAR;AACA,aAAO,KAAKyB,KAAZ;AACD;AAED;ACjNF;AACA;AAEA,IAAM+C,UAAU,GAAG;  
AACjBC,EAAAA,KAAK,EAAE,IADU;AAEjBC,EAAAA,MAAM,EAAE,MAFS;AAGjBC,EAAAA,UAAU,EAA  
E,IAHK;AAJjBC,EAAAA,UAAU,EAAE,IAJK;AAKjBC,EAAAA,UAAU,EAAE,GALK;AAMjBC,EAAAA,WAA

W,EAAE,IANI;AAOjBC,EAAAA,aAAa,EAAE,IAPE;AAQjBC,EAAAA,KAAK,EAAE,IARU;AASjBC,EAAAA,SAAS,EAAE,EATM;AAUjBC,EAAAA,WAAW,EAAE,GAVI;AAWjBC,EAAAA,YAAY,EAAE;AAXG,CAAnB;AAcA,SAASC,UAAAT,CAAoBzV,GAAPB,EAAYB;AACvB,SAAOA,GAAG,CAAC,CAAD,CAAH,CAAO0V,WAAP,KAAuB1V,GAAG,CAACKT,KAAJ,CAAU,CAAV,CAA9B;AACD;;IAEKyC;AACJ,uBAAYC,OAAZ,EAAqB;AACnB,SAAKA,OAAAL,GAAeA,OAAf;AACD;;;SAEDC,YAAA,mBAAU7O,IAAV,EAAgB8O,SAAhB,EAA2B;AACzB,SAAK9O,IAAI,CAAC+O,IAAV,EAAgB/O,IAAhB,EAAsB8O,SAAtB;AACD;;SAEDE,OAAA,cAAKhP,IAAL,EAAW;AACT,SAAKiP,IAAL,CAAUjP,IAAV;AACa,QAAIA,IAAI,CAACKP,IAAL,CAAUb,KAAAd,EAqB,KAAKO,OAAAL,CAAa5O,IAAI,CAACKP,IAAL,CAAUb,KAAvB;AACTb;;SAED/B,UAAA,iBAAQtM,IAAR,EAAc;AACZ,QAAMmP,IAAI,GAAG,KAAKC,GAAL,CAASpP,IAAT,EAAe,MAAf,EAAuB,aAAvB,CAAb;ACA,QAAMqP,KAAK,GAAG,KAAKD,GAAL,CAASpP,IAAT,EAAe,OAAf,EAAwB,cAAxB,CAAd;AACa,SAAK4O,OAAAL,QAaKBO,IAAIB,GAAYBnP,IAAI,CAACsP,IAA9B,GAAqCD,KAArC,SAAGDrP,IAAhD;AACD;;SAEDuP,OAAA,cAAKvP,IAAL,EAAW8O,SAAX,EAAsB;AACpB,QAAMU,OAAO,GAAG,KAAKJ,GAAL,CAASpP,IAAT,EAAe,SAAf,EAA0B,OAA1B,CAAhB;AACa,QAAI0F,MAAM,GAAG1F,IAAI,CAACyP,IAAL,GAAyD,OAAZ,GAAsB,KAAKE,QAAL,CAAc1P,IAAd,EAAoB,OAApB,CAAnC;;AAEA,QAAIA,IAAI,CAAC2P,SAAT,EAAoB;AACIBjK,MAAAA,MAAM,IAAI1F,IAAI,CAACKP,IAAL,CAAUS,SAAV,IAAuB,aAAjC;AACD;;AAED,QAAIb,SAAJ,EAAepJ,MAAM,IAAI,GAAV;AACf,SAAKkJ,OAAAL,CAAaIJ,MAAb,EAAqB1F,IAArB;AACD;;SAEDiC,OAAA,cAAKjC,IAAL,EAAW;AACT,SAAK8D,KAAL,CAAW9D,IAAX,EAAiB,KAAK0P,QAAL,CAAc1P,IAAd,EAAoB,UAApB,CAAjB;AACD;;SAED4P,SAAA,gBAAO5P,IAAP,EAAa8O,SAAb,EAAwB;AACTB,QAAI1W,IAAI,SAAO4H,IAAI,CAAC5H,IAApB;AACa,QAAMyX,MAAM,GAAG7P,IAAI,CAAC6P,MAAL,GAAC,KAAKH,QAAL,CAAc1P,IAAd,EAAoB,QAAPB,CAAd,GAA8C,EAA7D;;AAEA,QAAI,OAAOA,IAAI,CAACKP,IAAL,CAAUY,SAAjB,KAA+B,WAAnc,EAAgD;AAC9C1X,MAAAA,IAAI,IAAI4H,IAAI,CAACKP,IAAL,CAAUY,SAAIb;AACD,KAFD,MAEO,IAAID,MAAJ,EAAY;AACjBzX,MAAAA,IAAI,IAAI,GAAR;AACD;;AAED,QAAI4H,IAAI,CAACH,KAAT,EAAgB;AACd,WAAKiE,KAAL,CAAW9D,IAAX,EAAiB5H,IAAI,GAAGyX,MAAxB;AACD,KAFD,MAEO;AACL,UAMvC,GAAG,GAAG,CAACtN,IAAI,CAACKP,IAAL,CAAUM,OAAV,IAAqB,EAAtB,KAA6BV,SAAS,GAAG,GAAH,GAAS,EAA/C,CAAZ;AACa,WAAKF,OAAAL,CAAaxW,IAAI,GAAGyX,MAAP,GAAGbVc,GAA7B,EAaKtN,IAAIC;AACD;AACF;;SAEDiP,OAAA,cAAKjP,IAAL,EAAW;AACT,QAAIsL,IAAI,GAAGtL,IAAI,CAACH,KAAL,CAAWH,MAAX,GAAoB,CAA/B;;AACa,WAAOyS,IAAI,GAAG,CAAd,EAAiB;AACf,UAAItL,IAAI,CAACH,KAAL,CAAWyL,IAAX,EAAiByD,IAAjB,KAA0B,SAA9B,EAAyC;AACzCzD,MAAAA,IAAI,IAAI,CAAR;AACD;;AAED,QAAMwD,SAAS,GAAG,KAAKM,GAAL,CAASpP,IAAT,EAAe,WAAf,CAAIB;;AACa,SAAK,IAAIpH,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAGoH,IAAI,CAACH,KAAL,CAAWH,MAA/B,EAAuCD,CAAC,EAAxC,EAA4C;AAC1C,UAM6H,KAAK,GAAGT,IAAI,CAACH,KAAL,CAAWjH,CAAX,CAAd;AACa,UAMmX,MAAM,GAAG,KAAKX,GAAL,CAAS3O,KAAT,EAAgB,QAaHb,CAAf;AACa,UAAIsP,MAAJ,EAAY,KAAKnB,OAAAL,CAAamB,MAAb;AACZ,WAAKIB,SAAL,CAAepO,KAAf,EAAsB6K,IAAI,KAAK1S,CAAT,IAAckW,SAAPc;AACD;AACF;;SAEDhL,QAAA,eAAM9D,IAAN,EAAYoN,KAAZ,EAAMb;AACjB,QAAMoC,OAAO,GAAG,KAAKJ,GAAL,CAASpP,IAAT,EAAe,SAAf,EAA0B,YAA1B,CAAhB;AACa,SAAK4O,OAAAL,CAAGbxB,KAAK,GAAGoC,OAAxB,QAAoCxP,IAApC,EAA0C,OAA1C;AAEA,QAAIqO,KAAJ;;AACa,QAAIrO,IAAI,CAACH,KAAL,IAAcG,IAAI,CAACH,KAAL,CAAWH,MAA7B,EAAqC;AACnC,WAAKoW,IAAL,CAAUjP,IAAV;AACaQO,MAAAA,KAAK,GAAG,KAAKe,GAAAL,CAASpP,IAAT,EAAe,OAAf,CAAR;AACD,KAHd,MAGO;AACLqO,MAAAA,KAAK,GAAG,KAAKe,GAAL,CAASpP,IAAT,EAAe,OAAf,EAAwB,WAAxB,CAAR;AACD;;AAED,QAAIqO,KAAJ,EAAW,KAAKO,OAAAL,CAAaP,KAAb;AACX,SAAKO,OAAAL,CAAa,GAAb,EAaKB5O,IAAIB,EAAwB,KAAxB;AACD;;SAEDoP,MAAA,aAAIpP,IAAJ,EAAUgQ,GAAV,EAAeC,MAAf,EAAuB;AACrB,QAAIII,KAAJ;AACa,QAAI,CAACKI,MAAL,EAAaA,MAAM,GAAGD,GAAT,CAFQ;;AAKrB,QAAIA,GAAJ,EAAS;AACpJI,MAAAA,KAAK,GAAG/H,IAAI,CAACKP,IAAL,CAAUc,GAAV,CAAR;AACa,UAAI,OAAOjI,KAAP,KAAiB,WAArB,EAaKc,OAAOA,KAAP;AACnC;;AAED,QAAMjH,MAAM,GAAGd,IAAI,CAACc,MAApB,CAVqB;;AAarB,QAAImP,MAAM,KAAK,QAAf,EAAYB;AACvB,UAAI,CAACnB,MAAD,IAAYA,MAAM,CAACiO,IAAP,KAAgB,MAAhB,IAA0BjO,MAAM,CAACoP,KAAP,KAAiBIQ,IAA3D,EAaKe;AACHe,eAAO,EAAP;AACD;AACF,KAjBoB;;AAoBrB,QAAIC,AAcC,MAAL,EAAa,OAAO+M,UAAU,CAACoC,MAAD,CAAjB,CAPBQ;;AAuBrB,QAAMjB,IAAI,GAAGhP,I

AAI,CAACgP,IAAL,EAAb;ACA,QAAl,CAACA,IAAI,CAACmB,QAaV,EAAoBnB,IAAI,CAACmB,QAAL,G  
AAgB,EAAhB;;AACpB,QAAl,OAAOnB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP,KAAiC,WAArC,EAAkD  
;AACHd,aAAOjB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP;AACD;;AAED,QAAlA,MAAM,KAAK,QAAX,  
IAAuBA,MAAM,KAAK,OAAtC,EAA+C;AAC7C,aAAO,KAAKG,WAAAL,CAAiBpQ,IAAjB,EAAuBiQ,MAAvB,  
CAAP;AACD,KAFD,MAEO;AACL,UAAmI,MAAM,WAA5B,UAAU,CAACwB,MAAD,CAA/B;;ACA,UAAI  
,KAAKI,MAAL,CAAJ,EAAkB;AACHbI,QAAAA,KAAK,GAAG,KAAKsI,MAAL,EAAarB,IAAb,EAAmBhP,IA  
AnB,CAAR;AACD,OAFD,MAEO;AACLgP,QAAAA,IAAI,CAACsB,IAAL,CAAU,UAAAIX,CAAC,EAAl;AAC  
bmP,UAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOc,GAAP,CAAR;ACA,cAAI,OAAOjI,KAAP,KA  
AiB,WAArB,EAAkC,OAAO,KAAP;AACnC,SAHD;AAID;AACF;;AAED,QAAl,OAAOA,KAAP,KAAiB,WAAr  
B,EAAkCA,KAAK,GAAG8F,UAAU,CAACoC,MAAD,CAAiB;AAEiCjB,IAAAA,IAAI,CAACmB,QAAL,CAAc  
F,MAAd,IAAwBII,KAAxB;ACA,WAAOA,KAAP;AACD;;SAEDwI,eAAA,sBAAavB,IAAb,EAAmB;AACjB,Q  
AAIjH,KAAJ;AACaiH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAAIX,CAAC,EAAl;AACb,UAAIA,CAAC,CA  
ACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CAAQhH,MAAnB,IAA6BD,CAAC,CAAC0S,IAAF,CAAoyD,IA  
AP,KAAgB,MAAjD,EAAyD;AACvDhH,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOJ,SAaf;AAC  
A,YAAI,OAAO/G,KAAP,KAAiB,WAArB,EAAkC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAA  
P;AACD;;SAEDyI,eAAA,sBAAaxB,IAAb,EAAmB;AACjB,QAAljH,KAAJ;AACaiH,IAAAA,IAAI,CAACsB,IA  
AL,CAAU,UAAAIX,CAAC,EAAl;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CA  
AQhH,MAAR,KAAmB,CAAIC,EAAqC;AACnChP,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOB,  
KAAf;ACA,YAAI,OAAOtG,KAAP,KAAiB,WAArB,EAAkC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,W  
AAOA,KAAP;AACD;;SAED0I,YAAA,mBAAUzB,IAAV,EAAgB;AACd,QAAlA,IAAI,CAACE,IAAL,CAAUnB,  
MAAd,EAA5B,OAAOiB,IAAI,CAACE,IAAL,CAAUnB,MAAjB;AACTb,QAAlhG,KAAJ;AACaiH,IAAAA,IAAI  
,CAACsB,IAAL,CAAU,UAAAIX,CAAC,EAAl;AACb,UAAm8X,CAAC,GAAG9X,CAAC,CAACKI,MAAZ;;AA  
CA,UAAI4P,CAAC,IAAIA,CAAC,KAAK1B,IAAX,IAAmB0B,CAAC,CAAC5P,MAArB,IAA+B4P,CAAC,CAA  
C5P,MAAF,KAAakO,IAAhD,EAA5D;AACpD,YAAI,OAAOpW,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB  
,WAA7B,EAA0C;AACxC,cAAMzQ,KAAK,GAAG1G,CAAC,CAACsW,IAAF,CAAOa,MAAP,CAAc7Q,KAA  
d,CAAoB,IAApB,CAAd;ACA6I,UAAAA,KAAK,GAAGzI,KAAK,CAACA,KAAK,CAACzG,MAAN,GAAe,CA  
AhB,CAAb;AACAKP,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,QAAd,EAAwB,EAAxB,CAAR;  
ACA,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAED4I,mBAAA,0BAAi  
B3B,IAAjB,EAAuBhP,IAAvB,EAA6B;AAC3B,QAAl+H,KAAJ;AACaiH,IAAAA,IAAI,CAAC4B,YAAL,CAAk  
B,UAAAhY,CAAC,EAAl;AACrB,UAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EA  
A0C;AACxChI,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOa,MAAf;;ACA,YAAIhI,KAAK,CAA  
CpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACv  
P,OAAN,CAAc,SAAd,EAAyB,EAAzB,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAl  
,OAAOuP,KAAP,KAAiB,WAArB,EAAkC;AACHCA,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,  
EAAe,IAAf,EAAqB,YAArB,CAAR;AACD;;AACD,WAAO+H,KAAP;AACD;;SAED8I,gBAAA,uBAAc7B,IAAd  
,EAAoBhP,IAApB,EAA0B;AACxB,QAAl+H,KAAJ;AACaiH,IAAAA,IAAI,CAAC8B,SAAL,CAAE,UAAAIY,C  
AAC,EAAl;AACIB,UAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxChI,  
QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOa,MAAf;;ACA,YAAIhI,KAAK,CAACpC,OAAN,CA  
Ac,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,  
SAAd,EAAyB,EAAzB,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAl,OAAOuP,KAA  
P,KAAiB,WAArB,EAAkC;AACHCA,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,EAAe,IAAf,EA  
AqB,YAArB,CAAR;AACD;;AACD,WAAO+H,KAAP;AACD;;SAEDgJ,gBAAA,uBAAc/B,IAAd,EAAoB;AACIB  
,QAAljH,KAAJ;AACaiH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAAIX,CAAC,EAAl;AACb,UAAIA,CAAC,C  
AACiH,KAAF,KAAyJH,CAAC,CAACKI,MAAF,KAAakO,IAAb,IAAqBA,IAAI,CAACKB,KAAAL,KAAetX,CAA  
hD,CAAJ,EAAwD;AACTd,YAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;A  
ACxChI,UAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOa,MAAf;;ACA,cAAIhI,KAAK,CAACpC,OA  
AN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9BoC,YAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN  
,CAAc,SAAd,EAAyB,EAAzB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAA

OuP,KAAP;AACD;;SAEDiJ,iBAAA,wBAAehC,IAAf,EAAqB;AACnB,QAAIjH,KAAJ;AACAIH,IAAAA,IAAI,C  
AACsB,IAAL,CAAU,UAAAIX,CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,  
KAAF,CAAQhH,MAAR,GAAiB,CAAhC,EAAmC;AACjC,YAAI,OAAOD,CAAC,CAACsW,IAAF,CAAOb,KA  
Ad,KAAwB,WAA5B,EAAyC;AACvCtG,UAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOb,KAAf;;AA  
CA,cAAItG,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9BoC,YAAAA,KAAK,  
GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAyB,EAAzB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD;A  
ACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAEDkJ,gBAAA,uBAAcjC,IAAd,EAAoB;AACIB,QAAIj  
H,KAAJ;AACAIH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAAIX,CAAC,EAAI;AACb,UAAIA,CAAC,CAACm  
W,IAAF,KAAW,MAAf,EAAuB;AACrBhH,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOM,OAaf;A  
ACA,YAAI,OAAOzH,KAAP,KAAiB,WAArB,EAAkC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,K  
AAP;AACD;;SAEDmJ,WAAA,kBAASIC,IAAT,EAAe;AACb,QAAIjH,KAAJ;AACAIH,IAAAA,IAAI,CAAC8B,  
SAAL,CAAe,UAAAIY,CAAC,EAAI;AACIB,UAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOM,OAAd,KAA0B,  
WAA9B,EAA2C;AACzCzH,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOM,OAAP,CAAehX,OAaf  
,CAAuB,SAAvB,EAAkC,EAAIC,CAAR;AACa,eAAO,KAAP;AACD;AACF,KALD;AAMA,WAAOuP,KAAP;A  
ACD;;SAEDqI,cAAA,qBAAYpQ,IAAZ,EAAkBiQ,MAAIB,EAA0B;AACxB,QAAIII,KAAJ;;AACa,QAAI/H,IAA  
I,CAAC+O,IAAL,KAAc,MAAIB,EAA0B;AACxBhH,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,  
EAAe,IAAf,EAAqB,YAArB,CAAR;AACD,KAFD,MAEO,IAAIA,IAAI,CAAC+O,IAAL,KAAc,SAIIB,EAA6B;  
AACIChH,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,EAAe,IAAf,EAAqB,eAArB,CAAR;AACD,  
KAFM,MAEA,IAAIiQ,MAAM,KAAK,QAAf,EAAyB;AAC9BII,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAA  
SpP,IAAT,EAAe,IAAf,EAAqB,YAArB,CAAR;AACD,KAFM,MAEA;AACL+H,MAAAA,KAAK,GAAG,KAAK  
qH,GAAL,CAASpP,IAAT,EAAe,IAAf,EAAqB,aAArB,CAAR;AACD;;AAED,QAAImR,GAAG,GAAGnR,IAAI,  
CAACc,MAAf;AACa,QAAIyD,KAAK,GAAG,CAAZ;;AACa,WAAO4M,GAAG,IAAIA,GAAG,CAACpC,IAAJ  
,KAAa,MAA3B,EAAmC;AACjCkK,MAAAA,KAAK,IAAI,CAAT;AACa4M,MAAAA,GAAG,GAAGA,GAAG,  
CAACrQ,MAAV;AACD;;AAED,QAAIiH,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAg  
C;AAC9B,UAAMoI,MAAM,GAAG,KAAKqB,GAAL,CAASpP,IAAT,EAAe,IAAf,EAAqB,QAArB,CAAF;;AAC  
A,UAAI+N,MAAM,CAACIV,MAAX,EAAmB;AACjB,aAAK,IAAIuY,IAAI,GAAG,CAAhB,EAAmBA,IAAI,GA  
AG7M,KAA1B,EAAiC6M,IAAI,EAArC;AAAYCrJ,UAAAA,KAAK,IAAIgG,MAAT;AAAzC;AACD;AACF;;AA  
ED,WAAOhG,KAAP;AACD;;SAED2H,WAAA,kBAAS1P,IAAT,EAAeyP,IAAf,EAAqB;AACnB,QAAM1H,KA  
AK,GAAG/H,IAAI,CAACyP,IAAD,CAAIB;AACa,QAAML,GAAG,GAAGpP,IAAI,CAACKP,IAAL,CAAUO,IA  
AV,CAAZ;;AACa,QAAIL,GAAG,IAAIA,GAAG,CAACrH,KAAJ,KAAcA,KAAzB,EAAgC;AAC9B,aAAOqH,G  
AAG,CAACA,GAAX;AACD,KAFD,MAEO;AACL,aAAOrH,KAAP;AACD;AACF;;;AChUH;AACa,AAEe,SA  
AS8G,SAAT,CAAmB7O,IAAnB,EAAyB4O,OAAzB,EAAkC;AAC/C,MAAM5V,GAAG,GAAG,IAAI2V,WAAJ,  
CAAgBC,OAAbB,CAAZ;AACa5V,EAAAA,GAAG,CAAC6V,SAAJ,CAAc7O,IAAd;AACD;;ACAD;;;AAMA;  
;AAOA,IAAMqR,SAAS,GAAG,SAAZA,SAAY,CAASjJ,GAAT,EAAcH,MAAd,EAA5B;AACtC,MAAMwQ,  
MAAM,GAAG,IAAIJ,GAAG,CAACmJ,WAAR,EAAf;;AAEA,OAAK,IAAM3Y,CAAX,IAAgBwP,GAAbB,EAA  
qB;AACnB,QAAI,CAACA,GAAG,CAACG,cAAJ,CAAmB3P,CAAnB,CAAL,EAA4B;AAC5B,QAAImP,KAAK,  
GAAGK,GAAG,CAACxP,CAAD,CAAF;AACa,QAAMmW,IAAI,GAAG,OAAOhH,KAApB;;AAEA,QAAImP,C  
AAC,KAAK,QAAN,IAAkBmW,IAAI,KAAK,QAA/B,EAAyC;AACvC,UAAIjO,MAAJ,EAAyWQ,MAAM,CAA  
C1Y,CAAD,CAAN,GAAYki,MAAZ;AACb,KAFD,MAEO,IAAIII,CAAC,KAAK,QAAV,EAAoB;AACzB0Y,MA  
AAA,MAAM,CAAC1Y,CAAD,CAAN,GAAYmP,KAAZ;AACD,KAFM,MAEA,IAAIA,KAAK,YAAYS,KAArB,  
EAA4B;AACjC8I,MAAAA,MAAM,CAAC1Y,CAAD,CAAN,GAAYmP,KAAK,CAAC4E,GAAN,CAAU,UAAA  
6E,CAAC;AAAA,eAAIH,SAAS,CAACG,CAAD,EAAIF,MAAJ,CAAb;AAAA,OAAx,CAAZ;AACD,KAFM,MA  
EA,IAAIY,CAAC,KAAK,QAAN,IAAkBA,CAAC,KAAK,OAAxB,IAAmCA,CAAC,KAAK,SAAzC,IAAsDA,C  
AAC,KAAK,WAAhE,EAA6E;AACIF,UAAImW,IAAI,KAAK,QAAT,IAAqBhH,KAAK,KAAK,IAAnC,EAAyCA  
,KAAK,GAAGsJ,SAAS,CAACtJ,KAAD,CAAjB;AACzCuJ,MAAAA,MAAM,CAAC1Y,CAAD,CAAN,GAAYmP  
,KAAZ;AACD;AACF;;AAED,SAAOuJ,MAAP;AACD,CARBD;AAuBA;;;IAKMG;AACJ;;AAGA,gBAAYC,Q  
AAZ,EAA2B;AAAA,QAAfA,QAAe;AAAfA,MAAAA,QAAe,GAAJ,EAAI;AAAA;;AACzB,SAAKxC,IAAL,GA  
AY,EAAZ;;AACa,SAAK,IAAM9W,IAAX,IAAmBsZ,QAAnB,EAA6B;AAC3B,WAAKtZ,IAAL,IAAsZ,QAAQ,

CAACtZ,IAAD,CAArB;AACD;AACF;AAED;,,,SAgCA6T,QAAA,eAAM3C,OAAN,EAAe  
qI,IAAf,AAA0B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAI;AAAA;;AACxB,QAAl,KAAK9  
E,MAAT,EAAiB;AACf,UAAMf,GAAG,GAAG,KAAK8F,UAAL,CAAgBD,IAAhB,CAAZ;AACA,aAAO,KAAK  
9E,MAAL,CAAY/B,KAAZ,CAAKBmB,KAAIB,CAAwB3C,OAAxB,EAAiCwC,GAAG,CAAC1H,IAArC,EAA2C  
0H,GAAG,CAACzH,MAA/C,EAAuDsN,IAAvD,CAAP;AACD,KAHD,MAGO;AACL,aAAO,IAAI/E,cAAJ,CAA  
mBtD,OAAnB,CAAP;AACD;AACF;AAED;,,,SAyBAH,OAAA,cAAKH,MAAL,EAAAsG,IAAb,E  
AAmBqC,IAAnB,EAAyB;AACvB,QAAME,IAAI,GAAG;AAAE7R,MAAAA,IAAI,EAAE;AAAR,KAAb;;AACA  
,SAAK,IAAMpH,CAAX,IAAgB+Y,IAAhB;AAAsBE,MAAAA,IAAI,CAACjZ,CAAD,CAAJ,GAAU+Y,IAAI,CA  
AC/Y,CAAD,CAAd;AAAtB;;AACA,WAAOoQ,MAAM,CAACG,IAAP,CAAYmG,IAAZ,EAAkBuC,IAAIB,CAA  
P;AACD;AAED;,,,SAWAC,SAAA,kBAAS;AACp,QAAl,KAAKhR,MAAT,EAAiB;AACf,WAAKA,MAAL  
,CAAYX,WAAZ,CAAwB,IAAxB;AACD;;AACD,SAAKW,MAAL,GAAClC,SAAd;AACA,WAAO,IAAP;AACD;  
AAED;,,,SAWAhF,WAAA,kBAASmY,WAAT,EAAkC;AAAA,QAazBA,WAAyB;AAAZBA,MAAAA,W  
AAyB,GAAXID,SAAW;AAAA;;AAChC,QAAlkD,WAAW,CAACID,SAAhB,EAA2BkD,WAAW,GAAGA,WAA  
W,CAACID,SAA1B;AAC3B,QAAl7F,MAAM,GAAG,EAAb;AACA+I,IAAAA,WAAW,CAAC,IAAD,EAAO,UA  
AAnZ,CAAC,EAAI;AACrBoQ,MAAAA,MAAM,IAAIpQ,CAAV;AACD,KAFU,CAAX;AAGA,WAAOoQ,MAA  
P;AACD;AAED;,,,SAgBAGJ,QAAA,eAAMC,SAAN,EAAAsB;AAAA,QAAhBA,SAAGB;AAAhBA,MAA  
AA,SAAGB,GAAJ,EAAI;AAAA;;AACpB,QAAMX,MAAM,GAAGD,SAAS,CAAC,IAAD,CAAxB;;AACA,SAK  
K,IAAMjZ,IAAX,IAAmB6Z,SAAnB,EAA8B;AAC5BX,MAAAA,MAAM,CAACIZ,IAAD,CAAN,GAAe6Z,SAA  
S,CAAC7Z,IAAD,CAAxB;AACD;;AACD,WAAOkZ,MAAP;AACD;AAED;,,,SAWAY,cAAA,qBAAYD,S  
AAZ,EAA4B;AAAA,QAAhBA,SAAGB;AAAhBA,MAAAA,SAAGB,GAAJ,EAAI;AAAA;;AAC1B,QAAMX,MA  
AM,GAAG,KAAKU,KAAL,CAAWC,SAAX,CAAf;AACA,SAAKnR,MAAL,CAAYM,YAAZ,CAAYB,IAAZB,E  
AA+BkQ,MAA/B;AACA,WAAOA,MAAP;AACD;AAED;,,,SAQAa,aAAA,oBAAWF,SAAX,EAA2B;AAAA  
,QAAhBA,SAAGB;AAAhBA,MAAAA,SAAGB,GAAJ,EAAI;AAAA;;AACzB,QAAMX,MAAM,GAAG,KAAKU,  
KAAL,CAAWC,SAAX,CAAf;AACA,SAAKnR,MAAL,CAAYsR,WAAZ,CAAwB,IAAxB,EAA8Bd,MAA9B;AA  
CA,WAAOA,MAAP;AACD;AAED;,,,SAYAe,cAAA,uBAAsB;AAAA;;AACpB,QAAl,KAAKvR,MAAT,E  
AAiB;AAAA,wCADJjB,KACI;AADJA,QAAAA,KACI;AAAA;;AACfA,MAAAA,KAAK,CAACnE,OAAN,CAA  
c,UAAAsE,IAAI,EAAI;AACpB,QAAA,KAAI,CAACc,MAAL,CAAYM,YAAZ,CAAYB,KAAZB,EAA+BpB,IAA/  
B;AACD,OAFD;AAIA,WAAK8R,MAAL;AACD;;AAED,WAAO,IAAP;AACD;AAED;,,,SAiBAQ,SA  
AA,gBAAOC,SAAP,EAAkB;AAChB,SAAKC,SAAL,CAAE,KAAKxD,IAAL,OAAGBuD,SAAS,CAACvD,IAAV,  
EAA/B;AACA,SAAK8C,MAAL;AACAS,IAAAA,SAAS,CAACE,MAAV,CAAIb,IAAjB;AACA,WAAO,IAAP;A  
ACD;AAED;,,,SAWAC,aAAA,oBAAWC,SAAX,EAAAsB;AACpB,SAAKH,SAAL,CAAE,KAAKxD,IAAL,  
OAAGB2D,SAAS,CAAC3D,IAAV,EAA/B;AACA,SAAK8C,MAAL;AACAA,IAAAA,SAAS,CAAC7R,MAAV,C  
AAiBM,YAAjB,CAA8BuR,SAA9B,EAAyC,IAAZC;AACA,WAAO,IAAP;AACD;AAED;,,,SAWAC,YAA  
A,mBAAUD,SAAV,EAAqB;AACnB,SAAKH,SAAL,CAAE,KAAKxD,IAAL,OAAGB2D,SAAS,CAAC3D,IAAV,  
EAA/B;AACA,SAAK8C,MAAL;AACAA,IAAAA,SAAS,CAAC7R,MAAV,CAAIbS,RWAAjB,CAA6BO,SA7B,  
EAAwC,IAAxC;AACA,WAAO,IAAP;AACD;AAED;,,,SACxH,OAAA,gBAAO;AACL,QAAM10,KAA  
K,GAAG,KAAKqE,MAAL,CAAYrE,KAAZ,CAAKB,IAAIB,CAAd;AACA,WAAO,KAAKqE,MAAL,CAAYjB,K  
AAZ,CAAKBpD,KAAK,GAAG,CAA1B,CAAP;AACD;AAED;,,,SAYAmP,OAAA,gBAAO;AACL,QAAM  
nP,KAAK,GAAG,KAAKqE,MAAL,CAAYrE,KAAZ,CAAKB,IAAIB,CAAd;AACA,WAAO,KAAKqE,MAAL,CA  
AYjB,KAAZ,CAAKBpD,KAAK,GAAG,CAA1B,CAAP;AACD;;SAEDoW,SAAA,kBAAS;AACp,QAAMC,KAA  
K,GAAG,EAAAd;AAEA,SAAK,IAAM1a,IAAX,IAAmB,IAAnB,EAAyB;AACvB,UAAI,CAAC,KAAKmq,cAAL,  
CAAoBnQ,IAAPB,CAAL,EAAgC;AAChC,UAAIA,IAAI,KAAK,QAAb,EAAuB;AACvB,UAAAM2P,KAAK,GAA  
G,KAAK3P,IAAL,CAAd;;AAEA,UAAI2P,KAAK,YAAYS,KAArB,EAA4B;AAC1BsK,QAAAA,KAAK,CAAC1  
a,IAAD,CAAL,GAAC2P,KAAK,CAAC4E,GAAN,CAAU,UAAA/T,CAAC,EAAI;AAC3B,cAAI,OAAOA,CAAP,  
KAAa,QAAb,IAAyBA,CAAC,CAACia,MAA/B,EAAuC;AACrC,mBAAOja,CAAC,CAACia,MAAF,EAAP;AAC  
D,WAFD,MAEO;AACL,mBAAOja,CAAP;AACD;AACF,SANa,CAAd;AAOD,OARD,MAQO,IAAI,OAAOmP,K  
AAP,KAAiB,QAajB,IAA6BA,KAAK,CAAC8K,MAAvC,EAA+C;AACpDC,QAAAA,KAAK,CAAC1a,IAAD,C  
AAL,GAAC2P,KAAK,CAAC8K,MAAN,EAAAd;AACD,OAFM,MAEA;AACLC,QAAAA,KAAK,CAAC1a,IAAD,



CAAL,GAAC2P,KAAd;AACD;AACF;;AAED,WAAO+K,KAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,,SakBA1D,MAAA,a  
AAIK,IAAJ,EAAUsD,WAAV,EAAuB;AACrB,QAAM/Z,GAAG,GAAG,IAAI2V,WAAJ,EA AZ;AAC A,WAAO3  
V,GAAG,CAACoW,GAAJ,CAAQ,IAAR,EAACk,IAAd,EAAoBsD,WAApB,CAAP;AACD;AAED;,,,,,,,,,,,,,SAQA/  
D,OAAA,gBAAO;AACL,QAAIhG,MAAM,GAAG,IAAb;;AAC A,WAAOA,MAAM,CAACII,MAAd;AAAsBkI,M  
AAAA,MAAM,GAAGA,MAAM,CAACII,MAAhB;AAAtB;;AAC A,WAAOkI,MAAP;AACD;;SAEDwJ,YAAA,m  
BAAUQ,WAAV,EAAuB;AACrB,WAAO,KAAK9D,IAAL,CAAUa,MAAjB;AAC A,WAAO,KAAKb,IAAL,CAA  
Ub,KAAjB;AAC A,QAAI,CAAC2E,WAAL,EAakB,OAAO,KAAK9D,IAAL,CAAUM,OAAjB;AACnB;;SAEDyD  
,iBAAA,wBAAexW,KAAf,EAAsB;AACpB,QAAMiJ,MAAM,GAAG,KAAK9L,QAAL,EAaf;AAC A,QAAIyK,M  
AAM,GAAG,KAAKwI,MAAL,CAAYO,KAAZ,CAAKB/I,MAA/B;AAC A,QAAID,IAAI,GAAG,KAAKyI,MAAL  
,CAAYO,KAAZ,CAAKbhJ,IAA7B;;AAEA,SAAK,IAAIxL,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAG6D,KA  
ApB,EAA2B7D,CAAC,EAA5B,EAAGC;AAC9B,UAAI8M,MAAM,CAAC9M,CAAD,CAAN,KAAc,IAAIb,EAA  
wB;AACtByL,QAAAA,MAAM,GAAG,CAAT;AACAD,QAAAA,IAAI,IAAI,CAAR;AACD,OAHD,MAGO;AAC  
LC,QAAAA,MAAM,IAAI,CAAV;AACD;AACF;;AAED,WAAO;AAAED,MAAAA,IAAI,EA AJA,IAAF;AAAQC  
,MAAAA,MAAM,EAANA;AAAR,KAAP;AACD;;SAEDuN,aAAA,oBAAWD,IAAX,EAaiB;AACf,QAAI7F,GA  
AG,GAAG,KAAKe,MAAL,CAAYO,KAAtB;;AAC A,QAAIuE,IAAI,CAACIV,KAAT,EAAGb;AACdqP,MAAAA  
,GAAG,GAAG,KAAKmH,cAAL,CAAoBtB,IAAI,CAACIV,KAAzB,CAAN;AACD,KAFD,MAEO,IAAIkV,IAAI,  
CAACuB,IAAT,EA Ae;AACpB,UAMzW,KAAK,GAAG,KAAK7C,QAAL,GAAGb+L,OA AhB,CAAwBgM,IAA  
I,CAACuB,IAA7B,CAAd;AAC A,UAAIzW,KAAK,KAAK,CAAC,CAAf,EAakBqP,GAAG,GAAG,KAAKmH,cA  
AL,CAAoBxW,KAApB,CAAN;AACnB;;AACD,WAAOqP,GAAP;AACD;;SAEDqH,aAAA,sBAAa;AACX9J,IA  
AAA,QAAQ,CAAC,iDAAD,CAAR;AAC A,WAAO,KAAKyI,MAAL,EAAP;AACD;;SAEDtZ,UAAA,iBAAQqH,  
KAAR,EA Ae;AACbwJ,IAAAA,QAAQ,CAAC,kDAAD,CAAR;AAC A,WAAO,KAAKgJ,WAAL,CAAiBxS,KAAj  
B,CAAP;AACD;;SAEDR,QAAA,eAAM2Q,GAAN,EAAWC,MAAX,EAAMb;AACjB5G,IAAAA,QAAQ,CAAC,  
4CAAD,CAAR;AAC A,WAAO,KAAK+F,GAAL,CAASY,GAAT,EAACc,MAAd,CAAP;AACD;;SAEDmD,cAA  
A,qBAAYJ,WAAZ,EAAYb;AACvB3J,IAAAA,QAAQ,CAAC,wDAAD,CAAR;AAC A,WAAO,KAAKmJ,SAAL,  
CAAeQ,WAAf,CAAP;AACD;;;wBAEY;AACX3J,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AAC A,aAAO,KAAK  
6F,IAAL,CAAUa,MAAjB;AACD;sBAEU sD,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AAC A,W  
AAK6F,IAAL,CAAUa,MAAV,GAAMBsD,GAAnB;AACD;;;wBAEa;AACZhK,MAAAA,QAAQ,CAAC,mDAAD  
,CAAR;AAC A,aAAO,KAAK6F,IAAL,CAAUM,OAAjB;AACD;sBAEW6D,KAAK;AACfhK,MAAAA,QAAQ,C  
AAC,mDAAD,CAAR;AAC A,WAAK6F,IAAL,CAAUM,OAAV,GA AoB6D,GAAPb;AACD;AAED;,,,,,,,,,,,,,AAUA  
,,,,,,,,,AAQA,,,ACpHBF;,,,,,,,,,IAWMC;AACJ,uBAA  
Y5B,QAAZ,EAAsB;AAAA;;AACpB,6BAAMA,QAAN;AAC A,UAAK3C,IAAL,GAAY,MAAZ;AAFoB;AAGrB;;  
;wBAEY;AACX1F,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AAC A,aAAO,KAAK6F,IAAL,CAAUnH,KAAjB;A  
ACD;sBAEU sL,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AAC A,WAAK6F,IAAL,CAAUnH,KA  
AV,GAakBsL,GAAlB;AACD;;;wBAEgB;AACfhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;AAC A,aAAO,KAA  
K6F,IAAL,CAAUS,SAAjB;AACD;sBAEC0D,KAAK;AACIBhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;AAC A,  
WAAK6F,IAAL,CAAUS,SAAV,GAAsB0D,GAAtB;AACD;AAED;,,,,,,,,,,,,,AAUA;,,,,,,,,,AAUA;,,,,,,,,,AAWA;,,,,,  
,,,EAzDwB5B;;ACX1B;,,,,,,,,,IAQM8B;;AACJ,mBAAY7B,QAAZ,EAAsB;AAAA;;AACpB,6BAA  
MA,QAAN;AAC A,UAAK3C,IAAL,GAAY,SAAZ;AAFoB;AAGrB;wBAEU;AACT1F,MAAAA,QAAQ,CAAC,  
oDAAD,CAAR;AAC A,aAAO,KAAK6F,IAAL,CAAUC,IAAjB;AACD;sBAEQkE,KAAK;AACZhK,MAAAA,QA  
AQ,CAAC,oDAAD,CAAR;AAC A,WAAK6F,IAAL,CAAUC,IAAV,GA AiBkE,GA AjB;AACD;;wBAEW;AACV  
hK,MAAAA,QAAQ,CAAC,sDAAD,CAAR;AAC A,aAAO,KAAK6F,IAAL,CAAUG,KAAjB;AACD;sBAESgE,K  
AAK;AACbhK,MAAAA,QAAQ,CAAC,sDAAD,CAAR;AAC A,WAAK6F,IAAL,CAAUG,KAAV,GAakBgE,GA  
AlB;AACD;AAED;,,,,,AAKA;,,,EA/BoB5B;;ACZtB;AAC A;IAOqB+B;AACnB,kBAAY1I,KAAZ,EAAM  
B;AACjB,SAAKA,KAAL,GAaA,KAAb;AAEA,SAAKgB,GAAL,GAAW,CAAX;AAC A,SAAKkD,IAAL,GAAY,  
IAAIyE,IAAJ,EA AZ;AAC A,SAAKC,OAAL,GA Ae,KAAK1E,IAApB;AAC A,SAAK2E,MAAL,GAAC,EAAd;A  
ACA,SAAK7E,SAAL,GA AiB,KAAjB;AAEA,SAAKE,IAAL,CAAUnC,MAAV,GAAMb;AAAE/B,MAAAA,KA  
AK,EAALA,KA AF;AAASc,MAAAA,KAAK,EA AE;AAAEhJ,QAAAA,IAAI,EA AE,CAAR;AAAWC,QAAAA,  
MAAM,EA AE;AAAnB;AAAhB,KAAnB;AACD;;;SAEDwG,WAAA,sBAAW;AACT,SAAKE,MAAL,GAAC6I,Q

AAS,CAAC,KAAK9I,KAAN,CAA vB;AACD;;SAED+I,OAAA,gBAAO;AACL,QAAInH,KAAJ;;AACA,WAAO,  
KAAKZ,GAAL,GAAW,KAAKf,MAAL,CAAYIS,MAA9B,EAAsC;AACpC6T,MAAAA,KAAK,GAAG,KAAK3  
B,MAAL,CAAY,KAAKe,GAAjB,CAAR;;AAEA,cAAQY,KAAK,CAAC,CAAD,CAAb;AAACE,aAAK,OAAL;AA  
CA,aAAK,GAAL;AAACE,eAAKiH,MAAL,IAAejH,KAAK,CAAC,CAAD,CAApB;AACA;;AAEF,aAAK,GAAL;A  
ACE,eAAKY,GAAL,CAASZ,KAAT;AACA;;AAEF,aAAK,SAAL;AAACE,eAAKJ,OAAL,CAAaI,KAAb;AACA;;  
AAEF,aAAK,SAAL;AAACE,eAAKkD,MAAL,CAAYID,KAAZ;AACA;;AAEF,aAAK,GAAL;AAACE,eAAKoH,SA  
AL,CAAepH,KAAf;AACA;;AAEF;AAACE,eAAKqH,KAAL;AACA;AAxBJ;;AA2BA,WAAKjI,GAAL,IAAY,CA  
AZ;AACD;;AACD,SAAKKI,OAAL;AACD;;SAEDIH,UAAA,iBAAQI,KAAR,EA Ae;AACb,QAAM1M,IAAI,GA  
AG,IAAIuT,OA AJ,EAAb;AACA,SAAKU,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,CAArB,EA  
0BA,KAAK,CAAC,CAAD,CAA/B;AACAI1M,IAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAG,GAakB;AAAEIJ,  
MAAAA,IAAI,EAAsI,KAAK,CAAC,CAAD,CAAb;AAAKBrI,MAAAA,MAAM,EA AEqI,KAAK,CAAC,CAAD  
;AAA/B,KAAIB;AAEA,QAAM4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CA Ae,CAAf,E  
AAkB,CAAC,CAAnB,CAAb;;AACA,QAAI,QAAQ1S,IAAR,CAAa8V,IAAb,CAAJ,EA AwB;AACtBtP,MAAAA,  
IAAI,CAACsP,IAAL,GAAY,EA AZ;AACAtP,MAAAA,IAAI,CAACKP,IAAL,CAAUC,IAAV,GA AiBG,IAAjB;A  
ACAtP,MAAAA,IAAI,CAACKP,IAAL,CAAUG,KAAV,GAakB,EA AIB;AACD,KAJD,MAIO;AACL,UAAM3P,  
KAAK,GAAG4P,IAAI,CAAC5P,KAAL,CAAW,yBAAX,CAAd;AACAM,MAAAA,IAAI,CAACsP,IAAL,GAAY  
5P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAAI,CAACKP,IAAL,CAAUC,IAAV,GA AiBzP,KAAK,CA  
AC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACKP,IAAL,CAAUG,KAAV,GAakB3P,KAAK,CAAC,CAAD,C  
AA vB;AACD;AACF;;SAEDoU,YAAA,mBAAUpH,KAAV,EA AiB;AACf,QAAM1M,IAAI,GAAG,IAAIkU,IAAJ  
,EAAb;AACA,SAAKD,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,CAArB,EA A0BA,KAAK,CAA  
C,CAAD,CAA/B;AACAI1M,IAAAA,IAAI,CAACjB,QAAL,GAAGB,EA AhB;AACAiB,IAAAA,IAAI,CAACKP,IA  
AL,CAAUM,OA AV,GA AoB,EA ApB;AACA,SAAKKe,OAAL,GA AeIT,IAAf;AACD;;SAED+T,QAAA,iBAAQ;  
AACN,QAAIrH,KAAJ;AACA,QAAIY,GAAG,GAAG,KAAV;AACA,QAAIyB,IAAI,GAAG,IAAX;AACA,QAAI  
jB,KAAK,GAAG,KAAZ;AACA,QAAIqG,OA AO,GAAG,IAAd;AACA,QAAM9H,QAAQ,GAAG,EA AjB;AAEA,  
QAAMe,KAAK,GAAG,KAAKtB,GAAnB;;AACA,WAAO,KAAKA,GAAL,GAAW,KAAKf,MAAL,CAAYIS,M  
AA9B,EAAsC;AACpC6T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,CAAR;AACAI d,M  
AAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAAK,GAAT,IAAGBA,IAAI,KAAK  
,GAA7B,EA AkC;AAChC,YAAI,CAACoF,OAAL,EA AcA,OA AO,GAAGzH,KAAV;AACdL,QAAAA,QAAQ,CA  
AC5Q,IAAT,CAAcS,T,IAAI,KAAK,GAAT,GA Ae,GA Af,GA AqB,GAAnC;AACD,OAHD,MAGO,IAAI1C,QAAQ  
,CAACxT,MAAT,KAAoB,CAAxB,EA A2B;AAChC,YAAIkw,IAAI,KAAK,GAAb,EA AkB;AAChB,cAAIjB,KA  
AJ,EA AW;AACT,iBAAKyB,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAAKBkB,KAAIB,EA AyB,KAA  
KtB,GAAL,GAAW,CAApC,CAAV;AACA;AACD,WAHD,MAGO;AACL;AACD;AACF,SAPD,MAOO,IAAI d,I  
AAI,KAAK,GAAb,EA AkB;AACvB,eAAK9M,IAAL,CAAU,KAAK8I,MAAL,CAAYmB,KAAZ,CAAKBkB,KAA  
IB,EA AyB,KAAKtB,GAAL,GAAW,CAApC,CAAV;AACA;AACD,SAHM,MAGA,IAAI d,IAAI,KAAK,GAAb,E  
AAkB;AACvB,eAAKjD,GAAL,IAAY,CAAZ;AACAwB,UAAAA,GAAG,GAAG,IAAN;AACA;AACD,SAJM,M  
AIA,IAAIyB,IAAI,KAAK,GAAb,EA AkB;AACvBjB,UAAAA,KAAK,GAAG,IAAR;AACD;AACF,OAIBM,MAK  
BA,IAAIiB,IAAI,KAAK1C,QAAQ,CAACA,QAAQ,CAACxT,MAAT,GAakB,CAAnB,CAArB,EA A4C;AACjDw  
T,QAAAA,QAAQ,CAAC+H,GAAT;AACA,YAAI/H,QAAQ,CAACxT,MAAT,KAAoB,CAAxB,EA A2Bsb,OA  
O,GAAG,IAAV;AAC5B;;AAED,WAAKtI,GAAL,IAAY,CAAZ;AACD;;AACD,QAAI,KAAKA,GAAL,KAAa,K  
AAKf,MAAL,CAAYIS,MAA7B,EA AqC;AACnC,WAAKiT,GAAL,IAAY,CAAZ;AACAwB,MAAAA,GAAG,GA  
AG,IAAN;AACD;;AAED,QAAIjB,QAAQ,CAACxT,MAAT,GAakB,CAAtB,EA AyB,KAAKwb,eAAL,CAAqBF,  
OA ArB;;AAEzB,QAAI7G,GAAG,IAAIQ,KAAK,EA AkB;AAChB,aAAO,KAAKhC,GAAL,GAAWsB,KAAIB,EA  
AyB;AACvBV,QAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,EAAsB,CAAtB,CAAR;AACA  
,YAAIY,KAAK,KAAK,OA AV,IAAQBA,KAAK,KAAK,SAAnC,EA A8C;AAC9C,aAAKZ,GAAL,IAAY,CAAZ;A  
ACD;;AACD,WAAKyD,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAAKBkB,KAAIB,EA AyB,KAAKtB,  
GAAL,GAAW,CAApC,CAAV;AACA;AACD;;AAED,SAAKwI,WAAL,CAAiBIH,KAAjB;AACD;;SAEDnL,OA  
AA,cAAK8I,MAAL,EA Aa;AACXA,IAAAA,MAAM,CAACqJ,GAAP;AAEA,QAAMpU,IAAI,GAAG,IAAIkU,IA  
AJ,EAAb;AACA,SAAKD,IAAL,CAAUjU,IAAV,EAAGB+K,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAh

B,EAA8BA,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAA9B;AAEA/K,IAAAA,IAAI,CAACKP,IAAL,CAAUM,OAAV,GAAoB,KAAK+E,aAAL,CAAmBxJ,MAAnB,CAApB;AACa,SAAKqE,GAAL,CAASpP,IAAT,EAAe,UAAf,EAA2B+K,MAA3B;AACa,SAAK2I,OAAAL,GAAe1T,IAAf;AACD;;SAEDuP,OAAA,cAAKxE,MAAL,EAaAa;AACX,QAAM/K,IAAI,GAAG,IAAIst,WAAJ,EAAb;AACa,SAAKW,IAAL,CAAUjU,IAAV;AAEA,QAAmsL,IAAI,GAAGP,MAAM,CAACA,MAAM,CAACIS,MAAP,GAAgB,CAAjB,CAAnB;;AACa,QAAlYs,IAAI,CAAC,CAAD,CAAJ,KAAy,GAAhB,EAaQb;AACnB,WAAKwD,SAAL,GAaiB,IAAjB;AACa/D,MAAAA,MAAM,CAACqJ,GAAP;AACD;;AACD,QAAl9I,IAAI,CAAC,CAAD,CAAR,EAaAa;AACXtL,MAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,QAAAA,IAAI,EAAEkH,IAAI,CAAC,CAAD,CAAZ;AAAiBjH,QAAAA,MAAM,EAAEiH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD,KAFD,MAEO;AACLlL,MAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,QAAAA,IAAI,EAAEkH,IAAI,CAAC,CAAD,CAAZ;AAAiBjH,QAAAA,MAAM,EAAEiH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD;;AAED,WAAOP,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,MAAiB,MAAxB,EAAGC;AAC9B/K,MAAAA,IAAI,CAACKP,IAAL,CAAUa,MAAV,IAAoBhF,MAAM,CAACyJ,KAAP,GAAe,CAAf,CAApB;AACD;;AACDxU,IAAAA,IAAI,CAAC6M,MAAL,CAAYO,KAAZ,GAAoB;AAAEhJ,MAAAA,IAAI,EAAE2G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAR;AAAsB1G,MAAAA,MAAM,EAAE0G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV;AAA9B,KAAPB;AAEA/K,IAAAA,IAAI,CAACyP,IAAL,GAAY,EAaZ;;AACa,WAAO1E,MAAM,CAACIS,MAAd,EAAsB;AACpB,UAAmKw,IAAI,GAAGhE,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAb;;AACa,UAAIge,IAAI,KAAK,GAAT,IAAgBA,IAAI,KAAK,OAAzB,IAAoCA,IAAI,KAAK,SAAjD,EAa4D;AAC1D;AACD;;AACD/O,MAAAA,IAAI,CAACyP,IAAL,IAAa1E,MAAM,CAACyJ,KAAP,GAAe,CAAf,CAAb;AACD;;AAEDxU,IAAAA,IAAI,CAACKP,IAAL,CAAUM,OAAV,GAAoB,EAAPB;AAEA,QAAl9C,KAAJ;;AACa,WAAO3B,MAAM,CAACIS,MAAd,EAAsB;AACpB6T,MAAAA,KAAK,GAAG3B,MAAM,CAACyJ,KAAP,EAAR;;AAEA,UAAI9H,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AACpB1M,QAAAA,IAAI,CAACKP,IAAL,CAAUM,OAAV,IAAqB9C,KAAK,CAAC,CAAD,CAA1B;AACa;AACD,OAHD,MAGO;AACL1M,QAAAA,IAAI,CAACKP,IAAL,CAAUM,OAAV,IAAqB9C,KAAK,CAAC,CAAD,CAA1B;AACD;AACF;;AAED,QAAl1M,IAAI,CAACyP,IAAL,CAAU,CAAV,MAAiB,GAAjB,IAAwBzP,IAAI,CAACyP,IAAL,CAAU,CAAV,MAAiB,GAA7C,EAakD;AACHDzP,MAAAA,IAAI,CAACKP,IAAL,CAAUa,MAAV,IAAoB/P,IAAI,CAACyP,IAAL,CAAU,CAAV,CAApB;AACAzP,MAAAA,IAAI,CAACyP,IAAL,GAAYzP,IAAI,CAACyP,IAAL,CAAUvD,KAAY,CAAGB,CAAhB,CAAZ;AACD;;AACDIM,IAAAA,IAAI,CAACKP,IAAL,CAAUM,OAAV,IAAqB,KAAKiF,eAAL,CAAqB1J,MAArB,CAArB;AACa,SAAK2J,uBAAL,CAA6B3J,MAA7B;;AAEA,SAAK,IAAIInS,CAAC,GAAGmS,MAAM,CAACIS,MAAP,GAAgB,CAA7B,EAAGCD,CAAC,GAAG,CAAPc,EAaUcA,CAAC,EAaxC,EAa4C;AAC1C8T,MAAAA,KAAK,GAAG3B,MAAM,CAACnS,CAAD,CAAd;;AACa,UAAI8T,KAAK,CAAC,CAAD,CAAL,KAAa,YAAjB,EAa+B;AAC7B1M,QAAAA,IAAI,CAAC2P,SAAL,GAaiB,IAAjB;AACa,YAAIjK,MAAM,GAAG,KAAKiP,UAAAL,CAAqB5J,MAAhB,EAawBnS,CAAxB,CAAb;AACa8M,QAAAA,MAAM,GAAG,KAAK6O,aAAL,CAAmBxJ,MAAnB,IAA6BrF,MAAtC;AACa,YAAIA,MAAM,KAAK,aAAf,EAa8B1F,IAAI,CAACKP,IAAL,CAAUS,SAAV,GAAsBjK,MAAtB;AAC9B;AACD,OAND,MAMO,IAAIgH,KAAK,CAAC,CAAD,CAAL,KAAa,WAAjB,EAa8B;AACnC,YAAMkI,KAAK,GAAG7J,MAAM,CAACmB,KAAP,CAAa,CAAb,CAAd;AACa,YAAIIT,GAAG,GAAG,EAaV;;AACa,aAAK,IAAIwY,CAAC,GAAG5Y,CAAb,EAAGB4Y,CAAC,GAAG,CAAPB,EAaUba,CAAC,EAaxB,EAa4B;AAC1B,cAAMzC,KAAI,GAAG6F,KAAK,CAACpD,CAAD,CAAL,CAAS,CAAT,CAAb;;AACa,cAAIxY,GAAG,CAACgD,IAAJ,GAAW2J,OAAX,CAAmB,GAAnB,MAA4B,CAA5B,IAAiCoJ,KAAI,KAAK,OAA9C,EAaUd;AACrD;AACD;;AACD/V,UAAAA,GAAG,GAAG4b,KAAK,CAACR,GAAN,GAAY,CAAZ,IAAiBpb,GAavB;AACD;;AACD,YAAIA,GAAG,CAACgD,IAAJ,GAAW2J,OAAX,CAAmB,GAAnB,MAA4B,CAAhC,EAaMnC;AACjC3F,UAAAA,IAAI,CAAC2P,SAAL,GAaiB,IAAjB;AACa3P,UAAAA,IAAI,CAACKP,IAAL,CAAUS,SAAV,GAAsB3W,GAAtB;AACa+R,UAAAA,MAAM,GAAG6J,KAAT;AACD;AACF;;AAED,UAAIII,KAAK,CAAC,CAAD,CAAL,KAAa,OAAb,IAAwBA,KAAK,CAAC,CAAD,CAAL,KAAa,SAAzC,EAaOd;AACID;AACD;AACF;;AAED,SAAK0C,GAAL,CAASpP,IAAT,EAaE,OAaf,EAawB+K,MAAxB;AAEA,QAAl/K,IAAI,CAAC+H,KAAL,CAAWpC,OAAX,CAAmB,GAAnB,MAA4B,CAAC,CAAjC,EAaOc,KAAKkP,oBAAL,CAA0B9J,MAA1B;AACrC;;SAED6E,SAAA,gBAAOID,KAAP,EAaC;AACZ,QAAM1M,IAAI,GAAG,IAAI8U,MAAJ,EAAb;AACa9U,IAAAA,IAAI,CAAC5H,IAAL,GAAYsU,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAaE,CAAf,CAAZ;;AACa,QAA

IIM,IAAI,CAAC5H,IAAL,KAAc,EAAIB,EAAsB;AACpB,WAAK2c,aAAL,CAAmB/U,IAAnB,EAAYB0M,KAAz  
B;AACD;;AACD,SAAKuH,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAAK,C  
AAC,CAAD,CAA/B;AAEA,QAAlpB,IAAI,GAAG,KAAx;AACa,QAAl0J,IAAI,GAAG,KAAx;AACa,QAAMn  
F,MAAM,GAAG,EAaf;AAEA,SAAK/D,GAAL,IAAY,CAAz;;AACa,WAAO,KAAKA,GAAL,GAAW,KAAKf,  
MAAL,CAAYIS,MAA9B,EAAsC;AACpC6T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,  
CAAR;;AAEA,UAAIY,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AACpB1M,QAAAA,IAAI,CAAC6  
M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,UAAAA,IAAI,EAAEsI,KAAK,CAAC,CAAD,CAAb;AAAKBrI,UAA  
AA,MAAM,EAAEqI,KAAK,CAAC,CAAD;AAA/B,SAAlB;AACa,aAAKoC,SAAL,GAAiB,IAAjB;AACa;AAC  
D,OAJD,MAIO,IAAlpC,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AAC3BsI,QAAAA,IAAI,GAAG,IA  
AP;AACa;AACD,OAHM,MAGA,IAAIH,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AAC3B,aAAKY,  
GAAL,CAASZ,KAAT;AACa;AACD,OAHM,MAGA;AACLmD,QAAAA,MAAM,CAACpU,IAAP,CAAYiR,KA  
AZ;AACD;;AAED,WAAKZ,GAAL,IAAY,CAAz;AACD;;AACD,QAAl,KAAKA,GAAL,KAAa,KAAKf,MAAL,  
CAAYIS,MAA7B,EAAqC;AACnCyS,MAAAA,IAAI,GAAG,IAAP;AACD;;AAEDtL,IAAAA,IAAI,CAACKP,IA  
AL,CAAUM,OAaV,GAAoB,KAAK+E,aAAL,CAAmB1E,MAAnB,CAApB;;AACa,QAAlA,MAAM,CAACHx,  
MAAX,EAAMb;AACjBmH,MAAAA,IAAI,CAACKP,IAAL,CAAUY,SAaV,GAAsB,KAAK2E,eAAL,CAAqB5E  
,MAArB,CAAtB;AACa,WAAKT,GAAL,CAASpP,IAAT,EAae,QAaf,EAAYB6P,MAAZB;;AACa,UAAIvE,IAA  
J,EAAU;AACRoB,QAAAA,KAAK,GAAGmD,MAAM,CAACA,MAAM,CAACHx,MAAP,GAAGb,CAAjB,CAA  
d;AACAmH,QAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,UAAAA,IAAI,EAAEsI,KAAK,  
CAAC,CAAD,CAAb;AAAKBrI,UAAAA,MAAM,EAAEqI,KAAK,CAAC,CAAD;AAA/B,SAAlB;AACa,aAAKi  
H,MAAL,GAAc3T,IAAI,CAACKP,IAAL,CAAUM,OAaxB;AACAxP,QAAAA,IAAI,CAACKP,IAAL,CAAUM,O  
AAV,GAAoB,EAAPB;AACD;AACF,KATD,MASO;AACLxP,MAAAA,IAAI,CAACKP,IAAL,CAAUY,SAaV,G  
AAsB,EAAtB;AACa9P,MAAAA,IAAI,CAAC6P,MAAL,GAAC,EAAd;AACD;;AAED,QAAlmF,IAAJ,EAAU;A  
ACRhV,MAAAA,IAAI,CAACH,KAAL,GAAa,EAAb;AACa,WAAK6T,OAAL,GAAe1T,IAAf;AACD;AACF;;S  
AEDsN,MAAA,aAAIZ,KAAJ,EAaW;AACT,QAAl,KAAKgH,OAAL,CAAa7T,KAAb,IAAsB,KAAK6T,OAAL,  
CAAa7T,KAAb,CAAmBhH,MAA7C,EAAqD;AACnD,WAAK6a,OAAL,CAAaxE,IAAb,CAAKBJ,SAAlB,GAA8  
B,KAAKA,SAAnC;AACD;;AACD,SAAKA,SAAL,GAAiB,KAAjB;AAEA,SAAK4E,OAAL,CAAaxE,IAAb,CAA  
kBb,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF  
,MAAjE;AACa,SAAKA,MAAL,GAAC,EAAd;;AAEA,QAAl,KAAKD,OAAL,CAAa5S,MAAjB,EAAYB;AACvB,  
WAAK4S,OAAL,CAAa7G,MAAb,CAAoBS,GAAPB,GAA0B;AAAEIJ,QAAAA,IAAI,EAAEsI,KAAK,CAAC,C  
AAD,CAAb;AAAKBrI,QAAAA,MAAM,EAAEqI,KAAK,CAAC,CAAD;AAA/B,OAAlB;AACa,WAAKgH,OAAL,  
GAAe,KAAKA,OAAL,CAAa5S,MAA5B;AACD,KAHD,MAGO;AACL,WAAKmU,eAAL,CAAqBvI,KAArB;  
AACD;AACF;;SAEDsH,UAAA,mBAaU;AACR,QAAl,KAAKN,OAAL,CAAa5S,MAAjB,EAAYB,KAAKoU,aA  
AL;;AACzB,QAAl,KAAKxB,OAAL,CAAa7T,KAAb,IAAsB,KAAK6T,OAAL,CAAa7T,KAAb,CAAmBhH,MA  
A7C,EAAqD;AACnD,WAAK6a,OAAL,CAAaxE,IAAb,CAAKBJ,SAAlB,GAA8B,KAAKA,SAAnC;AACD;;AAC  
D,SAAK4E,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb,  
KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF,MAAjE;AACD;;SAIDM,OAaa,cAAKjU,IAAL,EAaWoE,IAAX,EA  
iBC,MAAjB,EAAYB;AACvB,SAAKqP,OAAL,CAAajY,IAAb,CAAKBuE,IAAlB;AAEAA,IAAAA,IAAI,CAAC6  
M,MAAL,GAAC;AAAEIO,MAAAA,KAAK,EAAE;AAAEhJ,QAAAA,IAAI,EAAlA,IAAF;AAAQC,QAAAA,MA  
AM,EAANA;AAAR,OAAT;AAA2ByG,MAAAA,KAAK,EAAE,KAAKA;AAAvC,KAAd;AACa9K,IAAAA,IAA  
I,CAACKP,IAAL,CAAUa,MAAV,GAAMb,KAAK4D,MAAxB;AACa,SAAKA,MAAL,GAAC,EAAd;AACa,QA  
Al3T,IAAI,CAAC+O,IAAL,KAAc,SAAlB,EAA6B,KAAKD,SAAL,GAAiB,KAAjB;AAC9B;;SAEDM,MAAA,aA  
AlpP,IAAJ,EAAYpP,IAAV,EAAGB1E,MAAhB,EAawB;AACtB,QAAl2B,KAAJ,EAaWqC,IAAX;AACa,QA  
AlW,MAAM,GAAGkS,MAAM,CAACIS,MAAtB;AACa,QAAlkP,KAAK,GAAG,EAaz;AACa,QAAlON,KAA  
K,GAAG,IAAZ;;AACa,SAAK,IAAlvc,CAAC,GAAG,CAAb,EAAGbA,CAAC,GAAGC,MAAPB,EAA4BD,CAA  
C,IAAI,CAAjC,EAAoC;AACIC8T,MAAAA,KAAK,GAAG3B,MAAM,CAACnS,CAAD,CAAd;AACAmW,MAA  
AA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAz;;AACa,UAAIqC,IAAI,KAAK,SAAT,IAAuBA,IAAI,KAAK,O  
AAT,IAAoBnW,CAAC,KAAKC,MAAM,GAAG,CAA9D,EAAkE;AACHEsc,QAAAA,KAAK,GAAG,KAAR;AA  
CD,OAfD,MAEO;AACLpN,QAAAA,KAAK,IAAI2E,KAAK,CAAC,CAAD,CAAd;AACD;AACF;;AACD,QAAl

,CAACyI,KAAL,EAAY;AACV,UAAM/F,GAAG,GAAGrE,MAAM,CAAC1E,MAAP,CAAc,UAAC+O,GAAD,E  
AAMxc,CAAN;AAAA,eAAYwc,GAAG,GAAGxc,CAAC,CAAC,CAAD,CAAnB;AAAA,OAAd,EAAsC,EAAtC,  
CAAZ;ACAoH,MAAAA,IAAI,CAACkP,IAAL,CAAUO,IAAV,IAAkB;AAAE1H,QAAAA,KAAC,EAALA,KA  
AF;AAASqH,QAAAA,GAAG,EAHA;AAAT,OAaIB;AACD;;AACDPp,IAAAA,IAAI,CAACyP,IAAD,CAAJ,G  
AAa1H,KAAb;AACD;;SAEDwM,gBAAA,uBAAcxJ,MAAd,EAAsB;AACpB,QAAIsK,aAAJ;AACa,QAAI1B,M  
AAM,GAAG,EAAb;;ACA,WAAO5I,MAAM,CAACIS,MAAd,EAAsB;AACpBwc,MAAAA,aAAa,GAAGtK,M  
AAM,CAACA,MAAM,CAACIS,MAAP,GAAGB,CAAjB,CAAN,CAA0B,CAA1B,CAAhB;ACA,UAAIwc,aAAa  
,KAAC,OAaIB,IAA6BA,aAAa,KAAC,SAAnD,EAA8D;AAC9D1B,MAAAA,MAAM,GAAG5I,MAAM,CAACqJ  
,GAAP,GAAa,CAAb,IAAkBT,MAA3B;AACD;;AACD,WAAOA,MAAP;AACD;;SAEDc,kBAAA,yBAAgB1J,M  
AAhB,EAAb;AACTB,QAAII,IAAJ;ACA,QAAIwI,MAAM,GAAG,EAAb;;ACA,WAAO5I,MAAM,CAACIS,  
MAAd,EAAsB;AACpBsS,MAAAA,IAAI,GAAGJ,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAP;ACA,U  
AAII,IAAI,KAAC,OAAT,IAAoBA,IAAI,KAAC,SAAjC,EAA4C;AAC5CwI,MAAAA,MAAM,IAAI5I,MAAM,C  
AACyJ,KAAP,GAAe,CAAf,CAAV;AACD;;AACD,WAAOb,MAAP;AACD;;SAEDgB,aAAA,oBAAW5J,MAAX,  
EAAMBuK,IAAnB,EAAYB;AACvB,QAAItM,MAAM,GAAG,EAAb;;ACA,SAAK,IAAIpQ,CAAC,GAAG0c,IA  
Ab,EAAMb1c,CAAC,GAAGmS,MAAM,CAACIS,MAA9B,EAAsCD,CAAC,EAAvC,EAA2C;AACzCoQ,MAAA  
A,MAAM,IAAI+B,MAAM,CAACnS,CAAD,CAAN,CAAU,CAAV,CAAV;AACD;;AACDmS,IAAAA,MAAM,C  
AACxI,MAAP,CAAc+S,IAAd,EAAoBvK,MAAM,CAACIS,MAAP,GAAGByc,IAApC;ACA,WAAOtM,MAAP;  
AACD;;SAED8E,QAAA,eAAM/C,MAAN,EAAC;AACZ,QAAIsB,QAAQ,GAAG,CAAf;ACA,QAAIK,KAJ,E  
AAWqC,IAAX,EAaiBnD,IAAjB;;ACA,SAAK,IAAIhT,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAGmS,MA  
AM,CAACIS,MAA3B,EAAMCD,CAAC,EAAPC,EAawC;AACtC8T,MAAAA,KAAC,GAAG3B,MAAM,CAAC  
nS,CAAD,CAAd;AACAmW,MAAAA,IAAI,GAAGrC,KAAC,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAA  
K,GAAb,EAAb;AAChB1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFD,MAEO,IAAI0C,IAAI,KAAC,GAAb,E  
AAkB;AACvB1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFM,MAEA,IAAIA,QAAQ,KAAC,CAAb,IAAkB0C,I  
AAI,KAAC,GAAB/EAAoC;AACzC,YAAI,CAACnD,IAAL,EAAW;AACT,eAAK2J,WAAL,CAAiB7I,KAJ;A  
ACD,SAFD,MAEO,IAAI,IAAI,CAAC,CAAD,CAAJ,KAAY,MAAZ,IAAsBA,IAAI,CAAC,CAAD,CAAJ,KAAY  
,QAAtC,EAAGD;AACrD;AACD,SAFM,MAEA;AACL,iBAAOhT,CAAP;AACD;AACF;;AAEDgT,MAAAA,IAA  
I,GAAGc,KAAP;AACD;;AACD,WAAO,KAAP;AACD;;SAID2H,kBAAA,yBAAgBF,OAAb,EAAYB;AACvB,  
UAAM,KAAKrJ,KAAL,CAAWmB,KAAX,CAAiB,kBAAjB,EAAqCkI,OAAO,CAAC,CAAD,CAA5C,EAaiDA,  
OAAO,CAAC,CAAD,CAAxD,CAAN;AACD;;SAEDG,cAAA,qBAAyIH,KAAC,EAAMB;AACjB,QAAMV,KAA  
K,GAAG,KAAC3B,MAAL,CAAYqC,KAAC,CAAd;ACA,UAAM,KAAKtC,KAAL,CAAWmB,KAAX,CAAiB,  
cAAjB,EAaiCS,KAAC,CAAC,CAAD,CAAtC,EAA2CA,KAAC,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDuI,  
kBAAA,yBAAgBvI,KAAb,EAAB;AACrB,UAAM,KAAC5B,KAAL,CAAWmB,KAAX,CAAiB,cAAjB,EAai  
CS,KAAC,CAAC,CAAD,CAAtC,EAA2CA,KAAC,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDwI,gBAAA,yB  
AAgB;AACd,QAAMpJ,GAAG,GAAG,KAAC4H,OAAL,CAAa7G,MAAb,CAAoBO,KAAC;ACA,UAAM,KA  
AKtC,KAAL,CAAWmB,KAAX,CAAiB,gBAAjB,EAAMCH,GAAG,CAAC1H,IAAvC,EAA6C0H,GAAG,CAACz  
H,MAAjD,CAAN;AACD;;SAEDkR,cAAA,qBAAy7I,KAAC,EAAMB;AACjB,UAAM,KAAC5B,KAAL,CAAW  
mB,KAAX,CAAiB,cAAjB,EAaiCS,KAAC,CAAC,CAAD,CAAtC,EAA2CA,KAAC,CAAC,CAAD,CAAhD,CAA  
N;AACD;;SAEDqI,gBAAA,uBAAc/U,IAAd,EAAoB0M,KAAPB,EAA2B;AACzB,UAAM,KAAC5B,KAAL,CAA  
WmB,KAAX,CAAiB,sBAAjB,EAAYCS,KAAC,CAAC,CAAD,CAA9C,EAAMDA,KAAC,CAAC,CAAD,CAAxD  
,CAAN;AACD;;SAEDgI,0BAAA,iCAAwB3J,MAAxB,EAAGC;AAC9B,AAED;;SAED8J,uBAAA,8BAAqB9J,M  
AArB,EAA6B;AAC3B,QAAM+C,KAAC,GAAG,KAACA,KAAL,CAAW/C,MAAX,CAAd;ACA,QAAI+C,KA  
AK,KAAC,KAAd,EAaqB;AAErB,QAAI0H,OAAO,GAAG,CAAd;ACA,QAAI9I,KAJ;;ACA,SAAK,IAAI8E  
,CAAC,GAAG1D,KAAC,GAAG,CAArB,EAAB0D,CAAC,IAAI,CAA7B,EAAGCA,CAAC,EAajC,EAaqC;AA  
CnC9E,MAAAA,KAAC,GAAG3B,MAAM,CAACyG,CAAD,CAAd;;ACA,UAAI9E,KAAC,CAAC,CAAD,CA  
AL,KAAa,OAajB,EAA0B;AACxB8I,QAAAA,OAAO,IAAI,CAAX;ACA,YAAIA,OAAO,KAAC,CAAb,EAAM  
B;AACpB;AACF;;AACD,UAAM,KAAC1K,KAAL,CAAWmB,KAAX,CAAiB,kBAAjB,EAAqCS,KAAC,CAA  
C,CAAD,CAA1C,EAA+CA,KAAC,CAAC,CAAD,CAAPD,CAAN;AACD;;AC/cH;ACA,AAGe,SAAS+I,KA  
AT,CAAehY,GAaf,EAAoBkU,IAAPB,EAA0B;AACvC,MAAIA,IAAI,IAAIA,IAAI,CAAC+D,IAAjB,EAAB;A

ACrB,UAAM,IAAI5Z,KAAJ,CAAU,8BAA8B,4CAAxC,CAAN;AACD;;AAED,MAAMgP,KAAK,GAAG,IAAI2  
B,KAAJ,CAAUhP,GAAV,EAAekU,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAIInC,MAAJ,CAAW1I,KA  
AX,CAAf;;ACA,MAAI;AACF6K,IAAAA,MAAM,CAAC9K,QAAP;ACA8K,IAAAA,MAAM,CAAC9B,IAA  
P;AACD,GAHD,CAGE,OAAO9P,CAAP,EAAU;AACV,QAAlA,CAAC,CAAC3L,IAAF,KAAW,gBAAX,IAA+B  
uZ,IAA/B,IAAuCA,IAAI,CAAC2D,IAAhD,EAA5D;AACpD,UAAI,WAAW9b,IAAX,CAAgBmY,IAAI,CAAC2D  
,IAArB,CAAJ,EAAgC;AAC9BvR,QAAAA,CAAC,CAACuF,OAAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAI  
D,OALD,MAKO,IAAI,WAAW9P,IAAX,CAAgBmY,IAAI,CAAC2D,IAArB,CAAJ,EAAgC;AACrCvR,QAAAA,  
CAAC,CAACuF,OAAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID;AACF;;AACD,UAMvF,CAAN;AACD;;  
AAED,SAAO4R,MAAM,CAAC3G,IAAd;AACD;;ACvBD,SAAS4G,WAAT,CAAqB/V,KAArB,EAA4B;AAC1B,  
SAAOA,KAAK,CAAC8M,GAAN,CAAU,UAAA/T,CAAC,EAAl;AACpB,QAAlA,CAAC,CAACiH,KAAH,EAA  
ajH,CAAC,CAACiH,KAAf,GAU+V,WAAW,CAAChd,CAAC,CAACiH,KAAH,CAArB;AACb,WAAOjH,CAA  
C,CAACiU,MAAT;ACA,WAAOjU,CAAP;AACD,GAJM,CAAP;AAKD;AAED;:::AAQA;:::AAOA;:::;  
IAUMid;:::;SACJpa,OAAA,cAAKGF,KAAL,EAAy;AACVA,IAAAA,KAAK,CAACK,MAAN,GAAe,IAAf;AA  
CA,SAAKjB,KAAL,CAAWpE,IAAX,CAAgBgF,KAAhB;ACA,WAAO,IAAP;AACD;AAED;:::;  
:::;SAiCaqV,OAAA,cAAKC,QAAL,EAAe;AACb,QAAl,CAAC,KAAKC,QAAl,EAAoB,KAAKA,QAAL,GA  
AgB,CAAhB;AACpB,QAAl,CAAC,KAAKC,OAAV,EAAmB,KAAKA,OAAAL,GAAe,EAAf;AAEnB,SAAKD,QA  
AL,IAAiB,CAAjB;ACA,QAAM/X,EAAE,GAAG,KAAK+X,QAAhB;ACA,SAAKC,OAAAL,CAAahY,EAAb,I  
AAmB,CAAnB;AAEA,QAAl,CAAC,KAAK4B,KAAV,EAAiB,OAAOjB,SAAP;AAEjB,QAAlInC,KAAJ,EAAWu  
M,MAAX;;ACA,WAAO,KAAKiN,OAAAL,CAAahY,EAAb,IAAmB,KAAK4B,KAAL,CAAWHh,MAArC,EAA6  
C;AAC3C4D,MAAAA,KAAK,GAAG,KAAKwZ,OAAAL,CAAahY,EAAb,CAAR;ACA+K,MAAAA,MAAM,GA  
AG+M,QAAQ,CAAC,KAAKIW,KAAL,CAAWpD,KAAX,CAAD,EAAoBA,KAApB,CAAjB;ACA,UAAIuM,M  
AAM,KAAK,KAAf,EAA5B;AAEtB,WAAKiN,OAAAL,CAAahY,EAAb,KAAoB,CAApB;AACD;;AAED,WAAO,  
KAAKgY,OAAAL,CAAahY,EAAb,CAAP;AAEA,WAAO+K,MAAP;AACD;AAED;:::;SAmBAsH,OAA  
A,cAAKyF,QAAL,EAAe;AACb,WAAO,KAAKD,IAAL,CAAU,UAAcRv,KAAD,EAAQ7H,CAAR,EAAc;AAC7  
B,UAAIoQ,MAAM,GAAG+M,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAArB;;ACA,UAAIoQ,MAAM,KA  
AK,KAAAX,IAAoBvI,KAAK,CAAC6P,IAA9B,EAAoC;AACICtH,QAAAA,MAAM,GAAGvI,KAAK,CAAC6P,IA  
AN,CAAWyF,QAAX,CAAT;AACD;;AACD,aAAO/M,MAAP;AACD,KANM,CAAP;AAOD;AAED;:::;  
:::;SA6BA8H,YAAA,mBAAUrB,IAAV,EAAgBsG,QAAhB,EAA0B;AACxB,QAAl,CAACA,QAAL,EAAe;A  
ACbA,MAAAA,QAAQ,GAAGtG,IAAX;ACA,aAAO,KAAKa,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,  
EAAc;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,MAAnB,EAA2B;AACzB,iBAAOgH,QAAQ,CAACtV,K  
AAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAI6W,IAAI,YAAyJR,MAA  
pB,EAA4B;AACjC,aAAO,KAAK8R,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,YAAI6H,K  
AAK,CAACsO,IAAN,KAAe,MAAf,IAAyBU,IAAI,CAACjW,IAAL,CAAUiH,KAAK,CAACgP,IAAhB,CAA7B,  
EAAoD;AACID,iBAAOsG,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,  
KANM,MAMA;AACL,aAAO,KAAK0X,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,YAAI6  
H,KAAK,CAACsO,IAAN,KAAe,MAAf,IAAyBtO,KAAK,CAACgP,IAAN,KAAeA,IAA5C,EAAkD;AAChD,iB  
AAOsG,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD;AACF;AAED;:::;  
:::;SAuBAsd,YAAA,mBAAUUnX,QAAl,EAAoBgX,QAAPB,EAA8B;AAC5B,QAAl,CAACA,QAAL,EAA  
e;AACbA,MAAAA,QAAQ,GAAGhX,QAAX;AAEA,aAAO,KAAKuR,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,  
CAAR,EAAc;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,MAAnB,EAA2B;AACzB,iBAAOgH,QAAQ,CAA  
CtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KARD,MAQO,IAAIImG,QAAQ,YAAy  
P,MAAxB,EAAgC;AACrC,aAAO,KAAK8R,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,YA  
AI6H,KAAK,CAACsO,IAAN,KAAe,MAAf,IAAyBhQ,QAAQ,CAACvF,IAAT,CAACiH,KAAK,CAAC1B,QAAP  
B,CAA7B,EAA4D;AAC1D,iBAAOgX,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,C  
AAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK0X,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAc;A  
AC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,MAAf,IAAyBtO,KAAK,CAAC1B,QAAN,KAAmBA,QAAd,EA  
A0D;AACxD,iBAAOgX,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD;A  
ACF;AAED;:::;SA8BAud,cAAA,qBAAY/d,IAAZ,EAAkB2d,QAAlB,EAA4B;AAC1B,QAAl,C

AACA,QAAL,EAAe;AACbA,MAAAA,QAAQ,GAAG3d,IAAX;AACA,aAAO,KAAKkY,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,QAAnB,EAA6B;AAC3B,iBAAOgH,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAIR,IAAI,YAAyOG,MAApB,EAA4B;AACjC,aAAO,KAAK8R,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,QAaf,IAA2B3W,IAAI,CAACoB,IAAL,CAAUiH,KAAK,CAACrI,IAAhB,CAA/B,EAA5D;AACpD,iBAAO2d,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK0X,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,QAaf,IAA2BtO,KAAK,CAACrI,IAAN,KAAeA,IAA9C,EAAoD;AACID,iBAAO2d,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD;AACF;AAED;,,,,,,;SAgBAgY,eAAA,sBAAmF,QAAb,EAAuB;AACrB,WAAO,KAAKzF,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,UAAI6H,KAAK,CAACsO,IAAN,KAAe,SAAnB,EAA8B;AAC5B,eAAOgH,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,KAJM,CAAP;AAKD;AAED;,,,,,,;,,,,,,;SAoBA6Z,SAAA,kBAAoB;AAAA;AAAA,sCAAV2D,QAAU;AAAVA,MAAAA,QAAU;AAAA;AACIB A,IAAAA,QAAQ,CAAC1a,OAAT,CAAiB,UAAA+E,KAAK,EAAI;AACxB,UAAmZ,KAAK,GAAG,KAAI,CAACwW,SAAL,CAAe5V,KAaf,EAA5B,KAAI,CAAC6K,IAA3B,CAAd;AACAZL,MAAAA,KAAK,CAACnE,OAA N,CAAc,UAAAsE,IAAI;AAAA,eAAI,KAAI,CAACH,KAAL,CAAWpE,IAAX,CAAqBuE,IAAhB,CAAJ;AAAA, OAAIB;AACD,KAHD;AAIA,WAAO,IAAP;AACD;AAED;,,,,,,;SAoBAsW,UAAA,mBAAqB;AAAA;A AAA,uCAAVF,QAAU;AAAVA,MAAAA,QAAU;AAAA;AACnBA,IAAAA,QAAQ,GAAGA,QAAQ,CAACG,O AAT,EAAx;AACAH,IAAAA,QAAQ,CAAC1a,OAAT,CAAiB,UAAA+E,KAAK,EAAI;AACxB,UAAmZ,KAAK, GAAG,MAAI,CAACwW,SAAL,CAAe5V,KAaf,EAA5B,MAAI,CAACyP,KAA3B,EAAK,SAaIC,EAA6CqG,O AA7C,EAAAd;AACAIW,MAAAA,KAAK,CAACnE,OAA N,CAAc,UAAAsE,IAAI;AAAA,eAAI,MAAI,CAACH, KAAL,CAAW2W,OAAx,CAAmBxW,IAAnB,CAAJ;AAAA,OAAIB;AAC A,WAAK,IAAM/B,EAAx,IAAiB,M AAI,CAACgY,OAAtB,EAA+B;AAC7B,QAAA,MAAI,CAACA,OAAL,CAAahY,EAAb,IAAmB,MAAI,CAACgY ,OAAL,CAAahY,EAAb,IAAmB4B,KAAK,CAACH,MAA5C;AACD;AACF,KAND;AAOA,WAAO,IAAP;AAC D;SAED2Z,YAAA,mBAAUQ,WAAV,EAAuB;AACrB,oBAAMR,SAAN,YAAgBQ,WAAhB;AAC A,QAAl,KA AKnT,KAAT,EAAgB;AACd,WAAKA,KAAL,CAAWnE,OAAx,CAAmB,UAAAsE,IAAI;AAAA,eAAIA,IAAI,C AACwS,SAAL,CAAeQ,WAAf,CAAJ;AAAA,OAAvB;AACD;AACF;AAED;,,,,,,;SAWA5R,eAAA,sBAAaqV, KAAb,EAAoBnT,GAAPB,EAAyB;AAAA;AACvBmT,IAAAA,KAAK,GAAG,KAAKha,KAAL,CAAWga,KAA X,CAAR;AAEA,QAAM1H,IAAI,GAAG0H,KAAK,KAAK,CAAV,GAAC,SAAd,GAA0B,KAAvC;AAC A,QAAM 5W,KAAK,GAAG,KAAkwW,SAAL,CAAe/S,GAaf,EAAoB,KAAKzD,KAAL,CAAW4W,KAAx,CAAPB,EAAu C1H,IAAvC,EAA6CwH,OAA7C,EAAAd;AACAIW,IAAAA,KAAK,CAACnE,OAA N,CAAc,UAAAsE,IAAI;AAA A,aAAI,MAAI,CAACH,KAAL,CAAW0C,MAAX,CAAKbku,KAAIB,EAAyB,CAAzB,EAA4BzW,IAA5B,CAAJ ;AAAA,KAAIB;AAEA,QAAlvD,KAJ;AAC A,SAAK,IAAMwB,EAAx,IAAiB,KAAKgY,OAAtB,EAA+B;AAC 7BxZ,MAAAA,KAAK,GAAG,KAAkwZ,OAAL,CAAahY,EAAb,CAAR;AAC A,UAAIwY,KAAK,IAAIha,KAA b,EAAoB;AACIB,aAAkwZ,OAAL,CAAahY,EAAb,IAAmBxB,KAAK,GAAGoD,KAAK,CAACH,MAAJc;AA CD;AACF;AAED,WAAO,IAAP;AACD;AAED;,,,,,,;SAQAuZ,cAAA,qBAAYqE,KAAZ,EAAmBnT,GAAnB,E AAwB;AAAA;AACtBmT,IAAAA,KAAK,GAAG,KAAKha,KAAL,CAAWga,KAAx,CAAR;AAEA,QAAM5W, KAAK,GAAG,KAAkwW,SAAL,CAAe/S,GAaf,EAAoB,KAAKzD,KAAL,CAAW4W,KAAx,CAAPB,EAAuCF, OAAvC,EAAAd;AACAIW,IAAAA,KAAK,CAACnE,OAA N,CAAc,UAAAsE,IAAI;AAAA,aAAI,MAAI,CAACH, KAAL,CAAW0C,MAAX,CAAKbku,KAAK,GAAG,CAA1B,EAA6B,CAA7B,EAAgCzW,IAAhC,CAAJ;AAAA, KAAIB;AAEA,QAAlvD,KAJ;AAC A,SAAK,IAAMwB,EAAx,IAAiB,KAAKgY,OAAtB,EAA+B;AAC7BxZ,M AAAAA,KAAK,GAAG,KAAkwZ,OAAL,CAAahY,EAAb,CAAR;AAC A,UAAIwY,KAAK,GAAGha,KAAZ,EAA mB;AACjB,aAAkwZ,OAAL,CAAahY,EAAb,IAAmBxB,KAAK,GAAGoD,KAAK,CAACH,MAAJc;AACD;AA CF;AAED,WAAO,IAAP;AACD;SAEDiZ,SAAA,gBAAOrR,KAAP,EAAc;AACZ,QAAl,OAAOA,KAAP,KAAi B,WAArB,EAAKc;AACCh4I,MAAAA,QAAQ,CAAC,qCAAqC,2BAAtC,CAAR;AAC A,WAAKIj,WAAAL,CAAi BM,KAAjB;AACD,KAHD,MAGO;AACL,sBAAMqR,MAAN;AACD;AACD,WAAO,IAAP;AACD;AAED;,,,,,, ;,,,,;SACa3R,cAAA,qBAAYM,KAAZ,EAAmB;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,K AAX,CAAR;AAC A,SAAKZ,KAAL,CAAWY,KAAx,EAAKbK,MAAIB,GAA2BIC,SAA3B;AAC A,SAAKiB,KA

AL,CAAW0C,MAAX,CAAKB9B,KAAIB,EAAyB,CAAzB;AAEA,QAAIhE,KAAJ;;AACA,SAAK,IAAMwB,EA  
AX,IAAiB,KAAKgY,OAAtB,EAA+B;AAC7BxZ,MAAAA,KAAK,GAAG,KAAKwZ,OAAL,CAAahY,EAAb,CA  
AR;;AACA,UAAIxB,KAAK,IAAIgE,KAAb,EAAoB;AACIB,aAAKwV,OAAL,CAAahY,EAAb,IAAmBxB,KAA  
K,GAAG,CAA3B;AACD;AACF;;AAED,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,;SAUAia,YAAA,qBAAY;AACV,S  
AAK7W,KAAL,CAAWnE,OAAX,CAAmB,UAAAsE,IAAI;AAAA,aAAKA,IAAI,CAACc,MAAL,GAACc,SAA  
nB;AAAA,KAAvB;AACA,SAAKiB,KAAL,GAAa,EAAb;AACA,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,;  
;;SA6BA8W,gBAAA,uBAAcC,OAAd,EAAuBjF,IAAvB,EAA6BoE,QAA7B,EAAuC;AACrC,QAAI,CAACA,QA  
AL,EAAe;AACbA,MAAAA,QAAQ,GAAGpE,IAAX;AACAA,MAAAA,IAAI,GAAG,EAAP;AACD;;AAED,SAA  
Kb,SAAL,CAAe,UAAAvB,IAAI,EAAl;AACrB,UAAIoC,IAAI,CAACKf,KAAL,IAAcf,IAAI,CAACKf,KAAL,C  
AAWIR,OAAX,CAAmB4J,IAAI,CAACE,IAAxB,MAAkC,CAAC,CAArD,EAAwD;AACxD,UAAIkC,IAAI,CAA  
CmF,IAAL,IAAAvH,IAAI,CAACxH,KAAL,CAAWpC,OAAX,CAAmBgM,IAAI,CAACmF,IAAxB,MAAkC,CA  
AC,CAApD,EAAuD;AAEvDvH,MAAAA,IAAI,CAACxH,KAAL,GAAawH,IAAI,CAACxH,KAAL,CAAWvP,O  
AAX,CAAmBoe,OAAnB,EAA4Bb,QAA5B,CAAb;AACD,KALD;AAOA,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,;S  
AWAgB,QAAA,eAAMC,SAAN,EAAiB;AACf,WAAO,KAAKnX,KAAL,CAAWkX,KAAK,CAAiBC,SAAjB,CA  
AP;AACD;AAED;,,,,,,,,,,,,;SAWAC,OAAA,cAAKD,SAAL,EAAGb;AACd,WAAO,KAAKnX,KAAL,CAAWoX,I  
AAX,CAAGbD,SAAhB,CAAP;AACD;AAED;,,,,,,,,,,,,;SAUAva,QAAA,eAAMgE,KAAO,EAAa;AACX,QAAI,OA  
AOA,KAAP,KAAiB,QAArB,EAA+B;AAC7B,aAAOA,KAAP;AACD,KAFD,MAEO;AACL,aAAO,KAAKZ,KA  
AL,CAAW8F,OAAX,CAAmBIF,KAAnB,CAAP;AACD;AACF;AAED;,,,,,,,,,,,,;SA0BA4V,YAAA,mBAAUxW,KA  
AV,EAAiBqX,MAAjB,EAAyB;AAAA;;AACvB,QAAI,OAAOrX,KAAP,KAAiB,QAArB,EAA+B;AAC7BA,MA  
AAA,KAAK,GAAG+V,WAAW,CAACH,KAAK,CAAC5V,KAAD,CAAL,CAAaA,KAAd,CAAnB;AACD,KAFD  
,MAEO,IAAI,CAAC2I,KAAK,CAACC,OAAN,CAAc5I,KAAd,CAAL,EAA2B;AACChC,UAAIA,KAAK,CAACKP  
,IAAN,KAAe,MAAnB,EAA2B;AACzBIP,QAAAA,KAAK,GAAGA,KAAK,CAACA,KAAd;AACD,OAFD,MAE  
O,IAAIA,KAAK,CAACKP,IAAV,EAAGb;AACrBIP,QAAAA,KAAK,GAAG,CAACA,KAAD,CAAR;AACD,OA  
FM,MAEA,IAAIA,KAAK,CAAC4P,IAAV,EAAGb;AACrB,YAAI,OAAO5P,KAAK,CAACKI,KAAb,KAAuB,W  
AA3B,EAAwC;AACtC,gBAAM,IAAIjM,KAAJ,CAAU,wCAAV,CAAN;AACD,SAFD,MAEO,IAAI,OAAO+D,K  
AAK,CAACKI,KAAb,KAAuB,QAA3B,EAAqC;AAC1CII,UAAAA,KAAK,CAACKI,KAAO,GAAc9P,MAAM,CA  
AC4H,KAAK,CAACKI,KAAP,CAApB;AACD;;AACDII,QAAAA,KAAK,GAAG,CAAC,IAAIyT,WAAJ,CAAGb  
zT,KAAhB,CAAD,CAAR;AACD,OAPM,MAOA,IAAIA,KAAK,CAACd,QAAV,EAAoB;AACzBc,QAAAA,KA  
AK,GAAG,CAAC,IAAIqU,IAAJ,CAASrU,KAAT,CAAD,CAAR;AACD,OAFM,MAEA,IAAIA,KAAK,CAACzH  
,IAAV,EAAGb;AACrByH,QAAAA,KAAK,GAAG,CAAC,IAAIv,MAAJ,CAAWjV,KAAK,CAAD,CAAR;AAC  
D,OAFM,MAEA,IAAIA,KAAK,CAACyP,IAAV,EAAGb;AACrBzP,QAAAA,KAAK,GAAG,CAAC,IAAI0T,OA  
AJ,CAAYIT,KAAZ,CAAD,CAAR;AACD,OAFM,MAEA;AACL,cAAM,IAAI/D,KAAJ,CAAU,oCAAV,CAAN;  
AACD;AACF;;AAED,QAAMqb,SAAS,GAAGtX,KAAK,CAAC8M,GAAN,CAAU,UAAA/T,CAAC,EAAl;AAC/  
B,UAAI,OAAOA,CAAC,CAACsW,IAAT,KAAkB,WAAtB,EAAmCtW,CAAC,GAAG,MAAI,CAACwe,OAAL,C  
AAaxe,CAAb,CAAJ;AAEnC,UAAIA,CAAC,CAACKI,MAAN,EAACII,CAAC,GAAGA,CAAC,CAACoZ,KAAF,  
EAAJ;;AACd,UAAI,OAAOpZ,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxC,YAAI  
mH,MAAM,IAAI,OAAOA,MAAM,CAACHI,IAAP,CAAYa,MAAnB,KAA8B,WAA5C,EAAyD;AACvDnX,UAA  
AA,CAAC,CAACsW,IAAF,CAAOa,MAAP,GAAGbMh,MAAM,CAACHI,IAAP,CAAYa,MAAZ,CAAmBvX,OA  
AnB,CAA2B,QAA3B,EAAqC,EAARc,CAAhB;AACD;AACF;;AACDI,MAAAA,CAAC,CAACKI,MAAF,GAAW,  
MAAX;AACA,aAAOII,CAAP;AACD,KAXiB,CAAIb;AAaA,WAAOue,SAAP;AACD;;SAEDC,UAAA,iBAAQp  
X,IAAR,EAAcc,MAAd,EAAsB;AAAA;;AACpB,QAAIuW,GAAJ;;AACA,QAAIrX,IAAI,CAAC+O,IAAL,KAAc,  
MAAIb,EAA0B;AACxBsI,MAAAA,GAAG,GAAG,IAAI5D,IAAJ,EAAN;AACD,KAFD,MAEO,IAAIzT,IAAI,C  
AAC+O,IAAL,KAAc,QAAIB,EAA4B;AACjCsI,MAAAA,GAAG,GAAG,IAAIvC,MAAJ,EAAN;AACD,KAFM,  
MAEA,IAAI9U,IAAI,CAAC+O,IAAL,KAAc,MAAIb,EAA0B;AAC/BsI,MAAAA,GAAG,GAAG,IAAIInD,IAAJ,  
EAAN;AACD,KAFM,MAEA,IAAIU,IAAI,CAAC+O,IAAL,KAAc,MAAIb,EAA0B;AAC/BsI,MAAAA,GAAG,  
GAAG,IAAI/D,WAAJ,EAAN;AACD,KAFM,MAEA,IAAIrT,IAAI,CAAC+O,IAAL,KAAc,SAAIb,EAA6B;AACI  
CsI,MAAAA,GAAG,GAAG,IAAI9D,OA AJ,EAAN;AACD;;AAED,SAAK,IAAM3a,CAAX,IAAgBoH,IAAhB,EA  
AsB;AACpB,UAAIpH,CAAC,KAAK,OA AV,EAAMb;AACjBye,QAAAA,GAAG,CAACxX,KAAJ,GAAYG,IAA



I,CAACH,KAAL,CAAW8M,GAAX,CAAe,UAAA6E,CAAC;AAAA,iBAAI,MAAI,CAAC4F,OAAL,CAAa5F,CAAb,EAAGb6F,GAAbB,CAAJ;AAAA,SAAbB,CAAZ;AACD,OAFD,MAEO,IAAIze,CAAC,KAAK,QAAN,IAAkBklI,MAAtB,EAA8B;AACnCuW,QAAAA,GAAG,CAACvW,MAAJ,GAAaA,MAAb;AACD,OAFM,MAEA,IAAIId,IAAI,CAACuI,cAAL,CAAOB3P,CAApB,CAAJ,EAA4B;AACjCye,QAAAA,GAAG,CAACze,CAAD,CAAH,GASoH,IAAI,CAACpH,CAAD,CAAb;AACD;AACF;;AAED,WAAOye,GAAP;AACD;;SAEDC,aAAA,oBAAWvB,QAAX,EAAqB;AACnB1M,IAAAA,QAAQ,CAAC,yCAAyC,6BAA1C,CAAR;AACa,WAAO,KAAKiH,IAAL,CAAUyF,QAAV,CAAP;AACD;;SAEDwB,WAAA,kBAAS9H,IAAT,EAAesG,QAAf,EAAyB;AACvB1M,IAAAA,QAAQ,CAAC,uCAAuC,kCAAxC,CAAR;AACa,WAAO,KAAKyH,SAAL,CAAerB,IAAf,EAAqBsG,QAArB,CAAP;AACD;;SAEDyB,WAAA,kBAASzY,QAAT,EAAmBgX,QAAAnB,EAA6B;AAC3B1M,IAAAA,QAAQ,CAAC,uCAAuC,kCAAxC,CAAR;AACa,WAAO,KAAK6M,SAAL,CAAenX,QAAf,EAAyBgX,QAAzB,CAAP;AACD;;SAED0B,aAAA,oBAAWrf,IAAX,EAAiB2d,QAAjB,EAA2B;AACzB1M,IAAAA,QAAQ,CAAC,yCAAyC,oCAA1C,CAAR;AACa,WAAO,KAAK8M,WAAL,CAAiB/d,IAAJB,EAAuB2d,QAAvB,CAAP;AACD;;SAED2B,cAAA,qBAAy3B,QAAZ,EAAsB;AACpB1M,IAAAA,QAAQ,CAAC,0CAA0C,qCAA3C,CAAR;AACa,WAAO,KAAKuH,YAAL,CAAKBmF,QAAIB,CAAP;AACD;;;wBA9GW;AACV,UAAI,CAAC,KAAKIW,KAAV,EAAiB,OAAOjB,SAAP;AACjB,aAAO,KAAKiB,KAAL,CAAW,CAAX,CAAP;AACD;AAED;,,,,,,;wBAQW;AACT,UAAI,CAAC,KAAKA,KAAV,EAAiB,OAAOjB,SAAP;AACjB,aAAO,KAAKiB,KAAL,CAAW,KAAKA,KAAL,CAAWHh,MAAX,GAAoB,CAA/B,CAAP;AACD;;;wBAgGe;AACdwQ,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAAO,KAAK6F,IAAL,CAAUJ,SAAJB;AACD;sBAEauE,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUJ,SAAV,GAAsBuE,GAAtB;AACD;;;wBAEW;AACVhK,MAAAA,QAAQ,CAAC,+CAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUb,KAAjB;AACD;sBAESgF,KAAK;AACbhK,MAAAA,QAAQ,CAAC,+CAAD,CAAR;AACa,WAAK6F,IAAL,CAAUb,KAAV,GAakBgF,GAAIB;AACD;AAED;,,,,,,;EAvqBsB5B;;ACvCxB;,,,,,,;IAkBMqD;;AACJ,kBAAYpD,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAAN;AACa,UAAK3C,IAAL,GAAY,QAAZ;AAFoB;AAGrB;,,,SAED0D,SAAA,kBAAOB;AAAA;;AACIB,QAAI,CAAC,KAAK5S,KAAV,EAAiB,KAAKA,KAAL,GAAa,EAAb;;AADc,sCAAVuW,QAAU;AAAVA,MAAAA,QAAU;AAAA;;AAEIB,yDAAa3D,MAAb,kDAAuB2D,QAAvB;AACD;;SAEDE,UAAA,mBAAqB;AAAA;;AACnB,QAAI,CAAC,KAAKzW,KAAV,EAAiB,KAAKA,KAAL,GAAa,EAAb;;AADE,uCAAuW,QAAU;AAAVA,MAAAA,QAAU;AAAA;;AAEnB,0DAAaE,OAAb,mDAawBF,QAAxB;AACD;;;wBAEe;AACd/M,MAAAA,QAAQ,CAAC,4DAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUY,SAAJB;AACD;sBAEauD,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,4DAAD,CAAR;AACa,WAAK6F,IAAL,CAAUY,SAAV,GAAsBuD,GAAtB;AACD;;;wBAEa;AACZhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUW,MAAJB;AACD;sBAEWwD,KAAK;AACfhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUW,MAAV,GAAMbWd,GAAAnB;AACD;AAED;,,,,,,;AAUA;,,,,,,;AAYA;,,,,,,;EAIDmBwC;;ActBrB;;AACa;,,,,,,;AASA,IAAM8B,IAAI,GAAG;AACXzY,EAAAA,KADW,iBACLwG,MADK,EACGkS,UADH,EACetM,IADf,EACqB;AAC9B,QAAMuM,KAAK,GAAG,EAAd;AACa,QAAInE,OAAO,GAAG,EAAd;AACa,QAAIxU,KAAK,GAAG,KAAZ;AAEA,QAAI4Y,IAAI,GAAG,CAAX;AACa,QAAI1M,KAAK,GAAG,KAAZ;AACa,QAAIG,MAAM,GAAG,KAAb;;AAEA,SAAK,IAAI3S,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAG8M,MAAM,CAAC7M,MAA3B,EAAmCD,CAAC,EAAPc,EAAwC;AACtC,UAAmMf,MAAM,GAAGrS,MAAM,CAAC9M,CAAD,CAArB;;AAEA,UAAIwS,KAAJ,EAAW;AACT,YAAIG,MAAJ,EAAY;AACVA,UAAAA,MAAM,GAAG,KAAAT;AACD,SAFD,MAEO,IAAIwM,MAAM,KAAK,IAAf,EAAqB;AAC1BxM,UAAAA,MAAM,GAAG,IAAT;AACD,SAFM,MAEA,IAAIwM,MAAM,KAAK3M,KAAf,EAAsB;AAC3BA,UAAAA,KAAK,GAAG,KAAR;AACD;AACF,OARD,MAQO,IAAI2M,MAAM,KAAK,GAAX,IAAkBA,MAAM,KAAK,GAAjC,EAAc;AAC3C3M,QAAAA,KAAK,GAAG2M,MAAR;AACD,OAFM,MAEA,IAAIA,MAAM,KAAK,GAAf,EAAoB;AACzBD,QAAA,A,IAAI,IAAI,CAAR;AACD,OAFM,MAEA,IAAIC,MAAM,KAAK,GAAf,EAAoB;AACzB,YAAID,IAAI,GAAG,CAAX,EAAcA,IAAI,IAAI,CAAR;AACf,OAFM,MAEA,IAAIA,IAAI,KAAK,CAAb,EAAgB;AACrB,YAAIF,UA AU,CAACjS,OAAX,CAAmBoS,MAAnB,MAA+B,CAAC,CAAPc,EAAuC7Y,KAAK,GAAG,IAAR;AACxC;;AAED,UAAIA,KAAJ,EAAW;AACT,YAAIwU,OAAO,KAAK,EAAb,EAAoBmE,KAAK,CAACpc,IAAN,CAAWiY,OAAO,CAAC1X,IAAR,EAAX;AACpB0X,QAAAA,OAAO,GAAG,EAAY;AACAxU,QAAAA,KAAK,GAAG,KAAR;AACD,OAJD,MAIO;AACLwU,QAAAA,OAAO,IAAIqE,MAAX;AACD;AACF;;AAED,QAAIzM,IAAI,I

AAIoI,OAAO,KAAK,EAAxB,EAA4BmE,KAAK,CAACpc,IAAN,CAAWiY,OAAO,CAAC1X,IAAR,EAAx;AA  
C5B,WAAO6b,KAAP;AACD,GA1CU;;AA4CX;;;;;;;;;;AAWAG,EAAAA,KAvDW,iBAuDLtS,MAvDK,EAuDG;  
AACZ,QAAMiO,MAAM,GAAG,CAAC,GAAD,EAAM,IAAN,EAAY,IAAZ,CAAF;AACa,WAAOgE,IAAI,CAA  
CzY,KAAL,CAAWwG,MAAX,EAAMBiO,MAAnB,CAAP;AACD,GA1DU;;AA4DX;;;;;;;;;;AAYAsE,EAAAA,  
KAXEW,iBAwELvS,MAxEK,EAwEG;AACZ,QAAMuS,KAAK,GAAG,GAAd;AACa,WAAON,IAAI,CAACzY,  
KAAL,CAAWwG,MAAX,EAAMb,CAACuS,KAAD,CAAnB,EAA4B,IAA5B,CAAP;AACD;AA3EU,CAAb;;AC  
HA;;;;;;;;;;IAWM/D;;AACJ,gBAAYxC,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAN;AACa,UAAK3C,IA  
AL,GAAY,MAAZ;AACa,QAAl,CAAC,MAAKIP,KAAV,EAAiB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;  
AAED;;;;;;;;;;wBAgBgB;AACd,aAAO8X,IAAI,CAACM,KAAL,CAAW,KAAKIZ,QAAbB,CAAP;AACD;s  
BAEmZ,QAQ;AACpB,UAAmXy,KAAK,GAAG,KAAKX,QAAL,GAAGb,KAAKA,QAAL,CAAcW,KAAd,C  
AAoB,MAApB,CAAhB,GAA8C,IAA5D;AACa,UAAmyY,GAAG,GAAGzY,KAAK,GAAGA,KAAK,CAAC,CA  
AD,CAAR,SAAKB,KAAK0P,GAAL,CAAS,SAAT,EAAoB,YAAPB,CAAnC;AACa,WAAKrQ,QAAL,GAAGbM  
Z,MAAM,CAACnc,IAAP,CAAYoc,GAAZ,CAAhB;AACD;;wBAEe;AACd9O,MAAAA,QAQ,CAAC,sDAAD,  
CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUUnQ,QAQjB;AACD;sBAEasU,KAAK;AACjBhK,MAAAA,QAQ,C  
AAC,sDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUUnQ,QAQV,GAAqBsU,GAARb;AACD;AAED;;;;;;;;;;AAWA  
;;;;;;;;;;EAtDiBwC;;ACiBnB;;AACa;;;;;;;;;;IAQMuC;AACJ;;;;;;;;;;AAWA,mBAAY9I,IAAZ,EAAB  
qC,IAAIB,EAA6B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;;AAC3B;;;;;;;;;;AAQA,  
SAAK5C,IAAL,GAAY,SAAZ;AACa;;;;;;;;;;AAMA,SAAKO,IAAL,GAAYA,IAAZ;;AAEA,QAAlqC,IAAI,CAAC3  
R,IAAL,IAAa2R,IAAI,CAAC3R,IAAL,CAAU6M,MAA3B,EAAMc;AACjC,UAAmf,GAAG,GAAG6F,IAAI,CA  
AC3R,IAAL,CAAU4R,UAAV,CAAqBD,IAArB,CAAZ;AACa;;;;;;;;;;AAOA,WAAKvN,IAAL,GAAY0H,GAAG,C  
AAC1H,IAAhB;AACa;;;;;;;;;;AAOA,WAAKC,MAAL,GAACyH,GAAG,CAACzH,MAAIB;AACD;;AAED,SAAK,  
IAAMgU,GAAX,IAAKB1G,IAAIB;AAAwB,WAAK0G,GAAL,IAAY1G,IAAI,CAAC0G,GAAD,CAAhB;AAAxB  
;AACD;AAED;;;;;;;;;;SAQAzE,WAAA,oBAAW;AACT,QAAl,KAAKOG,IAAT,EAAe;AACb,aAAO,KAAKA,IA  
AL,CAAUiM,KAAV,CAAgB,KAAKqD,IAArB,EAA2B;AAChC/I,QAAAA,MAAM,EAAE,KAAKA,MADmB;A  
AEhC9J,QAAAA,KAAK,EAAE,KAAKA,KAFoB;AAGhCyW,QAAAA,IAAI,EAAE,KAAKA;AAHqB,OAA3B,E  
AIJ5J,OAJH;AAKD,KAND,MAMO,IAAI,KAAK/C,MAAT,EAAiB;AACTb,aAAU,KAAKA,MAAf,UAA0B,KAA  
K+I,IAA/B;AACD,KAFM,MAEA;AACL,aAAO,KAAKA,IAAZ;AACD;AACF;AAED;;;;;;;;;;AAUA;;;;;;;;;;AC3  
FF;;;;;;;;;;AAMA;;;;;;;;;;IAcMgJ;AACJ;;;;;;;;;;AAMA,kBAAYC,SAAZ,EAAuBvJ,IAAvB,EAA6B2C,IAA7B,EAAM  
C;AACjC;;;;;;;;;;AAWA,SAAK4G,SAAL,GAAiBA,SAAjB;AACa;;;;;;;;;;AAkBA,SAAKC,QAAL,GAAGb,  
EAAbB;AACa;;;;;;;;;;AAMA,SAAKxJ,IAAL,GAAYA,IAAZ;AACa;;;;;;;;;;AAQA,SAAK2C,IAAL,GAAYA,IAAZ;  
AACa;;;;;;;;;;AAMA,SAAKIU,GAAL,GAAWmB,SAAX;AACa;;;;;;;;;;AAcA,SAAK+N,GAAL,GAAW/N,SA  
X;AACD;AAED;;;;;;;;;;SAQAhF,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAZ;AACD;AAED;;;;;;;;;;S  
AgBA0L,OAAA,cAAKmG,IAAL,EAAWqC,IAAX,EAAsB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,G  
AAJ,EAAl;AAAA;;AACpB,QAAl,CAACA,IAAI,CAACpL,MAAV,EAAB;AAChB,UAAI,KAAKkS,UAAAL,IAA  
mB,KAAKA,UAAAL,CAAgBC,aAAvC,EAAsD;AACpD/G,QAAAA,IAAI,CAACpL,MAAL,GAAC,KAAKkS,UA  
AL,CAAgBC,aAA9B;AACD;AACF;;AAED,QAAMC,OAAO,GAAG,IAAIP,OAAJ,CAAY9I,IAAZ,EAABqC,IA  
AIB,CAAhB;AACa,SAAK6G,QAAL,CAAc/c,IAAd,CAAmBkd,OAAAnB;AAEA,WAAOA,OAAP;AACD;AAED;  
;;;;;;;;;;SAWAC,WAAA,oBAAW;AACT,WAAO,KAAKJ,QAAL,CAAcK,MAAd,CAAqB,UAAAJgB,CAAC;AA  
AA,aAAIA,CAAC,CAACmW,IAAF,KAAW,SAAF;AAAA,KAAtB,CAAP;AACD;AAED;;;;;;;;;;wBAQc;AACZ,  
aAAO,KAAKtR,GAAZ;AACD;;;;;;;;;;ACIKH,SAASqb,SAAT,CAAmB1Q,GAAnB,EAAwB;AACTb,SAAO,OAAOA  
,GAAP,KAAe,QAaf,IAA2B,OAAOA,GAAG,CAAC2Q,IAAX,KAAoB,UAAtd;AACD;AAED;;;;;;;;;;AAKA;;;;;;;;;;AAK  
A;;;;;;;;;;IAQMC;AACJ,sBAAYT,SAAZ,EAAuB9a,GAAvB,EAA4BkU,IAA5B,EAABc;AAChC,SAAKsH,WAA  
L,GAAMb,KAAnB;AACa,SAAK9B,SAAL,GAAiB,KAAjB;AAEA,QAAlnI,IAAJ;;AACa,QAAl,OAAOvR,GA  
AP,KAAe,QAaf,IAA2BA,GAAG,CAACsR,IAAJ,KAAa,MAA5C,EAAoD;AACIDC,MAAAA,IAAI,GAAGvR,GA  
AP;AACD,KAFD,MAEO,IAAIA,GAAG,YAAyub,UAAf,IAA6Bvb,GAAG,YAAy6a,MAAhD,EAAwD;AAC7Dt  
J,MAAAA,IAAI,GAAGvR,GAAG,CAACuR,IAAX;;AACa,UAAIvR,GAAG,CAACkP,GAAR,EAAa;AACX,YA  
AI,OAAOgF,IAAI,CAACf,GAAZ,KAAoB,WAAxB,EAAqCgF,IAAI,CAACf,GAAL,GAAW,EAAx;AACrC,  
YAAI,CAACgF,IAAI,CAACf,GAAL,CAASuM,MAAd,EAAsBvH,IAAI,CAACf,GAAL,CAASuM,MAAT,GA

AkB,KAAIB;AACtBvH,QAAAA,IAAI,CAACf,GAAL,CAASf,IAAT,GAAGbNo,GAAG,CAACKP,GAAPB;AA  
CD;AACF,KAPM,MAOA;AACL,UAAIgj,MAAM,GAAGF,KAAb;AACa,UAAI9D,IAAI,CAACwH,MAAT,EA  
AiBxD,MAAM,GAAGhE,IAAI,CAACwH,MAAL,CAAY1D,KAArB;AACjB,UAAI9D,IAAI,CAACgE,MAAT,E  
AAiBA,MAAM,GAAGhE,IAAI,CAACgE,MAAd;AACjB,UAAIA,MAAM,CAACF,KAAX,EAakBE,MAAM,GA  
AGA,MAAM,CAACF,KAAhB;;AAEIB,UAAI;AACFzG,QAAAA,IAAI,GAAG2G,MAAM,CAACIY,GAAD,EAA  
MkU,IAAN,CAAb;AACD,OAFD,CAEE,OAAO1F,KAAP,EAAC;AACd,aAKA,KAAL,GAAaA,KAAb;AACD;A  
ACF;;AAED,SAAKjD,MAAL,GAAC,IAAI,MAAJ,CAAWC,SAAX,EAAsBvJ,IAAtB,EAA4B2C,IAA5B,CAAd;  
AACD;AAED;,,,,,;AAmGA;,,,,;SAMAiH,WAAA,oBAAW;AACT,WAAO,KAAKQ,IAAL,GAAYR,QAAZ,EAA  
P;AACD;AAED;,,,,,;SAQAhf,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAZ;AACD;AAED;,,,,,;S  
AkBAsb,OAAA,cAAKM,WAAL,EAakBC,UAAIB,EAA8B;AAC5B,WAAO,KAAKC,KAAL,GAAaR,IAAb,CAA  
kBM,WAAIB,EAA+BC,UAA/B,CAAP;AACD;AAED;,,,,,;oBAiBA,gBAAMA,UAAAN,EAakB;AAChB,  
WAAO,KAAKC,KAAL,YAAmBD,UAAAnB,CAAP;AACD;;SAEDE,cAAA,qBAAYvN,KAAZ,EAAMb1F,MAAn  
B,EAA2B;AACzB,QAAI;AACF,WAAK0F,KAAL,GAAaA,KAAb;;AACa,UAAIA,KAAK,CAAC7T,IAAN,KAA  
e,gBAAf,IAAmC,CAAC6T,KAAK,CAAC1F,MAA9C,EAAsD;AACpD0F,QAAAA,KAAK,CAAC1F,MAAN,GA  
AeA,MAAM,CAACmS,aAAtB;AACAzM,QAAAA,KAAK,CAACe,UAAAN;AACD,OAHD,MAGO,IAAIzG,MAA  
M,CAACKT,cAAX,EAA2B;AAChC,YAAMC,UAAU,GAAGnT,MAAM,CAACmS,aAA1B;AACa,YAAMiB,SA  
AS,GAAGpT,MAAM,CAACKT,cAAzB;AACa,YAAMG,UAAU,GAAG,KAAK5Q,MAAL,CAAYuP,SAAZ,CAA  
sBsB,OAAzC;AACa,YAAMxe,CAAC,GAAGse,SAAS,CAACza,KAAV,CAAGB,GAAhB,CAAV;AACa,YAAM  
5D,CAAC,GAAGse,UAAU,CAAC1a,KAAK,CAAiB,GAAjB,CAAV;;AAEA,YAAI7D,CAAC,CAAC,CAAD,CA  
AD,KAAASC,CAAC,CAAC,CAAD,CAAV,IAAiBqE,QAAQ,CAACtE,CAAC,CAAC,CAAD,CAAF,CAAR,GAAi  
BsE,QAAQ,CAACrE,CAAC,CAAC,CAAD,CAAF,CAA9C,EAAsD;AACpD+N,UAAAA,QAAQ,CACN,MAAG,k  
CAAKC,KAArC,IAA6CuQ,UAA7C,cAAgEF,UAAhE,oBACUC,SADV,2DADM,CAAR;AAKD;AACF;AACF,KA  
pBD,CAoBE,OAAOG,GAAP,EAAY;AACZ,UAAI5Q,OAAO,IAAIA,OAAO,CAAC+C,KAAvB,EAA8B/C,OAA  
O,CAAC+C,KAAR,CAAc6N,GAAd;AAC/B;AACF;;SAEDC,YAAA,mBAAUC,OAAV,EAAMBC,MAAnB,EAA  
2B;AAAA;;AACzB,QAAI,KAAK1T,MAAL,IAAe,KAAKgS,SAAL,CAAe3T,OAAf,CAAuB/L,MAA1C,EAakD;  
AAChD,WAAKse,SAAL,GAAiB,IAAjB;AACa,aAAO6C,OAAO,EAAd;AACD;;AAED,QAAI;AACF,UAAmzT,  
MAAM,GAAG,KAAKgS,SAAL,CAAe3T,OAAf,CAAuB,KAAK2B,MAA5B,CAAF;AACa,UAAm2T,OAAO,GA  
AG,KAAKC,GAAL,CAAS5T,MAAT,CAAhB;AACa,WAAKA,MAAL,IAAe,CAAF;;AAEA,UAAIuS,SAAS,CA  
ACoB,OAAD,CAAb,EAawB;AACTBA,QAAAA,OAAO,CACJnB,IADH,CACQ,YAAM;AACV,UAAA,KAAI,C  
AACgB,SAAL,CAAeC,OAAf,EAawBC,MAAxB;AACD,SAHH,WAIS,UAAAhO,KAAK,EAAI;AACd,UAAA,K  
AAI,CAACuN,WAAL,CAAiBvN,KAAjB,EAawB1F,MAAxB;;AACa,UAAA,KAAI,CAAC4Q,SAAL,GAAiB,IA  
AjB;AACa8C,UAAAA,MAAM,CAACHo,KAAD,CAAN;AACD,SARH;AASD,OA VD,MAUO;AACL,aAAK8N,  
SAAL,CAAeC,OAAf,EAawBC,MAAxB;AACD;AACF,KAIBD,CAkBE,OAAOhO,KAAP,EAAC;AACd,WAAKk  
L,SAAL,GAAiB,IAAjB;AACa8C,MAAAA,MAAM,CAACHo,KAAD,CAAN;AACD;AACF;;SAEDsN,QAAA,iB  
AAQ;AAAA;;AACN,QAAI,KAAKpC,SAAT,EAaoB;AACIB,aAAO,IAAIiD,OAAJ,CAAY,UAAACJ,OAAD,EAA  
UC,MAAV,EAaqB;AACtC,YAAI,MAAI,CAACHo,KAAT,EAAGB;AACdgO,UAAAA,MAAM,CAAC,MAAI,C  
AACHo,KAAAN,CAAN;AACD,SAFD,MAEO;AACL+N,UAAAA,OAAO,CAAC,MAAI,CAACnL,SAAL,EAAD,  
CAAP;AACD;AACF,OANM,CAAP;AAOD;;AACD,QAAI,KAAKwL,UAAAT,EAaqB;AACnB,aAAO,KAAKA,U  
AAZ;AACD;;AAED,SAKA,UAAL,GAakB,IAAID,OAAJ,CAAY,UAAACJ,OAAD,EAAUC,MAAV,EAaqB;AA  
CjD,UAAI,MAAI,CAACHo,KAAT,EAAGB,OAAOgO,MAAM,CAAC,MAAI,CAACHo,KAAAN,CAAb;AAChB,  
MAAA,MAAI,CAAC1F,MAAL,GAAC,CAAd;;AACa,MAAA,MAAI,CAACwT,SAAL,CAAeC,OAAf,EAawBC,  
MAAxB;AACD,KAJiB,EAIflB,IAJe,CAIV,YAAM;AACZ,MAAA,MAAI,CAAC5B,SAAL,GAAiB,IAAjB;AACa  
,aAAO,MAAI,CAACtl,SAAL,EAAP;AACD,KAPiB,CAAIB;AASA,WAAO,KAAKwL,UAAZ;AACD;;SAEDjB,  
OAAA,gBAAO;AAAA;;AACL,QAAI,KAAKjC,SAAT,EAaoB,OAAO,KAAKnO,MAAZ;AACpB,SAAKmO,SA  
AL,GAAiB,IAAjB;;AAEA,QAAI,KAAKkD,UAAAT,EAaqB;AACnB,YAAM,IAAIve,KAAJ,CAAU,sDAAV,CAA  
N;AACD;;AAED,QAAI,KAAKmQ,KAAT,EAAGB,MAAM,KAAKA,KAAX;AAEHb,SAAKjD,MAAL,CAAYuP,  
SAAZ,CAAsB3T,OAAtB,CAA8BIJ,OAA9B,CAAsC,UAAA6K,MAAM,EAAI;AAC9C,UAAm2T,OAAO,GAAG,  
MAAI,CAACC,GAAL,CAAS5T,MAAT,CAAhB;;AACa,UAAIuS,SAAS,CAACoB,OAAD,CAAb,EAawB;AACT

B,cAAM,IAAIpe,KAAJ,CAAU,sDAAV,CAAN;AACD;AACF,KALD;AAOA,WAAO,KAAKkN,MAAZ;AACD;;  
SAEDmR,MAAA,aAAI5T,MAAJ,EAAY;AACV,SAAKyC,MAAL,CAAYyP,UAAZ,GAAyBIS,MAAZB;;AAEA,  
QAAI;AACF,aAAOA,MAAM,CAAC,KAAKyC,MAAL,CAAYgG,IAAb,EAAMb,KAAKhG,MAAxB,CAAb;AA  
CD,KAFD,CAEE,OAAOiD,KAAP,EAAC;AACd,WAAKuN,WAAAL,CAAiBvN,KAAjB,EAAbW1F,MAAxB;AAC  
A,YAAM0F,KAAN;AACD;AACF;;SAED4C,YAAA,uBAAy;AACV,QAAI,KAAKoK,WAAT,EAAsB,OAAO,K  
AAKjQ,MAAZ;AACTb,SAAKiQ,WAAAL,GAAmB,IAAnB;AAEA,SAAKG,IAAL;AAEA,QAAMzH,IAAI,GAAG,  
KAAK3I,MAAL,CAAY2I,IAAzB;AACa,QAAI3Y,GAAG,GAAG6V,SAAV;AACa,QAAI8C,IAAI,CAACwH,M  
AAT,EAAbNgB,GAAG,GAAG2Y,IAAI,CAACwH,MAAL,CAAYtK,SAAIb;AACjB,QAAI8C,IAAI,CAACI,WA  
AT,EAAsB/Y,GAAG,GAAG2Y,IAAI,CAACI,WAAX;AACTb,QAAI/Y,GAAG,CAAC6V,SAAR,EAAMb7V,GA  
AG,GAAGA,GAAG,CAAC6V,SAAV;AAEnB,QAAI7F,MAAM,GAAG,EAAb;AACAhQ,IAAAA,GAAG,CAAC,  
KAAKgW,IAAN,EAAY,UAAApW,CAAC,EAAI;AACIBoQ,MAAAA,MAAM,IAAIpQ,CAAV;AACD,KAFE,CA  
AH;AAGA,SAAKoQ,MAAL,CAAYvL,GAAG,GAABuL,MAAIb;AAEA,WAAO,KAAKA,MAAZ;AACD;;;wB  
AnSe;AACd,aAAO,KAAKA,MAAL,CAAYuP,SAAnB;AACD;AAED;;;;;;wBAIW;AACT,aAAO,KAAKvP,MAA  
L,CAAY2I,IAAnB;AACD;AAED;;;;;;wBAYU;AACR,aAAO,KAAK9C,SAAL,GAAiBpR,GAAXB;AACD;  
AAED;;;;;;wBAYc;AACZ,aAAO,KAAKoR,SAAL,GAAiB7P,OAAxB;AACD;AAED;;;;;;wBAYU;A  
ACR,aAAO,KAAK6P,SAAL,GAAiBIC,GAAXB;AACD;AAED;;;;;;wBAaW;AACT,aAAO,KAAKyM,IAA  
L,GAAYpK,IAAnB;AACD;AAED;;;;;;wBAae;AACb,aAAO,KAAKoK,IAAL,GAAYZ,QAAAnB;AACD;;;;  
AC5JH;AACa,AAEA;;;;AAOA;;;;AAUA;;;;AAUA;;;;AAMA;;;;AKA;;;;AAMA;;;;AKA;;;;  
;;;;AAkCA;;;;IASM8B;AACJ;;AAIA,qBAAy1V,OAAZ,EAA0B;AAAA,QAAAdA,OAAc;AAAd  
A,MAAAA,OAAc,GAAJ,EAAI;AAAA;;AACxB;;;;AAQA,SAAKiV,OAAL,GAAe,OAAf;AACa;;;;AAOA,  
SAAKjV,OAAL,GAAe,KAAKyR,SAAL,CAAezR,OAAf,CAAF;AACD;AAED;;;;SA6BAmB,  
MAAA,aAAIQ,MAAJ,EAAY;AACV,SAAK3B,OAAL,GAAe,KAAKA,OAAL,CAAa2V,MAAb,CAAoB,KAAKI  
E,SAAL,CAAe,CAAC9P,MAAD,CAAF,CAApB,CAAF;AACa,WAAO,IAAP;AACD;AAED;;;;SAs  
BAPn,UAAA,iBAAQsE,GAAR,EAAakU,IAAb,EAAbW;AAAA,QAAAXA,IAAW;AAAXA,MAAAA,IAAW,GAA  
J,EAAI;AAAA;;AACTb,WAAO,IAAIqH,UAAJ,CAAe,IAAf,EAAqBvb,GAARb,EAA0BkU,IAA1B,CAAP;AACD;  
;SAED0E,YAAA,mBAAUzR,OAAV,EAAMb;AACjB,QAAI4V,UAAU,GAAG,EAAB;AACa5V,IAAAA,OAAO  
,CAACIJ,OAAR,CAAGB,UAAA9C,CAAC,EAAI;AACnB,UAAIA,CAAC,CAAC6hB,OAAN,EAAb7hB,CAAC,G  
AAGA,CAAC,CAAC6hB,OAAN;;AAEf,UAAI,OAAO7hB,CAAP,KAAa,QAAb,IAAYB4P,KAAK,CAACC,OAA  
N,CAAc7P,CAAC,CAACgM,OAAbB,CAA7B,EAAd;AACrD4V,QAAAA,UAAU,GAAGA,UAAU,CAACD,M  
AAX,CAAKB3hB,CAAC,CAACgM,OAAPB,CAAb;AACD,OAFD,MAEO,IAAI,OAAOhM,CAAP,KAAa,UAAjB  
,EAA6B;AACIC4hB,QAAAA,UAAU,CAAC/e,IAAX,CAAGB7C,CAAhB;AACD,OAFM,MAEA;AACL,cAAM,I  
AAIkD,KAAJ,CAAaID,CAAb,8BAAN;AACD;AACF,KAVD;AAWA,WAAO4hB,UAAP;AACD;;;AC1LH;;;;  
;;IAUM/G;;AACJ,gBAAy/B,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAN;AACa,UAAK3C,IAAL,GAAY  
,MAAZ;AACa,QAAI,CAAC,MAAKIP,KAAV,EAAb,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;;SAEDM,  
cAAA,qBAAyM,KAAZ,EAAMb;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,KAAx,CAAR;;A  
AEA,QAAIA,KAAK,KAAK,CAAV,IAAe,KAAKZ,KAAL,CAAWHh,MAAX,GAAoB,CAAvC,EAA0C;AACxC,  
WAAKgH,KAAL,CAAW,CAAX,EAACqP,IAAd,CAAMBa,MAAnB,GAA4B,KAAKIQ,KAAL,CAAWY,KAAx,  
EAAbByO,IAAIb,CAAuBa,MAAnD;AACD;;AAED,gCAAa5P,WAAb,YAAyBM,KAAzB;AACD;;SAED4V,YA  
AA,mBAAU5V,KAAV,EAAbByW,MAAjB,EAAYbNI,IAAZB,EAAB;AAC7B,QAAAMIP,KAAK,wBAASwW,SA  
AT,YAAmB5V,KAAnB,CAAX;;AAEA,QAAIyW,MAAJ,EAAY;AACV,UAAInI,IAAI,KAAK,SAAb,EAAbW;A  
AACTb,YAAI,KAAKIP,KAAL,CAAWHh,MAAX,GAAoB,CAAxB,EAAB2B;AACzBqe,UAAAA,MAAM,CAACH,I  
AAP,CAAYa,MAAZ,GAAqB,KAAKIQ,KAAL,CAAW,CAAX,EAACqP,IAAd,CAAMBa,MAAxC;AACD,SAFD,  
MAEO;AACL,iBAAOmH,MAAM,CAACH,I,IAAP,CAAYa,MAAnB;AACD;AACF,OAND,MAMO,IAAI,KAAK  
G,KAAL,KAAegH,MAAnB,EAAB2B;AACChCrX,QAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI,EAAI;  
AACpBA,UAAAA,IAAI,CAACKP,IAAL,CAAUa,MAAV,GAAMbMH,MAAM,CAACH,I,IAAP,CAAYa,MAA/B;  
AACD,SAFD;AAGD;AACF;;AAED,WAAOIQ,KAAP;AACD;AAED;;;;;;SAaA6a,WAAA,kBAAS/I,IAAT,  
EAAb;AAAA,QAAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAI;AAAA;;AACIB,QAAAMgJ,IAAI,GAAG,I  
AAI3B,UAAJ,CAAe,IAAIb,SAAJ,EAaf,EAAGC,IAAhC,EAAsC3I,IAAtC,CAAb;AACa,WAAOgJ,IAAI,CAAC

9L,SAAL,EAAP;AACD;;SAEDiD,SAAA,gBAAOrR,KAAP,EAAC;AACZ4I,IAAAA,QAAQ,CAAC,iDAAD,CAA  
R;AACa,SAAKIJ,WAAL,CAAiBM,KAAjB;AACD;;SAEDma,UAAA,mBAAU;AACRvR,IAAAA,QAAQ,CAAC  
,uDAAD,CAAR;AACa,WAAO,KAAKwD,MAAL,CAAY/B,KAAZ,CAAK6B6,GAAzB;AACD;AAED;,,,,,,,,,,,,,  
;;EAjEiBkJ;;ACZnB,IAAIgF,QAAQ,GAAG,CAAF;AAEA;,,,,,;AAOA;,,,,,;IAOMpO;AACJ;,,,;AAIA,iBAAyHp,G  
AAZ,EAAiBkU,IAAjB,EAA4B;AAAA,QAAxA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;;AAC1B;  
,,,,,;AAOA,SAAKIU,GAAL,GAAWA,GAAG,CAAC7D,QAAJ,EAAX;AAEA,QAAI,KAAK6D,GAAL,CAAS,C  
AAT,MAAgB,QAAhB,IAA4B,KAAKA,GAAL,CAAS,CAAT,MAAgB,QAAhD,EAA0D;AACxD,WAAKA,GAA  
L,GAAW,KAAKA,GAAL,CAASyO,KAAT,CAAe,CAAF,CAAX;AACD;;AAED,QAAIyF,IAAI,CAAC2D,IAAT,  
EAAe;AACb,UAAI,YAAy9b,IAAZ,CAAiBmY,IAAI,CAAC2D,IAAtB,CAAJ,EAAiC;AAC/B;,,,,,;AAQA,aAAK  
xI,IAAL,GAAy6E,IAAI,CAAC2D,IAAjB;AACD,OAVD,MAUO;AACL,aAAKxI,IAAL,GAAyG0,IAAI,CAACd,  
OAL,CAAarI,IAAI,CAAC2D,IAAIB,CAAZ;AACD;AACF;AAED;,,,,,;,,,,,;AAiBA,QAAI,CAAC,KAAKxI,I  
AAV,EAAGB;AACd+N,MAAAA,QAAQ,IAAI,CAAZ;AACa;,,,,,;AAUA,WAAK5c,EAAL,mBAAwB4c,QAA  
xB;AACD;;AACD,QAAI,KAAKIO,GAAT,EAAC,KAAKA,GAAL,CAASG,IAAT,GAAgB,KAAKwI,IAArB;AAC  
f;,,;SAEDrJ,QAAA,eAAM3C,OAAAN,EAAeIF,IAAf,EAAqBC,MAArB,EAA6BsN,IAA7B,EAawC;AAAA,QAA  
A,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;;AACtC,QAAI3I,MAAJ;AACa,QAAM+R,MAAM,GA  
AG,KAAKA,MAAL,CAAY3W,IAAZ,EAakBC,MAAIB,CAAF;AACa,QAAI0W,MAAJ,EAAY;AACV/R,MAA  
AA,MAAM,GAAG,IAAI4D,cAAJ,CACPtD,OADO,EAEPyR,MAAM,CAAC3W,IAFA,EAGP2W,MAAM,CAAC  
1W,MAHA,EAIP0W,MAAM,CAACIO,MAJA,EAKPkO,MAAM,CAACjO,IALA,EAMP6E,IAAI,CAACpL,MAN  
E,CAAT;AAQD,KATD,MASO;AACLyC,MAAAA,MAAM,GAAG,IAAI4D,cAAJ,CAAmBtD,OAAAnB,EAA4BIF,  
IAA5B,EAakCC,MAAIC,EAA0C,KAAK5G,GAA/C,EAAoD,KAAKqP,IAAZD,EAA+D6E,IAAI,CAACpL,MAA  
pE,CAAT;AACD;;AAEDyC,IAAAA,MAAM,CAAC8B,KAAP,GAAe;AAAE1G,MAAAA,IAAI,EAAJA,IAAF;A  
AAQC,MAAAA,MAAM,EAANA,MAAR;AAAgBwI,MAAAA,MAAM,EAAE,KAAKpP;AAA7B,KAAf;AACa,  
QAAI,KAAKqP,IAAT,EAAe9D,MAAM,CAAC8B,KAAP,CAAagC,IAAb,GAAoB,KAAKA,IAAZB;AAEf,WAA  
O9D,MAAP;AACD;AAED;,,,,,;,,,,,;SAaA+R,SAAA,gBAAO3W,IAAP,EAAaC,MAAb,EAAqB;AACnB,QAAI,  
CAAC,KAAKsI,GAAV,EAAe,OAAO,KAAP;AACf,QAAMqO,QAAQ,GAAG,KAAKrO,GAAL,CAASqO,QAAT,  
EAAjB;AAEA,QAAM1F,IAAI,GAAG0F,QAAQ,CAACC,mBAAT,CAA6B;AAAE7W,MAAAA,IAAI,EAAJA,IA  
AF;AAQC,MAAAA,MAAM,EAANA;AAAR,KAA7B,CAAb;AACa,QAAI,CAACiR,IAAI,CAACzI,MAAV,E  
AAkB,OAAO,KAAP;AAEIB,QAAM7D,MAAM,GAAG;AACb8D,MAAAA,IAAI,EAAE,KAAKoO,UAAAL,CAAg  
B5F,IAAI,CAACzI,MAArB,CADO;AAEbZl,MAAAA,IAAI,EAAEkR,IAAI,CAACiR,IAFE;AAGbC,MAAAA,M  
AAM,EAAEiR,IAAI,CAACjR;AAHA,KAAf;AAMA,QAAMwI,MAAM,GAAGmO,QAAQ,CAACG,gBAAT,CA  
A0B7F,IAAI,CAACzI,MAA/B,CAAF;AACa,QAAIA,MAAJ,EAAY7D,MAAM,CAAC6D,MAAP,GAAgBA,MA  
AhB;AAEZ,WAAO7D,MAAP;AACD;;SAEDks,aAAA,oBAAWpO,IAAX,EAAiB;AACf,QAAI,YAAyTt,IAAZ,  
CAAiBsT,IAAjB,CAAJ,EAA4B;AAC1B,aAAOA,IAAP;AACD,KAFD,MAEO;AACL,aAAOgO,IAAI,CAACd,O  
AAL,CAAa,KAAKrN,GAAL,CAASqO,QAAT,GAAoBI,UAApB,IAAkC,GAA/C,EAAoDtO,IAAPd,CAAP;AAC  
D;AACF;AAED;,,,,,;,,,,,;wBAYW;AACT,aAAO,KAAKA,IAAL,IAAa,KAAK7O,EAazB;AACD;,,,,;ICIKbBod;  
,,,,,;SACnBxQ,WAAA,sBAAW;AACT,SAAKE,MAAL,GAAcF,QAAQ,CAAC,KAAKC,KAAAN,EAAa;AAAEI,  
MAAAA,YAAY,EAAE;AAAhB,KAAb,CAAtB;AACD;;SAEDoB,UAAA,iBAAQI,KAAAR,EAAe;AACb,QAAM1  
M,IAAI,GAAG,IAAIuT,OAAJ,EAAb;AACa,SAAKU,IAAL,CAAUjU,IAAV,EAAgB0M,KAAK,CAAC,CAAD,C  
AArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;AACAI1M,IAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAAK  
B;AAAEIJ,MAAAA,IAAI,EAAEsI,KAAK,CAAC,CAAD,CAAb;AAAKBrI,MAAAA,MAAM,EAAEqI,KAAK,C  
AAC,CAAD;AAA/B,KAAIB;AAEA,QAAI4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAA  
e,CAAF,CAAX;AACa,QAAIoD,IAAI,CAACpD,KAAAL,CAAW,CAAC,CAAZ,MAAmB,IAAvB,EAA6BoD,IAAI,  
GAAGA,IAAI,CAACpD,KAAAL,CAAW,CAAX,EAAC,CAAC,CAAF,CAAP;;AAE7B,QAAI,QAAQ1S,IAAR,CAA  
a8V,IAAb,CAAJ,EAAwB;AACtBtP,MAAAA,IAAI,CAACsP,IAAL,GAAy,EAAZ;AACAtP,MAAAA,IAAI,CAA  
CkP,IAAL,CAAUC,IAAV,GAAiBG,IAAjB;AACAtP,MAAAA,IAAI,CAACKP,IAAL,CAAUG,KAAV,GAAkB,E  
AAIB;AACD,KAJD,MAIO;AACL,UAAAM3P,KAAK,GAAG4P,IAAI,CAAC5P,KAAAL,CAAW,yBAAX,CAAD;A  
ACAM,MAAAA,IAAI,CAACsP,IAAL,GAAy5P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAAI,CAACK  
P,IAAL,CAAUC,IAAV,GAAiBzP,KAAK,CAAC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACKP,IAAL,CAA

UG,KA AV,GA AkB3P,KA AK,CA AC,CA AD,CA AvB;AACD;AACF;;SAED2U,kBAAA,2BA AkB;;SAEIBC,cAA  
A,qBAAYIH,KAAZ,EA AmB;AACjB,QAAMkO,MAAM,GAAG,KAAKvQ,MAAL,CAAYmB,KAAZ,CA AkBkB,  
KAAIB,EA AyB,KAAKtB,GAAL,GA AW,CA ApC,CA Af;AAC A,SA AK6H,MAAL,IA Ae2H,MAAM,CA AC3O,G  
AAP,CA AW,UAAA/T,CA AC;AAAA,aAAIA,CA AC,CA AC,CA AD,CA AL;AAAA,KAAZ,EA AsBmD,IA AtB,CA  
A2B,EA A3B,CA Af;AACD;;SAEDkZ,kBAAA,2BA AkB;AAC hB,SA AKvB,OA AL,CA AaxE,IA Ab,CA AkBb,KAA  
IB,IA A2B,GAA3B;AACD;;SAEDkH,cAAA,uBA Ac;;SAEDr,gBAAA,uBA Ac/U,IA Ad,EA AoB;AACIBA,IAAAA,  
IAAI,CA AC5H,IA AL,GA AY,EA AZ;AACD;;SAEDsc,0BAAA,iCA AwB3J,MA AxB,EA AgC;AAC9B,QAAM+C,  
KAAK,GA AG,KAAKA,KA AL,CA AW/C,MA AX,CA Ad;AAC A,QA AI+C,KAAK,KAAK,KA Ad,EA AqB;AAErB,  
QA AI5O,KAAJ;;AAC A,SA KA,KAAK,GA AG4O,KAAK,GA AG,CA ArB,EA AwB5O,KAAK,IA AI,CA AjC,EA  
oCA,KAAK,EA AzC,EA A6C;AAC3C,UAAI6L,MAAM,CA AC7L,KA AD,CA AN,CA Ac,CA Ad,MA AqB,MA AzB,  
EA AiC;AACIC;;AACD,SA KA,KAAK,IA AI,CA Ad,EA AiB,KAAK,IA AI,CA AI1B,EA A6BA,KAAK,EA AIC,E  
AAsC;AACpC,UAAI6L,MAAM,CA AC7L,KA AD,CA AN,CA Ac,CA Ad,MA AqB,OA AzB,EA AkC;AAC hCA,QA  
AAA,KAAK,IA AI,CA AT;AAC A;AACD;AACF;;AACD,QA AM6U,KAAK,GA AGhJ,MAAM,CA ACxI,MA AP,C  
AA crD,KA Ad,EA AqB6L,MAAM,CA ACIS,MA AP,GA AgBqG,KA ArC,CA Ad;AAC A,SA AKqQ,IA AL,CA AUwE,  
KA AV;AACD;;SAEDc,uBAAA,gCA AuB;;SAEvBb,UAAA,mBA AU;AACR,QA AI,KAAKN,OA AL,CA Aa7T,KA  
Ab,IA AsB,KAAK6T,OA AL,CA Aa7T,KA Ab,CA AmBhH,MA A7C,EA AqD;AACnD,WAAK6a,OA AL,CA AaxE,I  
AAb,CA AkBJ,SA AIB,GAA8B,KAAKA,SA AnC;AACD;;AACD,SA AK4E,OA AL,CA AaxE,IA Ab,CA AkBb,KAAI  
B,GAA0B,CA AC,KAAKqF,OA AL,CA AaxE,IA Ab,CA AkBb,KAAIB,IA A2B,EA A5B,IA AkC,KAAKsF,MA AJe;;  
AAEA,WAAO,KAAKD,OA AL,CA Aa5S,MA ApB,EA A4B;AAC1B,WAAK4S,OA AL,GAAe,KAAKA,OA AL,CA  
Aa5S,MA A5B;AAC A,WAAK4S,OA AL,CA AaxE,IA Ab,CA AkBb,KAAIB,GAA0B,EA A1B;AACD;AACF;;EA Xe  
qCmF;;ACLx C;AAC A,AAIe,SA AS+H,SA AT,CA AmB9d,GA AnB,EA AwBkU,IA AxB,EA A8B;AAC3C,MA AM7  
G,KAAK,GA AG,IA AI2B,KAAJ,CA AUhP,GA AV,EA AeK,U,IA Af,CA Ad;AAEA,MA AMgE,MA AM,GA AG,IA AI  
0F,UAAJ,CA AevQ,KA Af,CA Af;ACA6K,EAAAA,MA AM,CA AC9K,QA AP;ACA8K,EAAAA,MA AM,CA AC  
9B,IA AP;AAEA,SA AO8B,MA AM,CA AC3G,IA Ad;AACD;;ACbD;AAUA,IA AIwM,SA AS,GA AG,EA AhB;AAE  
A,AAIA;;;AGA,oBA Ae,UAA CrU,UAA D,EA A4B;AAAA,MA CnCsU,WADmC;AAIvC,yBA AY9e,KAAZ,EA A  
4B;AAC1B,WAAKA,KA AL,GAAaA,KA Ab;AACD;;AANsC;AAAA,WA QvC+e,mBARuC,GA QvC,6BA AoB5S,  
gBA ApB,EA A8C;AAC5C,UAA M3C,OAAO,GA AG0C,OAAO,CA AC,KAAKIM,KA AN,EA AamM,gBA Ab,CA A  
P,CA AsC/M,IA AtC,CA A2C,EA A3C,CA AhB;AAEA,UAA MhD,IA AI,GA AG4iB,mBA AmB,CA ACxV,OA AD,CA  
AhC;;AAC A,UAAI,CA ACqV,SA AS,CA ACziB,IA AD,CA Ad,EA AsB;AACpB,YA AMiW,IA AI,GA AGyG,SA AK,  
CA ActP,OA AD,CA AIB;AAC A,YA AMyV,SA AS,GA AG,EA AIB;ACA5M,QAAAA,IA AI,CA AC8G,IA AL,CA  
AU,UAAA9V,IA AI,EA AI;AAC hB,cAAIA,IA AI,CA AC+O,IA AL,KA Ac,MA AIB,EA A0B;AACxB6M,YAAAA,S  
AAS,CA ACngB,IA AV,CA Ae,CA ACuE,IA AI,CA ACyP,IA AN,EA AYzP,IA AI,CA AC+H,KAAjB,CA Af;AACD,W  
AFD,MA EO,IA AI5O,OAAO,CA ACC,GA AR,CA AYc,QA AZ,KAAyB,YA AzB,IA AyC2G,IA AI,CA AC+O,IA AL,  
KA Ac,SA A3D,EA AsE;AAC3E;ACA7F,YAAAA,OAAO,CA ACC,IA AR,mBA A6BnJ,IA AI,CA AC+O,IA AIC;A  
ACD;AACF,SAPD,EA HoB;AAYpB;AAC A;ACA;;AAC A,YA AM8M,WAAW,GA AGC,kBA AkB,CA ACF,SA A  
D,EA AY,CACHD,cADgD,EA EhD,aAFgD,EAGhD,aAHgD,EAIhD,aAJgD,CA AZ,CA AtC;AAMA,YA AMG,MA A  
M,GA AG5U,UAAU,CA AC6U,MA AX,CA AkB;AAC/BR,UAAAA,SA AS,EA AEK;AADoB,SA AIB,CA Af;AAGA  
L,QAAAA,SA AS,CA ACziB,IA AD,CA AT,GA AkBgjB,MA AM,CA ACP,SA AzB;AACD;;AACD,aAAOA,SA AS,C  
AACziB,IA AD,CA AhB;AACD,KAvCsC;AAAA;AAAA;;AA0CzC,SA AO0iB,WAA P;AACD,CA3CD;;ACnBA;;  
AAC A;::::::::::AA2BA,IA AMQ,QAAQ,GA AG,SA AXA,QA AW,CA AA5I,GA AG,EA AI;AACtB,SACE,  
OAAOA,GA AP,KAAe,UAAf,IA A8B,OAAOA,GA AP,KAAe,QA Af,IA A2BA,GA AG,KAAK,IA AnC,IA A2C,CA A  
C7K,KAAK,CA ACC,OA AN,CA Ac4K,GA Ad,CAD5E;AAGD,CAJD;;AAMA,IA AM6I,UAAU,GA AG,SA AbA,U  
AAa,CA AA5T,GA AG,EA AI;AACxB,SA AOA,GA AG,KAAK,WAA R,IA AuBA,GA AG,KAAK,aAA/B,IA AgDA,  
GA AG,KAAK,WAA/D;AACD,CA FD;;AAIA,SA AS6T,KA AT,CA AejjB,MA Af,EA AuBma,GA AvB,EA A4B/K,G  
AA5B,EA AiC;AAC/B,MA AMF,GA AG,GA AGIP,MA AM,CA ACop,GA AD,CA AIB;;AAC A,MA AI2T,QAAQ,CA  
AC5I,GA AD,CA AR,IA AiB4I,QAAQ,CA AC7T,GA AD,CA A7B,EA AoC;AACICgU,IAAAA,SA AS,CA AchU,GA  
AD,EA AMiL,GA AN,CA AT;AACD,GA FD,MA EO;AACLnA,IAAAA,MA AM,CA ACop,GA AD,CA AN,GA Ac+K,  
GA Ad;AACD;AACF;;AAED,AA Ae,SA AS+I,SA AT,CA AmBljB,MA AnB,EA AoC;AAAA,oCA ANmjB,IA AM;A

AANA,IAAAA,IAAM;AAAA;;AACjD,2BAakBA,IAAIB,2BAawB;AAAnB,QAAMjU,GAAG,YAAT;;AACH,Q  
AAI6T,QAAQ,CAAC7T,GAAD,CAAZ,EAAMb;AACjB,WAAK,IAAME,GAAX,IAakBF,GAAIB,EAAB;AACr  
B,YAAI8T,UAAU,CAAC5T,GAAD,CAAd,EAaqB;AACnB6T,UAAAA,KAAK,CAACjB,MAAD,EAASkP,GA  
AG,CAACE,GAAD,CAAZ,EAAMBA,GAAnB,CAAL;AACD;AACF;AACF;AACF;;AAED,SAAOpP,MAAP;AA  
CD;;AC3DD;AACA,AAMA,sBA Ae,UAAC2d,KAAD,EAeyF,aAAf,EAAMCC,YAAnC,EAawE;AAAA,MAArC  
A,YAAqC;AAArCA,IAAAA,YAAqC,GAAjBthB,YAAiB;AAAA;;AACrF,SAAQ4b,KAAK,CAAC2F,KAAN,KA  
AgBD,YAAY,CAACC,KAA7B,IAAsC3F,KAAK,CAAC2F,KAA7C,IAAuDF,aAAvD,IAAwEC,YAAY,CAACC,  
KAA5F;AACD,CAFD;;ACPA;AAGA,AA Ae,SAASC,KAAT,CAAevjB,MAAf,EAAMF;AACHG,SACE,OAAOA,  
MAAP,KAAkB,QAAIB,KACCC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GACGH,MAAM,CA  
ACwjB,MAAP,CAAc,CAAd,MAAqBxjB,MAAM,CAACwjB,MAAP,CAAc,CAAd,EAAB9U,WAAjB,EADxB,G  
AEG,IAHJ,CADF;AAMD;;ACVD;AAEA,AGGe,SAAS+U,mBAAT,CACbzjB,MADa,EAEL;AACR,SAAOujB,K  
AAK,CAACvjB,MAAD,CAAL,eAA0BA,MAA1B,eAA+CD,gBAAgB,CAACC,MAAD,CAA/D,MAAP;AACD;;I  
CKY0jB,YAAY,GAA0BnW,cAAK,CAACC,aAAN,EAA5C;AAEP,IAAmW,aAAa,GAAGD,YAAY,CAACHW,Q  
AAAnC;;AAEP,SAASKW,UAAAT,CAAoBN,KAApB,EAA0CO,UAA1C,EAaqE;AACnE,MAAI,CAACP,KAAL,EA  
AY;AACV,WAAOzf,0BAAgB,CAAC,EAAD,CAA vB;AACD;;AAED,MAAIxD,UAAU,CAACjB,KAAD,CAAd,  
EAAB;AACrB,QAAMQ,WAAW,GAAGR,KAAK,CAACO,UAAD,CAAzB;;AAEA,QACE5jB,OAAO,CAACC,  
GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC2jB,WAAW,KAAK,IAAhB,IAAwBxU,KAAK,CAACC,OAAO,C  
AAcuU,WAAAd,CAAxB,IAAsD,OAAOA,WAAP,KAAuB,QAD9E,CADF,EAGE;AACA,aAAOjgB,0BAAgB,CAA  
C,CAAD,CAA vB;AACD;;AAED,WAAOigB,WAAP;AACD;;AAED,MAAIxU,KAAK,CAACC,OAAO,CAA+T,  
KAAAd,KAAwB,OAAOA,KAAP,KAAiB,QAA7C,EAAD;AACrD,WAAOzf,0BAAgB,CAAC,CAAD,CAA vB;AA  
CD;;AAED,SAAOggB,UAAU,gBAAQA,UAAAR,MAAuBP,KAAvB,IAAiCA,KAAID;AACD;AAED;::::AAGA,A  
AAe,SAASS,aAAT,CAAuBpG,KAAvB,EAaqC;AACID,MAAMkG,UAAU,GAAGG,gBAAU,CAACN,YAAD,C  
AA7B;AACA,MAAMO,YAAY,GAAGC,aAAO,CAAC;AAAA,WAAMN,UAAU,CAACjG,KAAK,CAAC2F,KA  
AP,EAACo,UAAAd,CAAhB;AAAA,GAAD,EA4C,CACtElG,KAAK,CAAC2F,KADgE,EAEtEO,UAFsE,CAA5C,  
CAA5B;;AAKA,MAAI,CAACIG,KAAK,CAACT,QAAX,EAaqB;AACnB,WAAO,IAAP;AACD;;AAED,sBAAO  
3P,6BAAC,YAAD,CAAc,QAAd;AAAuB,IAAA,KAAK,EAEE0W;AAA9B,KAA6CtG,KAAK,CAACT,QAAnD,  
CAAP;AACD;;AC1CD;AAEA;;AACA,IAAMiH,SAAS,GAAG,SAAZA,SAAY;AAAA,SAAM,IAAN;AAAA,CA  
AIB;;IAEMC;::::::::::UAGJC,QAAQ;::::SAERC,SAAA,kBAAS;AAAA;;AACP,wBACE/W,6BAAC,aAAD,QAC  
G,UAAC+V,KAAD,EAAMb;AAAA,yBAUd,MAAI,CAAC3F,KAVS;AAAA,UAEX4G,eAFW,gBAEhBC,GAFg  
B;AAAA,UAGZC,QAHY,gBAGhBC,EAHgB;AAAA,UAIhBC,kBAJgB,gBAIhBA,kBAJgB;AAAA,UAKhBC,W  
ALgB,gBAKhBA,WALgB;AAAA,UAMhBC,YANgB,gBAMhBA,YANgB;AAAA,UOOhBC,MAPgB,gBAOhBA,  
MAPgB;AAAA,4CAQhB3e,KARgB;AAAA,UAQhBA,KARgB,mCAQR,EARQ;AAAA,UASbwX,KATa;;AAAA,  
UAYV0F,YAZU,GAYkCsB,kBAZIC,CAYVtB,YAZU;AAAA,UAYIrb,MAZJ,GAYkC2kB,kBAZIC,CAYI3kB,  
MAZJ;AAAA,UAYY+kB,iBAZZ,GAYkCJ,kBAZIC,CAYYI,iBAZZ;AAalB,UAAmC,mBAAmB,GACvB,MAAI,  
CAACX,KAAL,CAAWG,GAAX,IAAkB,MAAI,CAACH,KAAL,CAAWK,EA7B,IAAmCH,eAAAnC,IAAsDE,Q  
AAtD,IAAkEzKB,MADpE;;AAGA,UAAmIb,eAAe,GAAG,MAAI,CAACC,uBAAL,CACtBC,cAAc,CAAC,MAA  
I,CAACxH,KAAN,EAa2F,KAAb,EAoBD,YAApB,CAAd,IAAmDthB,YAD7B,EAEtB,MAAI,CAAC4b,KAFi  
B,CAAxB;;AAKA,UAAmyH,WAAW,GAAG7B,KAAK,CAACyB,mBAAD,CAAzB;AACA,UAAmK,aAAa,GA  
AG,MAAI,CAACHB,KAAL,KAAe1G,KAAf,gBAA4BA,KAA5B,MAAsC,MAAI,CAAC0G,KAA3C,IAAQD1G,K  
AA3E;AACA,UAAm2H,YAAY,GAAGP,iBAAiB,IAAKK,WAAW,IAAIjB,SAA1D;AACA,UAAmOb,eAAe,GA  
AG,EAAB;AACA,UAAInW,GAAJ;;AAEA,WAAKA,GAAL,IAAYiW,aAAZ,EA2B;AACzB,YAAIjW,GAAG,  
CAAC,CAAD,CAAH,KAAW,GAAX,IAAkBA,GAAG,KAAK,IAA9B,EAoC,SAApC,KACK,IAAIA,GAAG,KA  
AK,aAAZ,EA2B;AAC9BmW,UAAAA,eAAe,CAACb,EAhB,GAAqB/G,KAAK,CAACvO,GAAD,CAA1B;AA  
CD,SAFL,MAEE,IAAI,CAACKW,YAAD,IAAiBA,YAAY,CAACIW,GAAD,EAAM+U,SAAN,CAAjC,EAAMd;A  
ACxD;AACAOB,UAAAA,eAAe,CAACnW,GAAD,CAAf,GAAuBiW,aAAa,CAACjW,GAAD,CAApC;AACD;AA  
CF;;AAEDmW,MAAAA,eAAe,CAACpf,KAAhB,GAAwB,OAAOA,KAAP,KAAiB,UAAjB,GACxB,UAAcQf,K  
AAD,EAAW;AACT,eAAO,CAACP,eAAD,EAAB5D,MAAIB,CAAyBlb,KAAK,CAACqf,KAAD,CAA9B,CAA  
P;AACD,OAHuB,GAItB,CAACP,eAAD,EAAB5D,MAAIB,CAAyBlb,KAAzB,CAJF;AAKAof,MAAAA,eAAe,

CAACT,MAAhB,GAAYBA,MAAZB;AAEA,UAAID,YAAJ,EAakBU,eAAe,CAACE,GAAhB,GAAsBZ,YAAtB; AACIB,UAAID,WAAJ,EAaiBW,eAAe,CAACb,EAahB,GAaqBE,WAArB;AAEjB,aAAO/c,mBAAa,CAACmd, mBAAD,EAAsBO,eAAtB,CAApB;AACD,KAjDH,CADF;AAqDD;;SAEDG,wBAAA,+BAAsBpC,KAAtB,EAAs C3F,KAAcT,EAaqD0G,KAArD,EAAMe;AAAA;;AACjE,QAAMtZ,OAAO,gBAAQ4S,KAAr;AAE2F,MAAAA ,KAAK,EAALA;AAaf,MAAb;;AAEA,QAAI,CAACe,KAAK,CAAC1kB,MAAX,EAAMb,OAAOoL,OAAP;AAE nB,SAAKsZ,KAAAL,GAAa,EAAb;AAEAA,IAAAA,KAAK,CAAC7hB,OAAN,CAAc,UAAAmjB,OAAO,EAai;A ACvB,UAAIC,eAAe,GAAGD,OAAtB;ACA,UAAIE,IAAJ;ACA,UAAIzW,GAAJ;;AAEA,UAAI/O,UAAU,CA ACuLB,eAAD,CAAd,EAaiC;AAC/BA,QAAAA,eAAe,GAAGA,eAAe,CAAC7a,OAAD,CAAjC;AACD;AAED;;; AACa,WAAKqE,GAAL,IAAYwW,eAAZ,EAA6B;AAC3BC,QAAAA,IAAI,GAAGD,eAAe,CAACxW,GAAD,C AAtB;ACA,QAAA,MAAI,CAACiV,KAAAL,CAAWjV,GAAX,IAAKByW,IAAlB;ACA9a,QAAAA,OAAO,CA ACqE,GAAD,CAAP,GAAeyW,IAAf;AACD;AACD;;AACD,KAhBD;AAkBA,WAAO9a,OAAP;AACD;;SAEDm a,0BAAA,iCAAwb5B,KAAxB,EAAoC3F,KAApC,EAAGD;AAAA,QACtCmI,WADsC,GACtBnI,KAAK,CAACg H,kBADgB,CACtCmB,WADsC;AAG9C,QAAMIW,gBAAgB,GAAG,KAAK8V,qBAAL,CACvBpC,KADuB,EAE vB3F,KAFuB,EAGvBA,KAAK,CAACgH,kBAAN,CAAYBN,KAHF,CAAZB;AAMA,WAAOyB,WAAW,CAACt D,mBAAZ,CAAgC5S,gBAAhC,CAAP;AACD;;SAEDmW,iBAAA,wBAAeC,WAAf,EAAoC;AACIC,QAAI,KAA KIQ,IAAL,KAAcpQ,SAAIB,EAA6B;AAC3B;ACA,WAAKoQ,IAAL,CAAUiQ,cAAV,CAAYBC,WAAzB;AAC D,KAHD,MAGO,IAAI/IB,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAA7B,EAA2C;AAChD;ACA6P, MAAAA,OAAO,CAACC,IAAR,CACE,4FADF;AAGD;AACF;;EA/GiCgW;;AAkHpC,8BAAE,UAAc1D,WAAD ,EAA2B;AACxC,MAAM2D,2BAA2B,GAAG,SAA9BA,2BAA8B,CAACImB,MAAD,EAAiB0J,OAAjB,EAakCj G,KAAIC,EAaqD;AAAA,yBAKnFiG,OALmF,CAErF2a,KAFqF;AAAA,QAerFA,KAFqF,+BAE7ExiB,WAF6E; AAAA,+BAKnF6H,OALmF,CAGrFuJ,WAHqF;AAAA,QAGrFA,WAHqF,qCAGvEqjB,mBAAmB,CAACzjB,MA AD,CAHoD;AAAA,gCAKnF0J,OALmF,CAIrFyc,eAJqF;AAAA,QAIrFA,eAJqF,sCAInE/B,qBAJmE;AAOVf,QA AMgC,OAAO,GAAG,CAAC7C,KAAK,CAACvjB,MAAD,CAAtB;ACA,QAAMqmB,kBAaKB,GAAGvIB,iBA AiB,CAACd,MAAD,CAA5C,CARuF;;AAWvF,QAAMsmB,4BAA4B,GAAG/Y,cAAK,CAACgZ,UAAAN,CAAiB, UAAC5I,KAAD,EAAQ8H,GAAR;AAAA,0BACpDIY,6BAAC,eAAD,eACMoQ,KADN;AAEE,QAAA,kBAaKB, EAAE2I,4BAFtB;AAGE,QAAA,YAAy,EAAEb;AAHhB,SADoD;AAAA,KAAjB,CAArC;AAQA,QAAMe,UAA U;AAEdH,IAAAA,kBAaKB,IAAIrmB,MAAM,CAACqkB,KAA7B,GACI/U,KAAK,CAAC9O,SAAN,CAAgB6g B,MAAhB,CAAuBrhB,MAAM,CAACqkB,KAA9B,EAaqCA,KAArC,EAA4C1E,MAA5C,CAAMdJe,OAAAnD,C ADJ,GAEI2iB,KAJN,CAnBuF;;AA0BvF,QAAIU,iBAAiB,GAAGrb,OAAO,CAACqb,iBAAhC,CA1BuF;;AA6Bv F,QAAIsB,kBAaKB,IAAIrmB,MAAM,CAAC+kB,iBAAjC,EAAoD;AACID,UAAIA,iBAAJ,EAAuB;AACrB;AA CAA,QAAAA,iBAAiB,GAAG,2BAACxO,IAAD,EAAOkQ,QAAP,EAAiBC,kBAAjB;AAAA;AAEIB1mB,YAAA A,MAAM,CAAC+kB,iBAAP,CAAYBxO,IAAZB,EAA+BkQ,QAA/B,EAAyCC,kBAAZC,KACAhD,OAAO,CAAC qb,iBAAR,CAA0BxO,IAA1B,EAAGCkQ,QAaHc,EAA0CC,kBAA1C;AAHkB;AAAA,SAAPB;AAID,OAND,MA MO;AACL;ACA3B,QAAAA,iBAAiB,GAAG/kB,MAAM,CAAC+kB,iBAA3B;AACD;AACF;AAED;;;AAKA;; ;ACAuB,IAAAA,4BAA4B,CAACjC,KAA7B,GAaqCmC,UAArC;AAEAF,IAAAA,4BAA4B,CAACImB,WAA7 B,GAA2CA,WAA3C,CAIDuF;;AAqDvFkmB,IAAAA,4BAA4B,CAACvB,iBAA7B,GAAiDA,iBAAjD,CARduF;; AAwDvFuB,IAAAA,4BAA4B,CAACR,WAA7B,GAA2C,IAAIvD,WAAJ;AAEzC8D,IAAAA,kBAaKB,GAAGrm B,MAAM,CAAC8IB,WAAp,CAAmBriB,KAAAnB,CAAYB4d,MAAZB,CAAGC5d,KAAhC,CAAH,GAA4CA,KAFr B,CAA3C,CAXduF;;AA8DvF6iB,IAAAA,4BAA4B,CAACvIB,iBAA7B,GAAiD,uBAAjD,CA9DuF;;AAgEvFulB, IAAAA,4BAA4B,CAACtmB,MAA7B,GAAsCqmB,kBAaKB;AAEpDrmB,IAAAA,MAAM,CAACA,MAF6C,GA GpDA,MAHJ,CAHEuF;;AAqEvFsmB,IAAAA,4BAA4B,CAACK,aAA7B,GAA6C,SAASA,aAAT,CAAuB3jB,GA AvB,EAAoC;AAAA,UAC1D2J,CAD0D,GACjBjD,OADiB,CACvEtJ,WADuE;AAAA,UAC1CwmB,EAD0C,GAC jBld,OADiB,CACvDsD,WADuD;AAAA,UACn6Z,aADmC,iCACjBnd,OADiB;;AAE/E,UAAmod,UAAU,gBAC XD,aADW;AAEdxC,QAAAA,KAAK,EAAEmC,UAF0;AAGdL,QAAAA,eAAe,EAAfA;AAHc,QAaHb;;AAMA, aAAOD,2BAA2B,CAACljB,GAAD,EAAM8jB,UAAAN,EAakBrjB,KAAIB,CAAIC;AACD,KATD,CAReuF;;AAi FvF9C,IAAAA,MAAM,CAAComB,cAAP,CAAsBT,4BAAtB,EAAoD,cAApD,EAAoE;AACIErhB,MAAAA,GAD ke,iBAC5D;AACJ,eAAO,KAAK+hB,mBAAZ;AACD,OAHiE;AAKIEljB,MAAAA,GALke,eAK9DoL,GAL8D,E AKzD;AACP;ACA,aAAK8X,mBAAL,GAA2BX,kBAaKB,GAAGY,SAAK,CAAC,EAAD,EAakjnB,MAAM,C



AACqjB,YAAZ,EAA0BnU,GAA1B,CAAR,GAAyCA,GAAfF;AACD;AARiE,KAApE;;AAWA,QAAIkX,OAAJ,EAAa;AACXc,MAAAA,KAAK,CAACZ,4BAAD,EAAgCtmB,MAAhC,EAA8C;AACjD;AACaQkB,QAAAA,KAAK,EAAE,IAF0C;AAGjDjkB,QAAAA,WAAW,EAAE,IAHoC;AAIjD2kB,QAAAA,iBAAiB,EAAE,IAJ8B;AAKjDe,QAAAA,WAAW,EAAE,IALoC;AAMjD/kB,QAAAA,iBAAiB,EAAE,IAN8B;AAOjDf,QAAAA,MAAM,EAAE,IAPyC;AAQjD2mB,QAAAA,aAAa,EAAE;AARkC,OAA9C,CAAL;AAUD;;AAED,WAAOL,4BAAP;AACD,GALGD;;AA4GA,SAAOJ,2BAAP;AACD,CA9GD;;ACvIA;AAGA,kBA Ae,UACbiB,OADa,EAEbxB,cAFa,EAGY;AACzB,MAAMmN,MAAM,GAAG,CAACqX,OAAO,CAAC,CAAD,CAAR,CAAF;;AAEA,OAAK,IAAIznB,CAAC,GAAG,CAAR,EAAW4C,GAAG,GAAGK,cAAc,CAACHd,MAArC,EAA6CD,CAAC,GAAG4C,GAAjD,EAA5D5C,CAAC,IAAI,CAA3D,EAA8D;AAC5DoQ,IAAAA,MAAM,CAACvN,IAAP,CAAYI,cAAc,CAACjD,CAAD,CAA1B,EAA+BynB,OAAO,CAACznB,CAAC,GAAG,CAAL,CAAtC;AACD;;AAED,SAAOoQ,MAAP;AACD,CAXD;;ACHA;AACa,AAOa;;;;AAIA,IAAMsX,MAAM,GAAG,SAATA,MAAS,CAAAC,GAAG,EAAl;AACpB,MAAI/X,KAAK,CAACC,OAAO,CAAC8X,GAAd,CAAJ,EAAwB;AACtB;AACAA,IAAAA,GAAG,CAAC7X,KAAJ,GAAY,IAAZ;AACD;;AACD,SAAO6X,GAAP;AACD,CAND;;AAQA,AAAE,SAAS9iB,GAAT,CAAase,MAAb,EAA+E;AAAA,oCAA/ClgB,cAA+C;AAA/CA,IAAAA,cAA+C;AAAA;;AAC5F,MAAIc,UAAU,CAACwiB,MAAD,CAAV,IAAsBnT,aAAa,CAACmT,MAAD,CAAvC,EAId;AAC/C;AACa,WAAOuE,MAAM,CAACzX,OAAO,CAAC2X,UAAU,CAACzlB,WAAD,GAAeghB,MAAf,SAA0BlgB,cAA1B,EAAx,CAAR,CAAb;AACD;;AAED,MAAIA,cAAc,CAACHd,MAAf,KAA0B,CAA1B,IAA+BkjB,MAAM,CAACljB,MAAP,KAAkB,CAAjD,IAAsD,OAAOkjB,MAAM,CAAC,CAAD,CAAb,KAAqB,QAA/E,EAAYf;AACvF;AACa,WAAOA,MAAP;AACD,GAT2F;;AAY5F,SAAOuE,MAAM,CAACzX,OAAO,CAAC2X,UAAU,CAACzE,MAAD,EAASlgB,cAAT,CAAx,CAAR,CAAb;AACD;;ACzBc,SAAS4kB,oBAAT,CACbC,oBADa,EAEbxB,GAFa,EAGb0G,OAHa,EAIb;AAAA,MADAA,OACA;AADAA,IAAAA,OACA,GADkB3H,YACIB;AAAA;;AACa,MAAI,CAAC0IB,0BAAkB,CAACzKB,GAAD,CAAvB,EAA8B;AAC5B,WAAOa,0BAAgB,CAAC,CAAD,EAAl9E,MAAM,CAACIE,GAAD,CAA V,CAAvB;AACD;AAED;AACa;;AACa,MAAM0kB,gBAAgB,GAAG,SAAnBA,gBAAmB;AAAA,WAAaF,oBAAoB,CAACxB,GAAD,EAAM0G,OAAO,EAAnF,GAAG,MAAH,mBAAf,CAAjC;AAAA,GAazB;AAEA;;AACAmjB,EAAAA,gBAAgB,CAACC,UAAjB,GAA8B,UAAAC,MAAM;AAAA,WACICL,oBAAoB,CAACC,oBADAD,EAAuBxB,GAAvB,eAAiC0G,OAAjC,MAA6Cke,MAA7C,EADc;AAAA,GAAPc;AAGA;;AACAF,EAAA A,gBAAgB,CAACrD,KAAjB,GAAYB,UAAAA,KAAK;AAAA,WAC5BkD,oBAAoB,CAACC,oBAAD,EAAuBxB B,GAAvB,eACf0G,OADe;AAElB2a,MAAAA,KAAK,EAAE/U,KAAK,CAAC9O,SAAN,CAAGb6gB,MAAhB,C AAuB3X,OAAO,CAAC2a,KAA/B,EAAsCA,KAAc,EAA6C1E,MAA7C,CAAoDje,OAAPD;AAFW,OADQ;AAAA,GAAY9B;;AAMA,SAAOgmB,gBAAP;AACD;;ACzBD;AACa;AACa;AACa;AACa;;AAEA,iBAAe,UAAcZ B,SAAD,EAAwC;AACrD;AACa,MAAM4B,SAAS,GAAGta,cAAK,CAACgZ,UAAO,CAAiB,UAAc5I,KAAD,E AAQ8H,GAAR,EAAGB;AACjD,QAAMnC,KAAK,GAAGU,gBAAU,CAACN,YAAD,CAAxB,CADiD;;AAAA,Q AGzCL,YAHyC,GAGxB4C,SAHwB,CAGzC5C,YAHyC;AAIjD,QAAMyE,SAAS,GAAG3C,cAAc,CAACxH,KAA D,EAAQ2F,KAAAR,EAAeD,YAAf,CAAhC;;AAEA,QAAIpb,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB, YAAzB,IAAYc2nB,SAAS,KAAKpiB,SAA3D,EAAsE;AACpE;AACAsK,MAAAA,OAAO,CAACC,IAAR,6HAC 2HIQ,gBAAgB,CACvIkM,B,SAduI,CAD3I;AAKD;;AAED,wBAAO1Y,6BAAC,SAAD,eAAeoQ,KAAf;AAAsB, MAAA,KAAK,EAAEmK,SAA7B;AAAwC,MAAA,GAAG,EAAErC;AAA7C,OAAP;AACD,GAhBiB,CAAIB;AA kBAsC,EAAAA,KAAy,CAACF,SAAD,EAAY5B,SAAZ,CAAZ;AAEA4B,EAAAA,SAAS,CAACznB,WAAV,kB AAqCL,gBAAgB,CAACKmB,SAAD,CAArD;AAEA,SAAO4B,SAAP;AACD,CAzBD;;ACdA;AACa;AAGA,IAA MG,QAAQ,GAAG,SAAXA,QAAW;AAAA,SAAMhE,gBAAU,CAACN,YAAD,CAAhB;AAAA,CAAjB;;ACJA;; AAeA,IAAMuE,WAAW,GAAGC,OAAO,CAAC,cAAD,CAA3B;;AAEA,IAAM3F,WAAW,GAAG4F,YAAY,CA ACF,WAAW,CAACze,UAAb,CAAhC;;AACa,IAAM4a,uBAAqB,GAAGgE,sBAAsB,CAAC7F,WAAD,CAAPD; ;AACa,IAAM8F,MAAM,GAAG,SAATA,MAAS,CAACrIB,GAAD;AAAA,SAAiBukB,oBAAoB,CAACnD,uBA AD,EAAwBphB,GAAXB,CAArC;AAAA,CAAF;AAEA;;AAEA,IAAMsIB,OAAO,mpBAAb;AAQA;;AAEAA,O AAO,CAACtiB,KAAAR,CAAc,MAAd,EAAsBxD,OAAtB,CAA8B,UAAA+IB,KAAK;AAAA,SACjC5nB,MAAM, CAAComB,cAAP,CAAsBsB,MAAtB,EAA8BE,KAA9B,EAaqC;AACnCC,IAAAA,UAAU,EAAE,IADuB;AAEn CC,IAAAA,YAAY,EAAE,KAFqB;AAGnCxjB,IAAAA,GAHmC,iBAG7B;AACJ,aAAOojB,MAAM,CAACJ,WA AW,CAACM,KAAD,CAAZ,CAAb;AACD;AALkC,GAARc,CADiC;AAAA,CAAnC;;;;;;;" }

Found in path(s):

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/native/dist/styled-components.native.cjs.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version":3,"file":"styled-
components.browser.cjs.js","sources":["../src/utils/interleave.js","../src/utils/isPlainObject.js","../src/utils/empties.js",
"../src/utils/isFunction.js","../src/utils/getComponentName.js","../src/utils/isStyledComponent.js","../src/constants.js"
,"../src/utils/error.js","../src/utils/errors.js","../src/sheet/GroupedTag.js","../src/sheet/GroupIDAllocator.js","../src/she
et/Rehydration.js","../src/utils/nonce.js","../src/sheet/dom.js","../src/sheet/Tag.js","../src/sheet/Sheet.js","../src/utils/g
enerateAlphabeticName.js","../src/utils/hash.js","../src/utils/isStaticRules.js","../src/models/ComponentStyle.js","../sr
c/utils/stylis.js","../src/utils/stylisPluginInsertRule.js","../src/models/StyleSheetManager.js","../src/models/Keyframe
s.js","../src/utils/hyphenateStyleName.js","../src/utils/flatten.js","../src/utils/isStatelessFunction.js","../src/utils/addUn
itIfNeeded.js","../src/constructors/css.js","../src/utils/checkDynamicCreation.js","../src/utils/determineTheme.js","../s
rc/utils/escape.js","../src/utils/generateComponentId.js","../src/utils/isTag.js","../src/utils/mixinDeep.js","../src/model
s/ThemeProvider.js","../src/models/StyledComponent.js","../src/utils/generateDisplayName.js","../src/utils/joinString
s.js","../src/utils/createWarnTooManyClasses.js","../src/utils/domElements.js","../src/constructors/styled.js","../src/co
nstructors/constructWithOptions.js","../src/models/GlobalStyle.js","../src/models/ServerStyleSheet.js","../src/secretI
nternals.js","../src/base.js","../src/constructors/createGlobalStyle.js","../src/constructors/keyframes.js","../src/hooks/u
seTheme.js","../src/hoc/withTheme.js"],"sourcesContent":["// @flow\nimport type { Interpolation } from
'./types';\n\nexport default (\n  strings: Array<string>,\n  interpolations: Array<Interpolation>\n)
Array<Interpolation> => {\n  const result = [strings[0]];\n\n  for (let i = 0, len = interpolations.length; i < len; i += 1)
{\n    result.push(interpolations[i], strings[i + 1]);\n  }\n\n  return result;\n};\n\n", "// @flow\nimport { typeOf } from
'react-is';\n\nexport default (x: any): boolean =>\n  x !== null &&\n  typeof x === 'object' &&\n  (x.toString ?
x.toString() : Object.prototype.toString.call(x)) === '[object Object]' &&\n  !typeof(x);\n\n", "// @flow\nexport const
EMPTY_ARRAY = Object.freeze([]);\n\nexport const EMPTY_OBJECT = Object.freeze({});\n\n", "// @flow\nexport
default function isFunction(test: any): boolean %checks {\n  return typeof test === 'function';\n}\n\n", "//
@flow\nimport type { IStyledComponent } from './types';\n\nexport default function getComponentName(\n
target: $PropertyType<IStyledComponent, 'target'>): string {\n  return (\n    (process.env.NODE_ENV !==
'production' ? typeof target === 'string' && target : false) ||\n    // $FlowFixMe\n    target.displayName ||\n    //
$FlowFixMe\n    target.name ||\n    'Component'\n  );\n}\n\n", "// @flow\nexport default function
isStyledComponent(target: any): boolean %checks {\n  return target && typeof target.styledComponentId ===
'string';\n}\n\n", "// @flow\n\ndeclare var SC_DISABLE_SPEEDY: ?boolean;\n\ndeclare var __VERSION__:
string;\n\nexport const SC_ATTR: string =\n  (typeof process !== 'undefined' &&
(process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||\n  'data-styled';\n\nexport const
SC_ATTR_ACTIVE = 'active';\n\nexport const SC_ATTR_VERSION = 'data-styled-version';\n\nexport const
SC_VERSION = __VERSION__;\n\nexport const SPLITTER = '/*!sc*\\n';\n\nexport const IS_BROWSER = typeof
window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE_SPEEDY =\n  Boolean(typeof
SC_DISABLE_SPEEDY === 'boolean'\n    ? SC_DISABLE_SPEEDY\n    : (typeof process !== 'undefined' &&
typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined' &&
process.env.REACT_APP_SC_DISABLE_SPEEDY !== \"\n    ?
process.env.REACT_APP_SC_DISABLE_SPEEDY === 'false' ? false :
process.env.REACT_APP_SC_DISABLE_SPEEDY\n    : (typeof process !== 'undefined' && typeof
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== \"\n    ?
process.env.SC_DISABLE_SPEEDY === 'false' ? false : process.env.SC_DISABLE_SPEEDY\n    :
process.env.NODE_ENV !== 'production'\n    )\n  );\n\n// Shared empty execution context when generating static
styles\n\nexport const STATIC_EXECUTION_CONTEXT = {};\n\n", "// @flow\nimport errorMap from
```

```

./errors';\n\nconst ERRORS = process.env.NODE_ENV !== 'production' ? errorMap : {};\n\n/**\n * super basic version of sprintf\n */\nfunction format(...args) {\n  let a = args[0];\n  const b = [];\n\n  for (let c = 1, len = args.length; c < len; c += 1) {\n    b.push(args[c]);\n  }\n\n  b.forEach(d => {\n    a = a.replace(/%[a-z]/, d);\n  });\n\n  return a;\n}\n\n/**\n * Create an error file out of errors.md for development and a simple web link to the full errors\n * in production mode.\n */\nexport default function throwStyledComponentsError(\n  code: string | number,\n  ...interpolations: Array<any>)\n  {\n    if (process.env.NODE_ENV === 'production') {\n      throw new Error(\n        `An error occurred. See https://git.io/JUIaE#${code} for more information.${\n          interpolations.length > 0 ? ` Args: ${interpolations.join(', ')} : ` : ''\n        );\n    } else {\n      throw new Error(\n        format(ERRORS[code], ...interpolations).trim());\n      }\n    }\n  }\n\nexport default {\n  '1': `Cannot create styled-component for component: %s.`,\n  '2': `Can't collect styles once you've consumed a `ServerStyleSheet`'s styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.`,\n  '3': `Streaming SSR is only supported in a Node.js environment; Please do not try to call this method in the browser.`,\n  '4': `The `StyleSheetManager` expects a valid target or sheet prop!`,\n  '5': `The clone method cannot be used on the client!`,\n  '6': `Are you running in a client-like environment on the server?`,\n  '7': `Are you trying to run SSR on the client?`,\n  '8': `Trying to insert a new style tag, but the given Node is unmounted!`,\n  '9': `Are you using a custom target that isn't mounted?`,\n  '10': `Does your document not have a valid head element?`,\n  '11': `Have you accidentally removed a style tag manually?`,\n  '12': `ThemeProvider: Please return an object from your `theme` prop function, e.g.`,\n  '13': `ThemeProvider: Please make your `theme` prop an object.`,\n  '14': `Missing document <head>`,\n  '15': `Cannot find a StyleSheet instance. Usually this happens if there are multiple copies of styled-components loaded at once. Check out this issue for how to troubleshoot and fix the common cases where this situation can happen: https://github.com/styled-components/styled-components/issues/1941#issuecomment-417862021`,\n  '16': `This error was replaced with a dev-time warning, it will be deleted for v4 final.`,\n  '17': `createGlobalStyle received children which will not be rendered. Please use the component without passing children elements.`,\n  '18': `It seems you are interpolating a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer supported in v4 as keyframes are now injected on-demand. Please wrap your string in the css` helper which ensures the styles are injected correctly. See https://www.styled-components.com/docs/api#css`,\n  '19': `%s is not a styled component and cannot be referred to via component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components for more details.`,\n  '20': `ThemeProvider: `theme` prop is required.`,\n  '21': `A stylis plugin has been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between different stylis configurations within the same app. Before you pass your plugin to `StyleSheetManager stylisPlugins={}`>, please make sure each plugin is uniquely-named, e.g.`,\n  '22': `Object.defineProperty(importedPlugin, 'name', { value: 'some-unique-name' });`,\n  '23': `Reached the limit of how many styled components may be created at group %s.`,\n  '24': `You may only create up to 1,073,741,824 components. If you're creating components dynamically,`,\n  '25': `nas for instance in your render method then you may be running into this limitation.`,\n  '26': `CSSStyleSheet could not be found on HTMLStyleElement.`,\n  '27': `Has styled-components' style tag been unmounted or altered by another script?`,\n};\n\n// @flow\n\nimport type { GroupedTag, Tag } from './types';\nimport { SPLITTER } from './constants';\nimport throwStyledError from './utils/error';\n\n/** Create a GroupedTag with an underlying Tag implementation */\nexport const makeGroupedTag = (tag: Tag): GroupedTag => {\n  return new DefaultGroupedTag(tag);\n}\n\nconst BASE_SIZE = 1 << 9;\n\nclass DefaultGroupedTag implements GroupedTag {\n  groupSizes: Uint32Array;\n\n  length: number;\n\n  tag: Tag;\n\n  constructor(tag: Tag) {\n    this.groupSizes = new Uint32Array(BASE_SIZE);\n    this.length = BASE_SIZE;\n    this.tag = tag;\n  }\n\n  indexOfGroup(group: number): number {\n    let index = 0;\n    for (let i = 0; i < group; i++) {\n      index += this.groupSizes[i];\n    }\n\n    return index;\n  }\n\n  insertRules(group: number, rules: string[]): void {\n    if (group >= this.groupSizes.length) {\n      const oldBuffer = this.groupSizes;\n      const oldSize = oldBuffer.length;\n
```

```

let newSize = oldSize;\n    while (group >= newSize) {\n        newSize <<= 1;\n        if (newSize < 0) {\n            throwStyledError(16, `${group}`);\n        }\n    }\n    this.groupSizes = new Uint32Array(newSize);\n    this.groupSizes.set(oldBuffer);\n    this.length = newSize;\n\n    for (let i = oldSize; i < newSize; i++) {\n        this.groupSizes[i] = 0;\n    }\n\n    let ruleIndex = this.indexOfGroup(group + 1);\n    for (let i = 0, l = rules.length; i < l; i++) {\n        if (this.tag.insertRule(ruleIndex, rules[i])) {\n            this.groupSizes[group]++;\n            ruleIndex++;\n        }\n    }\n\n    clearGroup(group: number): void {\n        if (group < this.length) {\n            const length = this.groupSizes[group];\n            const startIndex = this.indexOfGroup(group);\n            const endIndex = startIndex + length;\n\n            this.groupSizes[group] = 0;\n\n            for (let i = startIndex; i < endIndex; i++) {\n                this.tag.deleteRule(startIndex);\n            }\n        }\n    }\n\n    getGroup(group: number): string {\n        let css = "";\n        if (group >= this.length || this.groupSizes[group] === 0) {\n            return css;\n        }\n        const length = this.groupSizes[group];\n        const startIndex = this.indexOfGroup(group);\n        const endIndex = startIndex + length;\n\n        for (let i = startIndex; i < endIndex; i++) {\n            css += `${this.tag.getRule(i)}${SPLITTER}`;\n        }\n        return css;\n    }\n}\n\n"@flow\n\nimport throwStyledError from './utils/error';\n\nconst MAX_SMI = 1 << 31 - 1;\n\nlet groupIDRegister: Map<string, number> = new Map();\nlet reverseRegister: Map<number, string> = new Map();\nlet nextFreeGroup = 1;\n\nexport const resetGroupIds = () => {\n    groupIDRegister = new Map();\n    reverseRegister = new Map();\n    nextFreeGroup = 1;\n};\n\nexport const getGroupForId = (id: string): number => {\n    if (groupIDRegister.has(id)) {\n        return groupIDRegister.get(id);\n    }\n\n    while (reverseRegister.has(nextFreeGroup)) {\n        nextFreeGroup++;\n    }\n\n    const group = nextFreeGroup++;\n\n    if ((process.env.NODE_ENV !== 'production' &&\n        ((group | 0) < 0 || group > MAX_SMI))\n    ) {\n        throwStyledError(16, `${group}`);\n    }\n\n    groupIDRegister.set(id, group);\n    reverseRegister.set(group, id);\n    return group;\n};\n\nexport const getIdForGroup = (group: number): void | string => {\n    return reverseRegister.get(group);\n};\n\nexport const setGroupForId = (id: string, group: number) => {\n    if (group >= nextFreeGroup) {\n        nextFreeGroup = group + 1;\n    }\n\n    groupIDRegister.set(id, group);\n    reverseRegister.set(group, id);\n};\n\n"@flow\n\nimport { SPLITTER, SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport { getIdForGroup, setGroupForId } from './GroupIDAllocator';\nimport type { Sheet } from './types';\n\nconst SELECTOR = `style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`;\nconst MARKER_RE = new RegExp(`^${SC_ATTR}\\\\\\\\.g(\\\\\\\\d+)(\\\\\\\\[id=](\\\\\\\\[\\\\\\\\w\\\\\\\\d-]+)\\\\\\\\\\\\\\\\.\\\\\\\\*?(\\\\\\\\[\\\\\\\\^\\\\\\\\]\\\\\\\\*))`);\n\nexport const outputSheet = (sheet: Sheet) => {\n    const tag = sheet.getTag();\n    const { length } = tag;\n\n    let css = "";\n    for (let group = 0; group < length; group++) {\n        const id = getIdForGroup(group);\n        if (id === undefined) continue;\n\n        const names = sheet.names.get(id);\n        const rules = tag.getGroup(group);\n        if (!names || !rules || !names.size) continue;\n\n        const selector = `${SC_ATTR}.g${group}[id=${id}]`;\n        let content = "";\n        if (names !== undefined) {\n            names.forEach(name => {\n                if (name.length > 0) {\n                    content += `${name},`;\n                }\n            });\n        }\n\n        // NOTE: It's easier to collect rules and have the marker\n        // after the actual rules to simplify the rehydration\n        css += `${rules}${selector}{content: "${content}"}${SPLITTER}`;\n    }\n\n    return css;\n};\n\nconst rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n    const names = content.split(',');\n    let name;\n\n    for (let i = 0, l = names.length; i < l; i++) {\n        // eslint-disable-next-line\n        if ((name = names[i])) {\n            sheet.registerName(id, name);\n        }\n    }\n};\n\nconst rehydrateSheetFromTag = (sheet: Sheet, style: HTMLStyleElement) => {\n    const parts = (style.textContent || "").split(SPLITTER);\n    const rules: string[] = [];\n\n    for (let i = 0, l = parts.length; i < l; i++) {\n        const part = parts[i].trim();\n        if (!part) continue;\n\n        const marker = part.match(MARKER_RE);\n        if (marker) {\n            const group = parseInt(marker[1], 10) | 0;\n            const id = marker[2];\n\n            if (group !== 0) {\n                // Rehydrate componentId to group index mapping\n                setGroupForId(id, group);\n\n                // Rehydrate names and rules\n                // looks like: data-styled.g1[id="idA"]{content:"nameA,"}\n                rehydrateNamesFromContent(sheet, id, marker[3]);\n            }\n\n            sheet.getTag().insertRules(group, rules);\n        }\n        rules.length = 0;\n    }\n    rules.push(part);\n};\n\nexport const rehydrateSheet = (sheet: Sheet) => {\n    const nodes = document.querySelectorAll(SELECTOR);\n\n    for (let i = 0, l = nodes.length; i < l; i++) {\n        const node = (nodes[i]: any): HTMLStyleElement;\n        if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE) {\n            rehydrateSheetFromTag(sheet, node);\n            if (node.parentNode) {\n
```

```

node.parentNode.removeChild(node);\n    }\n    }\n};\n", "// @flow\n/* eslint-disable camelcase, no-undef
*\ndeclare var window: { __webpack_nonce__: string };\n\nconst getNonce = () => {\n  return typeof window
!=='undefined'\n  ? typeof window.__webpack_nonce__ !== 'undefined'\n  ? window.__webpack_nonce__\n  : null\n  : null;\n};\n\nexport default getNonce;\n", "// @flow\n\nimport { SC_ATTR, SC_ATTR_ACTIVE,
SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport getNonce from './utils/nonce';\nimport
throwStyledError from './utils/error';\n\nconst ELEMENT_TYPE = 1; /* Node.ELEMENT_TYPE *\n\n/** Find
last style element if any inside target *\nconst findLastStyleTag = (target: HTMLElement): void |
HTMLStyleElement => {\n  const { childNodes } = target;\n\n  for (let i = childNodes.length; i >= 0; i--) {\n    const
child = ((childNodes[i]: any): ?HTMLElement);\n    if (child && child.nodeType === ELEMENT_TYPE &&
child.hasAttribute(SC_ATTR)) {\n      return ((child: any): HTMLStyleElement);\n    }\n  }\n\n  return
undefined;\n};\n\n/** Create a style element inside `target` or <head> after the last *\nexport const makeStyleTag =
(target?: HTMLElement): HTMLStyleElement => {\n  const head = ((document.head: any): HTMLElement);\n\n  const parent = target || head;\n  const style = document.createElement('style');\n  const prevStyle =
findLastStyleTag(parent);\n  const nextSibling = prevStyle !== undefined ? prevStyle.nextSibling : null;\n\n  style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n  style.setAttribute(SC_ATTR_VERSION,
SC_VERSION);\n\n  const nonce = getNonce();\n  if (nonce) style.setAttribute('nonce', nonce);\n\n  parent.insertBefore(style, nextSibling);\n\n  return style;\n};\n\n/** Get the CSSStyleSheet instance for a given style
element *\nexport const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n  if (tag.sheet) {\n    return
((tag.sheet: any): CSSStyleSheet);\n  }\n\n  // Avoid Firefox quirk where the style element might not have a sheet
property\n  const { styleSheets } = document;\n  for (let i = 0, l = styleSheets.length; i < l; i++) {\n    const sheet =
styleSheets[i];\n    if (sheet.ownerNode === tag) {\n      return ((sheet: any): CSSStyleSheet);\n    }\n  }\n\n  throwStyledError(17);\n  return (undefined: any);\n};\n", "// @flow\n/* eslint-disable no-use-before-define
*\n\nimport { makeStyleTag, getSheet } from './dom';\nimport type { SheetOptions, Tag } from './types';\n\n/**
Create a CSSStyleSheet-like tag depending on the environment *\nexport const makeTag = ({ isServer,
useCSSOMInjection, target }: SheetOptions): Tag => {\n  if (isServer) {\n    return new VirtualTag(target);\n  } else
if (useCSSOMInjection) {\n    return new CSSOMTag(target);\n  } else {\n    return new TextTag(target);\n  }\n};\n\nexport class CSSOMTag implements Tag {\n  element: HTMLStyleElement;\n\n  sheet:
CSSStyleSheet;\n\n  length: number;\n\n  constructor(target?: HTMLElement) {\n    const element = (this.element =
makeStyleTag(target));\n\n    // Avoid Edge bug where empty style elements don't create sheets\n
element.appendChild(document.createTextNode("")); \n\n    this.sheet = getSheet(element);\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    try {\n      this.sheet.insertRule(rule, index);\n
      this.length++;\n      return true;\n    } catch (_error) {\n      return false;\n    }\n  }\n\n  deleteRule(index: number):
void {\n    this.sheet.deleteRule(index);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    const rule =
this.sheet.cssRules[index];\n    // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n    if (rule
!== undefined && typeof rule.cssText === 'string') {\n      return rule.cssText;\n    } else {\n      return ";\n    }\n  }\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes *\nexport class TextTag implements
Tag {\n  element: HTMLStyleElement;\n  nodes: NodeList<Node>;\n\n  length: number;\n\n  constructor(target?:
HTMLElement) {\n    const element = (this.element = makeStyleTag(target));\n    this.nodes =
element.childNodes;\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <=
this.length && index >= 0) {\n      const node = document.createTextNode(rule);\n      const refNode =
this.nodes[index];\n      this.element.insertBefore(node, refNode || null);\n      this.length++;\n      return true;\n    }
else {\n      return false;\n    }\n  }\n\n  deleteRule(index: number): void {\n    this.element.removeChild(this.nodes[index]);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    if
(index < this.length) {\n      return this.nodes[index].textContent;\n    } else {\n      return ";\n    }\n  }\n}\n\n/** A
completely virtual (server-side) Tag that doesn't manipulate the DOM *\nexport class VirtualTag implements Tag {\n  rules: string[];\n\n  length: number;\n\n  constructor(_target?: HTMLElement) {\n    this.rules = [];\n
this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <= this.length) {\n
this.rules.splice(index, 0, rule);\n    this.length++;\n    return true;\n  } else {\n    return false;\n  }\n}\n\n

```

```

deleteRule(index: number): void {\n  this.rules.splice(index, 1);\n  this.length--;\n }\n\n getRule(index: number):
string {\n  if (index < this.length) {\n    return this.rules[index];\n  } else {\n    return ""; \n  }\n }\n\n", "//
@flow\nimport { DISABLE_SPEEDY, IS_BROWSER } from './constants';\nimport { EMPTY_OBJECT } from
 './utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport { getGroupForId } from
 './GroupIDAllocator';\nimport { outputSheet, rehydrateSheet } from './Rehydration';\nimport { makeTag } from
 './Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from './types';\n\nlet SHOULD_REHYDRATE =
IS_BROWSER;\n\ntype SheetConstructorArgs = {\n  isServer?: boolean,\n  useCSSOMInjection?: boolean,\n  target?: HTMLElement,\n};\n\ntype GlobalStylesAllocationMap = { [key: string]: number }; \ntype
NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions: SheetOptions = {\n  isServer:
!IS_BROWSER,\n  useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains the main stylesheet logic for
stringification and caching */\n\nexport default class StyleSheet implements Sheet {\n  gs:
GlobalStylesAllocationMap;\n\n  names: NamesAllocationMap;\n\n  options: SheetOptions;\n\n  server:
boolean;\n\n  tag: void | GroupedTag;\n\n  /** Register a group ID to give it an index */\n  static registerId(id:
string): number {\n    return getGroupForId(id);\n  }\n\n  constructor(\n    options: SheetConstructorArgs =
EMPTY_OBJECT,\n    globalStyles?: GlobalStylesAllocationMap = {},\n    names?: NamesAllocationMap\n  ) {\n
this.options = {\n    ...defaultOptions,\n    ...options,\n  }; \n\n  this.gs = globalStyles;\n  this.names = new
Map(names);\n  this.server = !options.isServer;\n\n  // We rehydrate only once and use the sheet that is created
first\n  if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n    SHOULD_REHYDRATE =
false;\n    rehydrateSheet(this);\n  }\n\n  reconstructWithOptions(options: SheetConstructorArgs,
withNames?: boolean = true) {\n    return new StyleSheet(\n      { ...this.options, ...options },\n      this.gs,\n
(withNames && this.names) || undefined\n    );\n  }\n\n  allocateGSInstance(id: string) {\n    return (this.gs[id] =
(this.gs[id] || 0) + 1);\n  }\n\n  /** Lazily initialises a GroupedTag for when it's actually needed */\n  getTag():
GroupedTag {\n    return this.tag || (this.tag = makeGroupedTag(makeTag(this.options)));\n  }\n\n  /** Check
whether a name is known for caching */\n  hasNameForId(id: string, name: string): boolean {\n    return
this.names.has(id) && (this.names.get(id): any).has(name);\n  }\n\n  /** Mark a group's name as known for caching
*/\n  registerName(id: string, name: string) {\n    getGroupForId(id);\n\n    if (!this.names.has(id)) {\n      const
groupNames = new Set();\n      groupNames.add(name);\n      this.names.set(id, groupNames);\n    } else {\n
(this.names.get(id): any).add(name);\n    }\n  }\n\n  /** Insert new rules which also marks the name as known */\n
insertRules(id: string, name: string, rules: string[]) {\n    this.registerName(id, name);\n
this.getTag().insertRules(getGroupForId(id), rules);\n  }\n\n  /** Clears all cached names for a given group ID */\n
clearNames(id: string) {\n    if (this.names.has(id)) {\n      (this.names.get(id): any).clear();\n    }\n  }\n\n
/** Clears all rules for a given group ID */\n  clearRules(id: string) {\n    this.getTag().clearGroup(getGroupForId(id));\n
this.clearNames(id);\n  }\n\n  /** Clears the entire tag which deletes all rules but not its names */\n  clearTag() {\n
// NOTE: This does not clear the names, since it's only used during SSR\n  // so that we can continuously output
only new rules\n  this.tag = undefined;\n  }\n\n  /** Outputs the current sheet as a CSS string with markers for SSR
*/\n  toString(): string {\n    return outputSheet(this);\n  }\n\n", "// @flow\n/* eslint-disable no-bitwise */\n\nconst
AD_REPLACER_R = /(a)(d)(g)(i); \n\n/* This is the "capacity" of our alphabet i.e. 2x26 for all letters plus their
capitalised\n * counterparts */\n\nconst charsLength = 52;\n\n/* start at 75 for 'a' until 'z' (25) and then start at 65 for
capitalised letters */\n\nconst getAlphabeticChar = (code: number): string =>\n  String.fromCharCode(code + (code >
25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to base-52 */\n\nexport default function
generateAlphabeticName(code: number): string {\n  let name = "";\n  let x;\n\n  /* get a char and divide by alphabet-
length */\n  for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {\n    name = getAlphabeticChar(x
% charsLength) + name;\n  }\n\n  return (getAlphabeticChar(x % charsLength) +
name).replace(AD_REPLACER_R, '$1-$2');\n}\n\n", "// @flow\n/* eslint-disable */\n\nexport const SEED =
5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we pretend that
we're still looping over\n// the same string\n\nexport const phash = (h: number, x: string): number => {\n  let i =
x.length;\n\n  while (i) {\n    h = (h * 33) ^ x.charCodeAt(--i);\n  }\n\n  return h;\n};\n\n// This is a djb2 hashing
function\n\nexport const hash = (x: string): number => {\n  return phash(SEED, x);\n};\n\n", "// @flow\nimport

```

```

isFunction from './isFunction';
import isStyledComponent from './isStyledComponent';
import type { RuleSet }
from './types';
export default function isStaticRules(rules: RuleSet): boolean {
  for (let i = 0; i < rules.length; i
  += 1) {
    const rule = rules[i];
    if (isFunction(rule) && !isStyledComponent(rule)) {
      // functions are
      allowed to be static if they're just being
      // used to get the classname of a nested styled component
      return
      false;
    }
  }
  return true;
}

@flow
import { SC_VERSION } from './constants';
import StyleSheet
from './sheet';
import type { RuleSet, Stringifier } from './types';
import flatten from './utils/flatten';
import
generateName from './utils/generateAlphabeticName';
import { hash, phash } from './utils/hash';
import
isStaticRules from './utils/isStaticRules';
const SEED = hash(SC_VERSION);
/**
 * ComponentStyle is all
 * the CSS-specific stuff, not the React-specific stuff.
 */
export default class ComponentStyle {
  baseHash:
  number;
  baseStyle: ?ComponentStyle;
  componentId: string;
  isStatic: boolean;
  rules: RuleSet;
  staticRulesId: string;
  constructor(rules: RuleSet, componentId: string, baseStyle?: ComponentStyle) {
    this.rules = rules;
    this.staticRulesId = "";
    this.isStatic = process.env.NODE_ENV === 'production' &&
    (baseStyle === undefined || baseStyle.isStatic) &&
    isStaticRules(rules);
    this.componentId =
    componentId;
    // SC_VERSION gives us isolation between multiple runtimes on the page at once
    // this is
    improved further with use of the babel plugin "namespace" feature
    this.baseHash = phash(SEED,
    componentId);
    this.baseStyle = baseStyle;
    // NOTE: This registers the componentId, which ensures a
    consistent order
    // for this component's styles compared to others
    StyleSheet.registerId(componentId);
  }
  /**
   * Flattens a rule set into valid CSS
   * Hashes it, wraps the whole chunk in a .hash1234 {}
   *
   * Returns the hash to be injected on render()
   */
  generateAndInjectStyles(executionContext: Object, styleSheet:
  StyleSheet, stylis: Stringifier) {
    const { componentId } = this;
    const names = [];
    if (this.baseStyle) {
      names.push(this.baseStyle.generateAndInjectStyles(executionContext, styleSheet, stylis));
    }
    // force
    dynamic classnames if user-supplied stylis plugins are in use
    if (this.isStatic && !stylis.hash) {
      if
      (this.staticRulesId && styleSheet.hasNameForId(componentId, this.staticRulesId)) {
        names.push(this.staticRulesId);
      } else {
        const cssStatic = flatten(this.rules, executionContext, styleSheet,
        stylis).join("");
        const name = generateName(phaash(this.baseHash, cssStatic) >>> 0);
        if
        (!styleSheet.hasNameForId(componentId, name)) {
          const cssStaticFormatted = stylis(cssStatic, `.${name}`,
          undefined, componentId);
          styleSheet.insertRules(componentId, name, cssStaticFormatted);
        }
        names.push(name);
        this.staticRulesId = name;
      }
    } else {
      const { length } = this.rules;
      let
      dynamicHash = phash(this.baseHash, stylis.hash);
      let css = "";
      for (let i = 0; i < length; i++) {
        const
        partRule = this.rules[i];
        if (typeof partRule === 'string') {
          css += partRule;
        }
        if
        (process.env.NODE_ENV !== 'production') dynamicHash = phash(dynamicHash, partRule + i);
      }
      else if
      (partRule) {
        const partChunk = flatten(partRule, executionContext, styleSheet, stylis);
        const
        partString = Array.isArray(partChunk) ? partChunk.join("") : partChunk;
        dynamicHash =
        phash(dynamicHash, partString + i);
        css += partString;
      }
    }
    if (css) {
      const name =
      generateName(dynamicHash >>> 0);
      if (!styleSheet.hasNameForId(componentId, name)) {
        const
        cssFormatted = stylis(css, `.${name}`, undefined, componentId);
        styleSheet.insertRules(componentId, name,
        cssFormatted);
      }
      names.push(name);
    }
  }
  return names.join(' ');
}

import Stylis
from '@emotion/stylis';
import { type Stringifier } from './types';
import { EMPTY_ARRAY, EMPTY_OBJECT
} from './empties';
import throwError from './error';
import { phash, SEED } from './hash';
import
insertRulePlugin from './stylisPluginInsertRule';
const COMMENT_REGEX = /\s*\|\|\|.*$/gm;
const
COMPLEX_SELECTOR_PREFIX = [':', '[', '!', '#'];
type StylisInstanceConstructorArgs = {
  options?:
  Object,
  plugins?: Array<Function>,
};
export default function createStylisInstance({
  options =
  EMPTY_OBJECT,
  plugins = EMPTY_ARRAY,
}: StylisInstanceConstructorArgs = EMPTY_OBJECT) {
  const stylis = new Stylis(options);
  // Wrap `insertRulePlugin` to build a list of rules,
  // and then make our own
  plugin to return the rules. This
  // makes it easier to hook into the existing SSR architecture
  let parsingRules =
  [];
  // eslint-disable-next-line consistent-return
  const returnRulesPlugin = context => {
    if (context === -2)
    {
      const parsedRules = parsingRules;
      parsingRules = [];
      return parsedRules;
    }
  };
  const
  parseRulesPlugin = insertRulePlugin(rule => {
    parsingRules.push(rule);
  });
  let _componentId: string;

```

```

let _selector: string;\n let _selectorRegexp: RegExp;\n let _consecutiveSelfRefRegExp: RegExp;\n\n const
selfReferenceReplacer = (match, offset, string) => {\n  if (\n    // do not replace the first occurrence if it is
complex (has a modifier)\n    (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length])
=== -1 : true) &&\n    // no consecutive self refs (.b.b); that is a precedence boost and treated differently\n
!string.match(_consecutiveSelfRefRegExp)\n  ) {\n    return `.${_componentId}`;\n  }\n\n  return match;\n
};\n\n /**\n * When writing a style like\n * \n * & + & { \n *   color: red;\n * }\n * \n * The second
ampersand should be a reference to the static component class. stylis\n * has no knowledge of static class so we
have to intelligently replace the base selector.\n * \n * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <-
more info about the context phase values\n * \"2\" means this plugin is taking effect at the very end after all other
processing is complete\n * \n const selfReferenceReplacementPlugin = (context, _, selectors) => {\n  if (context
=== 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n    // eslint-disable-next-line no-param-
reassign\n    selectors[0] = selectors[0].replace(_selectorRegexp, selfReferenceReplacer);\n  }\n};\n\n
stylis.use([...plugins, selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);\n\n function
stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {\n  const flatCSS =
css.replace(COMMENT_REGEX, "");\n  const cssStr = selector && prefix ? `${prefix} ${selector} { ${flatCSS}
}` : flatCSS;\n  // stylis has no concept of state to be passed to plugins\n  // but since JS is single-threaded, we
can rely on that to ensure\n  // these properties stay in sync with the current stylis run\n  _componentId =
componentId;\n  _selector = selector;\n  _selectorRegexp = new RegExp(`\\\\\\$${_selector}\\\\\\b`, 'g');\n
_consecutiveSelfRefRegExp = new RegExp(`\\\\\\$${_selector}\\\\\\b}{2,}`);\n\n  return stylis(prefix || !selector ? " :
selector, cssStr);\n }\n\n stringifyRules.hash = plugins.length\n ? plugins\n   .reduce((acc, plugin) => {\n
if (!plugin.name) {\n   throwStyledError(15);\n } \n\n   return phash(acc, plugin.name);\n },
SEED)\n   .toString()\n   : ";\n\n return stringifyRules;\n }\n\n /**\n * MIT License\n * \n * Copyright (c) 2016
Sultan Tarimo\n * \n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this
software and associated documentation files (the \"Software\"),\n * to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell
copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following
conditions:\n * \n * The above copyright notice and this permission notice shall be included in all\n * copies or
substantial portions of the Software.\n * \n * THE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT
WARRANTY OF ANY KIND, EXPRESS\n * OR IMPLIED INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n * WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR\n * IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.\n * \n * eslint-disable *\n * \n\nexport default
function(insertRule) {\n  const delimiter = '/**/';\n  const needle = `${delimiter}`;\n\n  function toSheet(block) {\n
if (block) {\n    try {\n      insertRule(`${block}`);\n    } catch (e) {\n    }\n  }\n\n  return function ruleSheet(\n
context,\n  content,\n  selectors,\n  parents,\n  line,\n  column,\n  length,\n  ns,\n  depth,\n  at\n ) {\n
switch (context) {\n  // property\n  case 1:\n    // @import\n    if (depth === 0 && content.charCodeAt(0)
=== 64) return insertRule(`${content};`), ";\n    break;\n  // selector\n  case 2:\n    if (ns === 0) return
content + delimiter;\n    break;\n  // at-rule\n  case 3:\n    switch (ns) {\n      // @font-face, @page\n
case 102:\n      case 112:\n        return insertRule(selectors[0] + content), ";\n      default:\n        return
content + (at === 0 ? delimiter : ");\n    }\n  case -2:\n    content.split(needle).forEach(toSheet);\n  }\n
};\n}\n\n", // @flow\nimport React, { type Context, type Node, useContext, useEffect, useMemo, useState } from
'react';\nimport shallowequal from 'shallowequal';\nimport StyleSheet from './sheet';\nimport type { Stringifier }
from './types';\nimport createStylisInstance from './utils/stylis';\n\n type Props = {\n  children?: Node,\n
disableCSSOMInjection?: boolean,\n  disableVendorPrefixes?: boolean,\n  sheet?: StyleSheet,\n  stylisPlugins?:
Array<Function>,\n  target?: HTMLElement,\n};\n\nexport const StyleSheetContext: Context<StyleSheet | void> =
React.createContext();\nexport const StyleSheetConsumer = StyleSheetContext.Consumer;\nexport const

```



```

StylisContext: Context<Stringifier | void> = React.createContext();\nexport const StylisConsumer =
StylisContext.Consumer;\n\nexport const masterSheet: StyleSheet = new StyleSheet();\nexport const masterStylis:
Stringifier = createStylisInstance();\n\nexport function useStyleSheet(): StyleSheet {\n  return
useContext(StyleSheetContext) || masterSheet;\n}\n\nexport function useStylis(): Stringifier {\n  return
useContext(StylisContext) || masterStylis;\n}\n\nexport default function StyleSheetManager(props: Props) {\n  const
[plugins, setPlugins] = useState(props.stylisPlugins);\n  const contextStyleSheet = useStyleSheet();\n\n  const
styleSheet = useMemo(() => {\n    let sheet = contextStyleSheet;\n\n    if (props.sheet) {\n      // eslint-disable-next-
line prefer-destructuring\n      sheet = props.sheet;\n    } else if (props.target) {\n      sheet =
sheet.reconstructWithOptions({ target: props.target }, false);\n    }\n\n    if (props.disableCSSOMInjection) {\n
sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });\n    }\n\n    return sheet;\n  },
[props.disableCSSOMInjection, props.sheet, props.target]);\n\n  const stylis = useMemo(\n    () =>\n    createStylisInstance({\n      options: { prefix: !props.disableVendorPrefixes },\n      plugins,\n    }),\n    [props.disableVendorPrefixes, plugins]\n  );\n\n  useEffect(() => {\n    if (!shallowequal(plugins,
props.stylisPlugins)) setPlugins(props.stylisPlugins);\n  }, [props.stylisPlugins]);\n\n  return (\n
<StyleSheetContext.Provider value={styleSheet}>\n    <StylisContext.Provider value={stylis}>\n
{process.env.NODE_ENV !== 'production'\n      ? React.Children.only(props.children)\n      : props.children}\n
    </StylisContext.Provider>\n  </StyleSheetContext.Provider>\n  );\n}\n", "\n// @flow\nimport StyleSheet from
'../sheet';\nimport { type Stringifier } from '../types';\nimport throwStyledError from '../utils/error';\nimport {
masterStylis } from './StyleSheetManager';\n\nexport default class Keyframes {\n  id: string;\n  name: string;\n
rules: string;\n\n  constructor(name: string, rules: string) {\n    this.name = name;\n    this.id = `sc-keyframes-
${name}`;\n    this.rules = rules;\n  }\n\n  inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis)
=> {\n    const resolvedName = this.name + stylisInstance.hash;\n\n    if (!styleSheet.hasNameForId(this.id,
resolvedName)) {\n      styleSheet.insertRules(\n        this.id,\n        resolvedName,\n        stylisInstance(this.rules,
resolvedName, '@keyframes')\n      );\n    }\n  }\n\n  toString = () => {\n    return throwStyledError(12,
String(this.name));\n  }\n\n  getName(stylisInstance: Stringifier = masterStylis) {\n    return this.name +
stylisInstance.hash;\n  }\n}\n", "\n// @flow\n\n/**\n * inlined version of\n *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n */\n\nconst
uppercaseCheck = /([A-Z])/;\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-;/;\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/**\n * Hyphenates a camelcased
CSS property name, for example:\n * > hyphenateStyleName('backgroundColor')\n * < \"background-
color\"\n * > hyphenateStyleName('MozTransition')\n * < \"-moz-transition\"\n * >
hyphenateStyleName('msTransition')\n * < \"-ms-transition\"\n */\n\n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `ms-`.\n */\n\n * @param {string} string\n *
@return {string}\n */\n\nexport default function hyphenateStyleName(string: string): string {\n  return
uppercaseCheck.test(string)\n    ? string\n      .replace(uppercasePattern, prefixAndLowerCase)\n      .replace(msPattern,
'-ms-')\n    : string;\n}\n", "\n// @flow\nimport { isElement } from 'react-is';\nimport getComponentName from
'./getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from
'./isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from
'./isStyledComponent';\nimport Keyframes from '../models/Keyframes';\nimport hyphenate from
'./hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from
'../types';\n\n/**\n * It's falsish not falsy because 0 is allowed.\n */\n\nconst isFalsish = chunk => chunk ===
undefined || chunk === null || chunk === false || chunk === "";\n\nexport const objToCssArray = (obj: Object,
prevKey?: string): Array<string | Function> => {\n  const rules = [];\n\n  for (const key in obj) {\n    if
(!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n    if ((Array.isArray(obj[key]) && obj[key].isCss) ||
isFunction(obj[key])) {\n      rules.push(` ${hyphenate(key)}:`, obj[key], `;`);\n    } else if (isPlainObject(obj[key]))
{\n      rules.push(...objToCssArray(obj[key], key));\n    } else {\n      rules.push(` ${hyphenate(key)}:
${addUnitIfNeeded(key, obj[key]);}`);\n    }\n  }\n\n  return prevKey ? [`${prevKey} {`, ...rules, `}`] :
rules;\n}\n\nexport default function flatten(\n  chunk: any,\n  executionContext: ?Object,\n  styleSheet: ?Object,\n

```

```

stylisInstance: ?Stringifier\n): any {\n if (Array.isArray(chunk)) {\n  const ruleSet = [];\n  for (let i = 0, len =
chunk.length, result; i < len; i += 1) {\n   result = flatten(chunk[i], executionContext, styleSheet,
stylisInstance);\n   if (result === "") continue;\n   else if (Array.isArray(result)) ruleSet.push(...result);\n   else
ruleSet.push(result);\n  }\n  return ruleSet;\n }\n if (isFalsish(chunk)) {\n  return "";\n }\n /* Handle other
components */\n if (isStyledComponent(chunk)) {\n  return `.${chunk.styledComponentId}`;\n }\n /* Either
execute or defer the function */\n if (isFunction(chunk)) {\n  if (isStatelessFunction(chunk) && executionContext)
{\n   const result = chunk(executionContext);\n   if (process.env.NODE_ENV !== 'production' &&
isElement(result)) {\n    // eslint-disable-next-line no-console\n    console.warn(\n
`${getComponentName(\n      chunk\n    )} is not a styled component and cannot be referred to via
component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components for
more details.\n    );\n   }\n   return flatten(result, executionContext, styleSheet, stylisInstance);\n  } else
return chunk;\n }\n if (chunk instanceof Keyframes) {\n  if (styleSheet) {\n   chunk.inject(styleSheet,
stylisInstance);\n   return chunk.getName(stylisInstance);\n  } else return chunk;\n }\n /* Handle objects */\n
return isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString();\n}\n", "// @flow\n\nexport default function
isStatelessFunction(test: any): boolean {\n  return (\n    typeof test === 'function'\n    && !(test.prototype\n    && test.prototype.isReactComponent\n  )\n );\n}\n", "// @flow\n\nimport unitless from '@emotion/unitless';\n\n//
Taken from https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-
dom/src/shared/dangerousStyleValue.js\n\nexport default function addUnitIfNeeded(name: string, value: any): any {\n
// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n if (value === null ||
typeof value === 'boolean' || value === "") {\n  return "";\n }\n if (typeof value === 'number' && value !== 0 &&
!(name in unitless)) {\n  return `${value}px`; // Presumes implicit 'px' suffix for unitless numbers\n }\n return
String(value).trim();\n}\n", "// @flow\n\nimport interleave from '../utils/interleave';\n\nimport isPlainObject from
 '../utils/isPlainObject';\n\nimport { EMPTY_ARRAY } from '../utils/empties';\n\nimport isFunction from
 '../utils/isFunction';\n\nimport flatten from '../utils/flatten';\n\nimport type { Interpolation, RuleSet, Styles } from
 '../types';\n\n/**\n * Used when flattening object styles to determine if we should\n * expand an array of styles.\n
*/\n\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n
arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles: Styles, ...interpolations:
Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return
addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n  if (interpolations.length === 0
&& styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n  //
$FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations)));\n}\n", "// @flow\n\nimport { useRef } from
'react';\n\nconst invalidHookCallRe = /invalid hook call/i;\n\nconst seen = new Set();\n\nexport const
checkDynamicCreation = (displayName: string, componentId?: string) => {\n  if (process.env.NODE_ENV !==
'production') {\n    const parsedIdString = componentId ? ` with the id of "${componentId}"` : "";\n    const message
= \n    `The component ${displayName}${parsedIdString} has been created dynamically.\n` + \n    `You may see
this warning because you've called styled inside another component.\n` + \n    `To resolve this only create new
StyledComponents outside of any render method and function component.`;\n    // If a hook is called outside of a
component:\n    // React 17 and earlier throw an error\n    // React 18 and above use console.error\n    const
originalConsoleError = console.error // eslint-disable-line no-console\n    try {\n      let didNotCallInvalidHook =
true\n      /* $FlowIgnore[cannot-write] */\n      console.error = (consoleErrorMessage, ...consoleErrorArgs) => { //
eslint-disable-line no-console\n      // The error here is expected, since we're expecting anything that uses
`checkDynamicCreation` to\n      // be called outside of a React component.\n      if
(invalidHookCallRe.test(consoleErrorMessage)) {\n        didNotCallInvalidHook = false\n        // This shouldn't
happen, but resets `warningSeen` if we had this error happen intermittently\n        seen.delete(message);\n      }
else {\n        originalConsoleError(consoleErrorMessage, ...consoleErrorArgs);\n      }\n    } // We
purposefully call `useRef` outside of a component and expect it to throw\n    // If it doesn't, then we're inside
another component.\n    // eslint-disable-next-line react-hooks/rules-of-hooks\n    useRef();\n    if
(didNotCallInvalidHook && !seen.has(message)) {\n      // eslint-disable-next-line no-console\n

```

```

console.warn(message);\n    seen.add(message);\n  }\n } catch (error) {\n // The error here is expected,
since we're expecting anything that uses `checkDynamicCreation` to\n // be called outside of a React
component.\n   if (invalidHookCallRe.test(error.message)) {\n // This shouldn't happen, but resets
`warningSeen` if we had this error happen intermittently\n    seen.delete(message);\n  }\n } finally {\n /*
$FlowIgnore[cannot-write] *\n    console.error = originalConsoleError; // eslint-disable-line no-console\n  }\n
}\n};\n", "@flow\nimport { EMPTY_OBJECT } from './empties';\n\ntype Props = {\n theme?: any;\n};\n\nexport
default (props: Props, providedTheme: any, defaultProps: any = EMPTY_OBJECT) => {\n return (props.theme !==
defaultProps.theme && props.theme) || providedTheme || defaultProps.theme;\n};\n", "@flow\n\n// Source:
https://www.w3.org/TR/cssom-1/#serialize-an-identifier\n// Control characters and non-letter first symbols are not
supported\nconst escapeRegex = /![\"#$%&'()*+,-;/<=>@\[\\\\\\\]^`{|}~]+/g;\nconst dashesAtEnds = /(^\|-|
$)/g;\n\n/**\n * TODO: Explore using CSS.escape when it becomes more available\n * in evergreen browsers.\n
*\n\nexport default function escape(str: string): string {\n return (\n str\n // Replace all possible CSS selectors\n
.replace(escapeRegex, '-')\n // Remove extraneous hyphens at the start and end\n .replace(dashesAtEnds,
'')\n );\n}\n", "@flow\n/* eslint-disable *\nimport generateAlphabeticName from
'./generateAlphabeticName';\nimport { hash } from './hash';\n\nexport default (str: string): string => {\n return
generateAlphabeticName(hash(str) >>> 0);\n};\n", "@flow\nimport type { IStyledComponent } from
'./types';\n\nexport default function isTag(target: $PropertyType<IStyledComponent, 'target'>): boolean %checks
{\n return (\n typeof target === 'string' &&\n (process.env.NODE_ENV !== 'production'\n ? target.charAt(0)
=== target.charAt(0).toLowerCase()\n : true)\n );\n}\n", /* eslint-disable */\n\nmixin-deep;
https://github.com/jonschlinkert/mixin-deep\n Inlined such that it will be consistently transpiled to an IE-
compatible syntax.\n\n The MIT License (MIT)\n\n Copyright (c) 2014-present, Jon Schlinkert.\n\n Permission is
hereby granted, free of charge, to any person obtaining a copy\n of this software and associated documentation files
(the `Software`), to deal\n in the Software without restriction, including without limitation the rights\n to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell\n copies of the Software, and to permit persons to
whom the Software is\n furnished to do so, subject to the following conditions:\n\n The above copyright notice and
this permission notice shall be included in\n all copies or substantial portions of the Software.\n\n THE
SOFTWARE IS PROVIDED `AS IS`, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR\n IMPLIED, INCLUDING BUT NOT LIMITED TO
THE WARRANTIES OF MERCHANTABILITY,\n FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE\n
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER\n LIABILITY, WHETHER IN AN ACTION OF
CONTRACT, TORT OR OTHERWISE, ARISING FROM,\n OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN\n THE SOFTWARE.\n\nconst isObject = val => {\n return (\n typeof val === 'function' || (typeof val === 'object'
&& val !== null && !Array.isArray(val))\n );\n};\n\nconst isValidKey = key => {\n return key !== '__proto__'
&& key !== 'constructor' && key !== 'prototype';\n};\n\nfunction mixin(target, val, key) {\n const obj =
target[key];\n if (isObject(val) && isObject(obj)) {\n mixinDeep(obj, val);\n } else {\n target[key] = val;\n
}\n}\n\nexport default function mixinDeep(target, ...rest) {\n for (const obj of rest) {\n if (isObject(obj)) {\n for
(const key in obj) {\n if (isValidKey(key)) {\n mixin(target, obj[key], key);\n }\n }\n }\n}\n\nreturn target;\n}\n", "@flow\nimport React, { useContext, useMemo, type Element, type Context } from
'react';\nimport throwStyledError from './utils/error';\nimport isFunction from './utils/isFunction';\n\nexport type
Theme = { [key: string]: mixed }; \n\ntype ThemeArgument = Theme | ((outerTheme?: Theme) => Theme); \n\ntype
Props = {\n children?: Element<any>,\n theme: ThemeArgument,\n}; \n\nexport const ThemeContext:
Context<Theme | void> = React.createContext();\n\nexport const ThemeConsumer =
ThemeContext.Consumer;\n\nfunction mergeTheme(theme: ThemeArgument, outerTheme?: Theme): Theme {\n if
(!theme) {\n return throwStyledError(14);\n }\n if (isFunction(theme)) {\n const mergedTheme =
theme(outerTheme);\n\n if (\n process.env.NODE_ENV !== 'production' &&\n (mergedTheme === null ||
Array.isArray(mergedTheme) || typeof mergedTheme !== 'object')\n ) {\n return throwStyledError(7);\n }\n\n
return mergedTheme;\n }\n\n if (Array.isArray(theme) || typeof theme !== 'object') {\n return

```

```

throwStyledError(8);\n } \n\n return outerTheme ? { ...outerTheme, ...theme } : theme;\n}\n\n/**\n * Provide a
theme to an entire react component tree via context\n */\nexport default function ThemeProvider(props: Props) {\n
const outerTheme = useContext(ThemeContext);\n const themeContext = useMemo(() =>
mergeTheme(props.theme, outerTheme), [\n props.theme,\n outerTheme,\n ]);\n\n if (!props.children) {\n
return null;\n } \n\n return <ThemeContext.Provider
value={themeContext}>{props.children}</ThemeContext.Provider>;\n}\n\n", "// @flow\nimport validAttr from
'@emotion/is-prop-valid';\nimport hoist from 'hoist-non-react-statics';\nimport React, { createElement, type Ref,
useContext, useDebugValue } from 'react';\nimport { SC_VERSION } from './constants';\nimport type {\n Attrs,\n IStyledComponent,\n IStyledStatics,\n RuleSet,\n ShouldForwardProp,\n Target,\n} from './types';\nimport {
checkDynamicCreation } from './utils/checkDynamicCreation';\nimport createWarnTooManyClasses from
'./utils/createWarnTooManyClasses';\nimport determineTheme from './utils/determineTheme';\nimport {
EMPTY_ARRAY, EMPTY_OBJECT } from './utils/empties';\nimport escape from './utils/escape';\nimport
generateComponentId from './utils/generateComponentId';\nimport generateDisplayName from
'./utils/generateDisplayName';\nimport getComponentName from './utils/getComponentName';\nimport isFunction
from './utils/isFunction';\nimport isStyledComponent from './utils/isStyledComponent';\nimport isTag from
'./utils/isTag';\nimport joinStrings from './utils/joinStrings';\nimport merge from './utils/mixinDeep';\nimport
ComponentStyle from './ComponentStyle';\nimport { useStyleSheet, useStylis } from
'./StyleSheetManager';\nimport { ThemeContext } from './ThemeProvider';\n\nconst identifiers = { };\n\n/* We
depend on components having unique IDs *\nfunction generateId(displayName?: string, parentComponentId?:
string) {\n const name = typeof displayName !== 'string' ? 'sc' : escape(displayName);\n // Ensure that no
displayName can lead to duplicate componentIds\n identifiers[name] = (identifiers[name] || 0) + 1;\n\n const
componentId = `${name}-${generateComponentId(\n // SC_VERSION gives us isolation between multiple
runtimes on the page at once\n // this is improved further with use of the babel plugin "namespace" feature\n
SC_VERSION + name + identifiers[name])}`;\n\n return parentComponentId ? `${parentComponentId}-
${componentId}` : componentId;\n}\n\nfunction useResolvedAttrs<Config>(theme: any = EMPTY_OBJECT,
props: Config, attrs: Attrs) {\n // NOTE: can't memoize this\n // returns [context, resolvedAttrs]\n // where
resolvedAttrs is only the things injected by the attrs themselves\n const context = { ...props, theme };
const resolvedAttrs = { };\n\n attrs.forEach(attrDef => {\n let resolvedAttrDef = attrDef;\n let key;\n\n if
(isFunction(resolvedAttrDef)) {\n resolvedAttrDef = resolvedAttrDef(context);\n } \n\n /* eslint-disable
guard-for-in *\n for (key in resolvedAttrDef) {\n context[key] = resolvedAttrs[key] =\n key ===
'className'\n ? joinStrings(resolvedAttrs[key], resolvedAttrDef[key])\n : resolvedAttrDef[key];\n } \n\n
/* eslint-enable guard-for-in *\n });\n\n return [context, resolvedAttrs];\n}\n\nfunction useInjectedStyle<T>(\n
componentStyle: ComponentStyle,\n isStatic: boolean,\n resolvedAttrs: T,\n warnTooManyClasses?: $Call<typeof
createWarnTooManyClasses, string, string>)\n {\n const styleSheet = useStyleSheet();\n const stylis =
useStylis();\n\n const className = isStatic\n ? componentStyle.generateAndInjectStyles(EMPTY_OBJECT,
styleSheet, stylis)\n : componentStyle.generateAndInjectStyles(resolvedAttrs, styleSheet, stylis);\n\n // eslint-
disable-next-line react-hooks/rules-of-hooks\n if (process.env.NODE_ENV !== 'production')
useDebugValue(className);\n\n if (process.env.NODE_ENV !== 'production' && !isStatic &&
warnTooManyClasses) {\n warnTooManyClasses(className);\n } \n\n return className;\n}\n\nfunction
useStyledComponentImpl(\n forwardedComponent: IStyledComponent,\n props: Object,\n forwardedRef:
Ref<any>,\n isStatic: boolean)\n {\n const {\n attrs: componentAttrs,\n componentStyle,\n defaultProps,\n
foldedComponentIds,\n shouldForwardProp,\n styledComponentId,\n target,\n } = forwardedComponent;\n\n
// eslint-disable-next-line react-hooks/rules-of-hooks\n if (process.env.NODE_ENV !== 'production')
useDebugValue(styledComponentId);\n\n // NOTE: the non-hooks version only subscribes to this when
!componentStyle.isStatic,\n // but that'd be against the rules-of-hooks. We could be naughty and do it anyway as it\n
// should be an immutable value, but behave for now.\n const theme = determineTheme(props,
useContext(ThemeContext), defaultProps);\n\n const [context, attrs] = useResolvedAttrs(theme ||
EMPTY_OBJECT, props, componentAttrs);\n\n const generatedClassName = useInjectedStyle(\n

```

```

componentStyle,\n isStatic,\n context,\n process.env.NODE_ENV !== 'production' ?
forwardedComponent.warnTooManyClasses : undefined\n );\n\n const refToForward = forwardedRef;\n\n const
elementToBeCreated: Target = attrs.$as || props.$as || attrs.as || props.as || target;\n\n const isTargetTag =
isTag(elementToBeCreated);\n const computedProps = attrs !== props ? { ...props, ...attrs } : props;\n const
propsForElement = { };;\n\n // eslint-disable-next-line guard-for-in\n for (const key in computedProps) {\n if
(key[0] === '$' || key === 'as') continue;\n else if (key === 'forwardedAs') {\n propsForElement.as =
computedProps[key];\n } else if (\n shouldForwardProp\n ? shouldForwardProp(key, validAttr,
elementToBeCreated)\n : isTargetTag\n ? validAttr(key)\n : true\n ) {\n // Don't pass through non
HTML tags through to HTML elements\n propsForElement[key] = computedProps[key];\n }\n }\n\n if
(props.style && attrs.style !== props.style) {\n propsForElement.style = { ...props.style, ...attrs.style };;\n }\n\n
propsForElement.className = Array.prototype\n .concat(\n foldedComponentIds,\n styledComponentId,\n
generatedClassName !== styledComponentId ? generatedClassName : null,\n props.className,\n
attrs.className\n )\n .filter(Boolean)\n .join(' ');\n\n propsForElement.ref = refToForward;\n\n return
createElement(elementToBeCreated, propsForElement);\n}\n\n\nexport default function createStyledComponent(\n
target: $PropertyType<IStyledComponent, 'target'>,\n options: {\n attrs?: Attrs,\n componentId: string,\n
displayName?: string,\n parentComponentId?: string,\n shouldForwardProp?: ShouldForwardProp,\n },\n rules:
RuleSet\n) {\n const isTargetStyledComp = isStyledComponent(target);\n const isCompositeComponent =
!isTag(target);\n\n const {\n attrs = EMPTY_ARRAY,\n componentId = generateId(options.displayName,\n
options.parentComponentId),\n displayName = generateDisplayName(target),\n } = options;\n\n const
styledComponentId =\n options.displayName && options.componentId\n ? `${escape(options.displayName)}-
${options.componentId}`\n : options.componentId || componentId;\n\n // fold the underlying StyledComponent
attrs up (implicit extend)\n const finalAttrs =\n isTargetStyledComp && ((target: any): IStyledComponent).attrs\n
? Array.prototype.concat(((target: any): IStyledComponent).attrs, attrs).filter(Boolean)\n : attrs;\n\n // eslint-
disable-next-line prefer-destructuring\n let shouldForwardProp = options.shouldForwardProp;\n\n if
(isTargetStyledComp && target.shouldForwardProp) {\n if (options.shouldForwardProp) {\n // compose
nested shouldForwardProp calls\n shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n
(((target: any): IStyledComponent).shouldForwardProp: any): ShouldForwardProp)(\n prop,\n
filterFn,\n elementToBeCreated\n ) &&\n ((options.shouldForwardProp: any):
ShouldForwardProp)(prop, filterFn, elementToBeCreated);\n } else {\n // eslint-disable-next-line prefer-
destructuring\n shouldForwardProp = ((target: any): IStyledComponent).shouldForwardProp;\n }\n }\n\n
const componentStyle = new ComponentStyle(\n rules,\n styledComponentId,\n isTargetStyledComp ?
((target: Object).componentStyle: ComponentStyle) : undefined\n );\n\n // statically styled-components don't need
to build an execution context object,\n // and shouldn't be increasing the number of class names\n const isStatic =
componentStyle.isStatic && attrs.length === 0;\n\n /**\n * forwardRef creates a new interim component, which
we'll take advantage of\n * instead of extending ParentComponent to create _another_ interim class\n */\n let
WrappedStyledComponent: IStyledComponent;\n\n const forwardRef = (props, ref) =>\n // eslint-disable-next-
line\n useStyledComponentImpl(WrappedStyledComponent, props, ref, isStatic);\n\n forwardRef.displayName =
displayName;\n\n WrappedStyledComponent = ((React.forwardRef(forwardRef): any): IStyledComponent);\n
WrappedStyledComponent.attrs = finalAttrs;\n WrappedStyledComponent.componentStyle = componentStyle;\n
WrappedStyledComponent.displayName = displayName;\n WrappedStyledComponent.shouldForwardProp =
shouldForwardProp;\n\n // this static is used to preserve the cascade of static classes for component selector\n //
purposes; this is especially important with usage of the css prop\n WrappedStyledComponent.foldedComponentIds
= isTargetStyledComp\n ? Array.prototype.concat(\n ((target: any):
IStyledComponent).foldedComponentIds,\n ((target: any): IStyledComponent).styledComponentId\n )\n :
EMPTY_ARRAY;\n\n WrappedStyledComponent.styledComponentId = styledComponentId;\n\n // fold the
underlying StyledComponent target up since we folded the styles\n WrappedStyledComponent.target =
isTargetStyledComp\n ? ((target: any): IStyledComponent).target\n : target;\n\n
WrappedStyledComponent.withComponent = function withComponent(tag: Target) {\n const { componentId:

```

```

previousComponentId, ...optionsToCopy } = options;\n\n  const newComponentId =\n    previousComponentId
&&\n    `${previousComponentId}-${isTag(tag) ? tag : escape(getComponentName(tag))}`;\n\n  const
newOptions = {\n    ...optionsToCopy,\n    attrs: finalAttrs,\n    componentId: newComponentId,\n  };\n\n  return createStyledComponent(tag, newOptions, rules);\n  };\n\n  Object.defineProperty(WrappedStyledComponent,
'defaultProps', {\n    get() {\n      return this._foldedDefaultProps;\n    },\n    set(obj) {\n
this._foldedDefaultProps = isTargetStyledComp\n      ? merge({}, ((target: any): IStyledComponent).defaultProps,
obj)\n      : obj;\n    },\n  });\n\n  if (process.env.NODE_ENV !== 'production') {\n
checkDynamicCreation(displayName, styledComponentId);\n\n  WrappedStyledComponent.warnTooManyClasses
= createWarnTooManyClasses(\n    displayName,\n    styledComponentId\n  );\n  }\n\n  WrappedStyledComponent.toString = () => `.${WrappedStyledComponent.styledComponentId}`;\n\n  if
(isCompositeComponent) {\n    hoist<\n      IStyledStatics,\n      $PropertyType<IStyledComponent, 'target'>,\n      {\n
[key: $Keys<IStyledStatics>]: true\n      }>(\n      WrappedStyledComponent, ((target: any):
$PropertyType<IStyledComponent, 'target'>), {\n      // all SC-specific things should not be hoisted\n      attrs: true,\n
componentStyle: true,\n      displayName: true,\n      foldedComponentIds: true,\n      shouldForwardProp: true,\n
styledComponentId: true,\n      target: true,\n      withComponent: true,\n    });\n  }\n\n  return
WrappedStyledComponent;\n  }\n  },"" @flow\nimport type { IStyledComponent } from './types';\nimport
getComponentName from './getComponentName';\nimport isTag from './isTag';\n\nexport default function
generateDisplayName(\n  target: $PropertyType<IStyledComponent, 'target'>): string {\n  return isTag(target) ?
`styled.${target}` : `Styled(${getComponentName(target)})`;\n  }\n  },"" /**\n * Convenience function for joining
strings to form className chains\n */\nexport default function joinStrings(a: ?String, b: ?String): ?String {\n
return a && b ? `${a} ${b}` : a || b;\n  }\n  },"" @flow\n\nexport const LIMIT = 200;\n\nexport default (displayName: string,
componentId: string) => {\n  let generatedClasses = {};\n  let warningSeen = false;\n\n  return (className: string)
=> {\n    if (!warningSeen) {\n      generatedClasses[className] = true;\n      if
(Object.keys(generatedClasses).length >= LIMIT) {\n        // Unable to find latestRule in test environment.\n        /*
eslint-disable no-console, prefer-template */\n        const parsedIdString = componentId ? ` with the id of
`${componentId}` : "";\n        console.warn(\n          `Over ${LIMIT} classes were generated for component
${displayName}${parsedIdString}.`\n        )\n        'Consider using the attrs method, together with a style object for
frequently changed styles.'\n        'Example:'\n        ' const Component = styled.div.attrs(props =>
({\n          ' style: {\n          ' background: props.background,\n          ' },\n          '
}))` width: 100%;`\n        ' <Component />`\n        );\n        warningSeen = true;\n        generatedClasses
= {};\n      }\n    }\n  };}\n  },"" @flow\n// Thanks to ReactDOMFactories for this handy list!\n\nexport default [\n
'a',\n  'abbr',\n  'address',\n  'area',\n  'article',\n  'aside',\n  'audio',\n  'b',\n  'base',\n  'bdi',\n  'bdo',\n  'big',\n
'blockquote',\n  'body',\n  'br',\n  'button',\n  'canvas',\n  'caption',\n  'cite',\n  'code',\n  'col',\n  'colgroup',\n  'data',\n
'datalist',\n  'dd',\n  'del',\n  'details',\n  'dfn',\n  'dialog',\n  'div',\n  'dl',\n  'dt',\n  'em',\n  'embed',\n  'fieldset',\n
'figcaption',\n  'figure',\n  'footer',\n  'form',\n  'h1',\n  'h2',\n  'h3',\n  'h4',\n  'h5',\n  'h6',\n  'head',\n  'header',\n
'hgroup',\n  'hr',\n  'html',\n  'i',\n  'iframe',\n  'img',\n  'input',\n  'ins',\n  'kbd',\n  'keygen',\n  'label',\n  'legend',\n  'li',\n
'link',\n  'main',\n  'map',\n  'mark',\n  'marquee',\n  'menu',\n  'menuItem',\n  'meta',\n  'meter',\n  'nav',\n  'noscript',\n
'object',\n  'ol',\n  'optgroup',\n  'option',\n  'output',\n  'p',\n  'param',\n  'picture',\n  'pre',\n  'progress',\n  'q',\n  'rp',\n
'rt',\n  'ruby',\n  's',\n  'samp',\n  'script',\n  'section',\n  'select',\n  'small',\n  'source',\n  'span',\n  'strong',\n  'style',\n
'sub',\n  'summary',\n  'sup',\n  'table',\n  'tbody',\n  'td',\n  'textarea',\n  'tfoot',\n  'th',\n  'thead',\n  'time',\n  'title',\n
'tr',\n  'track',\n  'u',\n  'ul',\n  'var',\n  'video',\n  'wbr',\n\n  // SVG\n  'circle',\n  'clipPath',\n  'defs',\n  'ellipse',\n
'foreignObject',\n  'g',\n  'image',\n  'line',\n  'linearGradient',\n  'marker',\n  'mask',\n  'path',\n  'pattern',\n
'polygon',\n  'polyline',\n  'radialGradient',\n  'rect',\n  'stop',\n  'svg',\n  'text',\n  'textPath',\n  'tspan',\n  ];\n  },""
@flow\nimport constructWithOptions from './constructWithOptions';\nimport StyledComponent from
'./models/StyledComponent';\nimport domElements from './utils/domElements';\n\nimport type { Target } from
'./types';\n\nconst styled = (tag: Target) => constructWithOptions(StyledComponent, tag);\n\n// Shorthands for all
valid HTML Elements\ndomElements.forEach(domElement => {\n  styled[domElement] =
styled(domElement);\n  });\n\nexport default styled;\n  },"" @flow\nimport { isValidElementType } from 'react-

```

```

is';\nimport css from './css';\nimport throwError from './utils/error';\nimport { EMPTY_OBJECT } from
 './utils/empties';\n\nimport type { Target } from './types';\n\nexport default function constructWithOptions(\n
componentConstructor: Function,\n tag: Target,\n options: Object = EMPTY_OBJECT\n) {\n if
(!isValidElementType(tag)) {\n return throwError(1, String(tag));\n }\n\n /* This is callable directly as a
template function */\n // $FlowFixMe: Not typed to avoid destructuring arguments\n const templateFunction =
(...args) => componentConstructor(tag, options, css(...args));\n\n /* If config methods are called, wrap up a new
template function and merge options */\n templateFunction.withConfig = config =>\n
constructWithOptions(componentConstructor, tag, { ...options, ...config });\n\n /* Modify/inject new props at
runtime */\n templateFunction.attrs = attrs =>\n constructWithOptions(componentConstructor, tag, {\n
...options,\n attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n });\n\n return
templateFunction;\n}\n\n", /* @flow\nimport StyleSheet from './sheet';\nimport type { RuleSet, Stringifier } from
 './types';\nimport flatten from './utils/flatten';\nimport isStaticRules from './utils/isStaticRules';\n\nexport default
class GlobalStyle {\n componentId: string;\n\n isStatic: boolean;\n\n rules: RuleSet;\n\n constructor(rules:
RuleSet, componentId: string) {\n this.rules = rules;\n this.componentId = componentId;\n this.isStatic =
isStaticRules(rules);\n\n // pre-register the first instance to ensure global styles\n // load before component ones\n
StyleSheet.registerId(this.componentId + 1);\n }\n\n createStyles(\n instance: number,\n executionContext:
Object,\n styleSheet: StyleSheet,\n stylis: Stringifier\n ) {\n const flatCSS = flatten(this.rules,
executionContext, styleSheet, stylis);\n const css = stylis(flatCSS.join(", "));\n const id = this.componentId +
instance;\n\n // NOTE: We use the id as a name as well, since these rules never change\n
styleSheet.insertRules(id, id, css);\n }\n\n removeStyles(instance: number, styleSheet: StyleSheet) {\n
styleSheet.clearRules(this.componentId + instance);\n }\n\n renderStyles(\n instance: number,\n
executionContext: Object,\n styleSheet: StyleSheet,\n stylis: Stringifier\n ) {\n if (instance > 2)\n
StyleSheet.registerId(this.componentId + instance);\n\n // NOTE: Remove old styles, then inject the new ones\n
this.removeStyles(instance, styleSheet);\n this.createStyles(instance, executionContext, styleSheet, stylis);\n
}\n}\n\n", /* @flow\n\n * eslint-disable no-underscore-dangle */\nimport React from 'react';\nimport { IS_BROWSER,
SC_ATTR, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport throwError from
 './utils/error';\nimport getNonce from './utils/nonce';\nimport StyleSheet from './sheet';\nimport StyleSheetManager
from './StyleSheetManager';\n\ndeclare var __SERVER__: boolean;\n\nconst CLOSING_TAG_R = /^\\s*<\\w[a-
z]/i;\n\nexport default class ServerStyleSheet {\n isStreaming: boolean;\n\n instance: StyleSheet;\n\n sealed:
boolean;\n\n constructor() {\n this.instance = new StyleSheet({ isServer: true });\n this.sealed = false;\n }\n\n
_emitSheetCSS = (): string => {\n const css = this.instance.toString();\n if (!css) return "";\n const nonce =
getNonce();\n const attrs = [nonce && `nonce=${"$"}{nonce}`, `{$SC_ATTR}=${"true"}`,
`{$SC_ATTR_VERSION}=${"$"}{SC_VERSION}`];\n const htmlAttr = attrs.filter(Boolean).join(' '); \n\n return
`<style ${htmlAttr}>${css}</style>`; \n\n collectStyles(children: any) {\n if (this.sealed) {\n return
throwStyledError(2);\n }\n\n return <StyleSheetManager
sheet={this.instance}>{children}</StyleSheetManager>; \n }\n\n getStyleTags = (): string => {\n if (this.sealed)
{\n return throwError(2);\n }\n\n return this._emitSheetCSS(); \n }; \n\n getStyleElement = () => {\n if (this.sealed)
{\n return throwError(2);\n }\n\n const props = {\n [SC_ATTR]: "", \n
[SC_ATTR_VERSION]: SC_VERSION, \n dangerouslySetInnerHTML: {\n __html:
this.instance.toString(), \n }, \n }; \n\n const nonce = getNonce(); \n if (nonce) {\n (props: any).nonce =
nonce; \n }\n\n // v4 returned an array for this fn, so we'll do the same for v5 for backward compat\n return
[<style {...props} key="sc-0-0" />]; \n }; \n\n // eslint-disable-next-line consistent-return\n
interleaveWithNodeStream(input: any) {\n if (!__SERVER__ || IS_BROWSER) {\n return
throwStyledError(3);\n } else if (this.sealed) {\n return throwError(2);\n }\n\n if (__SERVER__) {\n
this.seal(); \n\n // eslint-disable-next-line global-require\n const { Readable, Transform } =
require('stream'); \n\n const readableStream: Readable = input; \n const { instance: sheet, _emitSheetCSS } =
this; \n\n const transformer = new Transform({ \n transform: function appendStyleChunks(chunk, /* encoding
*/ _, callback) {\n // Get the chunk and retrieve the sheet's CSS as an HTML chunk, \n // then reset its

```

```

rules so we get only new ones for the next chunk\n      const renderedHtml = chunk.toString();\n      const html
= _emitSheetCSS();\n      sheet.clearTag();\n      // prepend style html to chunk, unless the start of the chunk
is a\n      // closing tag in which case append right after that\n      if (CLOSING_TAG_R.test(renderedHtml))
{\n      const endOfClosingTag = renderedHtml.indexOf('>') + 1;\n      const before = renderedHtml.slice(0,
endOfClosingTag);\n      const after = renderedHtml.slice(endOfClosingTag);\n      this.push(before + html
+ after);\n      } else {\n      this.push(html + renderedHtml);\n      }\n      callback();\n      },\n
});\n      readableStream.on('error', err => {\n      // forward the error to the transform stream\n
transformer.emit('error', err);\n      });\n      return readableStream.pipe(transformer);\n      }\n      }\n      seal = () => {\n
      this.sealed = true;\n      };\n      }"}\n      ,"/ @flow\n/* eslint-disable *\n\nimport StyleSheet from './sheet';\nimport {
masterSheet } from './models/StyleSheetManager';\n\nexport const __PRIVATE__ = {\n  StyleSheet,\n
masterSheet,\n};\n      ,"/ @flow\n/* Import singletons *\n\nimport isStyledComponent from
'./utils/isStyledComponent';\nimport css from './constructors/css';\nimport createGlobalStyle from
'./constructors/createGlobalStyle';\nimport keyframes from './constructors/keyframes';\nimport ServerStyleSheet
from './models/ServerStyleSheet';\nimport { SC_VERSION } from './constants';\n\nimport StyleSheetManager, {\n
StyleSheetContext,\n  StyleSheetConsumer,\n} from './models/StyleSheetManager';\n\n/* Import components
*\n\nimport ThemeProvider, { ThemeContext, ThemeConsumer } from './models/ThemeProvider';\n\n/* Import
Higher Order Components *\n\nimport withTheme from './hoc/withTheme';\n\n/* Import hooks *\n\nimport useTheme
from './hooks/useTheme';\n\ndeclare var __SERVER__: boolean;\n\n/* Warning if you've imported this file on
React Native *\n\nif (\n  process.env.NODE_ENV !== 'production' &&\n  typeof navigator !== 'undefined' &&\n
navigator.product === 'ReactNative'\n) {\n  // eslint-disable-next-line no-console\n  console.warn(\n    `It looks like
you've imported 'styled-components' on React Native.\n` +\n    `Perhaps you're looking to import 'styled-
components/native'?\n` +\n    `Read more about this at https://www.styled-components.com/docs/basics#react-
native\n`);\n}\n\n/* Warning if there are several instances of styled-components *\n\nif (process.env.NODE_ENV
!== 'production' && process.env.NODE_ENV !== 'test' && typeof window !== 'undefined') {\n  window['__styled-
components-init__'] = window['__styled-components-init__'] || 0;\n  if (window['__styled-components-init__']
=== 1) {\n    // eslint-disable-next-line no-console\n    console.warn(\n      `It looks like there are several instances
of 'styled-components' initialized in this application.\n` +\n      `This may cause dynamic styles to not render
properly, errors during the rehydration process, '\n      `a missing theme prop, and makes your application bigger
without good reason.\n\n` +\n      `See https://s-c.sh/2BAXzed for more info.\n`);\n  }\n  window['__styled-
components-init__'] += 1;\n}\n\n/* Export everything *\n\nexport * from './secretInternals';\n\nexport {\n
createGlobalStyle,\n  css,\n  isStyledComponent,\n  keyframes,\n  ServerStyleSheet,\n  StyleSheetConsumer,\n
StyleSheetContext,\n  StyleSheetManager,\n  ThemeConsumer,\n  ThemeContext,\n  ThemeProvider,\n
useTheme,\n  SC_VERSION as version,\n  withTheme,\n};\n      ,"/ @flow\nimport React, { useContext,
useLayoutEffect, useRef } from 'react';\nimport { STATIC_EXECUTION_CONTEXT } from './constants';\nimport
GlobalStyle from './models/GlobalStyle';\nimport { useStyleSheet, useStylis } from
'./models/StyleSheetManager';\nimport { ThemeContext } from './models/ThemeProvider';\nimport type {
Interpolation } from './types';\nimport { checkDynamicCreation } from './utils/checkDynamicCreation';\nimport
determineTheme from './utils/determineTheme';\nimport generateComponentId from
'./utils/generateComponentId';\nimport css from './css';\n\ndeclare var __SERVER__: boolean;\n\ntype
GlobalStyleComponentPropsType = Object;\n\nexport default function createGlobalStyle(\n  strings:
Array<string>,\n  ...interpolations: Array<Interpolation>)\n  {\n    const rules = css(strings, ...interpolations);\n    const
styledComponentId = `sc-global-${generateComponentId(JSON.stringify(rules))}`;\n    const globalStyle = new
GlobalStyle(rules, styledComponentId);\n\n    if (process.env.NODE_ENV !== 'production') {\n      checkDynamicCreation(styledComponentId);\n    }\n\n    function GlobalStyleComponent(props:
GlobalStyleComponentPropsType) {\n      const styleSheet = useStyleSheet();\n      const stylis = useStylis();\n      const
theme = useContext(ThemeContext);\n      const instanceRef =
useRef(styleSheet.allocateGSInstance(styledComponentId));\n\n      const instance = instanceRef.current;\n\n      if
(process.env.NODE_ENV !== 'production' && React.Children.count(props.children)) {\n        // eslint-disable-next-

```



```

line no-console\n    console.warn(\n        `The global style component ${styledComponentId} was given child JSX.
createGlobalStyle does not render children.`\n    );\n }\n\n if (\n    process.env.NODE_ENV !== 'production'
&&\n    rules.some(rule => typeof rule === 'string' && rule.indexOf('@import') !== -1)\n ) {\n    // eslint-
disable-next-line no-console\n    console.warn(\n        `Please do not use @import CSS syntax in createGlobalStyle
at this time, as the CSSOM APIs we use in production do not handle it well. Instead, we recommend using a library
such as react-helmet to inject a typical <link> meta tag to the stylesheet, or simply embedding it manually in your
index.html <head> section for a simpler app.`\n    );\n }\n\n if (styleSheet.server) {\n    renderStyles(instance,
props, styleSheet, theme, stylis);\n }\n\n if (!__SERVER__) {\n    // this conditional is fine because it is
compiled away for the relevant builds during minification,\n    // resulting in a single unguarded hook call\n    //
eslint-disable-next-line react-hooks/rules-of-hooks\n    useLayoutEffect(() => {\n        if (!styleSheet.server) {\n
renderStyles(instance, props, styleSheet, theme, stylis);\n            return () => globalStyle.removeStyles(instance,
styleSheet);\n        }\n    }, [instance, props, styleSheet, theme, stylis]);\n }\n\n return null;\n }\n\n function
renderStyles(instance, props, styleSheet, theme, stylis) {\n    if (globalStyle.isStatic) {\n
globalStyle.renderStyles(instance, STATIC_EXECUTION_CONTEXT, styleSheet, stylis);\n    } else {\n        const
context = {\n            ...props,\n            theme: determineTheme(props, theme, GlobalStyleComponent.defaultProps),\n
};\n\n        globalStyle.renderStyles(instance, context, styleSheet, stylis);\n    }\n }\n\n // $FlowFixMe\n return
React.memo(GlobalStyleComponent);\n }\n\n", "\n    @flow\n\nimport css from './css';\nimport generateComponentId
from './utils/generateComponentId';\nimport Keyframes from './models/Keyframes';\nimport type { Interpolation,
Styles } from './types';\n\nexport default function keyframes(\n    strings: Styles,\n    ...interpolations:
Array<Interpolation>)\n): Keyframes {\n    /* Warning if you've used keyframes on React Native */\n    if (\n
process.env.NODE_ENV !== 'production' &&\n        typeof navigator !== 'undefined' &&\n        navigator.product ===
'ReactNative'\n ) {\n        // eslint-disable-next-line no-console\n        console.warn(\n            `keyframes` cannot be used on
ReactNative, only on the web. To do animation in ReactNative please use Animated.`\n        );\n    }\n\n    const rules =
css(strings, ...interpolations).join("");\n    const name = generateComponentId(rules);\n    return new Keyframes(name,
rules);\n }\n\n", "\n    @flow\n\nimport { useContext } from 'react';\nimport { ThemeContext } from
'./models/ThemeProvider';\n\nconst useTheme = () => useContext(ThemeContext);\n\nexport default
useTheme;\n }\n\n", "\n    @flow\n\nimport React, { useContext, type AbstractComponent } from 'react';\nimport hoistStatics
from 'hoist-non-react-statics';\nimport { ThemeContext } from './models/ThemeProvider';\nimport determineTheme
from './utils/determineTheme';\nimport getComponentName from './utils/getComponentName';\n\n// NOTE: this
would be the correct signature:\n// export default <Config: { theme?: any }, Instance>(\n// Component:
AbstractComponent<Config, Instance>\n// ): AbstractComponent<$Diff<Config, { theme?: any } & { theme?: any
}, Instance>\n//\n// but the old build system tooling doesn't support the syntax\n\nexport default (Component:
AbstractComponent<*, *>) => {\n    // $FlowFixMe This should be React.forwardRef<Config, Instance>\n    const
WithTheme = React.forwardRef((props, ref) => {\n        const theme = useContext(ThemeContext);\n        // $FlowFixMe
defaultProps isn't declared so it can be inferrable\n        const { defaultProps } = Component;\n        const themeProp =
determineTheme(props, theme, defaultProps);\n\n        if (process.env.NODE_ENV !== 'production' && themeProp
=== undefined) {\n            // eslint-disable-next-line no-console\n            console.warn(\n                `[withTheme] You are not
using a ThemeProvider nor passing a theme prop or a theme in defaultProps in component class\n                `
\n            );\n        }\n\n        return <Component {...props}
\n            theme={themeProp} ref={ref} />;\n    });\n\n    hoistStatics(WithTheme, Component);\n\n    WithTheme.displayName =
`WithTheme(${getComponentName(Component)})`;\n\n    return
WithTheme;\n }\n\n", "names":["strings","interpolations","result","i","len","length","push","x","toString","Object","p
rototype","call","typeof","EMPTY_ARRAY","freeze","EMPTY_OBJECT","isFunction","test","getComponentName","target","process","env","NODE_ENV","displayName","name","isStyledComponent","styledComponentId","S
C_ATTR","REACT_APP_SC_ATTR","IS_BROWSER","window","DISABLE_SPEEDY","Boolean","SC_DISABLE_SPEEDY","REACT_APP_SC_DISABLE_SPEEDY","STATIC_EXECUTION_CONTEXT","ERRORS","for
mat","a","b","c","arguments","forEach","d","replace","throwStyledComponentsError","code","Error","join","trim","
DefaultGroupedTag","tag","groupSizes","Uint32Array","indexOfGroup","group","index","this","insertRules","rules

```

,"oldBuffer","oldSize","newSize","throwStyledError","set","ruleIndex","l","insertRule","clearGroup","startIndex","endIndex","deleteRule","getGroup","css","getRule","groupIDRegister","Map","reverseRegister","nextFreeGroup","getGroupForId","id","has","get","getIdForGroup","setGroupForId","SELECTOR","MARKER\_RE","RegExp","rehydrateNamesFromContent","sheet","content","names","split","registerName","rehydrateSheetFromTag","style","parts","textContent","part","marker","match","parseInt","getTag","getNonce","\_\_webpack\_nonce\_\_","makeStyleTag","head","document","parent","createElement","prevStyle","childNodes","child","nodeType","hasAttribute","findLastStyleTag","nextSibling","undefined","setAttribute","\_\_VERSION\_\_","nonce","insertBefore","CSSOMTag","element","appendChild","createTextNode","styleSheets","ownerNode","getSheet","rule","\_error","cssRules","cssText","TextTag","nodes","node","refNode","removeChild","VirtualTag","\_target","splice","SHOULD\_REHYDRATE","defaultOptions","isServer","useCSSOMInjection","StyleSheet","options","globalStyles","gs","server","querySelectorAll","getAttribute","parentNode","rehydrateSheet","registerId","reconstructWithOptions","withNames","allocateGSInstance","hasNameForId","add","groupNames","Set","clearNames","clear","clearRules","clearTag","size","selector","outputSheet","AD\_REPLACER\_R","getAlphabeticChar","String","fromCharCode","generateAlphabeticName","Math","abs","phash","h","charCodeAt","hash","isStaticRules","SEED","ComponentStyle","componentId","baseStyle","staticRulesId","isStatic","baseHash","generateAndInjectStyles","executionContext","styleSheet","stylis","cssStatic","flatten","generateName","cssStaticFormatted","dynamicHash","partRule","partChunk","partString","Array","isArray","cssFormatted","COMMENT\_REGEX","COMPLEX\_SELECTOR\_PREFIX","createStylisInstance","\_componentId","\_selector","\_selectorRegex","\_consecutiveSelfRefRegex","plugins","Stylis","parsingRules","parseRulesPlugin","toSheet","block","e","context","selectors","parents","line","column","ns","depth","at","delimiter","insertRulePlugin","selfReferenceReplacer","offset","string","indexOf","stringifyRules","prefix","flatCSS","cssStr","use","\_","lastIndexOf","parsedRules","reduce","acc","plugin","StyleSheetContext","React","createContext","StyleSheetConsumer","Consumer","StylisContext","masterSheet","masterStylis","useStyleSheet","useContext","useStylis","StyleSheetManager","props","useState","stylisPlugins","setPlugins","contextStyleSheet","useMemo","disableCSSOMInjection","disableVendorPrefixes","useEffect","shallowequal","Provider","value","Children","only","children","Keyframes","inject","stylisInstance","resolvedName","\_this","getName","uppercaseCheck","uppercasePattern","msPattern","prefixAndLowerCase","char","toLowerCase","hyphenateStyleName","isFalsish","chunk","ruleSet","isReactComponent","isElement","console","warn","isPlainObject","objToCssArray","obj","prevKey","key","hasOwnProperty","isCss","hyphenate","unitless","addTag","arg","styles","interleave","invalidHookCallRe","seen","checkDynamicCreation","message","originalConsoleError","error","didNotCallInvalidHook","consoleErrorMessage","consoleErrorArgs","useRef","providedTheme","defaultProps","theme","escapeRegex","dashesAtEnds","escape","str","isTag","charAt","isObject","val","isValidKey","mixin","mixinDeep","rest","ThemeContext","ThemeConsumer","identifiers","createStyledComponent","isTargetStyledComp","isCompositeComponent","attrs","parentComponentId","generateComponentId","generateId","generateDisplayName","finalAttrs","concat","filter","shouldForwardProp","prop","filterFn","elementToBeCreated","WrappedStyledComponent","componentStyle","forwardRef","ref","forwardedComponent","forwardedRef","componentAttrs","foldedComponentIds","useDebugValue","resolvedAttrs","attrDef","resolvedAttrDef","useResolvedAttrs","determineTheme","generatedClassName","warnTooManyClasses","className","useInjectedStyle","refToForward","\$as","as","isTargetTag","computedProps","propsForElement","validAttr","withComponent","previousComponentId","optionsToCopy","newComponentId","defineProperty","\_foldedDefaultProps","merge","generatedClasses","warningSeen","keys","parsedIdString","createWarnTooManyClasses","hoist","styled","constructWithOptions","componentConstructor","isValidElementType","templateFunction","withConfig","config","StyledComponent","domElement","GlobalStyle","createStyles","instance","removeStyles","renderStyles","ServerStyleSheet","\_emitSheetCSS","SC\_ATTR\_VERSION","getStyleTags","sealed","getStyleElement","dangerouslySetInnerHTML","\_\_html","seal","collectStyles","interleaveWithNodeStream","input","\_\_PRIVATE\_\_","navigator","product","outerTheme","themeContext","mergedTheme","mergeTheme","JSON","stringify","globalStyle","GlobalStyleComponent","current","count","some","useLayoutEffect","memo","Component","WithTheme","themeProp","hoistStatics"],"mappings":":2jBAGA,eACEA,EACAC,WAEMC,EAAS,CAACF,EAAQ,IAEfG,EAAI,EAAGC,EAAMH,EAAeI,OAAQF,EAAIC,EAAKD,GAAC,EAACZDD,EAAOI,KAAKL,EAAeE,GAAIH,EAAQG,EAAI,WAGtCD,cCVOK,UACR,OAANA,GACa,iBAANA,GAC6D,qBAAnEA,EAAEC,SAAWD,EAAEC,WAAaC,OAAO

C,UAAUF,SAASG,KAAKJ,MAC3DK,SAAOL,ICNGM,EAACJ,OAAOK,OOAO,IAC5BC,EAAeN,OAAOK,OAAO,ICD3B,SAASE,EAAWC,SACV,mBAATA,ECCD,SAASC,EACtBC,SAG4B,eAAzBC,QAAQC,IAAIC,UAA8C,iBAAXH,GAAuBA,GAEvEA,EA AOI,aAEPJ,EAAOK,MACP,YCXW,SAASC,EAakBN,UACjCA,GAA8C,iBA A7BA,EAAOO,kBCGjC,IAAaC,EACS,oBAAZP,UAA4BA,QAAQC,IAAIO,mBAAqBR,QAAQC,IAAIM,UACjF,cAOWE,EAA+B,oBAAXC,QAA0B,gBAAiBA,OAE/DC,EACXC,QAAqC,kBAAtBC,kBACXA,kBACoB,oBAAZ b,cAA8E,IAA5CA,QAAQC,IAAIa,6BAA2F,KAA5Cd,QAAQC,IAAIa,4BACnE,UAA5Cd,QAAQC,IAAIa,6BAA kDd,QAAQC,IAAIa,4BACtD,oBAAZd,cAAoE,IAAICA,QAAQC,IAAIY,mBAAuE,KAAICb,QAAQC,IAAIY,kB ACnE,UAAICb,QAAQC,IAAIY,mBAAwCb,QAAQC,IAAIY,kBACvC,eAAzBb,QAAQC,IAAIC,UAKTa,EAA2B ,GCzBICC,EAAkC,eAAzBhB,QAAQC,IAAIC,SCHZ,GA AK,0DAA4D,kQAAoQ,wHAA0H,wMAA0M,oKAA sK,8OAAgP,uHAA2H,gEAAoE,mCAAqC,oUAA sU,2NAA6N,wWAA0W,4LAA8L,kDAAsD,8ZAAga,0QAA4Q,0ID G7/F,GAKIE,SAASe,YACHC,0CACEC,EA AI,GAEDC,EA AI,EAAGpC,EAAMqC,UAAKpC,OAAQmC,EA AIpC ,EAAKoC,GA AK,EAC/CD,EAAEjC,KAAUkC,uBAAAA,mBAAAA,WAGdD,EAAEG,SAAQ,SAAAC,GACRL, EAAIA,EAAEM,QAAQ,SAAUD,MAGnBL,EAOM,SAASO,EACtBC,8BACG7C,mCAAAA,yBAE0B,eAAzBmB ,QAAQC,IAAIC,SACR,IAAIyB,qDACuCD,4BAC7C7C,EAAeI,OAAS,YAAcJ,EAAe+C,KAAK,MAAU,KAIIE,I A AID,MAAMV,gBAAOD,EAAOU,WAAU7C,IAAgBgD,QE9BrD,IAMDC,wBAOQC,QACLC,WAAa,IAAIC,Y AVR,UAWThD,OAXS,SAYT8C,IAAMA,6BAGbG,aAAA,SAAaC,WACPC,EAAQ,EACHrD,EA AI,EAAGA,EA AIoD,EAAOpD,IACzBqD,GAASC,KAAKL,WAAWjD,UAGpBqD,KAGTE,YAAA,SAAYH,EAAeI,MACrBJ,GA ASE,KAAKL,WAAW/C,OAAQ,SAC7BuD,EAAYH,KAAKL,WACjBS,EAAUD,EAAUvD,OAETyD,EAAUD,E ACPN,GAASO,IACdA,IAAY,GACE,GACZC,EA AiB,MAAOR,QAIvBH,WAAa,IAAIC,YAAYS,QAC7BV,WAA WY,IAAIJ,QACfvD,OAASyD,MAET,IAAI3D,EA AI0D,EAAS1D,EA AI2D,EAAS3D,SAC5BiD,WAAWjD,GAA K,UAIrB8D,EAAyR,KAAKH,aAAaC,EAAQ,GACjCpD,EA AI,EAAG+D,EAAIP,EAAMtD,OAAQF,EA AI+D,E AAG/D,IACnCsD,KAAKN,IAAIgB,WAAWF,EAAWN,EAAMxD,WACICiD,WAAWG,KACHBU,QA KNG,WAA AA,SAAWb,MACLA,EAAQE,KAAKpD,OAAQ,KACjBA,EAASoD,KAAKL,WAAWG,GACzBc,EAAaZ,KAAK H,aAAaC,GAC/Be,EAAWD,EAAAhE,OA EZB+C,WAAWG,GAAS,MAEpB,IAAIpD,EA AIkE,EAAYIE,EA AI mE, EAAUnE,SACHcGd,IAAIoB,WAAWF,OAK1BG,SAAA,SAASjB,OACHkB,EAAM,MACNIB,GAASE,KAAKpD ,QAAqC,IAA3BoD,KAAKL,WAAWG,UACnCb,UAGHpE,EAASoD,KAAKL,WAAWG,GACzBc,EAAaZ,KA AKH,aAAaC,GAC/Be,EAAWD,EAAAhE,EA ErBF,EA AIkE,EAAYIE,EA AI mE, EAAUnE,IACrCsE,GAAUhB,KA AKN,IAAIuB,QAAQvE,GHhFT,mBGmFbSE,QCzFPE,EAAuC,IAAIC,IAC3CC,EAAuC,IAAID,IAC3CE,EAAgB, EAQPC,EAAgB,SAACC,MACxBL,EAAgBM,IAAID,UACdL,EAAgBO,IAAIF,QAGvBH,EAAgBI,IAAIH,IACz BA,QAGIvB,EAAQuB,UAGa,eAAzB1D,QAAQC,IAAIC,YACF,EAARiC,GAAa,GAAKA,EAZBR,GA AK,KA2B jBQ,EA AiB,MAAOR,GAG1BoB,EAAGBX,IAAIgB,EA AIzB,GACxBsB,EAAGBb,IAAIT,EAAOyB,GACpBzB,G AGI4B,EAAGB,SAAC5B,UACrBsB,EAAGBK,IAAI3B,IAGhB6B,EAAGB,SAACJ,EAAYzB,GACpCA,GAASuB, IACXA,EAAGBvB,EAAQ,GAG1BoB,EAAGBX,IAAIgB,EA AIzB,GACxBsB,EAAGBb,IAAIT,EAAOyB,IC3CvB K,WAAoB1D,mCACpB2D,EAAY,IAAIC,WAAW5D,kDAkC3B6D,EAA4B,SAACC,EAAcT,EAAYU,WAEvDIE ,EADEmE,EAAQD,EAAQE,MAAM,KAGnBzF,EA AI,EAAG+D,EA AIyB,EAAMtF,OAAQF,EA AI+D,EAAG/D, KA EICqB,EAAOmE,EAAMxF,KACHBsF,EAAMI,aAAab,EA AIxD,IAKvBsE,EA AwB,SAACL,EAAcM,WACrC C,GAASD,EAAME,aAAe,IAAIL,ML1CIB,aK2ChBjC,EAAkB,GA EfxD,EA AI,EAAG+D,EA AI8B,EAAM3F,OA AQF,EA AI+D,EAAG/D,IAAK,KACtC+F,EA AOF,EAAM7F,GAAG8C,UACjBiD,OA ECC,EAASD,EA AKE,MA AMd,MAEtBa,EAAQ,KACJ5C,EAAkC,EAA1B8C,SAASF,EAAO,GA AI,IAC5BnB,EAAKMB,EAAO,GA EJ,IAA V5C,IAEF6B,EAAcJ,EA AIzB,GAGIbIc,EAA0BC,EAAOT,EA AI mB,EAAO,IAC5CV,EAAMa,SAAS5C,YAAY H,EAAOI,IAGpCA,EAAMtD,OAAS,OA EfsD,EAAMrD,KAAK4F,MCzEXK,EA AW,iBAEU,oBAAXzE,aAC0B,I AA7BA,OAAO0E,kBACZ1E,OAAO0E,kBAET,MCYOC,EAAe,SAACtF,OACrBuF,EAASC,SAASD,KACIBE,E AASzF,GAAUuF,EACnBX,EAAQY,SAASE,cAAc,SAC/BC,EAIBiB,SAAC3F,WACHb4F,EAAe5F,EA Af4F,WA EC5G,EA AI4G,EA AW1G,OAAQF,GA AK,EAAGA,IAAK,KACrC6G,EAAUD,EA AW5G,MACvB6G,GARa,IAQ JA,EAAMC,UAA6BD,EAAME,aAAavF,UACxDqF,GAYKG,CAAIbP,GAC7BQ,OAA4BC,IAAdP,EAA0BA,EA AUM,YAAc,KA EtErB,EAAMuB,aAAa3F,EPrBS,UOsB5BoE,EAAMuB,aPrBuB,sBACLc,aOsBIBC,EAAQjB,W AEViB,GAAOzB,EAAMuB,aAAa,QAASE,GA EvCZ,EAAOa,aAAa1B,EAAOqB,GA EpBrB,GCTBI2B,wBAOCv G,OACJwG,EA AWIE,KAAKkE,QAAUIB,EAAAtF,GAG7CwG,EAAQC,YAAYjB,SAASkB,eAAe,UAEvCpC,M

Dae,SAACtC,MACnBA,EAAIsC,aACGtC,EAAIsC,cAIPqC,EAAGbNB,SAAhBmB,YACC3H,EAAI,EAAG+D,EA  
AI4D,EAAYzH,OAAQF,EAAl+D,EAAG/D,IAAK,KAC5CsF,EAAQqC,EAAY3H,MACTbSf,EAAMsC,YAAc5E,  
SACbsC,EAib1B,EAAiB,IC3BFIE,CAASL,QACjBtH,OAAS,6BAGhB8D,WAAA,SAAWX,EAAYeyE,mBAEjBxC,  
MAAMtB,WAAW8D,EAAMzE,QACvBnD,UACE,EACP,MAAO6H,UACA,MAIX3D,WAAA,SAAWf,QACJiC,  
MAAMIB,WAAWf,QACjBnD,YAGPqE,QAAA,SAAQIB,OACAyE,EAAOxE,KAAKgc,MAAM0C,SAAS3E,eA  
EpB6D,IAATY,GAA8C,iBAAjBA,EAACKG,QAC7BH,EAACKG,QAEL,SAMAC,wBAOCIH,OACJwG,EAAWIE,K  
AAKkE,QAAUIB,EAAatF,QACxCmH,MAAQX,EAAQZ,gBACHb1G,OAAS,6BAGhB8D,WAAA,SAAWX,EA  
eyE,MACpBzE,GAASC,KAAKpD,QAAUmD,GAAS,EAAG,KACHC+E,EAAO5B,SAASKb,eAAeI,GAC/BO,EA  
AU/E,KAAK6E,MAAM9E,eACtBmE,QAAQF,aAAac,EAAMC,GAAW,WACtCnI,UACE,SAEA,KAIXkE,WAA  
A,SAAWf,QACJmE,QAAQc,YAAyhF,KAAK6E,MAAM9E,SAC/BnD,YAGPqE,QAAA,SAAQIB,UACFA,EA  
QC,KAAKpD,OACRoD,KAAK6E,MAAM9E,GAAOyC,YAEIB,SAMAYC,wBAKCC,QACLhF,MAAQ,QACRtD,  
OAAS,6BAGhB8D,WAAA,SAAWX,EAAYeyE,UACpBzE,GAASC,KAAKpD,cACXsD,MAAMiF,OAAOpF,EA  
O,EAAGyE,QACvB5H,UACE,MAMXkE,WAAA,SAAWf,QACJG,MAAMiF,OAAOpF,EAAO,QACpBnD,YAGP  
qE,QAAA,SAAQIB,UACFA,EAQC,KAAKpD,OACRoD,KAAKE,MAAMH,GAEX,SCzHTqF,EAAMbHh,EA  
WjBiH,EAAB,CACnCC,UAAWIH,EACXmH,mBAAoBjH,GAIDkH,wBAiBjBC,EACAC,EACAxD,YAFaUD,I  
AAAA,EAAGcni,YACHCoI,IAAAA,EAAC2C,SAGtCD,aACAJ,KACAI,QAGAE,GAAKD,OACLxD,MAAQ,IAAI  
f,IAAIE,QACHBOD,SAAWH,EAQh,UAGnBtF,KAAK4F,QAAUxH,GAAGcH,IACHCA,GAAMb,EJyBK,SAAC  
pD,WACvB6C,EAQ3B,SAAS2C,iBAaiBjE,GAEBIF,EAAl,EAAG+D,EAAlOe,EAAMjI,OAAQF,EAAl+D,EA  
AG/D,IAAK,KACtCoI,EAASD,EAAMnI,GACjBoI,GL/EsB,WK+EdA,EAAGbB,aAAa5H,KAC5BmE,EAAsBL,E  
AAO8C,GAEZBA,EAAKiB,YACPjB,EAAKiB,WAAWf,YAAyF,KIJc9BkB,CAAehG,SArBZiG,WAAP,SAAKB1  
E,UACTD,EAACc,+BAwBvB2E,uBAAA,SAAuBT,EAABU,mBAAAA,IAAAA,GAAsB,GACnE,IAAIX,OACJx  
F,KAAKyF,WAAyA,GACtBzF,KAAK2F,GACJQ,GAAanG,KAAKkC,YAAU0B,MAIjCwC,mBAAA,SAAMb7E  
,UACTvB,KAAK2F,GAAGpE,IAAOvB,KAAK2F,GAAGpE,IAAO,GAAK,KAI7CsB,OAAA,kBACS7C,KAAKN  
,MAAQM,KAAKN,KDIEH4F,KCsEgCtF,KAAKyF,SDtErCH,SAAUc,IAAAA,kBAAMb7H,IAAAA,OLCxBgC,  
EKAZB4F,EACK,IAAIL,EAAWvH,GACb6H,EACF,IAAIb,EAASvG,GAEB,IAAIkH,EAQIH,GLJd,IAAI+B,E  
AAKBC,KADD,IAACA,IKDL4F,EAUc,EAAMb7H,KC0ErD2I,aAAA,SAAA9E,EAAYxD,UACHBiC,KAAKkC,  
MAAMV,IAAID,IAAQvB,KAAKkC,MAAMT,IAAIF,GAAUC,IAAIzD,MAI7DqE,aAAA,SAAb,EAAYxD,MA  
CvBuD,EAACc,GAETvB,KAAKkC,MAAMV,IAAID,QAKZW,MAAMT,IAAIF,GAAU+E,IAAIvI,OALP,KACjB  
wI,EAaA,IAAIC,IACvBD,EAAWD,IAAIvI,QACVmE,MAAM3B,IAAIgB,EAAlgF,OAovBtG,YAAA,SAAYsB,E  
AAyxD,EAACmC,QAC/BkC,aAAab,EAAlxD,QACjB8E,SAAS5C,YAAyqB,EAACc,GAAKrB,MAI/CuG,WAA  
A,SAAWIF,GACLvB,KAAKkC,MAAMV,IAAID,SACXW,MAAMT,IAAIF,GAAUmF,WAK9BC,WAAA,SA  
WpF,QACJsB,SAASIC,WAAWW,EAACc,SACICKf,WAAWIF,MAIBqF,SAAA,gBAGOIH,SAAMkE,KAIb7G,S  
AAA,kBJpHyB,SAACiF,WACpBtC,EAAMsC,EAAMa,SACVjG,EAAW8C,EAAX9C,OAEOe,EAAM,GACDIB,  
EAAQ,EAAGA,EAAQID,EAAQkD,IAAS,KACrCyB,EAACKG,EAAC5B,WACd8D,IAAPrC,OAEEW,EAAQF,EA  
AME,MAAMT,IAAIF,GACxBrB,EAQR,EAAlqB,SAASjB,MACTBoC,GAAUhc,GAAUgc,EAAM2E,UAEzBC  
,EAAC5I,OAAY4B,UAAayB,OAECU,EAU,QACA2B,IAAV1B,GACFA,EAAMjD,SAAQ,SAAlB,GACRA,E  
AAKnB,OAAS,IACHBqF,GAACIE,UOpBiD,MAAUd,EAQ4G,eAAqB7E,yBAGICjB,ElwFE+F,CAAY/G,YC3  
HjBgH,EAAGb,WAOhBC,EAAB,SAAC5H,UACzB6H,OAOC,aAAa9H,GAAQA,EAAO,GAAK,GAAK,MAG  
hC,SAAS+H,EAAB/H,OAECvC,EADAIb,EAAO,OAINjB,EAAluK,KAAKC,IAAIjI,GAAOvC,EAZP,GAYwB  
A,EAACA,EAZ7B,GAYgD,EACHeiB,EAOKJ,EAABnK,EAAbT,IAa4BiB,SAGtCkI,EAABnK,EAhBR,IAgB2B  
iB,GAAMoB,QAAQ6H,EAae,SCpBrE,IAKMO,EAAQ,SAACC,EAAW1K,WAC3BJ,EAAlI,EAAEF,OAHEF,GA  
CL8K,EAAS,GAJA,EAU1K,EAAE2K,aAAa/K,UAGzB8K,GAIE,EAAO,SAAC5K,UACzyK,EAjBW,KAIbC  
zK,ICfN,SAAS6K,EAaczH,OAC/B,IAAlxD,EAAl,EAAGA,EAAlwD,EAAMtD,OAAQF,GAAK,EAAG,KACIC8  
H,EAAOe,EAAMxD,MAEfa,EAAWiH,KAAUxG,EAABwG,UAGIC,SAIJ,ECPT,IAAMoD,EAEOF,EbEa5D,Sa  
GL+D,wBAaP3H,EAAGb4H,EAaqBC,QAC1C7H,MAAQA,OACR8H,cAAGb,QACHBC,SAAOc,eAAzBtK,QAA  
QC,IAAIC,gBACX+F,IAAdmE,GAA2BA,EAUe,WACtCN,EAACzH,QACX4H,YAAcA,OAIdI,SAAWX,EA  
MK,EAAME,QAEBc,UAYYA,EAIBvC,EAWS,WAAW6B,sBAQxBK,wBAAA,SAAWBC,EA0BC,EAwB  
C,OACHER,EAAGb9H,KAAhB8H,YAEF5F,EAQ,MAEVIC,KAAK+H,WACP7F,EAAMrF,KAAKmD,KAAK+

H,UAAUI,wBAAwBC,EAakBC,EAAYC,IAI9EtI,KAakIi,WAAaK,EAAOZ,QACvB1H,KAakGI,eAAiBK,EAAWhC,aAAayB,EAAa9H,KAakGI,eACIE9F,EAAMrF,KAakmD,KAakGI,mBACX,KACCO,EAAYC,GAAQxI,KAAKE,MAAOki,EAakBC,EAAYC,GAAQ/I,KAak,IAC3ExB,EAAO0K,EAAaIb,EAAMvH,KAakKI,SAaUK,KAAe,OAEzDF,EAAWhC,aAAayB,EAAa/J,GAAO,KACzC2K,EAAqBJ,EAAOC,MAAexK,OAAQ6F,EAAWkE,GAepEO,EAAWpI,YAAy6H,EAAa/J,EAAM2K,GAG5CxG,EAAMrF,KAakkB,QACNiK,cAAgBjK,MAEIB,SAcGnB,EAAWoD,KAAKE,MAAhBtD,OACJ+L,EAacpB,EAAMvH,KAakKI,SAaUI,EAAOZ,MAC1C1G,EAAm,GAEDtE,EAai,EAAGA,EAaIE,EAAQF,IAAK,KACzBkM,EAAW5I,KAAKE,MAAMxD,MAEJ,iBAAbkM,EACT5H,GAAO4H,EAesB,eAAzBjL,QAAQC,IAAIC,WAA2B8K,EAacpB,EAAMoB,EAAaC,EAAWIM,SACIF,GAAIkM,EAAU,KACbC,EAAYL,GAAQI,EAAUR,EAakBC,EAAYC,GAC5DQ,EAAaC,MAAMC,QAAQH,GAaAa,EAAUjJ,KAak,IAAMsJ,EACnEF,EAacpB,EAAMoB,EAAaG,EAAapM,GAC9CsE,GAAO8H,MAIP9H,EAak,KACDjD,EAAO0K,EAAaE,IAAgB,OAerCN,EAAWhC,aAAayB,EAAa/J,GAAO,KACzCkL,EAAeX,EAAOtH,MAASjD,OAAQ6F,EAAWkE,GACxDO,EAAWpI,YAAy6H,EAAa/J,EAAMkL,GAG5C/G,EAAMrF,KAakkB,WAIRmE,EAAM3C,KAak,WctGhB2J,EAagB,gBACbBC,EAA0B,CAAC,IAAK,IAAK,IAAK,KAOjC,SAASC,SayBIBC,EACAC,EACAC,EACAC,eAzB6BlM,QAFjCmI,QAAAA,aAAUnI,QACVmM,QAAAA,aAAUrM,IAEJkL,EAAS,IAAIoB,EAAOjE,GAMtBkE,EAae,GAWbC,ECdR,SAawBIJ,YAIbmJ,EAAQC,MACXA,MAEApJ,EAacoJ,OACd,MAAOC,YAIN,SACLC,EACA/H,EACAgI,EACAC,EACAC,EACAC,EACAxN,EACAYN,EACAC,EACAC,UAEQP,QAED,KAEW,IAAVM,GAAYC,KAA1BrI,EAAQwF,WAAW,GAAW,OAAO/G,EAacuB,OAaA,cAGhF,KACQ,IAAPoI,EAAU,OAAOpI,EA/BT,mBAkCT,SACKoI,QAED,SACA,WACI3J,EAAWuJ,EAAU,GAakhI,GAAU,kBAEpCA,GAakB,IAAPsI,EazCV,QAYCiC,SAEzC,EACJtI,EAAQE,MA3CIqI,U22CUvL,QAQ4K,KD/BXY,EAAiB,SAAajG,GACxCmF,EAAa9M,KAak2H,MAQdkG,EAAwB,SAAC/H,EAAOgI,EAAQC,UAG9B,IAAXD,IAA8E,IAA/DxB,EAAwB0B,QAAQD,EAAOtB,EAAU1M,UAEhEgO,EAAOjI,MAAM6G,GAKT7G,MAHM0G,YA4BNyB,EAAe9J,EAAK8F,EAAUie,EAAQjD,YAAAA,IAAAA,EAAC,SACrDkD,EAAUHK,EAai7B,QAAQ+J,EAae,IACrC+B,EAASnE,GAAYiE,EAAYA,MAAUjE,QAackE,OAaC,SAK7E3B,EAaeVb,EACfwb,EAAYxC,EACZyC,EAakB,IAAIzH,YAAyW,H,QAAGB,KACIDE,EAA4B,IAAI1H,aAAawH,cAEtChB,EAAOyC,IAAWjE,EAAW,GAAKA,EAAUmE,UAdrD3C,EAAO4C,cAAQzB,GAPwB,SAACO,EAASmB,EAAGIB,GACIC,IAAZD,GAAiBC,EAAUrN,QAAUqN,EAAU,GAAGmB,YAAy9B,GAAa,IAE7EW,EAAU,GAAKA,EAAU,GAAG9K,QAAQoK,EAAiBmB,KAIDd,EAID9B,SAAAI,OACP,IAAbA,EAAGB,KACZqB,EAAC1B,SAcPBA,EAae,GACR0B,OA+DXP,EAaepD,KAAO+B,EAAQ7M,OAC1B6M,EACG6B,QAAO,SAACC,EAakC,UACPA,EAAOzN,MACVuC,EAAiB,IAGZiH,EAAMgE,EAakC,EAAOzN,QHnGf,MGqGXhB,WACH,GAEG+N,ME3FIW,GAAGDC,EAAMC,gBACtDC,GAAqBH,GAakBI,SACvCC,GAA6CJ,EAAMC,gBAGnDI,IAFiBD,GAACD,SAEL,IAAIrG,GAC9BwG,GAA4B5C,IAEzC,SAAGB6C,YACPC,aAAWT,KAAAsBM,GAG1C,SAAGBI,YACPd,aAAWJ,KAakBE,GAGvB,SAASI,GAakBC,SACVC,WAASD,EAAME,eAAtC9C,OAAS+C,OACVC,EAaoBR,KAepB5D,EAAaqE,WAAQ,eACrB1K,EAAQyK,SAERJ,EAAMrK,MAERA,EAAQqK,EAAMrK,MACLqK,EAAM3O,SACfsE,EAAQA,EAAMkE,uBAAuB,CAAExI,OAAQ2O,EAAM3O,SAAU,IAG7D2O,EAAMM,wBACR3K,EAAQA,EAAMkE,uBAAuB,CAAEX,mBAAMb,KAGrDvD,IACN,CAACqK,EAAMM,sBAAuBN,EAAMrK,MAAOqK,EAAM3O,SAE9C4K,EAASoE,WACb,kBACeT,D,EAAqB,CACnB3D,QAAS,CAAEsF,QAASsB,EAAMO,uBAC1BnD,QAAAA,MAEJ,CAAC4C,EAAMO,sBAAuBnD,WAGhCoD,aAAU,WACHC,EAAarD,EAAS4C,EAAME,gBAAGBC,EAAWH,EAAME,iBACjE,CAACF,EAAME,gBAGRb,gBAACD,GAakBsB,UAASC,MAAO3E,GACjCqD,gBAACI,GAACiB,UAASC,MAAO1E,GACH,eAAzB3K,QAAQC,IAAIC,SACT6N,EAAMuB,SAASC,KAakB,EAAMc,UAC1Bd,EAAMc,eCjEGC,yBAOPrP,EAACmC,mBAM1BmN,OAAS,SAACHF,EAAwBiF,YAAAA,IAAAA,EAA8BtB,QACxDuB,EAAeC,EAakzP,KAAOuP,EAAe5F,KAE3CW,EAAWhC,aAAamH,EAakjM,GAAIgM,IACpClF,EAAWpI,YACTuN,EAakjM,GAClgM,EACAD,EAAeE,EAakIN,MAAOqN,EAAC,qBAK/CxQ,SAAW,kBACFuD,EAAiB,GAAI4G,OAAOsG,EAakzP,aAlBnCA,KAAOA,OACPwD,mBAaqBxD,OACrBmC,MAAQa,qBAmBfuN,QAAA,SAAQH,mBAAAA,IAAAA,EAA8BtB,IAC7BhM,KAakjC,KAAOuP,EAAe5F,WC7BhCgG,GAAiB,UACjBC,GAAMb,WACnBC,GAAY,OACZC,GAAqB,SAACC,aAA6BA,EAakC,eAkB/C,SAASC,GAAMbP,D,UACIC8C,GAaeIq,KAakON,GACzBA,EACCzL,QAAQwO,GAakBE,IAC1B1O,QAAQyO,GAAW,QACpBhD,ECIBJ,IAAMqD,GAAY,SAAAC,UAASA,MAAAA,IAAMd,IAAVA,GAA6B,KAAVA,GAObvF,SAAwB1F,GACTb0F,EACA9F,EACAC,EACaiF,MAEivE,MAAMC,QAAQkF,GAAQ,SAGyZr,EAF

9B0R,EAAU,GAEPzR,EAAI,EAAGC,EAAMuR,EAAMtR,OAAgBF,EAAIC,EAAKD,GA AK,EAGzC,MAFfD,E AAS+L,GAAQ0F,EAAMxR,GAAI0L,EA AkBC,EAAYiF,MAGhDvE,MAAMC,QAAQvM,GAAS0R,EAAQtR,W AARsR,EAAGb1R,GAC3C0R,EAAQtR,KAAKJ,WAGb0R,KAGLF,GAAUC,SACL,MAILIQ,EA AkBkQ,aACTA, EAAMjQ,qBAIfV,EA AW2Q,GAAQ,IC9DL,mBAFwB1Q,EDiEhB0Q,IC7DtB1Q,EA AKP,WACFO,EA AKP,UAA UmR,mBD4DchG,EAa3B,OAAO8F,MAZNzR,EAASyR,EAAM9F,SAEQ,eAAzBzK,QAAQC,IAAIC,UAA6BwQ ,YAAU5R,IAErD6R,QAAQC,KACH9Q,EACDyQ,uLAKC1F,GAAQ/L,EA AQ2L,EA AkBC,EAAYiF,GC7E5C,IA A6B9P,SDiFtC0Q,aAAiBd,GACf/E,GACF6F,EAAMb,OAAOhF,EAAYiF,GACIBY,EAAMT,QAAQH,IAC TY,E AITM,EAACn,GazEM,SAAhBO,EA AiBC,EA AaC,OEbH5Q,EAACiP,EFc9C9M,EA AQ,OAET,IAAM0O,KAAO F,EACXA,EA AIG,eAAeD,KAAQX,GAAUS,EA AIE,MAEzC7F,MAAMC,QAAQ0F,EA AIE,KAASF,EA AIE,GA AKE,OAAUvR,EA AWmR,EA AIE,IACHe1O,EAAMrD,KAAQkS,GAAUH,OAASF,EA AIE,GAAM,KACICJ,EA AcE,EA AIE,IAC3B1O,EAAMrD,WAANqD,EAACuO,EAACc,EA AIE,GAAMA,IAEtC1O,EAAMrD,KAAQkS,G AAUH,SExBU7Q,EFwBe6Q,EErBxC,OA HuC5B,EFwBM0B,EA AIE,KErBxB,kBAAV5B,GAAiC,KAAVA,EAC 1C,GAGY,iBAAVA,GAAgC,IAAVA,GAAiBjP,KAAQiR,EAI nD9H,OAAO8F,GAAOxN,OAHTwN,qBFoBL2B, GAACa,eAAgBzO,GAAO,MAAOA,EA0DrBuO,CAAcP,GAASA,EAAMnR,WG9E7D,IAAMkS,GAAS,SAAAC, UACTnG,MAAMC,QAAQkG,KA EhBA,EA AIJ,OAAQ,GAEPi,GAGM,SAASIO,GAAImO,8BAAmB3S,mCAA A,2BACzCe,EA AW4R,IAAWX,EAACW,GAE/BF,GAAOzG,GAAQ4G,EA AWs,GAAC+R,UAAW3S,MAG9B,I AA1BA,EA AeI,QAAkC,IAAIbuS,EA AOvS,QAAqC,iBAAduS,EA AO,GAE/DA,EA IFF,GAAOzG,GAAQ4G,EA AWD,EA AQ3S,KC5B3C,IAAM6S,GAAoB,qBACpBC,GAAO,IAAI9I,IAEJ+I,GAAuB,SAACzR,EA AQBgK,MA C3B,eAAzBnK,QAAQC,IAAIC,SAA2B,KAEnC2R,EACJ,iBAAiB1R,GAFIgK,sBA AkCA,MAAiB,6NAUpE2H,E AAuBnB,QAAQoB,cAE/BC,GA AwB,EA E5BrB,QAAQoB,MAAQ,SAACE,MAGXP,GA AkB7R,KAAKoS,GACz BD,GA AwB,EA ExBL,UAYE,OACP,4BAPgCK,mCAAAA,oBAQrCJ,gBA AqBG,UAAwBC,MAMjDC,WAEIH, IAA0BL,GA AK9N,IAAIgO,KA ErCIB,QAAQC,KAAKiB,GACbF,GA AKhJ,IAAIKJ,IAEX,MAAOE,GAGHL,GA AkB7R,KAAKs,EAAMF,UAE/BF,UAYE,WAI dIB,QAAQoB,MAAQD,iBC9CnPD,EAAC0D,EA AoBC,mBA AAA,IAAAA,EA AoB1S,GAC5D+O,EAAM4D,QAAUD,EA AaC,OAAS5D,EAAM4D,OAAUF,GAAiBC,EA AaC, OCJxFC,GAAC,wCAEdC,GAAe,WAMN,SAASC,GAAOC,UAE3BA,EA EGIR,QAAQ+Q,GAAa,KAGrB/Q,QAA QgR,GAAC,ICd7B,gBA AgBE,UACPjJ,EA AuBM,EA AK2I,KAAS,ICH/B,SAASC,GAAM5S,SAER,iBAAXA,IAC mB,eAAzBC,QAAQC,IAAIC,UACTH,EA AO6S,OAAO,KAAO7S,EA AO6S,OAAO,GAAGxC,eCqB9C,IAAMyC ,GA AW,SAAAC,SAEE,mBAARA,GAAsC,iBAARA,GAA4B,OAARA,IAAiB1H,MAAMC,QAAQyH,IAItFC,GA Aa,SAAA9B,SACF,cAARA,GAA+B,gBAARA,GAAiC,cAARA,GAGzD,SAAS+B,GAAMjT,EA AQ+S,EA AK7B, OACpBF,EAAMhR,EA AOkr,GACf4B,GAASC,IAAQD,GAAS9B,GAC5BkC,GAAUIC,EA AK+B,GA Ef/S,EA AOkr,GAAO6B,EAIH,SAASG,GAAUIT,8BAAWmT,mCAAAA,kCACzBA,iBAAM,KAAbnC,UACL8B,GAAS9B ,OACN,IAAME,KAAOF,EACZgC,GAAW9B,IACb+B,GAAMjT,EA AQgR,EA AIE,GAAMA,UAMzBIR,MC5CIo T,GAAsCpF,EAAMC,gBAE5CoF,GAAgBD,GAAajF,SCcpCmF,GAAC,GAKjPb,SAAwBC,GACtBvT,EACA+H, EA OAvF,OAEMgR,EA AQBIT,EA AKBN,GACvCyT,GAAwBb,GAAM5S,KAMhC+H,EAHF2L,MAAAA,aAAQh U,MAGNqI,EAFFqC,YAAAA,aA/JJ,SAAoBhK,EAAsBuT,OACICtT,EA A8B,iBAAhBD,EA A2B,KAAOsS,GAA OtS,GAE7DKT,GAAYjT,IAASiT,GAAYjT,IAAS,GA AK,MAEzC+J,EA AiB/J,MAAQut,G9B3BPxN,Q8B8BT/F, EA AOiT,GAAYjT,WAG3BsT,EA AuBA,MAAQbvJ,EA AgBA,EAoJnDyJ,CAAW9L,EA AQ3H,YAAa2H,EA AQ4 L,uBAEpD5L,EADF3H,YAAAA,aC5LW,SACbJ,UAE04S,GAAM5S,aAAoBA,YAAqBD,EA AiBC,ODyLvD8T, CAAoB9T,KAG9BO,EACJwH,EA AQ3H,aAAe2H,EA AQqC,YACxBsI,GAAO3K,EA AQ3H,iBA AgB2H,EA AQq C,YAC1CrC,EA AQqC,aAAeA,EA GvB2J,EACJP,GAAwBxT,EA AgC0T,MACpDrI,MAAM9L,UAAUyU,OAASH U,EA AgC0T,MAAOA,GAAOO,OAAOpT,SAC9E6S,EAGFQ,EA AoBnM,EA AQmM,kBAE5BV,GAAsBxT,EA AO kU,oBAG7BA,EA FEnM,EA AQmM,kBAEU,SAACC,EAAMC,EA AUC,UAC/BrU,EA AgCkU,kBACICCC,EACA C,EACAC,IAEAtM,EA AQmM,kBAA4CC,EAAMC,EA AUC,IAGIDrU,EA AgCkU,uBAkBTdI,EAdEC,EA AiB,IA AIpK,EACzB3H,EACAjC,EACAiT,EA AuBxT,EA AgBuU,oBA AKCrO,GAKrEqE,EA AWgK,EA AehK,UAA6B,IA AjBmJ,EAAMxU,OAQ5CsV,EA Aa,SAAC7F,EA AO8F,UAhJ7B,SACEC,EACA/F,EACAgG,EACApK,OAGSqK, EAOLF,EAPFhB,MACAa,EAMEG,EANFH,eACAjC,EAKEoC,EALFpC,aCAAuC,EAIEH,EAJFG,mBACAX,EA GEQ,EAHFR,kBACA3T,EAEE mU,EAFFnU,kBACAP,EACE0U,EADF1U,OAI2B,eAAzBC,QAAQC,IAAIC,UA A2B2U,gBAACvU,SAPe3D,SA AKcG,S,EA A2B5D,EA Ae+Y,EA A1CnB,IAAAA,EA Aa3S,OAIvC0M,OA AeqC,G

AAO4D,MAAAA,IACtBwC,EAAGB,UAETBrB,EAAMnS,SAAQ,SAAAYT,OAER9D,EErD4B/P,EAAYC,EFoDx  
C6T,EAakBD,MAQjB9D,KALDrR,EAAWoV,KACbA,EAakBA,EAAGB3I,IAIx2I,EACV3I,EAQ4E,GAAO6  
D,EAac7D,GACnB,cAARA,GE9D4B/P,EF+DZ4T,EAac7D,GE/DU9P,EF+DJ6T,EAAGB/D,GE9DnD/P,GAACK  
,EAAOD,MAAKC,EAAMD,GAACK,GF+DzB6T,EAAGB/D,MAKnB,CAAC5E,EAASyI,GakDQG,CAFXC,GA  
AexG,EAaOH,aAAW4E,IAAed,IAEX1S,EAac+O,EAaOiG,GAAjEtI,OAASoH,OAeV0B,EAjDR,SACEb,EAC  
AhK,EACAkW,EACAM,OAEM1K,EAaA4D,KACb3D,EAAS6D,KAET6G,EAAY/K,EACdgK,EAe9J,wBAAw  
B7K,EAac+K,EAAYC,GACjE2J,EAe9J,wBAAwBsK,EAaepK,EAAYC,SAGzC,eAAzB3K,QAAQC,IAAIC,U  
AA2B2U,gBAAcQ,GAE5B,eAAzBrV,QAAQC,IAAIC,WAA8BoK,GAAY8K,GACxDA,EAAMBC,GAGdA,EA6  
BoBC,CACzBhB,EACAhK,EACA+B,EACyB,eAAzBrM,QAAQC,IAAIC,SAA4BuU,EAAMBW,wBAAqBnP,GA  
G5EsP,EAaeb,EAefN,EAa6BX,EAAM+B,KAAO9G,EAAM8G,KAAO/B,EAAMgC,IAAM/G,EAAM+G,IAAM  
1V,EAe/E2V,EAac/C,GAAMyB,GACpBuB,EAAGBIC,IAAU/E,OAaAa,KAAU+E,GAAU/E,EAC3DkH,EAakB,  
OAGnB,IAAM3E,KAAO0E,EACD,MAAX1E,EAaI,IAAsB,OAARA,IACL,gBAARA,EACP2E,EAAGBH,GAACK  
E,EAac1E,IAEnCgD,EACIA,EAakBhD,EAak4E,EAAWzB,IACICsB,GACAG,EAaU5E,MAId2E,EAAGB3E,G  
AAO0E,EAac1E,YAIrCvC,EAAM/J,OAAS8O,EAAM9O,QAAU+J,EAAM/J,QACvCiR,EAAGBjR,WAAa+J,EA  
AM/J,SAAU8O,EAAM9O,QAGrDiR,EAAGBP,UAAYjK,MAAM9L,UAC/ByU,OACCa,EACAtU,EACA6U,IAAU  
B7U,EAaOb6U,EAaqB,KACHeZG,EAAM2G,UACN5B,EAAM4B,WAEPbB,OAaOpT,SACPgB,KAAK,KAERg  
U,EAAGBpB,IAAMe,EAef9P,gBAAc2O,EAaObwB,IAuEhBvB,EAawB3F,EAaO8F,EAakIK,WAE7DiK,EA  
WpU,YAAcA,GAezBkU,EAa2BtG,EAAMwG,WAAWA,IACrBd,MAAQK,EAC/BO,EAaUBC,eAAiBA,EACxC  
D,EAaUBI,UAAcA,EACrCkU,EAaUBJ,kBAaObA,EAi3CI,EAaUBO,mBAaqBrB,EACxCnI,MAAM9L,UAAU  
yU,OACZHU,EAAGC6U,mBACHC7U,EAAGCO,mBAepCb,EAeJ4U,EAaUB/T,kBAaObA,EAG3C+T,EAaUBtU,  
OAASwT,EAC1BxT,EAAGCA,OACICA,EAeJsU,EAaUByB,cAAgB,SAAuB/T,OACvCgU,EAa0CjO,EAavDqC  
,YAAqC6L,uIAakBIO,mBAezDmO,EACJF,GACGA,OAaUBpD,GAAM5Q,GAAOA,EAAM0Q,GAAO3S,EAaI  
BiC,YAQhEuR,GAAsBvR,OALxBiU,GACHvC,MAAOK,EACP3J,YAAa8L,IAG+B1T,IAGhDID,OAaO6W,eAA  
e7B,EAawB,eAAgB,CAC5DvQ,sBACsZB,KAAK8T,qBAGdvT,aAAImO,QACGoF,oBAAsB5C,EACvB6C,GAA  
M,GAAMrW,EAAGCsS,aAActB,GAC1DA,KAIqB,eAAzB/Q,QAAQC,IAAIC,WACd0R,GAAqBzR,EAaAG,GAE  
IC+T,EAaUBe,4BGzSXjV,EAaqBgK,OAC/BkM,EAAMB,GACnBC,GAac,SAEX,SAACjB,OACDiB,IACHD,E  
AAiBhB,IAAa,EAC1BhW,OAaOkX,KAAKF,GAakBpX,QATnB,KASoC,KAG3CuX,EAaIBrM,sBAakCA,MA  
AiB,GAe1EwG,QAAQC,KACN,iDAAsDzQ,EAacqW,oQAuTEF,GAac,EACdD,EAAMB,KHiRqBI,CAC1CtW,E  
ACAG,IAIJ+T,EAaUBjV,SAAW,qBAaUiV,EAaUB/T,mBAE/DkT,GACfkd,EAIErC,EAa0BtU,EAa0D,CAEPf  
0T,OAaO,EACPa,gBAAGB,EACHBnU,aAAa,EACbyU,oBAaOb,EACpBX,mBAAMb,EACnB3T,mBAAMb,EA  
CnBP,QAAQ,EACR+V,eAAe,IAIZzB,ElpUT,ICIMsC,GAAS,SAAC5U,mBCCQ6U,EACtBC,EACA9U,EACA+F,  
eAAAA,IAAAA,EAakBnI,IAEbmX,qBAAMb/U,UACfY,EAaIB,EAAG4G,OAaOxH,QAK9BgV,EAAMb,kBA  
AaF,EAaqB9U,EAak+F,EAASzE,oCAGzE0T,EAaIBC,WAAa,SAAAC,UAC5BL,EAaqBC,EAAsB9U,OAaU+  
F,KAAymP,KAGnEF,EAaIBtD,MAAQ,SAAAA,UACvBmD,EAaqBC,EAAsB9U,OACtC+F,GACH2L,MAAOI  
,MAAM9L,UAAUyU,OAaOjM,EAaQ2L,MAAOA,GAAOO,OAaOpT,aAGxDmW,EdzBuBH,CAaqBM,GAaI  
BnV,IDJvD,CACb,IACA,OACA,UACA,OACA,UACA,QACA,QACA,IACA,OACA,MACA,MACA,MACA,aAC  
A,OACA,KACA,SACA,SACA,UACA,OACA,OACA,MACA,WACA,OACA,WACA,KACA,MACA,UACA,MA  
CA,SACA,MACA,KACA,KACA,KACA,QACA,WACA,aACA,SACA,SACA,OACA,KACA,KACA,KACA,KAC  
A,KACA,KACA,OACA,SACA,SACA,KACA,OACA,IACA,SACA,MACA,QACA,MACA,MACA,SACA,QACA,  
SACA,KACA,OACA,OACA,MACA,OACA,UACA,OACA,WACA,OACA,QACA,MACA,WACA,SACA,KACA,  
WACA,SACA,SACA,IACA,QACA,UACA,MACA,WACA,IACA,KACA,KACA,OACA,IACA,OACA,SACA,UA  
CA,SACA,QACA,SACA,OACA,SACA,QACA,MACA,UACA,MACA,QACA,QACA,KACA,WACA,QACA,KA  
CA,QACA,OACA,QACA,KACA,QACA,IACA,KACA,MACA,QACA,MAGA,SACA,WACA,OACA,UACA,gBA  
CA,IACA,QACA,OACA,iBACA,SACA,OACA,OACA,UACA,UACA,WACA,iBACA,OACA,OACA,MACA,OA  
CA,WACA,SCnIUT,SAAQ,SAAA6V,GACIBR,GAAOQ,GAACr,GAAOQ,UELTC,yBAOP7U,EAAGB4H,QACr  
B5H,MAAQA,OACR4H,YAAcA,OACdG,SAAWN,EAacZH,GAI9BsF,EAAWS,WAAWjG,KAAK8H,YAAc.8B  
AG3CkN,aAAA,SACEC,EACA7M,EACAC,EACAC,OAGMtH,EAAMsH,EAIDIE,GAAQxI,KAAKE,MAAOKI,E  
AAKBC,EAAYC,GACvC/I,KAAK,IAAK,IAC/BgC,EAakvB,KAAK8H,YAAcmN,EAG9B5M,EAAWpI,YAAyS

B,EAAIA,EAAIP,MAGjCkU,aAAA,SAAaD,EAakB5M,GAC7BA,EAaw1B,WAAW3G,KAAK8H,YAAcmN,MAG3CE,aAAA,SACEF,EACA7M,EACAC,EACAC,GAEI2M,EAaw,GAAgZP,EAaws,WAAWjG,KAAK8H,YAAcmN,QAGtDC,aAAaD,EAAU5M,QACvB2M,aAAaC,EAAU7M,EAakBC,EAAYC,ScTczC8M,2CAYnBC,cAAgB,eACRrU,EAAMwM,EAakYH,SAASIY,eACrBiE,EAak,MAAO,OAEX+C,EAAQjB,oBACA,CAACiB,aAAmBA,MAAa7F,YAAqBoX,+BAC7C3D,OAAOpT,SAASgB,KAAK,SAEfyB,mBAW/BuU,aAAe,kBACT/H,EAakgI,OACAIv,EAaiB,GAGnBkN,EAak6H,sBAGdI,gBAakB,oBACZjI,EAakgI,cACAIv,EAaiB,OAGpB+L,UACHnO,GAAU,KtChDc,uBACL4F,UsCiDpB4R,wBAAyB,CACvBC,OAAQnI,EAakYH,SAASIY,eAIpBgH,EAQjB,WACvBiB,IACDsI,EAAYtI,MAAQA,GAlhB,CAAC2H,6BAAWW,GAAOuC,IAAI,mBAsDhCgH,KAAO,WACLpI,EAakgI,QAAS,QAzGTP,SAAW,IAAIzP,EAaw,CAAef,UAAU,SACtCkQ,QAAS,6BachBK,cAAA,SAACiI,UACRnN,KAAKwV,OACAIv,EAaiB,GAGnBoL,gBAACU,IAAkBpK,MAAOHC,KAAKiV,UAAW9H,MAkCnD2I,yBAAA,SAAYBC,UAEzV,EAaiB,SCvEjB0V,GAAC,CACzBxQ,WAAAA,EACauG,YAAAA,ICmByB,eAAzBpO,QAAQC,IAAIC,UACS,oBAAaDoY,WACe,gBAAtBA,UAAUC,SAGV5H,QAAQC,KACN,wNAOyB,eAAzB5Q,QAAQC,IAAIC,UAAaD,SAAZBF,QAAQC,IAAIC,UAAyC,oBAAxQ,SACrFA,OAAO,8BAAgCA,OAAO,+BAAiC,EAEIC,IAAZCA,OAAO,+BAETiQ,QAAQC,KACN,4TAOJIQ,OAAO,+BAAiC,8LXP3B,SAaUBgO,OAC9B8J,EAAajK,aAAW4E,IACxBsF,EAae1J,WAAQ,kBA9B/B,SAAoBuD,EAAsBkG,OACnCIg,SACI3P,EAaiB,OAGtB/C,EAaw0S,GAAQ,KACfoG,EAACPg,EAAMkG,SAGC,eAAzBxY,QAAQC,IAAIC,UACK,OAAhBwY,IAAwBtN,MAAMC,QAAQqN,IAAuC,iBAAhBA,EAKzDA,EAHE/V,EAaiB,UAMxByI,MAAMC,QAAQiH,IAA2B,iBAAVA,EAC1B3P,EAaiB,GAGnB6V,OAAkBA,KAAeIG,GAAUA,EAQfqG,CAAWjK,EAAM4D,MAAOkG,KAAa,CACtE9J,EAAM4D,MACNkG,WAGG9J,EAAMc,SAIJzB,gBAACoF,GAAa/D,UAASC,MAAOoJ,GAae/J,EAAMc,UAHjD,uDYtCI,SACb5Q,8BACGC,mCAAAA,wBAEG0D,EAAQc,iBAAIzE,UAAyC,IACxByB,eAAiCqT,GAAoBiF,KAAKC,UAAUtW,IACpEuW,EAAC,IAAI1B,GAAY7U,EAAOjC,YAMICyY,EAAqBrK,OACtBhE,EAAa4D,KACb3D,EAAS6D,KACT8D,EAAQ/D,aAAW4E,IAGnBmE,EAfCnF,SAAOzH,EAAWjC,mBAAmBnI,IAE5BOY,cAEA,eAAzBhZ,QAAQC,IAAIC,UAA6B6N,EAAMuB,SAAS2J,MAAMvK,EAAMc,WAEtEmB,QAAQC,mCACwBtQ,uEAKP,eAAzBN,QAAQC,IAAIC,UACZqC,EAAM2W,MAAK,SAAArS,SAAwB,iBAA TA,IAAkD,IAA7BA,EAakqG,QAAQ,eAG5DyD,QAAQC,qVAKNIG,EAawzC,QACbuP,EAaAF,EAAU5I,EAaOhE,EAAY4H,EAAO3H,GAOjDwO,mBAAgB,eACTzO,EAawzC,cACduP,EAaAF,EAAU5I,EAaOhE,EAAY4H,EAAO3H,GAC1C,kBAAMmO,EAAYvB,aAAaD,EAAU5M,MAEjD,CAAC4M,EAAU5I,EAaOhE,EAAY4H,EA AO3H,IAGnC,cAGA6M,EAaAF,EAAU5I,EAaOhE,EAAY4H,EAAO3H,MACpDmO,EAAYxO,SACdwO,EAAYtB,aAAaF,EAAUvW,EAA0B2J,EAAYC,OACpE,KACC0B,OACDqC,GACH4D,MAAO4C,GAAexG,EAAO4D,EAAOyG,EAAqB1G,gBAG3DyG,EAAYtB,aAAaF,EAAUjL,EAAS3B,EAAYC,UAZD/B,eAAzB3K,QAAQC,IAAIC,UACd0R,GAAqBtR,GA6DhByN,EAAMqL,KAAKL,oFC9EL,SACbna,GAK2B,eAAzBoB,QAAQC,IAAIC,UACS,oBAAaDoY,WACe,gBAAtBA,UAAUC,SAGV5H,QAAQC,KACN,8IAVD/R,mCAAAA,wBAcG0D,EAAQc,iBAAIzE,UAAyC,IAAgB+C,KAAK,IAC7CxB,EAAOuT,GAAoBpR,UAC1B,IAAIkN,GAAUrP,EAAMmC,qBCtBZ,kBAAMgM,aAAW4E,qB3CORhN,mC4CGvKT,OAERC,EAAYvL,EAAMwG,YAAW,SAAC7F,EAAO8F,OACnCIc,EAAQ/D,aAAW4E,IAEjBd,EAaiBgH,EAajBhH,aACfKH,EAAYrE,GAAexG,EAAO4D,EAAOD,SAEIB,eAAzBrS,QAAQC,IAAIC,eAA2C+F,IAAdS,T,GAE3C5I,QAAQC,8HACmH9Q,EACvHuZ,QAKCtL,gBAACsL,OAAc3K,GAAO4D,MAAOiH,EAaw/E,IAAKA,eAGtDgF,EAaAF,EAawD,GAExBC,EAAUnZ,yBAA2BL,EAaiBuZ,OAE/CC" }

Found in path(s):

```
* /opt/cola/permits/1316419017_1651001618.77/0/styled-components-5-3-5-2-tgz/package/dist/styled-components.browser.cjs.js.map
```

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"styled-components.native.esm.js","sources":["../../src/utills/generateAlphabeticName.js","../../src/utills/hash.js","../../src/utills/generateComponentId.js","../../src/utills/getComponentName.js","../../src/utills/isFunction.js","../../src/utills/isStatelessFunction.js","../../src/utills/isPlainObject.js","../../src/utills/isStyledComponent.js","../../src/constants.js","../../src/utills/
```



empties.js", "../../src/utls/errors.js", "../../src/utls/error.js", "../../src/sheet/GroupedTag.js", "../../src/sheet/GroupIDAllo  
cator.js", "../../src/sheet/Rehydration.js", "../../src/utls/nonce.js", "../../src/sheet/dom.js", "../../src/sheet/Tag.js", "../../src/  
sheet/Sheet.js", "../../src/utls/stylisPluginInsertRule.js", "../../src/utls/stylis.js", "../../src/models/StyleSheetManager.js  
", "../../src/models/Keyframes.js", "../../src/utls/hyphenateStyleName.js", "../../src/utls/addUnitIfNeeded.js", "../../src/u  
tils/flatten.js", "../../src/vendor/postcss/warn-  
once.js", "../../src/vendor/postcss/tokenize.js", "../../src/vendor/postcss/terminal-  
highlight.js", "../../src/vendor/postcss/css-syntax-  
error.js", "../../src/vendor/postcss/stringifier.js", "../../src/vendor/postcss/stringify.js", "../../src/vendor/postcss/node.js",  
"../../src/vendor/postcss/declaration.js", "../../src/vendor/postcss/comment.js", "../../src/vendor/postcss/parser.js", "../../s  
rc/vendor/postcss/parse.js", "../../src/vendor/postcss/container.js", "../../src/vendor/postcss/at-  
rule.js", "../../src/vendor/postcss/list.js", "../../src/vendor/postcss/rule.js", "../../src/vendor/postcss/warning.js", "../../src/v  
endor/postcss/result.js", "../../src/vendor/postcss/lazy-  
result.js", "../../src/vendor/postcss/processor.js", "../../src/vendor/postcss/root.js", "../../src/vendor/postcss/input.js", "../../  
/src/vendor/postcss-safe-parser/safe-parser.js", "../../src/vendor/postcss-safe-  
parser/parse.js", "../../src/models/InlineStyle.js", "../../src/utls/mixinDeep.js", "../../src/utls/determineTheme.js", "../../s  
rc/utls/isTag.js", "../../src/utls/generateDisplayName.js", "../../src/models/ThemeProvider.js", "../../src/models/Styled  
NativeComponent.js", "../../src/utls/interleave.js", "../../src/constructors/css.js", "../../src/constructors/constructWithOp  
tions.js", "../../src/hoc/withTheme.js", "../../src/hooks/useTheme.js", "../../src/native/index.js"], "sourcesContent": ["//  
@flow\n/\* eslint-disable no-bitwise \*\nconst AD\_REPLACER\_R = /(a)(d)/gi;\n\n/\* This is the \"capacity\" of  
our alphabet i.e. 2x26 for all letters plus their capitalised\n \* counterparts \*\nconst charsLength = 52;\n\n/\* start at  
75 for 'a' until 'z' (25) and then start at 65 for capitalised letters \*\nconst getAlphabeticChar = (code: number): string  
=>\n String.fromCharCode(code + (code > 25 ? 39 : 97));\n\n/\* input a number, usually a hash and convert it to  
base-52 \*\nexport default function generateAlphabeticName(code: number): string {\n let name = \";\n let x;\n\n /\*  
get a char and divide by alphabet-length \*\n for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0)  
{\n name = getAlphabeticChar(x % charsLength) + name;\n }\n\n return (getAlphabeticChar(x % charsLength) +  
name).replace(AD\_REPLACER\_R, '\$1-\$2');\n}\n\n\"// @flow\n/\* eslint-disable \*\n\nexport const SEED =  
5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we pretend that  
we're still looping over\n// the same string\nexport const phash = (h: number, x: string): number => {\n let i =  
x.length;\n\n while (i) {\n h = (h \* 33) ^ x.charCodeAt(--i);\n }\n\n return h;\n};\n\n// This is a djb2 hashing  
function\nexport const hash = (x: string): number => {\n return phash(SEED, x);\n};\n\n\"// @flow\n/\* eslint-disable  
\*\nimport generateAlphabeticName from './generateAlphabeticName';\nimport { hash } from './hash';\n\nexport  
default (str: string): string => {\n return generateAlphabeticName(hash(str) >>> 0);\n};\n\n\"// @flow\nimport type {  
IStyledComponent } from './types';\n\nexport default function getComponentName(\n target:  
\$PropertyType<IStyledComponent, 'target'>): string {\n return (\n (process.env.NODE\_ENV !== 'production' ?  
typeof target === 'string' && target : false) ||\n // \$FlowFixMe\n target.displayName ||\n // \$FlowFixMe\n  
target.name ||\n 'Component'\n );\n}\n\n\"// @flow\nexport default function isFunction(test: any): boolean %checks  
{\n return typeof test === 'function';\n}\n\n\"// @flow\nexport default function isStatelessFunction(test: any):  
boolean {\n return (\n typeof test === 'function'\n && !(\n test.prototype\n &&  
test.prototype.isReactComponent\n )\n );\n}\n\n\"// @flow\nimport { typeOf } from 'react-is';\n\nexport default (x:  
any): boolean =>\n x !== null &&\n typeof x === 'object' &&\n (x.toString ? x.toString() :  
Object.prototype.toString.call(x)) === '[object Object]' &&\n !typeOf(x);\n\n\"// @flow\nexport default function  
isStyledComponent(target: any): boolean %checks {\n return target && typeOf(target.styledComponentId) ===  
'string';\n}\n\n\"// @flow\n\ndeclare var SC\_DISABLE\_SPEEDY: ?boolean;\ndeclare var \_\_VERSION\_\_:  
string;\n\nexport const SC\_ATTR: string =\n (typeof process !== 'undefined' &&  
(process.env.REACT\_APP\_SC\_ATTR || process.env.SC\_ATTR)) ||\n 'data-styled';\n\nexport const  
SC\_ATTR\_ACTIVE = 'active';\nexport const SC\_ATTR\_VERSION = 'data-styled-version';\n\nexport const  
SC\_VERSION = \_\_VERSION\_\_;\n\nexport const SPLITTER = '/\*!sc\*\n';\n\nexport const IS\_BROWSER = typeOf  
window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE\_SPEEDY =\n Boolean(typeof

```

SC_DISABLE_SPEEDY === 'boolean\n  ? SC_DISABLE_SPEEDY\n  : (typeof process !== 'undefined' &&
typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined' &&
process.env.REACT_APP_SC_DISABLE_SPEEDY !== '\n  ?
process.env.REACT_APP_SC_DISABLE_SPEEDY === 'false' ? false :
process.env.REACT_APP_SC_DISABLE_SPEEDY\n  : (typeof process !== 'undefined' && typeof
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== '\n  ?
process.env.SC_DISABLE_SPEEDY === 'false' ? false : process.env.SC_DISABLE_SPEEDY\n  :
process.env.NODE_ENV !== 'production'\n  )\n  ));\n\n// Shared empty execution context when generating static
styles\nexport const STATIC_EXECUTION_CONTEXT = {};\n\n// @flow\nexport const EMPTY_ARRAY =
Object.freeze([]);\nexport const EMPTY_OBJECT = Object.freeze({});\n", "export default {\n  "1": "Cannot create
styled-component for component: %s.\n\n", "2": "Can't collect styles once you've consumed a
`ServerStyleSheet`'s styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.\n\n- Are you
trying to reuse it across renders?\n- Are you accidentally calling collectStyles twice?\n\n", "3": "Streaming SSR
is only supported in a Node.js environment; Please do not try to call this method in the browser.\n\n", "4": "The
`StyleSheetManager` expects a valid target or sheet prop!\n\n- Does this error occur on the client and is your target
false?\n- Does this error occur on the server and is the sheet false?\n\n", "5": "The clone method cannot be used
on the client!\n\n- Are you running in a client-like environment on the server?\n- Are you trying to run SSR on the
client?\n\n", "6": "Trying to insert a new style tag, but the given Node is unmounted!\n\n- Are you using a
custom target that isn't mounted?\n- Does your document not have a valid head element?\n- Have you accidentally
removed a style tag manually?\n\n", "7": "ThemeProvider: Please return an object from your `\"theme\"` prop
function, e.g.\n\n```\njs\ntheme={() => ({})}\n```\n\n", "8": "ThemeProvider: Please make your `\"theme\"`
prop an object.\n\n", "9": "Missing document `<head>\n\n", "10": "Cannot find a StyleSheet instance. Usually
this happens if there are multiple copies of styled-components loaded at once. Check out this issue for how to
troubleshoot and fix the common cases where this situation can happen: https://github.com/styled-
components/styled-components/issues/1941#issuecomment-417862021\n\n", "11": "_ This error was replaced
with a dev-time warning, it will be deleted for v4 final. [createGlobalStyle] received children which will not be
rendered. Please use the component without passing children elements.\n\n", "12": "It seems you are interpolating
a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer
supported in v4 as keyframes are now injected on-demand. Please wrap your string in the css` helper which
ensures the styles are injected correctly. See https://www.styled-components.com/docs/api#css\n\n", "13": "%s is
not a styled component and cannot be referred to via component selector. See https://www.styled-
components.com/docs/advanced#referring-to-other-components for more details.\n\n", "14": "ThemeProvider:
`\"theme\"` prop is required.\n\n", "15": "A stylis plugin has been supplied that is not named. We need a name
for each plugin to be able to prevent styling collisions between different stylis configurations within the same app.
Before you pass your plugin to `<StyleSheetManager stylisPlugins={[]}>`, please make sure each plugin is
uniquely-named, e.g.\n\n```\njs\nObject.defineProperty(importedPlugin, 'name', { value: 'some-unique-name'
});\n```\n\n", "16": "Reached the limit of how many styled components may be created at group %s.\n\nYou may
only create up to 1,073,741,824 components. If you're creating components dynamically,\n\nas for instance in your
render method then you may be running into this limitation.\n\n", "17": "CSSStyleSheet could not be found on
HTMLStyleElement.\n\nHas styled-components' style tag been unmounted or altered by another script?\n\n"};\n\n//
@flow\nimport errorMap from './errors';\n\nconst ERRORS = process.env.NODE_ENV !== 'production' ? errorMap
: {};\n\n/**\n * super basic version of sprintf\n */\nfunction format(...args) {\n  let a = args[0];\n  const b = [];\n\n  for (let c = 1, len = args.length; c < len; c += 1) {\n    b.push(args[c]);\n  }\n\n  b.forEach(d => {\n    a =
a.replace(/%[a-z]/, d);\n  });\n\n  return a;\n}\n\n/**\n * Create an error file out of errors.md for development and a
simple web link to the full errors\n * in production mode.\n */\nexport default function
throwStyledComponentsError(\n  code: string | number,\n  ...interpolations: Array<any>\n) {\n  if
(process.env.NODE_ENV === 'production') {\n    throw new Error(\n      `An error occurred. See
https://git.io/JUIaE#${code} for more information.$\n      interpolations.length > 0 ? ` Args:

```

```

    ${interpolations.join(',')} : "\n  }\n );\n } else {\n  throw new Error(format(ERRORS[code],
...interpolations).trim());\n }\n}\n", "// @flow\n/* eslint-disable no-use-before-define */\n\nimport type {
GroupedTag, Tag } from './types';\nimport { SPLITTER } from './constants';\nimport throwStyledError from
 './utils/error';\n\n/** Create a GroupedTag with an underlying Tag implementation */\nexport const
makeGroupedTag = (tag: Tag): GroupedTag => {\n  return new DefaultGroupedTag(tag);\n};\n\nconst BASE_SIZE
= 1 << 9;\n\nclass DefaultGroupedTag implements GroupedTag {\n  groupSizes: Uint32Array;\n\n  length:
number;\n\n  tag: Tag;\n\n  constructor(tag: Tag) {\n    this.groupSizes = new Uint32Array(BASE_SIZE);\n
this.length = BASE_SIZE;\n    this.tag = tag;\n  }\n\n  indexOfGroup(group: number): number {\n    let index = 0;\n
for (let i = 0; i < group; i++) {\n    index += this.groupSizes[i];\n  }\n\n  return index;\n }\n\n
insertRules(group: number, rules: string[]): void {\n  if (group >= this.groupSizes.length) {\n    const oldBuffer =
this.groupSizes;\n    const oldSize = oldBuffer.length;\n\n    let newSize = oldSize;\n    while (group >=
newSize) {\n      newSize <<= 1;\n      if (newSize < 0) {\n        throwStyledError(16, `${group}`);\n      }\n
}\n\n    this.groupSizes = new Uint32Array(newSize);\n    this.groupSizes.set(oldBuffer);\n    this.length =
newSize;\n\n    for (let i = oldSize; i < newSize; i++) {\n      this.groupSizes[i] = 0;\n    }\n  }\n\n  let ruleIndex
= this.indexOfGroup(group + 1);\n  for (let i = 0, l = rules.length; i < l; i++) {\n    if (this.tag.insertRule(ruleIndex,
rules[i])) {\n      this.groupSizes[group]++;\n      ruleIndex++;\n    }\n  }\n\n  clearGroup(group: number):
void {\n    if (group < this.length) {\n      const length = this.groupSizes[group];\n      const startIndex =
this.indexOfGroup(group);\n      const endIndex = startIndex + length;\n\n      this.groupSizes[group] = 0;\n\n      for
(let i = startIndex; i < endIndex; i++) {\n        this.tag.deleteRule(startIndex);\n      }\n    }\n\n    getGroup(group:
number): string {\n      let css = "";\n      if (group >= this.length || this.groupSizes[group] === 0) {\n        return css;\n
}\n\n      const length = this.groupSizes[group];\n      const startIndex = this.indexOfGroup(group);\n      const endIndex
= startIndex + length;\n      for (let i = startIndex; i < endIndex; i++) {\n        css +=
`${this.tag.getRule(i)}${SPLITTER}`;\n      }\n\n      return css;\n    }\n  }\n\n  // @flow\nimport throwStyledError from
 './utils/error';\n\nconst MAX_SMI = 1 << 31 - 1;\n\nlet groupIDRegister: Map<string, number> = new Map();\nlet
reverseRegister: Map<number, string> = new Map();\nlet nextFreeGroup = 1;\n\nexport const resetGroupIds = () =>
{\n  groupIDRegister = new Map();\n  reverseRegister = new Map();\n  nextFreeGroup = 1;\n};\n\nexport const
getGroupForId = (id: string): number => {\n  if (groupIDRegister.has(id)) {\n    return (groupIDRegister.get(id):
any);\n  }\n\n  while (reverseRegister.has(nextFreeGroup)) {\n    nextFreeGroup++;\n  }\n\n  const group =
nextFreeGroup++;\n\n  if (\n    process.env.NODE_ENV !== 'production' &&\n    ((group | 0) < 0 || group >
MAX_SMI)\n  ) {\n    throwStyledError(16, `${group}`);\n  }\n\n  groupIDRegister.set(id, group);\n
reverseRegister.set(group, id);\n  return group;\n};\n\nexport const getIdForGroup = (group: number): void | string
=> {\n  return reverseRegister.get(group);\n};\n\nexport const setGroupForId = (id: string, group: number) => {\n  if
(group >= nextFreeGroup) {\n    nextFreeGroup = group + 1;\n  }\n\n  groupIDRegister.set(id, group);\n
reverseRegister.set(group, id);\n};\n\n// @flow\nimport { SPLITTER, SC_ATTR, SC_ATTR_ACTIVE,
SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport { getIdForGroup, setGroupForId } from
 './GroupIDAllocator';\nimport type { Sheet } from './types';\n\nconst SELECTOR =
`style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`;\n\nconst MARKER_RE = new
RegExp(`^${SC_ATTR}\\\\\\\\.g(\\\\\\\\d+)(\\\\\\\\[id=](\\\\\\\\w\\\\\\\\d-]+)\\\\\\\\\\\\\\\\. *?([\\^"]*)`);\n\nexport const outputSheet =
(sheet: Sheet) => {\n  const tag = sheet.getTag();\n  const { length } = tag;\n\n  let css = "";\n  for (let group = 0;
group < length; group++) {\n    const id = getIdForGroup(group);\n    if (id === undefined) continue;\n\n    const
names = sheet.names.get(id);\n    const rules = tag.getGroup(group);\n    if (!names || !rules || !names.size)
continue;\n\n    const selector = `${SC_ATTR}.g${group}[id=${id}]`;\n\n    let content = "";\n    if (names !==
undefined) {\n      names.forEach(name => {\n        if (name.length > 0) {\n          content += `${name},`;\n        }\n
});\n    }\n\n    // NOTE: It's easier to collect rules and have the marker\n    // after the actual rules to simplify the
rehydration\n    css += `${rules}${selector}{content:"${content}"}`;\n  }\n\n  return
css;\n};\n\nconst rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n  const names =
content.split(',');\n  let name;\n\n  for (let i = 0, l = names.length; i < l; i++) {\n    // eslint-disable-next-line\n    if
((name = names[i])) {\n      sheet.registerName(id, name);\n    }\n  }\n};\n\nconst rehydrateSheetFromTag = (sheet:

```

```

Sheet, style: HTMLStyleElement) => {\n  const parts = (style.textContent || "").split(SPLITTER);\n  const rules:
string[] = [];\n  for (let i = 0, l = parts.length; i < l; i++) {\n    const part = parts[i].trim();\n    if (!part) continue;\n    const marker = part.match(MARKER_RE);\n    if (marker) {\n      const group = parseInt(marker[1], 10) | 0;\n      const id = marker[2];\n      if (group !== 0) {\n        // Rehydrate componentId to group index mapping\n        setGroupForId(id, group);\n        // Rehydrate names and rules\n        // looks like: data-
styled.g11[id="idA"]{content:"nameA,"}\n        rehydrateNamesFromContent(sheet, id, marker[3]);\n        sheet.getTag().insertRules(group, rules);\n      }\n      rules.length = 0;\n    } else {\n      rules.push(part);\n    }\n  }\n}\n\nexport const rehydrateSheet = (sheet: Sheet) => {\n  const nodes =
document.querySelectorAll(SELECTOR);\n  for (let i = 0, l = nodes.length; i < l; i++) {\n    const node =
((nodes[i]: any): HTMLStyleElement);\n    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)\n    {\n      rehydrateSheetFromTag(sheet, node);\n      if (node.parentNode) {\n        node.parentNode.removeChild(node);\n      }\n    }\n  }\n}\n\n/** @flow\n  eslint-disable camelcase, no-undef
*\n  declare var window: { __webpack_nonce__: string };\n  const getNonce = () => {\n    return typeof window
!== 'undefined'\n      ? typeof window.__webpack_nonce__ !== 'undefined'\n        ? window.__webpack_nonce__\n        : null\n      : null;\n  }\n\n  export default getNonce;\n\n  /** @flow\n  import { SC_ATTR, SC_ATTR_ACTIVE,
SC_ATTR_VERSION, SC_VERSION } from './constants';\n  import getNonce from './utils/nonce';\n  import
throwStyledError from './utils/error';\n  const ELEMENT_TYPE = 1; /* Node.ELEMENT_TYPE *\n  /** Find
last style element if any inside target *\n  const findLastStyleTag = (target: HTMLElement): void |
HTMLStyleElement => {\n    const { childNodes } = target;\n    for (let i = childNodes.length; i >= 0; i--) {\n      const
child = ((childNodes[i]: any): ?HTMLElement);\n      if (child && child.nodeType === ELEMENT_TYPE &&
child.hasAttribute(SC_ATTR)) {\n        return ((child: any): HTMLStyleElement);\n      }\n    }\n    return
undefined;\n  }\n\n  /** Create a style element inside `target` or <head> after the last *\n  export const makeStyleTag =
(target?: HTMLElement): HTMLStyleElement => {\n    const head = ((document.head: any): HTMLElement);\n    const parent = target || head;\n    const style = document.createElement('style');\n    const prevStyle =
findLastStyleTag(parent);\n    const nextSibling = prevStyle !== undefined ? prevStyle.nextSibling : null;\n    style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n    style.setAttribute(SC_ATTR_VERSION,
SC_VERSION);\n    const nonce = getNonce();\n    if (nonce) style.setAttribute('nonce', nonce);\n    parent.insertBefore(style, nextSibling);\n    return style;\n  }\n\n  /** Get the CSSStyleSheet instance for a given style
element *\n  export const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n    if (tag.sheet) {\n      return
((tag.sheet: any): CSSStyleSheet);\n    }\n    // Avoid Firefox quirk where the style element might not have a sheet
property\n    const { styleSheets } = document;\n    for (let i = 0, l = styleSheets.length; i < l; i++) {\n      const sheet =
styleSheets[i];\n      if (sheet.ownerNode === tag) {\n        return ((sheet: any): CSSStyleSheet);\n      }\n    }\n    throwStyledError(17);\n    return (undefined: any);\n  }\n\n  /** @flow\n  eslint-disable no-use-before-define
*\n  import { makeStyleTag, getSheet } from './dom';\n  import type { SheetOptions, Tag } from './types';\n\n  /**
Create a CSSStyleSheet-like tag depending on the environment *\n  export const makeTag = ({ isServer,
useCSSOMInjection, target }: SheetOptions): Tag => {\n    if (isServer) {\n      return new VirtualTag(target);\n    } else
if (useCSSOMInjection) {\n      return new CSSOMTag(target);\n    } else {\n      return new TextTag(target);\n    }\n  }\n\n  export class CSSOMTag implements Tag {\n    element: HTMLStyleElement;\n\n    sheet:
CSSStyleSheet;\n\n    length: number;\n\n    constructor(target?: HTMLElement) {\n      const element = (this.element =
makeStyleTag(target));\n      // Avoid Edge bug where empty style elements don't create sheets\n      element.appendChild(document.createTextNode(""));
\n      this.sheet = getSheet(element);\n      this.length = 0;\n    }\n\n    insertRule(index: number, rule: string): boolean {\n      try {\n        this.sheet.insertRule(rule, index);\n        this.length++;\n      } catch (_error) {\n        return false;\n      }\n    }\n\n    deleteRule(index: number):
void {\n      this.sheet.deleteRule(index);\n      this.length--;\n    }\n\n    getRule(index: number): string {\n      const rule =
this.sheet.cssRules[index];\n      // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n      if (rule
!== undefined && typeof rule.cssText === 'string') {\n        return rule.cssText;\n      } else {\n        return "";\n      }\n    }\n  }\n\n  /** A Tag that emulates the CSSStyleSheet API but uses text nodes *\n  export class TextTag implements
Tag {\n    element: HTMLStyleElement;\n\n    nodes: NodeList<Node>;\n\n    length: number;\n\n    constructor(target?:

```

```

HTMLInputElement) {\n  const element = (this.element = makeStyleTag(target));\n  this.nodes =
element.childNodes;\n  this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <=
this.length && index >= 0) {\n      const node = document.createTextNode(rule);\n      const refNode =
this.nodes[index];\n      this.element.insertBefore(node, refNode || null);\n      this.length++;\n      return true;\n    }
else {\n      return false;\n    }\n  }\n\n  deleteRule(index: number): void {\n
this.element.removeChild(this.nodes[index]);\n  this.length--;\n  }\n\n  getRule(index: number): string {\n    if
(index < this.length) {\n      return this.nodes[index].textContent;\n    } else {\n      return ";\n    }\n  }\n}\n\n/** A
completely virtual (server-side) Tag that doesn't manipulate the DOM */\n\nexport class VirtualTag implements Tag
{\n  rules: string[];\n  length: number;\n\n  constructor(_target?: HTMLInputElement) {\n    this.rules = [];\n
this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <= this.length) {\n
this.rules.splice(index, 0, rule);\n    this.length++;\n    return true;\n  } else {\n    return false;\n  }\n}\n\n
deleteRule(index: number): void {\n  this.rules.splice(index, 1);\n  this.length--;\n}\n\n  getRule(index: number):
string {\n    if (index < this.length) {\n      return this.rules[index];\n    } else {\n      return ";\n    }\n  }\n}\n\n"/
@flow\nimport { DISABLE_SPEEDY, IS_BROWSER } from './constants';\nimport { EMPTY_OBJECT } from
'./utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport { getGroupForId } from
'./GroupIDAllocator';\nimport { outputSheet, rehydrateSheet } from './Rehydration';\nimport { makeTag } from
'./Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from './types';\n\nlet SHOULD_REHYDRATE =
IS_BROWSER;\n\ntype SheetConstructorArgs = {\n  isServer?: boolean,\n  useCSSOMInjection?: boolean,\n  target?: HTMLInputElement,\n};\n\ntype GlobalStylesAllocationMap = { [key: string]: number }; \ntype
NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions: SheetOptions = {\n  isServer:
!IS_BROWSER,\n  useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains the main stylesheet logic for
stringification and caching */\n\nexport default class StyleSheet implements Sheet {\n  gs:
GlobalStylesAllocationMap;\n  names: NamesAllocationMap;\n  options: SheetOptions;\n  server:
boolean;\n  tag: void | GroupedTag;\n\n  /** Register a group ID to give it an index */\n  static registerId(id:
string): number {\n    return getGroupForId(id);\n  }\n\n  constructor(\n    options: SheetConstructorArgs =
EMPTY_OBJECT,\n    globalStyles?: GlobalStylesAllocationMap = {},\n    names?: NamesAllocationMap\n  ) {\n
this.options = {\n    ...defaultOptions,\n    ...options,\n  }; \n  this.gs = globalStyles;\n  this.names = new
Map(names);\n  this.server = !!options.isServer;\n\n  // We rehydrate only once and use the sheet that is created
first\n  if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n    SHOULD_REHYDRATE =
false;\n    rehydrateSheet(this);\n  }\n}\n\n  reconstructWithOptions(options: SheetConstructorArgs,
withNames?: boolean = true) {\n    return new StyleSheet(\n      { ...this.options, ...options },\n      this.gs,\n
      (withNames && this.names) || undefined\n    );\n  }\n\n  allocateGSInstance(id: string) {\n    return (this.gs[id] =
(this.gs[id] || 0) + 1);\n  }\n\n  /** Lazily initialises a GroupedTag for when it's actually needed */\n  getTag():
GroupedTag {\n    return this.tag || (this.tag = makeGroupedTag(makeTag(this.options)));\n  }\n\n  /** Check
whether a name is known for caching */\n  hasNameForId(id: string, name: string): boolean {\n    return
this.names.has(id) && (this.names.get(id): any).has(name);\n  }\n\n  /** Mark a group's name as known for caching
*/\n  registerName(id: string, name: string) {\n    getGroupForId(id);\n\n    if (!this.names.has(id)) {\n      const
groupNames = new Set();\n      groupNames.add(name);\n      this.names.set(id, groupNames);\n    } else {\n
(this.names.get(id): any).add(name);\n    }\n  }\n\n  /** Insert new rules which also marks the name as known */\n
insertRules(id: string, name: string, rules: string[]) {\n    this.registerName(id, name);\n
this.getTag().insertRules(getGroupForId(id), rules);\n  }\n\n  /** Clears all cached names for a given group ID */\n
clearNames(id: string) {\n    if (this.names.has(id)) {\n      (this.names.get(id): any).clear();\n    }\n  }\n\n  /** Clears
all rules for a given group ID */\n  clearRules(id: string) {\n    this.getTag().clearGroup(getGroupForId(id));\n
this.clearNames(id);\n  }\n\n  /** Clears the entire tag which deletes all rules but not its names */\n  clearTag() {\n
// NOTE: This does not clear the names, since it's only used during SSR\n  // so that we can continuously output
only new rules\n  this.tag = undefined;\n  }\n\n  /** Outputs the current sheet as a CSS string with markers for SSR
*/\n  toString(): string {\n    return outputSheet(this);\n  }\n}\n\n"/\n\n * MIT License\n * Copyright (c) 2016
Sultan Tarimo\n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this

```

software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

function(insertRule) {
  const delimiter = '*/';
  const needle = `${delimiter}`;
  function toSheet(block) {
    if (block) {
      try {
        insertRule(`${block}`);
      } catch (e) {}
    }
    return function ruleSheet(context, content, selectors, parents, line, column, length, ns, depth, at) {
      switch (context) {
        // property
        case 1:
          // @import
          if (depth === 0 && content.charCodeAt(0) === 64) return insertRule(`${content};`), ";
          break;
        // selector
        case 2:
          if (ns === 0) return content + delimiter;
          break;
        // at-rule
        case 3:
          switch (ns) {
            // @font-face, @page
            case 102:
            case 112:
              return insertRule(selectors[0] + content), ";
              default:
                return content + (at === 0 ? delimiter : "");
          }
        case -2:
          content.split(needle).forEach(toSheet);
      }
    };
  }
  "import Stylis from '@emotion/stylis';
  import { type Stringifier } from './types';
  import { EMPTY_ARRAY, EMPTY_OBJECT } from './empties';
  import throwError from './error';
  import { phash, SEED } from './hash';
  import insertRulePlugin from './stylisPluginInsertRule';
  const COMMENT_REGEX = /\\s*\\/\\s*$/gm;
  const COMPLEX_SELECTOR_PREFIX = [':', '[', '!', '#'];
  type StylisInstanceConstructorArgs = {
    options?: Object,
    plugins?: Array<Function>,
  };
  export default function createStylisInstance({
    options = EMPTY_OBJECT,
    plugins = EMPTY_ARRAY,
  }: StylisInstanceConstructorArgs = EMPTY_OBJECT) {
    const stylis = new Stylis(options);
    // Wrap `insertRulePlugin` to build a list of rules,
    // and then make our own plugin to return the rules. This
    // makes it easier to hook into the existing SSR architecture
    let parsingRules = [];
    // eslint-disable-next-line consistent-return
    const returnRulesPlugin = context => {
      if (context === -2) {
        const parsedRules = parsingRules;
        parsingRules = [];
        return parsedRules;
      }
    };
    const parseRulesPlugin = insertRulePlugin(rule => {
      parsingRules.push(rule);
    });
    let _componentId: string;
    let _selector: string;
    let _selectorRegexp: RegExp;
    let _consecutiveSelfRefRegexp: RegExp;
    const selfReferenceReplacer = (match, offset, string) => {
      if (
        // do not replace the first occurrence if it is complex (has a modifier)
        (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length]) === -1 : true) &&
        // no consecutive self refs (.b.b); that is a precedence boost and treated differently
        !string.match(_consecutiveSelfRefRegexp)
      ) {
        return `${_componentId}`;
      }
      return match;
    };
    /**
     * When writing a style like
     *
     * & + & {
     *   color: red;
     * }
     *
     * The second ampersand should be a reference to the static component class.
     * stylis
     * has no knowledge of static class so we have to intelligently replace the base selector.
     *
     * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins
     *
     * <- more info about the context phase values
     *
     * "2"
     * means this plugin is taking effect at the very end after all other processing is complete
     */
    const selfReferenceReplacementPlugin = (context, _, selectors) => {
      if (context === 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {
        // eslint-disable-next-line no-param-reassign
        selectors[0] = selectors[0].replace(_selectorRegexp, selfReferenceReplacer);
      }
    };
    stylis.use([
      ...plugins,
      selfReferenceReplacementPlugin,
      parseRulesPlugin,
      returnRulesPlugin,
    ]);
    function stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {
      const flatCSS = css.replace(COMMENT_REGEX, "");
      const cssStr = selector && prefix ? `${prefix} ${selector} { ${flatCSS} }` : flatCSS;
      // stylis has no concept of state to be passed to plugins
      // but since JS is single-threaded, we can rely on that to ensure
      // these properties stay in sync with the current stylis run
      _componentId = componentId;
      _selector = selector;
      _selectorRegexp =

```

```

new RegExp(`\\\\\\${_selector}\\\\\\b`, 'g');\n  _consecutiveSelfRefRegExp = new
RegExp(`\\\\\\${_selector}\\\\\\b{2,}`);\n  return stylis(prefix || !selector ? " : selector, cssStr);\n })\n\n
stringifyRules.hash = plugins.length\n ? plugins\n .reduce((acc, plugin) => {\n   if (!plugin.name) {\n
throwStyledError(15);\n   }\n   return phash(acc, plugin.name);\n }, SEED)\n .toString()\n :
";\n\n return stringifyRules;\n}\n", "// @flow\nimport React, { type Context, type Node, useContext, useEffect,
useMemo, useState } from 'react';\nimport shallowequal from 'shallowequal';\nimport StyleSheet from
'./sheet';\nimport type { Stringifier } from './types';\nimport createStylisInstance from './utils/stylis';\n\n
type Props
= {\n  children?: Node,\n  disableCSSOMInjection?: boolean,\n  disableVendorPrefixes?: boolean,\n  sheet?:
StyleSheet,\n  stylisPlugins?: Array<Function>,\n  target?: HTMLElement,\n};\n\n
export const StyleSheetContext:
Context<StyleSheet | void> = React.createContext();\nexport const StyleSheetConsumer =
StyleSheetContext.Consumer;\nexport const StylisContext: Context<Stringifier | void> =
React.createContext();\nexport const StylisConsumer = StylisContext.Consumer;\n\n
export const masterSheet:
StyleSheet = new StyleSheet();\nexport const masterStylis: Stringifier = createStylisInstance();\n\n
export function
useStyleSheet(): StyleSheet {\n  return useContext(StyleSheetContext) || masterSheet;\n}\n\n
export function
useStylis(): Stringifier {\n  return useContext(StylisContext) || masterStylis;\n}\n\n
export default function
StyleSheetManager(props: Props) {\n  const [plugins, setPlugins] = useState(props.stylisPlugins);\n  const
contextStyleSheet = useStyleSheet();\n\n  const styleSheet = useMemo(() => {\n    let sheet = contextStyleSheet;\n\n
if (props.sheet) {\n    // eslint-disable-next-line prefer-destructuring\n    sheet = props.sheet;\n  } else if
(props.target) {\n    sheet = sheet.reconstructWithOptions({ target: props.target }, false);\n  }\n\n  if
(props.disableCSSOMInjection) {\n    sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });\n  }\n\n
return sheet;\n }, [props.disableCSSOMInjection, props.sheet, props.target]);\n\n  const stylis = useMemo(\n
() =>\n    createStylisInstance({\n      options: { prefix: !props.disableVendorPrefixes },\n      plugins,\n    }),\n  [\n    props.disableVendorPrefixes, plugins\n  ]);\n\n  useEffect(() => {\n    if (!shallowequal(plugins,
props.stylisPlugins)) setPlugins(props.stylisPlugins);\n  }, [props.stylisPlugins]);\n\n  return (\n
<StyleSheetContext.Provider value={styleSheet}>\n    <StylisContext.Provider value={stylis}>\n
{process.env.NODE_ENV !== 'production'\n      ? React.Children.only(props.children)\n      : props.children}\n
</StylisContext.Provider>\n    </StyleSheetContext.Provider>\n  );\n}\n", "// @flow\nimport StyleSheet from
'./sheet';\nimport { type Stringifier } from './types';\nimport throwStyledError from './utils/error';\nimport {
masterStylis } from './StyleSheetManager';\n\n
export default class Keyframes {\n  id: string;\n  name: string;\n  rules: string;\n\n  constructor(name: string, rules: string) {\n    this.name = name;\n    this.id = `sc-keyframes-
${name}`;\n    this.rules = rules;\n  }\n\n  inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis)
=> {\n    const resolvedName = this.name + stylisInstance.hash;\n\n    if (!styleSheet.hasNameForId(this.id,
resolvedName)) {\n      styleSheet.insertRules(\n        this.id,\n        resolvedName,\n        stylisInstance(this.rules,
resolvedName, '@keyframes')\n      );\n    }\n  }\n\n  toString = () => {\n    return throwStyledError(12,
String(this.name));\n  }\n\n  getName(stylisInstance: Stringifier = masterStylis) {\n    return this.name +
stylisInstance.hash;\n  }\n}\n", "// @flow\n\n/**\n * inlined version of\n *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n *
\nconst
uppercaseCheck = /^[A-Z]/;\nconst uppercasePattern = /^[A-Z]/g;\nconst msPattern = /^ms-/;\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase}`;\n\n/**\n * Hyphenates a camelcased
CSS property name, for example:\n *
> hyphenateStyleName('backgroundColor')\n *
<\"background-color\"\n *
> hyphenateStyleName('MozTransition')\n *
<\"-moz-transition\"\n *
>
hyphenateStyleName('msTransition')\n *
<\"-ms-transition\"\n *
\n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n *
is converted to `ms-`.\n *
\n * @param {string} string\n *
\n * @return {string}\n *
\nexport default function hyphenateStyleName(string: string): string {\n  return
uppercaseCheck.test(string)\n    ? string\n    .replace(uppercasePattern, prefixAndLowerCase)\n    .replace(msPattern,
'-ms-')\n  : string;\n}\n", "// @flow\nimport unitless from '@emotion/unitless';\n\n// Taken from
https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-
dom/src/shared/dangerousStyleValue.js\nexport default function addUnitIfNeeded(name: string, value: any): any {\n

```

```
// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n if (value === null ||\ntypeof value === 'boolean' || value === '') {\n  return '';\n }\n\n if (typeof value === 'number' && value !== 0 &&\n!(name in unitless)) {\n  return `${value}px`; // Presumes implicit 'px' suffix for unitless numbers\n }\n\n return\nString(value).trim();\n}\n\n",\"// @flow\nimport { isElement } from 'react-is';\nimport componentName from\n'./getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from\n'./isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from\n'./isStyledComponent';\nimport Keyframes from './models/Keyframes';\nimport hyphenate from\n'./hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from\n'./types';\n\n/*\n * It's falsish not falsy because 0 is allowed.\n */\nconst isFalsish = chunk => chunk ===\nundefined || chunk === null || chunk === false || chunk === '';\n\nexport const objToCssArray = (obj: Object,\nprevKey?: string): Array<string | Function> => {\n  const rules = [];\n\n  for (const key in obj) {\n    if\n(!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n    if ((Array.isArray(obj[key]) && obj[key].isCss) ||\nisFunction(obj[key])) {\n      rules.push(`${hyphenate(key)}:`, obj[key], `;`);\n    } else if (isPlainObject(obj[key])) {\n      rules.push(...objToCssArray(obj[key], key));\n    } else {\n      rules.push(`${hyphenate(key)}:\n${addUnitIfNeeded(key, obj[key])};`);\n    }\n  }\n\n  return prevKey ? [`${prevKey} {`, ...rules, `}`]:\nrules;\n};\n\nexport default function flatten(\n  chunk: any,\n  executionContext: ?Object,\n  styleSheet: ?Object,\n  stylisInstance: ?Stringifier\n): any {\n  if (Array.isArray(chunk)) {\n    const ruleSet = [];\n\n    for (let i = 0, len =\nchunk.length, result; i < len; i += 1) {\n      result = flatten(chunk[i], executionContext, styleSheet,\nstylisInstance);\n\n      if (result === '') continue;\n      else if (Array.isArray(result)) ruleSet.push(...result);\n      else\nruleSet.push(result);\n    }\n\n    return ruleSet;\n  }\n\n  if (isFalsish(chunk)) {\n    return '';\n  }\n\n  /* Handle other\ncomponents */\n  if (isStyledComponent(chunk)) {\n    return `.${chunk.styledComponentId}`;\n  }\n\n  /* Either\nexecute or defer the function */\n  if (isFunction(chunk)) {\n    if (isStatelessFunction(chunk) && executionContext)\n{\n      const result = chunk(executionContext);\n\n      if (process.env.NODE_ENV !== 'production' &&\nisElement(result)) {\n        // eslint-disable-next-line no-console\n        console.warn(\n\n`${getComponentName(\n        chunk\n        )} is not a styled component and cannot be referred to via\ncomponent selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components for\nmore details.`\n        );\n      }\n\n      return flatten(result, executionContext, styleSheet, stylisInstance);\n    } else\nreturn chunk;\n  }\n\n  if (chunk instanceof Keyframes) {\n    if (styleSheet) {\n      chunk.inject(styleSheet,\nstylisInstance);\n      return chunk.getName(stylisInstance);\n    } else\nreturn chunk;\n  }\n\n  /* Handle objects */\n  if (isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString())\n{\n    // @flow\nconst printed =\n{\n};\n\nexport default function warnOnce(message) {\n  if (printed[message]) return;\n  printed[message] = true;\n\n  if (typeof console !== 'undefined' && console.warn) console.warn(message);\n}\n\n",\"// @flow\nconst\nSINGLE_QUOTE = '\\\"'.charCodeAt(0);\nconst DOUBLE_QUOTE = '\\\"'.charCodeAt(0);\nconst BACKSLASH =\n'\\\\'.charCodeAt(0);\nconst SLASH = '/'charCodeAt(0);\nconst NEWLINE = '\\n'.charCodeAt(0);\nconst SPACE = '\n'.charCodeAt(0);\nconst FEED = '\\f'.charCodeAt(0);\nconst TAB = '\\t'.charCodeAt(0);\nconst CR =\n'\\r'.charCodeAt(0);\nconst OPEN_SQUARE = '['.charCodeAt(0);\nconst CLOSE_SQUARE =\n']'.charCodeAt(0);\nconst OPEN_PARENTHESES = '('charCodeAt(0);\nconst CLOSE_PARENTHESES =\n')'.charCodeAt(0);\nconst OPEN_CURLY = '{'.charCodeAt(0);\nconst CLOSE_CURLY =\n'}'.charCodeAt(0);\nconst SEMICOLON = ';'.charCodeAt(0);\nconst ASTERISK = '*'.charCodeAt(0);\nconst COLON = ':'.charCodeAt(0);\nconst AT = '@'.charCodeAt(0);\n\nconst RE_AT_END = /[\\n\\t\\r\\f\\{\\(\\)\\'\"\\\\\\\\\\/\\[\\]#]/g;\nconst RE_WORD_END = /[\\n\\t\\r\\f\\(\\)\\{\\};@!\"'\\\\\\\\\\\\\\|\\[\\]#\\|\\/(?=\\*/)g;\nconst\nRE_BAD_BRACKET = /.[\\\\\\\\\\\\\\(\\)\"\\n];\n\nexport default function tokenize(input, options = {}) {\n  const tokens\n= [];\n  const css = input.css.valueOf();\n  const ignore = options.ignoreErrors;\n\n  let code,\n  next,\n  quote,\n  lines,\n  last,\n  content,\n  escape,\n  nextLine,\n  nextOffset,\n  escaped,\n  escapePos,\n  prev,\n  n;\n\n  const length = css.length;\n  let offset = -1;\n  let line = 1;\n  let pos = 0;\n\n  function unclosed(what) {\n    throw\ninput.error(`Unclosed ${what}`, line, pos - offset);\n  }\n\n  while (pos < length) {\n    code =\ncss.charCodeAt(pos);\n\n    if (code === NEWLINE || code === FEED || (code === CR && css.charCodeAt(pos +\n1) !== NEWLINE)) {\n      offset = pos;\n      line += 1;\n    }\n\n    switch (code) {\n      case NEWLINE:\n      case
```



```

SPACE:\n    case TAB:\n    case CR:\n    case FEED:\n    next = pos;\n    do {\n    next += 1;\n
code = css.charCodeAt(next);\n    if (code === NEWLINE) {\n    offset = next;\n    line += 1;\n
}\n    } while (\n    code === SPACE ||\n    code === NEWLINE ||\n    code === TAB ||\n    code
=== CR ||\n    code === FEED\n    );\n\n    tokens.push(['space', css.slice(pos, next)];\n    pos = next -
1;\n    break;\n\n    case OPEN_SQUARE:\n    tokens.push(['[', '[', line, pos - offset]);\n    break;\n\n    case
CLOSE_SQUARE:\n    tokens.push([']', ']', line, pos - offset]);\n    break;\n\n    case OPEN_CURLY:\n
tokens.push(['{', '{', line, pos - offset]);\n    break;\n\n    case CLOSE_CURLY:\n    tokens.push(['}', '}', line,
pos - offset]);\n    break;\n\n    case COLON:\n    tokens.push([':', ':', line, pos - offset]);\n    break;\n\n
case SEMICOLON:\n    tokens.push([';', ';', line, pos - offset]);\n    break;\n\n    case
OPEN_PARENTHESES:\n    prev = tokens.length ? tokens[tokens.length - 1][1] : '';\n    n =
css.charCodeAt(pos + 1);\n    if (\n    prev === 'url' &&\n    n !== SINGLE_QUOTE &&\n    n !==
DOUBLE_QUOTE &&\n    n !== SPACE &&\n    n !== NEWLINE &&\n    n !== TAB &&\n    n
!== FEED &&\n    n !== CR\n    ) {\n    next = pos;\n    do {\n    escaped = false;\n    next =
css.indexOf(')', next + 1);\n    if (next === -1) {\n    if (ignore) {\n    next = pos;\n
break;\n    } else {\n    unclosed('bracket');\n    }\n    }\n    escapePos = next;\n
while (css.charCodeAt(escapePos - 1) === BACKSLASH) {\n    escapePos -= 1;\n    escaped =
!escaped;\n    }\n    } while (escaped);\n\n    tokens.push([\n    'brackets',\n    css.slice(pos,
next + 1),\n    line,\n    pos - offset,\n    line,\n    next - offset,\n    ]);\n    pos = next;\n
} else {\n    next = css.indexOf(')', pos + 1);\n    content = css.slice(pos, next + 1);\n\n    if (next === -1 ||
RE_BAD_BRACKET.test(content)) {\n    tokens.push(['(', '(', line, pos - offset]);\n    } else {\n
tokens.push(['brackets', content, line, pos - offset, line, next - offset]);\n    pos = next;\n    }\n\n
break;\n\n    case CLOSE_PARENTHESES:\n    tokens.push([')', ')', line, pos - offset]);\n    break;\n\n    case
SINGLE_QUOTE:\n    case DOUBLE_QUOTE:\n    quote = code === SINGLE_QUOTE ? '\"' : '\'';\n
next = pos;\n    do {\n    escaped = false;\n    next = css.indexOf(quote, next + 1);\n    if (next === -1)
{\n    if (ignore) {\n    next = pos + 1;\n    break;\n    } else {\n    unclosed('quote');\n
}\n    }\n    escapePos = next;\n    while (css.charCodeAt(escapePos - 1) === BACKSLASH) {\n
escapePos -= 1;\n    escaped = !escaped;\n    }\n    } while (escaped);\n\n    content = css.slice(pos, next
+ 1);\n    lines = content.split('\n');\n    last = lines.length - 1;\n\n    if (last > 0) {\n    nextLine = line +
last;\n    nextOffset = next - lines[last].length;\n    } else {\n    nextLine = line;\n    nextOffset =
offset;\n    }\n\n    tokens.push([\n    'string',\n    css.slice(pos, next + 1),\n    line,\n    pos -
offset,\n    nextLine,\n    next - nextOffset,\n    ]);\n\n    offset = nextOffset;\n    line = nextLine;\n
pos = next;\n    break;\n\n    case AT:\n    RE_AT_END.lastIndex = pos + 1;\n    RE_AT_END.test(css);\n
if (RE_AT_END.lastIndex === 0) {\n    next = css.length - 1;\n    } else {\n    next =
RE_AT_END.lastIndex - 2;\n    }\n    tokens.push(['at-word', css.slice(pos, next + 1), line, pos - offset, line,
next - offset]);\n    pos = next;\n    break;\n\n    case BACKSLASH:\n    next = pos;\n    escape = true;\n
while (css.charCodeAt(next + 1) === BACKSLASH) {\n    next += 1;\n    escape = !escape;\n    }\n
code = css.charCodeAt(next + 1);\n    if (\n    escape &&\n    (code !== SLASH &&\n    code !==
SPACE &&\n    code !== NEWLINE &&\n    code !== TAB &&\n    code !== CR &&\n    code
!== FEED)\n    ) {\n    next += 1;\n    }\n    tokens.push(['word', css.slice(pos, next + 1), line, pos - offset,
line, next - offset]);\n    pos = next;\n    break;\n\n    default:\n    if (code === SLASH &&
css.charCodeAt(pos + 1) === ASTERISK) {\n    next = css.indexOf('*/', pos + 2) + 1;\n    if (next === 0) {\n
if (ignore) {\n    next = css.length;\n    } else {\n    unclosed('comment');\n    }\n
}\n\n    content = css.slice(pos, next + 1);\n    lines = content.split('\n');\n    last = lines.length - 1;\n\n
if (last > 0) {\n    nextLine = line + last;\n    nextOffset = next - lines[last].length;\n    } else {\n
nextLine = line;\n    nextOffset = offset;\n    }\n\n    tokens.push(['comment', content, line, pos - offset,
nextLine, next - nextOffset]);\n\n    offset = nextOffset;\n    line = nextLine;\n    pos = next;\n    } else
{\n    RE_WORD_END.lastIndex = pos + 1;\n    RE_WORD_END.test(css);\n    if
(RE_WORD_END.lastIndex === 0) {\n    next = css.length - 1;\n    } else {\n    next =

```

```

RE_WORD_END.lastIndex - 2;\n      }\n\n      tokens.push(['word', css.slice(pos, next + 1), line, pos - offset,\nline, next - offset]);\n      pos = next;\n      }\n\n      break;\n      }\n\n      pos++;\n      }\n\n      return tokens;\n      }\n      "\n\n    @flow\n    import tokenize from './tokenize';\n    import Input from './input';\n\n    const HIGHLIGHT_THEME = {\n      brackets: [36, 39], // cyan\n      string: [31, 39], // red\n      'at-word': [31, 39], // red\n      comment: [90, 39], // gray\n      '{': [32, 39], // green\n      '}': [32, 39], // green\n      ':': [1, 22], // bold\n      ';': [1, 22], // bold\n      '(': [1, 22], // bold\n      ')': [1, 22], // bold\n    };\n\n    function code(color) {\n      return '\\u001b[${color}m';\n    }\n\n    function terminalHighlight(css) {\n      const tokens = tokenize(new Input(css), { ignoreErrors: true });\n      const result = [];\n      tokens.forEach(token => {\n        const color = HIGHLIGHT_THEME[token[0]];\n        if (color) {\n          result.push(\n            token[1]\n            .split(/\\r?\\n/)\n            .map(i => code(color[0]) + i + code(color[1]))\n            .join("\\n")\n          );\n        } else {\n          result.push(token[1]);\n        }\n      });\n      return result.join("");\n    }\n\n    export default terminalHighlight;\n  }, "\n\n    @flow\n    import supportsColor from 'supports-color';\n    import terminalHighlight from './terminal-highlight';\n    import warnOnce from './warn-once';\n\n    /**\n     * The CSS parser throws this error for broken CSS.\n     * Custom parsers can throw this error for broken custom syntax using\n     * the { @link Node#error } method.\n     * PostCSS will use the input source map to detect the original error location.\n     * If you wrote a Sass file, compiled it to CSS and then parsed it with PostCSS,\n     * PostCSS will show the original position in the Sass file.\n     * If you need the position in the PostCSS input\n     * (e.g., to debug the previous compiler), use `error.input.file`.\n     * @example\n     * // Catching and checking syntax error\n     * try {\n     *   postcss.parse('a{')\n     * } catch (error) {\n     *   if (error.name === 'CssSyntaxError') {\n     *     error\n     *     // => CssSyntaxError\n     *   }\n     * }\n     * @example\n     * // Raising error from plugin\n     * throw node.error('Unknown variable', { plugin: 'postcss-vars' });\n     *\n     * @class CssSyntaxError\n     * @param {string} message - error message\n     * @param {number} [line] - source line of the error\n     * @param {number} [column] - source column of the error\n     * @param {string} [source] - source code of the broken file\n     * @param {string} [file] - absolute path to the broken file\n     * @param {string} [plugin] - PostCSS plugin name, if error came from plugin\n     * ^\n     * constructor(message, line, column, source, file, plugin) {\n     *   /**\n     *    * @member {string} - Always equal to `CssSyntaxError`. You should\n     *      always check error type\n     *      by `error.name === 'CssSyntaxError'` instead of\n     *      `error instanceof CssSyntaxError`, because\n     *      npm could have several PostCSS versions.\n     *    * @example\n     *    * if (error.name === 'CssSyntaxError') {\n     *      error\n     *      // => CssSyntaxError\n     *    }\n     *    ^\n     *    this.name = 'CssSyntaxError';\n     *    /**\n     *    * @member {string} - Error message.\n     *    * @example\n     *    * error.message // => 'Unclosed block'\n     *    ^\n     *    this.reason = message;\n     *\n     *    if (file) {\n     *      /**\n     *       * @member {string} - Absolute path to the broken file.\n     *       * @example\n     *       * error.file // => 'a.sass'\n     *       * error.input.file // => 'a.css'\n     *       ^\n     *       this.file = file;\n     *     }\n     *     if (source) {\n     *       /**\n     *        * @member {string} - Source code of the broken file.\n     *        * @example\n     *        * error.source // => 'a { b { } }'\n     *        * error.input.column // => 'a b { }'\n     *        ^\n     *        this.source = source;\n     *     }\n     *     if (plugin) {\n     *       /**\n     *        * @member {string} - Plugin name, if error came from plugin.\n     *        * @example\n     *        * error.plugin // => 'postcss-vars'\n     *        ^\n     *        this.plugin = plugin;\n     *     }\n     *     if (typeof line !== 'undefined' && typeof column !== 'undefined') {\n     *       /**\n     *        * @member {number} - Source line of the error.\n     *        * @example\n     *        * error.line // => 2\n     *        * error.input.line // => 4\n     *        ^\n     *        this.line = line;\n     *       /**\n     *        * @member {number} - Source column of the error.\n     *        * @example\n     *        * error.column // => 1\n     *        * error.input.column // => 4\n     *        ^\n     *        this.column = column;\n     *     }\n     *     this.setMessage();\n     *\n     *     if (Error.captureStackTrace) {\n     *       Error.captureStackTrace(this, CssSyntaxError);\n     *     }\n     *     this.setMessage()\n     *     /**\n     *      * @member {string} - Full error text in the GNU error format\n     *      * with plugin, file, line and column.\n     *      * @example\n     *      * error.message // => 'a.css:1:1: Unclosed block'\n     *      ^\n     *      this.message = this.plugin ? `${this.plugin}: ` : ` `;\n     *      this.message += this.file ? this.file : '<css input>';\n     *      if (typeof this.line !== 'undefined') {\n     *        this.message += `:${this.line}`;\n     *      }\n     *      this.message += `:${this.column}`;\n     *      this.message += `:${this.reason}`;\n     *    }\n     *    /**\n     *     * Returns a few lines of CSS source that caused the error.\n     *     * If the CSS has an input source map without `sourceContent`,\n     *     * this method will return an empty string.\n     *     * @param {boolean} [color] whether arrow will be colored red by terminal\n     *     * color codes. By default, PostCSS will detect\n     *     * color support by `process.stdout.isTTY`\n     *     * and\n     *     * `process.env.NODE_DISABLE_COLORS`.\n     *     * @example\n     *     * error.showSourceCode() // => '\\n 4 |'\n     *

```

```

// 5 | a { \n * // > 6 | bad \n * // | ^ \n * // 7 |
} \n * // 8 | b { \n * \n * @return {string} few lines of CSS source that caused the error \n * \n
showSourceCode(color) { \n if (!this.source) return ''; \n let css = this.source; \n if (typeof color ===
'undefined') color = supportsColor; \n if (color) css = terminalHighlight(css); \n const lines =
css.split(/\r?\n/); \n const start = Math.max(this.line - 3, 0); \n const end = Math.min(this.line + 2,
lines.length); \n const maxWidth = String(end).length; \n return lines \n .slice(start, end) \n .map((line,
index) => { \n const number = start + 1 + index; \n const padded = ` ${number} `.slice(-maxWidth); \n
const gutter = ` ${padded} | `; \n if (number === this.line) { \n const spacing = \n
gutter.replace(/\d/g, ' ') + line.slice(0, this.column - 1).replace(/[\t]/g, ' '); \n return `>${gutter}${line}\n
${spacing}^`; \n } else { \n return ` ${gutter}${line}`; \n } \n }) \n .join('\n'); \n } \n \n /** \n *
Returns error position, message and source code of the broken part. \n * \n * @example \n * error.toString() // =>
'CssSyntaxError: app.css:1:1: Unclosed block \n * // > 1 | a { \n * // | ^ \n * \n *
@return {string} error position, message and source code \n * \n * toString() { \n let code =
this.showSourceCode(); \n if (code) { \n code = `\n\n${code}\n`; \n } \n return ` ${this.name}:
${this.message}${code}`; \n } \n \n get generated() { \n warnOnce('CssSyntaxError#generated is deprecated. Use
input instead. '); \n return this.input; \n } \n \n /** \n * @memberof CssSyntaxError# \n * @member {Input} input -
Input object with PostCSS internal information \n * about input file. If input has source map \n *
from previous tool, PostCSS will use origin \n * (for example, Sass) source. You can use
this \n * object to get PostCSS input source. \n * \n * @example \n * error.input.file // => 'a.css \n
* error.file // => 'a.sass \n * \n \n export default CssSyntaxError; \n ", " // @flow \n /* eslint-disable valid-jsdoc
*/ \n \n const defaultRaw = { \n colon: ':', \n indent: ' ', \n beforeDecl: '\n', \n beforeRule: '\n', \n beforeOpen: '\n',
beforeClose: '\n', \n beforeComment: '\n', \n after: '\n', \n emptyBody: '\n', \n commentLeft: '\n', \n commentRight: '\n'; \n \n
function capitalize(str) { \n return str[0].toUpperCase() + str.slice(1); \n } \n \n class Stringifier { \n
constructor(builder) { \n this.builder = builder; \n } \n \n stringify(node, semicolon) { \n this[node.type](node,
semicolon); \n } \n \n root(node) { \n this.body(node); \n if (node.raws.after) this.builder(node.raws.after); \n } \n \n
comment(node) { \n const left = this.raw(node, 'left', 'commentLeft'); \n const right = this.raw(node, 'right',
'commentRight'); \n this.builder(`/*${left}${node.text}${right}*/`, node); \n } \n \n decl(node, semicolon) { \n
const between = this.raw(node, 'between', 'colon'); \n let string = node.prop + between + this.rawValue(node,
'value'); \n \n if (node.important) { \n string += node.raws.important || '!important'; \n } \n \n if (semicolon)
string += ';'; \n this.builder(string, node); \n } \n \n rule(node) { \n this.block(node, this.rawValue(node,
'selector')); \n } \n \n atrule(node, semicolon) { \n let name = `@${node.name}`; \n const params = node.params ?
this.rawValue(node, 'params') : ''; \n \n if (typeof node.raws.afterName !== 'undefined') { \n name +=
node.raws.afterName; \n } else if (params) { \n name += ' '; \n } \n \n if (node.nodes) { \n this.block(node,
name + params); \n } else { \n const end = (node.raws.between || '') + (semicolon ? ';' : ''); \n this.builder(name
+ params + end, node); \n } \n } \n \n body(node) { \n let last = node.nodes.length - 1; \n while (last > 0) { \n if
(node.nodes[last].type !== 'comment') break; \n last -= 1; \n } \n \n const semicolon = this.raw(node,
'semicolon'); \n for (let i = 0; i < node.nodes.length; i++) { \n const child = node.nodes[i]; \n const before =
this.raw(child, 'before'); \n if (before) this.builder(before); \n this.stringify(child, last !== i || semicolon); \n } \n \n
block(node, start) { \n const between = this.raw(node, 'between', 'beforeOpen'); \n this.builder(` ${start +
between} {`, node, 'start'); \n \n let after; \n if (node.nodes && node.nodes.length) { \n this.body(node); \n
after = this.raw(node, 'after'); \n } else { \n after = this.raw(node, 'after', 'emptyBody'); \n } \n \n if (after)
this.builder(after); \n this.builder('}', node, 'end'); \n } \n \n raw(node, own, detect) { \n let value; \n if (!detect)
detect = own; \n \n // Already had \n if (own) { \n value = node.raws[own]; \n if (typeof value !==
'undefined') return value; \n } \n \n const parent = node.parent; \n \n // Hack for first rule in CSS \n if (detect ===
'before') { \n if (!parent || (parent.type === 'root' && parent.first === node)) { \n return ''; \n } \n } \n \n //
Floating child without parent \n if (!parent) return defaultRaw[detect]; \n \n // Detect style by other nodes \n const
root = node.root(); \n if (!root.rawCache) root.rawCache = {}; \n if (typeof root.rawCache[detect] !== 'undefined')
{ \n return root.rawCache[detect]; \n } \n \n if (detect === 'before' || detect === 'after') { \n return

```

```

this.beforeAfter(node, detect);\n } else {\n   const method = `raw${capitalize(detect)}`; \n   if (this[method]) \n   {\n     value = this[method](root, node);\n   } else {\n     root.walk(i => {\n       value = i.rows[own];\n     if \n (typeof value !== 'undefined') return false;\n     });\n   }\n } \n\n if (typeof value === 'undefined') value = \n defaultRaw[detect];\n\n root.rawCache[detect] = value;\n return value;\n }\n\n rawSemicolon(root) {\n let \n value;\n root.walk(i => {\n   if (i.nodes && i.nodes.length && i.last.type === 'decl') {\n     value = \n i.rows.semicolon;\n     if (typeof value !== 'undefined') return false;\n   } \n });\n return value;\n }\n\n rawEmptyBody(root) {\n let value;\n root.walk(i => {\n   if (i.nodes && i.nodes.length === 0) {\n     value = \n i.rows.after;\n     if (typeof value !== 'undefined') return false;\n   } \n });\n return value;\n }\n\n rawIndent(root) {\n if (root.rows.indent) return root.rows.indent;\n let value;\n root.walk(i => {\n   const p = \n i.parent;\n   if (p && p !== root && p.parent && p.parent === root) {\n     if (typeof i.rows.before !== \n 'undefined') {\n       const parts = i.rows.before.split("\\n");\n       value = parts[parts.length - 1];\n       value = \n value.replace(/^[^\\s]/g, "");\n       return false;\n     } \n });\n return value;\n }\n\n rawBeforeComment(root, node) {\n let value;\n root.walkComments(i => {\n   if (typeof i.rows.before !== \n 'undefined') {\n     value = i.rows.before;\n     if (value.indexOf("\\n") !== -1) {\n       value = \n value.replace(/^[^\\n]+$/g, "");\n     } \n });\n if (typeof value === 'undefined') {\n value = this.raw(node, null, 'beforeDecl');\n } \n return value;\n }\n\n rawBeforeDecl(root, node) {\n let \n value;\n root.walkDecls(i => {\n   if (typeof i.rows.before !== 'undefined') {\n     value = i.rows.before;\n     if \n (value.indexOf("\\n") !== -1) {\n       value = value.replace(/^[^\\n]+$/g, "");\n     } \n });\n if (typeof value === 'undefined') {\n value = this.raw(node, null, 'beforeRule');\n } \n return value;\n }\n\n rawBeforeRule(root) {\n let value;\n root.walk(i => {\n   if (i.nodes && (i.parent !== root || root.first !== i)) \n {\n     if (typeof i.rows.before !== 'undefined') {\n       value = i.rows.before;\n       if (value.indexOf("\\n") !== - \n 1) {\n         value = value.replace(/^[^\\n]+$/g, "");\n       } \n });\n return \n value;\n } \n\n rawBeforeClose(root) {\n let value;\n root.walk(i => {\n   if (i.nodes && i.nodes.length > 0) \n {\n     if (typeof i.rows.after !== 'undefined') {\n       value = i.rows.after;\n       if (value.indexOf("\\n") !== -1) \n {\n         value = value.replace(/^[^\\n]+$/g, "");\n       } \n });\n return value;\n } \n\n rawBeforeOpen(root) {\n let value;\n root.walk(i => {\n   if (i.type !== 'decl') {\n     value = \n i.rows.between;\n     if (typeof value !== 'undefined') return false;\n   } \n });\n return value;\n }\n\n rawColon(root) {\n let value;\n root.walkDecls(i => {\n   if (typeof i.rows.between !== 'undefined') {\n value = i.rows.between.replace(/^[^\\s:]/g, "");\n     return false;\n   } \n });\n return value;\n }\n\n beforeAfter(node, detect) {\n let value;\n if (node.type === 'decl') {\n   value = this.raw(node, null, \n 'beforeDecl');\n } else if (node.type === 'comment') {\n   value = this.raw(node, null, 'beforeComment');\n } \n else if (detect === 'before') {\n   value = this.raw(node, null, 'beforeRule');\n } else {\n   value = this.raw(node, \n null, 'beforeClose');\n } \n\n let buf = node.parent;\n let depth = 0;\n while (buf && buf.type !== 'root') {\n depth += 1;\n buf = buf.parent;\n } \n\n if (value.indexOf("\\n") !== -1) {\n   const indent = this.raw(node, \n null, 'indent');\n   if (indent.length) {\n     for (let step = 0; step < depth; step++) value += indent;\n   } \n } \n\n return value;\n }\n\n rawValue(node, prop) {\n const value = node[prop];\n const raw = node.rows[prop];\n if (raw && raw.value === value) {\n   return raw.raw;\n } else {\n   return value;\n } \n } \n\n\nexport \n default Stringifier;\n\n// @flow\nimport Stringifier from './stringifier';\n\nexport default function stringify(node, \n builder) {\n const str = new Stringifier(builder);\n str.stringify(node);\n }\n\n\n// @flow\nimport CssSyntaxError \n from './css-syntax-error';\nimport Stringifier from './stringifier';\nimport stringify from './stringify';\nimport \n warnOnce from './warn-once';\n\n/**\n * @typedef {object} position\n * @property {number} line - source line in \n file\n * @property {number} column - source column in file\n * ^\n\n/**\n * @typedef {object} source\n * \n * @property {Input} input - { @link Input } with input file\n * @property {position} start - The starting position of \n the node's source\n * @property {position} end - The ending position of the node's source\n * ^\n\nconst \n cloneNode = function(obj, parent) {\n const cloned = new obj.constructor();\n\n for (const i in obj) {\n   if \n (!obj.hasOwnProperty(i)) continue;\n   let value = obj[i];\n   const type = typeof value;\n\n   if (i === 'parent' && \n type === 'object') {\n     if (parent) cloned[i] = parent;\n   } else if (i === 'source') {\n     cloned[i] = value;\n   } \n else if (value instanceof Array) {\n     cloned[i] = value.map(j => cloneNode(j, cloned));\n   } else if (i !== 'before'

```

```

&& i !== 'after' && i !== 'between' && i !== 'semicolon') {
  if (type === 'object' && value !== null) value =
  cloneNode(value);
  cloned[i] = value;
}
}
return cloned;
};
/**
 * All node classes inherit the
following common methods.
 * @abstract
 * ^\n class Node {
/**
 * @param {object} [defaults] - value
for node properties
 * ^\n constructor(defaults = {}) {
  this.raws = {};
  for (const name in defaults) {
    this[name] = defaults[name];
  }
}
/**
 * Returns a CssSyntaxError instance containing the original
position
 * of the node in the source, showing line and column numbers and also
 * a small excerpt to facilitate
debugging.
 * ^\n * If present, an input source map will be used to get the original position
 * of the source,
even from a previous compilation step
 * (e.g., from Sass compilation).
 * ^\n * This method produces very
useful error messages.
 * ^\n * @param {string} message - error description
 * @param {object} [opts] -
options
 * @param {string} opts.plugin - plugin name that created this error.
 * ^\n * PostCSS will
set it automatically.
 * @param {string} opts.word - a word inside a node's string that should
 *
be highlighted as the source of the error
 * @param {number} opts.index - an index inside a node's string that
should
 *
be highlighted as the source of the error
 * ^\n * @return {CssSyntaxError} error
object to throw it
 * ^\n * @example
 * if ( !variables[name] ) {
 *   throw decl.error('Unknown variable ' +
name, { word: name });
 * }
 * // CssSyntaxError: postcss-vars:a.sass:4:3: Unknown variable $black
 * // color:
$black
 * // a
 * //
 * ^\n * // background: white
 * }
 * ^\n error(message, opts = {}) {
  if
(this.source) {
    const pos = this.positionBy(opts);
    return this.source.input.error(message, pos.line,
pos.column, opts);
  } else {
    return new CssSyntaxError(message);
  }
}
/**
 * This method is
provided as a convenience wrapper for {@link Result#warn}.
 * ^\n * @param {Result} result - the {@link
Result} instance
 *
that will receive the warning
 * @param {string} text - warning
message
 * @param {object} [opts] - options
 * @param {string} opts.plugin - plugin name that created this
warning.
 * ^\n * PostCSS will set it automatically.
 * @param {string} opts.word - a word
inside a node's string that should
 *
be highlighted as the source of the warning
 * @param
{number} opts.index - an index inside a node's string that should
 *
be highlighted as the
source of the warning
 * ^\n * @return {Warning} created warning object
 * ^\n * @example
 * const plugin
= postcss.plugin('postcss-deprecated', () => {
 *   return (root, result) => {
 *     root.walkDecls('bad', decl =>
{
 *       decl.warn(result, 'Deprecated property bad');
 *     });
 *   };
 * });
 * ^\n warn(result, text, opts)
{
  const data = { node: this };
  for (const i in opts) data[i] = opts[i];
  return result.warn(text, data);
}
}
/**
 * Removes the node from its parent and cleans the parent properties
 * from the node and its children.
 * ^\n * @example
 * if ( decl.prop.match(/^-webkit-/ ) ) {
 *   decl.remove();
 * }
 * ^\n * @return {Node}
node to make calls chain
 * ^\n remove() {
  if (this.parent) {
    this.parent.removeChild(this);
  }
  this.parent = undefined;
  return this;
}
}
/**
 * Returns a CSS string representing the node.
 * ^\n *
@param {stringifier|syntax} [stringifier] - a syntax to use
 *
in string generation
 * ^\n * @return {string} CSS string of this node
 * ^\n * @example
 * postcss.rule({ selector: 'a' }).toString()
//=> \"a { }\"
 * ^\n toString(stringifier = stringify) {
  if (stringifier.stringify) stringifier = stringifier.stringify;
  let result = \"\";
  stringifier(this, i => {
    result += i;
  });
  return result;
}
}
/**
 * Returns a clone
of the node.
 * ^\n * The resulting cloned node and its (cloned) children will have
 * a clean parent and code
style properties.
 * ^\n * @param {object} [overrides] - new properties to override in the clone.
 * ^\n *
@example
 * const cloned = decl.clone({ prop: '-moz-' + decl.prop });
 * cloned.raws.before //=> undefined
 * cloned.parent //=> undefined
 * cloned.toString() //=> -moz-transform: scale(0)
 * ^\n * @return {Node}
clone of the node
 * ^\n clone(overrides = {}) {
  const cloned = cloneNode(this);
  for (const name in
overrides) {
    cloned[name] = overrides[name];
  }
  return cloned;
}
}
/**
 * Shortcut to clone the
node and insert the resulting cloned node
 * before the current node.
 * ^\n * @param {object} [overrides] - new
properties to override in the clone.
 * ^\n * @example
 * decl.cloneBefore({ prop: '-moz-' + decl.prop });
 * ^\n *
@return {Node} - new node
 * ^\n cloneBefore(overrides = {}) {
  const cloned = this.clone(overrides);
  this.parent.insertBefore(this, cloned);
  return cloned;
}
}
/**
 * Shortcut to clone the node and insert the
resulting cloned node
 * after the current node.
 * ^\n * @param {object} [overrides] - new properties to
override in the clone.
 * ^\n * @return {Node} - new node
 * ^\n cloneAfter(overrides = {}) {
  const cloned

```

```

= this.clone(overrides);\n this.parent.insertAfter(this, cloned);\n return cloned;\n }\n\n /**\n * Inserts node(s)
before the current node and removes the current node.\n *\n * @param {...Node} nodes - node(s) to replace
current one\n *\n * @example\n * if ( atrule.name === 'mixin' ) {\n *
atrule.replaceWith(mixinRules[atrule.params]);\n * }\n *\n * @return {Node} current node to methods chain\n
*\n replaceWith(...nodes) {\n if (this.parent) {\n nodes.forEach(node => {\n this.parent.insertBefore(this,
node);\n });\n }\n this.remove();\n }\n\n return this;\n }\n\n /**\n * Removes the node from its current
parent and inserts it\n * at the end of `newParent`.\n *\n * This will clean the `before` and `after` code { @link
Node#raws } data\n * from the node and replace them with the indentation style of `newParent`.\n * It will also
clean the `between` property\n * if `newParent` is in another { @link Root}.\n *\n * @param {Container}
newParent - container node where the current node\n * will be moved\n *\n * @example\n
*\n atrule.moveTo(atrule.root());\n *\n * @return {Node} current node to methods chain\n *\n
moveTo(newParent) {\n this.cleanRaws(this.root() === newParent.root());\n this.remove();\n
newParent.append(this);\n return this;\n }\n\n /**\n * Removes the node from its current parent and inserts it
into\n * a new parent before `otherNode`.\n *\n * This will also clean the node's code style properties just as it
would\n * in { @link Node#moveTo}.\n *\n * @param {Node} otherNode - node that will be before current
node\n *\n * @return {Node} current node to methods chain\n *\n moveBefore(otherNode) {\n
this.cleanRaws(this.root() === otherNode.root());\n this.remove();\n otherNode.parent.insertBefore(otherNode,
this);\n return this;\n }\n\n /**\n * Removes the node from its current parent and inserts it into\n * a new parent
after `otherNode`.\n *\n * This will also clean the node's code style properties just as it would\n * in { @link
Node#moveTo}.\n *\n * @param {Node} otherNode - node that will be after current node\n *\n * @return
{Node} current node to methods chain\n *\n moveAfter(otherNode) {\n this.cleanRaws(this.root() ===
otherNode.root());\n this.remove();\n otherNode.parent.insertAfter(otherNode, this);\n return this;\n }\n\n
/**\n * Returns the next child of the node's parent.\n * Returns `undefined` if the current node is the last child.\n
*\n * @return {Node|undefined} next node\n *\n * @example\n * if ( comment.text === 'delete next' ) {\n *
const next = comment.next();\n * if ( next ) {\n * next.remove();\n * }\n * }\n *\n next() {\n const
index = this.parent.index(this);\n return this.parent.nodes[index + 1];\n }\n\n /**\n * Returns the previous child
of the node's parent.\n * Returns `undefined` if the current node is the first child.\n *\n * @return
{Node|undefined} previous node\n *\n * @example\n * const annotation = decl.prev();\n * if ( annotation.type
=== 'comment' ) {\n * readAnnotation(annotation.text);\n * }\n *\n prev() {\n const index =
this.parent.index(this);\n return this.parent.nodes[index - 1];\n }\n\n toJSON() {\n const fixed = {};\n for
(const name in this) {\n if (!this.hasOwnProperty(name)) continue;\n if (name === 'parent') continue;\n
const value = this[name];\n if (value instanceof Array) {\n fixed[name] = value.map(i => {\n if
(typeof i === 'object' && i.toJSON) {\n return i.toJSON();\n } else {\n return i;\n }\n
});\n } else if (typeof value === 'object' && value.toJSON) {\n fixed[name] = value.toJSON();\n } else
{\n fixed[name] = value;\n }\n }\n\n return fixed;\n }\n\n /**\n * Returns a { @link Node#raws } value.
If the node is missing\n * the code style property (because the node was manually built or cloned),\n * PostCSS
will try to autodetect the code style property by looking\n * at other nodes in the tree.\n *\n * @param {string}
prop - name of code style property\n * @param {string} [defaultType] - name of default value, it can be
missed\n *\n * if the value is the same as prop\n *\n * @example\n * const root =
postcss.parse('a { background: white }');\n * root.nodes[0].append({ prop: 'color', value: 'black' });\n *
root.nodes[0].nodes[1].raws.before //=> undefined\n * root.nodes[0].nodes[1].raw('before') //=> '\n *\n *
@return {string} code style value\n *\n raw(prop, defaultType) {\n const str = new Stringifier();\n return
str.raw(this, prop, defaultType);\n }\n\n /**\n * Finds the Root instance of the node's tree.\n *\n * @example\n
*\n root.nodes[0].nodes[0].root() === root\n *\n * @return {Root} root parent\n *\n root() {\n let result =
this;\n while (result.parent) result = result.parent;\n return result;\n }\n\n cleanRaws(keepBetween) {\n delete
this.raws.before;\n delete this.raws.after;\n if (!keepBetween) delete this.raws.between;\n }\n\n
positionInside(index) {\n const string = this.toString();\n let column = this.source.start.column;\n let line =
this.source.start.line;\n for (let i = 0; i < index; i++) {\n if (string[i] === '\\n') {\n column = 1;\n line

```

```

+= 1;
    } else {
        column += 1;
    }
}
return { line, column };
}
positionBy(opts) {
    let
    pos = this.source.start;
    if (opts.index) {
        pos = this.positionInside(opts.index);
    } else if (opts.word) {
        const index = this.toString().indexOf(opts.word);
        if (index !== -1) pos = this.positionInside(index);
    }
    return pos;
}
removeSelf() {
    warnOnce('Node#removeSelf is deprecated. Use Node#remove.');
```

return this.remove();

```

replace(nodes) {
    warnOnce('Node#replace is deprecated. Use Node#replaceWith');
```

return this.replaceWith(nodes);

```

style(own, detect) {
    warnOnce('Node#style() is deprecated. Use
Node#raw()');
```

return this.raw(own, detect);

```

cleanStyles(keepBetween) {
    warnOnce('Node#cleanStyles() is deprecated. Use Node#cleanRows()');
```

return this.cleanRows(keepBetween);

```

}
before() {
    warnOnce('Node#before is deprecated. Use Node#raws.before');
```

return this.raws.before;

```

set before(val) {
    warnOnce('Node#before is deprecated. Use Node#raws.before');
```

this.raws.before = val;

```

}
between() {
    warnOnce('Node#between is deprecated. Use
Node#raws.between');
```

return this.raws.between;

```

}
set between(val) {
    warnOnce('Node#between is
is deprecated. Use Node#raws.between');
```

this.raws.between = val;

```

}
/**
 * @memberof Node#
 * @member {string} type - String representing the node's type.
 * Possible values are `root`,
`atrule`, `rule`,
 * `decl`, or `comment`.
 * @example
 * postcss.decl({ prop: 'color',
value: 'black' }).type // => 'decl'
 * @memberof Node#
 * @member {Container} parent - the
node's parent node.
 * @example
 * root.nodes[0].parent === root;
 * @memberof
Node#
 * @member {source} source - the input source of the node
 * The property is used in source map
generation.
 * If you create a node manually (e.g., with `postcss.decl()`),
 * that node will not have a
`source` property and will be absent
 * from the source map. For this reason, the plugin developer should
 * consider cloning nodes to create new ones (in which case the new node's
 * source will reference the original,
cloned node) or setting
 * the `source` property manually.
 * // Bad
 * const prefixed =
postcss.decl({
 * prop: '-moz-' + decl.prop,
 * value: decl.value
 * });
 * // Good
 * const prefixed
= decl.clone({ prop: '-moz-' + decl.prop });
 * // Bad
 * if ( atrule.name === 'add-link' ) {
 * const
rule = postcss.rule({ selector: 'a', source: atrule.source });
 * atrule.parent.insertBefore(atrule, rule);
 * }
 * // Bad
 * @example
 * decl.source.input.from // => '/home/ai/a.sass'
 * decl.source.start // => { line: 10,
column: 2 }
 * decl.source.end // => { line: 10, column: 12 }
 * @memberof Node#
 * @member {object} raws - Information to generate byte-to-byte equal
node string as it was in the
origin input.
 * Every parser saves its own properties,
 * but the default CSS parser uses:
 * `before`: the space symbols before the node. It also stores ` ` and ` _ ` symbols before the declaration (IE
hack).
 * `after`: the space symbols after the last child of the node
 * to the end of the node.
 * `between`: the symbols between the property and value
 * for declarations, selector and `{` for rules, or last
parameter
 * and `{` for at-rules.
 * `semicolon`: contains true if the last child has
 * an (optional)
semicolon.
 * `afterName`: the space between the at-rule name and its parameters.
 * `left`: the space
symbols between `/*` and the comment's text.
 * `right`: the space symbols between the comment's text
 * and <code>*&#47;</code>.
 * `important`: the content of the important statement,
 * if it is not just
`important`.
 * PostCSS cleans selectors, declaration values and at-rule parameters
 * from comments and
extra spaces, but it stores origin content in raws
 * properties. As such, if you don't change a declaration's
value,
 * PostCSS will use the raw value with comments.
 * @example
 * const root = postcss.parse('a
{
 * color:black
}')
```

root.first.first.raws // => { before: '\n ', between: ':' }

```

}
export default
Node;
",
// @flow
import warnOnce from './warn-once';
import Node from './node';
/**
 * Represents a CSS
declaration.
 * @extends Node
 * @example
 * const root = postcss.parse('a { color: black }');
 * const
decl = root.first.first;
 * decl.type // => 'decl'
 * decl.toString() // => ' color: black'
 * @class Declaration
extends Node {
    constructor(defaults) {
        super(defaults);
        this.type = 'decl';
    }
    get _value() {
        warnOnce('Node#_value was deprecated. Use Node#raws.value');
```

return this.raws.value;

```

}
set
_value(val) {
    warnOnce('Node#_value was deprecated. Use Node#raws.value');
```

this.raws.value = val;

```

}
get _important() {
    warnOnce('Node#_important was deprecated. Use Node#raws.important');
```

return this.raws.important;

```

}
set _important(val) {
    warnOnce('Node#_important was deprecated. Use
```

```

Node#raw.important');\n  this.raw.important = val;\n }\n /**\n * @memberof Declaration#\n * @member
{string} prop - the declaration's property name\n *\n * @example\n * const root = postcss.parse('a { color: black
}');\n * const decl = root.first.first;\n * decl.prop //=> 'color'\n *\n /**\n * @memberof Declaration#\n *
@member {string} value - the declaration's value\n *\n * @example\n * const root = postcss.parse('a { color:
black }');\n * const decl = root.first.first;\n * decl.value //=> 'black'\n *\n /**\n * @memberof
Declaration#\n * @member {boolean} important - `true` if the declaration\n * has an
!important annotation.\n *\n * @example\n * const root = postcss.parse('a { color: black !important; color: red
}');\n * root.first.first.important //=> true\n * root.first.last.important //=> undefined\n *\n /**\n *
@memberof Declaration#\n * @member {object} raws - Information to generate byte-to-byte equal\n *
node string as it was in the origin input.\n *\n * Every parser saves its own properties,\n * but the default
CSS parser uses:\n *\n * * `before`: the space symbols before the node. It also stores ` ` and ` _ ` symbols
before the declaration (IE hack).\n * * * `between`: the symbols between the property and value\n * for
declarations, selector and `{` for rules, or last parameter\n * and `{` for at-rules.\n * * * `important`: the content of
the important statement,\n * if it is not just `!important`.\n *\n * PostCSS cleans declaration from comments
and extra spaces,\n * but it stores origin content in raws properties.\n * As such, if you don't change a
declaration's value,\n * PostCSS will use the raw value with comments.\n *\n * @example\n * const root =
postcss.parse('a {\n color:black\n}')\n * root.first.first.raws //=> { before: '\n ', between: ':' }\n *\n }\n\nexport
default Declaration;\n", "// @flow\nimport warnOnce from './warn-once';\nimport Node from './node';\n\n/**\n *
Represents a comment between declarations or statements (rule and at-rules).\n *\n * Comments inside selectors, at-
rule parameters, or declaration values\n * will be stored in the `raws` properties explained above.\n *\n * @extends
Node\n *\n class Comment extends Node {\n  constructor(defaults) {\n    super(defaults);\n    this.type =
'comment';\n  }\n  get left() {\n    warnOnce('Comment#left was deprecated. Use Comment#raws.left');\n    return
this.raws.left;\n  }\n  set left(val) {\n    warnOnce('Comment#left was deprecated. Use Comment#raws.left');\n
this.raws.left = val;\n  }\n  get right() {\n    warnOnce('Comment#right was deprecated. Use
Comment#raws.right');\n    return this.raws.right;\n  }\n  set right(val) {\n    warnOnce('Comment#right was
deprecated. Use Comment#raws.right');\n    this.raws.right = val;\n  }\n\n  /**\n   * @memberof Comment#\n   *
@member {string} text - the comment's text\n   *\n   /**\n   * @memberof Comment#\n   * @member {object}
raws - Information to generate byte-to-byte equal\n   * node string as it was in the origin input.\n   *\n   * Every parser saves its own properties,\n   * but the default CSS parser uses:\n   *\n   * * * `before`: the space
symbols before the node.\n   * * * * `left`: the space symbols between `/*` and the comment's text.\n   * * * * `right`: the
space symbols between the comment's text.\n   *\n   }\n\nexport default Comment;\n", "// @flow\nimport Declaration
from './declaration';\nimport tokenizer from './tokenizer';\nimport Comment from './comment';\nimport AtRule from
'./at-rule';\nimport Root from './root';\nimport Rule from './rule';\n\nexport default class Parser {\n  constructor(input)
{\n    this.input = input;\n    this.pos = 0;\n    this.root = new Root();\n    this.current = this.root;\n    this.spaces =
"";\n    this.semicolon = false;\n    this.root.source = { input, start: { line: 1, column: 1 } };\n  }\n  tokenize() {\n
this.tokens = tokenizer(this.input);\n  }\n  loop() {\n    let token;\n    while (this.pos < this.tokens.length) {\n
token = this.tokens[this.pos];\n    switch (token[0]) {\n      case 'space':\n        case ';\n        this.spaces +=
token[1];\n        break;\n      case '}'\n        this.end(token);\n        break;\n      case 'comment':\n
this.comment(token);\n        break;\n      case 'at-word':\n        this.atrule(token);\n        break;\n      case
'{'\n        this.emptyRule(token);\n        break;\n      default:\n        this.other();\n        break;\n    }\n    this.pos += 1;\n  }\n  endFile();\n  }\n  comment(token) {\n    const node = new Comment();\n
this.init(node, token[2], token[3]);\n    node.source.end = { line: token[4], column: token[5] };\n    const text =
token[1].slice(2, -2);\n    if (/^\s*$/ .test(text)) {\n      node.text = "";\n      node.raws.left = text;\n      node.raws.right
= "";\n    } else {\n      const match = text.match(/^(\\s*)([^\s*]*(\\s*))$/);\n      node.text = match[2];\n      node.raws.left = match[1];\n      node.raws.right = match[3];\n    }\n  }\n  emptyRule(token) {\n    const node =
new Rule();\n    this.init(node, token[2], token[3]);\n    node.selector = "";\n    node.raws.between = "";\n    this.current
= node;\n  }\n  other() {\n    let token;\n    let end = false;\n    let type = null;\n    let colon = false;\n    let bracket =
null;\n    const brackets = [];\n    const start = this.pos;\n    while (this.pos < this.tokens.length) {\n      token =

```



```

this.tokens[this.pos];\n    type = token[0];\n    if (type === '(' || type === '[') {\n        if (!bracket) bracket =\n        token;\n        brackets.push(type === '(' ? ')' : ']');\n    } else if (brackets.length === 0) {\n        if (type === ';') {\n            if (colon) {\n                this.decl(this.tokens.slice(start, this.pos + 1));\n                return;\n            } else {\n                break;\n            }\n        } else if (type === '{') {\n            this.rule(this.tokens.slice(start, this.pos + 1));\n            return;\n        } else if (type === '}') {\n            this.pos -= 1;\n            end = true;\n            break;\n        } else if (type === ':') {\n            colon = true;\n        }\n    } else if (type === brackets[brackets.length - 1]) {\n        brackets.pop();\n        if\n        (brackets.length === 0) bracket = null;\n    }\n    this.pos += 1;\n    }\n    if (this.pos === this.tokens.length) {\n        this.pos -= 1;\n        end = true;\n    }\n    if (brackets.length > 0) this.unclosedBracket(bracket);\n    if (end &&\n    colon) {\n        while (this.pos > start) {\n            token = this.tokens[this.pos][0];\n            if (token !== 'space' && token\n            !== 'comment') break;\n            this.pos -= 1;\n        }\n        this.decl(this.tokens.slice(start, this.pos + 1));\n        return;\n    }\n    this.unknownWord(start);\n    }\n    rule(tokens) {\n        tokens.pop();\n        const node = new Rule();\n        this.init(node, tokens[0][2], tokens[0][3]);\n        node.rows.between = this.spacesFromEnd(tokens);\n        this.raw(node, 'selector', tokens);\n        this.current = node;\n    }\n    decl(tokens) {\n        const node = new\n        Declaration();\n        this.init(node);\n        const last = tokens[tokens.length - 1];\n        if (last[0] === ';') {\n            this.semicolon = true;\n            tokens.pop();\n        }\n        if (last[4]) {\n            node.source.end = { line: last[4], column:\n            last[5] }; }\n        } else {\n            node.source.end = { line: last[2], column: last[3] }; }\n        }\n        while (tokens[0][0] !==\n        'word') {\n            node.rows.before += tokens.shift()[1];\n        }\n        node.source.start = { line: tokens[0][2], column:\n        tokens[0][3] }; }\n        node.prop = ";\n        while (tokens.length) {\n            const type = tokens[0][0];\n            if (type === ':' ||\n            type === 'space' || type === 'comment') {\n                break;\n            }\n            node.prop += tokens.shift()[1];\n        }\n        node.rows.between = ";\n        let token;\n        while (tokens.length) {\n            token = tokens.shift();\n            if (token[0]\n            === ':') {\n                node.rows.between += token[1];\n                break;\n            } else {\n                node.rows.between += token[1];\n            }\n        }\n        if (node.prop[0] === '_' || node.prop[0] === '*') {\n            node.rows.before += node.prop[0];\n            node.prop = node.prop.slice(1);\n        }\n        node.rows.between += this.spacesFromStart(tokens);\n        this.precheckMissedSemicolon(tokens);\n        for (let i = tokens.length - 1; i > 0; i--) {\n            token = tokens[i];\n            if (token[1] === 'important') {\n                node.important = true;\n                let string = this.stringFrom(tokens, i);\n                string = this.spacesFromEnd(tokens) + string;\n                if (string !== '!important') node.rows.important = string;\n                break;\n            } else if (token[1] === 'important') {\n                const cache = tokens.slice(0);\n                let str = ";\n                for (let j\n                = i; j > 0; j--) {\n                    const type = cache[j][0];\n                    if (str.trim().indexOf('!') === 0 && type !== 'space') {\n                        break;\n                    }\n                    str = cache.pop()[1] + str;\n                }\n                if (str.trim().indexOf('!') === 0) {\n                    node.important = true;\n                    node.rows.important = str;\n                    tokens = cache;\n                }\n            }\n            if (token[0]\n            !== 'space' && token[0] !== 'comment') {\n                break;\n            }\n        }\n        this.raw(node, 'value', tokens);\n        if\n        (node.value.indexOf(':') !== -1) this.checkMissedSemicolon(tokens);\n    }\n    atrule(token) {\n        const node = new\n        AtRule();\n        node.name = token[1].slice(1);\n        if (node.name === "") {\n            this unnamedAtrule(node, token);\n        }\n        this.init(node, token[2], token[3]);\n        let last = false;\n        let open = false;\n        const params = [];\n        this.pos += 1;\n        while (this.pos < this.tokens.length) {\n            token = this.tokens[this.pos];\n            if (token[0] ===\n            ':') {\n                node.source.end = { line: token[2], column: token[3] }; }\n                this.semicolon = true;\n                break;\n            }\n            else if (token[0] === '{') {\n                open = true;\n                break;\n            } else if (token[0] === '}') {\n                this.end(token);\n                break;\n            } else {\n                params.push(token);\n            }\n        }\n        this.pos += 1;\n        }\n        if (this.pos ===\n        this.tokens.length) {\n            last = true;\n        }\n        node.rows.between = this.spacesFromEnd(params);\n        if\n        (params.length) {\n            node.rows.afterName = this.spacesFromStart(params);\n            this.raw(node, 'params',\n            params);\n            if (last) {\n                token = params[params.length - 1];\n                node.source.end = { line: token[4], column:\n                token[5] }; }\n                this.spaces = node.rows.between;\n                node.rows.between = ";\n            }\n        } else {\n            node.rows.afterName = ";\n            node.params = ";\n        }\n        if (open) {\n            node.nodes = [];\n            this.current =\n            node;\n        }\n        }\n        end(token) {\n            if (this.current.nodes && this.current.nodes.length) {\n                this.current.rows.semicolon = this.semicolon;\n            }\n            this.semicolon = false;\n            this.current.rows.after =\n            (this.current.rows.after || "") + this.spaces;\n            this.spaces = ";\n            if (this.current.parent) {\n                this.current.source.end = { line: token[2], column: token[3] }; }\n                this.current = this.current.parent;\n            } else {\n                this.unexpectedClose(token);\n            }\n        }\n        }\n        endFile() {\n            if (this.current.parent) this.unclosedBlock();\n            if

```

```

(this.current.nodes && this.current.nodes.length) {\n  this.current.raws.semicolon = this.semicolon;\n }
this.current.raws.after = (this.current.raws.after || "") + this.spaces;\n }
\n\n // Helpers\n\n init(node, line, column)
{\n  this.current.push(node);\n\n  node.source = { start: { line, column }, input: this.input };\n  node.raws.before
= this.spaces;\n  this.spaces = ";\n  if (node.type !== 'comment') this.semicolon = false;\n }\n\n raw(node, prop,
tokens) {\n  let token, type;\n  const length = tokens.length;\n  let value = ";\n  let clean = true;\n  for (let i = 0;
i < length; i += 1) {\n    token = tokens[i];\n    type = token[0];\n    if (type === 'comment' || (type === 'space'
&& i === length - 1)) {\n      clean = false;\n    } else {\n      value += token[1];\n    }\n  }\n  if (!clean) {\n
const raw = tokens.reduce((all, i) => all + i[1], ");\n    node.raws[prop] = { value, raw };\n  }\n  node[prop] =
value;\n }\n\n spacesFromEnd(tokens) {\n  let lastTokenType;\n  let spaces = ";\n  while (tokens.length) {\n
lastTokenType = tokens[tokens.length - 1][0];\n  if (lastTokenType !== 'space' && lastTokenType !==
'comment') break;\n  spaces = tokens.pop()[1] + spaces;\n }\n  return spaces;\n }\n\n spacesFromStart(tokens)
{\n  let next;\n  let spaces = ";\n  while (tokens.length) {\n    next = tokens[0][0];\n    if (next !== 'space' &&
next !== 'comment') break;\n    spaces += tokens.shift()[1];\n  }\n  return spaces;\n }\n\n stringFrom(tokens,
from) {\n  let result = ";\n  for (let i = from; i < tokens.length; i++) {\n    result += tokens[i][1];\n  }\n
tokens.splice(from, tokens.length - from);\n  return result;\n }\n\n colon(tokens) {\n  let brackets = 0;\n  let
token, type, prev;\n  for (let i = 0; i < tokens.length; i++) {\n    token = tokens[i];\n    type = token[0];\n\n    if
(type === '(') {\n      brackets += 1;\n    } else if (type === ')') {\n      brackets -= 1;\n    } else if (brackets === 0
&& type === ':') {\n      if (!prev) {\n        this.doubleColon(token);\n      } else if (prev[0] === 'word' &&
prev[1] === 'progid') {\n        continue;\n      } else {\n        return i;\n      }\n    }\n\n    prev = token;\n  }\n
return false;\n }\n\n // Errors\n\n unclosedBracket(bracket) {\n  throw this.input.error('Unclosed bracket',
bracket[2], bracket[3]);\n }\n\n unknownWord(start) {\n  const token = this.tokens[start];\n  throw
this.input.error('Unknown word', token[2], token[3]);\n }\n\n unexpectedClose(token) {\n  throw
this.input.error('Unexpected ', token[2], token[3]);\n }\n\n unclosedBlock() {\n  const pos =
this.current.source.start;\n  throw this.input.error('Unclosed block', pos.line, pos.column);\n }\n\n
doubleColon(token) {\n  throw this.input.error('Double colon', token[2], token[3]);\n }\n\n unnamedAtrule(node,
token) {\n  throw this.input.error('At-rule without name', token[2], token[3]);\n }\n\n
precheckMissedSemicolon(tokens) {\n  // Hook for Safe Parser\n  tokens;\n }\n\n
checkMissedSemicolon(tokens) {\n  const colon = this.colon(tokens);\n  if (colon === false) return;\n\n  let
founded = 0;\n  let token;\n  for (let j = colon - 1; j >= 0; j--) {\n    token = tokens[j];\n    if (token[0] !==
'space') {\n      founded += 1;\n      if (founded === 2) break;\n    }\n  }\n  throw this.input.error('Missed
semicolon', token[2], token[3]);\n }\n\n"}
\n\n // @flow\n\nimport Parser from './parser';\nimport Input from
'./input';\n\nexport default function parse(css, opts) {\n  if (opts && opts.safe) {\n    throw new Error('Option safe
was removed. ' + 'Use parser: require(\"postcss-safe-parser\");\n  }\n\n  const input = new Input(css, opts);\n\n  const parser = new Parser(input);\n  try {\n    parser.tokenize();\n    parser.loop();\n  } catch (e) {\n    if (e.name ===
'CssSyntaxError' && opts && opts.from) {\n      if (/\\.scss$/i.test(opts.from)) {\n        e.message +=\n          "\nYou
tried to parse SCSS with ' +\n          'the standard CSS parser; ' +\n          'try again with the postcss-scss parser';\n
      }\n    } else if (/\\.less$/i.test(opts.from)) {\n      e.message +=\n          "\nYou tried to parse Less with ' +\n
          'the standard CSS parser; ' +\n          'try again with the postcss-less parser';\n    }\n  }\n  throw e;\n }\n\n return
parser.root;\n }\n\n"}
\n\n // @flow\n\nimport parse from './parse';\nimport Root from './root';\nimport Rule from
'./rule';\nimport AtRule from './at-rule';\nimport Declaration from './declaration';\nimport warnOnce from './warn-
once';\nimport Comment from './comment';\nimport Node from './node';\n\nfunction cleanSource(nodes) {\n  return
nodes.map(i => {\n    if (i.nodes) i.nodes = cleanSource(i.nodes);\n    delete i.source;\n    return i;\n });\n }\n\n/**
*\n * @callback childCondition\n * @param {Node} node - container child\n * @param {number} index - child
index\n * @param {Node[]} nodes - all container children\n * @return {boolean}\n *\n */\n *\n * @callback
childIterator\n * @param {Node} node - container child\n * @param {number} index - child index\n * @return
{false|undefined} returning `false` will break iteration\n *\n */\n *\n * The { @link Root }, { @link AtRule }, and
{ @link Rule } container nodes\n * inherit some common methods to help work with their children.\n *\n * Note that
all containers can store any content. If you write a rule inside\n * a rule, PostCSS will parse it.\n *\n * @extends

```

```

Node\n * @abstract\n */\n class Container extends Node {\n   push(child) {\n     child.parent = this;\n     this.nodes.push(child);\n     return this;\n   }\n\n   /**\n    * Iterates through the container's immediate children,\n    * calling `callback` for each child.\n    * \n    * Returning `false` in the callback will break iteration.\n    * \n    * This method only iterates through the container's immediate children.\n    * \n    * If you need to recursively iterate through all the container's descendant\n    * nodes, use {@link Container#walk}.\n    * \n    * Unlike the for `{}`-cycle or `Array#forEach` this iterator is safe\n    * if you are mutating the array of child nodes during iteration.\n    * \n    * PostCSS will adjust the current index to match the mutations.\n    * \n    * @param {childIterator} callback - iterator receives each node and index\n    * \n    * @return {false|undefined} returns `false` if iteration was broke\n    * \n    * @example\n    * \n    * const root = postcss.parse('a { color: black; z-index: 1 }');\n    * const rule = root.first;\n    * for (let decl of rule.nodes) {\n    *   decl.cloneBefore({ prop: '-webkit-' + decl.prop });\n    *   // Cycle will be infinite, because cloneBefore moves the current node\n    *   // to the next index\n    * }\n    * rule.each(decl => {\n    *   decl.cloneBefore({ prop: '-webkit-' + decl.prop });\n    *   // Will be executed only for color and z-index\n    * });\n    *\n    * each(callback) {\n    *   if (!this.lastEach) this.lastEach = 0;\n    *   if (!this.indexes) this.indexes = {};\n    *\n    *   this.lastEach += 1;\n    *   const id = this.lastEach;\n    *   this.indexes[id] = 0;\n    *\n    *   if (!this.nodes) return undefined;\n    *\n    *   let index, result;\n    *   while (this.indexes[id] < this.nodes.length) {\n    *     index = this.indexes[id];\n    *     result = callback(this.nodes[index], index);\n    *     if (result === false) break;\n    *\n    *     this.indexes[id] += 1;\n    *   }\n    *\n    *   delete this.indexes[id];\n    *\n    *   return result;\n    * }\n\n   /**\n    * Traverses the container's descendant nodes, calling callback\n    * for each node.\n    * \n    * Like container.each(), this method is safe to use\n    * if you are mutating arrays during iteration.\n    * \n    * If you only need to iterate through the container's immediate children,\n    * use {@link Container#each}.\n    * \n    * @param {childIterator} callback - iterator receives each node and index\n    * \n    * @return {false|undefined} returns `false` if iteration was broke\n    * \n    * @example\n    * \n    * root.walk(node => {\n    *   // Traverses all descendant nodes.\n    * });\n    *\n    * walk(callback) {\n    *   return this.each((child, i) => {\n    *     let result = callback(child, i);\n    *     if (result !== false && child.walk) {\n    *       result = child.walk(callback);\n    *     }\n    *\n    *     return result;\n    * });\n    * }\n\n   /**\n    * Traverses the container's descendant nodes, calling callback\n    * for each declaration node.\n    * \n    * If you pass a filter, iteration will only happen over declarations\n    * with matching properties.\n    * \n    * Like {@link Container#each}, this method is safe to use if you are mutating arrays during iteration.\n    * \n    * @param {string|RegExp} [prop] - string or regular expression\n    * \n    * to filter declarations by property name\n    * \n    * @param {childIterator} callback - iterator receives each node and index\n    * \n    * @return {false|undefined} returns `false` if iteration was broke\n    * \n    * @example\n    * \n    * root.walkDecls(decl => {\n    *   checkPropertySupport(decl.prop);\n    * });\n    *\n    * root.walkDecls(/^background/, decl => {\n    *   decl.value = takeFirstColorFromGradient(decl.value);\n    * });\n    *\n    * walkDecls(prop, callback) {\n    *   if (!callback) {\n    *     callback = prop;\n    *     return this.walk((child, i) => {\n    *       if (child.type === 'decl') {\n    *         return callback(child, i);\n    *       }\n    *     });\n    *   } else if (prop instanceof RegExp) {\n    *     return this.walk((child, i) => {\n    *       if (child.type === 'decl' && prop.test(child.prop)) {\n    *         return callback(child, i);\n    *       }\n    *     });\n    *   } else {\n    *     return this.walk((child, i) => {\n    *       if (child.type === 'decl' && child.prop === prop) {\n    *         return callback(child, i);\n    *       }\n    *     });\n    *   }\n    * }\n\n   /**\n    * Traverses the container's descendant nodes, calling callback\n    * for each rule node.\n    * \n    * If you pass a filter, iteration will only happen over rules\n    * with matching selectors.\n    * \n    * Like {@link Container#each}, this method is safe to use if you are mutating arrays during iteration.\n    * \n    * @param {string|RegExp} [selector] - string or regular expression\n    * \n    * to filter rules by selector\n    * \n    * @param {childIterator} callback - iterator receives each node and index\n    * \n    * @return {false|undefined} returns `false` if iteration was broke\n    * \n    * @example\n    * \n    * const selectors = [];\n    * root.walkRules(rule => {\n    *   selectors.push(rule.selector);\n    * });\n    * console.log(`Your CSS uses ${selectors.length} selectors`);\n    *\n    * walkRules(selector, callback) {\n    *   if (!callback) {\n    *     callback = selector;\n    *     return this.walk((child, i) => {\n    *       if (child.type === 'rule') {\n    *         return callback(child, i);\n    *       }\n    *     });\n    *   } else if (selector instanceof RegExp) {\n    *     return this.walk((child, i) => {\n    *       if (child.type === 'rule' && selector.test(child.selector)) {\n    *         return callback(child, i);\n    *       }\n    *     });\n    *   } else {\n    *     return this.walk((child, i) => {\n    *       if (child.type === 'rule' && child.selector === selector) {\n    *         return

```

```

callback(child, i);\n    }\n  });\n  }\n }\n\n /**\n * Traverses the container's descendant nodes, calling
callback\n * for each at-rule node.\n *\n * If you pass a filter, iteration will only happen over at-rules\n * that
have matching names.\n *\n * Like { @link Container#each }, this method is safe\n * to use if you are mutating
arrays during iteration.\n *\n * @param {string|RegExp} [name] - string or regular expression\n *
to filter at-rules by name\n * @param {childIterator} callback - iterator receives each node and index\n *\n
* @return {false|undefined} returns `false` if iteration was broke\n *\n * @example\n * root.walkAtRules(rule
=> {\n *   if ( isOld(rule.name) ) rule.remove();\n * });\n *\n * let first = false;\n * root.walkAtRules('charset',
rule => {\n *   if ( !first ) {\n *     first = true;\n *   } else {\n *     rule.remove();\n *   }\n * });\n *\n
walkAtRules(name, callback) {\n   if (!callback) {\n     callback = name;\n     return this.walk((child, i) => {\n
if (child.type === 'atrule') {\n     return callback(child, i);\n     }\n   });\n   } else if (name instanceof RegExp)
{\n     return this.walk((child, i) => {\n     if (child.type === 'atrule' && name.test(child.name)) {\n     return
callback(child, i);\n     }\n   });\n   } else {\n     return this.walk((child, i) => {\n     if (child.type === 'atrule'
&& child.name === name) {\n     return callback(child, i);\n     }\n   });\n   }\n }\n\n /**\n * Traverses the
container's descendant nodes, calling callback\n * for each comment node.\n *\n * Like { @link
Container#each }, this method is safe\n * to use if you are mutating arrays during iteration.\n *\n * @param
{childIterator} callback - iterator receives each node and index\n *\n * @return {false|undefined} returns `false` if
iteration was broke\n *\n * @example\n * root.walkComments(comment => {\n *   comment.remove();\n *
});\n *\n walkComments(callback) {\n   return this.walk((child, i) => {\n     if (child.type === 'comment') {\n
return callback(child, i);\n     }\n   });\n }\n\n /**\n * Inserts new nodes to the start of the container.\n *\n
* @param {...(Node|object|string|Node[])} children - new nodes\n *\n * @return {Node} this node for methods
chain\n *\n * @example\n * const decl1 = postcss.decl({ prop: 'color', value: 'black' });\n * const decl2 =
postcss.decl({ prop: 'background-color', value: 'white' });\n * rule.append(decl1, decl2);\n *\n * root.append({
name: 'charset', params: '"UTF-8"' }); // at-rule\n * root.append({ selector: 'a' }); // rule\n *
rule.append({ prop: 'color', value: 'black' }); // declaration\n * rule.append({ text: 'Comment' }) //
comment\n *\n * root.append('a {}');\n * root.first.append('color: black; z-index: 1');\n *\n append(...children)
{\n   children.forEach(child => {\n     const nodes = this.normalize(child, this.last);\n     nodes.forEach(node =>
this.nodes.push(node));\n   });\n   return this;\n }\n\n /**\n * Inserts new nodes to the end of the container.\n *\n
* @param {...(Node|object|string|Node[])} children - new nodes\n *\n * @return {Node} this node for methods
chain\n *\n * @example\n * const decl1 = postcss.decl({ prop: 'color', value: 'black' });\n * const decl2 =
postcss.decl({ prop: 'background-color', value: 'white' });\n * rule.prepend(decl1, decl2);\n *\n * root.append({
name: 'charset', params: '"UTF-8"' }); // at-rule\n * root.append({ selector: 'a' }); // rule\n *
rule.append({ prop: 'color', value: 'black' }); // declaration\n * rule.append({ text: 'Comment' }) //
comment\n *\n * root.append('a {}');\n * root.first.append('color: black; z-index: 1');\n *\n prepend(...children)
{\n   children = children.reverse();\n   children.forEach(child => {\n     const nodes = this.normalize(child,
this.first, 'prepend').reverse();\n     nodes.forEach(node => this.nodes.unshift(node));\n     for (const id in
this.indexes) {\n     this.indexes[id] = this.indexes[id] + nodes.length;\n     }\n   });\n   return this;\n }\n\n
cleanRaws(keepBetween) {\n   super.cleanRaws(keepBetween);\n   if (this.nodes) {\n     this.nodes.forEach(node
=> node.cleanRaws(keepBetween));\n   }\n }\n\n /**\n * Insert new node before old node within the container.\n
*\n * @param {Node|number} exist - child or child's index.\n * @param {Node|object|string|Node[]} add
- new node\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * rule.insertBefore(decl,
decl.clone({ prop: '-webkit-' + decl.prop }));\n *\n insertBefore(exist, add) {\n   exist = this.index(exist);\n
const type = exist === 0 ? 'prepend' : false;\n   const nodes = this.normalize(add, this.nodes[exist], type).reverse();\n
nodes.forEach(node => this.nodes.splice(exist, 0, node));\n\n   let index;\n   for (const id in this.indexes) {\n
index = this.indexes[id];\n   if (exist <= index) {\n     this.indexes[id] = index + nodes.length;\n   }\n }\n\n
return this;\n }\n\n /**\n * Insert new node after old node within the container.\n *\n * @param {Node|number}
exist - child or child's index\n * @param {Node|object|string|Node[]} add - new node\n *\n * @return
{Node} this node for methods chain\n *\n insertAfter(exist, add) {\n   exist = this.index(exist);\n\n   const nodes
= this.normalize(add, this.nodes[exist]).reverse();\n   nodes.forEach(node => this.nodes.splice(exist + 1, 0,

```

```

node));\n\n let index;\n for (const id in this.indexes) {\n   index = this.indexes[id];\n   if (exist < index) {\n     this.indexes[id] = index + nodes.length;\n   }\n }\n\n return this;\n }\n\n remove(child) {\n   if (typeof child\n !== 'undefined') {\n     warnOnce('Container#remove is deprecated. ' + 'Use Container#removeChild');\n     this.removeChild(child);\n   } else {\n     super.remove();\n   }\n   return this;\n }\n\n /**\n * Removes node\n from the container and cleans the parent properties\n * from the node and its children.\n * @param\n {Node|number} child - child or child's index\n * @return {Node} this node for methods chain\n * @example\n * rule.nodes.length //=> 5\n * rule.removeChild(decl);\n * rule.nodes.length //=> 4\n * decl.parent //=> undefined\n * ^\n removeChild(child) {\n   child = this.index(child);\n   this.nodes[child].parent = undefined;\n   this.nodes.splice(child, 1);\n\n   let index;\n   for (const id in this.indexes)\n     {\n       index = this.indexes[id];\n       if (index >= child) {\n         this.indexes[id] = index - 1;\n       }\n     }\n\n   return\n this;\n }\n\n /**\n * Removes all children from the container\n * and cleans their parent properties.\n * @return {Node} this node for methods chain\n * @example\n * rule.removeAll();\n * rule.nodes.length\n //=> 0\n * ^\n removeAll() {\n   this.nodes.forEach(node => (node.parent = undefined));\n   this.nodes = [];\n   return this;\n }\n\n /**\n * Passes all declaration values within the container that match pattern\n * through\n callback, replacing those values with the returned result\n * of callback.\n * @param\n {string|RegExp} pattern - replace pattern\n * @param {object} opts - options to speed up the\n search\n * @param {string|string[]} opts.props - an array of property names\n * @param {string} opts.fast\n - string that's used\n * to narrow down values and speed up\n the regexp search\n * @param {function|string} callback - string to replace pattern\n * or callback that returns a new\n * value.\n * The callback will\n receive\n * the same arguments as those\n * passed to a\n function parameter\n * of `String#replace`.\n * @return {Node} this node for\n methods chain\n * @example\n * root.replaceValues(/\\d+rem/, { fast: 'rem' }, string => {\n * return\n 15 * parseInt(string) + 'px';\n * });\n * ^\n replaceValues(pattern, opts, callback) {\n   if (!callback) {\n     callback = opts;\n     opts = {};\n   }\n\n   this.walkDecls(decl => {\n     if (opts.props &&\n opts.props.indexOf(decl.prop) === -1) return;\n     if (opts.fast && decl.value.indexOf(opts.fast) === -1) return;\n\n     decl.value = decl.value.replace(pattern, callback);\n   });\n\n   return this;\n }\n\n /**\n * Returns `true` if\n callback returns `true`\n * for all of the container's children.\n * @param {childCondition} condition -\n iterator returns true or false.\n * @return {boolean} is every child pass condition\n * @example\n * const noPrefixes = rule.every(i => i.prop[0] !== '-');\n * ^\n every(condition) {\n   return\n this.nodes.every(condition);\n }\n\n /**\n * Returns `true` if callback returns `true`\n * for (at least) one\n * of the\n container's children.\n * @param {childCondition} condition - iterator returns true or false.\n * @return {boolean} is some child pass condition\n * @example\n * const hasPrefix = rule.some(i =>\n i.prop[0] === '-');\n * ^\n some(condition) {\n   return this.nodes.some(condition);\n }\n\n /**\n * Returns a\n `child`\n 's index within the {@link Container#nodes} array.\n * @param {Node} child - child of the current\n container.\n * @return {number} child index\n * @example\n * rule.index( rule.nodes[2] ) //=> 2\n * ^\n index(child) {\n   if (typeof child === 'number')\n     return child;\n   }\n   else {\n     return\n this.nodes.indexOf(child);\n   }\n }\n\n /**\n * The container's first child.\n * @type {Node}\n * @example\n * rule.first === rules.nodes[0];\n * ^\n get first() {\n   if (!this.nodes) return undefined;\n   return\n this.nodes[0];\n }\n\n /**\n * The container's last child.\n * @type {Node}\n * @example\n * rule.last === rule.nodes[rule.nodes.length - 1];\n * ^\n get last() {\n   if (!this.nodes) return undefined;\n   return\n this.nodes[this.nodes.length - 1];\n }\n\n normalize(nodes, sample) {\n   if (typeof nodes === 'string') {\n     nodes\n = cleanSource(parse(nodes).nodes);\n   } else if (!Array.isArray(nodes)) {\n     if (nodes.type === 'root') {\n       nodes = nodes.nodes;\n     } else if (nodes.type) {\n       nodes = [nodes];\n     } else if (nodes.prop) {\n       if\n (typeof nodes.value === 'undefined') {\n         throw new Error('Value field is missed in node creation');\n       }\n     } else if (typeof nodes.value !== 'string') {\n       nodes.value = String(nodes.value);\n     }\n     nodes = [new\n Declaration(nodes)];\n   } else if (nodes.selector) {\n     nodes = [new Rule(nodes)];\n   } else if (nodes.name)

```

```

    {\n      nodes = [new AtRule(nodes)];\n    } else if (nodes.text) {\n      nodes = [new Comment(nodes)];\n    }
    else {\n      throw new Error('Unknown node type in node creation');\n    }\n  }\n\n  const processed =
  nodes.map(i => {\n    if (typeof i.raws === 'undefined') i = this.rebuild(i);\n    if (i.parent) i = i.clone();\n    if
  (typeof i.raws.before === 'undefined') {\n    if (sample && typeof sample.raws.before !== 'undefined') {\n
  i.raws.before = sample.raws.before.replace(/[\^\s]/g, "");\n    }\n    i.parent = this;\n    return i;\n  });\n\n
  return processed;\n }\n\n rebuild(node, parent) {\n  let fix;\n  if (node.type === 'root') {\n    fix = new Root();\n  }
  else if (node.type === 'atrule') {\n    fix = new AtRule();\n  } else if (node.type === 'rule') {\n    fix = new
  Rule();\n  } else if (node.type === 'decl') {\n    fix = new Declaration();\n  } else if (node.type === 'comment')
  {\n    fix = new Comment();\n  }\n\n  for (const i in node) {\n    if (i === 'nodes') {\n      fix.nodes =
  node.nodes.map(j => this.rebuild(j, fix));\n    } else if (i === 'parent' && parent) {\n      fix.parent = parent;\n    }
  else if (node.hasOwnProperty(i)) {\n    fix[i] = node[i];\n  }\n  }\n\n  return fix;\n }\n\n eachInside(callback)
  {\n    warnOnce('Container#eachInside is deprecated. ' + 'Use Container#walk instead.);\n    return
  this.walk(callback);\n  }\n\n  eachDecl(prop, callback) {\n    warnOnce('Container#eachDecl is deprecated. ' + 'Use
  Container#walkDecls instead.);\n    return this.walkDecls(prop, callback);\n  }\n\n  eachRule(selector, callback) {\n
  warnOnce('Container#eachRule is deprecated. ' + 'Use Container#walkRules instead.);\n    return
  this.walkRules(selector, callback);\n  }\n\n  eachAtRule(name, callback) {\n    warnOnce('Container#eachAtRule is
  deprecated. ' + 'Use Container#walkAtRules instead.);\n    return this.walkAtRules(name, callback);\n  }\n\n
  eachComment(callback) {\n    warnOnce('Container#eachComment is deprecated. ' + 'Use
  Container#walkComments instead.);\n    return this.walkComments(callback);\n  }\n\n  get semicolon() {\n
  warnOnce('Node#semicolon is deprecated. Use Node#raws.semicolon');\n    return this.raws.semicolon;\n  }\n\n
  set semicolon(val) {\n    warnOnce('Node#semicolon is deprecated. Use Node#raws.semicolon');\n
  this.raws.semicolon = val;\n  }\n\n  get after() {\n    warnOnce('Node#after is deprecated. Use Node#raws.after');\n
  return this.raws.after;\n  }\n\n  set after(val) {\n    warnOnce('Node#after is deprecated. Use Node#raws.after');\n
  this.raws.after = val;\n  }\n\n  /**\n   * @memberof Container#\n   * @member {Node[]} nodes - an array
  containing the container's children\n   *\n   * @example\n   * const root = postcss.parse('a { color: black }');\n   *
  root.nodes.length //=> 1\n   * root.nodes[0].selector //=> 'a'\n   * root.nodes[0].nodes[0].prop //=> 'color'\n
  *\n   *\n   * export default Container;\n   */\n  @flow\n  @import Container from './container';\n  @import warnOnce from
  './warn-once';\n  /**\n   * Represents an at-rule.\n   *\n   * If it's followed in the CSS by a {} block, this node will
  have\n   * a nodes property representing its children.\n   *\n   * @extends Container\n   *\n   * @example\n   * const root =
  postcss.parse('@charset "UTF-8"; @media print {}');\n   *\n   * const charset = root.first;\n   * charset.type //=>
  'atrule'\n   * charset.nodes //=> undefined\n   *\n   * const media = root.last;\n   * media.nodes //=> []\n   *\n   * class AtRule
  extends Container {\n    constructor(defaults) {\n      super(defaults);\n      this.type = 'atrule';\n    }\n\n    append(...children) {\n      if (!this.nodes) this.nodes = [];\n      return super.append(...children);\n    }\n\n    prepend(...children) {\n      if (!this.nodes) this.nodes = [];\n      return super.prepend(...children);\n    }\n\n    get
  afterName() {\n      warnOnce('AtRule#afterName was deprecated. Use AtRule#raws.afterName');\n      return
  this.raws.afterName;\n    }\n\n    set afterName(val) {\n      warnOnce('AtRule#afterName was deprecated. Use
  AtRule#raws.afterName');\n      this.raws.afterName = val;\n    }\n\n    get _params() {\n      warnOnce('AtRule#_params
  was deprecated. Use AtRule#raws.params');\n      return this.raws.params;\n    }\n\n    set _params(val) {\n
  warnOnce('AtRule#_params was deprecated. Use AtRule#raws.params');\n      this.raws.params = val;\n    }\n\n    /**\n
   * @memberof AtRule#\n   * @member {string} name - the at-rule's name immediately follows the `@`\n   *\n   *
  @example\n   * const root = postcss.parse('@media print {}');\n   * media.name //=> 'media'\n   * const media =
  root.first;\n   *\n   * @memberof AtRule#\n   * @member {string} params - the at-rule's parameters, the
  values\n   * that follow the at-rule's name but precede\n   * any {} block\n   *\n   * @example\n   * const root =
  postcss.parse('@media print, screen {}');\n   * const media = root.first;\n   *\n   * media.params //=> 'print,
  screen'\n   *\n   * @memberof AtRule#\n   * @member {object} raws -
  Information to generate byte-to-byte equal\n   * node string as it was in the origin input.\n   *\n   * Every parser
  saves its own properties,\n   * but the default CSS parser uses:\n   * * `before`: the space symbols
  before the node. It also stores ` ` \n   * and ` _ ` symbols before the declaration (IE hack).\n   * * `after`: the space
  
```

symbols after the last child of the node  
\* to the end of the node.  
\* \* `between`: the symbols between the property and value  
\* for declarations, selector and `{` for rules, or last parameter  
\* and `{` for at-rules.  
\* `semicolon`: contains true if the last child has an (optional) semicolon.  
\* `afterName`: the space between the at-rule name and its parameters.  
\* \* PostCSS cleans at-rule parameters from comments and extra spaces,  
\* but it stores origin content in raws properties.  
\* As such, if you don't change a declaration's value,  
\* PostCSS will use the raw value with comments.  
\* @example  
\* const root = postcss.parse('@media\nprint {\n})  
\* root.first.first.raws // => { before: ' ',  
\* // between: ' ',  
\* // afterName: '\n',  
\* // after: '\n'}  
\* \n\nexport default AtRule;  
\* @flow  
\* \*\*\n \* Contains helpers for safely splitting lists of CSS values,  
\* preserving parentheses and quotes.  
\* @example  
\* const list = postcss.list;  
\* @namespace list  
\* \n\nconst list = {\n \* split(string, separators, last) {\n \* const array = [];  
\* let current = '';  
\* let split = false;  
\* let func = 0;  
\* let quote = false;  
\* let escape = false;  
\* for (let i = 0; i < string.length; i++) {\n \* const letter = string[i];  
\* if (quote) {\n \* if (escape) {\n \* escape = false;  
\* } else if (letter === '\\') {\n \* escape = true;  
\* } else if (letter === quote) {\n \* quote = false;  
\* }  
\* } else if (letter === '\"' || letter === '\'') {\n \* quote = letter;  
\* } else if (letter === '(') {\n \* func += 1;  
\* } else if (letter === ')') {\n \* if (func > 0) func -= 1;  
\* } else if (func === 0) {\n \* if (separators.indexOf(letter) !== -1) split = true;  
\* }  
\* if (split) {\n \* if (current !== '')  
\* array.push(current.trim());  
\* current = '';  
\* split = false;  
\* } else {\n \* current += letter;  
\* }  
\* }  
\* if (last || current !== '') array.push(current.trim());  
\* return array;  
\* }  
\* \n\n \* }  
\* \*\*\n \* Safely splits space-separated values (such as those for `background`, `border-radius`, and other shorthand properties).  
\* @param {string} string - space-separated values  
\* @return {string[]} splitted values  
\* @example  
\* postcss.list.space('1px calc(10% + 1px)') // => ['1px', 'calc(10% + 1px)']  
\* \n\n \* space(string) {\n \* const spaces = [' ', '\n', '\t'];  
\* return list.split(string, spaces);  
\* }  
\* \n\n \* }  
\* \*\*\n \* Safely splits comma-separated values (such as those for `transition-\*` and `background` properties).  
\* @param {string} string - comma-separated values  
\* @return {string[]} splitted values  
\* @example  
\* postcss.list.comma('black, linear-gradient(white, black)')  
\* // => ['black', 'linear-gradient(white, black)']  
\* \n\n \* comma(string) {\n \* const comma = ',';  
\* return list.split(string, [comma], true);  
\* }  
\* \n\n \* }  
\* \n\nexport default list;  
\* @flow  
\* \n\nimport './at-rule';  
\* break cyclical dependency deadlock - #87  
\* \n\nimport Container from './container';  
\* \n\nimport warnOnce from './warn-once';  
\* \n\nimport list from './list';  
\* \*\*\n \* Represents a CSS rule: a selector followed by a declaration block.  
\* @extends Container  
\* @example  
\* const root = postcss.parse('a { }');  
\* const rule = root.first;  
\* rule.type // => 'rule'  
\* rule.toString() // => 'a { }'  
\* \n\n \* \n\n \* class Rule extends Container {\n \* constructor(defaults) {\n \* super(defaults);  
\* this.type = 'rule';  
\* if (!this.nodes) this.nodes = [];  
\* }  
\* \n\n \* }  
\* \*\*\n \* An array containing the rule's individual selectors.  
\* Groups of selectors are split at commas.  
\* @type {string[]}  
\* @example  
\* const root = postcss.parse('a, b { }');  
\* const rule = root.first;  
\* rule.selector // => 'a, b'  
\* rule.selectors // => ['a', 'b']  
\* rule.selectors = ['a', 'strong'];  
\* rule.selector // => 'a, strong'  
\* \n\n \* get selectors() {\n \* return list.comma(this.selector);  
\* }  
\* \n\n \* set selectors(values) {\n \* const match = this.selector ? this.selector.match(/,\s\*/) : null;  
\* const sep = match ? match[0] : `,\$\${this.raw('between', 'beforeOpen')}`;  
\* this.selector = values.join(sep);  
\* }  
\* \n\n \* get \_selector() {\n \* warnOnce('Rule#\_selector is deprecated. Use Rule#raws.selector');  
\* return this.raws.selector;  
\* }  
\* \n\n \* set \_selector(val) {\n \* warnOnce('Rule#\_selector is deprecated. Use Rule#raws.selector');  
\* this.raws.selector = val;  
\* }  
\* \n\n \* }  
\* \*\*\n \* @memberof Rule#  
\* @member {string} selector - the rule's full selector represented as a string  
\* @example  
\* const root = postcss.parse('a, b { }');  
\* const rule = root.first;  
\* rule.selector // => 'a, b'  
\* \n\n \* }  
\* \*\*  
\* @memberof Rule#  
\* @member {object} raws - Information to generate byte-to-byte equal node string as it was in the origin input.  
\* Every parser saves its own properties, but the default CSS parser uses:  
\* \* `before`: the space symbols before the node. It also stores ` ` and ` ` symbols before the declaration (IE hack).  
\* \* `after`: the space symbols after the last child of the node to the end of the node.  
\* \* `between`: the symbols between the property and value for declarations, selector and `{` for rules, or last parameter and `{` for at-rules.  
\* \* `semicolon`: contains true if the last child has an (optional) semicolon.  
\* \* PostCSS cleans selectors from comments and extra spaces, but it stores





```

produced this Result instance.\n
 * \n
 * @example\n
 * root.toResult(opts).opts === opts;\n
 * /\n
 this.opts =
opts;\n
 /**\n
 * @member {string} - A CSS string representing of {@link Result#root}.\n
 * \n
 *
@example\n
 * postcss.parse('a{}').toResult().css //=> 'a{\n
 * \n
 * /\n
 this.css = undefined;\n
 /**\n
 *
@member {SourceMapGenerator} - An instance of `SourceMapGenerator`\n
 *
class from the
`source-map` library,\n
 *
representing changes\n
 *
to the {@link
Result#root} instance.\n
 * \n
 * @example\n
 * result.map.toJSON() //=> { version: 3, file: 'a.css', ... }\n
 * \n
 * @example\n
 * if (result.map) {\n
 *   fs.writeFileSync(result.opts.to + '.map', result.map.toString());\n
 * }\n
 * /\n
 this.map = undefined;\n
 }\n
 /**\n
 * Returns for {@link Result#css} content.\n
 * \n
 * @example\n
 * result + "==== result.css\n
 * \n
 * @return {string} string representing of {@link Result#root}\n
 * \n
 toString()\n
 {\n
 return this.css;\n
 }\n
 /**\n
 * Creates an instance of {@link Warning} and adds it\n
 * to {@link
Result#messages}.\n
 * \n
 * @param {string} text - warning message\n
 * @param {Object} [opts] -
warning options\n
 * @param {Node} opts.node - CSS node that caused the warning\n
 * @param {string}
opts.word - word in CSS source that caused the warning\n
 * @param {number} opts.index - index in CSS node
string that caused\n
 *
the warning\n
 * @param {string} opts.plugin - name of the plugin that
created\n
 *
this warning. {@link Result#warn} fills\n
 *
this property
automatically.\n
 * \n
 * @return {Warning} created warning\n
 * /\n
 warn(text, opts = {}) {\n
 if (!opts.plugin)\n
 {\n
 if (this.lastPlugin && this.lastPlugin.postcssPlugin) {\n
 opts.plugin = this.lastPlugin.postcssPlugin;\n
 }\n
 }\n
 const warning = new Warning(text, opts);\n
 this.messages.push(warning);\n
 return warning;\n
 }\n
 /**\n
 * Returns warnings from plugins. Filters {@link Warning} instances\n
 * from {@link
Result#messages}.\n
 * \n
 * @example\n
 * result.warnings().forEach(warn => {\n
 *
console.warn(warn.toString());\n
 * });\n
 * \n
 * @return {Warning[]} warnings from plugins\n
 * /\n
 warnings()\n
 {\n
 return this.messages.filter(i => i.type === 'warning');\n
 }\n
 /**\n
 * An alias for the {@link Result#css}
property.\n
 * Use it with syntaxes that generate non-CSS output.\n
 * @type {string}\n
 * \n
 * @example\n
 *
result.css === result.content;\n
 * /\n
 get content() {\n
 return this.css;\n
 }\n
 }\n
\n
export default Result;\n
"}\n
\n
@flow\n
import stringify from './stringify';\n
import warnOnce from './warn-once';\n
import Result from
'./result';\n
import parse from './parse';\n
\n
function isPromise(obj) {\n
 return typeof obj === 'object' && typeof
obj.then === 'function';\n
 }\n
\n
/**\n
 * @callback onFulfilled\n
 * @param {Result} result\n
 * /\n
\n
/**\n
 * @callback
onRejected\n
 * @param {Error} error\n
 * /\n
\n
/**\n
 * A Promise proxy for the result of PostCSS transformations.\n
 * \n
 * A `LazyResult` instance is returned by {@link Processor#process}.\n
 * \n
 * @example\n
 * const lazy =
postcss([cssnext]).process(css);\n
 * /\n
\n
class LazyResult {\n
 constructor(processor, css, opts) {\n
 this.stringified =
false;\n
 this.processed = false;\n
\n
 let root;\n
 if (typeof css === 'object' && css.type === 'root') {\n
 root =
css;\n
 } else if (css instanceof LazyResult || css instanceof Result) {\n
 root = css.root;\n
 if (css.map) {\n
 if (typeof opts.map === 'undefined') opts.map = {};\n
 if (!opts.map.inline) opts.map.inline = false;\n
 opts.map.prev = css.map;\n
 }\n
 } else {\n
 let parser = parse;\n
 if (opts.syntax) parser =
opts.syntax.parse;\n
 if (opts.parser) parser = opts.parser;\n
 if (parser.parse) parser = parser.parse;\n
\n
 try\n
 {\n
 root = parser(css, opts);\n
 } catch (error) {\n
 this.error = error;\n
 }\n
 }\n
\n
 this.result = new
Result(processor, root, opts);\n
 }\n
\n
 /**\n
 * Returns a {@link Processor} instance, which will be used\n
 * for
CSS transformations.\n
 * @type {Processor}\n
 * /\n
 get processor() {\n
 return this.result.processor;\n
 }\n
\n
 /**\n
 * Options from the {@link Processor#process} call.\n
 * @type {processOptions}\n
 * /\n
 get opts() {\n
 return this.result.opts;\n
 }\n
 }\n
\n
 /**\n
 * Processes input CSS through synchronous plugins, converts `Root`\n
 * to a
CSS string and returns {@link Result#css}.\n
 * \n
 * This property will only work with synchronous plugins.\n
 * \n
 * If the processor contains any asynchronous plugins\n
 * it will throw an error. This is why this method is only\n
 *
for debug purpose, you should always use {@link LazyResult#then}.\n
 * \n
 * @type {string}\n
 * @see
Result#css\n
 * /\n
 get css() {\n
 return this.stringify().css;\n
 }\n
 }\n
\n
 /**\n
 * An alias for the `css` property. Use it
with syntaxes\n
 * that generate non-CSS output.\n
 * \n
 * This property will only work with synchronous
plugins.\n
 * \n
 * If the processor contains any asynchronous plugins\n
 * it will throw an error. This is why this method
is only\n
 *
for debug purpose, you should always use {@link LazyResult#then}.\n
 * \n
 * @type {string}\n
 * @see
Result#content\n
 * /\n
 get content() {\n
 return this.stringify().content;\n
 }\n
 }\n
\n
 /**\n
 * Processes input

```

CSS through synchronous plugins and returns `{ @link Result#map }`. This property will only work with synchronous plugins. If the processor contains any asynchronous plugins it will throw an error. This is why this method is only for debug purpose, you should always use `{ @link LazyResult#then }`.

`@type {SourceMapGenerator}` `@see Result#map` `get map()` `{ return this.stringify().map; }`

Processes input CSS through synchronous plugins and returns `{ @link Result#root }`. This property will only work with synchronous plugins. If the processor contains any asynchronous plugins it will throw an error. This is why this method is only for debug purpose, you should always use `{ @link LazyResult#then }`.

`@type {Root}` `@see Result#root` `get root()` `{ return this.sync().root; }`

Processes input CSS through synchronous plugins and returns `{ @link Result#messages }`. This property will only work with synchronous plugins. If the processor contains any asynchronous plugins it will throw an error. This is why this method is only for debug purpose, you should always use `{ @link LazyResult#then }`.

`@type {Message[]}` `@see Result#messages` `get messages()` `{ return this.sync().messages; }`

Processes input CSS through synchronous plugins and calls `{ @link Result#warnings }`.

`@return {Warning[]}` warnings from plugins `warnings()` `{ return this.sync().warnings; }`

Alias for the `{ @link LazyResult#css }` property. `@example` `lazy + " === lazy.css;` `@return {string}` output CSS `toString()` `{ return this.css; }`

Processes input CSS through synchronous and asynchronous plugins and calls `onFulfilled` with a Result instance. If a plugin throws an error, the `onRejected` callback will be executed. It implements standard Promise API.

`@param {onFulfilled}` `onFulfilled` - callback will be executed when all plugins will finish work

`@param {onRejected}` `onRejected` - callback will be executed on any error

`@return {Promise}` Promise API to make queue `@example`

```

postcss([cssnext]).process(css).then(result => { console.log(result.css); });
.then(onFulfilled, onRejected) { return this.async().then(onFulfilled, onRejected); }
Processes input CSS through synchronous and asynchronous plugins and calls onRejected for each error thrown in any plugin. It implements standard Promise API.
@param {onRejected} onRejected - callback will be executed on any error
@return {Promise} Promise API to make queue
@example
postcss([cssnext]).process(css).then(result => { console.log(result.css); }).catch(error => { console.error(error); });
.catch(onRejected) { return this.async().catch(onRejected); }
handleError(error, plugin) { try { this.error = error; if (error.name === 'CssSyntaxError' && !error.plugin) { error.plugin = plugin.postcssPlugin; error.setMessage(); } else if (plugin.postcssVersion) { const pluginName = plugin.postcssPlugin; const pluginVer = plugin.postcssVersion; const runtimeVer = this.result.processor.version; const a = pluginVer.split('.'); const b = runtimeVer.split('.'); if (a[0] !== b[0] || parseInt(a[1]) > parseInt(b[1])) { warnOnce(`Your current PostCSS version ' + is ' ${runtimeVer}, but ${pluginName} ` + uses ${pluginVer}. Perhaps this is ` the source of the error below. `); } } catch (err) { if (console && console.error) console.error(err); } } }
.asyncTick(resolve, reject) { if (this.plugin >= this.processor.plugins.length) { this.processed = true; return resolve(); } try { const plugin = this.processor.plugins[this.plugin]; const promise = this.run(plugin); this.plugin += 1; if (isPromise(promise)) { promise.then(() => { this.asyncTick(resolve, reject); }).catch(error => { this.handleError(error, plugin); this.processed = true; reject(error); }); } else { this.asyncTick(resolve, reject); } } catch (error) { this.processed = true; reject(error); } } }
.async() { if (this.processed) { return new Promise((resolve, reject) => { if (this.error) { reject(this.error); } else { resolve(this.stringify()); } }); } if (this.processing) { return this.processing; } this.processing = new Promise((resolve, reject) => { if (this.error) return reject(this.error); this.plugin = 0; this.asyncTick(resolve, reject); }).then(() => { this.processed = true; return this.stringify(); }); return this.processing; } }
.sync() { if (this.processed) return this.result; this.processed = true; if (this.processing) { throw new Error('Use process(css).then(cb) to work with async plugins'); } if (this.error) throw this.error; }

```

```

this.result.processor.plugins.forEach(plugin => {\n  const promise = this.run(plugin);\n  if (isPromise(promise))\n  {\n    throw new Error('Use process(css).then(cb) to work with async plugins');\n  }\n});\n\n return\nthis.result;\n}\n\nrun(plugin) {\n  this.result.lastPlugin = plugin;\n\n  try {\n    return plugin(this.result.root,\nthis.result);\n  } catch (error) {\n    this.handleError(error, plugin);\n    throw error;\n  }\n}\n\nstringify() {\n  if (this.stringified) return this.result;\n  this.stringified = true;\n\n  this.sync();\n\n  const opts = this.result.opts;\n  let str = stringify;\n  if (opts.syntax) str = opts.syntax.stringify;\n  if (opts.stringifier) str = opts.stringifier;\n  if\n(str.stringify) str = str.stringify;\n\n  let result = '';\n  str(this.root, i => {\n    result += i;\n  });\n  this.result.css\n= result;\n\n  return this.result;\n}\n}\n\nexport default LazyResult;\n\n", "// @flow\nimport LazyResult from './lazy-\nresult';\n\n/**\n * @callback builder\n * @param {string} part - part of generated CSS connected to this\nnode\n * @param {Node} node - AST node\n * @param {"start"|"end"} [type] - node's part type\n *\n * @callback parser\n * @param {string|toString} css - string with input CSS or any object\n *\n  with toString() method, like a Buffer\n * @param {processOptions} [opts] - options with only `from`\nand `map` keys\n *\n * @return {Root} PostCSS AST\n *\n * @callback stringifier\n *\n * @param {Node}\nnode - start node for stringifying. Usually { @link Root },\n * @param {builder} builder - function to concatenate\nCSS from node's parts\n *\n  or generate string and source map\n *\n * @return {void}\n *\n * @typedef {object} syntax\n * @property {parser} parse - function to generate AST by string\n * @property\n{stringifier} stringify - function to generate string by AST\n *\n * @typedef {object} toString\n *\n * @property {function} toString\n *\n * @callback pluginFunction\n * @param {Root} root - parsed input\nCSS\n * @param {Result} result - result to set warnings or check other plugins\n *\n * @typedef {object}\nPlugin\n * @property {function} postcss - PostCSS plugin function\n *\n * @typedef {object}\nprocessOptions\n * @property {string} from - the path of the CSS source file.\n *\n  You should always set `from`,\n *\n  because it is used in source map\n *\n  generation and syntax error messages.\n * @property {string} to - the path where you'll put the output\n *\n  CSS file. You should always set `to`\n *\n  to generate correct source\nmaps.\n * @property {parser} parser - function to generate AST by string\n * @property {stringifier}\nstringifier - class to generate string by AST\n * @property {syntax} syntax - object with `parse` and\n`stringify`\n * @property {object} map - source map options\n * @property {boolean} map.inline\n- does source map should\n *\n  be embedded in the output\n *\n  CSS as a base64-encoded\n *\n  comment\n * @property\n{string|object|false|function} map.prev - source map content\n *\n  from a previous\n *\n  processing step\n *\n  (for example, Sass).\n *\n  PostCSS will try to find\n *\n  previous map\n *\n  automatically, so you\n *\n  could disable it by\n *\n  `false` value.\n * @property {boolean} map.sourcesContent - does PostCSS should set\n *\n  the origin content to map\n * @property {string|false} map.annotation - does\nPostCSS should set\n *\n  annotation comment to map\n * @property {string}\nmap.from - override `from` in map's\n *\n  `sources`\n *\n  Contains plugins to process CSS. Create one `Processor` instance,\n *\n  initialize its plugins, and then use that\ninstance on numerous CSS files.\n *\n * @example\n * const processor = postcss([autoprefixer, precss]);\n *\n  processor.process(css1).then(result => console.log(result.css));\n *\n  processor.process(css2).then(result =>\nconsole.log(result.css));\n *\n  class Processor {\n  /**\n * @param {Array.<Plugin|pluginFunction>} Processor\nplugins - PostCSS\n *\n  plugins. See { @link Processor#use} for plugin format.\n *\n  constructor(plugins = [])\n  {\n  /**\n * @member {string} - Current PostCSS version.\n *\n  * @example\n * if (\nresult.processor.version.split('.')[0] !== '5') {\n * throw new Error('This plugin works only with PostCSS 5');\n *\n  }\n *\n  this.version = '5.2.0';\n  /**\n * @member {pluginFunction[]} - Plugins added to this processor.\n *\n  * @example\n * const processor = postcss([autoprefixer, precss]);\n *\n  processor.plugins.length // => 2\n *\n  this.plugins = this.normalize(plugins);\n  }\n  /**\n * Adds a plugin to be used as a CSS processor.\n *\n  * PostCSS plugin can be in 4 formats:\n * * A plugin created by { @link postcss.plugin} method.\n * * A

```

function. PostCSS will pass the function a `@{link Root}` as the first argument and current `{@link Result}` instance as the second. An object with a ``postcss`` method. PostCSS will use that method as described in #2. Another `{@link Processor}` instance. PostCSS will copy plugins from that instance into this one. Plugins can also be added by passing them as arguments when creating a ``postcss`` instance (see `[`postcss(plugins)`]`). Asynchronous plugins should return a ``Promise`` instance.

`@param {Plugin|pluginFunction|Processor} plugin` - PostCSS plugin or `{@link Processor}` with plugins

`@example` `const processor = postcss().use(autoprefixer).use(processing);`

`@return {Processes}` current processor to make methods chain

```
use(plugin) {
  this.plugins = this.plugins.concat(this.normalize([plugin]));
  return this;
}
```

Parses source CSS and returns a `{@link LazyResult}` Promise proxy. Because some plugins can be asynchronous it doesn't make any transformations. Transformations will be applied in the `{@link LazyResult}` methods.

`@param {string|toString|Result} css` - String with input CSS or any object with a ``toString`` method, like a Buffer.

Optionally, send a `{@link Result}` instance and the processor will take the `{@link Root}` from it.

`@param {processOptions} [opts]` - options

`@return {LazyResult}` Promise proxy

`@example` `processor.process(css, { from: 'a.css', to: 'a.out.css' })`

```
.then(result => {
  console.log(result.css);
});
```

```
process(css, opts = {}) {
  return new LazyResult(this, css, opts);
}
```

```
normalize(plugs) {
  let normalized = [];
  plugs.forEach(i => {
    if (i.postcss) i = i.postcss;
    if (typeof i === 'object' && Array.isArray(i.plugins)) {
      normalized = normalized.concat(i.plugins);
    } else if (typeof i === 'function') {
      normalized.push(i);
    } else {
      throw new Error(`${i} is not a PostCSS plugin`);
    }
  });
  return normalized;
}
```

export default Processor;

```
import './rule'; // break cyclical dependency deadlock - #87
import Container from './container';
import LazyResult from './lazy-result';
import Processor from './processor';
import warnOnce from './warn-once';
```

Represents a CSS file and contains all its parsed nodes.

`@extends Container`

`@example` `const root = postcss.parse('a{color:black} b{z-index:2}');` `root.type` `//=> 'root'` `root.nodes.length` `//=> 2`

```
class Root extends Container {
  constructor(defaults) {
    super(defaults);
    this.type = 'root';
    if (!this.nodes) this.nodes = [];
  }
  removeChild(child) {
    child = this.index(child);
    if (child === 0 && this.nodes.length > 1) {
      this.nodes[1].raws.before = this.nodes[child].raws.before;
    }
    return super.removeChild(child);
  }
  normalize(child, sample, type) {
    const nodes = super.normalize(child);
    if (sample) {
      if (type === 'prepend') {
        if (this.nodes.length > 1) {
          sample.raws.before = this.nodes[1].raws.before;
        } else {
          delete sample.raws.before;
        }
      } else if (this.first !== sample) {
        nodes.forEach(node => {
          node.raws.before = sample.raws.before;
        });
      }
    }
    return nodes;
  }
}
```

Returns a `{@link Result}` instance representing the root's CSS.

`@param {processOptions} [opts]` - options with only ``to`` and ``map`` keys

`@return {Result}` result with current root's CSS

`@example` `const root1 = postcss.parse(css1, { from: 'a.css' });` `const root2 = postcss.parse(css2, { from: 'b.css' });` `root1.append(root2);` `const result = root1.toResult({ to: 'all.css', map: true });`

```
toResult(opts = {}) {
  const lazy = new LazyResult(new Processor(), this, opts);
  return lazy.stringify();
}
```

```
remove(child) {
  warnOnce('Root#remove is deprecated. Use Root#removeChild');
  this.removeChild(child);
}
```

```
prevMap() {
  warnOnce('Root#prevMap is deprecated. Use Root#source.input.map');
  return this.source.input.map;
}
```

`@memberof Root#` `@member {object} raws` - Information to generate byte-to-byte equal node string as it was in the origin input.

Every parser saves its own properties, but the default CSS parser uses:

- ``after``: the space symbols after the last child to the end of file
- ``semicolon``: is the last child has an (optional) semicolon

`@example` `postcss.parse('a {}').raws` `//=> { after: '\n' }` `postcss.parse('a { }').raws` `//=> { after: " }\n" }`

```
export default Root;
```

```
import './root'; // break cyclical dependency deadlock - #87
import CssSyntaxError from './css-syntax-error';
import PreviousMap from './previous-map';
let sequence = 0;
```

`@typedef {object} filePosition`

`@property {string} file` - path to file

`@property {number} line` - source line in file

`@property {number}`

```

column - source column in file\n *\n\n**\n * Represents the source CSS.\n *\n * @example\n * const root =
postcss.parse(css, { from: file });\n *\n * const input = root.source.input;\n *\n\nclass Input {\n *\n *\n * @param
{string} css - input CSS source\n *\n * @param {object} [opts] - {@link Processor#process} options\n *\n\n
constructor(css, opts = {}) {\n *\n *\n * @member {string} - input CSS source\n *\n *\n * @example\n *
const input = postcss.parse('a{', { from: file }).input;\n *\n * input.css //=> '<a{';\n *\n\n this.css =
css.toString();\n\n if (this.css[0] === '\uFEFF' || this.css[0] === '\uFFFE') {\n *\n *\n this.css = this.css.slice(1);\n
}\n\n if (opts.from) {\n *\n *\n if (/^\w+:\|\/\|.test(opts.from)) {\n *\n *\n * @member {string} - The absolute
path to the CSS source file\n *\n *\n * defined with the `from` option.\n *\n *\n * @example\n *
const root = postcss.parse(css, { from: 'a.css' });\n *\n * root.source.input.file //=> '/home/ai/a.css'\n *\n\n
this.file = opts.from;\n * } else {\n *\n *\n this.file = path.resolve(opts.from);\n * }\n * }\n *\n\n let map =
new PreviousMap(this.css, opts);\n *\n *\n if ( map.text ) {\n *\n *\n * @member {PreviousMap} - The
input source map passed from\n *\n *\n * a compilation step before PostCSS\n *\n *\n * (for example, from Sass compiler).\n *\n *\n * @example\n *
root.source.input.map.consumer().sources //=> ['a.sass']\n *\n *\n * !\n *\n *\n this.map = map;\n *\n *\n let file =
map.consumer().file;\n *\n *\n if ( !this.file && file ) this.file = this.mapResolve(file);\n * }\n * }\n *\n\n if (!this.file)
{\n *\n *\n * @member {string} - The unique ID of the CSS source. It will be\n *\n *\n * created if `from` option is not provided\n *\n *\n * (because PostCSS does not know the file path).\n *\n *\n * @example\n * const root = postcss.parse(css);\n *\n * root.source.input.file //=> undefined\n *
root.source.input.id //=> '<input css 1>'\n *\n *\n this.id = `<input css ${sequence}>`;\n * }\n * }\n *\n\n if (this.map)
this.map.file = this.from;\n * }\n * }\n *\n\n error(message, line, column, opts = {}) {\n *\n *\n let result;\n *\n *\n const origin =
this.origin(line, column);\n *\n *\n if (origin) {\n *\n *\n result = new CssSyntaxError(\n *\n *\n message,\n *\n *\n origin.line,\n *\n *\n origin.column,\n *\n *\n origin.source,\n *\n *\n origin.file,\n *\n *\n opts.plugin\n *\n * );\n * } else {\n *\n *\n result = new
CssSyntaxError(message, line, column, this.css, this.file, opts.plugin);\n * }\n * }\n *\n\n result.input = { line, column,
source: this.css };\n *\n *\n if (this.file) result.input.file = this.file;\n *\n *\n return result;\n * }\n * }\n *\n\n /**\n *\n *\n * Reads the input
source map and returns a symbol position\n *\n *\n * in the input source (e.g., in a Sass file that was compiled\n *\n *\n * to CSS
before being passed to PostCSS).\n *\n *\n * @param {number} line - line in input CSS\n *\n *\n * @param {number}
column - column in input CSS\n *\n *\n * @return {filePosition} position in input source\n *\n *\n * @example\n *
root.source.input.origin(1, 1) //=> { file: 'a.css', line: 3, column: 1 }\n *\n *\n origin(line, column) {\n *\n *\n if (!this.map)
return false;\n *\n *\n const consumer = this.map.consumer();\n *\n *\n const from = consumer.originalPositionFor({ line,
column });\n *\n *\n if (!from.source) return false;\n *\n *\n const result = {\n *\n *\n file: this.mapResolve(from.source),\n *\n *\n line: from.line,\n *\n *\n column: from.column,\n *\n *
};\n *\n *\n const source = consumer.sourceContentFor(from.source);\n *\n *\n if (source) result.source = source;\n *\n *\n return result;\n * }\n * }\n *\n\n mapResolve(file) {\n *\n *\n if (/^\w+:\|\/\|.test(file)) {\n *\n *\n return file;\n * } else {\n *\n *\n return path.resolve(this.map.consumer().sourceRoot || '.', file);\n * }\n * }\n *\n\n /**\n *\n *\n * The CSS source identifier. Contains {@link Input#file} if the user\n *\n *\n * set the `from` option, or {@link Input#id} if
they did not.\n *\n *\n * @type {string}\n *\n *\n * @example\n * const root = postcss.parse(css, { from: 'a.css' });\n *\n *
root.source.input.from //=> '/home/ai/a.css'\n *\n *\n * const root = postcss.parse(css);\n *\n * root.source.input.from
//=> '<input css 1>'\n *\n *\n get from() {\n *\n *\n return this.file || this.id;\n * }\n * }\n *\n\n\nexport default Input;\n * }",
"@flow\nimport tokenize from './postcss/tokenize';\nimport Comment from './postcss/comment';\nimport Parser
from './postcss/parser';\nexport default class SafeParser extends Parser {\n *\n *\n tokenize() {\n *\n *\n this.tokens =
tokenize(this.input, { ignoreErrors: true });\n * }\n * }\n *\n\n comment(token) {\n *\n *\n const node = new Comment();\n *\n *\n
this.init(node, token[2], token[3]);\n *\n *\n node.source.end = { line: token[4], column: token[5] };\n *\n *\n let text =
token[1].slice(2);\n *\n *\n if (text.slice(-2) === '*/') text = text.slice(0, -2);\n *\n *\n if (/^s*$/\.test(text)) {\n *\n *\n node.text =
";\n *\n *\n node.raws.left = text;\n *\n *\n node.raws.right = ";\n * } else {\n *\n *\n const match =
text.match(/^(\\s*)([^\s]*)(\\s*)$/);\n *\n *\n node.text = match[2];\n *\n *\n node.raws.left = match[1];\n *\n *\n
node.raws.right = match[3];\n * }\n * }\n *\n\n unclosedBracket() {\n *\n *\n }\n *\n *\n unknownWord(start) {\n *\n *\n const buffer =
this.tokens.slice(start, this.pos + 1);\n *\n *\n this.spaces += buffer.map(i => i[1]).join("");\n * }\n * }\n *\n\n unexpectedClose() {\n *\n *\n
this.current.raws.after += '};\n * }\n * }\n *\n\n doubleColon() {\n *\n *\n }\n *\n *\n unnamedAtrule(node) {\n *\n *\n node.name = ";\n * }\n * }\n *\n\n
precheckMissedSemicolon(tokens) {\n *\n *\n const colon = this.colon(tokens);\n *\n *\n if (colon === false) return;\n *\n *\n let

```

```

split;\n  for (split = colon - 1; split >= 0; split--) {\n    if (tokens[split][0] === 'word') break;\n  }\n  for (split --
1; split >= 0; split--) {\n    if (tokens[split][0] !== 'space') {\n      split += 1;\n      break;\n    }\n  }\n  const
other = tokens.splice(split, tokens.length - split);\n  this.decl(other);\n  }\n\n  checkMissedSemicolon() {\n\n
endFile() {\n    if (this.current.nodes && this.current.nodes.length) {\n      this.current.raws.semicolon =
this.semicolon;\n    }\n    this.current.raws.after = (this.current.raws.after || '') + this.spaces;\n\n    while
(this.current.parent) {\n      this.current = this.current.parent;\n      this.current.raws.after = ";\n    }\n  }\n  }",
"@flow\nimport Input from './postcss/input';\nimport SafeParser from './safe-parser';\n\nexport default function
safeParse(css, opts) {\n  const input = new Input(css, opts);\n\n  const parser = new SafeParser(input);\n
parser.tokenize();\n  parser.loop();\n  return parser.root;\n  }",
"@flow\n/* eslint-disable import/no-unresolved
*\nimport transformDeclPairs from 'css-to-react-native';\nimport generateComponentId from
 './utils/generateComponentId';\nimport type { RuleSet, StyleSheet } from './types';\nimport flatten from
 './utils/flatten';\n// $FlowFixMe\nimport parse from './vendor/postcss-safe-parser/parse';\n\nlet generated =
{};\n\nexport const resetStyleCache = () => {\n  generated = {};\n};\n\n/*\n  InlineStyle takes arbitrary CSS and
generates a flat object\n*/\nexport default (styleSheet: StyleSheet) => {\n  class InlineStyle {\n    rules: RuleSet;\n
constructor(rules: RuleSet) {\n      this.rules = rules;\n    }\n\n    generateStyleObject(executionContext: Object) {\n
      const flatCSS = flatten(this.rules, executionContext).join(");\n      const hash =
generateComponentId(flatCSS);\n      if (!generated[hash]) {\n        const root = parse(flatCSS);\n        const
declPairs = [];\n        root.each(node => {\n          if (node.type === 'decl') {\n            declPairs.push([node.prop,
node.value]);\n          } else if (process.env.NODE_ENV !== 'production' && node.type !== 'comment') {\n
/* eslint-disable no-console */\n            console.warn(`Node of type ${node.type} not supported as an inline
style`);\n          }\n        });\n        // RN currently does not support differing values for the corner radii of Image\n
// components (but does for View). It is almost impossible to tell whether we'll have\n        // support, so we'll just
disable multiple values here.\n        // https://github.com/styled-components/css-to-react-native/issues/11\n        const
styleObject = transformDeclPairs(declPairs, [\n          'borderRadius',\n          'borderWidth',\n          'borderColor',\n
          'borderStyle',\n        ]);\n        const styles = styleSheet.create({\n          generated: styleObject,\n        });\n
generated[hash] = styles.generated;\n      }\n      return generated[hash];\n    }\n  }\n  return InlineStyle;\n};\n",
/*
eslint-disable */\n\nmixin-deep; https://github.com/jonschlinkert/mixin-deep\n  Inlined such that it will be
consistently transpiled to an IE-compatible syntax.\n\n  The MIT License (MIT)\n\n  Copyright (c) 2014-present,
Jon Schlinkert.\n\n  Permission is hereby granted, free of charge, to any person obtaining a copy\n  of this software
and associated documentation files (the "Software"), to deal\n  in the Software without restriction, including
without limitation the rights\n  to use, copy, modify, merge, publish, distribute, sublicense, and/or sell\n  copies of
the Software, and to permit persons to whom the Software is\n  furnished to do so, subject to the following
conditions:\n\n  The above copyright notice and this permission notice shall be included in\n  all copies or
substantial portions of the Software.\n\n  THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY
OF ANY KIND, EXPRESS OR\n  IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY,\n  FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO
EVENT SHALL THE\n  AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
OR OTHER\n  LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM,\n  OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN\n  THE SOFTWARE.\n\nconst isObject = val => {\n  return (\n    typeof val === 'function' || (typeof val ===
'object' && val !== null && !Array.isArray(val))\n  );\n};\n\nconst isValidKey = key => {\n  return key !==
'__proto__' && key !== 'constructor' && key !== 'prototype';\n};\n\nfunction mixin(target, val, key) {\n  const obj
= target[key];\n  if (isObject(val) && isObject(obj)) {\n    mixinDeep(obj, val);\n  } else {\n    target[key] = val;\n
  }\n}\n\nexport default function mixinDeep(target, ...rest) {\n  for (const obj of rest) {\n    if (isObject(obj)) {\n      for
(const key in obj) {\n        if (isValidKey(key)) {\n          mixin(target, obj[key], key);\n        }\n      }\n    }\n
  }\n  return target;\n  }",
"@flow\nimport { EMPTY_OBJECT } from './empties';\n\ntype Props = {\n  theme?:
any,\n};\n\nexport default (props: Props, providedTheme: any, defaultProps: any = EMPTY_OBJECT) => {\n  return
(props.theme !== defaultProps.theme && props.theme) || providedTheme || defaultProps.theme;\n  }",

```

```

@flow\nimport type { IStyledComponent } from './types';\n\nexport default function isTag(target:
$PropertyType<IStyledComponent, 'target'>): boolean %checks {\n  return (\n    typeof target === 'string' &&\n    (process.env.NODE_ENV !== 'production'\n      ? target.charAt(0) === target.charAt(0).toLowerCase()\n      :
true)\n  );\n}\n\n", "// @flow\nimport type { IStyledComponent } from './types';\nimport getComponentName from
'./getComponentName';\nimport isTag from './isTag';\n\nexport default function generateDisplayName(\n  target:
$PropertyType<IStyledComponent, 'target'>): string {\n  return isTag(target) ? `styled.${target}` :
`Styled(${getComponentName(target)})`;\n}\n\n", "// @flow\nimport React, { useContext, useMemo, type Element,
type Context } from 'react';\nimport throwStyledError from './utils/error';\nimport isFunction from
'./utils/isFunction';\n\nexport type Theme = { [key: string]: mixed }; \n\nexport type ThemeArgument = Theme |
((outerTheme?: Theme) => Theme);\n\nexport type Props = {\n  children?: Element<any>,\n  theme:
ThemeArgument,\n};\n\nexport const ThemeContext: Context<Theme | void> = React.createContext();\n\nexport
const ThemeConsumer = ThemeContext.Consumer;\n\nfunction mergeTheme(theme: ThemeArgument,
outerTheme?: Theme): Theme {\n  if (!theme) {\n    return throwStyledError(14);\n  }\n  if (isFunction(theme)) {\n    const mergedTheme = theme(outerTheme);\n    if (\n      process.env.NODE_ENV !== 'production' &&\n      (mergedTheme === null || Array.isArray(mergedTheme) || typeof mergedTheme !== 'object')\n    ) {\n      return
throwStyledError(7);\n    }\n    return mergedTheme;\n  }\n  if (Array.isArray(theme) || typeof theme !==
'object') {\n    return throwStyledError(8);\n  }\n  return outerTheme ? { ...outerTheme, ...theme } :
theme;\n}\n\n/**\n * Provide a theme to an entire react component tree via context\n */\n\nexport default function
ThemeProvider(props: Props) {\n  const outerTheme = useContext(ThemeContext);\n  const themeContext =
useMemo(() => mergeTheme(props.theme, outerTheme), [\n    props.theme,\n    outerTheme,\n  ]);\n  if
(!props.children) {\n    return null;\n  }\n  return <ThemeContext.Provider
value={themeContext}>{props.children}</ThemeContext.Provider>;\n}\n\n", "// @flow\nimport React, {
createElement, Component } from 'react';\nimport hoist from 'hoist-non-react-statics';\nimport merge from
'./utils/mixinDeep';\nimport determineTheme from './utils/determineTheme';\nimport { EMPTY_ARRAY,
EMPTY_OBJECT } from './utils/empties';\nimport generateDisplayName from
'./utils/generateDisplayName';\nimport isFunction from './utils/isFunction';\nimport isTag from
'./utils/isTag';\nimport isStyledComponent from './utils/isStyledComponent';\nimport { ThemeConsumer } from
'./ThemeProvider';\nimport type { Theme } from './ThemeProvider';\nimport type { Attrs, RuleSet, Target } from
'./types';\n\n// NOTE: no hooks available for react-native yet;\n// if the user makes use of ThemeProvider or
StyleSheetManager things will break.\n\n// Validator defaults to true if not in HTML/DOM env\nconst validAttr = ()
=> true;\n\nclass StyledNativeComponent extends Component<*, *> {\n  root: ?Object;\n  attrs = {};\n  render()
{\n    return (\n      <ThemeConsumer>\n        ((theme?: Theme) => {\n          const {\n            $as:
transientAsProp,\n            as: renderAs,\n            forwardedComponent,\n            forwardedAs,\n
forwardedRef,\n            testID,\n            style = [],\n            ...props\n          } = this.props;\n          const {
defaultProps, target, shouldForwardProp } = forwardedComponent;\n          const elementToBeRendered = \n
this.attrs.$as || this.attrs.as || transientAsProp || renderAs || target;\n          const generatedStyles =
this.generateAndInjectStyles(\n            determineTheme(this.props, theme, defaultProps) || EMPTY_OBJECT,\n
            this.props\n          );\n          const isTargetTag = isTag(elementToBeRendered);\n          const computedProps =
this.attrs !== props ? { ...props, ...this.attrs } : props;\n          const propFilterFn = shouldForwardProp || (isTargetTag
&& validAttr);\n          const propsForElement = {};\n          let key;\n          for (key in computedProps) {\n
            if (key[0] === '$' || key === 'as') continue;\n            else if (key === 'forwardedAs') {\n              propsForElement.as
= props[key];\n            } else if (!propFilterFn || propFilterFn(key, validAttr)) {\n              // Don't pass through
filtered tags through to native elements\n              propsForElement[key] = computedProps[key];\n            }\n          }\n          propsForElement.style = typeof style === 'function' ?\n            (state) => {\n              return
[generatedStyles].concat(style(state))\n            } : [generatedStyles].concat(style);\n          propsForElement.testID = testID;\n          if (forwardedRef) propsForElement.ref = forwardedRef;\n          if
(forwardedAs) propsForElement.as = forwardedAs;\n          return createElement(elementToBeRendered,
propsForElement);\n        })\n      </ThemeConsumer>\n    );\n  }\n  buildExecutionContext(theme: ?Object, props:

```

```

Object, attrs: Attrs) {\n  const context = { ...props, theme };\n  if (!attrs.length) return context;\n  this.attrs =\n  {};\n  attrs.forEach(attrDef => {\n    let resolvedAttrDef = attrDef;\n    let attr;\n    let key;\n    if\n    (isFunction(resolvedAttrDef)) {\n      resolvedAttrDef = resolvedAttrDef(context);\n    }\n    /* eslint-disable\n    guard-for-in */\n    for (key in resolvedAttrDef) {\n      attr = resolvedAttrDef[key];\n      this.attrs[key] = attr;\n      context[key] = attr;\n    }\n    /* eslint-enable */\n  });\n  return context;\n}\n\nexport default (InlineStyle: Function) => {\n  const\n  createStyledNativeComponent = (target: Target, options: Object, rules: RuleSet) => {\n    const {\n      attrs =\n      EMPTY_ARRAY,\n      displayName = generateDisplayName(target),\n      ParentComponent =\n      StyledNativeComponent,\n    } = options;\n\n    const isClass = !isTag(target);\n    const isTargetStyledComp =\n    isStyledComponent(target);\n\n    /* $FlowFixMe */\n    const WrappedStyledNativeComponent =\n    React.forwardRef((props, ref) => (\n      <ParentComponent\n        {...props}\n      >\n      <WrappedStyledNativeComponent\n        forwardedRef={ref}\n      />\n    ));\n\n    const\n    finalAttrs =\n    /* $FlowFixMe */\n    isTargetStyledComp && target.attrs\n    ?\n    Array.prototype.concat(target.attrs, attrs).filter(Boolean)\n    : attrs;\n\n    /* eslint-disable-next-line prefer-\n    destructuring */\n    let shouldForwardProp = options.shouldForwardProp;\n\n    /* $FlowFixMe */\n    if\n    (isTargetStyledComp && target.shouldForwardProp) {\n      if (shouldForwardProp) {\n        /* compose nested\n        shouldForwardProp calls */\n        shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n        /*\n        $FlowFixMe */\n        target.shouldForwardProp(prop, filterFn, elementToBeCreated) &&\n        options.shouldForwardProp(prop, filterFn, elementToBeCreated);\n      } else {\n        /* eslint-disable-next-line\n        prefer-destructuring */\n        shouldForwardProp = target.shouldForwardProp;\n      }\n    }\n\n    /**\n    * forwardRef\n    creates a new interim component, which we'll take advantage of\n    * instead of extending ParentComponent to\n    create _another_ interim class\n    */\n\n    /* $FlowFixMe */\n    WrappedStyledNativeComponent.attrs =\n    finalAttrs;\n\n    WrappedStyledNativeComponent.displayName = displayName;\n\n    /* $FlowFixMe */\n    WrappedStyledNativeComponent.shouldForwardProp = shouldForwardProp;\n\n    /* $FlowFixMe */\n    WrappedStyledNativeComponent.inlineStyle = new InlineStyle(\n      /* $FlowFixMe */\n      isTargetStyledComp ?\n      target.inlineStyle.rules.concat(rules) : rules\n    );\n\n    /* $FlowFixMe */\n    WrappedStyledNativeComponent.styledComponentId = 'StyledNativeComponent';\n\n    /* $FlowFixMe */\n    WrappedStyledNativeComponent.target = isTargetStyledComp\n    ? /* $FlowFixMe */\n    target.target\n    :\n    target;\n\n    /* $FlowFixMe */\n    WrappedStyledNativeComponent.withComponent = function withComponent(tag:\n    Target) {\n      const { displayName: _, componentId: __, ...optionsToCopy } = options;\n      const newOptions =\n      {\n        ...optionsToCopy,\n        attrs: finalAttrs,\n        ParentComponent,\n      };\n\n      return\n      createStyledNativeComponent(tag, newOptions, rules);\n    };\n\n    /* $FlowFixMe */\n    Object.defineProperty(WrappedStyledNativeComponent, 'defaultProps', {\n      get() {\n        return\n        this._foldedDefaultProps;\n      },\n      set(obj) {\n        /* $FlowFixMe */\n        this._foldedDefaultProps =\n        isTargetStyledComp ? merge({}, target.defaultProps, obj) : obj;\n      },\n    });\n\n    if (isClass) {\n      hoist(WrappedStyledNativeComponent, (target: any), {\n        /* all SC-specific things should not be hoisted\n        attrs: true,\n        displayName: true,\n        shouldForwardProp: true,\n        inlineStyle: true,\n        styledComponentId: true,\n        target: true,\n        withComponent: true,\n      });\n    }\n\n    return\n    WrappedStyledNativeComponent;\n  };\n\n  return createStyledNativeComponent;\n};\n\n\"\" @flow\nimport type {\n  Interpolation } from './types';\n\nexport default (\n  strings: Array<string>,\n  interpolations:\n  Array<Interpolation>): Array<Interpolation> => {\n  const result = [strings[0]];\n\n  for (let i = 0, len =\n  interpolations.length; i < len; i += 1) {\n    result.push(interpolations[i], strings[i + 1]);\n  }\n\n  return\n}

```



```

result;\n};\n", "// @flow\nimport Interleave from './utils/interleave';\nimport isPlainObject from
 './utils/isPlainObject';\nimport { EMPTY_ARRAY } from './utils/empties';\nimport isFunction from
 './utils/isFunction';\nimport flatten from './utils/flatten';\nimport type { Interpolation, RuleSet, Styles } from
 './types';\n\n/**\n * Used when flattening object styles to determine if we should\n * expand an array of styles.\n */\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles: Styles, ...interpolations:
 Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return
 addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n  if (interpolations.length === 0
 && styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n  //
 $FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations)));\n}\n", "// @flow\nimport {
 isValidElementType } from 'react-is';\nimport css from './css';\nimport throwStyledError from './utils/error';\nimport
 { EMPTY_OBJECT } from './utils/empties';\nimport type { Target } from './types';\n\nexport default function
 constructWithOptions(\n  componentConstructor: Function,\n  tag: Target,\n  options: Object =
 EMPTY_OBJECT\n) {\n  if (!isValidElementType(tag)) {\n    return throwStyledError(1, String(tag));\n  }\n  /*
 This is callable directly as a template function *\n  // $FlowFixMe: Not typed to avoid destructuring arguments\n
  const templateFunction = (...args) => componentConstructor(tag, options, css(...args));\n  /* If config methods are
 called, wrap up a new template function and merge options *\n  templateFunction.withConfig = config =>\n
  constructWithOptions(componentConstructor, tag, { ...options, ...config });\n  /* Modify/inject new props at
 runtime *\n  templateFunction.attrs = attrs =>\n    constructWithOptions(componentConstructor, tag, {\n
    ...options,\n    attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n  });\n  return
  templateFunction;\n}\n", "// @flow\nimport React, { useContext, type AbstractComponent } from 'react';\nimport
 hoistStatics from 'hoist-non-react-statics';\nimport { ThemeContext } from './models/ThemeProvider';\nimport
 determineTheme from './utils/determineTheme';\nimport getComponentName from
 './utils/getComponentName';\n\n// NOTE: this would be the correct signature:\n// export default <Config: { theme?:
 any }, Instance>(\n//   Component: AbstractComponent<Config, Instance>\n// ): AbstractComponent<$Diff<Config,
 { theme?: any }> & { theme?: any }, Instance>\n\n// but the old build system tooling doesn't support the
 syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n  // $FlowFixMe This should be
 React.forwardRef<Config, Instance>\n  const WithTheme = React.forwardRef((props, ref) => {\n    const theme =
 useContext(ThemeContext);\n    // $FlowFixMe defaultProps isn't declared so it can be inferrable\n    const {
 defaultProps } = Component;\n    const themeProp = determineTheme(props, theme, defaultProps);\n    if
 (process.env.NODE_ENV !== 'production' && themeProp === undefined) {\n      // eslint-disable-next-line no-
console\n      console.warn(\n        `[withTheme] You are not using a ThemeProvider nor passing a theme prop or a
 theme in defaultProps in component class "${getComponentName(Component)}"\n      );\n    }\n    return
 <Component {...props} theme={themeProp} ref={ref} />;\n  });\n  hoistStatics(WithTheme,
 Component);\n  WithTheme.displayName = `WithTheme(${getComponentName(Component)})`; \n  return
  WithTheme;\n};\n", "// @flow\nimport { useContext } from 'react';\nimport { ThemeContext } from
 './models/ThemeProvider';\n\nconst useTheme = () => useContext(ThemeContext);\n\nexport default
 useTheme;\n", "// @flow\n\n/* eslint-disable import/no-unresolved */\nimport _InlineStyle from
 './models/InlineStyle';\nimport _StyledNativeComponent from './models/StyledNativeComponent';\nimport css
 from './constructors/css';\nimport constructWithOptions from './constructors/constructWithOptions';\nimport
 ThemeProvider, { ThemeConsumer, ThemeContext } from './models/ThemeProvider';\nimport withTheme from
 './hoc/withTheme';\nimport useTheme from './hooks/useTheme';\nimport isStyledComponent from
 './utils/isStyledComponent';\nimport type { Target } from './types';\n\nconst reactNative = require('react-
native');\n\nconst InlineStyle = _InlineStyle(reactNative.StyleSheet);\nconst StyledNativeComponent =
 _StyledNativeComponent(InlineStyle);\nconst styled = (tag: Target) =>
  constructWithOptions(StyledNativeComponent, tag);\n\n/* React native lazy-requires each of these modules for
 some reason, so let's\n * assume it's for a good reason and not eagerly load them all */\nconst aliases =
 `ActivityIndicator ActivityIndicatorIOS ART Button DatePickerIOS DrawerLayoutAndroid\n Image

```

ImageBackground ImageEditor ImageStore KeyboardAvoidingView ListView MapView Modal NavigatorIOS\n
 Picker PickerIOS ProgressBarAndroid ProgressViewIOS ScrollView SegmentedControlIOS Slider\n
 SliderIOS SnapshotViewIOS Switch RecyclerViewBackedScrollView RefreshControl SafeAreaView StatusBar\n
 SwipeableView SwitchAndroid SwitchIOS TabBarIOS Text TextInput ToastAndroid ToolbarAndroid\n
 Touchable TouchableHighlight TouchableNativeFeedback TouchableOpacity TouchableWithoutFeedback\n
 ViewPagerAndroid WebView FlatList SectionList VirtualizedList Pressable`;\n\n/\* Define a getter for each alias which simply gets the reactNative component\n
 \* and passes it to styled \*/\n\nfunction styled(alias) {\n return styled(reactNative[alias]);\n}\n\nexport { css, isStyledComponent, ThemeProvider, ThemeConsumer, ThemeContext, withTheme, useTheme };\n\nexport default styled;\n\n},\n\nnames":["AD\_REPLACER\_R", "charsLength", "getAlphabeticChar", "code", "String", "fromCharCode", "generateAlphabeticName", "name", "x", "Math", "abs", "replace", "SEED", "phash", "h", "i", "length", "charCodeAt", "hash", "str", "getComponentName", "target", "process", "env", "NODE\_ENV", "displayName", "isFunction", "test", "isStatelessFunction", "prototype", "isReactComponent", "toString", "Object", "call", "typeof", "isStyledComponent", "styledComponentId", "SC\_ATTR", "REACT\_APP\_SC\_ATTR", "SC\_ATTR\_ACTIVE", "SC\_ATTR\_VERSION", "SC\_VERSION", "\_\_VERSION\_\_", "SPLITTER", "IS\_BROWSER", "window", "DISABLE\_SPEEDY", "Boolean", "SC\_DISABLE\_SPEEDY", "REACT\_APP\_SC\_DISABLE\_SPEEDY", "EMPTY\_ARRAY", "freeze", "EMPTY\_OBJECT", "ERRORS", "errorMap", "format", "a", "b", "c", "len", "push", "forEach", "d", "throwStyledComponentsError", "interpolations", "Error", "join", "trim", "makeGroupedTag", "tag", "DefaultGroupedTag", "BASE\_SIZE", "groupSizes", "Uint32Array", "indexOfGroup", "group", "index", "insertRules", "rules", "oldBuffer", "oldSize", "newSize", "throwStyledError", "set", "ruleIndex", "l", "insertRule", "clearGroup", "startIndex", "endIndex", "deleteRule", "getGroup", "css", "getRule", "MAX\_SMI", "groupIDRegister", "Map", "reverseRegister", "nextFreeGroup", "getGroupForId", "id", "has", "get", "getIdForGroup", "setGroupForId", "SELECTOR", "MARKER\_RE", "RegExp", "outputSheet", "sheet", "getTag", "undefined", "names", "size", "selector", "content", "rehydrateNamesFromContent", "split", "registerName", "rehydrateSheetFromTag", "style", "parts", "textContent", "part", "marker", "match", "parseInt", "rehydrateSheet", "nodes", "document", "querySelectorAll", "node", "getAttribute", "parentNode", "removeChild", "getNonce", "\_\_webpack\_nonce\_\_", "ELEMENT\_TYPE", "findLastStyleTag", "childNodes", "child", "nodeType", "hasAttribute", "makeStyleTag", "head", "parent", "createElement", "prevStyle", "nextSibling", "setAttribute", "nonce", "insertBefore", "getSheet", "styleSheets", "ownerNode", "makeTag", "isServer", "useCSSOMInjection", "VirtualTag", "CSSOMTag", "TextTag", "element", "appendChild", "createTextNode", "rule", "\_error", "cssRules", "cssText", "refNode", "\_target", "splice", "SHOULD\_REHYDRATE", "defaultOptions", "StyleSheet", "registerId", "options", "globalStyles", "gs", "server", "reconstructWithOptions", "withNames", "allocateGSInstance", "hasNameForId", "groupNames", "Set", "add", "clearNames", "clear", "clearRules", "clearTag", "delimiter", "needle", "toSheet", "block", "e", "ruleSheet", "context", "selectors", "parents", "line", "column", "ns", "depth", "at", "COMMENT\_REGEX", "COMPLEX\_SELECTOR\_PREFIX", "createStylisInstance", "plugins", "stylis", "Stylis", "parsingRules", "returnRulesPlugin", "parsedRules", "parseRulesPlugin", "insertRulePlugin", "\_componentId", "\_selector", "\_selectorRegexp", "\_consecutiveSelfRefRegExp", "selfReferenceReplacer", "offset", "string", "indexOf", "selfReferenceReplacementPlugin", "\_", "lastIndexOf", "use", "stringifyRules", "prefix", "componentId", "flatCSS", "cssStr", "reduce", "acc", "plugin", "StyleSheetContext", "React", "createContext", "StyleSheetConsumer", "Consumer", "StylisContext", "StylisConsumer", "masterSheet", "masterStylis", "Keyframes", "inject", "styleSheet", "stylisInstance", "resolvedName", "getName", "uppercaseCheck", "uppercasePattern", "msPattern", "prefixAndLowerCase", "char", "toLowerCase", "hyphenateStyleName", "addUnitIfNeeded", "value", "unitless", "isFalsish", "chunk", "objToCssArray", "obj", "prevKey", "key", "hasOwnProperty", "Array", "isArray", "isCss", "hyphenate", "isPlainObject", "flatten", "executionContext", "ruleSet", "result", "isElement", "console", "warn", "printed", "warnOnce", "message", "SINGLE\_QUOTE", "DOUBLE\_QUOTE", "BACKSLASH", "SLASH", "NEWLINE", "SPACE", "FEED", "TAB", "CR", "OPEN\_SQUARE", "CLOSE\_SQUARE", "OPEN\_PARENTHESES", "CLOSE\_PARENTHESES", "OPEN\_CURLY", "CLOSE\_CURLY", "SEMICOLON", "ASTERISK", "COLON", "AT", "RE\_AT\_END", "RE\_WORD\_END", "RE\_BAD\_BRACKET", "tokenize", "input", "tokens", "valueOf", "ignore", "ignoreErrors", "next", "quote", "lines", "last", "escape", "nextLine", "nextOffset", "escaped", "escapePos", "prev", "n", "pos", "unclosed", "what", "error", "slice", "lastIndex", "HIGHLIGHT\_THEME", "brackets", "comment", "color", "termi

nalHighlight","Input","token","map","CssSyntaxError","source","file","reason","setMessage","captureStackTrace","showSourceCode","supportsColor","start","max","end","min","maxWidth","number","padded","gutter","spacing","defaultRaw","colon","indent","beforeDecl","beforeRule","beforeOpen","beforeClose","beforeComment","after","emptyBody","commentLeft","commentRight","capitalize","toUpperCase","Stringifier","builder","stringify","semicolon","type","root","body","raws","left","raw","right","text","decl","between","prop","rawValue","important","atrul","params","afterName","before","own","detect","first","rawCache","beforeAfter","method","walk","rawSemicolon","rawEmptyBody","rawIndent","p","rawBeforeComment","walkComments","rawBeforeDecl","walkDecls","rawBeforeRule","rawBeforeClose","rawBeforeOpen","rawColon","buf","step","cloneNode","cloned","constructor","j","Node","defaults","opts","positionBy","data","remove","stringifier","clone","overrides","cloneBefore","cloneAfter","insertAfter","replaceWith","moveTo","newParent","cleanRaws","append","moveBefore","otherNode","moveAfter","toJSON","fixed","defaultType","keepBetween","positionInside","word","removeSelf","cleanStyles","val","Declaration","Comment","Parser","Root","current","spaces","tokenizer","loop","emptyRule","other","endFile","init","Rule","bracket","pop","unclosedBracket","unknownWord","spacesFromEnd","shift","spacesFromStart","precheckMissedSemicolon","stringFrom","cache","checkMissedSemicolon","AtRule","unnamedAtrule","open","unexpectedClose","unclosedBlock","clean","all","lastTokenType","from","doubleColon","founded","parse","safe","parser","cleanSource","Container","each","callback","lastEach","indexes","walkRules","walkAtRules","children","normalize","prepend","reverse","unshift","exist","removeAll","replaceValues","pattern","props","fast","every","condition","some","sample","processed","rebuild","fix","eachInside","eachDecl","eachRule","eachAtRule","eachComment","list","separators","array","func","letter","space","comma","values","sep","Warning","opt","Result","processor","messages","lastPlugin","postcssPlugin","warning","warnings","filter","isPromise","then","LazyResult","stringified","inline","syntax","sync","onFulfilled","onRejected","async","handleError","postcssVersion","pluginName","pluginVer","runtimeVer","version","err","asyncTick","resolve","reject","promise","run","Promise","processing","Processor","concat","normalized","postcss","toResult","lazy","prevMap","sequence","path","origin","consumer","originalPositionFor","mapResolve","sourceContentFor","sourceRoot","SafeParser","buffer","safeParse","generated","InlineStyle","generateStyleObject","generateComponentId","declPairs","styleObject","transformDeclPairs","styles","create","isObject","isValidKey","mixin","mixinDeep","rest","providedTheme","defaultProps","theme","isTag","charAt","generateDisplayName","ThemeContext","ThemeConsumer","mergeTheme","outerTheme","mergedTheme","ThemeProvider","useContext","themeContext","useMemo","validAttr","StyledNativeComponent","attrs","render","transientAsProp","\$as","renderAs","as","forwardedComponent","forwardedAs","forwardedRef","testID","shouldForwardProp","elementToBeRendered","generatedStyles","generateAndInjectStyles","determineTheme","isTargetTag","computedProps","propFilterFn","propsForElement","state","ref","buildExecutionContext","attrDef","resolvedAttrDef","attr","inlineStyle","setNativeProps","nativeProps","Component","createStyledNativeComponent","ParentComponent","isClass","isTargetStyledComp","WrappedStyledNativeComponent","forwardRef","finalAttrs","filterFn","elementToBeCreated","withComponent","\_\_","optionsToCopy","newOptions","defineProperty","\_foldedDefaultProps","merge","hoist","strings","addTag","arg","interleave","constructWithOptions","componentConstructor","isValidElementType","templateFunction","withConfig","config","WithTheme","themeProp","hoistStatics","useTheme","reactNative","require","\_InlineStyle","\_StyledNativeComponent","styled","aliases","alias","enumerable","configurable"],"mappings":":;;;;;;;;;AAAA::AACA:AAEA,IAAMA,aAAa,GAAG,UAAtB;AAEA::AAEA,IAAMC,WAAW,GAAG,EAAPB:AAEA::AACA,IAAMC,iBAAiB,GAAG,SAAPBA,iBAAoB,CAACC,IAAD;AAAA,SACxBC,MAAM,CAACC,YAAP,CAAoBF,IAAI,IAAIA,IAAI,GAAG,EAAP,GAAY,EAZ,GAAiB,EAARb,CAAxB,CADwB;AAAA,CAAIB;AAGA::;AACe,SAASG,sBAAT,CAAgCH,IAAhC,EAAsD;AACnE,MAAIL,IAAI,GAAG,EAAX;AACA,MAAIC,CAAJ;AAEA::AACA,OAKA,CAAC,GAAGC,IAAI,CAACC,GAAL,CAASP,IAAT,CAAT,EAAYBK,CAAC,GAAGP,WAAB7,EAACO,CAAC,GAAIA,CAAC,GAAGP,WAAL,GAAoB,CAAIE,EAaqE;AACnEM,IAAAA,IAAI,GAAGL,iBAAiB,CAACM,CAAC,GAAGP,WAAL,CAAjB,GAAqCM,IAA5C;AACD::AAED,SAAO,CAACL,iBAAiB,CAACM,CAAC,GAAGP,WAAL,CAAjB,GAAqCM,IAAtC,EAA4CI,OAA5C,CAAoDX,aAApD,EAAMe,OAAne,CAAP;AACD::ACxBD::AACA:AAEA,AAAO,IAAMY,IAAI,GAAG,IAAb;AAGP;AACA::AACA,AAAO,IAAMC,KAAK,GAAG,SAARA,KAAQ,CAACC,CAAD,EAAYN,CAAZ,EAakC;AACrD,MAAIO,CAAC,GAAGP,CAAC,CAACQ,MAAV::AAEA,SAOD,CAAP,EAU;AACRD,IAAAA,CAAC,GAAIA,CAAC,GAAG,EAAL,GAA

WN,CAAC,CAACS,UAAF,CAAa,EAAEF,CAAf,CAAf;AACD;;AAED,SAAOD,CAAP;AACD,CARM;;AAWP,A  
AAO,IAAMI,IAAI,GAAG,SAAPA,IAAO,CAACV,CAAD,EAAuB;AACzC,SAAOK,KAAK,CAACD,IAAD,EAA  
OJ,CAAP,CAAZ;AACD,CAFm;;ACnBP;AAKA,2BAaE,UACW,GAAD,EAyB;AACtC,SAAOb,sBAAsB,CA  
ACY,IAAI,CAACC,GAAD,CAAJ,KAAc,CAAF,CAA7B;AACD,CAFd;;ACLA;AAGA,AAAE,SAASC,gBAAT,C  
ACbC,MADa,EAEL;AACR,SACE,CAACC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GAAwC,O  
AAOH,MAAP,KAAkB,QAAlB,IAA8BA,MAAtE,GAA+E,KAAhF;AAEAA,EAAAA,MAAM,CAACI,WAFP;AA  
IAJ,EAAAA,MAAM,CAACd,IAJP,IACA,WANF;AAQD;;ACdD;AACa,AAAE,SAASmB,UAT,CAAoBC,IAAp  
B,EAAgD;AAC7D,SAAO,OAAOA,IAAP,KAAgB,UAAvB;AACD;;ACHD;AACa,AAAE,SAASC,mBAAT,CAA  
6BD,IAA7B,EAAiD;AAC9D,SACE,OAAOA,IAAP,KAAgB,UAAhB,IACG,EACDA,IAAI,CAACE,SAAL,IACG  
F,IAAI,CAACE,SAAL,CAAeC,gBAFjB,CAFL;AAOD;;ACTD;AACa,AAEA,qBAaE,UACtB,CAAD;AAAA,S  
ACbA,CAAC,KAAK,IAAN,IACA,OAAOA,CAAP,KAAa,QADb,IAEA,CAACA,CAAC,CAACuB,QAAF,GAAav  
B,CAAC,CAACuB,QAAF,EAAb,GAA4BC,MAAM,CAACH,SAAP,CAAiBE,QAAjB,CAA0BE,IAA1B,CAA+Bz  
B,CAA/B,CAA7B,MAAoE,iBAFpE,IAGA,CAAC0B,MAAM,CAAC1B,CAAD,CAJM;AAAA,CAAF;;ACHA;AA  
CA,AAAE,SAAS2B,iBAAT,CAA2Bd,MAA3B,EAAYD;AACtE,SAAOA,MAAM,IAAI,OAAOA,MAAM,CAACe,  
iBAAd,KAAoC,QAARd;AACD;;ACHD;AAKA,AAAO,IAAMC,OAAO,GA  
CjB,OAAOf,OAAP,KAAmB,WAAAnB,KAAmCA,OAAO,CAACC,GAAR,CAAYe,iBAAZ,IAAiChB,OAAO,CAA  
CC,GAAR,CAAYc,OAAhF,CAAD,IACA,aAFK;AAIP,AAAO,IAAME,cAAc,GAAG,QAAvB;AACp,AAAO,IAA  
MC,eAAe,GAAG,qBAAXB;AACp,AAAO,IAAMC,UAAU,GAAGC,OAAnB;AACp,AAAO,IAAMC,QAAQ,GAA  
G,WAAjB;AAEP,AAAO,IAAMC,UAAU,GAAG,OAAOC,MAAP,KAAkB,WAAIB,IAAiC,iBAAiBA,MAArE;A  
AEP,AAAO,IAAMC,cAAc,GACzBC,OAAO,CAAC,OAAOC,iBAAP,KAA6B,SAA7B,GACJA,iBADI,GAEH,OA  
AO1B,OAAP,KAAmB,WAAAnB,IAAkC,OAAOA,OAAO,CAACC,GAAR,CAAY0B,2BAAnB,KAAmD,WAArF,I  
AAoG3B,OAAO,CAACC,GAAR,CAAY0B,2BAAZ,KAA4C,EAAhJ,GACC3B,OAAO,CAACC,GAAR,CAAY0B  
,2BAAZ,KAA4C,OAA5C,GAAsD,KAAtD,GAA8D3B,OAAO,CAACC,GAAR,CAAY0B,2BAD3E,GAEE,OAAO  
3B,OAAP,KAAmB,WAAAnB,IAAkC,OAAOA,OAAO,CAACC,GAAR,CAAYyB,iBAAnB,KAAyC,WAA3E,IAA0  
F1B,OAAO,CAACC,GAAR,CAAYyB,iBAAZ,KAAkC,EAA5H,GACC1B,OAAO,CAACC,GAAR,CAAYyB,iBA  
AZ,KAAkC,OAAIC,GAA4C,KAA5C,GAAoD1B,OAAO,CAACC,GAAR,CAAYyB,iBADjE,GAEC1B,OAAO,C  
AACC,GAAR,CAAYC,QAAZ,KAAyB,YAN1B,CADF;;AChBP;AACa,AAAO,IAAM0B,WAAW,GAAGIB,MA  
AM,CAACmB,MAAP,CAAc,EAAd,CAAPB;AACp,AAAO,IAAMC,YAAy,GAAGpB,MAAM,CAACmB,MAAP  
,CAAc,EAAd,CAArB;;ACFP,eAAe;AAAC,OAAI,uDAAL;AAA6D,OAAI,+PAAjE;AAAIu,OAAI,qHAARu;AAA  
2b,OAAI,qMAA/b;AAAqoB,OAAI,iKAAzoB;AAA2yB,OAAI,2OAA/yB;AAA2hC,OAAI,sHAA/hC;AAAspC,O  
AAI,+DAA1pC;AAA0tC,OAAI,+BAA9tC;AAA8vC,QAAK,gUAAAnwC;AAAokD,QAAK,uNAAzkD;AAAIyD,Q  
AAK,oWAAtyD;AAA2oE,QAAK,wLAAhpE;AAAY0E,QAAK,gDAA90E;AAA+3E,QAAK,0ZAAp4E;AAA+xF,  
QAAK,sQAAPyF;AAA2iG,QAAK;AAAhjG,CAAF;;ACAA;AACa,AAEA,IAAME,MAAM,GAAG/B,OAAO,CA  
ACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GAAwC8B,QAAxC,GAAmD,EAAIE;AAEA;;;AAGA,SAASC,M  
AAT,GAAYB;AACvB,MAAIC,CAAC,mDAAL;AACa,MAAMC,CAAC,GAAG,EAAV;;AAEA,OAAC,IAAIC,C  
AAC,GAAG,CAAR,EAAWC,GAAG,GAAG,UAAK3C,MAA3B,EAAmC0C,CAAC,GAAGC,GAAvC,EAA4CD,  
CAAC,IAAI,CAAJd,EAAoD;AACIDD,IAAAA,CAAC,CAACG,IAAF,CAAYF,CAAZ,4BAAYA,CAAZ,yBAAY  
A,CAAZ;AACD;;AAEDD,EAAAA,CAAC,CAACI,OAFA,CAAU,UAAAC,CAAC,EAAl;AACbN,IAAAA,CAAC  
,GAAGA,CAAC,CAAC7C,OAFA,CAAU,QAAV,EAAoBmD,CAAPB,CAAJ;AACD,GAFA;AAIA,SAAON,CAA  
P;AACD;AAED;;AAIA,AAAE,SAASO,0BAAT,CACb5D,IADa,EAGb;AAAA,oCADG6D,cACH;AADGA,IAA  
AA,cACH;AAAA;;AACa,MAAI1C,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAA7B,EAA2C;AACzC,U  
AAM,IAAIyC,KAAJ,kDAC2C9D,IAD3C,+BAEF6D,cAAc,CAACHD,MAAF,GAAwB,CAAxB,eAAsCgD,cAAc,C  
AACE,IAAf,CAAoB,IAAPB,CAAtC,GAAoE,EAFIE,EAAN;AAKD,GAND,MAMO;AACL,UAAM,IAAID,KAAJ  
,CAAUV,MAAM,MAAN,UAAOF,MAAM,CAACID,IAAD,CAAb,SAAwB6D,cAAxB,GAAwCG,IAAXC,EAAV,  
CAAN;AACD;AACF;;ACxCD;AAOA;;AACa,AAAO,IAAMC,cAAc,GAAG,SAAjBA,cAAiB,CAACC,GAAD,E  
AA0B;AACtD,SAAO,IAAIC,iBAAJ,CAAsBD,GAAtB,CAAP;AACD,CAFm;AAIP,IAAME,SAAS,GAAG,KAA  
K,CAAvB;;IAEMD;AAOJ,6BAAyD,GAAZ,EAAsB;AACpB,SAAKG,UAAAL,GAAkB,IAAIC,WAAJ,CAAgBF,S  
AAhB,CAAIB;AACa,SAAKvD,MAAL,GAACuD,SAAd;AACa,SAAKF,GAAL,GAAWA,GAAX;AACD;;SAE

DK,eAAA,sBAAaC,KAAb,EAAoC;AACIC,QAAIC,KAAK,GAAG,CAAZ;;AACa,SAAK,IAAI7D,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAG4D,KAApB,EAA2B5D,CAAC,EAA5B,EAAgC;AAC9B6D,MAAAA,KAAK,IAAI,KAAKJ,UAAAL,CAAkBzD,CAAhB,CAAT;AACD;;AAED,WAAO6D,KAAP;AACD;;SAEDC,cAAA,qBAAyF,KAAZ,EAA2BG,KAA3B,EAAkD;AAChD,QAAIH,KAAK,IAAI,KAAKH,UAAAL,CAAkBxD,MAA7B,EAAqC;AACnC,UAAAM+D,SAAS,GAAG,KAAKP,UAAvB;AACa,UAAAMQ,OAAO,GAAGD,SAAS,CAAC/D,MAA1B;AAEA,UAAIIE,OAAO,GAAGD,OAAAd;;AACa,aAAOL,KAAK,IAAIM,OAAhB,EAAyB;AACvBA,QAAAA,OAAO,KAAK,CAAZ;;AACa,YAAIA,OAAO,GAAG,CAAd,EAAiB;AACfC,UAAAA,0BAAgB,CAAC,EAAD,OAAQP,KAAAR,CAAhB;AACD;AACF;;AAED,WAAKH,UAAAL,GAAkB,IAAIC,WAAJ,CAAgBQ,OAAhB,CAAI;AACa,WAAKT,UAAAL,CAAgBW,GAAhB,CAAoBJ,SAApB;AACa,WAAK/D,MAAL,GAACiE,OAAAd;;AAEA,WAAK,IAAIE,CAAC,GAAGiE,OAAAb,EAAsBjE,CAAC,GAAGkE,OAA1B,EAAmCIE,CAAC,EAAPc,EAAwC;AACtC,aAAKyD,UAAAL,CAAkBzD,CAAhB,IAAqB,CAArB;AACD;AACF;;AAED,QAAIqE,SAAS,GAAG,KAAKV,YAAL,CAAkBC,KAAK,GAAG,CAA1B,CAAhB;;AACa,SAAK,IAAI5D,EAAC,GAAG,CAAR,EAAWSE,CAAC,GAAGP,KAAK,CAAC9D,MAA1B,EAAkCD,EAAC,GAAGSE,CAATC,EAAYCtE,EAAC,EAA1C,EAA8C;AAC5C,UAAI,KAAKsD,GAAL,CAASiB,UAAAT,CAAoBF,SAApB,EAA+BN,KAAK,CAAC/D,EAAD,CAAPc,CAAJ,EAA8C;AAC5C,aAAKyD,UAAAL,CAAgBG,KAAhB;AACAS,QAAAA,SAAS;AACV;AACF;AACF;;SAEDG,aAAA,oBAAWZ,KAAAX,EAAgC;AAC9B,QAAIA,KAAK,GAAG,KAAK3D,MAAJB,EAAyB;AACvB,UAAAMA,MAAM,GAAG,KAAKwD,UAAAL,CAAgBG,KAAhB,CAAF;AACa,UAAAMa,UAAU,GAAG,KAAKd,YAAL,CAAkBc,KAAIB,CAAnB;AACa,UAAAMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;AAEA,WAAKwD,UAAAL,CAAgBG,KAAhB,IAAYB,CAAzB;;AAEA,WAAK,IAAI5D,CAAC,GAAGyE,UAAAb,EAAyBzE,CAAC,GAAG0E,QAA7B,EAAuC1E,CAAC,EAAxC,EAA4C;AAC1C,aAAKsD,GAAL,CAASqB,UAAAT,CAAoBF,UAApB;AACD;AACF;AACF;;SAEDG,WAAA,kBAAShB,KAAAT,EAAgC;AAC9B,QAAIiB,GAAG,GAAG,EAAV;;AACa,QAAIjB,KAAK,IAAI,KAAK3D,MAAd,IAAwB,KAAKwD,UAAAL,CAAgBG,KAAhB,MAA2B,CAAvD,EAA0D;AACxD,aAAOIB,GAAP;AACD;;AAED,QAAAM5E,MAAM,GAAG,KAAKwD,UAAAL,CAAgBG,KAAhB,CAAF;AACa,QAAAMa,UAAU,GAAG,KAAKd,YAAL,CAAkBC,KAAIB,CAAnB;AACa,QAAAMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;;AAEA,SAAK,IAAID,CAAC,GAAGyE,UAAAb,EAAyBzE,CAAC,GAAG0E,QAA7B,EAAuC1E,CAAC,EAAxC,EAA4C;AAC1C6E,MAAAA,GAAG,SAAO,KAAKvB,GAAL,CAASwB,OAAAT,CAAiB9E,CAAjB,CAAP,GAAG6B4B,QAAhC;AACD;;AAED,WAAOiD,GAAP;AACD;;;AChGH;AAEA,AAEA,IAAME,OAAO,GAAG,KAAK,KAAK,CAA1B;AAEA,IAAIC,eAAe,GAAwB,IAAIC,GAAJ,EAA3C;AACa,IAAIC,eAAe,GAAwB,IAAID,GAAJ,EAA3C;AACa,IAAIE,aAAa,GAAG,CAApB;AAEA,AAMO,IAAMC,aAAa,GAAG,SAAhBA,aAAGB,CAACC,EAAD,EAAwB;AACnD,MAAIL,eAAe,CAACM,GAAhB,CAAoBD,EAAPB,CAAJ,EAA6B;AAC3B,WAAQL,eAAe,CAACO,GAAhB,CAAoBF,EAAPB,CAAR;AACD;;AAED,SAAOH,eAAe,CAACI,GAAhB,CAAoBH,aAAPB,CAAP,EAA2C;AACzCA,IAAAA,aAAa;AACd;;AAED,MAAMvB,KAAK,GAAGuB,aAAa,EAA3B;;AAEA,MACE5E,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC,CAACmD,KAAK,GAAG,CAAT,IAAac,CAAd,IAAmBA,KAAK,GAAGmB,OAD5B,CADF,EAGE;AACAZ,IAAAA,0BAAgB,CAAC,EAAD,OAAQP,KAAAR,CAAhB;AACD;;AAEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KAAxB;AACAsB,EAAAA,eAAe,CAACd,GAAhB,CAAoBR,KAAPB,EAA2ByB,EAA3B;AACa,SAAOzB,KAAP;AACD,CArBM;AAuBP,AAAO,IAAM4B,aAAa,GAAG,SAAhBA,aAAGB,CAAC5B,KAAD,EAAkC;AAC7D,SAAOsB,eAAe,CAACK,GAAhB,CAAoB3B,KAAPB,CAAP;AACD,CAFM;AAIP,AAAO,IAAM6B,aAAa,GAAG,SAAhBA,aAAGB,CAACJ,EAAD,EAAzB,KAAb,EAA+B;AAC1D,MAAIA,KAAK,IAAIuB,aAAAb,EAA4B;AAC1BA,IAAAA,aAAa,GAAGvB,KAAK,GAAG,CAAxB;AACD;;AAEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KAAxB;AACAsB,EAAAA,eAAe,CAACd,GAAhB,CAAoBR,KAAPB,EAA2ByB,EAA3B;AACD,CAPM;;AC3CP;AAEA,AAIA,IAAMK,QAAQ.cAAyPE,OAAZ,UAAwBG,eAAxB,WAA4CC,UAA5C,QAAAd;AACa,IAAMiE,SAAS,GAAG,IAAIC,MAAJ,OAAeT,OAAf,sDAAIB;AAEA,AAAO,IAAMuE,WAAW,GAAG,SAAdA,WAAAc,CAACC,KAAD,EAAkB;AAC3C,MAAMxC,GAAG,GAAGwC,KAAK,CAACC,MAAN,EAAZ;AAD2C,MAEnC9F,MAFmC,GAExBqD,GAfwB,CAEnCrD,MAFmC;AAI3C,MAAI4E,GAAG,GAAG,EAAV;;AACa,OAAK,IAAIjB,KAAK,GAAG,CAAjB,EAAoBA,KAAK,GAAG3D,MAA5B,EAAoC2D,KAAK,EAAzC,EAA6C;AAC3C,QAAMyB,EAAE,GAAGG,aAAa,CAAC5B,KAAD,CAAxB;AACa,QAAIyB,EAAE,KAAKW,SAAX,EAAsB;AAEtB,QAAAMC,KAAK,GAAGH,KAAK,CAACG,KAAN,CAAYV,GAAG,CAAgBF,EAAhB,CAAd;AACa,QAAAMt

B, KAAK, GAAGT, GAAG, CAACsB, QAAJ, CAAAhB, KAAb, CAAd; AACA, QAAI, CAACqC, KAAD, IAAU, CAACI  
C, KAAAX, IAAoB, CAACkC, KAAK, CAACC, IAA/B, EAAqC; AAERc, QAAMC, QAAQ, GAAM7E, OAAAN, UAAkBs  
C, KAAIB, cAA+ByB, EAA/B, QAAAd; AAEA, QAAIe, OAAO, GAAG, EAAAd; AACA, QAAIH, KAAK, KAAKD, SAAAd  
, EAAyB; AACvBC, MAAAA, KAAK, CAACnD, OAAAN, CAAC, UAAATd, IAAI, EAAI; AACpB, YAAIA, IAAI, CAAC  
S, MAAL, GAAC, CAAIB, EAAqB; AACnBmG, UAAAA, OAAO, IAAO5G, IAAP, MAAP; AACD; AACF, OAJD; AAK  
D, KAjb0C; AAoB3C; AACqF, IAAAA, GAAG, SAAOd, KAAP, GAAeoC, QAAf, mBAAoCC, OAApC, WAAgDxE  
, QAAAd; AACD; AAED, SAAOiD, GAAP; AACD, CA9BM; AAqCP, IAAMwB, yBAAyB, GAAG, SAA5BA, yBAA4  
B, CAACP, KAAD, EAAeT, EAAf, EAA2Be, OAA3B, EAA+C; AAC/E, MAAMH, KAAK, GAAGG, OAAO, CAACE, K  
AAR, CAAC, GAAd, CAAd; AACA, MAAI9G, IAAJ; AAEA, OAAK, IAAIQ, CAAC, GAAG, CAAR, EAAWSE, CAAC,  
GAAG2B, KAAK, CAACHG, MAAlB, EAAkCD, CAAC, GAAGsE, CAAtC, EAAyCtE, CAAC, EAA1C, EAA8C; AAC  
5C; AACA, QAAKR, IAAI, GAAGyG, KAAK, CAACjG, CAAD, CAAjB, EAAuB; AACrB8F, MAAAA, KAAK, CAAC  
S, YAAN, CAAMbIB, EAAAnB, EAAuB7F, IAAvB; AACD; AACF; AACF, CAVD; AAYA, IAAMgH, qBAAqB, GAAG,  
SAAxBA, qBAAwB, CAACV, KAAD, EAAeW, KAAf, EAA2C; AACvE, MAAMC, KAAK, GAAG, CAACD, KAAK, C  
AACE, WAAN, IAAqB, EAAtB, EAA0BL, KAA1B, CAAGC1E, QAAhC, CAAd; AACA, MAAMmC, KAAK, GAAa, E  
AAxB; AAEA, OAAK, IAAI/D, CAAC, GAAG, CAAR, EAAWSE, CAAC, GAAGoC, KAAK, CAACzG, MAAlB, EAA  
kCD, CAAC, GAAGsE, CAAtC, EAAyCtE, CAAC, EAA1C, EAA8C; AAC5C, QAAM4G, IAAI, GAAGF, KAAK, CAA  
C1G, CAAD, CAAL, CAASoD, IAAT, EAAb; AACA, QAAI, CAACwD, IAAL, EAAW; AAEX, QAAMC, MAAM, GAA  
GD, IAAI, CAACE, KAAL, CAAWnB, SAAX, CAAf; AAEA, QAAIkB, MAAJ, EAAy; AACV, UAAMjD, KAAK, GA  
AGmD, QAAQ, CAACF, MAAM, CAAC, CAAD, CAAP, EAAy, EAAZ, CAAR, GAA0B, CAAxC; AACA, UAAMxB, E  
AAE, GAAGwB, MAAM, CAAC, CAAD, CAAjB; AAEA, UAAIjD, KAAK, KAAK, CAAd, EAAiB; AACf; AACA6B,  
QAAAA, aAAa, CAACJ, EAAD, EAAKzB, KAAL, CAAb, CAFe; AAIf; AACAyC, QAAAA, yBAAyB, CAACP, KAA  
D, EAAQT, EAAR, EAAyWb, MAAM, CAAC, CAAD, CAAIB, CAAzB; AACaf, QAAAA, KAAK, CAACC, MAAN, G  
AAejC, WAAf, CAA2BF, KAA3B, EAAkCG, KAAIC; AACD; AAEDA, MAAAA, KAAK, CAAC9D, MAAN, GAAe, C  
AAf; AACD, KAdD, MAcO; AACL8D, MAAAA, KAAK, CAACIB, IAAN, CAAW+D, IAAX; AACD; AACF; AACF, C  
A5BD; AA8BA, AAAO, IAAMI, cAAc, GAAG, SAAjBA, cAAiB, CAACIB, KAAD, EAAkB; AAC9C, MAAMmB, KA  
AK, GAAGC, QAAQ, CAACC, gBAAT, CAA0BzB, QAA1B, CAAd; AAEA, OAAK, IAAI1F, CAAC, GAAG, CAAR, E  
AAWSE, CAAC, GAAG2C, KAAK, CAACHH, MAAlB, EAAkCD, CAAC, GAAGsE, CAAtC, EAAyCtE, CAAC, EAA1  
C, EAA8C; AAC5C, QAAMoH, IAAI, GAAKH, KAAK, CAACjH, CAAD, CAAPB; AACA, QAAIoH, IAAI, IAAlA, IA  
AI, CAACC, YAAL, CAAkB/F, OAAIB, MAA+BE, cAA3C, EAA2D; AACzDgF, MAAAA, qBAAqB, CAACV, KAAD,  
EAAQsB, IAAR, CAARb; AAEA, UAAIA, IAAI, CAACE, UAAT, EAAqB; AACnBF, QAAAA, IAAI, CAACE, UAAL,  
CAAgBC, WAAhB, CAA4BH, IAA5B; AACD; AACF; AACF; AACF, CAbM; ACnFP; AACA; AAIA, IAAMI, QAAQ,  
GAAG, SAAXA, QAAW, GAAM; AAERb, SAAO, OAAO1F, MAAP, KAAkB, WAAIB, GACH, OAAOA, MAAM, CA  
AC2F, iBAAd, KAAoC, WAApC, GACE3F, MAAM, CAAC2F, iBADT, GAEE, IAHC, GAIH, IAJJ; AAKD, CAPD; AC  
LA; AAEA, AAIA, IAAMC, YAAy, GAAG, CAARb; AAAwB; AAExB; AACA, IAAMC, gBAAgB, GAAG, SAAAnBA,  
gBAAmB, CAACrH, MAAD, EAAkD; AAAA, MACjEsH, UADiE, GACIDtH, MADkD, CACjEsH, UADiE; AAGzE, O  
AAK, IAAI5H, CAAC, GAAG4H, UAAU, CAAC3H, MAAXB, EAAgCD, CAAC, IAAI, CAARc, EAAwCA, CAAC, EA  
AzC, EAA6C; AAC3C, QAAM6H, KAAK, GAAKD, UAAU, CAAC5H, CAAD, CAA1B; AACA, QAAI6H, KAAK, IA  
AIA, KAAK, CAACC, QAAN, KAAMBJ, YAA5B, IAA4CG, KAAK, CAACE, YAAN, CAAMBzG, OAAAnB, CAAhD, E  
AA6E; AAC3E, aAASuG, KAAT; AACD; AACF; AAED, SAAO7B, SAAP; AACD, CAXD; AAaA; AACA, AAAO, IA  
AMgC, YAAy, GAAG, SAAfA, YAAe, CAAC1H, MAAD, EAA4C; AACtE, MAAM2H, IAAI, GAAKf, QAAQ, CAACe  
, IAAxB; AACA, MAAMC, MAAM, GAAG5H, MAAM, IAAI2H, IAAzB; AACA, MAAMxB, KAAK, GAAGS, QAAQ,  
CAACiB, aAAT, CAAuB, OAAvB, CAAd; AACA, MAAMC, SAAS, GAAGT, gBAAgB, CAACO, MAAD, CAAC; AA  
CA, MAAMG, WAAW, GAAGD, SAAS, KAAKpC, SAAd, GAA0BoC, SAAS, CAACC, WAApC, GAAkD, IAAtE; AA  
EA5B, EAAAA, KAAK, CAAC6B, YAAN, CAAMbH, OAAAnB, EAA4BE, cAA5B; AACaIF, EAAAA, KAAK, CAAC  
6B, YAAN, CAAMb7G, eAAAnB, EAAoCC, UAApC; AAEA, MAAM6G, KAAK, GAAGf, QAAQ, EAAtB; AAEA, MA  
Ie, KAAJ, EAAW9B, KAAK, CAAC6B, YAAN, CAAMb, OAAAnB, EAA4BC, KAA5B; AAEXL, EAAAA, MAAM, CA  
ACM, YAAP, CAAoB/B, KAAPb, EAA2B4B, WAA3B; AAEA, SAAO5B, KAAP; AACD, CAjBM; AAmBP; AACA, A  
AAO, IAAMgC, QAAQ, GAAG, SAAXA, QAAW, CAACnF, GAAD, EAA0C; AACHe, MAAlA, GAAG, CAACwC, KA

AR,EAAe;AACb,WAASxC,GAAG,CAACwC,KAAb;AACD,GAH+D;;;AAAA,kBAMxCoB,QANwC;AAAA,MA  
MxDwB,WANwD,aAMxDA,WANwD;;AAOhE,OAAK,IAAI1I,CAAC,GAAG,CAAR,EAAWSe,CAAC,GAAGoE  
,WAAW,CAACzI,MAAhC,EAAwCD,CAAC,GAAGsE,CAA5C,EAA+CtE,CAAC,EAAhD,EAAoD;AACID,QAA  
M8F,KAAK,GAAG4C,WAAW,CAAC1I,CAAD,CAAzB;;AACA,QAAl8F,KAAK,CAAC6C,SAAN,KAAoBrF,G  
AAxB,EAA6B;AAC3B,aAASwC,KAAT;AACD;AACF;;AAED3B,EAAAA,0BAAGB,CAAC,EAAD,CAAhB;AA  
CA,SAAQ6B,SAAR;AACD,CAhBM;;AC3CP;AAMA;;AACA,AAAO,IAAM4C,OAAO,GAAG,SAAVA,OAAU,  
OAAgE;AAAA,MAA7DC,QAA6D,QAA7DA,QAA6D;AAAA,MAAnDC,iBAAmD,QAAAnDA,iBAAmD;AAAA,  
MAAhCxI,MAAgC,QAAhCA,MAAgC;;AACrF,MAAIuI,QAAl,EAAC;AACZ,WAAO,IAAIE,UAAJ,CAAEzI,MA  
Af,CAAP;AACD,GAFD,MAEO,IAAIwI,iBAAJ,EAAuB;AAC5B,WAAO,IAAIE,QAAl,CAAa1I,MAAb,CAAP;A  
ACD,GAFM,MAEA;AACL,WAAO,IAAI2I,OAAJ,CAAY3I,MAAZ,CAAP;AACD;AACF,CARM;AAUP,IAAa0I,  
QAAb;AAOE,oBAAY1I,MAAZ,EAakC;AAChC,QAAM4I,OAAO,GAAl,KAAKA,OAAL,GAAeIB,YAAY,CAA  
C1H,MAAD,CAA5C,CADgC;;AAIhC4I,IAAAA,OAAO,CAACC,WAAAR,CAAoBjC,QAAQ,CAACKc,cAAT,CA  
AwB,EAAxB,CAApB;AAEA,SAAKtD,KAAL,GAAa2C,QAAQ,CAACS,OAAD,CAArB;AACA,SAAKjJ,MAAL,  
GAAc,CAAd;AACD;;AAfH;;AAAA,SAiBEsE,UajBF,GaiBE,oBAAWV,KAAx,EAA0BwF,IAA1B,EAAiD;AA  
C/C,QAAl;AACF,WAAKvD,KAAL,CAAWvB,UAAx,CAAsB8E,IAAtB,EAA4BxF,KAA5B;AACA,WAAK5D,  
MAAL;AACA,aAAO,IAAP;AACD,KAJD,CAIE,OAAOqJ,MAAP,EAAe;AACf,aAAO,KAAP;AACD;AACF,GAz  
BH;;AAAA,SA2BE3E,UA3BF,GA2BE,oBAAWd,KAAx,EAAgC;AAC9B,SAAKiC,KAAL,CAAWnB,UAAx,C  
AAsBd,KAAtB;AACA,SAAK5D,MAAL;AACD,GA9BH;;AAAA,SAgCE6E,OAHCf,GAgCE,iBAAQjB,KAAR,E  
AA+B;AAC7B,QAAMwF,IAAI,GAAG,KAAKvD,KAAL,CAAWyD,QAAX,CAAoB1F,KAAPB,CAAb,CAD6B;;  
AAG7B,QAAlwF,IAAI,KAAKrD,SAAT,IAAsB,OAAOqD,IAAI,CAACG,OAAs,KAAwB,QAAlD,EAA4D;AAC  
1D,aAAOH,IAAI,CAACG,OAAs;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF,GAxCH;;AAAA;AA  
AA;AA2CA;;AACA,IAAaP,OAAb;AAOE,mBAAY3I,MAAZ,EAakC;AAChC,QAAM4I,OAAO,GAAl,KAAKA,  
OAAL,GAAeIB,YAAY,CAAC1H,MAAD,CAA5C;AACA,SAAK2G,KAAL,GAAaiC,OAAO,CAACtB,UAArB;A  
ACA,SAAK3H,MAAL,GAAc,CAAd;AACD;;AAXH;;AAAA,UAAEsE,UAbF,GAAE,oBAAWV,KAAx,EAA0Bw  
F,IAA1B,EAAiD;AAC/C,QAAlxF,KAAK,IAAI,KAAK5D,MAAd,IAAwB4D,KAAK,IAAI,CAArC,EAAwC;AAC  
tC,UAAMuD,IAAI,GAAGF,QAAQ,CAACKc,cAAT,CAAwBC,IAAxB,CAAb;AACA,UAAmI,OAAO,GAAG,KA  
AKx,C,KAAL,CAAWpD,KAAx,CAAhB;AACA,WAAKqF,OAAL,CAAaV,YAAb,CAA0BpB,IAA1B,EAAgCqC,  
OAAO,IAAI,IAA3C;AACA,WAAKxJ,MAAL;AACA,aAAO,IAAP;AACD,KAND,MAMO;AACL,aAAO,KAAP;  
AACD;AACF,GAvBH;;AAAA,UAYBE0E,UazBF,GAYBE,oBAAWd,KAAx,EAAgC;AAC9B,SAAKqF,OAAL,C  
AAa3B,WAAb,CAAyB,KAAKN,KAAL,CAAWpD,KAAx,CAAzB;AACA,SAAK5D,MAAL;AACD,GA5BH;;A  
AAA,Ua8BE6E,OA9BF,GA8BE,iBAAQjB,KAAR,EAA+B;AAC7B,QAAlA,KAAK,GAAG,KAAK5D,MAAjB,E  
AAyB;AACvB,aAAO,KAAKgH,KAAL,CAAWpD,KAAx,EAAkB8C,WAAzB;AACD,KAFD,MAEO;AACL,aA  
AO,EAAP;AACD;AACF,GApCH;;AAAA;AAAA;AAuCA;;AACA,IAAaoC,UAAb;AAKE,sBAAYW,OAAs,EA  
AmC;AACjC,SAAK3F,KAAL,GAAa,EAAb;AACA,SAAK9D,MAAL,GAAc,CAAd;AACD;;AARH;;AAAA,UA  
UEsE,UAVF,GAUE,oBAAWV,KAAx,EAA0BwF,IAA1B,EAAiD;AAC/C,QAAlxF,KAAK,IAAI,KAAK5D,MA  
AlB,EAA0B;AACxB,WAAK8D,KAAL,CAAW4F,MAAX,CAAKB9F,KAAlB,EAAyB,CAAzB,EAA4BwF,IAA5  
B;AACA,WAAKpJ,MAAL;AACA,aAAO,IAAP;AACD,KAJD,MAIO;AACL,aAAO,KAAP;AACD;AACF,GAIB  
H;;AAAA,Ua0BE0E,UApBF,GAoBE,oBAAWd,KAAx,EAAgC;AAC9B,SAAKE,KAAL,CAAW4F,MAAX,CAA  
kB9F,KAAlB,EAAyB,CAAzB;AACA,SAAK5D,MAAL;AACD,GAvBH;;AAAA,UAYBE6E,OAzBF,GAYBE,iB  
AQjB,KAAR,EAA+B;AAC7B,QAAlA,KAAK,GAAG,KAAK5D,MAAjB,EAAyB;AACvB,aAAO,KAAK8D,KA  
AL,CAAWF,KAAx,CAAP;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF,GA/BH;;AAAA;AAAA;;A  
C5FA,IAAI+F,gBAAGB,GAAG/H,UAAvB;AAWA,IAAMgI,cAAc,GAAlB;AACnChB,EAAAA,QAAQ,EAAE,C  
AAChH,UADwB;AAEnCiH,EAAAA,iBAAlB,EAAE,CAAC/G;AAFe,CAArC;AAKA;;IACqB+H;AAWnB;aACO  
C,aAAP,oBAaKB1E,EAAIB,EAAcC;AACpC,WAAOD,aAAa,CAACC,EAAD,CAAPB;AACD;;AAED,sBACE2E,  
OADF,EAEEC,YAFF,EAGEhE,KAHF,EAIE;AAAA,QAHA+D,OAGA;AAHAA,MAAAA,OAGA,GAHgC3H,Y  
AGhC;AAAA;;AAAA,QAFa4H,YAEA;AAFAA,MAAAA,YAEA,GAF2C,EAE3C;AAAA;;AACA,SAAKD,OA  
L,gBACKH,cADL,MAEKG,OAFL;AAKA,SAAKE,EAAL,GAAUD,YAAV;AACA,SAAKhE,KAAL,GAAa,IAAI  
hB,GAAJ,CAAQgB,KAAR,CAAb;AACA,SAAKkE,MAAL,GAAc,CAAC,CAACH,OAAO,CAACnB,QAAXB,CA

RA;;AAWA,QAAl,CAAC,KAAKsB,MAAN,IAAgBtI,UAAhB,IAA8B+H,gBAAIC,EAAoD;AACIDA,MAAAA,g  
BAAGB,GAAG,KAAAnB;ACA5C,MAAAA,cAAc,CAAC,IAAD,CAAd;AACD;AACF;;;SAEDoD,yBAAA,gCA  
AuBJ,OAAvB,EAA5DK,SAAtD,EAAkF;AAAA,QAA5BA,SAA4B;AAA5BA,MAAAA,SAA4B,GAAN,IAAM;A  
AAA;;AAChF,WAAO,IAAIP,UAAJ,cACA,KAAKE,OADL,MACiBA,OADjB,GAEL,KAAKE,EAFa,EAGJG,SA  
AS,IAAI,KAAKpE,KAAAnB,IAA6BD,SAHxB,CAAP;AAKD;;SAEDsE,qBAAA,4BAAmBjF,EAAAnB,EAA+B;AA  
C7B,WAAQ,KAAK6E,EAAL,CAAQ7E,EAAR,IAAc,CAAC,KAAK6E,EAAL,CAAQ7E,EAAR,KAAe,CAAhB,I  
AAqB,CAA3C;AACD;AAED;;;SACAU,SAAA,kBAAqB;AACnB,WAAO,KAAKzC,GAAL,KAAa,KAAKA,GA  
AL,GAAWD,cAAc,CAACuF,OAAO,CAAC,KAAKoB,OAAN,CAAR,CAAtC,CAAP;AACD;AAED;;;SACAO,eA  
AA,sBAAaIF,EAAb,EAAyB7F,IAAzB,EAAGD;AAC9C,WAAO,KAAKyG,KAAL,CAAWX,GAAX,CAAeD,EAA  
f,KAAuB,KAAKY,KAAL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA0BC,GAA1B,CAA8B9F,IAA9B,CAA7B;  
AACD;AAED;;;SACA+G,eAAA,sBAAaIB,EAAb,EAAyB7F,IAAzB,EAAuC;AACrC4F,IAAAA,aAAa,CAACC,E  
AAD,CAAb;;AAEA,QAAl,CAAC,KAAKY,KAAL,CAAWX,GAAX,CAAeD,EAAf,CAAL,EAAyB;AACvB,UAA  
MmF,UAAU,GAAG,IAAIC,GAAJ,EAAAnB;AACAD,MAAAA,UAAU,CAACE,GAAX,CAAeL,IAAf;ACA,WA  
AKyG,KAAL,CAAW7B,GAAX,CAAeIB,EAAf,EAAMbMf,UAAAnB;AACD,KAJD,MAIO;AACJ,WAAKvE,KA  
AL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA0BqF,GAA1B,CAA8BIL,IAA9B;AACD;AACF;AAED;;;SACAs  
E,cAAA,qBAAyB,EAAZ,EAAwB7F,IAAxB,EAA5CuE,KAAtC,EAAuD;AACrD,SAAKwC,YAAL,CAAKBIB,E  
AAIB,EAA5B7F,IAAtB;ACA,SAAKuG,MAAL,GAACjC,WAAAd,CAA0BsB,aAAa,CAACC,EAAD,CAAvC,EA  
A6CtB,KAA7C;AACD;AAED;;;SACA4G,aAAA,oBAAWxF,EAAX,EAAuB;AACrB,QAAl,KAAKY,KAAL,CAA  
WX,GAAX,CAAeD,EAAf,CAAJ,EAAwB;AACrB,WAAKY,KAAL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA  
0BuF,KAA1B;AACD;AACF;AAED;;;SACAC,aAAA,oBAAWxF,EAAX,EAAuB;AACrB,SAAKU,MAAL,GAAC  
vB,UAAAd,CAAyBY,aAAa,CAACC,EAAD,CAAtC;ACA,SAAKsF,UAAAL,CAAgBtF,EAAhB;AACD;AAED;;;S  
ACAyF,WAAA,oBAAW;AACT;ACA;ACA,SAAKxH,GAAL,GAAW0C,SAAX;AACD;AAED;;;SACAhF,W  
AAA,oBAAmB;AACjB,WAAO6E,WAAW,CAAC,IAAD,CAAIB;AACD;;;AC/HH;,,,,,;AAoBA;AAEA  
,AAAE,2BAAsT,UAAT,EAAqB;AACIC,MAAMwG,SAAS,GAAG,OAAIB;ACA,MAAMC,MAAM,GAAMD,  
SAAN,MAAZ;;AAEA,WAASE,OAAT,CAAIbC,KAAjB,EAAwB;AACTb,QAAIA,KAAJ,EAAW;AACT,UAAI;A  
ACF3G,QAAAA,UAAU,CAA12G,KAAJ,OAAV;AACD,OAFD,CAEE,OAAOC,CAAP,EAAU;AACb;AACF;;AA  
ED,SAAO,SAASC,SAAT,CACLC,OADK,EAELjF,OAFK,EAGLkF,SAHK,EAILC,OAJK,EAKLC,IALK,EAML  
C,MANK,EAOLxL,MAPK,EAQLyL,EARK,EASLC,KATK,EAULC,EAVK,EAWL;ACA,YAAQP,OAAAR;AAC  
E;ACA,WAAK,CAAL;AAE;ACA,YAAIM,KAAK,KAAK,CAAV,IAAevF,OAAO,CAACIG,UAAAR,CAAmB  
,CAAAnB,MAA0B,EAA7C,EAAiD,OAAOqE,UAAU,CAA16B,OAAJ,OAAV,EAA2B,EAAIC;AACjD;AACF;;AA  
CA,WAAK,CAAL;AAE,YAAIsF,EAAE,KAAK,CAAX,EAAC,OAAOtF,OAAO,GAAG2E,SAAjB;AACd;AACF  
;;ACA,WAAK,CAAL;AAE,gBAAQW,EAAR;AAE;ACA,eAAK,GAAL;ACA,eAAK,GAAL;AAE,mBA  
AOnH,UAAU,CAAC+G,SAAS,CAAC,CAAD,CAAT,GAAEIF,OAAhB,CAAV,EAAoC,EAA3C;;AACF;AAE,m  
BAAOA,OAAO,IAAIwF,EAAE,KAAK,CAAP,GAAWb,SAAX,GAAuB,EAA3B,CAAd;AANJ;;AAQF,WAAK,C  
AAC,CAAN;AAE3E,QAAAA,OAAO,CAACE,KAAR,CAAc0E,MAAd,EAA5BII,OAAtB,CAA8BmI,OAA9B;A  
ArBJ;AAuBD,GAnCD;AAoCD;;AC/DD,IAAMY,aAAa,GAAG,eAAtB;ACA,IAAMC,uBAAuB,GAAG,CAAC,  
GAAD,EAAM,GAAN,EAAW,GAAX,EAAGB,GAAhB,CAAhC;AAOA,AAAE,SAASC,oBAAT,QAGkC;AAAA,g  
CAAd1J,YAAc;AAAA,0BAF/C2H,OAE+C;AAAA,MAF/CA,OAE+C,6BAFrC3H,YAEqC;AAAA,0BAD/C2J,OA  
C+C;AAAA,MAD/CA,OAC+C,6BADrC7J,WACqC;;AAC/C,MAAM8J,MAAM,GAAG,IAAIC,MAAJ,CAAWIC,  
OAAAX,CAAf,CAD+C;AAI/C;ACA;;AAEA,MAAIImC,YAAAY,GAAG,EAAnB,CAP+C;;AAU/C,MAAMC,iBAA  
iB,GAAG,SAApBA,iBAAoB,CAAaf,OAAO,EAAl;AACnC,QAAIA,OAAO,KAAK,CAAC,CAAjB,EAAoB;AAC  
lB,UAAAMgB,WAAW,GAAGF,YAApB;AACAA,MAAAA,YAAAY,GAAG,EAAf;ACA,aAAOE,WAAp;AACD;  
AACF,GAND;;AAQA,MAAMC,gBAAgB,GAAGC,gBAAgB,CAAC,UAAAIID,IAAI,EAAl;AAChD8C,IAAAA,Y  
AAAY,CAACTj,IAAb,CAAKbWg,IAAlB;AACD,GAfwC,CAAZC;;AAIA,MAAIImD,YAAJ;;ACA,MAAIC,SAAJ;  
;ACA,MAAIC,eAAJ;;ACA,MAAIC,yBAAJ;;AAEA,MAAMC,qBAAqB,GAAG,SAAXBA,qBAAwB,CAAC9F  
,KAAD,EAAQ+F,MAAR,EAAgBC,MAAhB,EAA2B;AACvD;AAEE,KAACD,MAAM,KAAK,CAAX,GAAEf,uB  
AAuB,CAACiB,OAAxB,CAAgCD,MAAM,CAACL,SAAS,CAACxM,MAAX,CAAtC,MAA8D,CAAC,CAA9E,G  
AAkF,IAAnF;AAEA,KAAC6M,MAAM,CAACHg,KAAP,CAAa6F,yBAAb,CAJH,EAKE;ACA,mBAAWH,YA



AX;AACD;;AAED,WAAO1F,KAAP;AACD,GAXD;AAaA;;;;;;;;;;;;;AAaA,MAAMkG,8BAA8B,GAAG,SAAjC  
A,8BAAiC,CAAC3B,OAAD,EAAU4B,CAAV,EAAa3B,SAAb,EAA2B;AACHe,QAAID,OAAO,KAAK,CAAZ,IA  
AiBC,SAAS,CAACrL,MAA3B,IAAqCqL,SAAS,CAAC,CAAD,CAAT,CAAa4B,WAAb,CAAyBT,SAAZB,IAAsC  
,CAA/E,EAAkF;AACHf;AACAnB,MAAAA,SAAS,CAAC,CAAD,CAAT,GAaEa,SAAS,CAAC,CAAD,CAAT,C  
AAa1L,OAAb,CAAqB8M,eAArB,EAAcE,qBAATc,CAAf;AACD;AACF,GALD;;AAOAX,EAAAA,MAAM,CA  
ACkB,GAAP,WAAenB,OAAf,GAawBgB,8BAAxB,EAAwDV,gBAaxD,EAA0EF,iBAA1E;;AAEA,WAAsgB,c  
AAT,CAAwBvI,GAaxB,EAA6BsB,QAA7B,EAAuCKh,MAAvC,EAA+CC,WAA/C,EAA+E;AAAA,QAAhCA,W  
AAgC;AAAhCA,MAAAA,WAAgC,GAAlB,GAakB;AAAA;;AAC7E,QAAMC,OAAO,GAAG1I,GAAG,CAACjF  
,OAAJ,CAAYiM,aAAZ,EAA2B,EAA3B,CAAhB;AACa,QAAM2B,MAAM,GAAGrH,QAAQ,IAAIkH,MAAZ,G  
AAwBA,MAAxB,SAAkCIH,QAAIC,WAAgDoH,OAAhD,UAA8DA,OAA7E,CAF6E;AAK7E;AACa;;AACaf,IA  
AAA,YAAY,GAAGc,WAAf;AACAb,IAAAA,SAAS,GAAGtG,QAAZ;AACAuG,IAAAA,eAAe,GAAG,IAAI9G,  
MAAJ,QAAgB6G,SAAhB,UAAgC,GAAhC,CAAIB;AACAE,IAAAA,yBAAYB,GAAG,IAAI/G,MAAJ,SAAiB6G,  
SAAjB,cAA5B;AAEA,WAAOR,MAAM,CAACoB,MAAM,IAAI,CAACIH,QAAAX,GAAsB,EAAtB,GAA2BA,QA  
A5B,EAAcQh,MAATc,CAAb;AACD;;AAEDJ,EAAAA,cAAc,CAACjN,IAAf,GAAsB6L,OAAO,CAAC/L,MAA  
R,GACIB+L,OAAO,CACJyB,MADH,CACU,UAACC,GAAD,EAAMC,MAAN,EAaiB;AACvB,QAAI,CAACA,  
MAAM,CAACnO,IAAZ,EAakB;AACHb2E,MAAAA,0BAAgB,CAAC,EAAD,CAAhB;AACD;;AAED,WAAOrE  
,KAAK,CAAC4N,GAAD,EAAMC,MAAM,CAACnO,IAAb,CAAZ;AACD,GAPH,EAOKK,IAPL,EAQGmB,QAR  
H,EADkB,GAUIB,EAVJ;AAYA,SAAOoM,cAAP;AACD;;AC5GD;AACa,AAeO,IAAMQ,iBAAiB,GAA+BC,KA  
AK,CAACC,aAAN,EAAtD;ACP,AAAO,IAAMC,kBAakB,GAAGH,iBAAiB,CAACI,QAA7C;ACP,AAAO,IA  
AMC,aAAa,GAAGCJ,KAAK,CAACC,aAAN,EAAnD;ACP,AAAO,IAAMI,cAAc,GAAGD,aAAa,CAACD,QAA  
rC;AAEP,AAAO,IAAMG,WAAW,GAaE,IAAIrE,UAAJ,EAAhC;ACP,AAAO,IAAMsE,YAAY,GAAGBrC,oBA  
AoB,EAAtD;;ACtBP;AACa;IAKqBsC;AAOnB,qBAAy7O,IAAZ,EAA0BuE,KAA1B,EAAYc;AAAA;;AAAA,S  
AMzCuK,MANyC,GAMhC,UAACC,UAAD,EAAYBC,cAAzB,EAAwE;AAAA,UAA/CA,cAA+C;AAA/CA,QAA  
AA,cAA+C,GAajBJ,YAAiB;AAAA;;AAC/E,UAAMK,YAAY,GAAG,KAAI,CAACjP,IAAL,GAAYgP,cAAc,CA  
ACrO,IAAhD;;AAEA,UAAI,CAACoO,UAAU,CAACHe,YAAX,CAAwB,KAAI,CAACIF,EAA7B,EAAiCoJ,YA  
AjC,CAAL,EAAqD;AACnDF,QAAAA,UAAU,CAACzK,WAAAX,CACE,KAAI,CAACuB,EADP,EAEEoJ,YAFF,  
EAGED,cAAc,CAAC,KAAI,CAACzK,KAAAN,EAAa0K,YAAb,EAA2B,YAA3B,CAHhB;AAKD;AACF,KAhBw  
C;;AAAA,SAkBzCzN,QAlByC,GakB9B,YAAM;AACf,aAAOmD,0BAAgB,CAAC,EAAD,EAak9E,MAAM,CA  
AC,KAAI,CAACG,IAAN,CAAX,CAAvB;AACD,KApBwC;;AACvC,SAAKA,IAAL,GAAYA,IAAZ;AACa,SA  
K6F,EAAL,qBAA0B7F,IAA1B;AACa,SAAKuE,KAAAL,GAaAa,KAAAb;AACD;;;SAkBD2K,UAAA,iBAAQF,cA  
AR,EAAoD;AAAA,QAA5CA,cAA4C;AAA5CA,MAAAA,cAA4C,GAADJ,YAAc;AAAA;;AACID,WAAO,KAA  
K5O,IAAL,GAAYgP,cAAc,CAACrO,IAAIC;AACD;;;ACrCH;;AAEA;;;AAKA,IAAMwO,cAAc,GAAG,SAAv  
B;AACa,IAAMC,gBAAgB,GAAG,UAAzB;AACa,IAAMC,SAAS,GAAG,MAAiB;;AACa,IAAMC,kBAakB,G  
AAG,SAArBA,kBAAqB,CAACC,KAAD;AAAA,eAA8BA,KAAI,CAACC,WAAAL,EAA9B;AAAA,CAA3B;AAE  
A;;;;;;;;;;;;;AAgBA,AAAE,SAASC,kBAAT,CAA4BnC,MAA5B,EAAoD;AACjE,SAAO6B,cAAc,CAAC/N,IA  
Af,CAAoBkM,MAApB,IACLA,MAAM,CACLIN,OADD,CACsGp,gBADT,EAC2BE,kBAD3B,EAECIP,OAFD,C  
AESiP,SAFT,EAEOB,MAFpB,CADK,GAIL/B,MAJF;AAKD;;ACICD;AACa;AAGA,AAAE,SAASoC,eAAT,CA  
AyB1P,IAAzB,EAAuC2P,KAAvC,EAAwD;AACrE;AACa;AACa,MAAIA,KAAK,IAAI,IAAT,IAAiB,OAAOA,  
KAAP,KAAiB,SAaIC,IAA+CA,KAAK,KAAK,EAA7D,EAAiE;AAC/D,WAAO,EAAP;AACD;;AAED,MAAI,O  
AAOA,KAAP,KAAiB,QAAjB,IAA6BA,KAAK,KAAK,CAAvC,IAA4C,EAAE3P,IAAI,IAAI4P,QAAV,CAAhD,  
EAAqE;AACnE,WAAUD,KAAV,QADmE;AAEpE;;AAED,SAAO9P,MAAM,CAAC8P,KAAD,CAAN,CAAc/L,I  
AAAd,EAAP;AACD;;AChBD;AACa,AAWA;;;AAGA,IAAMiM,SAAS,GAAG,SAAZA,SAAY,CAAAC,KAAK;A  
AAA,SAaIA,KAAK,KAAKtJ,SAAV,IAAuBsJ,KAAK,KAAK,IAAjC,IAAyCA,KAAK,KAAK,KAAAnD,IAA4DA,  
KAAK,KAAK,EAA1E;AAAA,CAAvB;;AAEA,AAAO,IAAMC,aAAa,GAAG,SAAhBA,aAAgB,CAACC,GAAD,  
EAAcC,OAAAd,EAA6D;AACxF,MAAM1L,KAAK,GAAG,EAAd;;AAEA,OAkA,IAAM2L,GAAX,IAAkBF,GAAl  
B,EAAuB;AACrB,QAAI,CAACA,GAAG,CAACG,cAAJ,CAAmBD,GAAnB,CAAD,IAA4BL,SAAS,CAACG,GA  
AG,CAACE,GAAD,CAAJ,CAAzC,EAAqD;;AAErD,QAAKE,KAAK,CAACC,OAAAN,CAAcL,GAAG,CAACE,G  
AAD,CAAjB,KAA2BF,GAAG,CAACE,GAAD,CAAH,CAASI,KAArC,IAA+CnP,UAAU,CAAC6O,GAAG,CAA

CE,GAAD,CAAJ,CAA7D,EAAyE;AACvE3L,MAAAA,KAAK,CAACIB,IAAN,CAAckN,kBAAS,CAACL,GAA  
D,CAAvB,QAAiCF,GAAG,CAACE,GAAD,CAApC,EAA2C,GAA3C;AACD,KAFD,MAEO,IAAIM,aAAa,CAA  
CR,GAAG,CAACE,GAAD,CAAJ,CAAjB,EAA6B;AACIC3L,MAAAA,KAAK,CAACIB,IAAN,OAAAkB,KAAK  
,EASwL,aAAa,CAACC,GAAG,CAACE,GAAD,CAAJ,EAWA,GAAX,CAAtB,CAAL;AACD,KAFM,MAEA;  
AACL3L,MAAAA,KAAK,CAACIB,IAAN,CAAckN,kBAAS,CAACL,GAAD,CAAvB,UAAiCR,eAAe,CAACQ,  
GAAD,EAAMF,GAAG,CAACE,GAAD,CAAT,CAAhD;AACD;AACF;:AAED,SAAOD,OAAO,IAAOA,OAAP,g  
BAAuB1L,KAAvB,GAA8B,GAA9B,KAAqCA,KAAhD;AACD,CAhBM;AAkBP,AAAE,SAASkM,OAAT,CACb  
X,KADa,EAEBY,gBAFa,EAGb3B,UAHa,EAIbC,cAJa,EAKR;AACL,MAAIoB,KAAK,CAACC,OAAN,CAAcP,K  
AAAd,CAAJ,EAA0B;AACxB,QAAMa,OAAO,GAAG,EAAhB;:AAEA,SAAK,IAAIInQ,CAAC,GAAG,CAAR,EAA  
W4C,GAAG,GAAG0M,KAAK,CAACrP,MAAvB,EAA+BmQ,MAApC,EAA4CpQ,CAAC,GAAG4C,GAAhD,EA  
AqD5C,CAAC,IAAI,CAA1D,EAA6D;AAC3DoQ,MAAAA,MAAM,GAAGH,OAAO,CAACX,KAAK,CAACtP,C  
AAD,CAAN,EAAWkQ,gBAAX,EAA6B3B,UAA7B,EAAyCC,cAAzC,CAAhB;AAEA,UAAI4B,MAAM,KAAK,  
EAAf,EAAMb,SAAnB,KACK,IAAIR,KAAK,CAACC,OAAN,CAAcO,MAAd,CAAJ,EAA2BD,OAAO,CAACtN,  
IAAR,OAAAsN,OAAO,EAASC,MAAT,CAAP,CAA3B,KACAD,OAAO,CAACtN,IAAR,CAAauN,MAAb;AAC  
N;:AAED,WAAOD,OAAP;AACD;:AAED,MAAIId,SAAS,CAACC,KAAD,CAAb,EAAsB;AACpB,WAAO,EAAP  
;AACD;AAED;:ACA,MAAIIO,iBAAiB,CAACkO,KAAD,CAArB,EAA8B;AAC5B,iBAAWA,KAAK,CAACjO  
,iBAAjB;AACD;AAED;:ACA,MAAIV,UAAU,CAAC2O,KAAD,CAAd,EAAuB;AACrB,QAAIzO,mBAAMb,C  
AACyO,KAAD,CAAnB,IAA8BY,gBAAlC,EAAoD;AACID,UAME,OAAM,GAAGd,KAAK,CAACY,gBAAD,  
CAApB;:AAEA,UAAI3P,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,IAAyC4P,SAAS,CAACD,OA  
AD,CAAtD,EAAGe;AAC9D;AACAE,QAAAA,OAAO,CAACC,IAAR,CACKIQ,gBAAGb,CACjBiP,KADiB,CA  
DrB;AAKD;:AAED,aAAOW,OAAO,CAACG,OAAD,EAASF,gBAAT,EAA2B3B,UAA3B,EAAuCC,cAAvC,CA  
Ad;AACD,KAbD,MAAo,OAAOc,KAAP;AACR;:AAED,MAAIA,KAAK,YAAyJb,SAArB,EAAGc;AAC9B,QAA  
IE,UAAJ,EAAGb;AACde,MAAAA,KAAK,CAACHb,MAAN,CAAaC,UAAb,EAAYBC,cAAzB;AACa,aAAOc,K  
AAK,CAACZ,OAAN,CAAcF,cAAAd,CAAP;AACD,KAHD,MAGO,OAAOc,KAAP;AACR;AAED;:ACA,SAAO  
U,aAAa,CAACV,KAAD,CAAb,GAAuBC,aAAa,CAACD,KAAD,CAApC,GAA8CA,KAAK,CAACtO,QAAN,EA  
ArD;AACD;AC3FD;AACa,IAAMwP,OAAO,GAAG,EAAhB;AAEA,AAAE,SAASC,QAAT,CAAKBC,OAAlB,E  
AA2B;AACxC,MAAIF,OAAO,CAACE,OAAD,CAAX,EAAsB;AACtBF,EAAAA,OAAO,CAACE,OAAD,CAAP,  
GAAMb,IAAnB;AAEA,MAAI,OAAOJ,OAAP,KAAMb,WAAAnB,IAAKCA,OAAO,CAACC,IAA9C,EAAoDD,O  
AAO,CAACC,IAAR,CAAaG,OAAb;AACrD;:ACRD;AACa,IAAMC,YAAy,GAAG,IAAIzQ,UAAJ,CAAe,CAAf  
,CAArB;AACa,IAAM0Q,YAAy,GAAG,IAAI1Q,UAAJ,CAAe,CAAf,CAArB;AACa,IAAM2Q,SAAS,GAAG,K  
AAK3Q,UAAAL,CAAGb,CAAhB,CAAlB;AACa,IAAM4Q,KAAK,GAAG,IAAI5Q,UAAJ,CAAe,CAAf,CAAd;AA  
CA,IAAM6Q,OAAO,GAAG,KAAK7Q,UAAAL,CAAGb,CAAhB,CAAhB;AACa,IAAM8Q,KAAK,GAAG,IAAI9  
Q,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM+Q,IAAI,GAAG,KAAK/Q,UAAAL,CAAGb,CAAhB,CAAb;AACa,IA  
AMgR,GAAG,GAAG,KAAKhR,UAAAL,CAAGb,CAAhB,CAAZ;AACa,IAAMiR,EAAE,GAAG,KAAKjR,UAAAL,  
CAAGb,CAAhB,CAAX;AACa,IAAMkR,WAAW,GAAG,IAAIIR,UAAJ,CAAe,CAAf,CAApB;AACa,IAAMmR,  
YAAy,GAAG,IAAIInR,UAAJ,CAAe,CAAf,CAArB;AACa,IAAMoR,gBAAGb,GAAG,IAAIpR,UAAJ,CAAe,CA  
Af,CAAzB;AACa,IAAMqR,iBAAiB,GAAG,IAAIrR,UAAJ,CAAe,CAAf,CAAlB;AACa,IAAMsR,UAAU,GAA  
G,IAAIrR,UAAJ,CAAe,CAAf,CAAnB;AACa,IAAMuR,WAAW,GAAG,IAAIvR,UAAJ,CAAe,CAAf,CAApB;A  
ACA,IAAMwR,SAAS,GAAG,IAAIxR,UAAJ,CAAe,CAAf,CAAlB;AACa,IAAMyR,QAAQ,GAAG,IAAIzR,UA  
AJ,CAAe,CAAf,CAAjB;AACa,IAAM0R,KAAK,GAAG,IAAI1R,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM2R,E  
AAE,GAAG,IAAI3R,UAAJ,CAAe,CAAf,CAAX;AAEA,IAAM4R,SAAS,GAAG,+BAAlB;AACa,IAAMC,WAA  
W,GAAG,4CAApB;AACa,IAAMC,cAAc,GAAG,eAAvB;AAEA,AAAE,SAASC,QAAT,CAAKBC,KAAlB,EAAY  
BII,OAAzB,EAAuC;AAAA,MAAdA,OAAC;AAAdA,IAAAA,OAAC,GAAJ,EAAl;AAAA;:AACpD,MAAMmI,M  
AAM,GAAG,EAaf;AACa,MAAMtN,GAAG,GAAGqN,KAAK,CAACrN,GAAN,CAAUuN,OAAV,EAZ;AAE  
A,MAAMC,MAAM,GAAGrI,OAAO,CAACsI,YAAvB;AAEA,MAAIIT,IAAJ,EACEmT,IADF,EAEEC,KAFF,EA  
GEC,KAHF,EAIEC,IAJF,EAKEtM,OALF,EAMEuM,MANF,EAOEC,QAPF,EAQEC,UARF,EASEC,OATF,EAU  
EC,SAVF,EAWEC,IXXF,EAYEC,CAZF;AAcA,MAAMhT,MAAM,GAAG4E,GAAG,CAAC5E,MAAnB;AACa,  
MAAI4M,MAAM,GAAG,CAAC,CAAd;AACa,MAAIrB,IAAI,GAAG,CAAX;AACa,MAAI0H,GAAG,GAAG,C

AAV;;AAEA,WAASC,QAAT,CAAkBC,IAAIB,EAAwB;AACTb,UAAMIB,KAAK,CAACmB,KAAN,eAAwBD,I  
AAxB,EAAGC5H,IAAhC,EAAsC0H,GAAG,GAAGrG,MAA5C,CAAN;AACD;;AAED,SAAOqG,GAAG,GAAGj  
T,MAAb,EAAqB;AACnBb,IAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAegT,GAaf,CAAP;;AAEA,QAA  
I9T,IAAI,KAAK2R,OAAT,IAAoB3R,IAAI,KAAK6R,IAA7B,IAAsC7R,IAAI,KAAK+R,EAAT,IAAetM,GAAG,  
CAAC3E,UAAJ,CAAegT,GAAG,GAAG,CAArB,MAA4BnC,OAArF,EAA+F;AAC7FIE,MAAAA,MAAM,GAA  
GqG,GAAT;AACAIH,MAAAA,IAAI,IAAI,CAAR;AACD;;AAED,YAAQpM,IAAR;AAACE,WAAK2R,OAAL;A  
ACA,WAAKC,KAAL;AACA,WAAKE,GAAL;AACA,WAAKC,EAAL;AACA,WAAKF,IAAL;AAcEsB,QAAA  
A,IAAI,GAAGW,GAAP;;AACA,WAAAG;AACDX,UAAAA,IAAI,IAAI,CAAR;AACAnT,UAAAA,IAAI,GAAGy  
F,GAAG,CAAC3E,UAAJ,CAAeqS,IAAf,CAAP;;AACA,cAAInT,IAAI,KAAK2R,OAAb,EAAsB;AACpBIE,YAA  
AA,MAAM,GAAG0F,IAAT;AACAG,YAAAA,IAAI,IAAI,CAAR;AACD;AACF,SAPD,QAQEpM,IAAI,KAAK4  
R,KAAT,IACA5R,IAAI,KAAK2R,OADT,IAEA3R,IAAI,KAAK8R,GAFT,IAGA9R,IAAI,KAAK+R,EAHT,IAIA/  
R,IAAI,KAAK6R,IAZX;;AAeAkB,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,OAD,EAUgC,GAAG,CA  
ACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAf,CAAV,CAAZ;AACAW,QAAAA,GAAG,GAAGX,IAAI,GAAG,CAA  
b;AACa;;AAEF,WAAKnB,WAAL;AAcEe,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAA  
N,EAAW2I,IAAX,EAaiB0H,GAAG,GAAGrG,MAAvB,CAAZ;AACa;;AAEF,WAAKwE,YAAL;AAcEc,QAAA  
A,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAaiB0H,GAAG,GAAGrG,MA  
AvB,CAAZ;AACa;;AAEF,WAAK2E,UAAL;AAcEW,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,E  
AAM,GAAN,EAAW2I,IAAX,EAaiB0H,GAAG,GAAGrG,MAAvB,CAAZ;AACa;;AAEF,WAAK4E,WAAL;AA  
CEU,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAaiB0H,GAAG,G  
AAGrG,MAAvB,CAAZ;AACa;;AAEF,WAAK+E,KAAL;AAcEO,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAA  
C,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAaiB0H,GAAG,GAAGrG,MAAvB,CAAZ;AACa;;AAEF,WAAK6E,  
SAAL;AAcES,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAaiB0  
H,GAAG,GAAGrG,MAAvB,CAAZ;AACa;;AAEF,WAAKyE,gBAAL;AAcE0B,QAAAA,IAAI,GAAGb,MAAM,  
CAACIS,MAAP,GAAGbKs,MAAM,CAACA,MAAM,CAACIS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAA1B,  
CAAhB,GAA+C,EAAtD;AACAgT,QAAAA,CAAC,GAAGpO,GAAG,CAAC3E,UAAJ,CAAegT,GAAG,GAAG,  
CAArB,CAAJ;;AACa,YACEF,IAAI,KAAK,KAAT,IACAC,CAAC,KAAKtC,YADN,IAEAsC,CAAC,KAAKtC,Y  
AFN,IAGAqC,CAAC,KAAKjC,KAHN,IAIAiC,CAAC,KAAKIC,OAJN,IAKAkC,CAAC,KAAK/B,GALN,IAMA  
+B,CAAC,KAAKhC,IANN,IAOAgC,CAAC,KAAK9B,EARR,EASE;AACAOB,UAAAA,IAAI,GAAGW,GAAP;;  
AACa,aAAG;AACDJ,YAAAA,OAAG,GAAG,KAAY;AACAP,YAAAA,IAAI,GAAGIN,GAAG,CAACKI,OAAG,  
CAAY,GAAG,EAaiBwF,IAAI,GAAG,CAAxB,CAAP;;AACa,gBAAlA,IAAI,KAAK,CAAC,CAAd,EAaiB;AAC  
f,kBAAlF,MAAJ,EAAY;AACVE,gBAAAA,IAAI,GAAGW,GAAP;AACa;AACD,eAHD,MAGO;AACLC,gBAA  
AA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF;;AACDJ,YAAAA,SAAS,GAAGR,IAAZ;;AACa,mBAAO1N,GA  
AG,CAAC3E,UAAJ,CAAe6S,SAAS,GAAG,CAA3B,MAAkCIC,SAAzC,EAaoD;AACIDkC,cAAAA,SAAS,IAAI  
,CAAb;AACAD,cAAAA,OAAG,GAAG,CAACA,OAAX;AACD;AACF,WAhBD,QAgBSA,OAHTBT;;AAKBAX,U  
AAAA,MAAM,CAACtP,IAAP,CAAY,CACV,UADU,EAEvGc,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,  
IAAI,GAAG,CAAtB,CAFU,EAGV/G,IAHU,EAIV0H,GAAG,GAAGrG,MAJI,EAKVrB,IALU,EAMV+G,IAAI,G  
AAGIF,MANG,CAAZ;AAQAqG,UAAAA,GAAG,GAAGX,IAAN;AACD,SAtCD,MAAsCO;AACLA,UAAAA,IA  
AI,GAAGIN,GAAG,CAACKI,OAAG,CAAY,GAAG,EAaiBmG,GAAG,GAAG,CAAvB,CAAP;AACa9M,UAAA  
A,OAAG,GAAGvB,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAV;;AAEA,cAAI  
A,IAAI,KAAK,CAAC,CAAV,IAAeP,cAAc,CAACpR,IAAf,CAAoBwF,OAAPB,CAANB,EAaiD;AAC/C+L,YAA  
AA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAaiB0H,GAAG,GAAGrG,M  
AAvB,CAAZ;AACD,WAFD,MAEO;AACLSF,YAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,UAAD,EAauD,  
OAAb,EAAsBoF,IAAtB,EA4B0H,GAAG,GAAGrG,MAAIc,EA0CrB,IAA1C,EAAGD+G,IAAI,GAAGIF,MA  
AvD,CAAZ;AACaQg,YAAAA,GAAG,GAAGX,IAAN;AACD;AACF;;AAED;;AAEF,WAAKhB,iBAAL;AAcE  
Y,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAaiB0H,GAAG,GA  
AGrG,MAAvB,CAAZ;AACa;;AAEF,WAAK8D,YAAL;AACa,WAAKC,YAAL;AAcE4B,QAAAA,KAAK,GA  
AGpT,IAAI,KAAKuR,YAAT,GAAwB,GAAXB,GAA8B,GAATc;AACa4B,QAAAA,IAAI,GAAGW,GAAP;;AAC  
A,WAAAG;AACDJ,UAAAA,OAAG,GAAG,KAAY;AACAP,UAAAA,IAAI,GAAGIN,GAAG,CAACKI,OAAG,CA

AYyF,KAAZ,EAAmBD,IAAI,GAAG,CAA1B,CAAP;;AACa,cAAIA,IAAI,KAAK,CAAC,CAAd,EAAiB;AACf,g  
BAAIF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAGW,GAAG,GAAG,CAAb;AACa;AACD,aAHD,MAGO;AAC  
LC,cAAAA,QAAQ,CAAC,OAD,CAAR;AACD;AACF;;AACDJ,UAAAA,SAAS,GAAGR,IAAZ;;AACa,iBAA  
O1N,GAAG,CAAC3E,UAAJ,CAAe6S,SAAS,GAAG,CAA3B,MAAkCIC,SAAzC,EAAoD;AACIDkC,YAAAA,S  
AAS,IAAI,CAAb;AACAD,YAAAA,OOAO,GAAG,CAACA,OAAX;AACD;AACF,SAhBD,QAqBSA,OAhBT;;A  
AkBA1M,QAAAA,OOAO,GAAGvB,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAA  
V;AACAE,QAAAA,KAAK,GAAGrM,OOAO,CAACE,KAAR,CAAc,IAAd,CAAR;AACAOm,QAAAA,IAAI,GA  
AGD,KAAK,CAACxS,MAAN,GAAe,CAAtB;;AAEA,YAAIyS,IAAI,GAAG,CAAX,EAAc;AACZE,UAAAA,QA  
AQ,GAAGpH,IAAI,GAAGkH,IAAIB;AACAG,UAAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,C  
AAL,CAAYzS,MAAhC;AACD,SAHD,MAGO;AACL2S,UAAAA,QAAQ,GAAGpH,IAAX;AACAQH,UAAAA,U  
AAU,GAAGhG,MAAb;AACD;;AAEDsF,QAAAA,MAAM,CAACtP,IAAP,CAAY,CACV,QADU,EAEVgC,GAA  
G,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAFU,EAGV/G,IAHU,EAIV0H,GAAG,GAAG  
rG,MAJI,EAKV+F,QALU,EAMVL,IAAI,GAAGM,UANG,CAAZ;AASAhG,QAAAA,MAAM,GAAGgG,UAAT;  
AACArH,QAAAA,IAAI,GAAGoH,QAAP;AACAM,QAAAA,GAAG,GAAGX,IAAN;AACa;;AAEF,WAAKV,E  
AAL;AACEC,QAAAA,SAAS,CAACyB,SAAV,GAAsBL,GAAG,GAAG,CAA5B;AACApB,QAAAA,SAAS,CAA  
CIR,IAAV,CAAeiE,GAaf;;AACa,YAAIiN,SAAS,CAACyB,SAAV,KAAwB,CAA5B,EAA+B;AAC7BhB,UAAA  
A,IAAI,GAAG1N,GAAG,CAAC5E,MAAJ,GAAa,CAApB;AACD,SAFD,MAEO;AACLsS,UAAAA,IAAI,GAAG  
T,SAAS,CAACyB,SAAV,GAAsB,CAA7B;AACD;;AACDpB,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,SA  
AD,EAAyGc,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAZ,EAAc/G,IAAtC,EA  
A4C0H,GAAG,GAAGrG,MAAID,EAA0DrB,IAA1D,EAAgE+G,IAAI,GAAG1F,MAAvE,CAAZ;AACAQG,QAA  
AA,GAAG,GAAGX,IAAN;AACa;;AAEF,WAAK1B,SAAL;AAE0B,QAAAA,IAAI,GAAGW,GAAP;AACAP,  
QAAAA,MAAM,GAAG,IAAT;;AACa,eAA09N,GAAG,CAAC3E,UAAJ,CAAeqS,IAAI,GAAG,CAAtB,MAA6  
B1B,SAAPc,EAA+C;AAC7C0B,UAAAA,IAAI,IAAI,CAAR;AACAI,UAAAA,MAAM,GAAG,CAACA,MAAV;  
AACD;;AACDvT,QAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAeqS,IAAI,GAAG,CAAtB,CAAP;;AAC  
A,YACEI,MAAM,IACLvT,IAAI,KAAK0R,KAAT,IACC1R,IAAI,KAAK4R,KADV,IAEC5R,IAAI,KAAK2R,OA  
FV,IAGC3R,IAAI,KAAK8R,GAHV,IAIC9R,IAAI,KAAK+R,EAJV,IAKC/R,IAAI,KAAK6R,IAPb,EAQE;AAC  
sB,UAAAA,IAAI,IAAI,CAAR;AACD;;AACDJ,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,MAAD,EAASgC  
,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAT,EAAmC/G,IAAnC,EAAyC0H,GA  
AG,GAAGrG,MAA/C,EAAuDrB,IAAvD,EAA6D+G,IAAI,GAAG1F,MAApE,CAAZ;AACAQG,QAAAA,GAAG,  
GAAGX,IAAN;AACa;;AAEF;AAEY,YAAInT,IAAI,KAAK0R,KAAT,IAAkBjM,GAAG,CAAC3E,UAAJ,CAAe  
gT,GAAG,GAAG,CAArB,MAA4BvB,QAAD,EAA4D;AAC1DY,UAAAA,IAAI,GAAG1N,GAAG,CAACKI,OA  
AJ,CAAY,IAAZ,EAakBmG,GAAG,GAAG,CAAxB,IAA6B,CAApC;;AACa,cAAIX,IAAI,KAAK,CAAb,EAAGB  
;AACd,gBAAIF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAG1N,GAAG,CAAC5E,MAAX;AACD,aAFD,MAEO;  
AACLkT,cAAAA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF;;AAED/M,UAAAA,OOAO,GAAGvB,GAAG,CA  
ACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAV;AACAE,UAAAA,KAAK,GAAGrM,OOAO,C  
AACE,KAAR,CAAc,IAAd,CAAR;AACAOm,UAAAA,IAAI,GAAGD,KAAK,CAACxS,MAAN,GAAe,CAAtB;;A  
AEA,cAAIyS,IAAI,GAAG,CAAX,EAAc;AACZE,YAAAA,QAAQ,GAAGpH,IAAI,GAAGkH,IAAIB;AACAG,Y  
AAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,CAAL,CAAYzS,MAAhC;AACD,WAHD,MAGO;  
AACL2S,YAAAA,QAAQ,GAAGpH,IAAX;AACAQH,YAAAA,UAAU,GAAGhG,MAAb;AACD;;AAEDsF,UAA  
AA,MAAM,CAACtP,IAAP,CAAY,CAAC,SAAD,EAAyD,OOAZ,EAAqBoF,IAArB,EAA2B0H,GAAG,GAAGr  
G,MAAjC,EAAyC+F,QAAzC,EAAmDL,IAAI,GAAGM,UAA1D,CAAZ;AAEAhG,UAAAA,MAAM,GAAGgG,U  
AAT;AACArH,UAAAA,IAAI,GAAGoH,QAAP;AACAM,UAAAA,GAAG,GAAGX,IAAN;AACD,SA3BD,MA2  
BO;AACLR,UAAAA,WAAW,CAACwB,SAAZ,GAAwBL,GAAG,GAAG,CAA9B;AACAnB,UAAAA,WAAW,C  
AACnR,IAAZ,CAAiBiE,GAAjB;;AACa,cAAIkN,WAAW,CAACwB,SAAZ,KAA0B,CAA9B,EAAiC;AAC/BhB,  
YAAAA,IAAI,GAAG1N,GAAG,CAAC5E,MAAJ,GAAa,CAApB;AACD,WAFD,MAEO;AACLsS,YAAAA,IAAI  
,GAAGR,WAAW,CAACwB,SAAZ,GAAwB,CAA/B;AACD;;AAEDpB,UAAAA,MAAM,CAACtP,IAAP,CAAY,  
CAAC,MAAD,EAASgC,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAT,EAAmC/  
G,IAAnC,EAAyC0H,GAAG,GAAGrG,MAA/C,EAAuDrB,IAAvD,EAA6D+G,IAAI,GAAG1F,MAApE,CAAZ;A

ACAqG,UAAAA,GAAG,GAAGX,IAAN;AACD;;AAED;AAzOJ;;AA4OAW,IAAAA,GAAG;AACJ;;AAED,SAA  
Of,MAAP;AACD;;AC9SD;ACAA,AAGA,IAAMqB,eAAe,GAAG;AACtBC,EAAAA,QAAQ,EAAE,CAAC,EAA  
D,EAAK,EAAL,CADY;AACF;AACpB3G,EAAAA,MAAM,EAAE,CAAC,EAAD,EAAK,EAAL,CAFc;AAEJ;AA  
CIB,aAAW,CAAC,EAAD,EAAK,EAAL,CAHW;AAGD;AACrB4G,EAAAA,OAAO,EAAE,CAAC,EAAD,EAAK  
,EAAL,CAJa;AAIH;AACnB,OAAK,CAAC,EAAD,EAAK,EAAL,CALiB;AAKP;AACf,OAAK,CAAC,EAAD,EA  
AK,EAAL,CANiB;AAMP;AACf,OAAK,CAAC,CAAD,EAAI,EAAJ,CAPiB;AAOR;AACd,OAAK,CAAC,CAAD,  
EAAI,EAAJ,CARiB;AAQR;AACd,OAAK,CAAC,CAAD,EAAI,EAAJ,CATiB;AASR;AACd,OAAK,CAAC,CAA  
D,EAAI,EAAJ,CAViB;;AAAA,CAAxB;;AAaA,SAAStU,IAAT,CAAcuU,KAAAd,EAAqB;AACnB,mBAAiBA,KA  
AjB;AACD;;AAED,SAASC,iBAAT,CAA2B/O,GAA3B,EAAgC;AAC9B,MAAMsN,MAAM,GAAGF,QAAQ,CA  
AC,IAAI4B,KAAJ,CAAUhP,GAAY,CAAD,EAAiB;AAAeYn,IAAAA,YAAY,EAAE;AAAhB,GAAjB,CAAvB;A  
ACA,MAAMIC,MAAM,GAAG,EAAf;AACa+B,EAAAA,MAAM,CAACrP,OAAP,CAAe,UAAAgR,KAAK,EAA  
I;AACtB,QAAMH,KAAK,GAAGH,eAAe,CAACM,KAAK,CAAC,CAAD,CAAN,CAA7B;;AACA,QAAIH,KAAJ  
,EAAW;AACTvD,MAAAA,MAAM,CAACvN,IAAP,CACEiR,KAAK,CAAC,CAAD,CAAL,CACGxN,KADH,C  
ACS,OADT,EAEGyN,GAFH,CAEO,UAAA/T,CAAC;AAAA,eAAIZ,IAAI,CAACuU,KAAK,CAAC,CAAD,CAA  
N,CAAJ,GAAiB3T,CAAjB,GAAqBZ,IAAI,CAACuU,KAAK,CAAC,CAAD,CAAN,CAA7B;AAAA,OAFR,EAG  
GxQ,IAHH,CAGQ,IAHR,CADF;AAMD,KAPD,MAOO;AACLiN,MAAAA,MAAM,CAACvN,IAAP,CAAYiR,K  
AAK,CAAC,CAAD,CAAjB;AACD;AACF,GAZD;AAaA,SAAO1D,MAAM,CAACjN,IAAP,CAAY,EAAZ,CAAP  
;AACD;;AChCD;IA2BM6Q;AACJ;;AAQA,0BAAyTd,OAaZ,EAAqBIF,IAArB,EAA2BC,  
MAA3B,EAAmCwI,MAAnC,EAA2CC,IAA3C,EAAiDvG,MAAjD,EAAyD;AACvD;;AAYA,SAAKnO,IA  
AL,GAAY,gBAAZ;AACA;;AAMA,SAAK2U,MAAL,GAACzD,OAAd;;AAEA,QAAIwD,IAAJ,EAAU;AACR;  
;AAOA,WAAKA,IAAL,GAAYA,IAAZ;AACD;;AACD,QAAID,MAAJ,EAAy;AACV;;AAOA,WAAKA,  
MAAL,GAACa,MAAd;AACD;;AACD,QAAIG,MAAJ,EAAy;AACV;;AAMA,WAAKA,MAAL,GAACa,MA  
Ad;AACD;;AACD,QAAI,OAAOnC,IAAP,KAAgB,WAAhB,IAA+B,OAAOC,MAAP,KAAkB,WAArD,EAAkE;A  
AChE;;AAOA,WAAKD,IAAL,GAAYA,IAAZ;AACA;;AAOA,WAAKC,MAAL,GAACa,MAAd;AACD;;  
AAED,SAAK2I,UAAAL;;AAEA,QAAIIR,KAAK,CAACmR,iBAAV,EAA6B;AAC3BnR,MAAAA,KAAK,CAACm  
R,iBAAN,CAAwB,IAAxB,EAA8BL,cAA9B;AACD;AACF;;SAEDI,aAAA,sBAAa;AACX;;AAOA,SAAK1D  
,OAAAL,GAAE,KAAK/C,MAAL,GAAiB,KAAKA,MAAtB,UAAmC,EAAID;AACA,SAAK+C,OAAAL,IAAgB,KA  
AKwD,IAAL,GAAY,KAAKA,IAAjB,GAAwB,aAAxC;;AACA,QAAI,OAAO,KAAK1I,IAAZ,KAAqB,WAAzB,E  
AAsC;AACpC,WAAKkF,OAAAL,UAAoB,KAAKIF,IAAzB,SAAiC,KAAKC,MAAtC;AACD;;AACD,SAAKiF,OA  
AL,WAAqB,KAAKyD,MAA1B;AACD;AAED;;SAqBAG,iBAAA,wBAAeX,KAAf,EAAsB;AAAA  
;AACpB,QAAI,CAAC,KAAKM,MAAV,EAAkB,OAAO,EAAP;AAEIB,QAAIpP,GAAG,GAAG,KAAKoP,MAA  
f;AACA,QAAI,OAAON,KAAP,KAAiB,WAArB,EAAkCA,KAAK,GAAGY,aAAR;AACIC,QAAIZ,KAAJ,EAAW  
9O,GAAG,GAAG+O,iBAAiB,CAAC/O,GAAD,CAAvB;AAEX,QAAM4N,KAAK,GAAG5N,GAAG,CAACyB,K  
AAJ,CAAU,OAAY,CAAd;AACA,QAAMkO,KAAK,GAAG9U,IAAI,CAAC+U,GAAL,CAAS,KAAKjJ,IAAL,G  
AAY,CAArB,EAAwB,CAAxB,CAAd;AACA,QAAMkJ,GAAG,GAAGhV,IAAI,CAACiV,GAAL,CAAS,KAAKnJ  
,IAAL,GAAY,CAArB,EAAwBiH,KAAK,CAACxS,MAA9B,CAAZ;AAEA,QAAM2U,QAAQ,GAAGvV,MAAM,  
CAACqV,GAAD,CAAN,CAAYzU,MAA7B;AAEA,WAAOwS,KAAK,CACTa,KADI,CACEkB,KADF,EACSE,G  
ADT,EAEXJ,GAFI,CAEA,UAAcV,I,IAAD,EAAO3H,KAAP,EAAiB;AACpB,UAAmGr,MAAM,GAAGL,KAAK,  
GAAG,CAAR,GAAY3Q,KAA3B;AACA,UAAmIR,MAAM,GAAG,OAAID,MAAJ,EAAvB,KAAb,CAAmB,CA  
ACsB,QAApB,CAAf;AACA,UAAmG,MAAM,SAAOD,MAAP,QAAY;AACA,UAAID,MAAM,KAAK,KAAI,C  
AACrJ,IAApB,EAA0B;AACxB,YAAMwJ,OAAO,GACXD,MAAM,CAACnV,OAAP,CAAe,KAAf,EAAsB,GAAt  
B,IAA6B4L,IAAI,CAAC8H,KAAL,CAAW,CAAX,EAAc,KAAI,CAAC7H,MAAL,GAAC,CAA5B,EAA+B7L,OA  
A/B,CAAuC,QAAvC,EAAiD,GAAjD,CAD/B;AAEA,qBAAWmV,MAAX,GAAoBvJ,IAApB,WAA8BwJ,OAA9B  
;AACD,OAJD,MAIO;AACL,qBAAWD,MAAX,GAAoBvJ,IAApB;AACD;AACF,KABl,EAcJrI,IAdI,CACc,IAdD,  
CAAP;AAED;AAED;;SAUAnC,WAAA,oBAAW;AACT,QAAI5B,IAAI,GAAG,KAAKvV,cAAL,EAAx;;  
AACA,QAAIIV,IAAJ,EAAU;AACRA,MAAAA,IAAI,YAAUA,IAAV,OAAP;AACD;;AACD,WAAU,KAAKI,IA  
Af,UAAwB,KAAKkR,OAA7B,GAAuCrT,IAAvC;AACD;;wBAEe;AACdqR,MAAAA,QAAQ,CAAC,4DAAD,C  
AAR;AACA,aAAO,KAAKyB,KAAZ;AACD;AAED;;ACjNF;;AACA;AAEA,IAAM+C,UAAU,GAAG;

AACjBC,EAAAA,KAAK,EAAE,IADU;AAEjBC,EAAAA,MAAM,EAAE,MAFS;AAGjBC,EAAAA,UAAU,EAAE,IAHK;AAIjBC,EAAAA,UAAU,EAAE,IAJK;AAKjBC,EAAAA,UAAU,EAAE,GALK;AAMjBC,EAAAA,WAAW,EAAE,IANI;AAOjBC,EAAAA,aAAa,EAAE,IAPE;AAQjBC,EAAAA,KAAK,EAAE,IARU;AASjBC,EAAAA,SAAS,EAAE,EATM;AAUjBC,EAAAA,WAAW,EAAE,GAVI;AAWjBC,EAAAA,YAAY,EAAE;AAXG,CAAnB; ;AAcA,SAASC,UAAT,CAAoBzV,GAAPB,EAAYB;AACvB,SAAOA,GAAG,CAAC,CAAD,CAAH,CAAO0V,WAAP,KAAuB1V,GAAG,CAACKT,KAAJ,CAAU,CAAV,CAA9B;AACD;;IAEKyC;AACJ,uBAAYC,OAAZ,EAAqB;AACnB,SAAKA,OAAL,GAAeA,OAaf;AACD;;;SAEDC,YAAA,mBAAU7O,IAAV,EAAGB8O,SAAhB,EA2B;AACzB,SAAK9O,IAAI,CAAC+O,IAAV,EAAGB/O,IAAhB,EAAsB8O,SAAtB;AACD;;SAEDE,OAAA,cAAKhP,IAAL,EAAW;AACT,SAAKiP,IAAL,CAAUjP,IAAV;ACA,QAAIA,IAAI,CAACKP,IAAL,CAAUb,KAAAd,EAqB,KAAKO,OAAL,CAAa5O,IAAI,CAACKP,IAAL,CAAUb,KAAvB;AACTB;;SAED/B,UAAA,iBAAQtM,IAAR,EAAC;AACZ,QAAMmP,IAAI,GAAG,KAAKC,GAAL,CAASpP,IAAT,EAAe,MAAf,EAABuB,aAAvB,CAAb;ACA,QAAMqP,KAAK,GAAG,KAAKD,GAAL,CAASpP,IAAT,EAAe,OAaf,EAABwB,cAAxB,CAAd;ACA,SAAK4O,OAAL,QAakBO,IAAIB,GAAYBnP,IAAI,CAACsP,IAA9B,GAAqCD,KAArC,SAAGDrP,IAAhD;AACD;;SAEDuP,OAAA,cAAKvP,IAAL,EAAW8O,SAAX,EAAsB;AACpB,QAAMU,OAAO,GAAG,KAAKJ,GAAL,CAASpP,IAAT,EAAe,SAAf,EAAB0B,OAA1B,CAAhB;ACA,QAAI0F,MAAM,GAAG1F,IAAI,CAACyP,IAAL,GAAyD,OAAZ,GAAsB,KAAKE,QAAL,CAAc1P,IAAd,EAAoB,OAPB,CAAnC;;AAEA,QAAIA,IAAI,CAAC2P,SAAT,EAAoB;AACIBjK,MAAAA,MAAM,IAAI1F,IAAI,CAACKP,IAAL,CAAUS,SAAV,IAAuB,aAAjC;AACD;;AAED,QAAIb,SAAJ,EAAPj,MAAM,IAAI,GAAV;AACf,SAAKkJ,OAAL,CAAaIJ,MAAb,EAABqB1F,IAArB;AACD;;SAEDiC,OAAA,cAAKjC,IAAL,EAAW;AACT,SAAK8D,KAAL,CAAW9D,IAAX,EAABiB,KAAK0P,QAAL,CAAc1P,IAAd,EAAoB,UAPB,CAAJB;AACD;;SAED4P,SAAA,gBAAO5P,IAAP,EAABa8O,SAAb,EAABwB;AACTB,QAAI1W,IAAI,SAAO4H,IAAI,CAAC5H,IAAPB;ACA,QAAMyX,MAAM,GAAG7P,IAAI,CAAC6P,MAAL,GAAC,KAAKH,QAAL,CAAc1P,IAAd,EAAoB,QAAPB,CAAd,GAA8C,EAAB7D;;AAEA,QAAI,OAAOA,IAAI,CAACKP,IAAL,CAAUY,SAAJB,KAA+B,WAAnc,EAAGD;AAC9C1X,MAAAA,IAAI,IAAI4H,IAAI,CAACKP,IAAL,CAAUY,SAAB;AACD,KAFD,MAEO,IAAID,MAAJ,EAAY;AACjBzX,MAAAA,IAAI,IAAI,GAAR;AACD;;AAED,QAAI4H,IAAI,CAACH,KAAT,EAAGB;AACd,WAAKiE,KAAL,CAAW9D,IAAX,EAABi5H,IAAI,GAAGyX,MAAxB;AACD,KAFD,MAEO;AACL,UAMvC,GAAG,GAAG,CAACtN,IAAI,CAACKP,IAAL,CAAUM,OAAV,IAAQB,EAAtB,KAA6BV,SAAS,GAAG,GAAH,GAAS,EAAC/CAAZ;ACA,WAAKF,OAAL,CAAaxW,IAALI,GAAGyX,MAAP,GAAGBvC,GAA7B,EAACtN,IAAIC;AACD;AACF;;SAEDiP,OAAA,cAAKjP,IAAL,EAAW;AACT,QAAIsL,IAAI,GAAGtL,IAAI,CAACH,KAAL,CAAWH,MAAX,GAAoB,CAAB;;ACA,WAAOyS,IAALI,GAAG,CAAd,EAABiB;AACf,UAAItL,IAAI,CAACH,KAAL,CAAWyL,IAAX,EAABiByD,IAAJB,KAA0B,SAA9B,EAAYC;AACzCzD,MAAAA,IAAI,IAAI,CAAR;AACD;;AAED,QAAMwD,SAAS,GAAG,KAAKM,GAAL,CAASpP,IAAT,EAAe,WAAf,CAAB;ACA,SAAK,IAAIpH,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAGoH,IAAI,CAACH,KAAL,CAAWH,MAA/B,EAABuCD,CAAC,EAAXC,EAAB4C;AAC1C,UAM6H,KAAK,GAAGT,IAAI,CAACH,KAAL,CAAWjH,CAAX,CAAd;ACA,UAMmX,MAAM,GAAG,KAAKX,GAAL,CAAS3O,KAAT,EAAGB,QAABH,CAAF;ACA,UAAIsP,MAAJ,EAAY,KAAKnB,OAAL,CAAAB,MAAb;AACZ,WAAKIB,SAAL,CAAepO,KAAf,EAAsB6K,IAAI,KAAK1S,CAAT,IAACKW,SAAPC;AACD;AACF;;SAEDhL,QAAA,eAAM9D,IAAN,EAAYoN,KAAZ,EAAMB;AACjB,QAAMoC,OAAO,GAAG,KAAKJ,GAAL,CAASpP,IAAT,EAAe,SAAf,EAAB0B,YAA1B,CAAhB;ACA,SAAK4O,OAAL,CAAGBxB,KAAK,GAAGoC,OAAxB,QAABcXP,IAAPC,EAAB0C,OAA1C;AAEA,QAAIqO,KAAJ;;ACA,QAAIrO,IAAI,CAACH,KAAL,IAACG,IAAI,CAACH,KAAL,CAAWH,MAA7B,EAABqC;AACnC,WAAKoW,IAAL,CAAUjP,IAAV;AACaQO,MAAAA,KAAK,GAAG,KAAKe,GAAAL,CAASpP,IAAT,EAAe,OAaf,CAAR;AACD,KAHD,MAGO;AACLqO,MAAAA,KAAK,GAAG,KAAKe,GAAL,CAASpP,IAAT,EAAe,OAaf,EAABwB,WAAxB,CAAR;AACD;;AAED,QAAIqO,KAAJ,EAAW,KAAKO,OAAL,CAAAP,KAAb;AACX,SAAKO,OAAL,CAAa,GAAB,EAABk5O,IAAIB,EAABwB,KAAxB;AACD;;SAEDoP,MAAA,aAAIpP,IAAJ,EAABUgQ,GAAV,EAABeC,MAAf,EAABuB;AACrB,QAAIII,KAAJ;ACA,QAAI,CAACKI,MAAL,EAABa,MAAM,GAAGD,GAAT,CAFQ;;AAKrB,QAAIA,GAAJ,EAAS;AACPjI,MAAAA,KAAK,GAAG/H,IAAI,CAACKP,IAAL,CAAUC,GAAV,CAAR;ACA,UAAI,OAAOjI,KAAP,KAAiB,WAArB,EAABc,OAAOA,KAAP;AACnC;;AAED,QAAMjH,MAAM,GAAGd,IAAI,CAACc,MAAPB,CAVqB;;AAArB,QAAImP,MAAM,KAAK,QAAf,EAAYB;AACvB,UAAI,CAACnB,MAAD,IAAYA,MAAM,CAACiO,IAAP,KAAgB,MAAhB,IAAB0BjO,MAA

M,CAACoP,KAAP,KAAiBIQ,IAA3D,EAAkE;AACHe,eAAO,EAAP;AACD;AACF,KAjBoB;;;AAoBrB,QAAl,C AACc,MAAL,EAAa,OAAO+M,UAAU,CAACoC,MAAD,CAAJB,CAPBQ;;AAuBrB,QAAMjB,IAAI,GAAGhP,I AAI,CAACgP,IAAL,EAAb;AACa,QAAl,CAACA,IAAI,CAACmB,QAaV,EAAoBnB,IAAI,CAACmB,QAAL,G AAgB,EAAhB;;AACpB,QAAl,OAAOnB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP,KAAiC,WAArC,EAAkD ;AACHD,aAAOjB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP;AACD;;AAED,QAAlA,MAAM,KAAK,QAAX, IAAuBA,MAAM,KAAK,OAA+C;AAC7C,aAAO,KAAKG,WAAAL,CAAIbPQ,IAAJB,EAAuBiQ,MAAvB, CAAP;AACD,KAFD,MAEO;AACL,UAAmI,MAAM,WAA5B,UAAU,CAACwB,MAAD,CAA/B;;AACa,UAAI ,KAAKI,MAAL,CAAJ,EAAkB;AACbI,QAAAA,KAAK,GAAG,KAAKsI,MAAL,EAAarB,IAAb,EAAMbHP,IA AnB,CAAR;AACD,OAFD,MAEO;AACLgP,QAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA1X,CAAC,EAAl;AAC bmP,UAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOc,GAAP,CAAR;AACa,cAAI,OAAOjI,KAAP,KA AiB,WAArB,EAAkC,OAAO,KAAP;AACnC,SAHD;AAID;AACF;;AAED,QAAl,OAAOA,KAAP,KAAiB,WAAr B,EAAkCA,KAAK,GAAG8F,UAAU,CAACoC,MAAD,CAAIb;AAEICjB,IAAAA,IAAI,CAACmB,QAAL,CAAc F,MAAd,IAAwBII,KAAxB;AACa,WAAOA,KAAP;AACD;;SAEDwI,eAAA,sBAAavB,IAAb,EAAMb;AACjB,Q AAIjH,KAAJ;AACAIH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA1X,CAAC,EAAl;AACb,UAAIA,CAAC,CA ACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CAAQhH,MAAnB,IAA6BD,CAAC,CAAC0S,IAAF,CAAoyD,IA AP,KAAgB,MAAJD,EAAyD;AACvDhH,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOJ,SAAf;AAC A,YAAI,OAAO/G,KAAP,KAAiB,WAArB,EAAkC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAA P;AACD;;SAEDyI,eAAA,sBAAaxB,IAAb,EAAMb;AACjB,QAAljH,KAAJ;AACAIH,IAAAA,IAAI,CAACsB,IA AL,CAAU,UAAA1X,CAAC,EAAl;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CA AQhH,MAAR,KAAmB,CAAIc,EAAqC;AACnCkP,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOB, KAAf;AACa,YAAI,OAAOtG,KAAP,KAAiB,WAArB,EAAkC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,W AAOA,KAAP;AACD;;SAED0I,YAAA,mBAAUzB,IAAV,EAAgB;AACd,QAAlA,IAAI,CAACE,IAAL,CAAUUnB, MAAd,EAA5B,OAAOiB,IAAI,CAACE,IAAL,CAAUnB,MAAJB;AACtB,QAAlhG,KAAJ;AACAIH,IAAAA,IAAI ,CAACsB,IAAL,CAAU,UAAA1X,CAAC,EAAl;AACb,UAAm8X,CAAC,GAAG9X,CAAC,CAACKI,MAAZ;;AA CA,UAAI4P,CAAC,IAAIA,CAAC,KAAK1B,IAAX,IAAmB0B,CAAC,CAAC5P,MAArB,IAA+B4P,CAAC,CAA C5P,MAAF,KAAakO,IAAhD,EAA5D;AACpD,YAAI,OAAOpW,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB ,WAA7B,EAA0C;AACxC,cAAMzQ,KAAK,GAAG1G,CAAC,CAACsW,IAAF,CAAOa,MAAP,CAAc7Q,KAAAd, CAAoB,IAAPB,CAAd;AACa6I,UAAAA,KAAK,GAAGzI,KAAK,CAACA,KAAK,CAACzG,MAAN,GAAe,CA AhB,CAAb;AACAKP,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,QAAd,EAAwB,EAAxB,CAAR; AACa,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAED4I,mBAAA,0BAAi B3B,IAAJB,EAAuBhP,IAAvB,EAA6B;AAC3B,QAAl+H,KAAJ;AACAIH,IAAAA,IAAI,CAAC4B,YAAL,CAAK B,UAAAhY,CAAC,EAAl;AACrB,UAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EA A0C;AACxChI,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOa,MAAf;;AACa,YAAIhI,KAAK,CAA CpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACv P,OAAN,CAAc,SAAd,EAAyB,EAAzB,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAl ,OAAOuP,KAAP,KAAiB,WAArB,EAAkC;AACChA,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT, EAAe,IAAf,EAAqB,YAArB,CAAR;AACD;;AACD,WAAO+H,KAAP;AACD;;SAED8I,gBAAA,uBAAc7B,IAAd ,EAAoBhP,IAAPB,EAA0B;AACxB,QAAl+H,KAAJ;AACAIH,IAAAA,IAAI,CAAC8B,SAAL,CAAE,UAAAIY,C AAC,EAAl;AACIB,UAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxChI, QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOa,MAAf;;AACa,YAAIhI,KAAK,CAACpC,OAAN,CA Ac,IAAd,MAAwB,CAAC,CAA7B,EAAgC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc, SAAd,EAAyB,EAAzB,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAl,OAAOuP,KAA P,KAAiB,WAArB,EAAkC;AACChA,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,EAAe,IAAf,EA AqB,YAArB,CAAR;AACD;;AACD,WAAO+H,KAAP;AACD;;SAEDgJ,gBAAA,uBAAc/B,IAAd,EAAoB;AACIB ,QAAljH,KAAJ;AACAIH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA1X,CAAC,EAAl;AACb,UAAIA,CAAC,C AACiH,KAAF,KAAyJH,CAAC,CAACKI,MAAF,KAAakO,IAAb,IAAqBA,IAAI,CAACKB,KAAAL,KAAetX,CAA hD,CAAJ,EAAwD;AACtD,YAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;A ACxChI,UAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOa,MAAf;;AACa,cAAIhI,KAAK,CAACpC,OA

AN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,YAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAYB,EAazB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAEDiJ,iBAAA,wBAAehC,IAAf,EAaqB;AACnB,QAAIjH,KAAJ;AACaiH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAAIX,CAAC,EAAl;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CAAQhH,MAAR,GAAiB,CAAhC,EAAMC;AACjC,YAAI,OAAOD,CAAC,CAACsW,IAAF,CAAOb,KAAAd,KAAwB,WAA5B,EAAYC;AACvCtG,UAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOb,KAAf;;AACa,cAAItG,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,YAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAYB,EAazB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAEDkJ,gBAAA,uBAAcjC,IAAd,EAaOb;AACIB,QAAIjH,KAAJ;AACaiH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAAIX,CAAC,EAAl;AACb,UAAIA,CAAC,CAACmW,IAAF,KAAW,MAAf,EAaUB;AACrBhH,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOM,OAaf;AACa,YAAI,OAAOzH,KAAP,KAAiB,WAArB,EAakC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAAP;AACD;;SAEDmJ,WAAA,kBAASIC,IAAT,EAae;AACb,QAAIjH,KAAJ;AACaiH,IAAAA,IAAI,CAAC8B,SAAL,CAAe,UAAAIY,CAAC,EAAl;AACIB,UAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOM,OAAd,KAA0B,WAA9B,EA2C;AACzCzH,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOM,OAAP,CAAehX,OAaf,CAAuB,SAAvB,EAakC,EAAlC,CAAR;AACa,eAAO,KAAP;AACD;AACF,KALD;AAMA,WAAOuP,KAAP;AACD;;SAEDqI,cAAA,qBAAYpQ,IAAZ,EAakBiQ,MAAIB,EAa0B;AACxB,QAAIII,KAAJ;;AACa,QAAI/H,IAAI,CAAC+O,IAAL,KAAc,MAAIB,EAa0B;AACxBhH,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,EAae,IAAf,EAaqB,YAArB,CAAR;AACD,KAFD,MAEO,IAAIA,IAAI,CAAC+O,IAAL,KAAc,SAaIB,EAa6B;AACIChH,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,EAae,IAAf,EAaqB,eAArB,CAAR;AACD,KAFM,MAEA,IAAliQ,MAAM,KAAK,QAAf,EAAYB;AAC9BII,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,EAae,IAAf,EAaqB,YAArB,CAAR;AACD,KAFM,MAEA;AACL+H,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,EAae,IAAf,EAaqB,aAArB,CAAR;AACD;;AAED,QAAImR,GAAG,GAAGnP,IAAI,CAACc,MAAf;AACa,QAAIyD,KAAK,GAAG,CAAZ;;AACa,WAAO4M,GAAG,IAAIA,GAAG,CAACpC,IAAJ,KAAa,MAA3B,EAAMC;AACjCkK,MAAAA,KAAK,IAAI,CAAT;AACa4M,MAAAA,GAAG,GAAGA,GAAG,CAACrQ,MAAV;AACD;;AAED,QAAIiH,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9B,UAAMoI,MAAM,GAAG,KAAKqB,GAAL,CAASpP,IAAT,EAae,IAAf,EAaqB,QAArB,CAAF;;AACa,UAAI+N,MAAM,CAACIV,MAAX,EAAMB;AACjB,aAAK,IAAIuY,IAAI,GAAG,CAAhB,EAAMBA,IAAI,GAAG7M,KAA1B,EAaiC6M,IAAI,EAArC;AAAYCrJ,UAAAA,KAAK,IAAIgG,MAAT;AAAzC;AACD;AACF;;AAED,WAAOhG,KAAP;AACD;;SAED2H,WAAA,kBAAS1P,IAAT,EAaeyP,IAAf,EAaqB;AACnB,QAAm1H,KAAK,GAAG/H,IAAI,CAACyP,IAAD,CAaIB;AACa,QAAmL,GAAG,GAAGpP,IAAI,CAACkP,IAAL,CAAUO,IAAV,CAAZ;;AACa,QAAIL,GAAG,IAAIA,GAAG,CAACrH,KAAJ,KAAcA,KAAzB,EAAGC;AAC9B,aAAOqH,GAAAG,CAACA,GAAX;AACD,KAFD,MAEO;AACL,aAAOrH,KAAP;AACD;AACF;;AAChUH;AACa,AAEe,SAAS8G,SAAT,CAAMb7O,IAANb,EAAYB4O,OAAzB,EAakC;AAC/C,MAAM5V,GAAG,GAAG,IAAI2V,WAAJ,CAAGBC,OAahB,CAAZ;AACa5V,EAAAA,GAAG,CAAC6V,SAAJ,CAAc7O,IAAd;AACD;;ACAD;AAAA;AAAA;AAAA;AAOA,IAAMqR,SAAS,GAAG,SAAZA,SAAY,CAASjJ,GAAT,EAActH,MAAd,EAAsB;AACtC,MAAMwQ,MAAM,GAAG,IAAIJ,GAAG,CAACmJ,WAAR,EAaf;;AAEA,OAAK,IAAM3Y,CAAX,IAAgBwP,GAAhB,EAaqB;AACnB,QAAI,CAACA,GAAG,CAACG,cAAJ,CAAMb3P,CAANb,CAAL,EAa4B;AAC5B,QAAImP,KAAK,GAAGK,GAAG,CAACxP,CAAD,CAAF;AACa,QAAmW,IAAI,GAAG,OAaOhH,KAApB;;AAEA,QAAImP,CAAC,KAAK,QAAAN,IAAkBmW,IAAI,KAAK,QAA/B,EAAYC;AACvC,UAAIjO,MAAJ,EAAYwQ,MAAM,CAAC1Y,CAAD,CAAN,GAAYki,MAAZ;AACb,KAFD,MAEO,IAAIII,CAAC,KAAK,QAAV,EAaOb;AACzB0Y,MAAAA,MAAM,CAAC1Y,CAAD,CAAN,GAAYmP,KAAZ;AACD,KAFM,MAEA,IAAIA,KAAK,YAAYS,KAArB,EAa4B;AACjC8I,MAAAA,MAAM,CAAC1Y,CAAD,CAAN,GAAYmP,KAAK,CAAC4E,GAAN,CAAU,UAAA6E,CAAC;AAAA,eAAIH,SAAS,CAACG,CAAD,EAaIF,MAAJ,CAAb;AAAA,OAAX,CAAZ;AACD,KAFM,MAEA,IAAIY,CAAC,KAAK,QAAAN,IAAkBA,CAAC,KAAK,OAAXB,IAAmCA,CAAC,KAAK,SAAZC,IAAsDA,CAAC,KAAK,WAAhE,EAa6E;AACIF,UAAImW,IAAI,KAAK,QAAAT,IAAQbhH,KAAK,KAAK,IAAnC,EAAYCA,KAAK,GAAGsJ,SAAS,CAACtJ,KAAD,CAAJB;AACzCuJ,MAAAA,MAAM,CAAC1Y,CAAD,CAAN,GAAYmP,KAAZ;AACD;AACF;;AAED,SAAOuJ,MAAP;AACD,CARBD;AAuBA;AAAA;IAKMG;AACJ;;AAGA,gBAAYC,Q



AAZ,EAA2B;AAAA,QAAfA,QAAe;AAAfA,MAAAA,QAAe,GAJ,EAAl;AAAA;;AACzB,SAAKxC,IAAL,GA  
AY,EAAZ;;ACA,SAAK,IAAM9W,IAAX,IAAmBsZ,QAAnB,EAA6B;AAC3B,WAAktZ,IAAL,IAAasZ,QAAQ,  
CAActZ,IAAD,CAArB;AACD;AACF;AAED;,,,,,,;SAGCA6T,QAAA,eAAM3C,OAAN,EAAe  
qI,IAAf,EAA0B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAJ,EAAl;AAAA;;AACxB,QAAL,KAAC9  
E,MAAT,EAAiB;AACf,UAAMf,GAAG,GAAG,KAAK8F,UAAL,CAAgBD,IAAhB,CAAZ;ACA,aAAO,KAAK  
9E,MAAL,CAAY/B,KAACZ,CAAKBmB,KAAIB,CAAwB3C,OAAxB,EAAiCwC,GAAG,CAAC1H,IAARc,EAA2C  
0H,GAAG,CAACzH,MAA/C,EAAuDsN,IAAvD,CAAP;AACD,KAHD,MAGO;AACL,aAAO,IAAI/E,cAAJ,CAA  
mBtD,OAAnB,CAAP;AACD;AACF;AAED;,,,,,,;SAyBAH,OAAA,cAAKH,MAAL,EAAasG,IAAb,E  
AAMBqC,IAAnB,EAAyB;AACvB,QAAME,IAAI,GAAG;AAAE7R,MAAAA,IAAI,EAAE;AAAR,KAAb;;ACA,  
SAAK,IAAMpH,CAAX,IAAgB+Y,IAAhB;AAASBE,MAAAA,IAAI,CAACjZ,CAAD,CAAJ,GAAU+Y,IAAI,CA  
AC/Y,CAAD,CAAd;AAAtB;;ACA,WAAOoQ,MAAM,CAACG,IAAP,CAAYmG,IAAZ,EAAkBuC,IAAIB,CAA  
P;AACD;AAED;,,,,,,;SAWAC,SAAA,kBAAS;AACP,QAAL,KAAKhR,MAAT,EAAiB;AACf,WAAKA,MAAL  
,CAAYX,WAAZ,CAAwB,IAAxB;AACD;;AACD,SAAKW,MAAL,GAAClC,SAAd;ACA,WAAO,IAAP;AACD;  
AAED;,,,,,,;SAWAhF,WAAA,kBAASmY,WAAT,EAAkC;AAAA,QAazBA,WAAyB;AAAZBA,MAAAA,W  
AAyB,GAAXID,SAAW;AAAA;;AACHc,QAAlkD,WAAW,CAACID,SAAhB,EAA2BkD,WAAW,GAAGA,WAA  
W,CAACID,SAAlB;AAC3B,QAAl7F,MAAM,GAAG,EAAb;ACA+I,IAAAA,WAAW,CAAC,IAAD,EAAO,UA  
AAnZ,CAAC,EAAl;AACrBoQ,MAAAA,MAAM,IAAIpQ,CAAV;AACD,KAFU,CAAX;AAGA,WAAOoQ,MAA  
P;AACD;AAED;,,,,,,;SAGBAgJ,QAAA,eAAMC,SAAN,EAASB;AAAA,QAaHBA,SAAgB;AAAhBA,MAA  
AA,SAAgB,GAJ,EAAl;AAAA;;AACpB,QAAMX,MAAM,GAAGD,SAAS,CAAC,IAAD,CAAxB;;ACA,SAK  
K,IAAMjZ,IAAX,IAAmB6Z,SAAnB,EAA8B;AAC5BX,MAAAA,MAAM,CAACIZ,IAAD,CAAN,GAAE6Z,SAA  
S,CAAC7Z,IAAD,CAAxB;AACD;;AACD,WAAOkZ,MAAP;AACD;AAED;,,,,,,;SAWAY,cAAA,qBAAYD,S  
AAZ,EAA4B;AAAA,QAaHBA,SAAgB;AAAhBA,MAAAA,SAAgB,GAJ,EAAl;AAAA;;AAC1B,QAAMX,MA  
AM,GAAG,KAAKU,KAAL,CAAWC,SAAX,CAAf;ACA,SAAKnR,MAAL,CAAYM,YAAZ,CAAYB,IAAZB,E  
AA+BkQ,MAA/B;ACA,WAAOA,MAAP;AACD;AAED;,,,,,,;SAQAa,aAAA,oBAAWF,SAAX,EAA2B;AAAA  
,QAaHBA,SAAgB;AAAhBA,MAAAA,SAAgB,GAJ,EAAl;AAAA;;AACzB,QAAMX,MAAM,GAAG,KAAKU,  
KAAL,CAAWC,SAAX,CAAf;ACA,SAAKnR,MAAL,CAAYsR,WAAZ,CAAwB,IAAxB,EAA8Bd,MAA9B;AA  
CA,WAAOA,MAAP;AACD;AAED;,,,,,,;SAYAe,cAAA,uBAASB;AAAA;;AACpB,QAAL,KAAKvR,MAAT,E  
AAiB;AAAA,wCADJb,KACI;AADJA,QAAAA,KACI;AAAA;;AACfA,MAAAA,KAAK,CAACnE,OAAN,CAA  
c,UAAAsE,IAAI,EAAl;AACpB,QAAA,KAAI,CAACc,MAAL,CAAYM,YAAZ,CAAYB,KAAZB,EAA+BpB,IAA/  
B;AACD,OAFD;AAIA,WAAK8R,MAAL;AACD;;AAED,WAAO,IAAP;AACD;AAED;,,,,,,;SAiBAQ,SA  
AA,gBAAOC,SAAP,EAAkB;AACbB,SAAKC,SAAL,CAAe,KAAKxD,IAAL,OAAgBuD,SAAS,CAACvD,IAAV,  
EAA/B;ACA,SAAK8C,MAAL;AACAS,IAAAA,SAAS,CAACE,MAAV,CAAiB,IAAJB;ACA,WAAO,IAAP;A  
ACD;AAED;,,,,,,;SAWAC,aAAA,oBAAWC,SAAX,EAASB;AACpB,SAAKH,SAAL,CAAe,KAAKxD,IAAL,  
OAAgB2D,SAAS,CAAC3D,IAAV,EAA/B;ACA,SAAK8C,MAAL;AACaA,IAAAA,SAAS,CAAC7R,MAAV,C  
AAiBM,YAAJB,CAA8BuR,SAA9B,EAAyC,IAAZC;ACA,WAAO,IAAP;AACD;AAED;,,,,,,;SAWAC,YAA  
A,mBAAUD,SAAV,EAAqB;AACnB,SAAKH,SAAL,CAAe,KAAKxD,IAAL,OAAgB2D,SAAS,CAAC3D,IAAV,  
EAA/B;ACA,SAAK8C,MAAL;AACaA,IAAAA,SAAS,CAAC7R,MAAV,CAAiBsR,WAAJB,CAA6BO,SA7B,  
EAAwC,IAAxC;ACA,WAAO,IAAP;AACD;AAED;,,,,,,;SAcAxH,OAAA,gBAAO;AACL,QAAM10,KAA  
K,GAAG,KAAKqE,MAAL,CAAYrE,KAAZ,CAAKB,IAAIB,CAAd;ACA,WAAO,KAAKqE,MAAL,CAAYJB,K  
AAZ,CAAKBpD,KAAK,GAAG,CAA1B,CAAP;AACD;AAED;,,,,,,;SAYAmP,OAAA,gBAAO;AACL,QAAM  
nP,KAAK,GAAG,KAAKqE,MAAL,CAAYrE,KAAZ,CAAKB,IAAIB,CAAd;ACA,WAAO,KAAKqE,MAAL,CA  
AYJB,KAAZ,CAAKBpD,KAAK,GAAG,CAA1B,CAAP;AACD;;SAEDoW,SAAA,kBAAS;AACP,QAAMC,KAA  
K,GAAG,EAAE;AAEA,SAK,IAAM1a,IAAX,IAAmB,IAAnB,EAAyB;AACvB,UAAI,CAAC,KAAKmQ,cAAL,  
CAAoBnQ,IAAPB,CAAL,EAAgC;AACcC,UAAIA,IAAI,KAAK,QAAb,EAAuB;AACvB,UAAAM2P,KAAK,GA  
G,KAAK3P,IAAL,CAAd;;AAEA,UAAI2P,KAAK,YAAYS,KAArB,EAA4B;AAC1BsK,QAAAA,KAAK,CAAC1  
a,IAAD,CAAL,GAAC2P,KAAK,CAAC4E,GAAN,CAAU,UAAA/T,CAAC,EAAl;AAC3B,cAAI,OAAOA,CAAP,  
KAAa,QAAb,IAAyBA,CAAC,CAACia,MAA/B,EAAuC;AACrC,mBAAOja,CAAC,CAACia,MAAF,EAAP;AAC  
D,WAFD,MAEO;AACL,mBAAOja,CAAP;AACD;AACF,SANa,CAAd;AAOD,OARD,MAQO,IAAI,OAAOmP,K

AAP,KAAiB,QAAjB,IAA6BA,KAAK,CAAC8K,MAAvC,EAA+C;AACpDC,QAAAA,KAAK,CAAC1a,IAAD,C  
AAL,GAAc2P,KAAK,CAAC8K,MAAN,EAAd;AACD,OAFM,MAEA;AACLC,QAAAA,KAAK,CAAC1a,IAAD,  
CAAL,GAAc2P,KAAAd;AACD;AACF;;AAED,WAAO+K,KAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,,SakBA1D,MAAA,a  
AAIK,IAAJ,EAAUsD,WAAV,EAAuB;AACrB,QAAM/Z,GAAG,GAAG,IAAI2V,WAAJ,EA AZ;AACa,WAAO3  
V,GAAG,CAACoW,GA AJ,CAAQ,IAAR,EAACk,IAAd,EAAoBsD,WAApB,CAAP;AACD;AAED;,,,,,,,,,,,,,SAQA/  
D,OAAA,gBAAO;AACL,QAAIhG,MAAM,GAAG,IAAb;;AACa,WAAOA,MAAM,CAACII,MAAd;AAAsBkI,M  
AAAA,MAAM,GAAGA,MAAM,CAACII,MAAhB;AAAtB;;AACa,WAAOkI,MAAP;AACD;;SAEDwJ,YAAA,m  
BAAUQ,WAAV,EAAuB;AACrB,WAAO,KAAK9D,IAAL,CAAUa,MAAjB;AACa,WAAO,KAAKb,IAAL,CAA  
Ub,KAAjB;AACa,QAAI,CAAC2E,WAAL,EAakB,OAAO,KAAK9D,IAAL,CAAUM,OAAjB;AACnB;;SAEDyD  
,iBAAA,wBAAexW,KAAf,EAAsB;AACpB,QAAMiJ,MAAM,GAAG,KAAK9L,QAAL,EAaf;AACa,QAAIyK,M  
AAM,GAAG,KAAKwI,MAAL,CAAYO,KAAZ,CAAKB/I,MAA/B;AACa,QAAID,IAAI,GAAG,KAAKyI,MAAL  
,CAAYO,KAAZ,CAAKbhJ,IAA7B;;AAEA,SAAK,IAAIxL,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAG6D,KA  
ApB,EAA2B7D,CAAC,EAA5B,EAAGC;AAC9B,UAAI8M,MAAM,CAAC9M,CAAD,CAAN,KAAc,IAAIB,EAA  
wB;AACtByL,QAAAA,MAAM,GAAG,CAAT;AACAD,QAAAA,IAAI,IAAI,CAAR;AACD,OAHd,MAGO;AAC  
LC,QAAAA,MAAM,IAAI,CAAV;AACD;AACF;;AAED,WAAO;AAAED,MAAAA,IAAI,EA AJA,IAAF;AAAQC  
,MAAAA,MAAM,EAANA;AAAR,KAAP;AACD;;SAEDuN,aAAA,oBAAWD,IAAX,EAaiB;AACf,QAAI7F,GA  
AG,GAAG,KAAKe,MAAL,CAAYO,KAAtB;;AACa,QAAIuE,IAAI,CAACIV,KAAT,EAAGb;AACdqP,MAAAA  
,GAAG,GAAG,KAAKmH,cAAL,CAAoBtB,IAAI,CAACIV,KAAzB,CAAN;AACD,KAFD,MAEO,IAAIkV,IAAI,  
CAACuB,IAAT,EA Ae;AACpB,UAAmzW,KAAK,GAAG,KAAK7C,QAAL,GAAGb+L,OAAhB,CAAwbGm,IAA  
I,CAACuB,IAA7B,CAAd;AACa,UAAIzW,KAAK,KAAK,CAAC,CAAf,EAakBqP,GAAG,GAAG,KAAKmH,cA  
AL,CAAoBxW,KAApB,CAAN;AACnB;;AACD,WAAOqP,GAAP;AACD;;SAEDqH,aAAA,sBAAa;AACX9J,IA  
AAA,QAAQ,CAAC,iDAAD,CAAR;AACa,WAAO,KAAKyI,MAAL,EAAP;AACD;;SAEDtZ,UAAA,iBAAQqH,  
KAAR,EA Ae;AACbwJ,IAAAA,QAAQ,CAAC,kDAAD,CAAR;AACa,WAAO,KAAKgJ,WAAL,CAAiBxS,KAAj  
B,CAAP;AACD;;SAEDR,QAAA,eAAM2Q,GAAN,EAAWC,MAAX,EAAMb;AACjB5G,IAAAA,QAAQ,CAAC,  
4CAAD,CAAR;AACa,WAAO,KAAK+F,GAAL,CAASY,GAAT,EAACc,MAAd,CAAP;AACD;;SAEDmD,cAA  
A,qBAAyJ,WAAZ,EAAYb;AACvB3J,IAAAA,QAAQ,CAAC,wDAAD,CAAR;AACa,WAAO,KAAKmJ,SAAL,  
CAAeQ,WAAf,CAAP;AACD;;;wBAEY;AACX3J,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,aAAO,KAAK  
6F,IAAL,CAAUa,MAAjB;AACD;sBAEU sD,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,W  
AAK6F,IAAL,CAAUa,MAAV,GAAMBsD,GAAnB;AACD;;;wBAEa;AACZhK,MAAAA,QAAQ,CAAC,mDAAD  
,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUM,OAAjB;AACD;sBAEW6D,KAAK;AACfhK,MAAAA,QAAQ,C  
AAC,mDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUM,OAAV,GAAoB6D,GAAPb;AACD;AAED;,,,,,,,,,,,,,AAUA  
,,,,,,,,,AAQA,,,ACphBF;,,,,,,,,,,,,,IAWMC;AACJ,uBAA  
Y5B,QAAZ,EAAsB;AAAA;AACpB,6BAAMA,QAAN;AACa,UAAK3C,IAAL,GAAY,MAAZ;AAFoB;AAGrB;;  
;wBAEY;AACX1F,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUnH,KAAjB;A  
ACD;sBAEU sL,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUnH,KA  
AV,GAakBsL,GAAlB;AACD;;;wBAEgB;AACfhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;AACa,aAAO,KAA  
K6F,IAAL,CAAUS,SAAjB;AACD;sBAEc0D,KAAK;AACIbhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;AACa,  
WAAK6F,IAAL,CAAUS,SAAV,GAAsB0D,GAAtB;AACD;AAED;,,,,,,,,,,,,,AAUA;,,,,,,,,,,,,,AAUA;,,,,,,,,,,,,,AAWA;,,,,,  
,,,EAzDwB5B;ACX1B;,,,,,,,,,,,,,IAQM8B;AACJ,mBAAy7B,QAAZ,EAAsB;AAAA;AACpB,6BAA  
MA,QAAN;AACa,UAAK3C,IAAL,GAAY,SAAZ;AAFoB;AAGrB;wBAEU;AACT1F,MAAAA,QAAQ,CAAC,  
oDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUC,IAAjB;AACD;sBAEQkE,KAAK;AACZhK,MAAAA,QA  
AQ,CAAC,oDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUC,IAAV,GAaiBkE,GA AjB;AACD;;wBAEW;AACV  
hK,MAAAA,QAAQ,CAAC,sDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUG,KAAjB;AACD;sBAESgE,K  
AAK;AACbhK,MAAAA,QAAQ,CAAC,sDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUG,KAAV,GAakBgE,GA  
AlB;AACD;AAED;,,,,,AAKA;,,,,,,,,,,,,,,,,,,,,,EA/BoB5B;ACZtB;AACa;IAOqB+B;AACnB,kBAAyII,KAAZ,EAAM  
B;AACjB,SAKA,KAAL,GAAaA,KAAb;AAEA,SAAKgB,GAAL,GAAW,CAAX;AACa,SAAKd,IAAL,GAA  
Y,IAAIyE,IAAJ,EA AZ;AACa,SAAKc,OAAAL,GA Ae,KAAK1E,IAApB;AACa,SAAK2E,MAAL,GAAC,EAAd;A  
ACA,SAAK7E,SAAL,GAAiB,KAAjB;AAEA,SAAKE,IAAL,CAAUnC,MAAV,GAAMb;AAAE/B,MAAAA,KA

AK,EAALA,KAAF;AAASc,MAAAA,KAAK,EAAE;AAAEhJ,QAAAA,IAAI,EAAE,CAAR;AAAWC,QAAAA,MAAM,EAAE;AAAnB;AAAhB,KAAhB;AACD;;;SAEDwG,WAAA,sBAAW;AACT,SAAKE,MAAL,GAAC6I,Q AAS,CAAC,KAAK9I,KAAN,CAAvB;AACD;;SAED+I,OAAA,gBAAO;AACL,QAAInH,KAAJ;;AACA,WAAO, KAAKZ,GAAL,GAAW,KAAKf,MAAL,CAAYIS,MAA9B,EAAsC;AACpC6T,MAAAA,KAAK,GAAG,KAAK3 B,MAAL,CAAY,KAAKe,GAAjB,CAAR;;AAEA,cAAQY,KAAK,CAAC,CAAD,CAAb;AAACE,aAAK,OAAL;AA CA,aAAK,GAAL;AAACE,eAAKiH,MAAL,IAAejH,KAAK,CAAC,CAAD,CAApB;AACA;;AAEF,aAAK,GAAL;A ACE,eAAKY,GAAL,CAASZ,KAAT;AACA;;AAEF,aAAK,SAAL;AAACE,eAAKJ,OAAL,CAAaI,KAAb;AACA;; AAEF,aAAK,SAAL;AAACE,eAAKkD,MAAL,CAAYID,KAAZ;AACA;;AAEF,aAAK,GAAL;AAACE,eAAKoH,SA AL,CAAepH,KAAf;AACA;;AAEF;AAACE,eAAKqH,KAAL;AACA;AAxBJ;;AA2BA,WAAKjI,GAAL,IAAY,CA AZ;AACD;;AACD,SAAKKI,OAAL;AACD;;SAEDIH,UAAA,iBAAQI,KAAR,EAAe;AACb,QAAM1M,IAAI,GA AG,IAAIuT,OAAL,EAAb;AACA,SAAKU,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,CAArB,EA A0BA,KAAK,CAAC,CAAD,CAA/B;AACAI1M,IAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ, MAAAA,IAAI,EAAEsI,KAAK,CAAC,CAAD,CAAb;AAAKBrI,MAAAA,MAAM,EAAEqI,KAAK,CAAC,CAAD ;AAA/B,KAAIB;AAEA,QAAM4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAAE,CAAF,E AAKB,CAAC,CAAnB,CAAb;;AACA,QAAL,QAQ1S,IAAR,CAAa8V,IAAb,CAAJ,EAAbW;AACtBtP,MAAAA, IAAI,CAACsP,IAAL,GAAY,EAAZ;AACAtP,MAAAA,IAAI,CAACKP,IAAL,CAAUC,IAAV,GAAiBG,IAAjB;A ACAtP,MAAAA,IAAI,CAACKP,IAAL,CAAUG,KAAY,GAakB,EAAB;AACD,KAJD,MAIO;AACL,UAM3P, KAAK,GAAG4P,IAAI,CAAC5P,KAAL,CAAW,yBAAX,CAAd;AACAM,MAAAA,IAAI,CAACsP,IAAL,GAAY 5P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAAI,CAACKP,IAAL,CAAUC,IAAV,GAAiBzP,KAAK,CA AC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACKP,IAAL,CAAUG,KAAY,GAakB3P,KAAK,CAAC,CAAD,C AAyB;AACD;AACF;;SAEDoU,YAAA,mBAUpH,KAAY,EAAb;AACf,QAAM1M,IAAI,GAAG,IAAIkU,IAAJ ,EAAb;AACA,SAAKD,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,CAArB,EA0BA,KAAK,CAA C,CAAD,CAA/B;AACAI1M,IAAAA,IAAI,CAACjB,QAAL,GAAGB,EAAb;AACAI1B,IAAAA,IAAI,CAACKP,IA AL,CAAUM,OAAY,GAAb,EAAPB;AACA,SAAKKE,OAAL,GAAE1T,IAAf;AACD;;SAED+T,QAAA,iBAAQ; AACN,QAAIrH,KAAJ;AACA,QAAY,GAAG,GAAG,KAAY;AACA,QAAYB,IAAI,GAAG,IAAX;AACA,QAAY jB,KAAK,GAAG,KAAY;AACA,QAAYqG,OAAL,GAAG,IAAd;AACA,QAAM9H,QAAY,GAAG,EAAYB;AAEA, QAAMe,KAAK,GAAG,KAAKtB,GAAnB;;AACA,WAAO,KAAKA,GAAL,GAAW,KAAKf,MAAL,CAAYIS,M AA9B,EAAsC;AACpC6T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,CAAR;AACAI1D,M AAAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAAK,GAAT,IAAGBA,IAAI,KAAK ,GAA7B,EAakC;AAChC,YAAI,CAACoF,OAAL,EAACa,OAAL,GAAGzH,KAAY;AACdL,QAAAA,QAAY,CA AC5Q,IAAT,CAAcS,IAAI,KAAK,GAAT,GAAE,GAAY,GAANc;AACD,OAHD,MAGO,IAAI1C,QAAY ,CAACxT,MAAT,KAAoB,CAAxB,EA2B;AAChC,YAAIKW,IAAI,KAAK,GAAb,EAakB;AAChB,cAAIjB,KA AJ,EAAY;AACT,iBAAYB,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAY,CAAKBkB,KAAIB,EAAYB,KAA KtB,GAAL,GAAW,CAApC,CAAV;AACA;AACD,WAHD,MAGO;AACL;AACD;AACF,SAPD,MAOO,IAAIiD,I AAI,KAAK,GAAb,EAakB;AACvB,eAAK9M,IAAL,CAAU,KAAK8I,MAAL,CAAYmB,KAAY,CAAKBkB,KAA IB,EAAYB,KAAKtB,GAAL,GAAW,CAApC,CAAV;AACA;AACD,SAHM,MAGA,IAAIiD,IAAI,KAAK,GAAb,E AAKB;AACvB,eAAKjD,GAAL,IAAY,CAAZ;AACAwB,UAAAA,GAAG,GAAG,IAAN;AACA;AACD,SAJM,M AIA,IAAYB,IAAI,KAAK,GAAb,EAakB;AACvBjB,UAAAA,KAAK,GAAG,IAAR;AACD;AACF,OAIBM,MAK BA,IAAIiB,IAAI,KAAK1C,QAAY,CAACA,QAAY,CAACxT,MAAT,GAakB,CAAnB,CAArB,EA4C;AACjDw T,QAAAA,QAAY,CAAC+H,GAAT;AACA,YAAI/H,QAAY,CAACxT,MAAT,KAAoB,CAAxB,EA2Bsb,OA A O,GAAG,IAAV;AAC5B;;AAED,WAAKfI,GAAL,IAAY,CAAZ;AACD;;AACD,QAAL,KAAKA,GAAL,KAAa,K AAKf,MAAL,CAAYIS,MAA7B,EAaqC;AACnC,WAAKiT,GAAL,IAAY,CAAZ;AACAwB,MAAAA,GAAG,GA AG,IAAN;AACD;;AAED,QAAYjB,QAAY,CAACxT,MAAT,GAakB,CAAtB,EAAYB,KAAKwb,eAAL,CAAYqBF, OAARB;;AAEZB,QAAY1G,GAAG,IAAIQ,KAAK,EAakB;AAChB,aAAO,KAAKhC,GAAL,GAAWsB,KAAIB,EA AyB;AACvBV,QAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,EAAsB,CAAtB,CAAR;AACA ,YAAIY,KAAK,KAAK,OAAY,IAAQBA,KAAK,KAAK,SAAnC,EA8C;AAC9C,aAAKZ,GAAL,IAAY,CAAZ;A ACD;;AACD,WAAKyD,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAY,CAAKBkB,KAAIB,EAAYB,KAAKtB, GAAL,GAAW,CAApC,CAAV;AACA;AACD;;AAED,SAAKwI,WAAL,CAAiBIH,KAAjB;AACD;;SAEDnL,OA

AA,cAAK8I,MAAL,EAAa;AACXA,IAAAA,MAAM,CAACqJ,GAAP;AAEA,QAAMpU,IAAI,GAAG,IAAIkU,IAAJ,EAAb;AACa,SAAKD,IAAL,CAAUjU,IAAV,EAAGB+K,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAhB,EA8BA,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAA9B;AAEA/K,IAAAA,IAAI,CAACKp,IAAL,CAAUM,OAAV,GAAoB,KAAK+E,aAAL,CAAmBxJ,MAAnB,CAApB;AACa,SAAKqE,GAAL,CAASpP,IAAT,EAAe,UAAf,EA2B+K,MAA3B;AACa,SAAK2I,OAAL,GAAe1T,IAAf;AACD;;SAEDuP,OAAA,cAAKxE,MAAL,EAaA;AACX,QAAM/K,IAAI,GAAG,IAAIst,WAAJ,EAAb;AACa,SAAKW,IAAL,CAAUjU,IAAV;AAEA,QAAMsL,IAAI,GAAGP,MAAM,CAACA,MAAM,CAACIS,MAAP,GAAgB,CAAjB,CAAnB;;AACa,QAAlYs,IAAI,CAAC,CAAD,CAAJ,KAAy,GAAhB,EAQb;AACnB,WAAKwD,SAAL,GAaiB,IAAjB;AACa/D,MAAAA,MAAM,CAACqJ,GAAP;AACD;;AACD,QAAl9I,IAAI,CAAC,CAAD,CAAR,EAaA;AACXtL,MAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,QAAAA,IAAI,EAAEkH,IAAI,CAAC,CAAD,CAAZ;AAAIbJH,QAAAA,MAAM,EAAEiH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD,KAFD,MAEO;AACLlL,MAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,QAAAA,IAAI,EAAEkH,IAAI,CAAC,CAAD,CAAZ;AAAIbJH,QAAAA,MAAM,EAAEiH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD;;AAED,WAAOP,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,MAAiB,MAAxB,EAAGC;AAC9B/K,MAAAA,IAAI,CAACKp,IAAL,CAAUa,MAAV,IAAoBhF,MAAM,CAACyJ,KAAP,GAAe,CAAf,CAApB;AACD;;AACDxU,IAAAA,IAAI,CAAC6M,MAAL,CAAYO,KAAZ,GAAoB;AAAEhJ,MAAAA,IAAI,EAEE2G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAR;AAAsB1G,MAAAA,MAAM,EAEE0G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV;AAA9B,KAAPB;AAEA/K,IAAAA,IAAI,CAACyP,IAAL,GAAY,EAaz;;AACa,WAAO1E,MAAM,CAACIS,MAAd,EAAsB;AACpB,UAAmKw,IAAI,GAAGhE,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAb;;AACa,UAAIgE,IAAI,KAAK,GAAT,IAAgBA,IAAI,KAAK,OAAzB,IAAoCA,IAAI,KAAK,SAAjD,EA4D;AAC1D;AACD;;AACD/O,MAAAA,IAAI,CAACyP,IAAL,IAAa1E,MAAM,CAACyJ,KAAP,GAAe,CAAf,CAAb;AACD;;AAEDxU,IAAAA,IAAI,CAACKp,IAAL,CAAUM,OAAV,GAAoB,EAAPB;AAEA,QAAl9C,KAAJ;;AACa,WAAO3B,MAAM,CAACIS,MAAd,EAAsB;AACpB6T,MAAAA,KAAK,GAAG3B,MAAM,CAACyJ,KAAP,EAAR;;AAEA,UAAI9H,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AACpB1M,QAAAA,IAAI,CAACKp,IAAL,CAAUM,OAAV,IAAQb9C,KAAK,CAAC,CAAD,CAA1B;AACa;AACD,OAHD,MAGO;AACL1M,QAAAA,IAAI,CAACKp,IAAL,CAAUM,OAAV,IAAQb9C,KAAK,CAAC,CAAD,CAA1B;AACD;AACF;;AAED,QAAl1M,IAAI,CAACyP,IAAL,CAAU,CAAV,MAAiB,GAAjB,IAAwBzP,IAAI,CAACyP,IAAL,CAAU,CAAV,MAAiB,GAA7C,EAakD;AACHDzP,MAAAA,IAAI,CAACKp,IAAL,CAAUa,MAAV,IAAoB/P,IAAI,CAACyP,IAAL,CAAU,CAAV,CAApB;AACAzP,MAAAA,IAAI,CAACyP,IAAL,GAAYzP,IAAI,CAACyP,IAAL,CAAUvD,KAAV,CAAGb,CAAhB,CAAZ;AACD;;AACDIM,IAAAA,IAAI,CAACKp,IAAL,CAAUM,OAAV,IAAQb,KAAKiF,eAAL,CAAqB1J,MAArB,CAArB;AACa,SAAK2J,uBAAL,CAA6B3J,MAA7B;;AAEA,SAAK,IAAIInS,CAAC,GAAGmS,MAAM,CAACIS,MAAP,GAAgB,CAA7B,EAAGCD,CAAC,GAAG,CAAPc,EAaUcA,CAAC,EAAXc,EA4C;AAC1C8T,MAAAA,KAAK,GAAG3B,MAAM,CAACnS,CAAD,CAAd;;AACa,UAAI8T,KAAK,CAAC,CAAD,CAAL,KAAa,YAAjB,EAa+B;AAC7B1M,QAAAA,IAAI,CAAC2P,SAAL,GAaiB,IAAjB;AACa,YAAIjK,MAAM,GAAG,KAAKiP,UAAAL,CAAgB5J,MAAhB,EAawBnS,CAAxB,CAAb;AACa8M,QAAAA,MAAM,GAAG,KAAK6O,aAAL,CAAmBxJ,MAAnB,IAA6BrF,MAAtC;AACa,YAAIA,MAAM,KAAK,aAAf,EA8B1F,IAAI,CAACKp,IAAL,CAAUS,SAAV,GAAsBjK,MAAtB;AAC9B;AACD,OAND,MAMO,IAAIgH,KAAK,CAAC,CAAD,CAAL,KAAa,WAAjB,EA8B;AACnC,YAAMkI,KAAK,GAAG7J,MAAM,CAACmB,KAAP,CAAa,CAAb,CAAd;AACa,YAAIIT,GAAG,GAAG,EAaV;;AACa,aAAK,IAAIwY,CAAC,GAAG5Y,CAAb,EAAGb4Y,CAAC,GAAG,CAAPB,EAaUBA,CAAC,EAAXB,EA4B;AAC1B,cAAMzC,KAAI,GAAG6F,KAAK,CAACpD,CAAD,CAAL,CAAS,CAAT,CAAb;;AACa,cAAIxY,GAAG,CAACgD,IAAJ,GAAW2J,OAAX,CAAmB,GAAnB,MAA4B,CAA5B,IAAIcOj,KAAI,KAAK,OAA9C,EAaUD;AACrD;AACD;;AACD/V,UAAAA,GAAG,GAAG4b,KAAK,CAACR,GAAN,GAAY,CAAZ,IAAIbPb,GAaVb;AACD;;AACD,YAAIA,GAAG,CAACgD,IAAJ,GAAW2J,OAAX,CAAmB,GAAnB,MAA4B,CAAhC,EAAMc;AACJc3F,UAAAA,IAAI,CAAC2P,SAAL,GAaiB,IAAjB;AACa3P,UAAAA,IAAI,CAACKp,IAAL,CAAUS,SAAV,GAAsB3W,GAAtB;AACa+R,UAAAA,MAAM,GAAG6J,KAAT;AACD;AACF;;AAED,UAAIII,KAAK,CAAC,CAAD,CAAL,KAAa,OAAb,IAAwBA,KAAK,CAAC,CAAD,CAAL,KAAa,SAAzC,EAoD;AACID;AACD;AACF;;AAED,SAAK0C,GAAL,CAASpP,IAAT,EAae,OAAf,EAaWb+K,MAAxB;AAEA,QAAlK,IAAI,CAAC+H,KAAAL,CAAWpC,OAAX,CAAmB,GAAnB,MAA4B,CAAC,CAAjC,EAoC,KAAKkP,oBAAL,CAA0B9J,MAA1B;AACrC;;S

AED6E,SAAA,gBAAOID,KAAP,EAac;AACZ,QAAM1M,IAAI,GAAG,IAAI8U,MAAJ,EAAb;AACa9U,IAAAA  
,IAAI,CAAC5H,IAAL,GAAYsU,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAAe,CAAf,CAAZ;;AACA,QAA  
IIM,IAAI,CAAC5H,IAAL,KAAc,EAAlB,EAAsB;AACpB,WAAK2c,aAAL,CAAmB/U,IAAnB,EAAYB0M,KAAz  
B;AACD;;AACD,SAAKuH,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,CAArB,EAa0BA,KAAK,C  
AAC,CAAD,CAA/B;AAEA,QAAIpB,IAAI,GAAG,KAAx;AACA,QAAI0J,IAAI,GAAG,KAAx;AACA,QAAMn  
F,MAAM,GAAG,EAaf;AAEA,SAAK/D,GAAL,IAAY,CAAZ;;AACA,WAAO,KAAKA,GAAL,GAAW,KAAKf,  
MAAL,CAAYIS,MAA9B,EAAsC;AACpC6T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,  
CAAR;;AAEA,UAAIY,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AACpB1M,QAAAA,IAAI,CAAC6  
M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,UAAAA,IAAI,EAAsI,KAAK,CAAC,CAAD,CAAb;AAAkBrI,UAA  
AA,MAAM,EAAEqI,KAAK,CAAC,CAAD;AAA/B,SAAlB;AACA,aAAKoc,SAAL,GAAiB,IAAjB;AACA;AAC  
D,OAJD,MAIO,IAAIpC,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AAC3BsI,QAAAA,IAAI,GAAG,IA  
AP;AACA;AACD,OAHM,MAGA,IAAIH,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AAC3B,aAAKY,  
GAAL,CAASZ,KAAT;AACA;AACD,OAHM,MAGA;AACLmD,QAAAA,MAAM,CAACpU,IAAP,CAAYiR,KA  
AZ;AACD;;AAED,WAAKZ,GAAL,IAAY,CAAZ;AACD;;AACD,QAAI,KAAKA,GAAL,KAAa,KAAKf,MAAL,  
CAAYIS,MAA7B,EAaqC;AACnCys,MAAAA,IAAI,GAAG,IAAP;AACD;;AAEDtL,IAAAA,IAAI,CAACKp,IA  
AL,CAAUM,OAaV,GAAoB,KAAK+E,aAAL,CAAmB1E,MAAnB,CAApB;;AACA,QAAIA,MAAM,CAACHX,  
MAAX,EAAMb;AACjBmH,MAAAA,IAAI,CAACKp,IAAL,CAAUY,SAaV,GAAsB,KAAK2E,eAAL,CAAqB5E  
,MAArB,CAAtB;AACA,WAAKT,GAAL,CAASpP,IAAT,EAae,QAAf,EAAYB6P,MAAZB;;AACA,UAAIvE,IAA  
J,EAaU;AACRoB,QAAAA,KAAK,GAAGmD,MAAM,CAACA,MAAM,CAACHX,MAAP,GAAGb,CAAjB,CAA  
d;AACAmH,QAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,UAAAA,IAAI,EAAsI,KAAK,  
CAAC,CAAD,CAAb;AAAkBrI,UAAAA,MAAM,EAAEqI,KAAK,CAAC,CAAD;AAA/B,SAAlB;AACA,aAAKi  
H,MAAL,GAac3T,IAAI,CAACKp,IAAL,CAAUM,OAaxB;AACAxP,QAAAA,IAAI,CAACKp,IAAL,CAAUM,O  
AAV,GAAoB,EAAPb;AACD;AACF,KATD,MASO;AACLxP,MAAAA,IAAI,CAACKp,IAAL,CAAUY,SAaV,G  
AAsB,EAAtB;AACa9P,MAAAA,IAAI,CAAC6P,MAAL,GAac,EAAd;AACD;;AAED,QAAImF,IAAJ,EAaU;A  
ACRhV,MAAAA,IAAI,CAACH,KAAL,GAAa,EAAb;AACA,WAAK6T,OAAL,GAAe1T,IAAf;AACD;AACF;;S  
AEDsN,MAAA,aAAIZ,KAAJ,EAaW;AACT,QAAI,KAAKgH,OAAL,CAAa7T,KAAb,IAAsB,KAAK6T,OAAL,  
CAAa7T,KAAb,CAAmBhH,MAA7C,EAaqD;AACnD,WAAK6a,OAAL,CAAaxE,IAAb,CAAKBJ,SAAlB,GAA8  
B,KAAKA,SAAnC;AACD;;AACD,SAAKA,SAAL,GAAiB,KAAjB;AAEA,SAAK4E,OAAL,CAAaxE,IAAb,CAA  
kBb,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,IAA2B,EAa5B,IAAkC,KAAKsF  
,MAAjE;AACA,SAAKA,MAAL,GAac,EAAd;;AAEA,QAAI,KAAKD,OAAL,CAAa5S,MAAjB,EAAYB;AACvB,  
WAAK4S,OAAL,CAAa7G,MAAb,CAAoBS,GAAPb,GAA0B;AAAEIJ,QAAAA,IAAI,EAAsI,KAAK,CAAC,C  
AAD,CAAb;AAAkBrI,QAAAA,MAAM,EAAEqI,KAAK,CAAC,CAAD;AAA/B,OAAlB;AACA,WAAKgH,OAAL,  
GAAe,KAAKA,OAAL,CAAa5S,MAA5B;AACD,KAHD,MAGO;AACL,WAAKmU,eAAL,CAAqBvI,KAArB;  
AACD;AACF;;SAEDsH,UAAA,mBAaU;AACR,QAAI,KAAKN,OAAL,CAAa5S,MAAjB,EAAYB,KAAKoU,aA  
AL;;AACzB,QAAI,KAAKxB,OAAL,CAAa7T,KAAb,IAAsB,KAAK6T,OAAL,CAAa7T,KAAb,CAAmBhH,MA  
A7C,EAaqD;AACnD,WAAK6a,OAAL,CAAaxE,IAAb,CAAKBJ,SAAlB,GAA8B,KAAKA,SAAnC;AACD;;AAC  
D,SAAK4E,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb,  
KAAIB,IAA2B,EAa5B,IAAkC,KAAKsF,MAAjE;AACD;;SAIDM,OOAA,cAAKjU,IAAL,EAaWoe,IAAX,EA  
iBC,MAAjB,EAAYB;AACvB,SAAKqP,OAAL,CAAajY,IAAb,CAAKBuE,IAAlB;AAEAA,IAAAA,IAAI,CAAC6  
M,MAAL,GAac;AAAEIO,MAAAA,KAAK,EAaE;AAAEhJ,QAAAA,IAAI,EAaJA,IAAF;AAAQC,QAAAA,MA  
AM,EAANA;AAAR,OAAT;AAA2ByG,MAAAA,KAAK,EAaE,KAAKA;AAAvC,KAAd;AACa9K,IAAAA,IAA  
I,CAACKp,IAAL,CAAUa,MAAV,GAAmB,KAAK4D,MAAxB;AACA,SAAKA,MAAL,GAac,EAAd;AACA,QA  
AI3T,IAAI,CAAC+O,IAAL,KAAc,SAAlB,EAa6B,KAAKD,SAAL,GAAiB,KAAjB;AAC9B;;SAEDM,MAAA,aA  
AIpP,IAAJ,EAAYpP,IAAV,EAAGB1E,MAAhB,EAawB;AACtB,QAAI2B,KAAJ,EAaWqC,IAAX;AACA,QAA  
MIW,MAAM,GAAGkS,MAAM,CAACIS,MAAtB;AACA,QAAIkP,KAAK,GAAG,EAaZ;AACA,QAAIoN,KAA  
K,GAAG,IAAZ;;AACA,SAAK,IAAIvc,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAGC,MAAPb,EAa4BD,CAA  
C,IAAI,CAAjC,EAaoc;AACIC8T,MAAAA,KAAK,GAAG3B,MAAM,CAACnS,CAAD,CAAd;AACAmW,MAA  
AA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AACA,UAAIqC,IAAI,KAAK,SAAT,IAAuBA,IAAI,KAAK,O

AAT,IAAoBnW,CAAC,KAAKC,MAAM,GAAG,CAA9D,EAaKE;AACHEsc,QAAAA,KAAK,GAAG,KAAR;AA  
CD,OAFD,MAEO;AACLpN,QAAAA,KAAK,IAAI2E,KAAK,CAAC,CAAD,CAAd;AACD;AACF;;AACD,QAAI  
,CAACyI,KAAL,EAAY;AACV,UAAM/F,GAAG,GAAGrE,MAAM,CAAC1E,MAAP,CAAc,UAAC+O,GAAD,E  
AAMxc,CAAN;AAAA,eAAYwc,GAAG,GAAGxc,CAAC,CAAC,CAAD,CAAnB;AAAA,OAAAd,EAAsC,EAAtC,  
CAAZ;AACAOH,MAAAA,IAAI,CAACkP,IAAL,CAAUO,IAAV,IAAkB;AAAE1H,QAAAA,KAAK,EAALA,KA  
AF;AAASqH,QAAAA,GAAG,EAaha;AAAT,OAAIB;AACD;;AACDpP,IAAAA,IAAI,CAACyP,IAAD,CAAJ,G  
AAa1H,KAAb;AACD;;SAEDwM,gBAAA,uBAACxJ,MAAd,EAAsB;AACpB,QAAIsK,aAAJ;AACa,QAAI1B,M  
AAM,GAAG,EAAb;;AACa,WAAO5I,MAAM,CAACIS,MAAd,EAAsB;AACpBwc,MAAAA,aAAa,GAAGtK,M  
AAM,CAACA,MAAM,CAACIS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAA1B,CAAhB;AACa,UAAIwc,aAAa  
,KAAK,OAAIB,IAA6BA,aAAa,KAAK,SAAnD,EAa8D;AAC9D1B,MAAAA,MAAM,GAAG5I,MAAM,CAACqJ  
,GAAP,GAAa,CAAb,IAAkBT,MAA3B;AACD;;AACD,WAAOA,MAAP;AACD;;SAEDc,kBAAA,yBAAGb1J,M  
AAhB,EAawB;AACTB,QAAII,IAAJ;AACa,QAAIwI,MAAM,GAAG,EAAb;;AACa,WAAO5I,MAAM,CAACIS,  
MAAd,EAAsB;AACpBsS,MAAAA,IAAI,GAAGJ,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAP;AACa,U  
AAII,IAAI,KAAK,OAAI,IAAoBA,IAAI,KAAK,SAAjC,EAa4C;AAC5CwI,MAAAA,MAAM,IAAI5I,MAAM,C  
AACyJ,KAAP,GAAe,CAAf,CAAV;AACD;;AACD,WAAOb,MAAP;AACD;;SAEDgB,aAAA,oBAAW5J,MAAX,  
EAAMbUK,IAAnB,EAAYb;AACvB,QAAItM,MAAM,GAAG,EAAb;;AACa,SAAK,IAAIpQ,CAAC,GAAG0c,IA  
Ab,EAAMb1c,CAAC,GAAGmS,MAAM,CAACIS,MAA9B,EAAsCD,CAAC,EAavC,EAa2C;AACzCoQ,MAAA  
A,MAAM,IAAI+B,MAAM,CAACnS,CAAD,CAAN,CAAU,CAAV,CAAV;AACD;;AACDmS,IAAAA,MAAM,C  
AACxI,MAAP,CAAc+S,IAAd,EAaObvK,MAAM,CAACIS,MAAP,GAAGbYc,IAApC;AACa,WAAOtM,MAAP;  
AACD;;SAED8E,QAAA,eAAM/C,MAAN,EAAC;AACZ,QAAIsB,QAAQ,GAAG,CAAf;AACa,QAAIK,KAAJ,E  
AAWqC,IAAX,EAaiBnD,IAAjB;;AACa,SAAK,IAAIhT,CAAC,GAAG,CAAb,EAAGbA,CAAC,GAAGmS,MA  
AM,CAACIS,MAA3B,EAAMCD,CAAC,EAAPC,EAawC;AACtC8T,MAAAA,KAAK,GAAG3B,MAAM,CAAC  
nS,CAAD,CAAd;AACAmW,MAAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAA  
K,GAAb,EAakB;AACHb1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFD,MAEO,IAAI0C,IAAI,KAAK,GAAb,E  
AAkB;AACvB1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFM,MAEA,IAAIA,QAAQ,KAAK,CAAb,IAAkB0C,I  
AAI,KAAK,GAA/B,EAaOC;AACzC,YAAI,CAACnD,IAAL,EAAW;AACT,eAAK2J,WAAAL,CAAiB7I,KAAjB;A  
ACD,SAFD,MAEO,IAAI,IAAI,CAAC,CAAD,CAAJ,KAAY,MAAZ,IAAsBA,IAAI,CAAC,CAAD,CAAJ,KAAY  
,QAAtC,EAAGD;AACrD;AACD,SAFM,MAEA;AACL,iBAAOhT,CAAP;AACD;AACF;;AAEDgT,MAAAA,IAA  
I,GAAGc,KAAP;AACD;;AACD,WAAO,KAAP;AACD;;SAID2H,kBAAA,yBAAGbF,OAAhB,EAAYb;AACvB,  
UAAM,KAAKrJ,KAAL,CAAWmB,KAAx,CAAiB,kBAAjB,EAaqCkI,OOAO,CAAC,CAAD,CAA5C,EAaiDA,  
OOAO,CAAC,CAAD,CAAxD,CAAN;AACD;;SAEDG,cAAA,qBAAYIH,KAAZ,EAAMb;AACjB,QAAmV,KAA  
K,GAAG,KAAK3B,MAAL,CAAYqC,KAAZ,CAAd;AACa,UAAM,KAAKtC,KAAL,CAAWmB,KAAx,CAAiB,  
cAAjB,EAaiCS,KAAK,CAAC,CAAD,CAAtC,EAa2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDuI,  
kBAAA,yBAAGbVI,KAAhB,EAauB;AACrB,UAAM,KAAK5B,KAAL,CAAWmB,KAAx,CAAiB,cAAjB,EAai  
CS,KAAK,CAAC,CAAD,CAAtC,EAa2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDwI,gBAAA,yB  
AAgB;AACd,QAAmPj,GAAG,GAAG,KAAK4H,OAAL,CAAa7G,MAAb,CAAoBO,KAAhC;AACa,UAAM,KA  
AKtC,KAAL,CAAWmB,KAAx,CAAiB,gBAAjB,EAAMCH,GAAG,CAAC1H,IAAvC,EAa6C0H,GAAG,CAACz  
H,MAAjD,CAAN;AACD;;SAEDkR,cAAA,qBAAY7I,KAAZ,EAAMb;AACjB,UAAM,KAAK5B,KAAL,CAAW  
mB,KAAx,CAAiB,cAAjB,EAaiCS,KAAK,CAAC,CAAD,CAAtC,EAa2CA,KAAK,CAAC,CAAD,CAAhD,CAA  
N;AACD;;SAEDqI,gBAAA,uBAAC/U,IAAd,EAaOB0M,KAApB,EAa2B;AACzB,UAAM,KAAK5B,KAAL,CAA  
WmB,KAAx,CAAiB,sBAAjB,EAAYCS,KAAK,CAAC,CAAD,CAA9C,EAAMDA,KAAK,CAAC,CAAD,CAAxD  
,CAAN;AACD;;SAEDgI,0BAAA,iCAAWb3J,MAAxB,EAAGC;AAC9B,AAED;;SAED8J,uBAAA,8BAaqB9J,M  
AArB,EAa6B;AAC3B,QAAm+C,KAAK,GAAG,KAAKA,KAAL,CAAW/C,MAAX,CAAd;AACa,QAAI+C,KA  
AK,KAAK,KAAd,EAaqB;AAErB,QAAI0H,OOAO,GAAG,CAAd;AACa,QAAI9I,KAAJ;;AACa,SAAK,IAAI8E  
,CAAC,GAAG1D,KAAK,GAAG,CAArB,EAawB0D,CAAC,IAAI,CAA7B,EAAGCA,CAAC,EAajC,EAaqC;AA  
Cn9E,MAAAA,KAAK,GAAG3B,MAAM,CAACyG,CAAD,CAAd;;AACa,UAAI9E,KAAK,CAAC,CAAD,CA  
AL,KAAa,OAAjB,EAa0B;AACxB8I,QAAAA,OOAO,IAAI,CAAX;AACa,YAAIA,OOAO,KAAK,CAAhB,EA  
mB;AACpB;AACF;;AACD,UAAM,KAAK1K,KAAL,CAAWmB,KAAx,CAAiB,kBAAjB,EAaqCS,KAAK,CAA

C,CAAD,CAA1C,EAA+CA,KAAK,CAAC,CAAD,CAApD,CAAN;AACD;;;;;AC/cH;AACA,AAGe,SAAS+I,KA  
AT,CAAehY,GAAf,EAAoBkU,IAApB,EAA0B;AACvC,MAAIA,IAAI,IAAIA,IAAI,CAAC+D,IAAjB,EAAuB;A  
ACrB,UAAM,IAAI5Z,KAAJ,CAAU,8BAA8B,4CAAxC,CAAN;AACD;;AAED,MAAMgP,KAAK,GAAG,IAAI2  
B,KAAJ,CAAUhP,GAAV,EAAekU,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAIInC,MAAJ,CAAW1I,KA  
AX,CAAf;;AACA,MAAI;AACF6K,IAAAA,MAAM,CAAC9K,QAAP;AACa8K,IAAAA,MAAM,CAAC9B,IAA  
P;AACD,GAHD,CAGE,OAAO9P,CAAP,EAAU;AACV,QAAlA,CAAC,CAAC3L,IAAF,KAAW,gBAAX,IAA+B  
uZ,IAA/B,IAAuCA,IAAI,CAAC2D,IAAhD,EAAsD;AACpD,UAAI,WAAW9b,IAAX,CAAqBmY,IAAI,CAAC2D  
,IAArB,CAAJ,EAAgC;AAC9BvR,QAAAA,CAAC,CAACuF,OAAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAI  
D,OALD,MAKO,IAAI,WAAW9P,IAAX,CAAqBmY,IAAI,CAAC2D,IAArB,CAAJ,EAAgC;AACrCvR,QAAAA,  
CAAC,CAACuF,OAAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID;AACF;;AACD,UAMvF,CAAN;AACD;;  
AAED,SAAO4R,MAAM,CAAC3G,IAAd;AACD;;ACvBD,SAAS4G,WAAW,CAAqB/V,KAArB,EAA4B;AAC1B,  
SAAOA,KAAK,CAAC8M,GAAN,CAAU,UAAA/T,CAAC,EAAl;AACpB,QAAlA,CAAC,CAACiH,KAAH,EA  
ajH,CAAC,CAACiH,KAAf,GAAU+V,WAAW,CAAChd,CAAC,CAACiH,KAAH,CAArB;AACb,WAAOjH,CAA  
C,CAACiU,MAAT;AACA,WAAOjU,CAAP;AACD,GAJM,CAAP;AAKD;AAED;;;;;;AAQA;;;;;;AAOA;;;;;;  
IAUMid;;;;;;SACJpa,OAAA,cAAKGF,KAAL,EAAy;AACVA,IAAAA,KAAK,CAACK,MAAN,GAAe,IAAf;AA  
CA,SAAKjB,KAAL,CAAWpE,IAAX,CAAqBgF,KAAhB;AACA,WAAO,IAAP;AACD;AAED;;;;;;  
;;;;;;SAiCAqV,OAAA,cAAKC,QAAL,EAAe;AACb,QAAl,CAAC,KAAKC,QAAl,EAAoB,KAAKA,QAAL,GA  
AgB,CAAhB;AACpB,QAAl,CAAC,KAAKC,OAAV,EAAmB,KAAKA,OAAL,GAAe,EAaf;AAEnB,SAAKD,QA  
AL,IAAiB,CAAjB;AACA,QAAM/X,EAAE,GAAG,KAAK+X,QAahB;AACA,SAAKC,OAAL,CAAahY,EAAb,I  
AAmB,CAAnB;AAEA,QAAl,CAAC,KAAK4B,KAAV,EAAiB,OAAOjB,SAAP;AAEjB,QAAlInC,KAAJ,EA  
AWuM,MAAX;;AACA,WAAO,KAAKiN,OAAL,CAAahY,EAAb,IAAmB,KAAK4B,KAAL,CAAWHh,MAArC,EAA6  
C;AAC3C4D,MAAAA,KAAK,GAAG,KAAKwZ,OAAL,CAAahY,EAAb,CAAR;AACa+K,MAAAA,MAAM,GA  
AG+M,QAAQ,CAAC,KAAKIW,KAAL,CAAWpD,KAAK,CAAD,EAAoBA,KAApB,CAAjB;AACA,UAAIuM,M  
AAM,KAAK,KAAf,EAAsB;AAEtB,WAAKiN,OAAL,CAAahY,EAAb,KAAoB,CAApB;AACD;;AAED,WAAO,  
KAAKgy,OAAL,CAAahY,EAAb,CAAP;AAEA,WAAO+K,MAAP;AACD;AAED;;;;;;SAmBAsH,OA  
A,cAAKyF,QAAL,EAAe;AACb,WAAO,KAAKD,IAAL,CAAU,UAAcRv,KAAD,EAAQ7H,CAAR,EAAC;AAC7  
B,UAAIoQ,MAAM,GAAG+M,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAArB;;AACA,UAAIoQ,MAAM,KA  
AK,KAAK,IAAoBvI,KAAK,CAAC6P,IAA9B,EAAoC;AACICtH,QAAAA,MAAM,GAAGvI,KAAK,CAAC6P,IA  
AN,CAAWyF,QAAX,CAAT;AACD;;AACD,aAAO/M,MAAP;AACD,KANM,CAAP;AAOD;AAED;;;;;;  
;;;;;;SA6BA8H,YAAA,mBAAUrB,IAAV,EAAgBsG,QAahB,EAA0B;AACxB,QAAl,CAACA,QAAL,EAAe;A  
ACbA,MAAAA,QAAQ,GAAGtG,IAAX;AACA,aAAO,KAAKa,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,  
EAAC;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,MAAnB,EAA2B;AACzB,iBAAOgH,QAAQ,CAACtV,K  
AAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAI6W,IAAI,YAAyJR,MAA  
pB,EAA4B;AACjC,aAAO,KAAK8R,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6H,K  
AAK,CAACsO,IAAN,KAAe,MAAf,IAAyBU,IAAI,CAACjW,IAAL,CAAUiH,KAAK,CAACgP,IAAhB,CAA7B,  
EAAoD;AACID,iBAAOsG,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,  
KANM,MAMA;AACL,aAAO,KAAK0X,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6  
H,KAAK,CAACsO,IAAN,KAAe,MAAf,IAAyBtO,KAAK,CAACgP,IAAN,KAAeA,IAA5C,EAakD;AAChD,iB  
AAOsG,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD;AACF;AAED;;;;;;  
;;;;;;SAuBASd,YAAA,mBAAUxX,QAAl,EAAoBgX,QAAPB,EAA8B;AAC5B,QAAl,CAACA,QAAL,EAA  
e;AACbA,MAAAA,QAAQ,GAAGhX,QAAX;AAEA,aAAO,KAAKuR,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,  
CAAR,EAAC;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,MAAnB,EAA2B;AACzB,iBAAOgH,QAAQ,CAA  
CtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KARD,MAQO,IAAIImG,QAAQ,YAAy  
P,MAAxB,EAAgC;AACrC,aAAO,KAAK8R,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YA  
AI6H,KAAK,CAACsO,IAAN,KAAe,MAAf,IAAyBhQ,QAAQ,CAACvF,IAAT,CAACiH,KAAK,CAAC1B,QAAP  
B,CAA7B,EAA4D;AAC1D,iBAAOgX,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,C  
AAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK0X,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAC;A  
AC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,MAAf,IAAyBtO,KAAK,CAAC1B,QAAN,KAAmBA,QAahD,EA

A0D;AACxD,iBAAOgX,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD;AACF;AAED;,,,,,;SA8BAud,cAAA,qBAAy/d,IAAZ,EAAkB2d,QAAIB,EAA4B;AAC1B,QAAI,C AACA,QAAL,EAAe;AACbA,MAAAA,QAAQ,GAAG3d,IAAX;AACA,aAAO,KAAKkY,IAAL,CAAU,UAAc7P, KAAD,EAAQ7H,CAAR,EAAc;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,QAAAnB,EAA6B;AAC3B,iBAA OgH,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAIR ,IAAI,YAAyOG,MAApB,EAA4B;AACjC,aAAO,KAAK8R,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EA Ac;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,QAAf,IAA2B3W,IAAI,CAACoB,IAAL,CAAUiH,KAAK,C AAChI,IAAhB,CAA/B,EAAsD;AACpD,iBAAO2d,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AAC F,OAJM,CAAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK0X,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAA R,EAAc;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,QAAf,IAA2BtO,KAAK,CAACrI,IAAN,KAAeA,IAA9 C,EAAoD;AACiD,iBAAO2d,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAK D;AACF;AAED;,,,,,;SagBAgY,eAAA,sBAAAmF,QAAb,EAAuB;AACrB,WAAO,KAAKzF,IAAL,CAAU, UAAc7P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,UAAI6H,KAAK,CAACsO,IAAN,KAAe,SAAnB,EAA8B;AAC 5B,eAAOgH,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,KAJM,CAAP;AAKD;AAED;,,,,,; ;,,,,,;SAoBA6Z,SAAA,kBAAoB;AAAA;AAAA,sCAAV2D,QAAU;AAVA,MAAAA,QAAU;AAAA;AACIB A,IAAAA,QAAQ,CAAC1a,OAAT,CAAiB,UAAA+E,KAAK,EAAI;AACxB,UAAmZ,KAAK,GAAG,KAAI,CAA CwW,SAAL,CAAe5V,KAAf,EAAsB,KAAI,CAAC6K,IAA3B,CAAd;AACAzL,MAAAA,KAAK,CAACnE,OAA N,CAAc,UAAAsE,IAAI;AAAA,eAAI,KAAI,CAACH,KAAL,CAAWpE,IAAX,CAAgBuE,IAAhB,CAAJ;AAAA, OAAIB;AACD,KAHD;AAIA,WAAO,IAAP;AACD;AAED;,,,,,;SAoBAsW,UAAA,mBAAqB;AAAA;A AAA,uCAAVF,QAAU;AAVA,MAAAA,QAAU;AAAA;AACnBA,IAAAA,QAAQ,GAAGA,QAAQ,CAACG,O AAT,EAAx;AACAH,IAAAA,QAAQ,CAAC1a,OAAT,CAAiB,UAAA+E,KAAK,EAAI;AACxB,UAAmZ,KAAK, GAAG,MAAI,CAACwW,SAAL,CAAe5V,KAAf,EAAsB,MAAI,CAACyP,KAA3B,EAAc,SAaIC,EAA6CqG,O AA7C,EAAAd;AACAIW,MAAAA,KAAK,CAACnE,OAAAN,CAAc,UAAAsE,IAAI;AAAA,eAAI,MAAI,CAACH, KAAL,CAAW2W,OAAx,CAAmBxW,IAAnB,CAAJ;AAAA,OAAIB;AACA,WAAK,IAAM/B,EAAx,IAAiB,M AAI,CAACgY,OAAtB,EAA+B;AAC7B,QAAA,MAAI,CAACA,OAAL,CAAahY,EAAb,IAAmB,MAAI,CAACgY ,OAAL,CAAahY,EAAb,IAAmB4B,KAAK,CAACH,MAA5C;AACD;AACF,KAND;AAOA,WAAO,IAAP;AAC D;SAED2Z,YAAA,mBAAUQ,WAAV,EAAuB;AACrB,oBAAMR,SAAN,YAAgBQ,WAAhB;AACa,QAAI,KA AKnT,KAAT,EAAgB;AACd,WAAKA,KAAL,CAAWnE,OAAx,CAAmB,UAAAsE,IAAI;AAAA,eAAIA,IAAI,C AACwS,SAAL,CAAeQ,WAAf,CAAJ;AAAA,OAAvB;AACD;AACF;AAED;,,,,,;SAWA5R,eAAA,sBAAaqV, KAAb,EAAoBnT,GAAPB,EAAyB;AAAA;AACvBmT,IAAAA,KAAK,GAAG,KAAKha,KAAL,CAAWga,KAA X,CAAR;AAEA,QAAM1H,IAAI,GAAG0H,KAAK,KAAK,CAAV,GAAC,SAAd,GAA0B,KAAvC;AACa,QAAM 5W,KAAK,GAAG,KAAKwW,SAAL,CAAe/S,GAaf,EAAoB,KAAKzD,KAAL,CAAW4W,KAAx,CAAPB,EAAu C1H,IAAvC,EAA6CwH,OAA7C,EAAAd;AACAIW,IAAAA,KAAK,CAACnE,OAAAN,CAAc,UAAAsE,IAAI;AAA A,aAAI,MAAI,CAACH,KAAL,CAAW0C,MAAX,CAAKbku,KAAIB,EAAyB,CAAzB,EAA4BzW,IAA5B,CAAJ ;AAAA,KAAIB;AAEA,QAAIvD,KAJ;AACa,SAAK,IAAMwB,EAAx,IAAiB,KAAKgY,OAAtB,EAA+B;AAC 7BxZ,MAAAA,KAAK,GAAG,KAAKwZ,OAAL,CAAahY,EAAb,CAAR;AACa,UAAIwY,KAAK,IAAIha,KAA b,EAAoB;AACIB,aAAKwZ,OAAL,CAAahY,EAAb,IAAmBxB,KAAK,GAAGoD,KAAK,CAACH,MAAJC;AA CD;AACF;AAED,WAAO,IAAP;AACD;AAED;,,,,,;SAQAuZ,cAAA,qBAAyqE,KAAZ,EAAmBnT,GAAAnB,E AAwB;AAAA;AACtBmT,IAAAA,KAAK,GAAG,KAAKha,KAAL,CAAWga,KAAx,CAAR;AAEA,QAAM5W, KAAK,GAAG,KAAKwW,SAAL,CAAe/S,GAaf,EAAoB,KAAKzD,KAAL,CAAW4W,KAAx,CAAPB,EAAuCF, OAAvC,EAAAd;AACAIW,IAAAA,KAAK,CAACnE,OAAAN,CAAc,UAAAsE,IAAI;AAAA,aAAI,MAAI,CAACH, KAAL,CAAW0C,MAAX,CAAKbku,KAAK,GAAG,CAA1B,EAA6B,CAA7B,EAAgCzW,IAAhC,CAAJ;AAAA, KAAIB;AAEA,QAAIvD,KAJ;AACa,SAAK,IAAMwB,EAAx,IAAiB,KAAKgY,OAAtB,EAA+B;AAC7BxZ,M AAAA,KAAK,GAAG,KAAKwZ,OAAL,CAAahY,EAAb,CAAR;AACa,UAAIwY,KAAK,GAAGha,KAAZ,EAA mB;AACjB,aAAKwZ,OAAL,CAAahY,EAAb,IAAmBxB,KAAK,GAAGoD,KAAK,CAACH,MAAJC;AACD;AA CF;AAED,WAAO,IAAP;AACD;SAEDiZ,SAAA,gBAAOrR,KAAP,EAAc;AACZ,QAAI,OAAOA,KAAP,KAAi B,WAArB,EAAc;AACCh4I,MAAAA,QAAQ,CAAC,qCAAqC,2BAAtC,CAAR;AACa,WAAKIJ,WAAAL,CAAi BM,KAAjB;AACD,KAHD,MAGO;AACL,sBAAMqR,MAAN;AACD;AACD,WAAO,IAAP;AACD;AAED;,,,,,;



;;;;;;;SAcA3R,cAAA,qBAAYM,KAAZ,EAAMb;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,K  
AAX,CAAR;AACa,SAAKZ,KAAL,CAAWY,KAAX,EAakBK,MAAIB,GAA2BIC,SAA3B;AACa,SAAKiB,KA  
AL,CAAW0C,MAAX,CAAKB9B,KAAIB,EAAYb,CAAzB;AAEA,QAAIhE,KAAJ;;AACa,SAAK,IAAMwB,EA  
AX,IAAiB,KAAKgY,OAAtB,EAA+B;AAC7BxZ,MAAAA,KAAK,GAAG,KAAKwZ,OAAL,CAAahY,EAAb,CA  
AR;;AACa,UAAIxB,KAAK,IAAIgE,KAAb,EAAoB;AACIB,aAAkwV,OAAL,CAAahY,EAAb,IAAmBxB,KAA  
K,GAAG,CAA3B;AACD;AACF;;AAED,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,;SAUAia,YAAA,qBAAY;AACV,S  
AAK7W,KAAL,CAAWnE,OAAX,CAAmB,UAAAsE,IAAI;AAAA,aAAKA,IAAI,CAACc,MAAL,GAAcC,SAA  
nB;AAAA,KAAvB;AACa,SAAKiB,KAAL,GAAa,EAAb;AACa,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,;  
;;SA6BA8W,gBAAA,uBAAcC,OAAd,EAABjF,IAAvB,EAA6BoE,QAA7B,EAAC;AACrC,QAAI,CAACA,QA  
AL,EA Ae;AACbA,MAAAA,QAAQ,GAAGpE,IAAX;AACAA,MAAAA,IAAI,GAAG,EAAP;AACD;;AAED,SAA  
Kb,SAAL,CAAE,UAAAvB,IAAI,EAAI;AACrB,UAAIoC,IAAI,CAACKf,KAAL,IAAcIF,IAAI,CAACKf,KAAL,C  
AAWIR,OAAX,CAAmB4J,IAAI,CAACE,IAAxB,MAAkC,CAAC,CAArD,EAAwD;AACxD,UAAIkC,IAAI,CAA  
CmF,IAAL,IAAvH,IAAI,CAACxH,KAAL,CAAWpC,OAAX,CAAmBgM,IAAI,CAACmF,IAAxB,MAAkC,CA  
AC,CAApD,EAAD;AAEvDvH,MAAAA,IAAI,CAACxH,KAAL,GAAawH,IAAI,CAACxH,KAAL,CAAWvP,O  
AAX,CAAmBoe,OAAnB,EAA4Bb,QAA5B,CAAb;AACD,KALD;AAOA,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,;S  
AWAgB,QAAA,eAAMC,SAAN,EAAb;AACf,WAAO,KAAKnX,KAAL,CAAWkX,KAAX,CAAiBC,SAAjB,CA  
AP;AACD;AAED;,,,,,,,,,,,,;SAWAC,OAAA,cAAKD,SAAL,EAAGb;AACd,WAAO,KAAKnX,KAAL,CAAWoX,I  
AAX,CAAGBD,SAAhB,CAAP;AACD;AAED;,,,,,,,,,,,,;SAUAva,QAAA,eAAMgE,KAAN,EAaA;AACX,QAAI,OA  
AOA,KAAP,KAAiB,QAArB,EAA+B;AAC7B,aAAOA,KAAP;AACD,KAFD,MAEO;AACL,aAAO,KAAKZ,KA  
AL,CAAW8F,OAAX,CAAmBIF,KAAnB,CAAP;AACD;AACF;AAED;,,,,,,,,,,,,;SA0BA4V,YAAA,mBAUxW,KA  
AV,EAAbqX,MAAjB,EAAYb;AAAA;;AACvB,QAAI,OAAOrX,KAAP,KAAiB,QAArB,EAA+B;AAC7BA,MA  
AAA,KAAK,GAAG+V,WAAW,CAACH,KAAK,CAAC5V,KAAD,CAAL,CAAaA,KAAd,CAAnB;AACD,KAFD  
,MAEO,IAAI,CAAC2I,KAAK,CAACC,OAAN,CAAc5I,KAAd,CAAL,EA2B;AACChC,UAAIA,KAAK,CAACKP  
,IAAN,KAAe,MAAnB,EAA2B;AACzBIP,QAAAA,KAAK,GAAGA,KAAK,CAACA,KAAd;AACD,OAFD,MAE  
O,IAAIA,KAAK,CAACKP,IAAV,EAAGb;AACrBIP,QAAAA,KAAK,GAAG,CAACA,KAAD,CAAR;AACD,OA  
FM,MAEA,IAAIA,KAAK,CAAC4P,IAAV,EAAGb;AACrB,YAAI,OAAO5P,KAAK,CAACKI,KAAb,KAAuB,W  
AA3B,EAawC;AACtC,gBAAM,IAAIjM,KAAJ,CAAU,wCAAV,CAAN;AACD,SAFD,MAEO,IAAI,OAAO+D,K  
AAK,CAACKI,KAAb,KAAuB,QAA3B,EAaqC;AAC1CII,UAAAA,KAAK,CAACKI,KAAN,GAAc9P,MAAM,CA  
AC4H,KAAK,CAACKI,KAAP,CAApB;AACD;;AACDII,QAAAA,KAAK,GAAG,CAAC,IAAIyT,WAAJ,CAAGB  
zT,KAAhB,CAAD,CAAR;AACD,OAPM,MAOA,IAAIA,KAAK,CAACd,QAAV,EAAoB;AACzBc,QAAAA,KA  
AK,GAAG,CAAC,IAAIqU,IAAJ,CAASrU,KAAT,CAAD,CAAR;AACD,OAFM,MAEA,IAAIA,KAAK,CAACzH  
,IAAV,EAAGb;AACrByH,QAAAA,KAAK,GAAG,CAAC,IAAIvV,MAAJ,CAAWjV,KAAK,CAAD,CAAR;AAC  
D,OAFM,MAEA,IAAIA,KAAK,CAACyP,IAAV,EAAGb;AACrBzP,QAAAA,KAAK,GAAG,CAAC,IAAI0T,OA  
AJ,CAAY1T,KAAZ,CAAD,CAAR;AACD,OAFM,MAEA;AACL,cAAM,IAAI/D,KAAJ,CAAU,oCAAV,CAAN;  
AACD;AACF;;AAED,QAAMqb,SAAS,GAAGtX,KAAK,CAAC8M,GAAN,CAAU,UAAA/T,CAAC,EAAI;AAC/  
B,UAAI,OAAOA,CAAC,CAACsW,IAAT,KAAkB,WAAtB,EAAMCtW,CAAC,GAAG,MAAI,CAACwe,OAAL,C  
AAaxe,CAAb,CAAJ;AAEnC,UAAIA,CAAC,CAACKI,MAAN,EAACII,CAAC,GAAGA,CAAC,CAACoZ,KAAF,  
EAAJ;;AACd,UAAI,OAAOpZ,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxC,YAAI  
mH,MAAM,IAAI,OAAOA,MAAM,CAACH,IAAP,CAAYa,MAAnB,KAA8B,WAA5C,EAAYd;AACvDnX,UAA  
AA,CAAC,CAACsW,IAAF,CAAOa,MAAP,GAAGbM,MAAM,CAACH,IAAP,CAAYa,MAAZ,CAAmBvX,OA  
AnB,CAA2B,QAA3B,EAaqC,EAARc,CAAhB;AACD;AACF;;AACDI,MAAAA,CAAC,CAACKI,MAAF,GAAW,  
MAAX;AACa,aAAOII,CAAP;AACD,KAXiB,CAAIb;AAaA,WAAOue,SAAP;AACD;;SAEDC,UAAA,iBAAQp  
X,IAAR,EAAcc,MAAd,EAAsB;AAAA;;AACpB,QAAIuW,GAJ;;AACa,QAAIrX,IAAI,CAAC+O,IAAL,KAAc,  
MAAIB,EAA0B;AACxBsI,MAAAA,GAAG,GAAG,IAAI5D,IAAJ,EAAN;AACD,KAFD,MAEO,IAAIzT,IAAI,C  
AAC+O,IAAL,KAAc,QAAIB,EAA4B;AACjCsI,MAAAA,GAAG,GAAG,IAAIvC,MAAJ,EAAN;AACD,KAFM,  
MAEA,IAAI9U,IAAI,CAAC+O,IAAL,KAAc,MAAIB,EAA0B;AAC/BsI,MAAAA,GAAG,GAAG,IAAIInD,IAAJ,  
EAAN;AACD,KAFM,MAEA,IAAIU,IAAI,CAAC+O,IAAL,KAAc,MAAIB,EAA0B;AAC/BsI,MAAAA,GAAG,  
GAAG,IAAI/D,WAAJ,EAAN;AACD,KAFM,MAEA,IAAIrT,IAAI,CAAC+O,IAAL,KAAc,SAAIB,EAA6B;AACI

CsI,MAAAA,GAAG,GAAG,IAAI9D,OAAJ,EAAN;AACD;;AAED,SAAK,IAAM3a,CAAX,IAAgBoH,IAAhB,EAAsB;AACpB,UAAIpH,CAAC,KAAK,OAAV,EAAMb;AACjBye,QAAAA,GAAG,CAACxX,KAAJ,GAAYG,IAAI,CAACH,KAAL,CAAW8M,GAAX,CAAe,UAAA6E,CAAC;AAAA,iBAAI,MAAI,CAAC4F,OAAL,CAAa5F,CAAb,EAAGb6F,GAAhB,CAAJ;AAAA,SAAhB,CAAZ;AACD,OAFD,MAEO,IAAIze,CAAC,KAAK,QAAN,IAAkBkl,MAAtB,EAAsB;AACnCuW,QAAAA,GAAG,CAACvW,MAAJ,GAAaA,MAAb;AACD,OAFM,MAEA,IAAIId,IAAI,CAACuI,cAAL,CAAoB3P,CAApB,CAAJ,EAAsB;AACjCyE,QAAAA,GAAG,CAACze,CAAD,CAAH,GASoH,IAAI,CAACpH,CAAD,CAAb;AACD;AACF;;AAED,WAAOye,GAAP;AACD;;SAEDC,aAAA,oBAAWvB,QAAAX,EAAsB;AACnB1M,IAAAA,QAAQ,CAAC,yCAAyC,6BAA1C,CAAR;AACa,WAAO,KAAKiH,IAAL,CAAUyF,QAAV,CAAP;AACD;;SAEDwB,WAAA,kBAAS9H,IAAT,EAAsG,QAAf,EAAYB;AACvB1M,IAAAA,QAAQ,CAAC,uCAAuC,kCAAxC,CAAR;AACa,WAAO,KAAKyH,SAAL,CAAerB,IAAf,EAAsBsG,QAArB,CAAP;AACD;;SAEDyB,WAAA,kBAASzY,QAAT,EAAMBgX,QAAAnB,EAAsB;AAC3B1M,IAAAA,QAAQ,CAAC,uCAAuC,kCAAxC,CAAR;AACa,WAAO,KAAK6M,SAAL,CAAenX,QAAf,EAAYBgX,QAAzB,CAAP;AACD;;SAED0B,aAAA,oBAAWrf,IAAX,EAAsiB2d,QAAjB,EAAsB;AACzB1M,IAAAA,QAAQ,CAAC,yCAAyC,oCAA1C,CAAR;AACa,WAAO,KAAK8M,WAAL,CAAiB/d,IAAJB,EAAsuB2d,QAAvB,CAAP;AACD;;SAED2B,cAAA,qBAAy3B,QAAZ,EAAsB;AACpB1M,IAAAA,QAAQ,CAAC,0CAA0C,qCAA3C,CAAR;AACa,WAAO,KAAKuH,YAAL,CAAKBmF,QAAIB,CAAP;AACD;;;wBA9GW;AACV,UAAI,CAAC,KAAKIW,KAAV,EAAsiB,OAAOjB,SAAP;AACjB,aAAO,KAAKiB,KAAL,CAAW,CAAX,CAAP;AACD;AAED;,,,,,,;wBAQW;AACT,UAAI,CAAC,KAAKA,KAAV,EAAsiB,OAAOjB,SAAP;AACjB,aAAO,KAAKiB,KAAL,CAAW,KAAKA,KAAL,CAAWHh,MAAX,GAAoB,CAA/B,CAAP;AACD;;;wBAgGe;AACdwQ,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAAO,KAAK6F,IAAL,CAAUJ,SAAJB;AACD;sBAEauE,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUJ,SAAV,GAAsBuE,GAAtB;AACD;;;wBAEW;AACVhK,MAAAA,QAAQ,CAAC,+CAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUb,KAAjB;AACD;sBAESgF,KAAK;AACbhK,MAAAA,QAAQ,CAAC,+CAAD,CAAR;AACa,WAAK6F,IAAL,CAAUb,KAAV,GAAsBgF,GAAIB;AACD;AAED;,,,,,,;EAvqBsB5B;;ACVcxB;;,,,,,,;IAkBMqD;;AACJ,kBAAYpD,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAAN;AACa,UAAK3C,IAAL,GAAY,QAAZ;AAFoB;AAGrB;;;SAED0D,SAAA,kBAAsB;AAAA;;AACIB,QAAI,CAAC,KAAK5S,KAAV,EAAsiB,KAAKA,KAAL,GAAa,EAAb;;AADc,sCAAVuW,QAAU;AAAVA,MAAAA,QAAAU;AAAA;;AAEIB,yDAAa3D,MAAb,kDAAuB2D,QAAvB;AACD;;SAEDE,UAAA,mBAAqB;AAAA;;AACnB,QAAI,CAAC,KAAKzW,KAAV,EAAsiB,KAAKA,KAAL,GAAa,EAAb;;AADE,uCAAVuW,QAAU;AAAVA,MAAAA,QAAU;AAAA;;AAEnB,0DAAaE,OAAb,mDAawBF,QAAxB;AACD;;;wBAEe;AACd/M,MAAAA,QAAQ,CAAC,4DAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUY,SAAJB;AACD;sBAEauD,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,4DAAD,CAAR;AACa,WAAK6F,IAAL,CAAUY,SAAV,GAAsBuD,GAAtB;AACD;;;wBAEa;AACZhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUW,MAAJB;AACD;sBAEWwD,KAAK;AACfhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUW,MAAV,GAAmBwD,GAAAnB;AACD;AAED;,,,,,,;AAUA;,,,,,,;AAYA;,,,,,,;EAIDmBwC;;ACtBrB;;AACa;,,,,,,;AASA,IAAM8B,IAAI,GAAG;AACXzY,EAAAA,KADW,iBACLwG,MADK,EACGkS,UADH,EACetM,IADf,EACqB;AAC9B,QAAMuM,KAAK,GAAG,EAAd;AACa,QAAInE,OAAO,GAAG,EAAd;AACa,QAAIxU,KAAK,GAAG,KAAZ;AAEA,QAAI4Y,IAAI,GAAG,CAAX;AACa,QAAI1M,KAAK,GAAG,KAAZ;AACa,QAAIG,MAAM,GAAG,KAAb;;AAEA,SAAK,IAAI3S,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAG8M,MAAM,CAAC7M,MAA3B,EAAMCD,CAAC,EAAPC,EAAWC;AACtC,UAAmMf,MAAM,GAAGrS,MAAM,CAAC9M,CAAD,CAArB;;AAEA,UAAIwS,KAAJ,EAAW;AACT,YAAIG,MAAJ,EAAY;AACVA,UAAAA,MAAM,GAAG,KAAAT;AACD,SAFD,MAEO,IAAIwM,MAAM,KAAK,IAAf,EAAsB;AAC1BxM,UAAAA,MAAM,GAAG,IAAT;AACD,SAFM,MAEA,IAAIwM,MAAM,KAAK3M,KAAf,EAAsB;AAC3BA,UAAAA,KAAK,GAAG,KAAAR;AACD;AACF,OARD,MAQO,IAAI2M,MAAM,KAAK,GAAX,IAAkBA,MAAM,KAAK,GAAjC,EAAsC;AAC3C3M,QAAAA,KAAK,GAAG2M,MAAR;AACD,OAFM,MAEA,IAAIA,MAAM,KAAK,GAAf,EAAsB;AACzBD,QAAA,IAAI,IAAI,CAAR;AACD,OAFM,MAEA,IAAIC,MAAM,KAAK,GAAf,EAAsB;AACzB,YAAID,IAAI,GAAG,CAAX,EAAsA,IAAI,IAAI,CAAR;AACf,OAFM,MAEA,IAAIA,IAAI,KAAK,CAAb,EAAGB;AACrB,YAAIF,UAAU,CAACjS,OAAAX,CAAmBoS,MAAnB,MAA+B,CAAC,CAAPC,EAAsC7Y,KAAK,GAAG,IAAR;AACxC;;AAED,UAAIA,KAAJ,EAAW;AACT,YAAIwU,OAAO,KAAK,EAAsB,EAAsBmE,KAAK,CAACpc,IAAN,CAAWi

Y,OAAO,CAAC1X,IAAR,EAAX;AACpB0X,QAAAA,OAAO,GAAG,EA AV;AACAxU,QAAAA,KAAK,GAAG,  
KAAAR;AACD,OAJD,MAIO;AACLwU,QAAAA,OAAO,IAAIqE,MAAX;AACD;AACF;;AAED,QAAlZM,IAAI,I  
AAIoI,OAAO,KAAK,EAAXB,EAA4BmE,KAAK,CAACpc,IAAN,CAAWiY,OAAO,CAAC1X,IAAR,EAAX;AA  
C5B,WAAO6b,KAAP;AACD,GA1CU;;AA4CX;;;;;;;;;;AAWAG,EAAAA,KAvDW,iBAuDLtS,MAvDK,EAuDG;  
AACZ,QAAMiO,MAAM,GAAG,CAAC,GAAD,EAAM,IAAN,EAAY,IAAZ,CAAf;AACa,WAAOgE,IAAI,CAA  
CzY,KAAAL,CAAWwG,MAAX,EAAMBiO,MAAnB,CAAP;AACD,GA1DU;;AA4DX;;;;;;;;;;AAYAsE,EAAAA,  
KAXEW,iBAwELvS,MAxEK,EAwEG;AACZ,QAAMuS,KAAK,GAAG,GAAd;AACa,WAAON,IAAI,CAACzY,  
KAAAL,CAAWwG,MAAX,EAAMb,CAACuS,KAAD,CAAnB,EAA4B,IAA5B,CAAP;AACD;AA3EU,CAAb;;AC  
HA;;;;;;;;;;IAWM/D;;;AACJ,gBAAYxC,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAN;AACa,UAAK3C,IA  
AL,GAAY,MAAZ;AACa,QAAl,CAAC,MAAKIP,KAAV,EAAlB,MAAKA,KAAAL,GAAa,EAAb;AAHG;AAIrB;  
AAED;;;;;;;;;;wBAGBgB;AACd,aAAO8X,IAAI,CAACM,KAAAL,CAAW,KAAKIZ,QAAbB,CAAP;AACD;s  
BAEmZ,QAAQ;AACpB,UAMxY,KAAK,GAAG,KAAKX,QAAL,GAAGb,KAAKA,QAAL,CAAcW,KAAAd,C  
AAoB,MAApB,CAAhB,GAA8C,IAA5D;AACa,UAMyY,GAAG,GAAGzY,KAAK,GAAGA,KAAK,CAAC,CA  
AD,CAAR,SAAKB,KAAK0P,GAAL,CAAS,SAAT,EA AoB,YA ApB,CAAnC;AACa,WAAKrQ,QAAL,GAAGbM  
Z,MAAM,CAACnc,IAAP,CAAYoc,GAAZ,CAAhB;AACD;;wBAEe;AACd9O,MAAAA,QAAQ,CAAC,sDAAD,  
CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUnQ,QAAjB;AACD;sBAEasU,KAAK;AACjBhK,MAAAA,QAAQ,C  
AAC,sDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUnQ,QA AV,GAAqBsU,GAARb;AACD;AAED;;;;;;;;;;AAWA  
;;;;;;;;;;EAtDiBwC;;ACIBnB;;AACa;;;;;;;;;;IAQMuc;AACJ;;;;;;;;;;AAWA,mBAAY9I,IAAZ,EAAb  
qC,IAAIB,EAA6B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GA AJ,EA AI;AAAA;;AAC3B;;;;;;;;;;AAQA,  
SAAK5C,IAAL,GAAY,SAAZ;AACa;;;;;;;;;;AAMA,SAAKO,IAAL,GAAYA,IAAZ;;AAEA,QAAlqC,IAAI,CAAC3  
R,IAAL,IAAa2R,IAAI,CAAC3R,IAAL,CAAU6M,MAA3B,EAAMc;AACjC,UAMf,GAAG,GAAG6F,IAAI,CA  
AC3R,IAAL,CAAU4R,UAAV,CAAqBD,IAArB,CAAZ;AACa;;;;;;;;;;AAOA,WAAKvN,IAAL,GAAY0H,GAAG,C  
AAC1H,IAAhB;AACa;;;;;;;;;;AAOA,WAAKC,MAAL,GAACyH,GAAG,CAACzH,MAAIB;AACD;;AAED,SAAK,  
IAAMgU,GAAX,IAAKB1G,IAAIB;AAAwB,WAAK0G,GAAL,IAAY1G,IAAI,CAAC0G,GAAD,CAAhB;AAAxB  
;AACD;AAED;;;;;;;;;;SAQAze,WAAA,oBAAW;AACT,QAAl,KAAKoG,IAAT,EA Ae;AACb,aAAO,KAAKA,IA  
AL,CAAUiM,KAAV,CAAgB,KAAKqD,IAArB,EAA2B;AAChC/I,QAAAA,MAAM,EA AE,KAAKA,MADmB;A  
AEhC9J,QAAAA,KAAK,EA AE,KAAKA,KAFoB;AAGhCyW,QAAAA,IAAI,EA AE,KAAKA;AAHqB,OAA3B,E  
AIJ5J,OAJH;AAKD,KAND,MAMO,IAAI,KAAK/C,MAAT,EA AiB;AACTb,aAAU,KAAKA,MAAf,UAA0B,KAA  
K+I,IAA/B;AACD,KAFM,MAEA;AACL,aAAO,KAAKA,IAAZ;AACD;AACF;AAED;;;;;;;;;;AAUA;;;;;;;;;;AC3  
FF;;;;;;;;;;AAMA;;;;;;;;;;IAcMgJ;AACJ;;;;;;;;;;AAMA,kBAAYC,SAAZ,EA AuBvJ,IAAvB,EAA6B2C,IAA7B,EAAM  
C;AACjC;;;;;;;;;;AAWA,SAAK4G,SAAL,GA AiBA,SAAjB;AACa;;;;;;;;;;AAkBA,SAAKC,QAAL,GAAGb,  
EA AhB;AACa;;;;;;;;;;AAMA,SAAKxJ,IAAL,GAAYA,IAAZ;AACa;;;;;;;;;;AAQA,SAAK2C,IAAL,GAAYA,IAAZ;  
AACa;;;;;;;;;;AAMA,SAAKIU,GAAL,GAAWmB,SAAX;AACa;;;;;;;;;;AAcA,SAAK+N,GAAL,GAAW/N,SA  
AX;AACD;AAED;;;;;;;;;;SAQAf,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAZ;AACD;AAED;;;;;;;;;;S  
AgBA0L,OAAA,cAAKmG,IAAL,EA AWqC,IAAX,EAAsB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,G  
AAJ,EA AI;AAAA;;AACpB,QAAl,CAACA,IAAI,CAACpL,MAAV,EA AkB;AAChB,UAAI,KAAKs,UAAAL,IAA  
mB,KAAKA,UAAAL,CAAgBC,aAAvC,EAAsD;AACpD/G,QAAAA,IAAI,CAACpL,MAAL,GAAC,KAAKs,U  
AAL,CAAgBC,aAA9B;AACD;AACF;;AAED,QAAMC,OAAO,GAAG,IAAI,OA AJ,CAAY9I,IAAZ,EA AkBqC,IA  
AIB,CAAhB;AACa,SAAK6G,QAAL,CAAc/c,IAAd,CAAMbkd,OAAnB;AAEA,WAAOA,OAAP;AACD;AAED;  
;;;;;;;;;;SAWAC,WAAA,oBAAW;AACT,WAAO,KAAKJ,QAAL,CAAcK,MAAd,CAAqB,UAAAjgB,CAAC;AA  
AA,aAAIA,CAAC,CAACmW,IAAF,KAAW,SA Af;AAAA,KAAAtB,CAAP;AACD;AAED;;;;;;;;;;wBAQc;AACZ,  
aAAO,KAAKtR,GAAZ;AACD;;;;;;;;;;ACIKH,SAASqb,SAAT,CAAMb1Q,GAAnB,EA AwB;AACTb,SAAO,OAAOA  
,GAAP,KAAe,QA Af,IAA2B,OAAOA,GAAG,CAAC2Q,IAAX,KAAoB,UAAtD;AACD;AAED;;;;;;;;;;AAKA;;;;;;;;;;AAK  
A;;;;;;;;;;IAQMC;AACJ,sBAAYT,SAAZ,EA AuB9a,GAAvB,EAA4BkU,IAA5B,EAAC;AAChC,SAAKsH,WAA  
L,GAAMb,KAAAnB;AACa,SAAK9B,SAAL,GA AiB,KAAjB;AAEA,QAAlnI,IAAJ;;AACa,QAAl,OAAOvR,GAA  
P,KAAe,QA Af,IAA2BA,GAAG,CAACsR,IAAJ,KAAa,MAA5C,EA AoD;AACIDC,MAAAA,IAAI,GAAGvR,GA  
AP;AACD,KAFD,MAEO,IAAIA,GAAG,YAA Yub,UAAf,IAA6Bvb,GAAG,YAA Y6a,MAAhD,EA AwD;AAC7Dt  
J,MAAAA,IAAI,GAAGvR,GAAG,CAACuR,IAAX;;AACa,UAAIvR,GAAG,CAACkP,GAAR,EA Aa;AACX,YA

AI,OAAOgF,IAAI,CAACChF,GAAZ,KAAoB,WAAxB,EAAqCgF,IAAI,CAACChF,GAAL,GAAW,EAAX;AACrC,  
YAAI,CAACgF,IAAI,CAACChF,GAAL,CAASuM,MAAd,EAAsBvH,IAAI,CAACChF,GAAL,CAASuM,MAAT,GA  
AkB,KAAIB;AACTbVh,QAAAA,IAAI,CAACChF,GAAL,CAASf,IAAT,GAAGbNo,GAAG,CAACKP,GAAPB;AA  
CD;AACF,KAPM,MAOA;AACL,UAAIgJ,MAAM,GAAGF,KAAb;AACa,UAAI9D,IAAI,CAACwH,MAAT,EA  
AiBxD,MAAM,GAAGhE,IAAI,CAACwH,MAAL,CAAY1D,KAArB;AACjB,UAAI9D,IAAI,CAACgE,MAAT,E  
AAiBA,MAAM,GAAGhE,IAAI,CAACgE,MAAd;AACjB,UAAIA,MAAM,CAACF,KAAAX,EAakBE,MAAM,GA  
AGA,MAAM,CAACF,KAAhB;;AAEIB,UAAI;AACFzG,QAAAA,IAAI,GAAG2G,MAAM,CAACIY,GAAD,EA  
MkU,IAAN,CAAb;AACD,OAFD,CAEE,OAAO1F,KAAP,EAAC;AACd,aAKA,KAAL,GAAaA,KAAb;AACD;A  
ACF;;AAED,SAAKjD,MAAL,GAAC,IAAI,MAAJ,CAAWC,SAAX,EAAsBvJ,IAAiB,EAA4B2C,IAA5B,CAAd;  
AACD;AAED;,,,,,,;AAmGA;,,,,;SAAiH,WAAA,oBAAW;AACT,WAAO,KAAKQ,IAAL,GAAYR,QAAZ,EA  
P;AACD;AAED;,,,,,,;SAQAhf,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAZ;AACD;AAED;,,,,,,;S  
AkBAsb,OAAA,cAAKM,WAAL,EAakBC,UAAIB,EAA8B;AAC5B,WAAO,KAAKC,KAAL,GAAaR,IAAb,CAA  
kBM,WAAIB,EAA+BC,UAA/B,CAAP;AACD;AAED;,,,,,,;oBAiBA,gBAAMA,UAAAN,EAakB;AAChB,  
WAAO,KAAKC,KAAL,YAAmBD,UAAAnB,CAAP;AACD;;SAEDE,cAAA,qBAAYvN,KAAZ,EAAMBI,MAAn  
B,EAA2B;AACzB,QAAI;AACF,WAAK0F,KAAL,GAAaA,KAAb;;AACa,UAAIA,KAAK,CAAC7T,IAAN,KAA  
e,gBAAf,IAAmC,CAAC6T,KAAK,CAAC1F,MAA9C,EAAsD;AACpD0F,QAAAA,KAAK,CAAC1F,MAAN,GA  
AeA,MAAM,CAACmS,aAAtB;AACAzM,QAAAA,KAAK,CAACe,UAAAN;AACD,OAHD,MAGO,IAAIzG,MAA  
M,CAACKT,cAAAX,EAA2B;AAChC,YAAMC,UAAU,GAAGnT,MAAM,CAACmS,aAA1B;AACa,YAAMiB,SA  
AS,GAAGpT,MAAM,CAACKT,cAAzB;AACa,YAAMG,UAAU,GAAG,KAAK5Q,MAAL,CAAYuP,SAAZ,CAA  
sBsB,OAAzC;AACa,YAAMxe,CAAC,GAAGse,SAAS,CAACza,KAAV,CAAGB,GAAhB,CAAV;AACa,YAAM  
5D,CAAC,GAAGse,UAAU,CAAC1a,KAAAX,CAAiB,GAAjB,CAAV;;AAEA,YAAI7D,CAAC,CAAC,CAAD,CA  
AD,KAAASC,CAAC,CAAC,CAAD,CAAV,IAAiBqE,QAAQ,CAACtE,CAAC,CAAC,CAAD,CAAF,CAAR,GA  
AiBsE,QAAQ,CAACrE,CAAC,CAAC,CAAD,CAAF,CAA9C,EAAsD;AACpD+N,UAAAA,QAAQ,CACN,MAAG,k  
CAAKC,KAArC,IAA6CuQ,UAA7C,cAAgEF,UAAhE,oBACUC,SADV,2DADM,CAAR;AAKD;AACF;AACF,KA  
pBD,CAoBE,OAAOG,GAAP,EAAY;AACZ,UAAI5Q,OAAO,IAAIA,OAAO,CAAC+C,KAAvB,EAA8B/C,OAA  
O,CAAC+C,KAAAR,CAAc6N,GAAd;AAC/B;AACF;;SAEDC,YAAA,mBAAUC,OAAV,EAAMBC,MAAnB,EAA  
2B;AAAA;;AACzB,QAAI,KAAK1T,MAAL,IAAe,KAAKgS,SAAL,CAAe3T,OAAf,CAAuB/L,MAA1C,EAakD;  
AAChD,WAAKse,SAAL,GAAiB,IAAjB;AACa,aAAO6C,OAAO,EAAd;AACD;;AAED,QAAI;AACF,UAAmzT,  
MAAM,GAAG,KAAKgS,SAAL,CAAe3T,OAAf,CAAuB,KAAK2B,MAA5B,CAAF;AACa,UAAAM2T,OAAO,GA  
AG,KAAKC,GAAL,CAAS5T,MAAT,CAAhB;AACa,WAAKA,MAAL,IAAe,CAAF;;AAEA,UAAIuS,SAAS,CA  
ACoB,OAAD,CAAb,EAAwB;AACTBA,QAAAA,OAAO,CACJnB,IADH,CACQ,YAAM;AACV,UAAA,KAAI,C  
AACgB,SAAL,CAAeC,OAAf,EAAwBC,MAAxB;AACD,SAHH,WAIS,UAAAhO,KAAK,EAAI;AACd,UAAA,K  
AAI,CAACuN,WAAL,CAAiBvN,KAAjB,EAAwB1F,MAAxB;;AACa,UAAA,KAAI,CAAC4Q,SAAL,GAAiB,IA  
AjB;ACA8C,UAAAA,MAAM,CAACHo,KAAD,CAAN;AACD,SARH;AASD,OA VD,MAUO;AACL,aAAK8N,  
SAAL,CAAeC,OAAf,EAAwBC,MAAxB;AACD;AACF,KAIBD,CAkBE,OAAOhO,KAAP,EAAC;AACd,WAAKk  
L,SAAL,GAAiB,IAAjB;ACA8C,MAAAA,MAAM,CAACHo,KAAD,CAAN;AACD;AACF;;SAEDsN,QAAA,iB  
AAQ;AAAA;;AACN,QAAI,KAAKpC,SAAT,EAAsB;AACIB,aAAO,IAAIiD,OAAJ,CAAY,UAAACJ,OAAD,EAA  
UC,MAAV,EAAqB;AACtC,YAAI,MAAI,CAACHo,KAAT,EAAGB;AACdgO,UAAAA,MAAM,CAAC,MAAI,C  
AACHo,KAAAN,CAAN;AACD,SAFD,MAEO;AACL+N,UAAAA,OAAO,CAAC,MAAI,CAACnL,SAAL,EAAD,  
CAAP;AACD;AACF,ONM,CAAP;AAOD;;AACD,QAAI,KAAKwL,UAAAT,EAAqB;AACnB,aAAO,KAAKA,U  
AAZ;AACD;;AAED,SAKA,UAAL,GAakB,IAAID,OAAJ,CAAY,UAAACJ,OAAD,EAAUC,MAAV,EAAqB;AA  
CjD,UAAI,MAAI,CAACHo,KAAT,EAAGB,OAAOgO,MAAM,CAAC,MAAI,CAACHo,KAAAN,CAAb;AAChB,  
MAAA,MAAI,CAAC1F,MAAL,GAAC,CAAD;;AACa,MAAA,MAAI,CAACwT,SAAL,CAAeC,OAAf,EAAwBC,  
MAAxB;AACD,KAJiB,EAIflB,IAJe,CAIV,YAAM;AACZ,MAAA,MAAI,CAAC5B,SAAL,GAAiB,IAAjB;ACA  
,aAAO,MAAI,CAACtl,SAAL,EAAP;AACD,KAPiB,CAAIB;AASA,WAAO,KAAKwL,UAAZ;AACD;;SAEDjB,  
OAAA,gBAAO;AAAA;;AACL,QAAI,KAAKjC,SAAT,EAAsB,OAAO,KAAKnO,MAAZ;AACpB,SAAKmO,SA  
AL,GAAiB,IAAjB;;AAEA,QAAI,KAAKkD,UAAAT,EAAqB;AACnB,YAAM,IAAIve,KAAJ,CAAU,sDAAV,CAA  
N;AACD;;AAED,QAAI,KAAKmQ,KAAT,EAAGB,MAAM,KAAKA,KAAAX;AAEhB,SAAKjD,MAAL,CAAYuP,

SAAZ,CAAsB3T,OAAtB,CAA8BIJ,OAA9B,CAAsC,UAAA6K,MAAM,EAAI;AAC9C,UAAAM2T,OAAO,GAAG,MAAI,CAACC,GAAL,CAAS5T,MAAT,CAAhB;;AACa,UAAIuS,SAAS,CAACoB,OAAO,CAAb,EAAwB;AACtB,cAAM,IAAIpe,KAAJ,CAAU,sDAAV,CAAN;AACD;AACF,KALD;AAOA,WAAO,KAAKkN,MAAZ;AACD;;SAEDmR,MAAA,aAAI5T,MAAJ,EAAy;AACV,SAAKyC,MAAL,CAAYyP,UAAZ,GAAyBIS,MAAzB;;AAEA,QAAI;AACF,aAAOA,MAAM,CAAC,KAAKyC,MAAL,CAAYgG,IAAb,EAAmB,KAAKhG,MAAxB,CAAb;AACD,KAFD,CAEE,OAAOiD,KAAP,EAAc;AACd,WAAKuN,WAAAL,CAAiBvN,KAAjB,EAAwBIF,MAAxB;AACD,KAAM0F,KAAN;AACD;AACF;;SAED4C,YAAA,uBAAy;AACV,QAAI,KAAKoK,WAAAT,EAAAsB,OAAO,KAAKjQ,MAAZ;AACtB,SAAKiQ,WAAAL,GAAmB,IAAnB;AAEA,SAAKG,IAAL;AAEA,QAAMzH,IAAI,GAAG,KAAK3I,MAAL,CAAY2I,IAAzB;AACa,QAAI3Y,GAAG,GAAG6V,SAAV;AACa,QAAI8C,IAAI,CAACwH,MAAT,EAAiBngB,GAAG,GAAG2Y,IAAI,CAACwH,MAAL,CAAYtK,SAAIb;AACjB,QAAI8C,IAAI,CAACI,WAAAT,EAAAsB/Y,GAAG,GAAG2Y,IAAI,CAACI,WAAAX;AACtB,QAAI/Y,GAAG,CAAC6V,SAAR,EAAmB7V,GAAG,GAAGA,GAAG,CAAC6V,SAAV;AAEnB,QAAI7F,MAAM,GAAG,EAAb;AACAhQ,IAAAA,GAAG,CAAC,KAAKgW,IAAN,EAAy,UAAApW,CAAC,EAAI;AACIBoQ,MAAAA,MAAM,IAAIpQ,CAAV;AACD,KAFE,CAAH;AAGA,SAAKoQ,MAAL,CAAYvL,GAAZ,GAakBuL,MAAIb;AAEA,WAAO,KAAKA,MAAZ;AACD;;;wBAnSe;AACd,aAAO,KAAKA,MAAL,CAAYuP,SAAnB;AACD;AAED;;;;;;wBAIW;AACT,aAAO,KAAKvP,MAALL,CAAY2I,IAAnB;AACD;AAED;;;;;;wBAYU;AACR,aAAO,KAAK9C,SAAL,GAAiBpR,GAAXB;AACD;AAED;;;;;;wBAYc;AACZ,aAAO,KAAKoR,SAAL,GAAiB7P,OAAxB;AACD;AAED;;;;;;wBAYU;AACR,aAAO,KAAK6P,SAAL,GAAiBIC,GAAXB;AACD;AAED;;;;;;wBAaW;AACT,aAAO,KAAKyM,IAALL,GAAYpK,IAAnB;AACD;AAED;;;;;;wBAae;AACb,aAAO,KAAKoK,IAAL,GAAYZ,QAAAnB;AACD;;;;AC5JH;AACa,AAEA;;;;AAOA;;;;AAUA;;;;AAUA;;;;AAMA;;;;AAKA;;;;AAMA;;;;AAKA;;;;;AAkCA;;;;IASM8B;AACJ;;;AAIA,qBAAy1V,OAAZ,EAA0B;AAAA,QAAAdA,OAAc;AAAdA,MAAAA,OAAc,GAAJ,EAAI;AAAA;;AACxB;;;;AAQA,SAAKiV,OAAL,GAAe,OAAf;AACa;;;;AAOA,SAAKjV,OAAL,GAAe,KAAKyR,SAAL,CAAezR,OAAf,CAAf;AACD;AAED;;;;;SA6BAmB,MAAA,aAAIQ,MAAJ,EAAy;AACV,SAAK3B,OAAL,GAAe,KAAKA,OAAL,CAAa2V,MAAb,CAAoB,KAAKI E,SAAL,CAAe,CAAC9P,MAAD,CAAf,CAApB,CAAf;AACa,WAAO,IAAP;AACD;AAED;;;;;SAsBAPn,UAAA,iBAAQsE,GAAR,EAAakU,IAAb,EAAwB;AAAA,QAAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAI;AAAA;;AACtB,WAAO,IAAIqH,UAAJ,CAAe,IAAf,EAAqBvb,GAARb,EAA0BkU,IAA1B,CAAP;AACD;;SAED0E,YAAA,mBAAUzR,OAAV,EAAmB;AACjB,QAAI4V,UAAU,GAAG,EAAjB;AACa5V,IAAAA,OAAO,CAACIJ,OAAR,CAAgB,UAAA9C,CAAC,EAAI;AACnB,UAAIA,CAAC,CAAC6hB,OAAN,EAAe7hB,CAAC,GAAGA,CAAC,CAAC6hB,OAAN;;AAEf,UAAI,OAAO7hB,CAAP,KAAa,QAAb,IAAYb4P,KAAK,CAACC,OAA N,CAAc7P,CAAC,CAACgM,OAAbB,CAA7B,EAAuD;AACrD4V,QAAAA,UAAU,GAAGA,UAAU,CAACD,MAAX,CAAKb3hB,CAAC,CAACgM,OAAPb,CAAb;AACD,OAFD,MAEO,IAAI,OAAOhM,CAAP,KAAa,UAAjB,EAA6B;AACIC4hB,QAAAA,UAAU,CAAC/e,IAAX,CAAgB7C,CAAhB;AACD,OAFM,MAEA;AACL,cAAM,IAAIkD,KAAJ,CAAaID,CAAb,8BAAN;AACD;AACF,KAVD;AAWA,WAAO4hB,UAAP;AACD;;;;AC1LH;;;;;IAUM/G;;AACJ,gBAAy/B,QAAZ,EAAAsB;AAAA;;AACpB,kCAAMA,QAAAN;AACa,UAAK3C,IAAL,GAAY,MAAZ;AACa,QAAI,CAAC,MAAKIP,KAAV,EAAiB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;;SAEDM,cAAA,qBAAyM,KAAZ,EAAmB;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,KAAAX,CAAR;;AAEA,QAAIA,KAAK,KAAK,CAAV,IAAe,KAAKZ,KAAL,CAAWWhH,MAAX,GAAoB,CAAvc,EAA0C;AACxC,WAAKgH,KAAL,CAAW,CAAX,EAAcqP,IAAd,CAAmBa,MAAnB,GAA4B,KAAKIQ,KAAL,CAAWY,KAAAX,EAAkByO,IAAIb,CAAuBa,MAAnD;AACD;;AAED,gCAAa5P,WAAb,YAAyBM,KAAzB;AACD;;SAED4V,YAAA,mBAAU5V,KAAV,EAAiByW,MAAjB,EAAyBnI,IAAzB,EAA+B;AAC7B,QAAMIP,KAAK,wBAASwW,SAAT,YAAmB5V,KAAnB,CAAX;;AAEA,QAAIyW,MAAJ,EAAy;AACV,UAAInI,IAAI,KAAK,SAAb,EAAwB;AACtB,YAAI,KAAKIP,KAAL,CAAWWhH,MAAX,GAAoB,CAAxB,EAA2B;AACzBqe,UAAAA,MAAM,CAACH,I AAP,CAAYa,MAAZ,GAAqB,KAAKIQ,KAAL,CAAW,CAAX,EAAcqP,IAAd,CAAmBa,MAAxC;AACD,SAFD,MAEO;AACL,iBAAOmH,MAAM,CAACH,I,IAAP,CAAYa,MAAnB;AACD;AACF,OAND,MAMO,IAAI,KAAKG,KAAL,KAAegH,MAAnB,EAA2B;AACChCrX,QAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI,EAAI;AACpBA,UAAAA,IAAI,CAACKP,IAAL,CAAUa,MAAV,GAAMbMh,MAAM,CAACH,I,IAAP,CAAYa,MAA/B;AACD,SAFD;AAGD;AACF;;AAED,WAAOIQ,KAAP;AACD;AAED;;;;;;SAaA6a,WAAA,kBAAS/I,IAAT,

EAAoB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAl;AAAA;;AACIB,QAAMgJ,IAAI,GAAG,I  
AAI3B,UAAJ,CAAe,IAAI,SAAJ,EAaf,EAAGc,IAAhC,EAAsC3I,IAAtC,CAAb;AACa,WAAOgJ,IAAI,CAAC  
9L,SAAL,EAAP;AACD;;SAEDiD,SAAA,gBAAOrR,KAAP,EAac;AACZ4I,IAAAA,QAAQ,CAAC,iDAAD,CAA  
R;AACa,SAAKIJ,WAAL,CAAI,KAAB;AACD;;SAEDma,UAAA,mBAAU;AACRvR,IAAAA,QAAQ,CAAC  
,uDAAD,CAAR;AACa,WAAO,KAAKwD,MAAL,CAAY/B,KAAZ,CAAK6B,GAazB;AACD;AAED;,,,,,,,,,,,,,  
;;EAjEiBkJ;;ACZnB,IAAIgF,QAAQ,GAAG,CAaf;AAEA;,,,,,;AAOA;,,,,,;IAOMpO;AACJ;,,,AAIA,iBAAyHp,G  
AAZ,EAAbkU,IAAjB,EA4B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAl;AAAA;;AAC1B;  
,,,,,;AAOA,SAAKIU,GAAL,GAAWA,GAAG,CAAC7D,QAAJ,EAAX;AAEA,QAAl,KAAK6D,GAAL,CAAS,C  
AAT,MAAgB,QAAb,IAA4B,KAAKA,GAAL,CAAS,CAAT,MAAgB,QAAd,EAAD;AACxD,WAAKA,GAA  
L,GAAW,KAAKA,GAAL,CAASyO,KAAT,CAAe,CAaf,CAAX;AACD;;AAED,QAAIyF,IAAI,CAAC2D,IAAT,  
EAae;AACb,UAAI,YAAy9b,IAAZ,CAAI,IAAI,CAAC2D,IAAtB,CAAJ,EAaiC;AAC/B;,,,,,;AAQA,aAAK  
xI,IAAL,GAAY6E,IAAI,CAAC2D,IAAjB;AACD,OAVD,MAUO;AACL,aAAKxI,IAAL,GAAYgO,IAAI,CAACd,  
OAAL,CAAarI,IAAI,CAAC2D,IAAI,CAAZ;AACD;AACF;AAED;,,,,,;AAiBA,QAAl,CAAC,KAAKxI,I  
AAV,EAAGB;AACd+N,MAAAA,QAAQ,IAAI,CAAZ;AACa;,,,,,;AAUA,WAAK5c,EAAL,mBAAwB4c,QAA  
xB;AACD;;AACD,QAAl,KAAKIO,GAAT,EAac,KAAKA,GAAL,CAASG,IAAT,GAAGB,KAAKwI,IAArB;AAC  
f;,,;SAEDrJ,QAAA,eAAM3C,OAAN,EAaeF,IAAf,EAaqBC,MAArB,EA6BsN,IAA7B,EAawC;AAAA,QAAX  
A,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAl;AAAA;;AACtC,QAAl3I,MAAJ;AACa,QAAM+R,MAAM,GA  
AG,KAAKA,MAAL,CAAY3W,IAAZ,EAakBC,MAAI,CAaf;AACa,QAAlOw,MAAJ,EAAY;AACV/R,MAA  
AA,MAAM,GAAG,IAAI4D,cAAJ,CACPtD,OADO,EAEPyR,MAAM,CAAC3W,IAFA,EAGP2W,MAAM,CAAC  
1W,MAHA,EAIP0W,MAAM,CAACIO,MAJA,EAKPkO,MAAM,CAACjO,IALA,EAMP6E,IAAI,CAACpL,MAN  
E,CAAT;AAQD,KATD,MASO;AACLyC,MAAAA,MAAM,GAAG,IAAI4D,cAAJ,CAAmBtD,OAAnB,EA4BIF,  
IAA5B,EAakCC,MAAIC,EAAD0C,KAAK5G,GAA/C,EAADoD,KAAKqP,IAAZD,EAAD6E,IAAI,CAACpL,MAA  
pE,CAAT;AACD;;AAEDyC,IAAAA,MAAM,CAAC8B,KAAP,GAae;AAAE1G,MAAAA,IAAI,EAAJA,IAAF;A  
AAQC,MAAAA,MAAM,EAANA,MAAR;AAAgBwI,MAAAA,MAAM,EAAE,KAAKpP;AAA7B,KAaf;AACa,  
QAAl,KAAKqP,IAAT,EAae9D,MAAM,CAAC8B,KAAP,CAAagC,IAAb,GAaoB,KAAKA,IAAZB;AAEF,WAA  
O9D,MAAP;AACD;AAED;,,,,,;SAA+R,SAAA,gBAAO3W,IAAP,EAaC,MAAb,EAaqB;AACnB,QAAl,  
CAAC,KAAKsI,GAAV,EAae,OAao,KAAP;AACf,QAAMqO,QAAQ,GAAG,KAAKrO,GAAL,CAASqO,QAAT,  
EAajB;AAEA,QAAM1F,IAAI,GAAG0F,QAAQ,CAACC,mBAAT,CAA6B;AAAE7W,MAAAA,IAAI,EAAJA,IA  
AF;AAQC,MAAAA,MAAM,EAANA;AAAR,KAA7B,CAAb;AACa,QAAl,CAACiR,IAAI,CAACzI,MAAV,E  
AAkB,OAao,KAAP;AAEIB,QAAM7D,MAAM,GAAG;AACb8D,MAAAA,IAAI,EAAE,KAAKoO,UAAAL,CAAg  
B5F,IAAI,CAACzI,MAArB,CADO;AAEbZl,MAAAA,IAAI,EAAEkR,IAAI,CAACIR,IAFE;AAGbC,MAAAA,M  
AAM,EAAEiR,IAAI,CAACjR;AAHA,KAaf;AAMA,QAAMwI,MAAM,GAAGmO,QAAQ,CAACG,gBAAT,CA  
A0B7F,IAAI,CAACzI,MAA/B,CAaf;AACa,QAAlA,MAAJ,EAAY7D,MAAM,CAAC6D,MAAP,GAAGBA,MA  
AhB;AAEZ,WAAO7D,MAAP;AACD;;SAEDks,aAAA,oBAAWpO,IAAX,EAaiB;AACf,QAAl,YAAyTt,IAAZ,  
CAAI,IAAjB,CAAJ,EA4B;AAC1B,aAAOA,IAAP;AACD,KAFD,MAEO;AACL,aAAOgO,IAAI,CAACd,O  
AAL,CAAa,KAAKrN,GAAL,CAASqO,QAAT,GAaoBI,UAApB,IAAKC,GAA/C,EAADtO,IAAPd,CAAP;AAC  
D;AACF;AAED;,,,,,;wBAYW;AACT,aAAO,KAAKA,IAAL,IAAa,KAAK7O,EAazB;AACD;,,,;ICIKkBod;  
,,,,,;SACnBxQ,WAAA,sBAAW;AACT,SAAKE,MAAL,GAAcF,QAAQ,CAAC,KAAKC,KAAAN,EAa;AAAEI,  
MAAAA,YAAy,EAAE;AAAhB,KAAb,CAAtB;AACD;;SAEDoB,UAAA,iBAAQI,KAAR,EAae;AACb,QAAM1  
M,IAAI,GAAG,IAAIuT,OAaj,EAAb;AACa,SAAKU,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,C  
AArB,EAAD0A,KAAK,CAAC,CAAD,CAA/B;AACa1M,IAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAG,GAAG  
B;AAAEIJ,MAAAA,IAAI,EAAsI,KAAK,CAAC,CAAD,CAAb;AAAKBrI,MAAAA,MAAM,EAAEqI,KAAK,C  
AAC,CAAD;AAA/B,KAAlB;AAEA,QAAl4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAA  
e,CAaf,CAAX;AACa,QAAlOd,IAAI,CAACpD,KAAL,CAAW,CAAC,CAAZ,MAAmB,IAAvB,EAAD6oD,IAAI,  
GAAGA,IAAI,CAACpD,KAAL,CAAW,CAAX,EAac,CAAC,CAaf,CAAP;;AAE7B,QAAl,QAAQ1S,IAAR,CAA  
a8V,IAAb,CAAJ,EAawB;AACtBtP,MAAAA,IAAI,CAACsP,IAAL,GAAY,EAaz;AACAtP,MAAAA,IAAI,CAA  
CkP,IAAL,CAAUC,IAAV,GAaiBG,IAAjB;AACAtP,MAAAA,IAAI,CAACKP,IAAL,CAAUG,KAAY,GAAGB,E  
AAIB;AACD,KAJD,MAIO;AACL,UAAAM3P,KAAK,GAAG4P,IAAI,CAAC5P,KAAL,CAAW,yBAAX,CAAD;A

ACAM,MAAAA,IAAI,CAACsP,IAAL,GAAY5P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAAI,CAACK  
P,IAAL,CAAUC,IAAV,GAAiBzP,KAAK,CAAC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACKP,IAAL,CAA  
UG,KAAV,GAAkB3P,KAAK,CAAC,CAAD,CAAvB;AACD;AACF;;SAED2U,kBAAA,2BAAkB;;SAEIBC,cAA  
A,qBAAYIH,KAAZ,EAAMb;AACjB,QAAMkO,MAAM,GAAG,KAAKvQ,MAAL,CAAYmB,KAAZ,CAAKbBb,  
KAAIB,EAAYb,KAAktB,GAAL,GAAW,CAAPc,CAAf;AACa,SAAK6H,MAAL,IAAe2H,MAAM,CAAC3O,G  
AAP,CAAW,UAAA/T,CAAC;AAAA,aAAIA,CAAC,CAAC,CAAD,CAAL;AAAA,KAAZ,EAAsBmD,IAAtB,CA  
A2B,EAA3B,CAAf;AACD;;SAEDkZ,kBAAA,2BAAkB;AACHb,SAAKvB,OAAL,CAAaxE,IAAb,CAAKbB,KAA  
IB,IAA2B,GAA3B;AACD;;SAEDkH,cAAA,uBAAc;;SAEdR,gBAAA,uBAAc/U,IAAd,EAAoB;AACIBA,IAAAA,  
IAAI,CAAC5H,IAAL,GAAY,EAAZ;AACD;;SAEDsc,0BAAA,iCAAwB3J,MAAxB,EAAgC;AAC9B,QAAM+C,  
KAAK,GAAG,KAAKA,KAAL,CAAW/C,MAAX,CAAd;AACa,QAAl+C,KAAK,KAAK,KAAd,EAAqB;AAErB,  
QAAl5O,KAAJ;;AACa,SAAKA,KAAK,GAAG4O,KAAK,GAAG,CAArB,EAawB5O,KAAK,IAAI,CAAjC,EA  
oCA,KAAK,EAAzC,EAA6C;AAC3C,UAAI6L,MAAM,CAAC7L,KAAD,CAAN,CAAc,CAAd,MAAqB,MAAzB,  
EAAiC;AACIC;;AACD,SAAKA,KAAK,IAAI,CAAd,EAAiBA,KAAK,IAAI,CAA1B,EAA6BA,KAAK,EAAIC,E  
AAsC;AACpC,UAAI6L,MAAM,CAAC7L,KAAD,CAAN,CAAc,CAAd,MAAqB,OAazB,EAakC;AACHCA,QA  
AAA,KAAK,IAAI,CAAT;AACa;AACD;AACF;;AACD,QAAM6U,KAAK,GAAGhJ,MAAM,CAACxI,MAAP,C  
AAcrD,KAAd,EAAqB6L,MAAM,CAACIS,MAAP,GAAGbqG,KAARc,CAAd;AACa,SAAKqQ,IAAL,CAAUwE,  
KAAV;AACD;;SAEDc,uBAAA,gCAAUb;;SAEvBb,UAAA,mBAAU;AACR,QAAl,KAAKN,OAAL,CAAa7T,KA  
Ab,IAAsB,KAAK6T,OAAL,CAAa7T,KAAb,CAAmBhH,MAA7C,EAAqD;AACnD,WAAK6a,OAAL,CAAaxE,I  
AAb,CAAKBJ,SAAlB,GAA8B,KAAKA,SAAnC;AACD;;AACD,SAAK4E,OAAL,CAAaxE,IAAb,CAAKbB,KAAI  
B,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKbB,KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF,MAAjE;;  
AAEA,WAAO,KAAKD,OAAL,CAAa5S,MAApB,EAA4B;AAC1B,WAAK4S,OAAL,GAAe,KAAKA,OAAL,CA  
Aa5S,MAA5B;AACa,WAAK4S,OAAL,CAAaxE,IAAb,CAAKbB,KAAIB,GAA0B,EAA1B;AACD;AACF;;EAXE  
qCmF;;ACLxC;AACa,AAIe,SAAS+H,SAAT,CAAmB9d,GAAnB,EAawBkU,IAAxB,EAA8B;AAC3C,MAAM7  
G,KAAK,GAAG,IAAI2B,KAAJ,CAAUhP,GAAV,EAaekU,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAI  
0F,UAAJ,CAAevQ,KAAf,CAAf;AACa6K,EAAAA,MAAM,CAAC9K,QAAP;AACa8K,EAAAA,MAAM,CAAC  
9B,IAAP;AAEA,SAAO8B,MAAM,CAAC3G,IAAd;AACD;;ACbD;AAUA,IAAIwM,SAAS,GAAG,EAAhB;AAE  
A,AAIA;;;AAGA,oBA Ae,UAAcrU,UAAD,EAA4B;AAAA,MACnCsU,WADmC;AAIvC,yBAAY9e,KAAZ,EA  
4B;AAC1B,WAAKA,KAAL,GAAaA,KAAb;AACD;;AANsC;;AAAA,WAQvC+e,mBARuC,GAQvC,6BAAoB5S,  
gBAApB,EAA8C;AAC5C,UAAAM3C,OAAO,GAAG0C,OAAO,CAAC,KAAKIM,KAAAN,EAAamM,gBAAb,CAA  
P,CAAsC/M,IAAtC,CAA2C,EAA3C,CAAhB;AAEA,UAAmhd,IAAI,GAAG4iB,mBAAMb,CAACxV,OAAD,CA  
AhC;;AACa,UAAI,CAACqV,SAAS,CAACziB,IAAD,CAAd,EAAsB;AACpB,YAAMiW,IAAI,GAAGyG,SAAK,  
CAACTP,OAAD,CAAIB;AACa,YAAMyV,SAAS,GAAG,EAAIB;AACa5M,QAAAA,IAAI,CAAC8G,IAAL,CA  
AU,UAAA9V,IAAI,EAAl;AACHb,cAAIA,IAAI,CAAC+O,IAAL,KAAc,MAAIB,EAA0B;AACxB6M,YAAAA,S  
AAS,CAACngB,IAAV,CAAe,CAACuE,IAAI,CAACyP,IAAN,EAAYzP,IAAI,CAAC+H,KAAjB,CAAf;AACD,W  
AFD,MAEO,IAAI5O,OAAO,CAACC,GAAR,CAAYC,QAaz,KAAyB,YAAzB,IAAyC2G,IAAI,CAAC+O,IAAL,  
KAAc,SAa3D,EAAsE;AAC3E;AACa7F,YAAAA,OAAO,CAACC,IAAR,mBAA6BnJ,IAAI,CAAC+O,IAAlC;A  
ACD;AACF,SAPD,EAHoB;AAYpB;AACa;AACa;;AACa,YAAM8M,WAAW,GAAGC,kBAAkB,CAACF,SA  
D,EAAY,CACHD,cADgD,EAehD,aAFgD,EAGhD,aAHgD,EAlhD,aAJgD,CAAZ,CAAtC;AAMA,YAAMG,MA  
M,GAAG5U,UAAU,CAAC6U,MAAX,CAAKB;AAC/BR,UAAAA,SAAS,EAAEK;AADoB,SAAlB,CAAf;AAGA  
L,QAAAA,SAAS,CAACziB,IAAD,CAAT,GAAKBgjB,MAAM,CAACP,SAAzB;AACD;;AACD,aAAOA,SAAS,C  
AACziB,IAAD,CAAhB;AACD,KAvCsC;;AAAA;AAAA;;AA0CzC,SAAO0iB,WAAP;AACD,CA3CD;;ACnBA;;  
AACa;:::;AA2BA,IAAMQ,QAAQ,GAAG,SAAXA,QAAW,CAA5I,GAAG,EAAl;AACtB,SACE,  
OAAOA,GAAP,KAAe,UAAf,IAA8B,OAAOA,GAAP,KAAe,QAAf,IAA2BA,GAAG,KAAK,IAAnC,IAA2C,CAA  
C7K,KAAK,CAACC,OAAN,CAAc4K,GAAd,CAD5E;AAGD,CAJD;;AAMA,IAAM6I,UAAU,GAAG,SAAbA,U  
AAa,CAA5T,GAAG,EAAl;AACxB,SAAOA,GAAG,KAAK,WAAW,IAAuBA,GAAG,KAAK,aAA/B,IAAgDA,  
GAAG,KAAK,WAA/D;AACD,CAFD;;AAIA,SAAS6T,KAAT,CAAejjB,MAAf,EAAbma,GAAvB,EAA4B/K,G  
AA5B,EAAiC;AAC/B,MAAMF,GAAG,GAAGIP,MAAM,CAACoP,GAAD,CAAIB;;AACa,MAAI2T,QAAQ,CA  
AC5I,GAAD,CAAR,IAAiB4I,QAAQ,CAAC7T,GAAD,CAA7B,EAAoC;AACICgU,IAAAA,SAAS,CAACHu,GA

AD,EAAMiL,GAAN,CAAT;AACD,GAFD,MAEO;AACLnA,IAAAA,MAAM,CAACoP,GAAD,CAAN,GAAC+K,GAAd;AACD;AACF;;AAED,AAAe,SAAS+I,SAAT,CAAmBljB,MAAnB,EAAoC;AAAA,oCAANmjB,IAAM;AAANA,IAAAA,IAAM;AAAA;;AACjD,2BAakBA,IAAIB,2BAAwB;AAAnB,QAAMjU,GAAG,YAAT;;AACH,QAAI6T,QAAQ,CAAC7T,GAAD,CAAZ,EAAMb;AACjB,WAAK,IAAME,GAAX,IAAkBF,GAAIB,EAAuB;AACrB,YAAI8T,UAAU,CAAC5T,GAAD,CAAd,EAAqB;AACnB6T,UAAAA,KAAK,CAACjB,MAAD,EAASKP,GAG,CAACE,GAAD,CAAZ,EAAMBA,GAAnB,CAAL;AACD;AACF;AACF;AACF;;AAED,SAAOpP,MAAP;AACD;;AC3DD;AACa,AAMA,sBA Ae,UAAc2d,KAAD,EAAeyF,aAAf,EAAMCC,YAAnc,EAAwE;AAAA,MAArCA,YAAqC;AAArCA,IAAAA,YAAqC,GAAjBthB,YAAiB;AAAA;;AACrF,SAAQ4b,KAAK,CAAC2F,KAAN,KAAgBD,YAAy,CAACC,KAA7B,IAAsC3F,KAAK,CAAC2F,KAA7C,IAAuDF,aAAvD,IAAwEC,YAAy,CAACC,KAA5F;AACD,CAFD;;ACPA;AAGA,AAAe,SAASC,KAAT,CAAevjB,MAAf,EAAMf;AACHG,SACE,OAAOA,MAAP,KAAkB,QAAIB,KACCC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GACGH,MAAM,CAACwjB,MAAP,CAAc,CAAd,MAAqBxjB,MAAM,CAACwjB,MAAP,CAAc,CAAd,EAAiB9U,WAAjB,EADxB,GAEg,IAHJ,CADF;AAMD;;ACVD;AAEA,AAGe,SAAS+U,mBAAT,CACbzjB,MADa,EAEL;AACR,SAAOujB,KAAK,CAACvjB,MAAD,CAAL,eAA0BA,MAA1B,eAA+CD,gBAAgB,CAACC,MAAD,CAAD,MAAP;AACD;;ICKY0jB,YAAy,GAA0BnW,KAAK,CAACC,aAAN,EAA5C;AAEP,IAAamW,aAAa,GAAGD,YAAy,CAACHw,QAAnc;;AAEP,SAASKw,UAAAT,CAAoBN,KAApB,EAA0CO,UAA1C,EAAqE;AACnE,MAAI,CAACP,KAAL,EAAy;AACV,WAAOzf,0BAAgB,CAAC,EAAD,CAAvB;AACD;;AAED,MAAIxD,UAAU,CAACijB,KAAD,CAAd,EAAuB;AACrB,QAAMQ,WAAW,GAAGR,KAAK,CAACO,UAAD,CAAzB;;AAEA,QACE5jB,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC2jB,WAAW,KAAK,IAAhB,IAAwBxU,KAAK,CAACC,OAAO,CAAcU,WAAAd,CAAxB,IAAsD,OAAOA,WAAP,KAAuB,QAD9E,CADF,EAGE;AACa,aAAOjgB,0BAAgB,CAAC,CAAD,CAAvB;AACD;;AAED,WAAOigB,WAAP;AACD;;AAED,MAAIxU,KAAK,CAACC,OAAO,CAAC+T,KAAAd,KAAwB,OAAOA,KAAP,KAAiB,QAA7C,EAAuD;AACrD,WAAOzf,0BAAgB,CAAC,CAAD,CAAvB;AACD;;AAED,SAAOggB,UAAU,gBAAQA,UAAAR,MAAuBP,KAAvB,IAAiCA,KAAID;AACD;AAED;::::;AAGA,AAAe,SAASS,aAAT,CAAuBpG,KAAvB,EAAqC;AACID,MAAMkG,UAAU,GAAGG,UAAU,CAACN,YAAD,CAA7B;AACa,MAAMO,YAAy,GAAGC,OAAO,CAAC;AAAA,WAAMN,UAAU,CAACjG,KAAK,CAAC2F,KAAP,EAAcO,UAAAd,CAAhB;AAAA,GAAD,EAA4C,CACtEIG,KAAK,CAAC2F,KADgE,EAEtEO,UAFsE,CAA5C,CAA5B;;AAKA,MAAI,CAACIG,KAAK,CAACT,QAAAX,EAAqB;AACnB,WAAO,IAAP;AACD;;AAED,sBAAO,oBAAC,YAAD,CAAc,QAAAd;AAAU,IAAA,KAAK,EAAE+G;AAA9B,KAA6CtG,KAAK,CAACT,QAAAnD,CAAP;AACD;;AC1CD;AAEA;AACa,IAAMiH,SAAS,GAAG,SAAZA,SAAY;AAAA,SAAM,IAAN;AAAA,CAAI B;;IAEMC;::::::::::;UAGJC,QAAQ;::::;SAERC,SAAA,kBAAS;AAAA;;ACCP,wBACE,oBAAC,aAAD,QACG,UACHB,KAAD,EAAMb;AAAA,yBAUd,MAAI,CAAC3F,KAVS;AAAA,UAEX4G,eAFW,gBAEhBC,GAFGb;AAA A,UAGZC,QAHY,gBAGhBC,EAHgB;AAAA,UAIhBC,kBAJgB,gBAIhBA,kBAJgB;AAAA,UAKhBC,WALgB,gBAKhBA,WALgB;AAAA,UAMhBC,YANgB,gBAMhBA,YANgB;AAAA,UAOhBC,MAPgB,gBAOhBA,MAPgB;AAAA,4CAQhB3e,KARgB;AAAA,UAQhBA,KARgB,mCAQR,EARQ;AAAA,UASbwX,KATa;;AAAA,UAYV0 F,YAZU,GAYkCsB,kBAZIC,CAYvtB,YAZU;AAAA,UAYIrb,MAZJ,GAYkC2kB,kBAZIC,CAYI3kB,MAZJ;AAA A,UAYY+kB,iBAZZ,GAYkCJ,kBAZIC,CAYYI,iBAZZ;AAalB,UAAMC,mBAAMb,GACvB,MAAI,CAACX,KAAL,CAAWG,GAAX,IAAkB,MAAI,CAACH,KAAL,CAAWK,EAA7B,IAAmCH,eAAnc,IAAsDE,QAAtd,IA AkEzKB,MADpE;;AAGA,UAAmIL,eAAe,GAAG,MAAI,CAACC,uBAAL,CACtBC,cAAc,CAAC,MAAI,CAAC xH,KAAN,EAAa2F,KAAb,EAAoBD,YAApB,CAAd,IAAmDthB,YAD7B,EAEtB,MAAI,CAAC4b,KAFiB,CAAx B;;AAKA,UAAmyH,WAAW,GAAG7B,KAAK,CAACyB,mBAAD,CAAzB;AACa,UAAmK,aAAa,GAAG,MAA I,CAACHB,KAAL,KAAe1G,KAAf,gBAA4BA,KAA5B,MAAsC,MAAI,CAAC0G,KAA3C,IAAqD1G,KAA3E;A ACA,UAAm2H,YAAy,GAAGP,iBAAiB,IAAKK,WAAW,IAAIjB,SAA1D;AACa,UAAmOb,eAAe,GAAG,EAA xB;AACa,UAAInW,GAAG;AAEA,WAAKA,GAAL,IAAYiW,aAAZ,EAA2B;AACzB,YAAIjW,GAAG,CAAC,C AAD,CAAH,KAAW,GAAX,IAAkBA,GAAG,KAAK,IAA9B,EAAoC,SAApC,KACK,IAAIA,GAAG,KAAK,aAA Z,EAA2B;AAC9BmW,UAAAA,eAAe,CAACb,EAAhB,GAAqB/G,KAAK,CAACvO,GAAD,CAA1B;AACD,SF L,MAEE,IAAI,CAACKw,YAAD,IAAiBA,YAAy,CAACiW,GAAD,EAAM+U,SAAN,CAAJC,EAAMd;AACxD;A ACAoB,UAAAA,eAAe,CAACnW,GAAD,CAAf,GAAuBiW,aAAa,CAACjW,GAAD,CAApC;AACD;AACF;;AA EDmW,MAAAA,eAAe,CAACpf,KAAhB,GAAwB,OAAOA,KAAP,KAAiB,UAAjB,GACxB,UAAcQf,KAAD,EA



AW;AACT,eAAO,CAACP,eAAD,EAakB5D,MAAIB,CAAyBlb,KAAK,CAACqf,KAAD,CAA9B,CAAP;AACD, OAHuB,GAItB,CAACP,eAAD,EAakB5D,MAAIB,CAAyBlb,KAAzB,CAJF;AAKAof,MAAAA,eAAe,CAACT,M AAhB,GAAyBA,MAAzB;AAEA,UAAID,YAAJ,EAakBU,eAAe,CAACE,GAAhB,GAAsBZ,YAAtB;AACIB,UA AID,WAAJ,EAaiBW,eAAe,CAACb,EAAhB,GAAqBE,WAArB;AAEjB,aAAO/c,aAAa,CAACmd,mBAAD,EAAs BO,eAAtB,CAApB;AACD,KAjDH,CADF;AAqDD;;SAEDG,wBAAA,+BAAsBpC,KAAtB,EAAsC3F,KAAtC,EA AqD0G,KAArD,EAAMe;AAAA;;AACjE,QAAMtZ,OAAO,gBAAQ4S,KAAr;AAAE2F,MAAAA,KAAK,EAAL A;AAAf,MAAb;;AAEA,QAAI,CAACe,KAAK,CAAC1kB,MAAX,EAAMb,OAAOoL,OAAP;AAEnB,SAAKsZ,K AAL,GAAa,EAAb;AAEAA,IAAAA,KAAK,CAAC7hB,OAAN,CAAc,UAAAmjB,OAAO,EAAl;AACvB,UAAIC, eAAe,GAAGD,OAAtB;AACa,UAAIE,IAAJ;AACa,UAAIzW,GAAJ;;AAEA,UAAI/O,UAAU,CAACulB,eAAD, CAAd,EAaiC;AAC/BA,QAAAA,eAAe,GAAGA,eAAe,CAAC7a,OAAD,CAAjC;AACD;AAED;;;AACa,WAAK qE,GAAL,IAAYwW,eAAZ,EAA6B;AAC3BC,QAAAA,IAAI,GAAGD,eAAe,CAACxW,GAAD,CAAtB;AACa,Q AAA,MAAI,CAACiV,KAAL,CAAWjV,GAAx,IAAkByW,IAAlB;AACa9a,QAAAA,OAAO,CAACqE,GAAD,C AAP,GAAeyW,IAAf;AACD;AACD;;AACD,KAhBD;AAkBA,WAAO9a,OAAP;AACD;;SAEDma,0BAAA,iCAA wB5B,KAAxB,EAAoC3F,KAApC,EAAGD;AAAA,QACtCmI,WADsC,GACtBnI,KAAK,CAACgH,kBADgB,CA CtCmB,WADsC;AAG9C,QAAMIW,gBAAgB,GAAG,KAAK8V,qBAAL,CACvBpC,KADuB,EAEvB3F,KAFuB, EAGvBA,KAAK,CAACgH,kBAAN,CAAyBN,KAHF,CAAZB;AAMA,WAAOyB,WAAW,CAACtD,mBAAZ,CA AgC5S,gBAAhC,CAAP;AACD;;SAEDmW,iBAAA,wBAaEe,WAAf,EAAoC;AACIC,QAAI,KAAKIQ,IAAL,KA AcpQ,SAAlB,EAA6B;AAC3B;AACa,WAAKoQ,IAAL,CAAUiq,cAAV,CAAyBC,WAAzB;AACD,KAHD,MAG O,IAAI/IB,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAA7B,EAA2C;AAChD;AACa6P,MAAAA,OAAO ,CAACC,IAAR,CACE,4FADF;AAGD;AACF;;;EA/GiCgW;;AAkHpC,8BAAE,UAAc1D,WAAD,EAA2B;AACx C ,MAAM2D,2BAA2B,GAAG,SAA9BA,2BAA8B,CAAClmB,MAAD,EAaiB0J,OAajB,EAakCjG,KAAIC,EAAq D;AAAA,yBAKnFiG,OALmF,CAErF2a,KAFqF;AAAA,QAerFA,KAFqF,+BAE7ExiB,WAF6E;AAAA,+BAKnF 6H,OALmF,CAGrFtJ,WAHqF;AAAA,QAGrFA,WAHqF,qCAGvEqjB,mBAAMb,CAACzjB,MAAD,CAHoD;AA AA,gCAKnF0J,OALmF,CAIrFyc,eAJqF;AAAA,QAIrFA,eAJqF,sCAInE/B,qBAJmE;AAOVF,QAAMgC,OAAO,G AAG,CAAC7C,KAAK,CAACvjB,MAAD,CAAtB;AACa,QAAMqmB,kBAakB,GAAGv1B,iBAaiB,CAACd,MA AD,CAA5C,CARuF;;AAWvF,QAAMsmB,4BAA4B,GAAG/Y,KAAK,CAACgZ,UAAAN,CAAiB,UAAc5I,KAAD, EAAQ8H,GAAR;AAAA,0BACpD,oBAAC,eAAD,eACM9H,KADN;AAEE,QAAA,kBAakB,EAAE2I,4BAFtB;A AGE,QAAA,YAAy,EAAEb;AAHhB,SADoD;AAAA,KAAjB,CAArC;AAQA,QAAMe,UAAU;AAEdH,IAAAA,k BAAkB,IAAIrmB,MAAM,CAACqkB,KAA7B,GACI/U,KAAK,CAAC9O,SAAN,CAAgB6gB,MAAhB,CAAuBrh B,MAAM,CAACqkB,KAA9B,EAAqCA,KAArC,EAA4C1E,MAA5C,CAAmDje,OAAAnD,CADJ,GAEI2iB,KAJN, CAnBuF;;AA0BvF,QAAIU,iBAaiB,GAAGrb,OAAO,CAACqB,iBAAhC,CA1BuF;;AA6BvF,QAAIsB,kBAakB,I AAIrmB,MAAM,CAAC+kB,iBAAjC,EAAoD;AACID,UAAIA,iBAAJ,EAAuB;AACrB;AACAA,QAAAA,iBAAi B,GAAG,2BAACxO,IAAD,EAAOkQ,QAAP,EAAiBC,kBAAjB;AAAA;AAEIB1mB,YAAAA,MAAM,CAAC+kB ,iBAAP,CAAyBxO,IAAZB,EAA+BkQ,QAA/B,EAAyCC,kBAazC,KACAhD,OAAO,CAACqB,iBAAR,CAA0BxO ,IAA1B,EAAgCkQ,QAAhC,EAA0CC,kBAA1C;AAHkB;AAAA,SAAPB;AAID,OAND,MAMO;AACL;AACa3B, QAAAA,iBAaiB,GAAG/kB,MAAM,CAAC+kB,iBAA3B;AACD;AACF;AAED;;;AAKA;;;AACaU,IAAAA,4B AA4B,CAACjC,KAA7B,GAAqCmC,UAArC;AAEAF,IAAAA,4BAA4B,CAAClmB,WAA7B,GAA2CA,WAA3C, CAIDuF;;AAqDvFkmB,IAAAA,4BAA4B,CAACvB,iBAA7B,GAAiDA,iBAAjD,CARduF;;AAwDvFuB,IAAAA,4 BAA4B,CAACR,WAA7B,GAA2C,IAAIvD,WAAJ;AAEzC8D,IAAAA,kBAakB,GAAGrmB,MAAM,CAAC8IB, WAAP,CAAmBriB,KAAAnB,CAAyB4d,MAAzB,CAAgC5d,KAAhC,CAAH,GAA4CA,KAFrB,CAA3C,CAXduF;; AA8DvF6iB,IAAAA,4BAA4B,CAACv1B,iBAA7B,GAAiD,uBAAjD,CA9DuF;;AAgEvFulB,IAAAA,4BAA4B,C AACtmB,MAA7B,GAAsCqmB,kBAakB;AAEpDrmB,IAAAA,MAAM,CAACA,MAF6C,GAGpDA,MAHJ,CAHE uF;;AAqEvFsmB,IAAAA,4BAA4B,CAACK,aAA7B,GAA6C,SAASA,aAAT,CAAuB3jB,GAAvB,EAAoC;AAAA ,UAC1D2J,CAD0D,GACjBjD,OADiB,CACvEtJ,WADuE;AAAA,UAC1CwmB,EAD0C,GACjBlD,OADiB,CACv DsD,WADuD;AAAA,UACn6Z,aADmC,iCACjBnd,OADiB;;AAE/E,UAAAMod,UAAU,gBACXD,aADW;AAEdx C,QAAAA,KAAK,EAAEmC,UAF0;AAGdL,QAAAA,eAAe,EAAfA;AAHc,QAAhB;;AAMA,aAAOD,2BAA2B, CAACljB,GAAD,EAAM8jB,UAAAN,EAakBrjB,KAAIB,CAAIC;AACD,KATD,CAReuF;;;AAiFvF9C,IAAAA,MA AM,CAAComB,cAAP,CAAsBT,4BAAtB,EAAoD,cAAPD,EAAoE;AACIErhB,MAAAA,GADkE,iBAC5D;AACJ,

eAAO,KAAK+hB,mBAAZ;AACD,OAHIE;AAKIEIjB,MAAAA,GALkE,eAK9DoL,GAL8D,EAKzD;AACPC;AAC A,aAAK8X,mBAAL,GAA2BX,kBAaKb,GAAGY,SAAK,CAAC,EAAD,EAAKjnB,MAAM,CAACqjB,YAAZ,E AA0BnU,GAA1B,CAAR,GAAyCA,GAATf;AACD;AARIE,KAApE;;AAWA,QAAIkX,OAAJ,EAAa;AACXc,MA AAA,KAAK,CAACZ,4BAAD,EAAGctmB,MAAhC,EAA8C;AACjD;AACaqkB,QAAAA,KAAK,EAAE,IAF0C; AAGjDjkB,QAAAA,WAAW,EAAE,IAHoC;AAIjD2kB,QAAAA,iBAAiB,EAAE,IAJ8B;AAKjDe,QAAAA,WAA W,EAAE,IALoC;AAMjD/kB,QAAAA,iBAAiB,EAAE,IAN8B;AAOjDf,QAAAA,MAAM,EAAE,IAPyC;AAQjD2 mB,QAAAA,aAAa,EAAE;AARkC,OAA9C,CAAL;AAUD;;AAED,WAAOL,4BAAP;AACD,GA1GD;;AA4GA,S AAOJ,2BAAP;AACD,CA9GD;;ACvIA;AAGA,kBAaE,UACbiB,OADa,EAEBxkB,cAFa,EAGY;AACzB,MAAM mN,MAAM,GAAG,CAACqX,OAAO,CAAC,CAAD,CAAR,CAAf;;AAEA,OAAK,IAAIznB,CAAC,GAAG,CAA R,EAAW4C,GAAG,GAAGK,cAAc,CAACHD,MAArC,EAA6CD,CAAC,GAAG4C,GAAjD,EAA5D5C,CAAC,IA AI,CAA3D,EAA8D;AAC5DoQ,IAAAA,MAAM,CAACvN,IAAP,CAAYI,cAAc,CAACjD,CAAD,CAA1B,EAA+ BynB,OAAO,CAACznB,CAAC,GAAG,CAAL,CAAtC;AACD;;AAED,SAAOoQ,MAAP;AACD,CAXD;;ACHA; AACA,AAOA;;;;AAIA,IAAMsX,MAAM,GAAG,SAATA,MAAS,CAAAC,GAAG,EAAI;AACpB,MAAI/X,KAA K,CAACC,OAAO,CAAC8X,GAAd,CAAJ,EAAwB;AACtB;AACAA,IAAAA,GAAG,CAAC7X,KAAJ,GAAy,IA AZ;AACD;;AACD,SAAO6X,GAAP;AACD,CAND;;AAQA,AAAE,SAAS9iB,GAAT,CAAase,MAAb,EAA+E;AA AA,oCAA/ClgB,cAA+C;AAA/CA,IAAAA,cAA+C;AAAA;;AAC5F,MAAIc,UAAU,CAACwiB,MAAD,CAAV,I AAsBnT,aAAa,CAACmT,MAAD,CAAvC,EAAiD;AAC/C;AACA,WAAOuE,MAAM,CAACzX,OAAO,CAAC2X ,UAAU,CAACzIB,WAAD,GAAeghB,MAAf,SAA0BlgB,cAA1B,EAAX,CAAR,CAAb;AACD;;AAED,MAAIA,c AAc,CAACHD,MAAf,KAA0B,CAA1B,IAA+BkjB,MAAM,CAACljb,MAAP,KAAkB,CAAjD,IAAsD,OAAOkjB, MAAM,CAAC,CAAD,CAAb,KAAqB,QAA/E,EAAYf;AACvF;AACA,WAAOA,MAAP;AACD,GAT2F;;AAY5F ,SAAOuE,MAAM,CAACzX,OAAO,CAAC2X,UAAU,CAACzE,MAAD,EAASlgB,cAAT,CAAX,CAAR,CAAb;A ACD;;ACzBc,SAAS4kB,oBAAT,CACbC,oBADa,EAEBxkB,GAFa,EAGb0G,OAHa,EAIb;AAAA,MADAA,OAC A;AADAA,IAAAA,OACA,GADk3H,YACIB;AAAA;;AACA,MAAI,CAAC0iB,kBAaKb,CAACzB,GAAD,CA AvB,EAA8B;AAC5B,WAAOa,0BAAGB,CAAC,CAAD,EAAI9E,MAAM,CAACiE,GAAD,CAAV,CAAvB;AAC D;AAED;AACA;;AACA,MAAM0kB,gBAAGB,GAAG,SAAnBA,gBAAmB;AAAA,WAAaF,oBAAoB,CAACxk B,GAAD,EAAM0G,OAAO,EAEnF,GAAG,MAAH,mBAAf,CAAjC;AAAA,GAazB;AAEA;;AACAmjB,EAAA A,gBAAGB,CAACC,UAAjB,GAA8B,UAAAC,MAAM;AAAA,WAClCL,oBAAoB,CAACC,oBAAD,EAAuBxBB, GAAvB,eAAiC0G,OAAjC,MAA6Cke,MAA7C,EADc;AAAA,GAAPc;AAGA;;AACAF,EAAAA,gBAAGB,CAA CrD,KAAjB,GAAyB,UAAAA,KAAK;AAAA,WAC5BkD,oBAAoB,CAACC,oBAAD,EAAuBxBB,GAAvB,eACf0 G,OADe;AAEI2a,MAAAA,KAAK,EAAE/U,KAAK,CAAC9O,SAAN,CAAGb6gB,MAAhB,CAAuB3X,OAAO, CAAC2a,KAA/B,EAA5CA,KAAc,EAA6C1E,MAA7C,CAAoDje,OAApD;AAFW,OADQ;AAAA,GAA9B;;AA MA,SAAOgmB,gBAAP;AACD;;ACzBD;AACA;AACA;AACA;AACA;AAEA,iBAaE,UAAcZB,SAAD,EAAwC ;AACrD;AACA,MAAM4B,SAAS,GAAGta,KAAK,CAACgZ,UAAO,CAAiB,UAAc5I,KAAD,EAAQ8H,GAAR, EAAgB;AACjD,QAAmNc,KAAK,GAAGU,UAAU,CAACN,YAAD,CAAxB,CADiD;;AAAA,QAGzCL,YAHyC, GAGxB4C,SAHwB,CAGzC5C,YAHyC;AAIjD,QAAmyE,SAAS,GAAG3C,cAAc,CAACxH,KAAD,EAAQ2F,KA AR,EAAeD,YAAf,CAAhC;;AAEA,QAAIpb,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,IAAYC2n B,SAAS,KAAKpiB,SAA3D,EAA5E;AACpE;AACAsK,MAAAA,OAAO,CAACC,IAAR,6HAC2HIQ,gBAAGB,C ACvIkMB,SADuI,CAD3I;AAKD;;AAED,wBAAO,oBAAC,SAAD,eAAetI,KAAf;AAAsB,MAAA,KAAK,EAAE mK,SAA7B;AAAwC,MAAA,GAAG,EAAErC;AAA7C,OAAp;AACD,GAhBiB,CAAIb;AAkBaSc,EAAAA,KAA Y,CAACF,SAAD,EAAy5B,SAAZ,CAAZ;AAEA4B,EAAAA,SAAS,CAACznB,WAAV,kBAaQCL,gBAAGB,CA ACkmB,SAAD,CAArD;AAEA,SAAO4B,SAAP;AACD,CAzBD;;ACdA;AACA;AAGA,IAAMG,QAAQ,GAAG,S AAXA,QAAW;AAAA,SAAMhE,UAAU,CAACN,YAAD,CAAhB;AAAA,CAAjB;;ACJA;;AAEA,IAAMuE,WAA W,GAAGC,OAAO,CAAC,cAAD,CAA3B;;AAEA,IAAM3F,WAAW,GAAG4F,YAAy,CAACF,WAAW,CAACze ,UAAb,CAAhC;;AACA,IAAM4a,uBAAqB,GAAGgE,sBAAsB,CAAC7F,WAAD,CAApD;;AACA,IAAM8F,MAA M,GAAG,SAATA,MAAS,CAACrIB,GAAD;AAAA,SAAiBukB,oBAAoB,CAACnD,uBAAD,EAAwBphB,GAAx B,CAArC;AAAA,CAAf;AAEA;;AAEA,IAAMslB,OAAO,mpBAAb;AAQA;;AAEAA,OAAO,CAACtiB,KAAR, CAAC,MAAd,EAA5BxD,OAAtB,CAA8B,UAAA+IB,KAAK;AAAA,SACjC5nB,MAAM,CAAComB,cAAP,CAAs BsB,MAAtB,EAA8BE,KAA9B,EAAqC;AACnCC,IAAAA,UAAU,EAAE,IADuB;AAEnCC,IAAAA,YAAy,EAA

E,KAFqB;AAGnCxjB,IAAAA,GAHmC,iBAG7B;AACJ,aAAOojB,MAAM,CAACJ,WAAW,CAACM,KAAD,CAAZ,CAAb;AACD;AALkC,GAArC,CADiC;AAAA,CAAnC;;;;}

Found in path(s):

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/native/dist/styled-components.native.esm.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version":3,"file":"styled-components-
primitives.cjs.js","sources":["../../src/utis/generateAlphabeticName.js","../../src/utis/hash.js","../../src/utis/generate
ComponentId.js","../../src/utis/getComponentName.js","../../src/utis/isFunction.js","../../src/utis/isStatelessFunction
.js","../../src/utis/isPlainObject.js","../../src/utis/isStyledComponent.js","../../src/constants.js","../../src/utis/empties.j
s","../../src/utis/errors.js","../../src/utis/error.js","../../src/sheet/GroupedTag.js","../../src/sheet/GroupIDAllocator.js","
../../src/sheet/Rehydration.js","../../src/utis/nonce.js","../../src/sheet/dom.js","../../src/sheet/Tag.js","../../src/sheet/She
et.js","../../src/utis/stylisPluginInsertRule.js","../../src/utis/stylis.js","../../src/models/StyleSheetManager.js","../../src/
models/Keyframes.js","../../src/utis/hyphenateStyleName.js","../../src/utis/addUnitIfNeeded.js","../../src/utis/flatten
.js","../../src/vendor/postcss/warn-once.js","../../src/vendor/postcss/tokenize.js","../../src/vendor/postcss/terminal-
highlight.js","../../src/vendor/postcss/css-syntax-
error.js","../../src/vendor/postcss/stringifier.js","../../src/vendor/postcss/stringify.js","../../src/vendor/postcss/node.js",
"../../src/vendor/postcss/declaration.js","../../src/vendor/postcss/comment.js","../../src/vendor/postcss/parser.js","../../s
rc/vendor/postcss/parse.js","../../src/vendor/postcss/container.js","../../src/vendor/postcss/at-
rule.js","../../src/vendor/postcss/list.js","../../src/vendor/postcss/rule.js","../../src/vendor/postcss/warning.js","../../src/v
endor/postcss/result.js","../../src/vendor/postcss/lazy-
result.js","../../src/vendor/postcss/processor.js","../../src/vendor/postcss/root.js","../../src/vendor/postcss/input.js","../../
src/vendor/postcss-safe-parser/safe-parser.js","../../src/vendor/postcss-safe-
parser/parse.js","../../src/models/InlineStyle.js","../../src/utis/mixinDeep.js","../../src/utis/determineTheme.js","../../s
rc/utis/isTag.js","../../src/utis/generateDisplayName.js","../../src/models/ThemeProvider.js","../../src/models/Styled
NativeComponent.js","../../src/utis/interleave.js","../../src/constructors/css.js","../../src/constructors/constructWithOp
tions.js","../../src/hoc/withTheme.js","../../src/hooks/useTheme.js","../../src/primitives/index.js"],"sourcesContent":["/
/@flow\n/* eslint-disable no-bitwise *\n\nconst AD_REPLACER_R = /(a)(d)/gi;\n\n/* This is the \"capacity\" of
our alphabet i.e. 2x26 for all letters plus their capitalised\n * counterparts *\n\nconst charsLength = 52;\n\n/* start at
75 for 'a' until 'z' (25) and then start at 65 for capitalised letters *\n\nconst getAlphabeticChar = (code: number): string
=>\n String.fromCharCode(code + (code > 25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to
base-52 *\n\nexport default function generateAlphabeticName(code: number): string {\n let name = \";\n let x;\n\n /*
get a char and divide by alphabet-length *\n for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0)
{\n name = getAlphabeticChar(x % charsLength) + name;\n }\n\n return (getAlphabeticChar(x % charsLength) +
name).replace(AD_REPLACER_R, '$1-$2');\n}\n\n\"// @flow\n/* eslint-disable *\n\nexport const SEED =
5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we pretend that
we're still looping over\n// the same string\n\nexport const phash = (h: number, x: string): number => {\n let i =
x.length;\n\n while (i) {\n h = (h * 33) ^ x.charCodeAt(--i);\n }\n\n return h;\n};\n\n// This is a djb2 hashing
function\n\nexport const hash = (x: string): number => {\n return phash(SEED, x);\n};\n\n\"// @flow\n/* eslint-disable
*\n\nimport generateAlphabeticName from './generateAlphabeticName';\nimport { hash } from './hash';\n\nexport
default (str: string): string => {\n return generateAlphabeticName(hash(str) >>> 0);\n};\n\n\"// @flow\nimport type {
IStyledComponent } from './types';\n\nexport default function getComponentName(\n target:
$PropertyType<IStyledComponent, 'target'>): string {\n return (\n (process.env.NODE_ENV !== 'production' ?
typeof target === 'string' && target : false) ||\n // $FlowFixMe\n target.displayName ||\n // $FlowFixMe\n
target.name ||\n 'Component'\n );\n}\n\n\"// @flow\n\nexport default function isFunction(test: any): boolean %checks
{\n return typeof test === 'function';\n}\n\n\"// @flow\n\nexport default function isStatelessFunction(test: any):
```

```

boolean {
  return (
    typeof test === 'function' && !(
      test.prototype &&
      test.prototype.isReactComponent
    )
  );
}
"@flow
import { typeOf } from 'react-is';
export default (x: any): boolean => x !== null &&
  typeof x === 'object' &&
  (x.toString ? x.toString() :
    Object.prototype.toString.call(x)) === '[object Object]' &&
  !typeOf(x);
"@flow
export default function isStyledComponent(target: any): boolean {
  %checks {
    return target &&
      typeof target.styledComponentId === 'string';
  }
}
"@flow
declare var SC_DISABLE_SPEEDY: ?boolean;
declare var __VERSION__: string;
export const SC_ATTR: string =
  (typeof process !== 'undefined' &&
    (process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||
  'data-styled';
export const SC_ATTR_ACTIVE = 'active';
export const SC_ATTR_VERSION = 'data-styled-version';
export const SC_VERSION = __VERSION__;
export const SPLITTER = /*!sc*/'\n';
export const IS_BROWSER =
  typeof window !== 'undefined' &&
  'HTMLElement' in window;
export const DISABLE_SPEEDY =
  Boolean(
    typeof SC_DISABLE_SPEEDY === 'boolean' ?
      SC_DISABLE_SPEEDY :
      (typeof process !== 'undefined' &&
        typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined' &&
        process.env.REACT_APP_SC_DISABLE_SPEEDY !== "
      ?
        process.env.REACT_APP_SC_DISABLE_SPEEDY === 'false' ? false :
        process.env.REACT_APP_SC_DISABLE_SPEEDY
      : (typeof process !== 'undefined' &&
        typeof process.env.SC_DISABLE_SPEEDY !== 'undefined' &&
        process.env.SC_DISABLE_SPEEDY !== "
      ?
        process.env.SC_DISABLE_SPEEDY === 'false' ? false :
        process.env.SC_DISABLE_SPEEDY
      : process.env.NODE_ENV !== 'production'
    )
  );
// Shared empty execution context when generating static styles
export const STATIC_EXECUTION_CONTEXT = {};
"@flow
export const EMPTY_ARRAY = Object.freeze([]);
export const EMPTY_OBJECT = Object.freeze({});
"export default {
  "1": "\Cannot create styled-component for component: %s.\n\n",
  "2": "\Can't collect styles once you've consumed a `ServerStyleSheet`'s styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.\n\n- Are you trying to reuse it across renders?\n- Are you accidentally calling collectStyles twice?\n\n",
  "3": "\Streaming SSR is only supported in a Node.js environment; Please do not try to call this method in the browser.\n\n",
  "4": "\The `StyleSheetManager` expects a valid target or sheet prop!\n\n- Does this error occur on the client and is your target falsy?\n- Does this error occur on the server and is the sheet falsy?\n\n",
  "5": "\The clone method cannot be used on the client!\n\n- Are you running in a client-like environment on the server?\n- Are you trying to run SSR on the client?\n\n",
  "6": "\Trying to insert a new style tag, but the given Node is unmounted!\n\n- Are you using a custom target that isn't mounted?\n- Does your document not have a valid head element?\n- Have you accidentally removed a style tag manually?\n\n",
  "7": "\ThemeProvider: Please return an object from your `\"theme\"` prop function, e.g.\n\n``js\ntheme={() => {}}\n``\n\n",
  "8": "\ThemeProvider: Please make your `\"theme\"` prop an object.\n\n",
  "9": "\Missing document `<head>\n\n",
  "10": "\Cannot find a StyleSheet instance. Usually this happens if there are multiple copies of styled-components loaded at once. Check out this issue for how to troubleshoot and fix the common cases where this situation can happen: https://github.com/styled-components/styled-components/issues/1941#issuecomment-417862021\n\n",
  "11": "\_This error was replaced with a dev-time warning, it will be deleted for v4 final. _[createGlobalStyle] received children which will not be rendered. Please use the component without passing children elements.\n\n",
  "12": "\It seems you are interpolating a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer supported in v4 as keyframes are now injected on-demand. Please wrap your string in the css` helper which ensures the styles are injected correctly. See https://www.styled-components.com/docs/api#css\n\n",
  "13": "\%s is not a styled component and cannot be referred to via component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components for more details.\n\n",
  "14": "\ThemeProvider: `\"theme\"` prop is required.\n\n",
  "15": "\A stylis plugin has been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between different stylis configurations within the same app. Before you pass your plugin to `<StyleSheetManager stylisPlugins={}>`, please make sure each plugin is uniquely-named, e.g.\n\n``js\nObject.defineProperty(importedPlugin, 'name', { value: 'some-unique-name' });\n``\n\n",
  "16": "\Reached the limit of how many styled components may be created at group %s.\n\nYou may

```

only create up to 1,073,741,824 components. If you're creating components dynamically, \nas for instance in your render method then you may be running into this limitation.

```

\n\n\n", "17": "CSSStyleSheet could not be found on
HTMLStyleElement.\nHas styled-components' style tag been unmounted or altered by another script?\n\n";
"@flow\nimport errorMap from './errors';\n\nconst ERRORS = process.env.NODE_ENV !== 'production' ? errorMap
: {};\n\n/**\n * super basic version of sprintf\n *\nfunction format(...args) {\n let a = args[0];\n const b = [];\n\n for (let c = 1, len = args.length; c < len; c += 1) {\n b.push(args[c]);\n }\n\n b.forEach(d => {\n a =
a.replace(/%[a-z]/, d);\n });\n\n return a;\n}\n\n**\n * Create an error file out of errors.md for development and a
simple web link to the full errors\n * in production mode.\n *\nexport default function
throwStyledComponentsError(\n code: string | number,\n ...interpolations: Array<any>)\n {\n if
(process.env.NODE_ENV === 'production') {\n throw new Error(\n `An error occurred. See
https://git.io/JUIaE#${code} for more information.$\n interpolations.length > 0 ? ` Args:
${interpolations.join(', ')} : "\n } \n );\n } else {\n throw new Error(format(ERRORS[code],
...interpolations).trim());\n }\n}\n",
"@flow\n/* eslint-disable no-use-before-define *\n\nimport type {
GroupedTag, Tag } from './types';\nimport { SPLITTER } from './constants';\nimport throwStyledError from
'./utils/error';\n\n** Create a GroupedTag with an underlying Tag implementation *\n\nexport const
makeGroupedTag = (tag: Tag): GroupedTag => {\n return new DefaultGroupedTag(tag);\n};\n\nconst BASE_SIZE
= 1 << 9;\n\nclass DefaultGroupedTag implements GroupedTag {\n groupSizes: Uint32Array;\n\n length:
number;\n\n tag: Tag;\n\n constructor(tag: Tag) {\n this.groupSizes = new Uint32Array(BASE_SIZE);\n
this.length = BASE_SIZE;\n this.tag = tag;\n }\n\n indexOfGroup(group: number): number {\n let index = 0;\n
for (let i = 0; i < group; i++) {\n index += this.groupSizes[i];\n }\n\n return index;\n }\n\n
insertRules(group: number, rules: string[]): void {\n if (group >= this.groupSizes.length) {\n const oldBuffer =
this.groupSizes;\n const oldSize = oldBuffer.length;\n\n let newSize = oldSize;\n while (group >=
newSize) {\n newSize <<= 1;\n if (newSize < 0) {\n throwStyledError(16, `${group}`);\n }\n
}\n\n this.groupSizes = new Uint32Array(newSize);\n this.groupSizes.set(oldBuffer);\n this.length =
newSize;\n\n for (let i = oldSize; i < newSize; i++) {\n this.groupSizes[i] = 0;\n }\n }\n\n let ruleIndex
= this.indexOfGroup(group + 1);\n for (let i = 0, l = rules.length; i < l; i++) {\n if (this.tag.insertRule(ruleIndex,
rules[i])) {\n this.groupSizes[group]++; \n ruleIndex++; \n }\n }\n }\n\n clearGroup(group: number):
void {\n if (group < this.length) {\n const length = this.groupSizes[group];\n const startIndex =
this.indexOfGroup(group);\n const endIndex = startIndex + length;\n\n this.groupSizes[group] = 0;\n\n for
(let i = startIndex; i < endIndex; i++) {\n this.tag.deleteRule(startIndex);\n }\n }\n }\n\n getGroup(group:
number): string {\n let css = "";\n if (group >= this.length || this.groupSizes[group] === 0) {\n return css;\n
}\n\n const length = this.groupSizes[group];\n const startIndex = this.indexOfGroup(group);\n const endIndex
= startIndex + length;\n\n for (let i = startIndex; i < endIndex; i++) {\n css +=
`${this.tag.getRule(i)}${SPLITTER}`;\n }\n\n return css;\n }\n}\n",
"@flow\n\nimport throwStyledError from
'./utils/error';\n\nconst MAX_SMI = 1 << 31 - 1;\n\nlet groupIDRegister: Map<string, number> = new Map();\nlet
reverseRegister: Map<number, string> = new Map();\n\nlet nextFreeGroup = 1;\n\nexport const resetGroupIds = () =>
{\n groupIDRegister = new Map();\n reverseRegister = new Map();\n nextFreeGroup = 1;\n};\n\nexport const
getGroupForId = (id: string): number => {\n if (groupIDRegister.has(id)) {\n return (groupIDRegister.get(id):
any);\n }\n\n while (reverseRegister.has(nextFreeGroup)) {\n nextFreeGroup++; \n }\n\n const group =
nextFreeGroup++; \n\n if (\n process.env.NODE_ENV !== 'production' &&\n ((group | 0) < 0 || group >
MAX_SMI)\n ) {\n throwStyledError(16, `${group}`);\n }\n\n groupIDRegister.set(id, group);\n
reverseRegister.set(group, id);\n return group;\n};\n\nexport const getIdForGroup = (group: number): void | string
=> {\n return reverseRegister.get(group);\n};\n\nexport const setGroupForId = (id: string, group: number) => {\n if
(group >= nextFreeGroup) {\n nextFreeGroup = group + 1;\n }\n\n groupIDRegister.set(id, group);\n
reverseRegister.set(group, id);\n};\n",
"@flow\n\nimport { SPLITTER, SC_ATTR, SC_ATTR_ACTIVE,
SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport { getIdForGroup, setGroupForId } from
'./GroupIDAllocator';\nimport type { Sheet } from './types';\n\nconst SELECTOR =
`style[${SC_ATTR}][${SC_ATTR_VERSION}]=${`${SC_VERSION}`}`;\n\nconst MARKER_RE = new

```

```

RegExp(`^${SC_ATTR}\\\\.g(\\\\d+)\\\\[id=\\(\\\\w\\\\d-+\\)\\\\\\\\.?!\\(\\^\\*\\)`);
export const outputSheet =
(sheet: Sheet) => {
  const tag = sheet.getTag();
  const { length } = tag;
  let css = "";
  for (let group = 0;
  group < length; group++) {
    const id = getIdForGroup(group);
    if (id === undefined) continue;
    const names = sheet.names.get(id);
    const rules = tag.getGroup(group);
    if (!names || !rules || !names.size)
    continue;
    const selector = `${SC_ATTR}.g${group}[id=\\${id}]`;
    let content = "";
    if (names !==
    undefined) {
      names.forEach(name => {
        if (name.length > 0) {
          content += `${name},`;
        }
      });
    }
    // NOTE: It's easier to collect rules and have the marker
    // after the actual rules to simplify the
    rehydration
    css += `${rules}${selector}{content:\\${content}}${SPLITTER}`;
  }
  return
  css;
}
const rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {
  const names =
  content.split(',');
  let name;
  for (let i = 0, l = names.length; i < l; i++) {
    // eslint-disable-next-line
    if
    ((name = names[i])) {
      sheet.registerName(id, name);
    }
  }
}
const rehydrateSheetFromTag = (sheet:
  Sheet, style: HTMLStyleElement) => {
  const parts = (style.textContent || "").split(SPLITTER);
  const rules:
  string[] = [];
  for (let i = 0, l = parts.length; i < l; i++) {
    const part = parts[i].trim();
    if (!part) continue;
    const marker = part.match(MARKER_RE);
    if (marker) {
      const group = parseInt(marker[1], 10) | 0;
      const id = marker[2];
      if (group !== 0) {
        // Rehydrate componentId to group index mapping
        setGroupForId(id, group);
        // Rehydrate names and rules
        // looks like: data-
        styled.g1[id="idA"]{content:"nameA,"}
        rehydrateNamesFromContent(sheet, id, marker[3]);
      }
      sheet.getTag().insertRules(group, rules);
    }
    rules.length = 0;
  } else {
    rules.push(part);
  }
}
}
export const rehydrateSheet = (sheet: Sheet) => {
  const nodes =
  document.querySelectorAll(SELECTOR);
  for (let i = 0, l = nodes.length; i < l; i++) {
    const node =
    ((nodes[i]: any): HTMLStyleElement);
    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)
    {
      rehydrateSheetFromTag(sheet, node);
      if (node.parentNode) {
        node.parentNode.removeChild(node);
      }
    }
  }
}
// @flow
/* eslint-disable camelcase, no-undef
*/
declare var window: { __webpack_nonce__: string };
const getNonce = () => {
  return typeof window
  !== 'undefined'
  ? typeof window.__webpack_nonce__ !== 'undefined'
  ? window.__webpack_nonce__
  : null
  : null;
}
export default getNonce;
// @flow
import { SC_ATTR, SC_ATTR_ACTIVE,
  SC_ATTR_VERSION, SC_VERSION } from './constants';
import getNonce from './utils/nonce';
import
  throwStyledError from './utils/error';
const ELEMENT_TYPE = 1; /* Node.ELEMENT_TYPE */
/* Find
  last style element if any inside target */
const findLastStyleTag = (target: HTMLElement): void |
  HTMLStyleElement => {
  const { childNodes } = target;
  for (let i = childNodes.length; i >= 0; i--) {
    const
    child = ((childNodes[i]: any): ?HTMLElement);
    if (child && child.nodeType === ELEMENT_TYPE &&
    child.hasAttribute(SC_ATTR)) {
      return ((child: any): HTMLStyleElement);
    }
  }
  return
  undefined;
}
/* Create a style element inside `target` or <head> after the last */
export const makeStyleTag =
(target?: HTMLElement): HTMLStyleElement => {
  const head = ((document.head: any): HTMLElement);
  const parent = target || head;
  const style = document.createElement('style');
  const prevStyle =
  findLastStyleTag(parent);
  const nextSibling = prevStyle !== undefined ? prevStyle.nextSibling : null;
  style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);
  style.setAttribute(SC_ATTR_VERSION,
  SC_VERSION);
  const nonce = getNonce();
  if (nonce) style.setAttribute('nonce', nonce);
  parent.insertBefore(style, nextSibling);
  return style;
}
/* Get the CSSStyleSheet instance for a given style
  element */
export const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {
  if (tag.sheet) {
    return
    ((tag.sheet: any): CSSStyleSheet);
  }
  // Avoid Firefox quirk where the style element might not have a sheet
  property
  const { styleSheets } = document;
  for (let i = 0, l = styleSheets.length; i < l; i++) {
    const sheet =
    styleSheets[i];
    if (sheet.ownerNode === tag) {
      return
      ((sheet: any): CSSStyleSheet);
    }
  }
  throwStyledError(17);
  return (undefined: any);
}
// @flow
/* eslint-disable no-use-before-define
*/
import { makeStyleTag, getSheet } from './dom';
import type { SheetOptions, Tag } from './types';
/* Create a CSSStyleSheet-like tag depending on the environment */
export const makeTag = ({ isServer,
  useCSSOMInjection, target }: SheetOptions): Tag => {
  if (isServer) {
    return
    new VirtualTag(target);
  } else
  if (useCSSOMInjection) {
    return
    new CSSOMTag(target);
  } else {
    return
    new TextTag(target);
  }
}

```

```

}\n};\n\nexport class CSSOMTag implements Tag {\n  element: HTMLStyleElement;\n  sheet: CSSStyleSheet;\n  length: number;\n  constructor(target?: HTMLElement) {\n    const element = (this.element = makeStyleTag(target));\n    // Avoid Edge bug where empty style elements don't create sheets\n    element.appendChild(document.createTextNode("")); \n    this.sheet = getSheet(element);\n    this.length = 0;\n  }\n  insertRule(index: number, rule: string): boolean {\n    try {\n      this.sheet.insertRule(rule, index);\n      this.length++;\n      return true;\n    } catch (_error) {\n      return false;\n    }\n  }\n  deleteRule(index: number): void {\n    this.sheet.deleteRule(index);\n    this.length--;\n  }\n  getRule(index: number): string {\n    const rule = this.sheet.cssRules[index];\n    // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n    if (rule !== undefined && typeof rule.cssText === 'string') {\n      return rule.cssText;\n    } else {\n      return ";\n    }\n  }\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes */\nexport class TextTag implements Tag {\n  element: HTMLStyleElement;\n  nodes: NodeList<Node>;\n  length: number;\n  constructor(target?: HTMLElement) {\n    const element = (this.element = makeStyleTag(target));\n    this.nodes = element.childNodes;\n    this.length = 0;\n  }\n  insertRule(index: number, rule: string): boolean {\n    if (index <= this.length && index >= 0) {\n      const node = document.createTextNode(rule);\n      const refNode = this.nodes[index];\n      this.element.insertBefore(node, refNode || null);\n      this.length++;\n      return true;\n    } else {\n      return false;\n    }\n  }\n  deleteRule(index: number): void {\n    this.element.removeChild(this.nodes[index]);\n    this.length--;\n  }\n  getRule(index: number): string {\n    if (index < this.length) {\n      return this.nodes[index].textContent;\n    } else {\n      return ";\n    }\n  }\n}\n\n/** A completely virtual (server-side) Tag that doesn't manipulate the DOM */\nexport class VirtualTag implements Tag {\n  rules: string[];\n  length: number;\n  constructor(_target?: HTMLElement) {\n    this.rules = [];\n    this.length = 0;\n  }\n  insertRule(index: number, rule: string): boolean {\n    if (index <= this.length) {\n      this.rules.splice(index, 0, rule);\n      this.length++;\n      return true;\n    } else {\n      return false;\n    }\n  }\n  deleteRule(index: number): void {\n    this.rules.splice(index, 1);\n    this.length--;\n  }\n  getRule(index: number): string {\n    if (index < this.length) {\n      return this.rules[index];\n    } else {\n      return ";\n    }\n  }\n}\n\n"/\n@flow\nimport { DISABLE_SPEEDY, IS_BROWSER } from '../constants';\nimport { EMPTY_OBJECT } from '../utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport { getGroupForId } from './GroupIDAllocator';\nimport { outputSheet, rehydrateSheet } from './Rehydration';\nimport { makeTag } from './Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from './types';\n\nlet SHOULD_REHYDRATE = IS_BROWSER;\n\ntype SheetConstructorArgs = {\n  isServer?: boolean,\n  useCSSOMInjection?: boolean,\n  target?: HTMLElement,\n};\n\ntype GlobalStylesAllocationMap = { [key: string]: number }; \ntype NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions: SheetOptions = {\n  isServer: !IS_BROWSER,\n  useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains the main stylesheet logic for stringification and caching */\nexport default class StyleSheet implements Sheet {\n  gs: GlobalStylesAllocationMap;\n  names: NamesAllocationMap;\n  options: SheetOptions;\n  server: boolean;\n  tag: void | GroupedTag;\n\n  /** Register a group ID to give it an index */\n  static registerId(id: string): number {\n    return getGroupForId(id);\n  }\n\n  constructor(\n    options: SheetConstructorArgs = EMPTY_OBJECT,\n    globalStyles?: GlobalStylesAllocationMap = {},\n    names?: NamesAllocationMap\n  ) {\n    this.options = {\n      ...defaultOptions,\n      ...options,\n    }; \n    this.gs = globalStyles;\n    this.names = new Map(names);\n    this.server = !options.isServer;\n\n    // We rehydrate only once and use the sheet that is created first\n    if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n      SHOULD_REHYDRATE = false;\n      rehydrateSheet(this);\n    }\n\n    reconstructWithOptions(options: SheetConstructorArgs, withNames?: boolean = true) {\n      return new StyleSheet(\n        { ...this.options, ...options },\n        this.gs,\n        (withNames && this.names) || undefined\n      );\n    }\n\n    allocateGSInstance(id: string) {\n      return (this.gs[id] = (this.gs[id] || 0) + 1);\n    }\n\n    /** Lazily initialises a GroupedTag for when it's actually needed */\n    getTag(): GroupedTag {\n      return this.tag || (this.tag = makeGroupedTag(makeTag(this.options)));\n    }\n\n    /** Check whether a name is known for caching */\n    hasNameForId(id: string, name: string): boolean {\n      return this.names.has(id) && (this.names.get(id) || []).has(name);\n    }\n\n    /** Mark a group's name as known for caching */\n    registerName(id: string, name: string) {\n      getGroupForId(id);\n      if (!this.names.has(id)) {\n        const

```

```

groupNames = new Set();\n    groupNames.add(name);\n    this.names.set(id, groupNames);\n  } else {\n
(this.names.get(id): any).add(name);\n  }\n }\n\n /** Insert new rules which also marks the name as known */\n
insertRules(id: string, name: string, rules: string[]) {\n  this.registerName(id, name);\n
this.getTag().insertRules(getGroupForId(id), rules);\n }\n\n /** Clears all cached names for a given group ID */\n
clearNames(id: string) {\n  if (this.names.has(id)) {\n    (this.names.get(id): any).clear();\n  }\n }\n\n /** Clears
all rules for a given group ID */\n
clearRules(id: string) {\n  this.getTag().clearGroup(getGroupForId(id));\n
this.clearNames(id);\n }\n\n /** Clears the entire tag which deletes all rules but not its names */\n
clearTag() {\n
// NOTE: This does not clear the names, since it's only used during SSR\n
// so that we can continuously output
only new rules\n  this.tag = undefined;\n }\n\n /** Outputs the current sheet as a CSS string with markers for SSR
*/\n
toString(): string {\n  return outputSheet(this);\n }\n}\n\n"/**\n * MIT License\n * Copyright (c) 2016
Sultan Tarimo\n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this
software and associated documentation files (the "Software"),\n * to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell
copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following
conditions:\n * \n * The above copyright notice and this permission notice shall be included in all\n * copies or
substantial portions of the Software.\n * \n * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT
WARRANTY OF ANY KIND, EXPRESS\n * OR IMPLIED INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n * WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR\n * IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.\n */\n\n * eslin-disable */\n\nexport default
function(insertRule) {\n  const delimiter = '*/';\n  const needle = `${delimiter}`;\n\n  function toSheet(block) {\n
if (block) {\n    try {\n      insertRule(`${block}`);\n    } catch (e) {\n    }\n  }\n\n  return function ruleSheet(\n
context,\n  content,\n  selectors,\n  parents,\n  line,\n  column,\n  length,\n  ns,\n  depth,\n  at\n ) {\n
switch (context) {\n  // property\n  case 1:\n    // @import\n    if (depth === 0 && content.charCodeAt(0)
=== 64) return insertRule(`${content};`), "\n    break;\n  // selector\n  case 2:\n    if (ns === 0) return
content + delimiter;\n    break;\n  // at-rule\n  case 3:\n    switch (ns) {\n      // @font-face, @page\n
case 102:\n      case 112:\n        return insertRule(selectors[0] + content), "\n      default:\n        return
content + (at === 0 ? delimiter : ");\n    }\n  case -2:\n    content.split(needle).forEach(toSheet);\n  }\n
};\n}\n\n", "import Stylis from '@emotion/stylis';\nimport { type Stringifier } from './types';\nimport {
EMPTY_ARRAY, EMPTY_OBJECT } from './empties';\nimport throwError from './error';\nimport { phash,
SEED } from './hash';\nimport insertRulePlugin from './stylisPluginInsertRule';\n\nconst COMMENT_REGEX =
/^\s*\|\|\. *$\/gm;\nconst COMPLEX_SELECTOR_PREFIX = [':', '[', '!', '#'];\n\n type StylisInstanceConstructorArgs
= {\n  options?: Object,\n  plugins?: Array<Function>,\n};\n\nexport default function createStylisInstance({\n
options = EMPTY_OBJECT,\n  plugins = EMPTY_ARRAY,\n}: StylisInstanceConstructorArgs =
EMPTY_OBJECT) {\n  const stylis = new Stylis(options);\n\n  // Wrap `insertRulePlugin` to build a list of rules,\n //
and then make our own plugin to return the rules. This\n // makes it easier to hook into the existing SSR
architecture\n\n  let parsingRules = [];\n\n  // eslin-disable-next-line consistent-return\n  const returnRulesPlugin =
context => {\n    if (context === -2) {\n      const parsedRules = parsingRules;\n      parsingRules = [];\n      return
parsedRules;\n    }\n  }; \n\n  const parseRulesPlugin = insertRulePlugin(rule => {\n    parsingRules.push(rule);\n
});\n\n  let _componentId: string;\n  let _selector: string;\n  let _selectorRegexp: RegExp;\n  let
_consecutiveSelfRefRegExp: RegExp;\n\n  const selfReferenceReplacer = (match, offset, string) => {\n    if (\n //
do not replace the first occurrence if it is complex (has a modifier)\n    (offset === 0 ?
COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length]) === -1 : true) &&\n    // no consecutive self
refs (.b.b); that is a precedence boost and treated differently\n    !string.match(_consecutiveSelfRefRegExp)\n  )
{\n    return `.${_componentId}`;\n  }\n\n  return match;\n }; \n\n  /**\n   * When writing a style like\n   *\n   *
& + & {\n   *   color: red;\n   * }\n   *\n   * The second ampersand should be a reference to the static component

```



```

class. stylis\n * has no knowledge of static class so we have to intelligently replace the base selector.\n *\n *
https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <- more info about the context phase values\n * \"2\"
means this plugin is taking effect at the very end after all other processing is complete\n */\n const
selfReferenceReplacementPlugin = (context, _, selectors) => {\n  if (context === 2 && selectors.length &&
selectors[0].lastIndexOf(_selector) > 0) {\n    // eslint-disable-next-line no-param-reassign\n    selectors[0] =
selectors[0].replace(_selectorRegexp, selfReferenceReplacer);\n  }\n};\n\n stylis.use([...plugins,
selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);\n\n function stringifyRules(css, selector,
prefix, componentId = '&'): Stringifier {\n  const flatCSS = css.replace(COMMENT_REGEX, "");\n  const cssStr
= selector && prefix ? `${prefix} ${selector} { ${flatCSS} }` : flatCSS;\n  // stylis has no concept of state to be
passed to plugins\n  // but since JS is single-threaded, we can rely on that to ensure\n  // these properties stay in
sync with the current stylis run\n  _componentId = componentId;\n  _selector = selector;\n  _selectorRegexp =
new RegExp(`\\\\\\\\${_selector}\\\\\\\\b`, 'g');\n  _consecutiveSelfRefRegExp = new
RegExp(`\\\\\\\\${_selector}\\\\\\\\b){2,}`);\n  return stylis(prefix || !selector ? " : selector, cssStr);\n }\n\n
stringifyRules.hash = plugins.length\n ? plugins\n   .reduce((acc, plugin) => {\n     if (!plugin.name) {\n
throwStyledError(15);\n     }\n     return phash(acc, plugin.name);\n   }, SEED)\n   .toString()\n :
";\n\n return stringifyRules;\n}\n\n", \"// @flow\nimport React, { type Context, type Node, useContext, useEffect,
useMemo, useState } from 'react';\nimport shallowequal from 'shallowequal';\nimport StyleSheet from
'./sheet';\nimport type { Stringifier } from './types';\nimport createStylisInstance from './utils/stylis';\n\ntype Props
= {\n  children?: Node,\n  disableCSSOMInjection?: boolean,\n  disableVendorPrefixes?: boolean,\n  sheet?:
StyleSheet,\n  stylisPlugins?: Array<Function>,\n  target?: HTMLElement,\n};\n\nexport const StyleSheetContext:
Context<StyleSheet | void> = React.createContext();\nexport const StyleSheetConsumer =
StyleSheetContext.Consumer;\nexport const StylisContext: Context<Stringifier | void> =
React.createContext();\nexport const StylisConsumer = StylisContext.Consumer;\n\nexport const masterSheet:
StyleSheet = new StyleSheet();\nexport const masterStylis: Stringifier = createStylisInstance();\n\nexport function
useStyleSheet(): StyleSheet {\n  return useContext(StyleSheetContext) || masterSheet;\n}\n\nexport function
useStylis(): Stringifier {\n  return useContext(StylisContext) || masterStylis;\n}\n\nexport default function
StyleSheetManager(props: Props) {\n  const [plugins, setPlugins] = useState(props.stylisPlugins);\n  const
contextStyleSheet = useStyleSheet();\n  const styleSheet = useMemo(() => {\n    let sheet = contextStyleSheet;\n    if (props.sheet) {\n      // eslint-disable-next-line prefer-destructuring\n      sheet = props.sheet;\n    } else if
(props.target) {\n      sheet = sheet.reconstructWithOptions({ target: props.target }, false);\n    }\n    if
(props.disableCSSOMInjection) {\n      sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });\n    }\n  }, [props.disableCSSOMInjection, props.sheet, props.target]);\n  const stylis = useMemo(() =>\n    createStylisInstance({\n      options: { prefix: !props.disableVendorPrefixes },\n      plugins,\n    }),\n    [props.disableVendorPrefixes, plugins]\n  );\n  useEffect(() => {\n    if (!shallowequal(plugins,
props.stylisPlugins)) setPlugins(props.stylisPlugins);\n  }, [props.stylisPlugins]);\n  return (\n    <StyleSheetContext.Provider value={styleSheet}>\n      <StylisContext.Provider value={stylis}>\n        {process.env.NODE_ENV !== 'production'\n          ? React.Children.only(props.children)\n          : props.children}\n      </StylisContext.Provider>\n    </StyleSheetContext.Provider>\n  );\n}\n\n", \"// @flow\nimport StyleSheet from
'./sheet';\nimport { type Stringifier } from './types';\nimport throwStyledError from './utils/error';\nimport {
masterStylis } from './StyleSheetManager';\n\nexport default class Keyframes {\n  id: string;\n  name: string;\n  rules: string;\n\n  constructor(name: string, rules: string) {\n    this.name = name;\n    this.id = `sc-keyframes-
${name}`;\n    this.rules = rules;\n  }\n\n  inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis)
=> {\n    const resolvedName = this.name + stylisInstance.hash;\n    if (!styleSheet.hasNameForId(this.id,
resolvedName)) {\n      styleSheet.insertRules(\n        this.id,\n        resolvedName,\n        stylisInstance(this.rules,
resolvedName, '@keyframes')\n      );\n    }\n  }\n\n  toString = () => {\n    return throwStyledError(12,
String(this.name));\n  }\n\n  getName(stylisInstance: Stringifier = masterStylis) {\n    return this.name +
stylisInstance.hash;\n  }\n}\n\n", \"// @flow\n\n/**\n * inlined version of\n *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n */\n\nconst

```

```

uppercaseCheck = /([A-Z])/;
const uppercasePattern = /([A-Z])/g;
const msPattern = /^ms-/;
const prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;

// Hyphenates a camelcased CSS property name, for example:
// `> hyphenateStyleName('backgroundColor')`
// `< "background-color"`
// `> hyphenateStyleName('MozTransition')`
// `< "-moz-transition"`
// `> hyphenateStyleName('msTransition')`
// `< "-ms-transition"`
// As Modernizr suggests (http://modernizr.com/docs/#prefixed), an `ms` prefix is converted to `-ms-`.
export default function hyphenateStyleName(string: string): string {
  return uppercaseCheck.test(string) ? string.replace(uppercasePattern, prefixAndLowerCase).replace(msPattern, '-ms-') : string;
}

// Taken from https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-dom/src/shared/dangerousStyleValue.js
export default function addUnitIfNeeded(name: string, value: any): any {
  // https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133
  // $FlowFixMe
  if (value == null || typeof value === 'boolean' || value === '') {
    return "";
  }
  if (typeof value === 'number' && value !== 0 && !(name in unitless)) {
    return `${value}px`;
  }
  // Presumes implicit 'px' suffix for unitless numbers
  return String(value).trim();
}

import { isElement } from 'react-is';
import getComponentName from './getComponentName';
import isFunction from './isFunction';
import isStatelessFunction from './isStatelessFunction';
import isPlainObject from './isPlainObject';
import isStyledComponent from './isStyledComponent';
import Keyframes from './models/Keyframes';
import hyphenate from './hyphenateStyleName';
import addUnitIfNeeded from './addUnitIfNeeded';
import { type Stringifier } from './types';

// It's falsish not falsy because 0 is allowed.
const isFalsish = chunk => chunk === undefined || chunk === null || chunk === false || chunk === "";

export const objToCssArray = (obj: Object, prevKey?: string): Array<string | Function> => {
  const rules = [];
  for (const key in obj) {
    if ((obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;
    if ((Array.isArray(obj[key]) && obj[key].isCss) || isFunction(obj[key])) {
      rules.push(`${hyphenate(key)}:`, obj[key], `;`);
    } else if (isPlainObject(obj[key])) {
      rules.push(...objToCssArray(obj[key], key));
    } else {
      rules.push(`${hyphenate(key)}: ${addUnitIfNeeded(key, obj[key])};`);
    }
  }
  return prevKey ? [`${prevKey} {`, ...rules, `}`] : rules;
}

export default function flatten(chunk: any, executionContext: ?Object, styleSheet: ?Object, stylisInstance: ?Stringifier): any {
  if (Array.isArray(chunk)) {
    const ruleSet = [];
    for (let i = 0, len = chunk.length, result; i < len; i += 1) {
      result = flatten(chunk[i], executionContext, styleSheet, stylisInstance);
      if (result === "") continue;
      else if (Array.isArray(result)) ruleSet.push(...result);
      else ruleSet.push(result);
    }
    return ruleSet;
  }
  if (isFalsish(chunk)) {
    return "";
  }
  /* Handle other components */
  if (isStyledComponent(chunk)) {
    return `${chunk.styledComponentId}`;
  }
  /* Either execute or defer the function */
  if (isFunction(chunk)) {
    if (isStatelessFunction(chunk) && executionContext) {
      const result = chunk(executionContext);
      if (process.env.NODE_ENV !== 'production' && isElement(result)) {
        // eslint-disable-next-line no-console
        console.warn(`${getComponentName(chunk)} is not a styled component and cannot be referred to via component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components for more details.`);
      }
      return flatten(result, executionContext, styleSheet, stylisInstance);
    } else {
      return chunk;
    }
  }
  /* Handle objects */
  if (isPlainObject(chunk)) {
    return objToCssArray(chunk) : chunk.toString();
  }
}

const printed = {};
export default function warnOnce(message) {
  if (printed[message]) return;
  printed[message] = true;
  if (typeof console !== 'undefined' && console.warn) console.warn(message);
}

const SINGLE_QUOTE = "'".charCodeAt(0);
const DOUBLE_QUOTE = "\"".charCodeAt(0);
const BACKSLASH = "\\".charCodeAt(0);
const SLASH = "/".charCodeAt(0);
const NEWLINE = "\n".charCodeAt(0);
const SPACE = " ".charCodeAt(0);
const FEED = "\f".charCodeAt(0);
const TAB = "\t".charCodeAt(0);
const CR = "\r".charCodeAt(0);
const OPEN_SQUARE = "[".charCodeAt(0);
const CLOSE_SQUARE = "]".charCodeAt(0);
const OPEN_PARENTHESIS = "(".charCodeAt(0);
const CLOSE_PARENTHESIS = ")".charCodeAt(0);

```

```

)'.charCodeAt(0);\nconst OPEN_CURLY = '{'.charCodeAt(0);\nconst CLOSE_CURLY =
}')'.charCodeAt(0);\nconst SEMICOLON = ';'.charCodeAt(0);\nconst ASTERISK = '*'.charCodeAt(0);\nconst
COLON = ':'.charCodeAt(0);\nconst AT = '@'.charCodeAt(0);\n\nconst RE_AT_END = /[\n\n\t\r\f\\{\|\(\)\'"\:\;\#\&\/g;\nconst RE_WORD_END = /[\n\n\t\r\f\\{\|\(\)\'";@!"\"\\\|\#\|\|\/(?=\\*)/g;\nconst
RE_BAD_BRACKET = /.[\|\|\|\|\|\(\|\'"\n/;\n\nexport default function tokenize(input, options = { }) {\n  const tokens
= [];\n  const css = input.css.valueOf();\n  const ignore = options.ignoreErrors;\n  let code,\n  next,\n  quote,\n  lines,\n  last,\n  content,\n  escape,\n  nextLine,\n  nextOffset,\n  escaped,\n  escapePos,\n  prev,\n  n;\n  const length = css.length;\n  let offset = -1;\n  let line = 1;\n  let pos = 0;\n  function unclosed(what) {\n    throw
input.error(`Unclosed ${what}`, line, pos - offset);\n  }\n  while (pos < length) {\n    code =
css.charCodeAt(pos);\n    if (code === NEWLINE || code === FEED || (code === CR && css.charCodeAt(pos +
1) !== NEWLINE)) {\n      offset = pos;\n      line += 1;\n    }\n    switch (code) {\n      case NEWLINE:\n      case
SPACE:\n      case TAB:\n      case CR:\n      case FEED:\n        next = pos;\n        do {\n          next += 1;\n
code = css.charCodeAt(next);\n          if (code === NEWLINE) {\n            offset = next;\n            line += 1;\n
}\n        } while (\n          code === SPACE ||\n          code === NEWLINE ||\n          code === TAB ||\n          code
=== CR ||\n          code === FEED\n        );\n        tokens.push(['space', css.slice(pos, next)]);\n        pos = next -
1;\n        break;\n      case OPEN_SQUARE:\n        tokens.push(['[', '[', line, pos - offset]);\n        break;\n      case
CLOSE_SQUARE:\n        tokens.push([']', ']', line, pos - offset]);\n        break;\n      case OPEN_CURLY:\n
tokens.push(['{', '{', line, pos - offset]);\n        break;\n      case CLOSE_CURLY:\n        tokens.push(['}', '}', line,
pos - offset]);\n        break;\n      case COLON:\n        tokens.push([':', ':', line, pos - offset]);\n        break;\n
      case SEMICOLON:\n        tokens.push([';', ';', line, pos - offset]);\n        break;\n      case
OPEN_PARENTHESES:\n        prev = tokens.length ? tokens[tokens.length - 1][1] : '';\n        n =
css.charCodeAt(pos + 1);\n        if (\n          prev === 'url' &&\n          n !== SINGLE_QUOTE &&\n          n !==
DOUBLE_QUOTE &&\n          n !== SPACE &&\n          n !== NEWLINE &&\n          n !== TAB &&\n          n
!== FEED &&\n          n !== CR\n        ) {\n          next = pos;\n          do {\n            escaped = false;\n            next =
css.indexOf(')', next + 1);\n            if (next === -1) {\n              if (ignore) {\n                next = pos;\n
break;\n              } else {\n                unclosed('bracket');\n              }\n            }\n            escapePos = next;\n
while (css.charCodeAt(escapePos - 1) === BACKSLASH) {\n              escapePos -= 1;\n              escaped =
!escaped;\n            }\n          } while (escaped);\n          tokens.push([\n            'brackets',\n            css.slice(pos,
next + 1),\n            line,\n            pos - offset,\n            line,\n            next - offset,\n            ]);\n          pos = next;\n
} else {\n          next = css.indexOf(')', pos + 1);\n          content = css.slice(pos, next + 1);\n          if (next === -1 ||
RE_BAD_BRACKET.test(content)) {\n            tokens.push(['(', '(', line, pos - offset]);\n          } else {\n
tokens.push(['brackets', content, line, pos - offset, line, next - offset]);\n          pos = next;\n          }\n        }\n
break;\n      case CLOSE_PARENTHESES:\n        tokens.push([')', ')', line, pos - offset]);\n        break;\n      case
SINGLE_QUOTE:\n      case DOUBLE_QUOTE:\n        quote = code === SINGLE_QUOTE ? '"' : '';\n        next = pos;\n        do {\n
escaped = false;\n        next = css.indexOf(quote, next + 1);\n        if (next === -1)\n        {\n          if (ignore) {\n            next = pos + 1;\n            break;\n          } else {\n            unclosed('quote');\n
}\n          }\n          escapePos = next;\n          while (css.charCodeAt(escapePos - 1) === BACKSLASH) {\n            escapePos
-= 1;\n            escaped = !escaped;\n          }\n        } while (escaped);\n        content = css.slice(pos, next
+ 1);\n        lines = content.split('\\n');\n        last = lines.length - 1;\n        if (last > 0) {\n          nextLine = line +
last;\n          nextOffset = next - lines[last].length;\n        } else {\n          nextLine = line;\n          nextOffset =
offset;\n        }\n        tokens.push([\n          'string',\n          css.slice(pos, next + 1),\n          line,\n          pos -
offset,\n          nextLine,\n          next - nextOffset,\n          ]);\n        offset = nextOffset;\n        line = nextLine;\n
pos = next;\n        break;\n      case AT:\n        RE_AT_END.lastIndex = pos + 1;\n        RE_AT_END.test(css);\n
if (RE_AT_END.lastIndex === 0) {\n          next = css.length - 1;\n        } else {\n          next =
RE_AT_END.lastIndex - 2;\n        }\n        tokens.push(['at-word', css.slice(pos, next + 1), line, pos - offset, line,
next - offset]);\n        pos = next;\n        break;\n      case BACKSLASH:\n        next = pos;\n        escape = true;\n
while (css.charCodeAt(next + 1) === BACKSLASH) {\n          next += 1;\n          escape = !escape;\n        }\n        code =
css.charCodeAt(next + 1);\n        if (\n          escape &&\n          (code !== SLASH &&\n          code !==

```

```

SPACE &&\n      code !== NEWLINE &&\n      code !== TAB &&\n      code !== CR &&\n      code
!== FEED)\n    ) {\n      next += 1;\n    }\n    tokens.push(['word', css.slice(pos, next + 1), line, pos - offset,
line, next - offset]);\n    pos = next;\n    break;\n\n    default:\n      if (code === SLASH &&
css.charCodeAt(pos + 1) === ASTERISK) {\n      next = css.indexOf('*/', pos + 2) + 1;\n      if (next === 0) {\n
      if (ignore) {\n      next = css.length;\n      } else {\n      unclosed('comment');\n      }\n
}\n\n    content = css.slice(pos, next + 1);\n    lines = content.split("\n");\n    last = lines.length - 1;\n
if (last > 0) {\n      nextLine = line + last;\n      nextOffset = next - lines[last].length;\n      } else {\n
nextLine = line;\n      nextOffset = offset;\n      }\n\n    tokens.push(['comment', content, line, pos - offset,
nextLine, next - nextOffset]);\n\n    offset = nextOffset;\n    line = nextLine;\n    pos = next;\n    } else
{\n    RE_WORD_END.lastIndex = pos + 1;\n    RE_WORD_END.test(css);\n    if
(RE_WORD_END.lastIndex === 0) {\n      next = css.length - 1;\n      } else {\n      next =
RE_WORD_END.lastIndex - 2;\n      }\n\n    tokens.push(['word', css.slice(pos, next + 1), line, pos - offset,
line, next - offset]);\n    pos = next;\n    }\n\n    break;\n  }\n\n  pos++;\n}\n\nreturn tokens;\n}"/
@flow\nimport tokenize from './tokenize';\nimport Input from './input';\n\nconst HIGHLIGHT_THEME = {\n
brackets: [36, 39], // cyan\n string: [31, 39], // red\n 'at-word': [31, 39], // red\n comment: [90, 39], // gray\n '{':
[32, 39], // green\n '}': [32, 39], // green\n ':': [1, 22], // bold\n ';': [1, 22], // bold\n '(': [1, 22], // bold\n ')': [1, 22],
// bold\n};\n\nfunction code(color) {\n return `\\u001b[${color}m`;\n}\n\nfunction terminalHighlight(css) {\n const
tokens = tokenize(new Input(css), { ignoreErrors: true });\n const result = [];\n tokens.forEach(token => {\n const
color = HIGHLIGHT_THEME[token[0]];\n if (color) {\n result.push(\n token[1]\n .split(/\\r?\\n/)\n
.map(i => code(color[0]) + i + code(color[1]))\n .join("\\n")\n );\n } else {\n result.push(token[1]);\n
}\n });\n return result.join("");\n}\n\nexport default terminalHighlight;\n"/
@flow\nimport supportsColor from
'supports-color';\nimport terminalHighlight from './terminal-highlight';\nimport warnOnce from './warn-
once';\n\n/**\n * The CSS parser throws this error for broken CSS.\n * Custom parsers can throw this error for
broken custom syntax using\n * the {@link Node#error} method.\n * PostCSS will use the input source map to
detect the original error location.\n * If you wrote a Sass file, compiled it to CSS and then parsed it with PostCSS,\n
* PostCSS will show the original position in the Sass file.\n * If you need the position in the PostCSS input\n *
(e.g., to debug the previous compiler), use `error.input.file`.\n * @example\n * // Catching and checking syntax
error\n * try {\n *   postcss.parse('a{')\n * } catch (error) {\n *   if ( error.name === 'CssSyntaxError' ) {\n *     error
//=> CssSyntaxError\n *   }\n * }\n * @example\n * // Raising error from plugin\n * throw node.error('Unknown
variable', { plugin: 'postcss-vars' });\n * ^\n * class CssSyntaxError {\n *   /**\n *    * @param {string} message - error
message\n *    * @param {number} [line] - source line of the error\n *    * @param {number} [column] - source column
of the error\n *    * @param {string} [source] - source code of the broken file\n *    * @param {string} [file] - absolute
path to the broken file\n *    * @param {string} [plugin] - PostCSS plugin name, if error came from plugin\n *    ^\n
* constructor(message, line, column, source, file, plugin) {\n *   /**\n *    * @member {string} - Always equal to
`CssSyntaxError`. You should\n *      always check error type\n *      by `error.name ===
'CssSyntaxError` instead of\n *      `error instanceof CssSyntaxError`, because\n *      npm
could have several PostCSS versions.\n *    * @example\n *    * if ( error.name === 'CssSyntaxError' ) {\n *
* error //=> CssSyntaxError\n *   }\n *   ^\n *   this.name = 'CssSyntaxError';\n *   /**\n *    * @member {string} - Error
message.\n *    * @example\n *    * error.message //=> 'Unclosed block'\n *    * ^\n *    * this.reason = message;\n\n
if (file) {\n *   /**\n *    * @member {string} - Absolute path to the broken file.\n *    * @example\n *
* error.file //=> 'a.sass'\n *    * error.input.file //=> 'a.css'\n *    * ^\n *    * this.file = file;\n *   }\n
if (source) {\n *   /**\n *    * @member {string} - Source code of the broken file.\n *    * @example\n *
* error.source //=> 'a { b { } }'\n *    * error.input.column //=> 'a b { }'\n *    * ^\n *    * this.source = source;\n *   }\n
if (plugin) {\n *   /**\n *    * @member {string} - Plugin name, if error came from plugin.\n *    * @example\n *
* error.plugin //=> 'postcss-vars'\n *    * ^\n *    * this.plugin = plugin;\n *   }\n if (typeof line !== 'undefined' && typeof
column !== 'undefined') {\n *   /**\n *    * @member {number} - Source line of the error.\n *    * @example\n *
* error.line //=> 2\n *    * error.input.line //=> 4\n *    * ^\n *    * this.line = line;\n *   /**\n *
* @member {number} - Source column of the error.\n *    * @example\n *    * error.column //=> 1\n *

```

```

error.input.column //=> 4\n    *\n    this.column = column;\n  }\n\n  this.setMessage();\n\n  if
(Error.captureStackTrace) {\n    Error.captureStackTrace(this, CssSyntaxError);\n  }\n\n  setMessage() {\n
/**\n   * @member {string} - Full error text in the GNU error format\n   *           with plugin, file, line and
column.\n   *\n   * @example\n   * error.message //=> 'a.css:1:1: Unclosed block'\n   *\n   this.message =
this.plugin ? `${this.plugin}: ` : `;\n   this.message += this.file ? this.file : '<css input>';\n   if (typeof this.line !==
'undefined') {\n     this.message += `:${this.line}:${this.column}`;\n   }\n   this.message += `:${this.reason}`;\n
}\n\n /**\n   * Returns a few lines of CSS source that caused the error.\n   *\n   * If the CSS has an input source map
without `sourceContent`,\n   * this method will return an empty string.\n   *\n   * @param {boolean} [color] whether
arrow will be colored red by terminal\n   *           color codes. By default, PostCSS will detect\n   *
color support by `process.stdout.isTTY`\n   *           and
`process.env.NODE_DISABLE_COLORS`.\n   *\n   * @example\n   * error.showSourceCode() //=> `\" 4 | }\n   *
// 5 | a {\n   *           // > 6 | bad\n   *           // | ^\n   *           // 7 |
}\n   *           // 8 | b {\n   *           *\n   * @return {string} few lines of CSS source that caused the error\n   *\n
showSourceCode(color) {\n   if (!this.source) return `;\n\n   let css = this.source;\n   if (typeof color ===
'undefined') color = supportsColor;\n   if (color) css = terminalHighlight(css);\n\n   const lines =
css.split(/\\r?\\n/);\n   const start = Math.max(this.line - 3, 0);\n   const end = Math.min(this.line + 2,
lines.length);\n\n   const maxWidth = String(end).length;\n\n   return lines\n     .slice(start, end)\n     .map((line,
index) => {\n     const number = start + 1 + index;\n     const padded = ` ${number}`.slice(-maxWidth);\n
const gutter = ` ${padded} | `;\n     if (number === this.line) {\n       const spacing =\n
gutter.replace(/\\d/g, ' ') + line.slice(0, this.column - 1).replace(/^[^\\t]/g, ' ');\n       return `>${gutter}${line}\\n
${spacing}^`;\n     } else {\n       return ` ${gutter}${line}`;\n     }\n   })\n     .join("\\n");\n\n /**\n   *
Returns error position, message and source code of the broken part.\n   *\n   * @example\n   * error.toString() //=>
`\"CssSyntaxError: app.css:1:1: Unclosed block\n   *           // > 1 | a {\n   *           // | ^\n   *           *\n
   * @return {string} error position, message and source code\n   *\n   toString() {\n     let code =
this.showSourceCode();\n     if (code) {\n       code = `\\n\\n${code}\\n`;\n     }\n     return `${this.name}:
${this.message}${code}`;\n   }\n\n   get generated() {\n     warnOnce('CssSyntaxError#generated is deprecated. Use
input instead.);\n     return this.input;\n   }\n\n /**\n   * @memberof CssSyntaxError#\n   * @member {Input} input -
Input object with PostCSS internal information\n   *           about input file. If input has source map\n   *
from previous tool, PostCSS will use origin\n   *           (for example, Sass) source. You can use
this\n   *           object to get PostCSS input source.\n   *\n   * @example\n   * error.input.file //=> 'a.css'\n
   * error.file //=> 'a.sass'\n   *\n   * @example\n   * export default CssSyntaxError(`\", \"\" @flow\n   * eslint-disable valid-jsdoc
   *\n   * const defaultRaw = {\n   *   colon: ':',\n   *   indent: ' ',\n   *   beforeDecl: '\\n',\n   *   beforeRule: '\\n',\n   *   beforeOpen: ' ',\n
   *   beforeClose: '\\n',\n   *   beforeComment: '\\n',\n   *   after: '\\n',\n   *   emptyBody: '',\n   *   commentLeft: ' ',\n   *   commentRight: '
';\n   *};\n\n   * function capitalize(str) {\n     return str[0].toUpperCase() + str.slice(1);\n   *}\n\n   * class Stringifier {\n
   *   constructor(builder) {\n     this.builder = builder;\n   *   }\n\n   *   stringify(node, semicolon) {\n     this[node.type](node,
semicolon);\n   *   }\n\n   *   root(node) {\n     this.body(node);\n     if (node.raws.after) this.builder(node.raws.after);\n   *   }\n\n
   *   comment(node) {\n     const left = this.raw(node, 'left', 'commentLeft');\n     const right = this.raw(node, 'right',
'commentRight');\n     this.builder(`${left}${node.text}${right}`*, node);\n   *   }\n\n   *   decl(node, semicolon) {\n
const between = this.raw(node, 'between', 'colon');\n     let string = node.prop + between + this.rawValue(node,
'value');\n\n     if (node.important) {\n       string += node.raws.important || ' !important';\n     }\n\n     if (semicolon)
string += `;`;\n     this.builder(string, node);\n   *   }\n\n   *   rule(node) {\n     this.block(node, this.rawValue(node,
'selector'));\n   *   }\n\n   *   atrule(node, semicolon) {\n     let name = `@${node.name}`;\n     const params = node.params ?
this.rawValue(node, 'params') : `;\n\n     if (typeof node.raws.afterName !== 'undefined') {\n       name +=
node.raws.afterName;\n     } else if (params) {\n       name += ` `;\n     }\n\n     if (node.nodes) {\n       this.block(node,
name + params);\n     } else {\n       const end = (node.raws.between || ')') + (semicolon ? `;` : `)`;\n       this.builder(name
+ params + end, node);\n     }\n   *   }\n\n   *   body(node) {\n     let last = node.nodes.length - 1;\n     while (last > 0) {\n
if (node.nodes[last].type !== 'comment') break;\n     last -= 1;\n   *   }\n\n     const semicolon = this.raw(node,
'semicolon');\n     for (let i = 0; i < node.nodes.length; i++) {\n       const child = node.nodes[i];\n       const before =

```

```

this.raw(child, 'before');\n  if (before) this.builder(before);\n  this.stringify(child, last !== i || semicolon);\n  }\n}\n\n block(node, start) {\n  const between = this.raw(node, 'between', 'beforeOpen');\n  this.builder(`${start +\n  between}` , node, 'start');\n\n  let after;\n  if (node.nodes && node.nodes.length) {\n    this.body(node);\n    after = this.raw(node, 'after');\n  } else {\n    after = this.raw(node, 'after', 'emptyBody');\n  }\n\n  if (after)\n    this.builder(after);\n  this.builder(``, node, 'end');\n}\n\n raw(node, own, detect) {\n  let value;\n  if (!detect)\n    detect = own;\n\n  // Already had\n  if (own) {\n    value = node.rows[own];\n    if (typeof value !==\n    'undefined') return value;\n  }\n\n  const parent = node.parent;\n\n  // Hack for first rule in CSS\n  if (detect ===\n  'before') {\n    if (!parent || (parent.type === 'root' && parent.first === node)) {\n      return ";\n    }\n  }\n\n  //\n  Floating child without parent\n  if (!parent) return defaultRaw[detect];\n\n  // Detect style by other nodes\n  const\n  root = node.root();\n  if (!root.rawCache) root.rawCache = {};\n  if (typeof root.rawCache[detect] !== 'undefined')\n  {\n    return root.rawCache[detect];\n  }\n\n  if (detect === 'before' || detect === 'after') {\n    return\n    this.beforeAfter(node, detect);\n  } else {\n    const method = `raw${capitalize(detect)}`;\n    if (this[method])\n  {\n    value = this[method](root, node);\n  } else {\n    root.walk(i => {\n      value = i.rows[own];\n      if\n      (typeof value !== 'undefined') return false;\n    });\n  }\n\n  if (typeof value === 'undefined') value =\n  defaultRaw[detect];\n\n  root.rawCache[detect] = value;\n  return value;\n}\n\n rawSemicolon(root) {\n  let\n  value;\n  root.walk(i => {\n    if (i.nodes && i.nodes.length && i.last.type === 'decl') {\n      value =\n      i.rows.semicolon;\n      if (typeof value !== 'undefined') return false;\n    }\n  });\n  return value;\n}\n\n rawEmptyBody(root) {\n  let value;\n  root.walk(i => {\n    if (i.nodes && i.nodes.length === 0) {\n      value =\n      i.rows.after;\n      if (typeof value !== 'undefined') return false;\n    }\n  });\n  return value;\n}\n\n rawIndent(root) {\n  if (root.rows.indent) return root.rows.indent;\n  let value;\n  root.walk(i => {\n    const p =\n    i.parent;\n    if (p && p !== root && p.parent && p.parent === root) {\n      if (typeof i.rows.before !==\n      'undefined') {\n        const parts = i.rows.before.split("\\n");\n        value = parts[parts.length - 1];\n        value =\n        value.replace(/^[^\\s]/g, "");\n        return false;\n      }\n    }\n  });\n  return value;\n}\n\n rawBeforeComment(root, node) {\n  let value;\n  root.walkComments(i => {\n    if (typeof i.rows.before !==\n    'undefined') {\n      value = i.rows.before;\n      if (value.indexOf("\\n") !== -1) {\n        value =\n        value.replace(/^[^\\n]+$/ , "");\n      }\n      return false;\n    }\n  });\n  if (typeof value === 'undefined') {\n    value = this.raw(node, null, 'beforeDecl');\n  }\n  return value;\n}\n\n rawBeforeDecl(root, node) {\n  let\n  value;\n  root.walkDecls(i => {\n    if (typeof i.rows.before !== 'undefined') {\n      value = i.rows.before;\n      if\n      (value.indexOf("\\n") !== -1) {\n        value = value.replace(/^[^\\n]+$/ , "");\n      }\n      return false;\n    }\n  });\n  if (typeof value === 'undefined') {\n    value = this.raw(node, null, 'beforeRule');\n  }\n  return value;\n}\n\n rawBeforeRule(root) {\n  let value;\n  root.walk(i => {\n    if (i.nodes && (i.parent !== root || root.first !== i))\n  {\n    if (typeof i.rows.before !== 'undefined') {\n      value = i.rows.before;\n      if (value.indexOf("\\n") !== -\n      1) {\n        value = value.replace(/^[^\\n]+$/ , "");\n      }\n      return false;\n    }\n  }\n}\n\n return\n  value;\n}\n\n rawBeforeClose(root) {\n  let value;\n  root.walk(i => {\n    if (i.nodes && i.nodes.length > 0)\n  {\n    if (typeof i.rows.after !== 'undefined') {\n      value = i.rows.after;\n      if (value.indexOf("\\n") !== -1)\n  {\n        value = value.replace(/^[^\\n]+$/ , "");\n      }\n      return false;\n    }\n  }\n}\n\n return\n  value;\n}\n\n rawBeforeOpen(root) {\n  let value;\n  root.walk(i => {\n    if (i.type !== 'decl') {\n      value =\n      i.rows.between;\n      if (typeof value !== 'undefined') return false;\n    }\n  });\n  return value;\n}\n\n rawColon(root) {\n  let value;\n  root.walkDecls(i => {\n    if (typeof i.rows.between !== 'undefined') {\n      value =\n      i.rows.between.replace(/^[^\\s:]/g, "");\n      return false;\n    }\n  });\n  return value;\n}\n\n beforeAfter(node, detect) {\n  let value;\n  if (node.type === 'decl') {\n    value = this.raw(node, null,\n    'beforeDecl');\n  } else if (node.type === 'comment') {\n    value = this.raw(node, null, 'beforeComment');\n  } else if (detect === 'before') {\n    value = this.raw(node, null, 'beforeRule');\n  } else {\n    value = this.raw(node,\n    null, 'beforeClose');\n  }\n\n  let buf = node.parent;\n  let depth = 0;\n  while (buf && buf.type !== 'root') {\n    depth += 1;\n    buf = buf.parent;\n  }\n\n  if (value.indexOf("\\n") !== -1) {\n    const indent = this.raw(node,\n    null, 'indent');\n    if (indent.length) {\n      for (let step = 0; step < depth; step++) value += indent;\n    }\n  }\n\n  return value;\n}\n\n rawValue(node, prop) {\n  const value = node[prop];\n  const raw = node.rows[prop];\n  if (raw && raw.value === value) {\n    return raw.raw;\n  } else {\n    return value;\n  }\n}\n\n\nexport

```

```

default Stringifier;
"// @flow\nimport Stringifier from './stringifier';\n\nexport default function stringify(node,
builder) {\n  const str = new Stringifier(builder);\n  str.stringify(node);\n}\n",
"// @flow\nimport CssSyntaxError
from './css-syntax-error';\nimport Stringifier from './stringifier';\nimport stringify from './stringify';\nimport
warnOnce from './warn-once';\n\n/**\n * @typedef {object} position\n * @property {number} line - source line in
file\n * @property {number} column - source column in file\n * ^\n\n/**\n * @typedef {object} source\n *
@property {Input} input - {@link Input} with input file\n * @property {position} start - The starting position of
the node's source\n * @property {position} end - The ending position of the node's source\n * ^\n\nconst
cloneNode = function(obj, parent) {\n  const cloned = new obj.constructor();\n\n  for (const i in obj) {\n    if
(!obj.hasOwnProperty(i)) continue;\n    let value = obj[i];\n    const type = typeof value;\n\n    if (i === 'parent' &&
type === 'object') {\n      if (parent) cloned[i] = parent;\n    } else if (i === 'source') {\n      cloned[i] = value;\n    }
else if (value instanceof Array) {\n      cloned[i] = value.map(j => cloneNode(j, cloned));\n    } else if (i !== 'before'
&& i !== 'after' && i !== 'between' && i !== 'semicolon') {\n      if (type === 'object' && value !== null) value =
cloneNode(value);\n      cloned[i] = value;\n    }\n  }\n\n  return cloned;\n};\n\n/**\n * All node classes inherit the
following common methods.\n * ^\n * @abstract\n * ^\n\nclass Node {\n  /**\n   * @param {object} [defaults] - value
for node properties\n   * ^\n   constructor(defaults = {}) {\n     this.raws = {};\n     for (const name in defaults) {\n
this[name] = defaults[name];\n     }\n   }\n\n   /**\n    * Returns a CssSyntaxError instance containing the original
position\n    * of the node in the source, showing line and column numbers and also\n    * a small excerpt to facilitate
debugging.\n    * ^\n    * If present, an input source map will be used to get the original position\n    * of the source,
even from a previous compilation step\n    * (e.g., from Sass compilation).\n    * ^\n    * This method produces very
useful error messages.\n    * ^\n    * @param {string} message - error description\n    * @param {object} [opts] -
options\n    * @param {string} opts.plugin - plugin name that created this error.\n    * ^\n    * PostCSS will
set it automatically.\n    * @param {string} opts.word - a word inside a node's string that should\n    *
be highlighted as the source of the error\n    * ^\n    * @param {number} opts.index - an index inside a node's string that
should\n    * be highlighted as the source of the error\n    * ^\n    * @return {CssSyntaxError} error
object to throw it\n    * ^\n    * @example\n    * if (!variables[name]) {\n    *   throw decl.error('Unknown variable ' +
name, { word: name });\n    *   // CssSyntaxError: postcss-vars:a.sass:4:3: Unknown variable $black\n    *   // color:
$black\n    *   // a\n    *   // ^\n    *   // background: white\n    * }\n    * ^\n    error(message, opts = {}) {\n    if
(this.source) {\n      const pos = this.positionBy(opts);\n      return this.source.input.error(message, pos.line,
pos.column, opts);\n    } else {\n      return new CssSyntaxError(message);\n    }\n  }\n\n  /**\n   * This method is
provided as a convenience wrapper for {@link Result#warn}.\n   * ^\n   * @param {Result} result - the {@link
Result} instance\n   * ^\n   * that will receive the warning\n   * @param {string} text - warning
message\n   * @param {object} [opts] - options\n   * @param {string} opts.plugin - plugin name that created this
warning.\n   * ^\n   * PostCSS will set it automatically.\n   * @param {string} opts.word - a word
inside a node's string that should\n   * be highlighted as the source of the warning\n   * ^\n   * @param
{number} opts.index - an index inside a node's string that should\n   * be highlighted as the
source of the warning\n   * ^\n   * @return {Warning} created warning object\n   * ^\n   * @example\n   * const plugin
= postcss.plugin('postcss-deprecated', () => {\n   *   return (root, result) => {\n   *     root.walkDecls('bad', decl =>
{\n   *       decl.warn(result, 'Deprecated property bad');\n   *     });\n   *   });\n   * }\n   * ^\n   warn(result, text, opts)
{\n   const data = { node: this }; \n   for (const i in opts) data[i] = opts[i]; \n   return result.warn(text, data);\n }\n\n  /**\n   * Removes the node from its parent and cleans the parent properties\n   * from the node and its children.\n   * ^\n   * @example\n   * if (decl.prop.match(/^~webkit-/)) {\n   *   decl.remove();\n   * }\n   * ^\n   * @return {Node}
node to make calls chain\n   * ^\n   remove() {\n   if (this.parent) {\n     this.parent.removeChild(this);\n   }\n   this.parent = undefined;\n   return this;\n }\n\n  /**\n   * Returns a CSS string representing the node.\n   * ^\n   *
@param {stringifier|syntax} [stringifier] - a syntax to use\n   * ^\n   * in string generation\n   * ^\n   * @return {string} CSS string of this node\n   * ^\n   * @example\n   * postcss.rule({ selector: 'a' }).toString()
//=> \"a {\n   * ^\n   * toString(stringifier = stringify) {\n   if (stringifier.stringify) stringifier = stringifier.stringify;\n
let result = \";\n   stringifier(this, i => {\n     result += i;\n   });\n   return result;\n }\n\n  /**\n   * Returns a clone
of the node.\n   * ^\n   * The resulting cloned node and its (cloned) children will have\n   * a clean parent and code

```

```

style properties.\n * \n * @param {object} [overrides] - new properties to override in the clone.\n * \n *
@example\n * const cloned = decl.clone({ prop: '-moz-' + decl.prop });\n * cloned.raws.before //=> undefined\n * cloned.parent //=> undefined\n * cloned.toString() //=> -moz-transform: scale(0)\n * \n * @return {Node}
clone of the node\n * \n clone(overrides = {}) {\n const cloned = cloneNode(this);\n for (const name in
overrides) {\n cloned[name] = overrides[name];\n }\n return cloned;\n }\n\n /**\n * Shortcut to clone the
node and insert the resulting cloned node\n * before the current node.\n * \n * @param {object} [overrides] - new
properties to override in the clone.\n * \n * @example\n * decl.cloneBefore({ prop: '-moz-' + decl.prop });\n * \n *
@return {Node} - new node\n * \n cloneBefore(overrides = {}) {\n const cloned = this.clone(overrides);\n
this.parent.insertBefore(this, cloned);\n return cloned;\n }\n\n /**\n * Shortcut to clone the node and insert the
resulting cloned node\n * after the current node.\n * \n * @param {object} [overrides] - new properties to
override in the clone.\n * \n * @return {Node} - new node\n * \n cloneAfter(overrides = {}) {\n const cloned
= this.clone(overrides);\n this.parent.insertAfter(this, cloned);\n return cloned;\n }\n\n /**\n * Inserts node(s)
before the current node and removes the current node.\n * \n * @param {...Node} nodes - node(s) to replace
current one\n * \n * @example\n * if ( atrule.name === 'mixin' ) {\n *
atrule.replaceWith(mixinRules[atrule.params]);\n * }\n * \n * @return {Node} current node to methods chain\n * \n
replaceWith(...nodes) {\n if (this.parent) {\n nodes.forEach(node => {\n this.parent.insertBefore(this,
node);\n });\n this.remove();\n }\n return this;\n }\n\n /**\n * Removes the node from its current
parent and inserts it\n * at the end of `newParent`.\n * \n * This will clean the `before` and `after` code {@link
Node#raws} data\n * from the node and replace them with the indentation style of `newParent`.\n * It will also
clean the `between` property\n * if `newParent` is in another {@link Root}.\n * \n * @param {Container}
newParent - container node where the current node\n * will be moved\n * \n * @example\n * atrule.moveTo(atrule.root());\n * \n * @return {Node} current node to methods chain\n * \n
moveTo(newParent) {\n this.cleanRaws(this.root() === newParent.root());\n this.remove();\n
newParent.append(this);\n return this;\n }\n\n /**\n * Removes the node from its current parent and inserts it
into\n * a new parent before `otherNode`.\n * \n * This will also clean the node's code style properties just as it
would\n * in {@link Node#moveTo}.\n * \n * @param {Node} otherNode - node that will be before current
node\n * \n * @return {Node} current node to methods chain\n * \n moveToBefore(otherNode) {\n
this.cleanRaws(this.root() === otherNode.root());\n this.remove();\n otherNode.parent.insertBefore(otherNode,
this);\n return this;\n }\n\n /**\n * Removes the node from its current parent and inserts it into\n * a new parent
after `otherNode`.\n * \n * This will also clean the node's code style properties just as it would\n * in {@link
Node#moveTo}.\n * \n * @param {Node} otherNode - node that will be after current node\n * \n * @return
{Node} current node to methods chain\n * \n moveToAfter(otherNode) {\n this.cleanRaws(this.root() ===
otherNode.root());\n this.remove();\n otherNode.parent.insertAfter(otherNode, this);\n return this;\n }\n\n
/**\n * Returns the next child of the node's parent.\n * Returns `undefined` if the current node is the last child.\n *
\n * @return {Node|undefined} next node\n * \n * @example\n * if ( comment.text === 'delete next' ) {\n *
const next = comment.next();\n * if ( next ) {\n * next.remove();\n * }\n * }\n * \n * next() {\n const
index = this.parent.index(this);\n return this.parent.nodes[index + 1];\n }\n\n /**\n * Returns the previous child
of the node's parent.\n * Returns `undefined` if the current node is the first child.\n * \n * @return
{Node|undefined} previous node\n * \n * @example\n * const annotation = decl.prev();\n * if ( annotation.type
=== 'comment' ) {\n * readAnnotation(annotation.text);\n * }\n * \n * prev() {\n const index =
this.parent.index(this);\n return this.parent.nodes[index - 1];\n }\n\n toJSON() {\n const fixed = {};\n for
(const name in this) {\n if (!this.hasOwnProperty(name)) continue;\n if (name === 'parent') continue;\n
const value = this[name];\n if (value instanceof Array) {\n fixed[name] = value.map(i => {\n if
(typeof i === 'object' && i.toJSON) {\n return i.toJSON();\n } else {\n return i;\n }\n
});\n } else if (typeof value === 'object' && value.toJSON) {\n fixed[name] = value.toJSON();\n } else
{\n fixed[name] = value;\n }\n }\n return fixed;\n }\n\n /**\n * Returns a {@link Node#raws} value.
If the node is missing\n * the code style property (because the node was manually built or cloned),\n * PostCSS
will try to autodetect the code style property by looking\n * at other nodes in the tree.\n * \n * @param {string}

```



prop - name of code style property  
 \* @param {string} [defaultType] - name of default value, it can be missed  
 \* if the value is the same as prop  
 \* @example  
 \* const root = postcss.parse('a { background: white }');  
 \* root.nodes[0].append({ prop: 'color', value: 'black' });  
 \* root.nodes[0].nodes[1].raws.before //=> undefined  
 \* root.nodes[0].nodes[1].raw('before') //=> ' \n \*  
 \* @return {string} code style value  
 \* ^\n raw(prop, defaultType) {\n const str = new Stringifier();  
 return str.raw(this, prop, defaultType);  
 }\n\n /\*\*\n \* Finds the Root instance of the node's tree.  
 \*\n \* @example  
 \* root.nodes[0].nodes[0].root() === root  
 \*\n \* @return {Root} root parent  
 \*\n ^\n root() {\n let result = this;  
 while (result.parent) result = result.parent;  
 return result;  
 }\n\n cleanRaws(keepBetween) {\n delete this.raws.before;  
 delete this.raws.after;  
 if (!keepBetween) delete this.raws.between;  
 }\n\n positionInside(index) {\n const string = this.toString();  
 let column = this.source.start.column;  
 let line = this.source.start.line;  
 for (let i = 0; i < index; i++) {\n if (string[i] === '\\n') {\n column = 1;  
 line += 1;  
 } else {\n column += 1;  
 }\n }\n\n return { line, column };  
 }\n\n positionBy(opts) {\n pos = this.source.start;  
 if (opts.index) {\n pos = this.positionInside(opts.index);  
 } else if (opts.word) {\n const index = this.toString().indexOf(opts.word);  
 if (index !== -1) pos = this.positionInside(index);  
 }\n\n return pos;  
 }\n\n removeSelf() {\n warnOnce('Node#removeSelf is deprecated. Use Node#remove.'); }\n\n replace(nodes) {\n warnOnce('Node#replace is deprecated. Use Node#replaceWith'); }\n\n style(own, detect) {\n warnOnce('Node#style() is deprecated. Use Node#raw()'); }\n\n cleanStyles(keepBetween) {\n warnOnce('Node#cleanStyles() is deprecated. Use Node#cleanRaws()'); }\n\n get before() {\n warnOnce('Node#before is deprecated. Use Node#raws.before'); }\n\n set before(val) {\n warnOnce('Node#before is deprecated. Use Node#raws.before'); }\n\n get between() {\n warnOnce('Node#between is deprecated. Use Node#raws.between'); }\n\n set between(val) {\n warnOnce('Node#between is deprecated. Use Node#raws.between'); }\n\n /\*\*\n \* @memberof Node#\n \* @member {string} type - String representing the node's type.  
 \* Possible values are `root`, `atrule`, `rule`,  
 \* `decl`, or `comment`.  
 \*\n \* @example  
 \* postcss.decl({ prop: 'color', value: 'black' }).type //=> 'decl'  
 \*\n \* @memberof Node#\n \* @member {Container} parent - the node's parent node.  
 \*\n \* @example  
 \* root.nodes[0].parent == root;  
 \*\n \* @memberof Node#\n \* @member {source} source - the input source of the node.  
 \*\n \* The property is used in source map generation.  
 \*\n \* If you create a node manually (e.g., with `postcss.decl()`),  
 \* that node will not have a `source` property and will be absent  
 \* from the source map. For this reason, the plugin developer should  
 \* consider cloning nodes to create new ones (in which case the new node's  
 \* source will reference the original, cloned node) or setting  
 \* the `source` property manually.  
 \*\n \* `js` // Bad  
 \* const prefixed = postcss.decl({\n \* prop: '-moz-' + decl.prop,  
 \* value: decl.value  
 \* });  
 \*\n \* // Good  
 \* const prefixed = decl.clone({\n \* prop: '-moz-' + decl.prop  
 \* });  
 \*\n \* `js` if ( atrule.name === 'add-link' ) {\n \* const rule = postcss.rule({\n \* selector: 'a',\n \* source: atrule.source\n \* });  
 \* atrule.parent.insertBefore(atrule, rule);\n \* }\n \*\n \* @example  
 \* decl.source.input.from //=> '/home/ai/a.sass'\n \* decl.source.start //=> { line: 10, column: 2 }\n \* decl.source.end //=> { line: 10, column: 12 }\n \* ^\n \* @memberof Node#\n \* @member {object} raws - Information to generate byte-to-byte equal  
 \* node string as it was in the origin input.  
 \*\n \* Every parser saves its own properties,  
 \* but the default CSS parser uses:  
 \*\n \* \* `before`: the space symbols before the node. It also stores ` ` and ` ` symbols before the declaration (IE hack).  
 \* \* `after`: the space symbols after the last child of the node  
 \* to the end of the node.  
 \* \* `between`: the symbols between the property and value  
 \* for declarations, selector and `{` for rules, or last parameter  
 \* and `{` for at-rules.  
 \* \* `semicolon`: contains true if the last child has  
 \* an (optional) semicolon.  
 \* \* `afterName`: the space between the at-rule name and its parameters.  
 \* \* `left`: the space symbols between `/\*` and the comment's text.  
 \* \* `right`: the space symbols between the comment's text  
 \* and `<code>\*&#47;</code>`.  
 \* \* `important`: the content of the important statement,  
 \* if it is not just `!important`.  
 \*\n \* PostCSS cleans selectors, declaration values and at-rule parameters  
 \* from comments and

extra spaces, but it stores origin content in `raws` properties. As such, if you don't change a declaration's value, PostCSS will use the raw value with comments.

```

@example
const root = postcss.parse('a { color:black}');
root.first.first.raws // => { before: '\n ', between: ':' }

```

Represents a CSS declaration.

```

@extends Node
@example
const root = postcss.parse('a { color: black }');
const decl = root.first.first;
decl.type // => 'decl'
decl.toString() // => 'color: black'

```

Extends `Node`

```

constructor(defaults) {
  super(defaults);
  this.type = 'decl';
}
get _value() {
  warnOnce('Node#_value was deprecated. Use Node#raws.value');
  return this.raws.value;
}
set _value(val) {
  warnOnce('Node#_value was deprecated. Use Node#raws.value');
  this.raws.value = val;
}
get _important() {
  warnOnce('Node#_important was deprecated. Use Node#raws.important');
  return this.raws.important;
}
set _important(val) {
  warnOnce('Node#_important was deprecated. Use Node#raws.important');
  this.raws.important = val;
}

```

Member of `Declaration`

```

@member {string} prop - the declaration's property name
@example
const root = postcss.parse('a { color: black }');
const decl = root.first.first;
decl.prop // => 'color'

```

Member of `Declaration`

```

@member {string} value - the declaration's value
@example
const root = postcss.parse('a { color: black }');
const decl = root.first.first;
decl.value // => 'black'

```

Member of `Declaration`

```

@member {boolean} important - `true` if the declaration has an !important annotation.
@example
const root = postcss.parse('a { color: black !important; color: red }');
root.first.first.important // => true
root.first.last.important // => undefined

```

Member of `Declaration`

```

@member {object} raws - Information to generate byte-to-byte equal node string as it was in the origin input.
Every parser saves its own properties, but the default CSS parser uses:
- `before`: the space symbols before the node. It also stores ` ` and ` ` symbols before the declaration (IE hack).
- `between`: the symbols between the property and value for declarations, selector and ` ` for rules, or last parameter and ` ` for at-rules.
- `important`: the content of the important statement, if it is not just `!important`.
PostCSS cleans declaration from comments and extra spaces, but it stores origin content in raws properties.
As such, if you don't change a declaration's value, PostCSS will use the raw value with comments.
@example
const root = postcss.parse('a {\n color:black\n}');
root.first.first.raws // => { before: '\n ', between: ':' }

```

Represents a comment between declarations or statements (rule and at-rules).

```

Comments inside selectors, at-rule parameters, or declaration values will be stored in the `raws` properties explained above.
@extends Node
class Comment extends Node {
  constructor(defaults) {
    super(defaults);
    this.type = 'comment';
  }
  get left() {
    warnOnce('Comment#left was deprecated. Use Comment#raws.left');
    return this.raws.left;
  }
  set left(val) {
    warnOnce('Comment#left was deprecated. Use Comment#raws.left');
    this.raws.left = val;
  }
  get right() {
    warnOnce('Comment#right was deprecated. Use Comment#raws.right');
    return this.raws.right;
  }
  set right(val) {
    warnOnce('Comment#right was deprecated. Use Comment#raws.right');
    this.raws.right = val;
  }
}

```

Member of `Comment`

```

@member {string} text - the comment's text
@example
const root = postcss.parse('a { color: black }');
const decl = root.first.first;
const comment = decl.raws.comment;
comment // => '\n\n'

```

Member of `Comment`

```

@member {object} raws - Information to generate byte-to-byte equal node string as it was in the origin input.
Every parser saves its own properties, but the default CSS parser uses:
- `before`: the space symbols before the node.
- `left`: the space symbols between `/*` and the comment's text.
- `right`: the space symbols between the comment's text and `*/`.
@example
const root = postcss.parse('a { color: black }');
const decl = root.first.first;
const comment = decl.raws.comment;
comment.raws // => { before: '\n\n', left: '\n\n', right: '\n\n' }

```

Member of `Comment`

```

@flow
import Declaration from './declaration';
import tokenizer from './tokenizer';
import Comment from './comment';
import AtRule from './at-rule';
import Root from './root';
import Rule from './rule';
export default class Parser {
  constructor(input) {
    this.input = input;
    this.pos = 0;
    this.root = new Root();
    this.current = this.root;
    this.spaces = '';
    this.semicolon = false;
    this.root.source = { input, start: { line: 1, column: 1 } };
  }
  tokenize() {
    this.tokens = tokenizer(this.input);
  }
  loop() {
    let token;
    while (this.pos < this.tokens.length) {
      token = this.tokens[this.pos];
      switch (token[0]) {
        case 'space':
        case ':':
          this.spaces +=

```

```

token[1];\n      break;\n\n      case '':\n        this.end(token);\n        break;\n\n      case 'comment':\n        this.comment(token);\n        break;\n\n      case 'at-word':\n        this.atrule(token);\n        break;\n\n      case\n      '{':\n        this.emptyRule(token);\n        break;\n\n      default:\n        this.other();\n        break;\n    }\n\n    this.pos += 1;\n  }\n  this.endFile();\n}\n\ncomment(token) {\n  const node = new Comment();\n  this.init(node, token[2], token[3]);\n  node.source.end = { line: token[4], column: token[5] };\n  const text =\n  token[1].slice(2, -2);\n  if (/^\s*$/ .test(text)) {\n    node.text = ";\n    node.raws.left = text;\n    node.raws.right\n  = ";\n  } else {\n    const match = text.match(/^(\\s*)([^\s]*)(\\s*)$/);\n    node.text = match[2];\n    node.raws.left = match[1];\n    node.raws.right = match[3];\n  }\n}\n\nemptyRule(token) {\n  const node =\n  new Rule();\n  this.init(node, token[2], token[3]);\n  node.selector = ";\n  node.raws.between = ";\n  this.current\n  = node;\n}\n\nother() {\n  let token;\n  let end = false;\n  let type = null;\n  let colon = false;\n  let bracket =\n  null;\n  const brackets = [];\n  const start = this.pos;\n  while (this.pos < this.tokens.length) {\n    token =\n    this.tokens[this.pos];\n    type = token[0];\n\n    if (type === '(' || type === '[') {\n      if (!bracket) bracket =\n      token;\n      brackets.push(type === '(' ? ')' : ']');\n    } else if (brackets.length === 0) {\n      if (type === ';') {\n        if (colon) {\n          this.decl(this.tokens.slice(start, this.pos + 1));\n          return;\n        } else {\n          break;\n        }\n      } else if (type === '{') {\n        this.rule(this.tokens.slice(start, this.pos + 1));\n        return;\n      } else if (type === '}') {\n        this.pos -= 1;\n        end = true;\n        break;\n      } else if (type === ':') {\n        colon = true;\n      }\n    } else if (type === brackets[brackets.length - 1]) {\n      brackets.pop();\n      if\n      (brackets.length === 0) bracket = null;\n    }\n\n    this.pos += 1;\n  }\n  if (this.pos === this.tokens.length) {\n    this.pos -= 1;\n    end = true;\n  }\n  if (brackets.length > 0) this.unclosedBracket(bracket);\n  if (end &&\n  colon) {\n    while (this.pos > start) {\n      token = this.tokens[this.pos][0];\n      if (token !== 'space' && token\n      !== 'comment') break;\n      this.pos -= 1;\n    }\n    this.decl(this.tokens.slice(start, this.pos + 1));\n    return;\n  }\n  this.unknownWord(start);\n}\n\nrule(tokens) {\n  tokens.pop();\n  const node = new Rule();\n  this.init(node, tokens[0][2], tokens[0][3]);\n  node.raws.between = this.spacesFromEnd(tokens);\n  this.raw(node, 'selector', tokens);\n  this.current = node;\n}\n\ndecl(tokens) {\n  const node = new\n  Declaration();\n  this.init(node);\n  const last = tokens[tokens.length - 1];\n  if (last[0] === ';') {\n    this.semicolon = true;\n    tokens.pop();\n  }\n  if (last[4]) {\n    node.source.end = { line: last[4], column:\n    last[5] };\n  } else {\n    node.source.end = { line: last[2], column: last[3] };\n  }\n  while (tokens[0][0] !==\n  'word') {\n    node.raws.before += tokens.shift()[1];\n  }\n  node.source.start = { line: tokens[0][2], column:\n  tokens[0][3] };\n  node.prop = ";\n  while (tokens.length) {\n    const type = tokens[0][0];\n    if (type === ':' ||\n    type === 'space' || type === 'comment') {\n      break;\n    }\n    node.prop += tokens.shift()[1];\n  }\n  node.raws.between = ";\n  let token;\n  while (tokens.length) {\n    token = tokens.shift();\n\n    if (token[0]\n    === ':') {\n      node.raws.between += token[1];\n      break;\n    } else {\n      node.raws.between += token[1];\n    }\n  }\n  if (node.prop[0] === '_' || node.prop[0] === '*') {\n    node.raws.before += node.prop[0];\n    node.prop = node.prop.slice(1);\n  }\n  node.raws.between += this.spacesFromStart(tokens);\n  this.precheckMissedSemicolon(tokens);\n  for (let i = tokens.length - 1; i > 0; i--) {\n    token = tokens[i];\n    if (token[1] === 'important') {\n      node.important = true;\n      let string = this.stringFrom(tokens, i);\n      string = this.spacesFromEnd(tokens) + string;\n      if (string !== 'important') node.raws.important = string;\n      break;\n    } else if (token[1] === 'important') {\n      const cache = tokens.slice(0);\n      let str = ";\n      for (let j\n      = i; j > 0; j--) {\n        const type = cache[j][0];\n        if (str.trim().indexOf('!') === 0 && type !== 'space') {\n          break;\n        }\n        str = cache.pop()[1] + str;\n      }\n      if (str.trim().indexOf('!') === 0) {\n        node.important = true;\n        node.raws.important = str;\n        tokens = cache;\n      }\n    }\n    if (token[0]\n    !== 'space' && token[0] !== 'comment') {\n      break;\n    }\n  }\n  this.raw(node, 'value', tokens);\n  if\n  (node.value.indexOf(':') !== -1) this.checkMissedSemicolon(tokens);\n}\n\natrule(token) {\n  const node = new\n  AtRule();\n  node.name = token[1].slice(1);\n  if (node.name === "") {\n    this unnamedAtrule(node, token);\n  }\n  this.init(node, token[2], token[3]);\n  let last = false;\n  let open = false;\n  const params = [];\n  this.pos += 1;\n  while (this.pos < this.tokens.length) {\n    token = this.tokens[this.pos];\n\n    if (token[0] ===\n    ':') {\n      node.source.end = { line: token[2], column: token[3] };\n      this.semicolon = true;\n      break;\n    }\n    else if (token[0] === '{') {\n      open = true;\n      break;\n    } else if (token[0] === '}') {\n      this.end(token);\n}

```

```

break;\n    } else {\n      params.push(token);\n    }\n\n    this.pos += 1;\n  }\n  if (this.pos ===
this.tokens.length) {\n    last = true;\n  }\n\n  node.rows.between = this.spacesFromEnd(params);\n  if
(params.length) {\n    node.rows.afterName = this.spacesFromStart(params);\n    this.raw(node, 'params',
params);\n    if (last) {\n      token = params[params.length - 1];\n      node.source.end = { line: token[4], column:
token[5] };\n      this.spaces = node.rows.between;\n      node.rows.between = ";\n    } else {\n
node.rows.afterName = ";\n    node.params = ";\n  }\n\n  if (open) {\n    node.nodes = [];\n    this.current =
node;\n  }\n}\n\nend(token) {\n  if (this.current.nodes && this.current.nodes.length) {\n
this.current.rows.semicolon = this.semicolon;\n  }\n  this.semicolon = false;\n\n  this.current.rows.after =
(this.current.rows.after || "") + this.spaces;\n  this.spaces = ";\n\n  if (this.current.parent) {\n
this.current.source.end = { line: token[2], column: token[3] };\n  this.current = this.current.parent;\n  } else {\n
this.unexpectedClose(token);\n  }\n}\n\nendFile() {\n  if (this.current.parent) this.unclosedBlock();\n  if
(this.current.nodes && this.current.nodes.length) {\n    this.current.rows.semicolon = this.semicolon;\n  }\n
this.current.rows.after = (this.current.rows.after || "") + this.spaces;\n}\n\n// Helpers\n\ninit(node, line, column)
{\n  this.current.push(node);\n\n  node.source = { start: { line, column }, input: this.input };\n  node.rows.before
= this.spaces;\n  this.spaces = ";\n  if (node.type !== 'comment') this.semicolon = false;\n}\n\nraw(node, prop,
tokens) {\n  let token, type;\n  const length = tokens.length;\n  let value = ";\n  let clean = true;\n  for (let i = 0;
i < length; i += 1) {\n    token = tokens[i];\n    type = token[0];\n    if (type === 'comment' || (type === 'space'
&& i === length - 1)) {\n      clean = false;\n    } else {\n      value += token[1];\n    }\n  }\n  if (!clean) {\n
const raw = tokens.reduce((all, i) => all + i[1], ");\n    node.rows[prop] = { value, raw };\n  }\n  node[prop] =
value;\n}\n\nspacesFromEnd(tokens) {\n  let lastTokenType;\n  let spaces = ";\n  while (tokens.length) {\n
lastTokenType = tokens[tokens.length - 1][0];\n    if (lastTokenType !== 'space' && lastTokenType !==
'comment') break;\n    spaces = tokens.pop()[1] + spaces;\n  }\n  return spaces;\n}\n\nspacesFromStart(tokens)
{\n  let next;\n  let spaces = ";\n  while (tokens.length) {\n    next = tokens[0][0];\n    if (next !== 'space' &&
next !== 'comment') break;\n    spaces += tokens.shift()[1];\n  }\n  return spaces;\n}\n\nstringFrom(tokens,
from) {\n  let result = ";\n  for (let i = from; i < tokens.length; i++) {\n    result += tokens[i][1];\n  }\n
tokens.splice(from, tokens.length - from);\n  return result;\n}\n\ncolon(tokens) {\n  let brackets = 0;\n  let
token, type, prev;\n  for (let i = 0; i < tokens.length; i++) {\n    token = tokens[i];\n    type = token[0];\n\n    if
(type === '(') {\n      brackets += 1;\n    } else if (type === ')') {\n      brackets -= 1;\n    } else if (brackets === 0
&& type === ':') {\n      if (!prev) {\n        this.doubleColon(token);\n      } else if (prev[0] === 'word' &&
prev[1] === 'progid') {\n        continue;\n      } else {\n        return i;\n      }\n    }\n\n    prev = token;\n  }\n
return false;\n}\n\n// Errors\n\nunclosedBracket(bracket) {\n  throw this.input.error('Unclosed bracket',
bracket[2], bracket[3]);\n}\n\nunknownWord(start) {\n  const token = this.tokens[start];\n  throw
this.input.error('Unknown word', token[2], token[3]);\n}\n\nunexpectedClose(token) {\n  throw
this.input.error('Unexpected ', token[2], token[3]);\n}\n\nunclosedBlock() {\n  const pos =
this.current.source.start;\n  throw this.input.error('Unclosed block', pos.line, pos.column);\n}\n\n
doubleColon(token) {\n  throw this.input.error('Double colon', token[2], token[3]);\n}\n\nunnamedAtrule(node,
token) {\n  throw this.input.error('At-rule without name', token[2], token[3]);\n}\n\n
precheckMissedSemicolon(tokens) {\n  // Hook for Safe Parser\n  tokens;\n}\n\n
checkMissedSemicolon(tokens) {\n  const colon = this.colon(tokens);\n  if (colon === false) return;\n\n  let
founded = 0;\n  let token;\n  for (let j = colon - 1; j >= 0; j--) {\n    token = tokens[j];\n    if (token[0] !==
'space') {\n      founded += 1;\n      if (founded === 2) break;\n    }\n  }\n  throw this.input.error('Missed
semicolon', token[2], token[3]);\n}\n}\n\n"/ @flow\n\nimport Parser from './parser';\nimport Input from
'./input';\n\nexport default function parse(css, opts) {\n  if (opts && opts.safe) {\n    throw new Error('Option safe
was removed. ' + 'Use parser: require("postcss-safe-parser");\n  }\n\n  const input = new Input(css, opts);\n
const parser = new Parser(input);\n  try {\n    parser.tokenize();\n    parser.loop();\n  } catch (e) {\n    if (e.name ===
'CssSyntaxError' && opts && opts.from) {\n      if (/\\.scss$/i.test(opts.from)) {\n        e.message +=\n        "\nYou
tried to parse SCSS with ' +\n        'the standard CSS parser; ' +\n        'try again with the postcss-scss parser';\n
      } else if (/\\.less$/i.test(opts.from)) {\n        e.message +=\n        "\nYou tried to parse Less with ' +\n
        'the

```

```

standard CSS parser; '+\n      'try again with the postcss-less parser';\n    }\n  }\n  throw e;\n }\n\n return
parser.root;\n}\n", "// @flow\nimport parse from './parse';\nimport Root from './root';\nimport Rule from
 './rule';\nimport AtRule from './at-rule';\nimport Declaration from './declaration';\nimport warnOnce from './warn-
once';\nimport Comment from './comment';\nimport Node from './node';\n\nfunction cleanSource(nodes) {\n return
nodes.map(i => {\n if (i.nodes) i.nodes = cleanSource(i.nodes);\n delete i.source;\n return i;\n });\n}\n\n/**\n
 * @callback childCondition\n * @param {Node} node - container child\n * @param {number} index - child
index\n * @param {Node[]} nodes - all container children\n * @return {boolean}\n * /\n\n**\n * @callback
childIterator\n * @param {Node} node - container child\n * @param {number} index - child index\n * @return
{false|undefined} returning `false` will break iteration\n * /\n\n**\n * The {@link Root}, {@link AtRule}, and
{@link Rule} container nodes\n * inherit some common methods to help work with their children.\n * Note that
all containers can store any content. If you write a rule inside\n * a rule, PostCSS will parse it.\n * \n *
@extends
Node\n * @abstract\n * \n\nclass Container extends Node {\n push(child) {\n child.parent = this;\n
this.nodes.push(child);\n return this;\n }\n\n /**\n * Iterates through the container's immediate children,\n *
calling `callback` for each child.\n * \n * Returning `false` in the callback will break iteration.\n * \n * This
method only iterates through the container's immediate children.\n * \n * If you need to recursively iterate through all
the container's descendant\n * nodes, use {@link Container#walk}.\n * \n * Unlike the for `{}`-cycle or
`Array#forEach` this iterator is safe\n * if you are mutating the array of child nodes during iteration.\n * \n *
PostCSS
will adjust the current index to match the mutations.\n * \n * @param {childIterator} callback - iterator receives
each node and index\n * \n * @return {false|undefined} returns `false` if iteration was broke\n * \n *
@example\n * const root = postcss.parse('a { color: black; z-index: 1 }');\n * const rule = root.first;\n * \n * for (
let decl of rule.nodes) {\n * decl.cloneBefore({ prop: '-webkit-' + decl.prop });\n * // Cycle will be infinite,
because cloneBefore moves the current node\n * // to the next index\n * }\n * \n * rule.each(decl => {\n *
decl.cloneBefore({ prop: '-webkit-' + decl.prop });\n * // Will be executed only for color and z-index\n * });\n
*\n * /\n * each(callback) {\n if (!this.lastEach) this.lastEach = 0;\n if (!this.indexes) this.indexes = {};\n\n
this.lastEach += 1;\n const id = this.lastEach;\n this.indexes[id] = 0;\n if (!this.nodes) return undefined;\n\n
let index, result;\n while (this.indexes[id] < this.nodes.length) {\n index = this.indexes[id];\n result =
callback(this.nodes[index], index);\n if (result === false) break;\n\n this.indexes[id] += 1;\n }\n\n delete
this.indexes[id];\n\n return result;\n }\n\n /**\n * Traverses the container's descendant nodes, calling callback\n
* for each node.\n * \n * Like container.each(), this method is safe to use\n * if you are mutating arrays during
iteration.\n * \n * If you only need to iterate through the container's immediate children,\n * use {@link
Container#each}.\n * \n * @param {childIterator} callback - iterator receives each node and index\n * \n *
@return {false|undefined} returns `false` if iteration was broke\n * \n * \n * @example\n * root.walk(node => {\n
* // Traverses all descendant nodes.\n * });\n * /\n * walk(callback) {\n return this.each((child, i) => {\n let result
= callback(child, i);\n if (result !== false && child.walk) {\n result = child.walk(callback);\n }\n return
result;\n });\n }\n\n /**\n * Traverses the container's descendant nodes, calling callback\n * for each
declaration node.\n * \n * If you pass a filter, iteration will only happen over declarations\n * with matching
properties.\n * \n * Like {@link Container#each}, this method is safe\n * to use if you are mutating arrays during
iteration.\n * \n * @param {string|RegExp} [prop] - string or regular expression\n * \n * \n * to
filter declarations by property name\n * \n * @param {childIterator} callback - iterator receives each node and index\n
*\n * \n * @return {false|undefined} returns `false` if iteration was broke\n * \n * \n * @example\n *
root.walkDecls(decl => {\n * checkPropertySupport(decl.prop);\n * });\n * \n * root.walkDecls('border-radius',
decl => {\n * decl.remove();\n * });\n * \n * root.walkDecls(/^background/, decl => {\n * decl.value =
takeFirstColorFromGradient(decl.value);\n * });\n * /\n * walkDecls(prop, callback) {\n if (!callback) {\n
callback = prop;\n return this.walk((child, i) => {\n if (child.type === 'decl') {\n return callback(child,
i);\n }\n });\n } else if (prop instanceof RegExp) {\n return this.walk((child, i) => {\n if (child.type
=== 'decl' && prop.test(child.prop)) {\n return callback(child, i);\n }\n });\n } else {\n return
this.walk((child, i) => {\n if (child.type === 'decl' && child.prop === prop) {\n return callback(child, i);\n
}\n });\n }\n }\n\n /**\n * Traverses the container's descendant nodes, calling callback\n * for each rule

```

```

node.\n *\n * If you pass a filter, iteration will only happen over rules\n * with matching selectors.\n *\n *
Like { @link Container#each }, this method is safe\n * to use if you are mutating arrays during iteration.\n *\n *
@param {string|RegExp} [selector] - string or regular expression\n * to filter rules by
selector\n * @param {childIterator} callback - iterator receives each node and index\n *\n * @return
{false|undefined} returns `false` if iteration was broke\n *\n * @example\n * const selectors = [];\n *
root.walkRules(rule => {\n *   selectors.push(rule.selector);\n * });\n * console.log(`Your CSS uses
${selectors.length} selectors`);\n *\n * walkRules(selector, callback) {\n *   if (!callback) {\n *     callback =
selector;\n *\n *     return this.walk((child, i) => {\n *       if (child.type === 'rule') {\n *         return callback(child, i);\n *\n *       }
});\n *   } else if (selector instanceof RegExp) {\n *     return this.walk((child, i) => {\n *       if (child.type ===
'rule' && selector.test(child.selector)) {\n *         return callback(child, i);\n *\n *       } else {\n *         return
this.walk((child, i) => {\n *           if (child.type === 'rule' && child.selector === selector) {\n *             return
callback(child, i);\n *\n *           };\n *         });\n *       }\n *     });\n *   }\n *\n *   /**\n * Traverses the container's descendant nodes, calling
callback\n * for each at-rule node.\n *\n * If you pass a filter, iteration will only happen over at-rules\n * that
have matching names.\n *\n * Like { @link Container#each }, this method is safe\n * to use if you are mutating
arrays during iteration.\n *\n * @param {string|RegExp} [name] - string or regular expression\n *
to filter at-rules by name\n * @param {childIterator} callback - iterator receives each node and index\n *\n * @return
{false|undefined} returns `false` if iteration was broke\n *\n * @example\n * root.walkAtRules(rule
=> {\n *   if ( isOld(rule.name) ) rule.remove();\n * });\n *\n * let first = false;\n * root.walkAtRules('charset',
rule => {\n *   if ( !first ) {\n *     first = true;\n *   } else {\n *     rule.remove();\n *   }\n * });\n *\n * walkAtRules(name, callback) {\n *   if (!callback) {\n *     callback = name;\n *     return this.walk((child, i) => {\n *
if (child.type === 'atrule') {\n *       return callback(child, i);\n *\n *     } else if (name instanceof RegExp)
{\n *       return this.walk((child, i) => {\n *         if (child.type === 'atrule' && name.test(child.name)) {\n *           return
callback(child, i);\n *\n *         } else {\n *           return this.walk((child, i) => {\n *             if (child.type === 'atrule'
&& child.name === name) {\n *               return callback(child, i);\n *\n *             };\n *           });\n *         }\n *       }\n *     });\n *   }\n *\n *   /**\n * Traverses the
container's descendant nodes, calling callback\n * for each comment node.\n *\n * Like { @link
Container#each }, this method is safe\n * to use if you are mutating arrays during iteration.\n *\n * @param
{childIterator} callback - iterator receives each node and index\n *\n * @return {false|undefined} returns `false` if
iteration was broke\n *\n * @example\n * root.walkComments(comment => {\n *   comment.remove();\n *
});\n *\n * walkComments(callback) {\n *   return this.walk((child, i) => {\n *     if (child.type === 'comment') {\n *
return callback(child, i);\n *\n *     };\n *   });\n * }\n *\n * /**\n * Inserts new nodes to the start of the container.\n *\n * @param {...(Node|object|string|Node[])} children - new nodes\n *\n * @return {Node} this node for methods
chain\n *\n * @example\n * const decl1 = postcss.decl({ prop: 'color', value: 'black' });\n * const decl2 =
postcss.decl({ prop: 'background-color', value: 'white' });\n * rule.append(decl1, decl2);\n *\n * root.append({
name: 'charset', params: \"UTF-8\" }); // at-rule\n * root.append({ selector: 'a' }); // rule\n *
rule.append({ prop: 'color', value: 'black' }); // declaration\n * rule.append({ text: 'Comment' }) //
comment\n *\n * root.append('a { }');\n * root.first.append('color: black; z-index: 1');\n *\n * append(...children)
{\n *   children.forEach(child => {\n *     const nodes = this.normalize(child, this.last);\n *     nodes.forEach(node =>
this.nodes.push(node));\n *   });\n *   return this;\n * }\n *\n * /**\n * Inserts new nodes to the end of the container.\n *\n * @param {...(Node|object|string|Node[])} children - new nodes\n *\n * @return {Node} this node for methods
chain\n *\n * @example\n * const decl1 = postcss.decl({ prop: 'color', value: 'black' });\n * const decl2 =
postcss.decl({ prop: 'background-color', value: 'white' });\n * rule.prepend(decl1, decl2);\n *\n * root.append({
name: 'charset', params: \"UTF-8\" }); // at-rule\n * root.append({ selector: 'a' }); // rule\n *
rule.append({ prop: 'color', value: 'black' }); // declaration\n * rule.append({ text: 'Comment' }) //
comment\n *\n * root.append('a { }');\n * root.first.append('color: black; z-index: 1');\n *\n * prepend(...children)
{\n *   children = children.reverse();\n *   children.forEach(child => {\n *     const nodes = this.normalize(child,
this.first, 'prepend').reverse();\n *     nodes.forEach(node => this.nodes.unshift(node));\n *     for (const id in
this.indexes) {\n *       this.indexes[id] = this.indexes[id] + nodes.length;\n *     }\n *   });\n *   return this;\n * }\n *\n * cleanRaws(keepBetween) {\n *   super.cleanRaws(keepBetween);\n *   if (this.nodes) {\n *     this.nodes.forEach(node

```

```

=> node.cleanRows(keepBetween));\n  }\n }\n\n /**\n * Insert new node before old node within the container.\n *\n * @param {Node|number} exist - child or child's index.\n * @param {Node|object|string|Node[]} add - new node\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * rule.insertBefore(decl, decl.clone({ prop: '-webkit-' + decl.prop }));\n *\n insertBefore(exist, add) {\n  exist = this.index(exist);\n  const type = exist === 0 ? 'prepend' : false;\n  const nodes = this.normalize(add, this.nodes[exist], type).reverse();\n  nodes.forEach(node => this.nodes.splice(exist, 0, node));\n  let index;\n  for (const id in this.indexes) {\n    index = this.indexes[id];\n    if (exist <= index) {\n      this.indexes[id] = index + nodes.length;\n    }\n  }\n  return this;\n }\n\n /**\n * Insert new node after old node within the container.\n *\n * @param {Node|number} exist - child or child's index\n * @param {Node|object|string|Node[]} add - new node\n *\n * @return {Node} this node for methods chain\n *\n insertAfter(exist, add) {\n  exist = this.index(exist);\n  const nodes = this.normalize(add, this.nodes[exist]).reverse();\n  nodes.forEach(node => this.nodes.splice(exist + 1, 0, node));\n  let index;\n  for (const id in this.indexes) {\n    index = this.indexes[id];\n    if (exist < index) {\n      this.indexes[id] = index + nodes.length;\n    }\n  }\n  return this;\n }\n\n remove(child) {\n  if (typeof child !== 'undefined') {\n    warnOnce('Container#remove is deprecated. ' + 'Use Container#removeChild');\n    this.removeChild(child);\n  } else {\n    super.remove();\n  }\n  return this;\n }\n\n /**\n * Removes node from the container and cleans the parent properties\n * from the node and its children.\n *\n * @param {Node|number} child - child or child's index\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * rule.nodes.length //=> 5\n * rule.removeChild(decl);\n * rule.nodes.length //=> 4\n *\n decl.parent //=> undefined\n *\n removeChild(child) {\n  child = this.index(child);\n  this.nodes[child].parent = undefined;\n  this.nodes.splice(child, 1);\n  let index;\n  for (const id in this.indexes) {\n    index = this.indexes[id];\n    if (index >= child) {\n      this.indexes[id] = index - 1;\n    }\n  }\n  return this;\n }\n\n /**\n * Removes all children from the container\n * and cleans their parent properties.\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * rule.removeAll();\n * rule.nodes.length //=> 0\n *\n removeAll() {\n  this.nodes.forEach(node => (node.parent = undefined));\n  this.nodes = [];\n  return this;\n }\n\n /**\n * Passes all declaration values within the container that match pattern\n * through callback, replacing those values with the returned result\n * of callback.\n *\n * This method is useful if you are using a custom unit or function\n * and need to iterate through all values.\n *\n * @param {string|RegExp} pattern - replace pattern\n * @param {object} opts - options to speed up the search\n * @param {string|string[]} opts.props - an array of property names\n * @param {string} opts.fast - string that's used\n * to narrow down values and speed up\n * the regexp search\n * @param {function|string} callback - string to replace pattern\n * or callback that returns a new\n * value.\n * The callback will receive\n * the same arguments as those\n * passed to a function parameter\n * of `String#replace`.\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * root.replaceValues(/\\d+rem/, { fast: 'rem' }, string => {\n *   return 15 * parseInt(string) + 'px';\n * });\n *\n replaceValues(pattern, opts, callback) {\n  if (!callback) {\n    callback = opts;\n    opts = {};\n  }\n  this.walkDecls(decl => {\n    if (opts.props && opts.props.indexOf(decl.prop) === -1) return;\n    if (opts.fast && decl.value.indexOf(opts.fast) === -1) return;\n    decl.value = decl.value.replace(pattern, callback);\n  });\n  return this;\n }\n\n /**\n * Returns `true` if callback returns `true`\n * for all of the container's children.\n *\n * @param {childCondition} condition - iterator returns true or false.\n *\n * @return {boolean} is every child pass condition\n *\n * @example\n * const noPrefixes = rule.every(i => i.prop[0] !== '-');\n *\n every(condition) {\n  return this.nodes.every(condition);\n }\n\n /**\n * Returns `true` if callback returns `true`\n * for (at least) one\n * of the container's children.\n *\n * @param {childCondition} condition - iterator returns true or false.\n *\n * @return {boolean} is some child pass condition\n *\n * @example\n * const hasPrefix = rule.some(i => i.prop[0] === '-');\n *\n some(condition) {\n  return this.nodes.some(condition);\n }\n\n /**\n * Returns a `child`'s index within the {@link Container#nodes} array.\n *\n * @param {Node} child - child of the current container.\n *\n * @return {number} child index\n *\n * @example\n * rule.index( rule.nodes[2] ) //=> 2\n
```





```

was deprecated. Use AtRule#raws.params');\n  return this.raws.params;\n }\n\n set _params(val) {\n
warnOnce('AtRule#_params was deprecated. Use AtRule#raws.params');\n  this.raws.params = val;\n }\n\n /**\n
 * @memberof AtRule#\n * @member {string} name - the at-rule's name immediately follows the `@\n * \n *
@example\n * const root = postcss.parse('@media print {}');\n * media.name //=> 'media'\n * const media =
root.first;\n * \n\n /**\n * @memberof AtRule#\n * @member {string} params - the at-rule's parameters, the
values\n *
that follow the at-rule's name but precede\n *
any {} block\n * \n *
@example\n * const root = postcss.parse('@media print, screen {}');\n * const media = root.first;\n *
media.params //=> 'print, screen'\n * \n\n /**\n * @memberof AtRule#\n * @member {object} raws -
Information to generate byte-to-byte equal\n *
node string as it was in the origin input.\n * \n *
Every parser saves its own properties,\n * but the default CSS parser uses:\n * \n * * `before`: the space symbols
before the node. It also stores ` ` \n * and ` _ ` symbols before the declaration (IE hack).\n * * * `after`: the space
symbols after the last child of the node\n * to the end of the node.\n * * * `between`: the symbols between the
property and value\n * for declarations, selector and ` { ` for rules, or last parameter\n * and ` { ` for at-rules.\n *
* * `semicolon`: contains true if the last child has\n * an (optional) semicolon.\n * * * `afterName`: the space
between the at-rule name and its parameters.\n * \n *
PostCSS cleans at-rule parameters from comments and extra
spaces,\n * but it stores origin content in raws properties.\n * As such, if you don't change a declaration's value,\n
* PostCSS will use the raw value with comments.\n * \n * @example\n * const root = postcss.parse('
@media\nprint {\n}')\n * root.first.first.raws //=> { before: ' ',\n *
// between: ' ',\n *
// afterName: '\\n',\n *
// after: '\\n' }\n * \n\n\nexport default AtRule;\n", /* @flow\n/**\n
Contains helpers for safely splitting lists of CSS values,\n * preserving parentheses and quotes.\n * \n * @example\n
* const list = postcss.list;\n * \n * @namespace list\n * \n\nconst list = {\n  split(string, separators, last) {\n  const
array = [];\n  let current = ";\n  let split = false;\n\n  let func = 0;\n  let quote = false;\n  let escape = false;\n\n
for (let i = 0; i < string.length; i++) {\n  const letter = string[i];\n\n  if (quote) {\n  if (escape) {\n
escape = false;\n  } else if (letter === '\\\\') {\n  escape = true;\n  } else if (letter === quote) {\n
quote = false;\n  }\n  } else if (letter === '"' || letter === "'"") {\n  quote = letter;\n  } else if (letter ===
'(') {\n  func += 1;\n  } else if (letter === ')') {\n  if (func > 0) func -= 1;\n  } else if (func === 0) {\n
if (separators.indexOf(letter) !== -1) split = true;\n  }\n\n  if (split) {\n  if (current !== ")\n
array.push(current.trim());\n  current = ";\n  split = false;\n  } else {\n  current += letter;\n  }\n
}\n\n  if (last || current !== ")\n  array.push(current.trim());\n  return array;\n },\n\n /**\n * Safely splits space-
separated values (such as those for `background`,\n * `border-radius`, and other shorthand properties).\n * \n *
@param {string} string - space-separated values\n * \n * @return {string[]} splitted values\n * \n * @example\n
* postcss.list.space('1px calc(10% + 1px)') //=> ['1px', 'calc(10% + 1px)']\n * \n\n space(string) {\n  const spaces =
[ ' ', '\\n', '\\t'];\n  return list.split(string, spaces);\n },\n\n /**\n * Safely splits comma-separated values (such as
those for `transition-`\n * and `background` properties).\n * \n * @param {string} string - comma-separated
values\n * \n * @return {string[]} splitted values\n * \n * @example\n * postcss.list.comma('black, linear-
gradient(white, black)')\n * //=> ['black', 'linear-gradient(white, black)']\n * \n\n comma(string) {\n  const comma
= ',';\n  return list.split(string, [comma], true);\n },\n\n\nexport default list;\n", /* @flow\nimport './at-rule'; //
break cyclical dependency deadlock - #87\nimport Container from './container';\nimport warnOnce from './warn-
once';\nimport list from './list';\n\n/**\n * Represents a CSS rule: a selector followed by a declaration block.\n * \n *
@extends Container\n * \n * @example\n * const root = postcss.parse('a {}');\n * const rule = root.first;\n * rule.type
//=> 'rule'\n * rule.toString() //=> 'a {}'\n * \n\nclass Rule extends Container {\n  constructor(defaults) {\n
super(defaults);\n  this.type = 'rule';\n  if (!this.nodes) this.nodes = [];\n }\n\n /**\n * An array containing the
rule's individual selectors.\n * Groups of selectors are split at commas.\n * \n * @type {string[]}\n * \n *
@example\n * const root = postcss.parse('a, b {}');\n * const rule = root.first;\n * \n * rule.selector //=> 'a, b'\n
* rule.selectors //=> ['a', 'b']\n * \n * rule.selectors = ['a', 'strong'];\n * rule.selector //=> 'a, strong'\n * \n\n get
selectors() {\n  return list.comma(this.selector);\n }\n\n set selectors(values) {\n  const match = this.selector ?
this.selector.match(/,\s*/) : null;\n  const sep = match ? match[0] : ` ${this.raw('between', 'beforeOpen')} `;\n
this.selector = values.join(sep);\n }\n\n get _selector() {\n  warnOnce('Rule#_selector is deprecated. Use

```

```

Rule#raw.selector');\n return this.raw.selector;\n }\n\n set_selector(val) {\n warnOnce('Rule#_selector is
deprecated. Use Rule#raw.selector');\n this.raw.selector = val;\n }\n\n /**\n * @memberof Rule#\n *
@member {string} selector - the rule's full selector represented\n * as a string\n *\n *
@example\n * const root = postcss.parse('a, b { }');\n * const rule = root.first;\n * rule.selector //=> 'a, b'\n
*\n\n /**\n * @memberof Rule#\n * @member {object} raws - Information to generate byte-to-byte equal\n *
node string as it was in the origin input.\n *\n * Every parser saves its own properties,\n * but the
default CSS parser uses:\n *\n * * `before`: the space symbols before the node. It also stores ` ` and ` `
symbols before the declaration (IE hack).\n * * `after`: the space symbols after the last child of the node\n *
to the end of the node.\n * * `between`: the symbols between the property and value\n * for declarations, selector
and `{` for rules, or last parameter\n * and `{` for at-rules.\n * * `semicolon`: contains true if the last child has\n
* an (optional) semicolon.\n *\n * PostCSS cleans selectors from comments and extra spaces,\n * but it stores
origin content in raws properties.\n * As such, if you don't change a declaration's value,\n * PostCSS will use the
raw value with comments.\n *\n * @example\n * const root = postcss.parse('a {\n color:black\n}')\n *
root.first.first.raws //=> { before: ' ', between: ' ', after: '\n' }\n *\n\n\nexport default Rule;\n", "// @flow\n/**\n *
Represents a plugin's warning. It can be created using { @link Node#warn}.\n *\n * @example\n * if (
decl.important) {\n * decl.warn(result, 'Avoid !important', { word: 'important' });\n * }\n *\n\n\nexport default Rule;\n", "// @flow\n/**\n *
@param {string} text - warning message\n * @param {Object} [opts] - warning options\n *
@param {Node} opts.node - CSS node that caused the warning\n * @param {string} opts.word - word in CSS
source that caused the warning\n * @param {number} opts.index - index in CSS node string that caused\n *
the warning\n * @param {string} opts.plugin - name of the plugin that created\n *
this warning. { @link Result#warn} fills\n * this property automatically.\n *\n\n\nconstructor(text, opts = {}) {\n /**\n * @member {string} - Type to filter warnings from\n *
{ @link Result#messages}. Always equal\n * to `warning`.\n *\n * @example\n * const
nonWarning = result.messages.filter(i => i.type !== 'warning')\n * /\n this.type = 'warning';\n /**\n *
@member {string} - The warning message.\n *\n * @example\n * warning.text //=> 'Try to avoid
!important'\n *\n this.text = text;\n\n if (opts.node && opts.node.source) {\n const pos =
opts.node.positionBy(opts);\n /**\n * @member {number} - Line in the input file\n * with
this warning's source\n *\n * @example\n * warning.line //=> 5\n *\n this.line = pos.line;\n
/**\n * @member {number} - Column in the input file\n * with this warning's source.\n *\n
* @example\n * warning.column //=> 6\n *\n this.column = pos.column;\n }\n\n for (const opt in
opts) this[opt] = opts[opt];\n }\n\n /**\n * Returns a warning position and message.\n *\n * @example\n *
warning.toString() //=> 'postcss-lint:a.css:10:14: Avoid !important'\n *\n * @return {string} warning position and
message\n *\n toString() {\n if (this.node) {\n return this.node.error(this.text, {\n plugin: this.plugin,\n
index: this.index,\n word: this.word,\n }).message;\n } else if (this.plugin) {\n return `${this.plugin}:
${this.text}`;\n } else {\n return this.text;\n }\n }\n\n /**\n * @memberof Warning#\n * @member
{string} plugin - The name of the plugin that created\n * it will fill this property automatically.\n
*\n * this warning. When you call { @link Node#warn}\n *\n * @example\n * warning.plugin //=>
'postcss-important'\n *\n\n /**\n * @memberof Warning#\n * @member {Node} node - Contains the CSS node
that caused the warning.\n *\n * @example\n * warning.node.toString() //=> 'color: white !important'\n
*\n\n\nexport default Warning;\n", "// @flow\nimport Warning from './warning';\n\n/**\n * @typedef {object}
Message\n * @property {string} type - message type\n * @property {string} plugin - source PostCSS plugin
name\n *\n\n /**\n * Provides the result of the PostCSS transformations.\n *\n * A Result instance is returned by
{ @link LazyResult#then}\n * or { @link Root#toResult} methods.\n *\n * @example\n *
postcss([cssnext]).process(css).then(function (result) {\n * console.log(result.css);\n * });\n *\n * @example\n *
var result2 = postcss.parse(css).toResult();\n *\n\nexport default Result;\n", "// @flow\n * @param {Processor} processor -
processor used for this transformation.\n * @param {Root} root - Root node after all transformations.\n *
@param {processOptions} opts - options from the { @link Processor#process}\n * or { @link
Root#toResult}\n *\n\n constructor(processor, root, opts) {\n /**\n * @member {Processor} - The Processor

```

```

instance used\n *          for this transformation.\n *\n * @example\n * for ( let plugin of
result.processor.plugins) {\n * if ( plugin.postcssPlugin === 'postcss-bad' ) {\n * throw 'postcss-good is
incompatible with postcss-bad';\n * }\n * });\n *\n *\n * ^\n this.processor = processor;\n /**\n * @member
{Message[]} - Contains messages from plugins\n *          (e.g., warnings or custom messages).\n *
Each message should have type\n *          and plugin properties.\n *\n * @example\n *
postcss.plugin('postcss-min-browser', () => {\n * return (root, result) => {\n * var browsers =
detectMinBrowsersByCanIUse(root);\n * result.messages.push({\n * type: 'min-browser',\n *
plugin: 'postcss-min-browser',\n * browsers: browsers\n * });\n * });\n * });\n *\n *\n * ^\n
this.messages = [];\n /**\n * @member {Root} - Root node after all transformations.\n *\n * @example\n
* root.toResult().root == root;\n * ^\n this.root = root;\n /**\n * @member {processOptions} - Options from
the { @link Processor#process }\n *          or { @link Root#toResult } call\n *          that
produced this Result instance.\n *\n * @example\n * root.toResult(opts).opts == opts;\n * ^\n this.opts =
opts;\n /**\n * @member {string} - A CSS string representing of { @link Result#root }.\n *\n *
@example\n * postcss.parse('a{ }').toResult().css //=> \"a{ }\"\n * ^\n this.css = undefined;\n /**\n *
@member {SourceMapGenerator} - An instance of `SourceMapGenerator`\n *          class from the
`source-map` library,\n *          representing changes\n *          to the { @link
Result#root } instance.\n *\n * @example\n * result.map.toJSON() //=> { version: 3, file: 'a.css', ... }\n *\n
* @example\n * if ( result.map ) {\n * fs.writeFileSync(result.opts.to + '.map', result.map.toString());\n *
}\n * ^\n this.map = undefined;\n }\n\n /**\n * Returns for @ {link Result#css } content.\n *\n * @example\n
* result + " === result.css\n *\n * @return {string} string representing of { @link Result#root }\n * ^\n toString()
{\n return this.css;\n }\n\n /**\n * Creates an instance of { @link Warning } and adds it\n * to { @link
Result#messages }.\n *\n * @param {string} text - warning message\n * @param {Object} [opts] -
warning options\n * @param {Node} opts.node - CSS node that caused the warning\n * @param {string}
opts.word - word in CSS source that caused the warning\n * @param {number} opts.index - index in CSS node
string that caused\n *          the warning\n * @param {string} opts.plugin - name of the plugin that
created\n *          this warning. { @link Result#warn } fills\n *          this property
automatically.\n *\n * @return {Warning} created warning\n * ^\n warn(text, opts = {}) {\n if (!opts.plugin)
{\n if (this.lastPlugin && this.lastPlugin.postcssPlugin) {\n opts.plugin = this.lastPlugin.postcssPlugin;\n
}\n }\n\n const warning = new Warning(text, opts);\n this.messages.push(warning);\n\n return warning;\n
}\n\n /**\n * Returns warnings from plugins. Filters { @link Warning } instances\n * from { @link
Result#messages }.\n *\n * @example\n * result.warnings().forEach(warn => {\n *
console.warn(warn.toString());\n * });\n *\n * @return {Warning[]} warnings from plugins\n * ^\n warnings()
{\n return this.messages.filter(i => i.type === 'warning');\n }\n\n /**\n * An alias for the { @link Result#css }
property.\n * Use it with syntaxes that generate non-CSS output.\n * @type {string}\n *\n * @example\n *
result.css === result.content;\n * ^\n get content() {\n return this.css;\n }\n\n\nexport default Result;\n"}\n\n
@flow\nimport stringify from './stringify';\nimport warnOnce from './warn-once';\nimport Result from
'./result';\nimport parse from './parse';\n\nfunction isPromise(obj) {\n return typeof obj === 'object' && typeof
obj.then === 'function';\n }\n\n/**\n * @callback onFulfilled\n * @param {Result} result\n * ^\n\n/**\n * @callback
onRejected\n * @param {Error} error\n * ^\n\n/**\n * A Promise proxy for the result of PostCSS transformations.\n
*\n * A `LazyResult` instance is returned by { @link Processor#process }.\n *\n * @example\n * const lazy =
postcss([cssnext]).process(css);\n *\n * class LazyResult {\n constructor(processor, css, opts) {\n this.stringified =
false;\n this.processed = false;\n\n let root;\n if (typeof css === 'object' && css.type === 'root') {\n root =
css;\n } else if (css instanceof LazyResult || css instanceof Result) {\n root = css.root;\n if (css.map) {\n
if (typeof opts.map === 'undefined') opts.map = {};\n if (!opts.map.inline) opts.map.inline = false;\n
opts.map.prev = css.map;\n }\n } else {\n let parser = parse;\n if (opts.syntax) parser =
opts.syntax.parse;\n if (opts.parser) parser = opts.parser;\n if (parser.parse) parser = parser.parse;\n\n try
{\n root = parser(css, opts);\n } catch (error) {\n this.error = error;\n }\n }\n\n this.result = new
Result(processor, root, opts);\n }\n\n /**\n * Returns a { @link Processor } instance, which will be used\n * for

```

```

CSS transformations.\n * @type {Processor}\n * ^\n get processor() {\n return this.result.processor;\n }\n\n /**\n * Options from the {@link Processor#process} call.\n * @type {processOptions}\n * ^\n get opts() {\n return this.result.opts;\n }\n\n /**\n * Processes input CSS through synchronous plugins, converts `Root`\n * to a CSS string and returns {@link Result#css}.\n * ^\n * This property will only work with synchronous plugins.\n * If the processor contains any asynchronous plugins\n * it will throw an error. This is why this method is only\n * for debug purpose, you should always use {@link LazyResult#then}.\n * ^\n * @type {string}\n * @see Result#css\n * ^\n get css() {\n return this.stringify().css;\n }\n\n /**\n * An alias for the `css` property. Use it with syntaxes\n * that generate non-CSS output.\n * ^\n * This property will only work with synchronous plugins.\n * If the processor contains any asynchronous plugins\n * it will throw an error. This is why this method is only\n * for debug purpose, you should always use {@link LazyResult#then}.\n * ^\n * @type {string}\n * @see Result#content\n * ^\n get content() {\n return this.stringify().content;\n }\n\n /**\n * Processes input CSS through synchronous plugins\n * and returns {@link Result#map}.\n * ^\n * This property will only work with synchronous plugins.\n * If the processor contains any asynchronous plugins\n * it will throw an error. This is why this method is only\n * for debug purpose, you should always use {@link LazyResult#then}.\n * ^\n * @type {SourceMapGenerator}\n * @see Result#map\n * ^\n get map() {\n return this.stringify().map;\n }\n\n /**\n * Processes input CSS through synchronous plugins\n * and returns {@link Result#root}.\n * ^\n * This property will only work with synchronous plugins. If the processor\n * contains any asynchronous plugins it will throw an error.\n * ^\n * This is why this method is only for debug purpose,\n * you should always use {@link LazyResult#then}.\n * ^\n * @type {Root}\n * @see Result#root\n * ^\n get root() {\n return this.sync().root;\n }\n\n /**\n * Processes input CSS through synchronous plugins\n * and returns {@link Result#messages}.\n * ^\n * This property will only work with synchronous plugins. If the processor\n * contains any asynchronous plugins it will throw an error.\n * ^\n * This is why this method is only for debug purpose,\n * you should always use {@link LazyResult#then}.\n * ^\n * @type {Message[]}\n * @see Result#messages\n * ^\n get messages() {\n return this.sync().messages;\n }\n\n /**\n * Processes input CSS through synchronous plugins\n * and calls {@link Result#warnings}.\n * ^\n * @return {Warning[]} warnings from plugins\n * ^\n warnings() {\n return this.sync().warnings();\n }\n\n /**\n * Alias for the {@link LazyResult#css} property.\n * ^\n * @example\n * lazy + " === lazy.css;\n * ^\n * @return {string} output CSS\n * ^\n toString() {\n return this.css;\n }\n\n /**\n * Processes input CSS through synchronous and asynchronous plugins\n * and calls `onFulfilled` with a Result instance. If a plugin throws\n * an error, the `onRejected` callback will be executed.\n * ^\n * It implements standard Promise API.\n * ^\n * @param {onFulfilled} onFulfilled - callback will be executed\n *

```

```

when all plugins will finish work\n * @param {onRejected} onRejected - callback will be executed on any error\n * ^\n * @return {Promise} Promise API to make queue\n * ^\n * @example\n * postcss([cssnext]).process(css).then(result => {\n * console.log(result.css);\n * });\n * ^\n then(onFulfilled, onRejected) {\n return this.async().then(onFulfilled, onRejected);\n }\n\n /**\n * Processes input CSS through synchronous and asynchronous plugins\n * and calls onRejected for each error thrown in any plugin.\n * ^\n * It implements standard Promise API.\n * ^\n * @param {onRejected} onRejected - callback will be executed on any error\n * ^\n * @return {Promise} Promise API to make queue\n * ^\n * @example\n * postcss([cssnext]).process(css).then(result => {\n * console.log(result.css);\n * }).catch(error => {\n * console.error(error);\n * });\n * ^\n catch(onRejected) {\n return this.async().catch(onRejected);\n }\n\n handleError(error, plugin) {\n try {\n this.error = error;\n if (error.name === 'CssSyntaxError' && !error.plugin) {\n error.plugin = plugin.postcssPlugin;\n error.setMessage();\n } else if (plugin.postcssVersion) {\n const pluginName = plugin.postcssPlugin;\n const pluginVer = plugin.postcssVersion;\n const runtimeVer = this.result.processor.version;\n const a = pluginVer.split('.');\n const b = runtimeVer.split('.');\n if (a[0] !== b[0] || parseInt(a[1]) > parseInt(b[1])) {\n warnOnce(\n `Your current PostCSS version ' + 'is ' + runtimeVer, but ${pluginName} ` +\n `uses ${pluginVer}. Perhaps this is ` +\n `the source of the error below.`\n );\n }\n }\n } catch (err) {\n if (console && console.error) console.error(err);\n }\n }\n\n asyncTick(resolve, reject) {\n if (this.plugin >= this.processor.plugins.length) {\n this.processed = true;\n return resolve();\n }\n\n try {\n const

```

```

plugin = this.processor.plugins[this.plugin];\n    const promise = this.run(plugin);\n    this.plugin += 1;\n    if\n    (isPromise(promise)) {\n        promise\n        .then(() => {\n            this.asyncTick(resolve, reject);\n        })\n        .catch(error => {\n            this.handleError(error, plugin);\n            this.processed = true;\n            reject(error);\n        });\n    } else {\n        this.asyncTick(resolve, reject);\n    }\n    catch (error) {\n        this.processed = true;\n        reject(error);\n    }\n}\n\nasync() {\n    if (this.processed) {\n        return new Promise((resolve, reject) => {\n            if\n            (this.error) {\n                reject(this.error);\n            } else {\n                resolve(this.stringify());\n            }\n        });\n    }\n    if\n    (this.processing) {\n        return this.processing;\n    }\n\n    this.processing = new Promise((resolve, reject) => {\n        if\n        (this.error) return reject(this.error);\n        this.plugin = 0;\n        this.asyncTick(resolve, reject);\n    }).then(() => {\n        this.processed = true;\n        return this.stringify();\n    });\n\n    return this.processing;\n}\n\nsync() {\n    if\n    (this.processed) return this.result;\n    this.processed = true;\n\n    if (this.processing) {\n        throw new Error('Use\n        process(css).then(cb) to work with async plugins');\n    }\n\n    if (this.error) throw this.error;\n\n    this.result.processor.plugins.forEach(plugin => {\n        const promise = this.run(plugin);\n        if (isPromise(promise))\n        {\n            throw new Error('Use process(css).then(cb) to work with async plugins');\n        }\n    });\n\n    return\n    this.result;\n}\n\nrun(plugin) {\n    this.result.lastPlugin = plugin;\n\n    try {\n        return plugin(this.result.root,\n        this.result);\n    } catch (error) {\n        this.handleError(error, plugin);\n        throw error;\n    }\n}\n\nstringify() {\n    if\n    (this.stringified) return this.result;\n    this.stringified = true;\n\n    this.sync();\n\n    const opts = this.result.opts;\n    let str = stringify;\n    if (opts.syntax) str = opts.syntax.stringify;\n    if (opts.stringifier) str = opts.stringifier;\n    if\n    (str.stringify) str = str.stringify;\n\n    let result = '';\n    str(this.root, i => {\n        result += i;\n    });\n    this.result.css\n    = result;\n\n    return this.result;\n}\n}\n\nexport default LazyResult;\n\n/** @flow\nimport LazyResult from './lazy-\nresult';\n\n/**\n * @callback builder\n * @param {string} part - part of generated CSS connected to this\nnode\n * @param {Node} node - AST node\n * @param {"start"|"end"} [type] - node's part type\n *\n * @callback parser\n * @param {string|toString} css - string with input CSS or any object\n *\n * with toString() method, like a Buffer\n * @param {processOptions} [opts] - options with only `from`\nand `map` keys\n *\n * @return {Root} PostCSS AST\n *\n * @callback stringifier\n *\n * @param {Node} node - start node for stringifying. Usually { @link Root }.\n *\n * @param {builder} builder - function to concatenate\nCSS from node's parts\n *\n * or generate string and source map\n *\n * @return {void}\n *\n * @typedef {object} syntax\n *\n * @property {parser} parse - function to generate AST by string\n *\n * @property {stringifier} stringify - function to generate string by AST\n *\n * @typedef {object} toString\n *\n * @property {function} toString\n *\n * @callback pluginFunction\n *\n * @param {Root} root - parsed input\nCSS\n *\n * @param {Result} result - result to set warnings or check other plugins\n *\n * @typedef {object}\nPlugin\n *\n * @property {function} postcss - PostCSS plugin function\n *\n * @typedef {object}\nprocessOptions\n *\n * @property {string} from - the path of the CSS source file.\n *\n * You should always set `from`,\n *\n * because it is used in source map\n *\n * generation and syntax error messages.\n *\n * @property {string} to - the path where you'll put the output\n *\n * CSS file. You should always set `to`\n *\n * to generate correct source\nmaps.\n *\n * @property {parser} parser - function to generate AST by string\n *\n * @property {stringifier}\nstringifier - class to generate string by AST\n *\n * @property {syntax} syntax - object with `parse` and\n`stringify`\n *\n * @property {object} map - source map options\n *\n * @property {boolean} map.inline - does source map should\n *\n * be embedded in the output\n *\n * CSS as a base64-encoded\n *\n * comment\n *\n * @property\n{string|object|false|function} map.prev - source map content\n *\n * from a previous\n *\n * processing step\n *\n * (for example, Sass).\n *\n * PostCSS will try to find\n *\n * previous map\n *\n * automatically, so you\n *\n * could disable it by\n *\n * `false` value.\n *\n * @property {boolean} map.sourcesContent - does PostCSS should set\n *\n * the origin content to map\n *\n * @property {string|false} map.annotation - does\nPostCSS should set\n *\n * annotation comment to map\n *\n * @property {string}\nmap.from - override `from` in map's\n *\n * `sources`\n */

```

Contains plugins to process CSS. Create one `Processor` instance, initialize its plugins, and then use that instance on numerous CSS files.

```

const processor = postcss([autoprefixer, precss]);
processor.process(css1).then(result => console.log(result.css));
processor.process(css2).then(result => console.log(result.css));

```

**class Processor** {  
**plugins** - PostCSS plugins. See [Processor#use](#) for plugin format.  
**constructor**(plugins = [])  
**string** - Current PostCSS version.  
**example**  
 if (result.processor.version.split('.')[0] !== '5') {  
 throw new Error('This plugin works only with PostCSS 5');  
 }  
 this.version = '5.2.0';  
**pluginFunction[]** - Plugins added to this processor.  
**example**  
 const processor = postcss([autoprefixer, precss]);  
 processor.plugins.length // => 2  
 this.plugins = this.normalize(plugins);  
 }  
**pluginFunction[]** - Adds a plugin to be used as a CSS processor.  
**PostCSS plugin can be in 4 formats:**  
**A plugin created by [postcss.plugin](#) method.**  
**A function.** PostCSS will pass the function a [Root](#) as the first argument and current [Result](#) instance as the second.  
**An object with a `postcss` method.** PostCSS will use that method as described in #2.  
**Another [Processor](#) instance.** PostCSS will copy plugins from that instance into this one.  
**Plugins can also be added by passing them as arguments when creating a `postcss` instance (see `postcss(plugins)`).**  
**Asynchronous plugins should return a `Promise` instance.**  
**plugin** - PostCSS plugin or [Processor](#) with plugins  
**example**  
 const processor = postcss()  
 .use(autoprefixer)  
 .use(precss);  
**return** {Processes} current processor to make methods chain  
 use(plugin) {  
 this.plugins = this.plugins.concat(this.normalize([plugin]));  
 return this;  
 }  
**Parses source CSS and returns a [LazyResult](#) Promise proxy.** Because some plugins can be asynchronous it doesn't make any transformations. Transformations will be applied in the [LazyResult](#) methods.  
**css** - String with input CSS or any object with a `toString()` method, like a Buffer.  
**Optional, send a [Result](#) instance and the processor will take the [Root](#) from it.**  
**processOptions** [opts] - options  
**example**  
 processor.process(css, { from: 'a.css', to: 'a.out.css' })  
 .then(result => {  
 console.log(result.css);  
 });  
 process(css, opts = {}) {  
 return new LazyResult(this, css, opts);  
 }  
**normalize(plugins)** {  
 let normalized = [];  
 plugins.forEach(i => {  
 if (i.postcss) i = i.postcss;  
 if (typeof i === 'object' && Array.isArray(i.plugins)) {  
 normalized = normalized.concat(i.plugins);  
 } else if (typeof i === 'function') {  
 normalized.push(i);  
 } else {  
 throw new Error(`\${i} is not a PostCSS plugin`);  
 }  
 });  
 return normalized;  
 }  
**export default Processor;**  
**rule;** // break cyclical dependency deadlock – #87  
**Container** from './container';  
**LazyResult** from './lazy-result';  
**Processor** from './processor';  
**warnOnce** from './warn-once';  
**Represents a CSS file and contains all its parsed nodes.**  
**extends Container**  
**example**  
 const root = postcss.parse('a{color:black} b{z-index:2}');  
 root.type // => 'root'  
 root.nodes.length // => 2  
**class Root extends Container** {  
 constructor(defaults) {  
 super(defaults);  
 this.type = 'root';  
 if (!this.nodes) this.nodes = [];  
 }  
 removeChild(child) {  
 child = this.index(child);  
 if (child === 0 && this.nodes.length > 1) {  
 this.nodes[1].raws.before = this.nodes[child].raws.before;  
 }  
 return super.removeChild(child);  
 }  
 normalize(child, sample, type) {  
 const nodes = super.normalize(child);  
 if (sample) {  
 if (type === 'prepend') {  
 if (this.nodes.length > 1) {  
 sample.raws.before = this.nodes[1].raws.before;  
 } else {  
 delete sample.raws.before;  
 }  
 } else if (this.first !== sample) {  
 nodes.forEach(node => {  
 node.raws.before = sample.raws.before;  
 });  
 }  
 }  
 return nodes;  
 }  
 }  
**Returns a [Result](#) instance representing the root's CSS.**  
**processOptions** [opts] - options with only `to` and `map` keys  
**return** {Result} result with current root's CSS  
**example**  
 const root1 = postcss.parse(css1, { from: 'a.css' });  
 const root2 = postcss.parse(css2, { from: 'b.css' });  
 root1.append(root2);  
 const result = root1.toResult({ to: 'all.css', map: true });  
 toResult(opts = {}) {  
 const lazy = new LazyResult(new

```

Processor(), this, opts);\n  return lazy.stringify();\n }\n\n remove(child) {\n  warnOnce('Root#remove is
deprecated. Use Root#removeChild');\n  this.removeChild(child);\n }\n\n prevMap() {\n
warnOnce('Root#prevMap is deprecated. Use Root#source.input.map');\n  return this.source.input.map;\n }\n\n
/**\n  * @memberof Root#\n  * @member {object} raws - Information to generate byte-to-byte equal\n  *
node string as it was in the origin input.\n  * \n  * Every parser saves its own properties,\n  * but the default
CSS parser uses:\n  * \n  * * `after`: the space symbols after the last child to the end of file.\n  * * `semicolon`: is
the last child has an (optional) semicolon.\n  * \n  * @example\n  * postcss.parse('a {}').raws // => { after: '\n'
}\n  * postcss.parse('a {}').raws // => { after: " }\n  * ^}\n\n\nexport default Root;\n", "/* @flow\nimport './root'; //
break cyclical dependency deadlock - #87\nimport CssSyntaxError from './css-syntax-error';\n// import
PreviousMap from './previous-map';\n\nlet sequence = 0;\n\n/**\n  * @typedef {object} filePosition\n  *
@property {string} file - path to file\n  * @property {number} line - source line in file\n  * @property {number}
column - source column in file\n  * ^}\n\n\n/**\n  * Represents the source CSS.\n  * \n  * @example\n  * const root =
postcss.parse(css, { from: file });\n  * \n  * const input = root.source.input;\n  * ^\n  * class Input {\n  * /**\n  * @param
{string} css - input CSS source\n  * @param {object} [opts] - {@link Processor#process} options\n  * ^\n
constructor(css, opts = {}) {\n  /**\n  * @member {string} - input CSS source\n  * \n  * @example\n  *
const input = postcss.parse('a {}', { from: file }).input;\n  * \n  * input.css // => 'a{ }';\n  * ^\n  * this.css =
css.toString();\n  * \n  * if (this.css[0] === '\uFEFF' || this.css[0] === '\uFFFE') {\n  * \n  * this.css = this.css.slice(1);\n
}\n  * \n  * if (opts.from) {\n  * \n  * if (/^\w+:\w+\/\w+\.test(opts.from)) {\n  * \n  * /**\n  * @member {string} - The absolute
path to the CSS source file\n  * \n  * \n  * defined with the `from` option.\n  * \n  * @example\n  *
const root = postcss.parse(css, { from: 'a.css' });\n  * \n  * root.source.input.file // => '/home/ai/a.css'\n  * ^\n
this.file = opts.from;\n  * \n  * } else {\n  * \n  * this.file = path.resolve(opts.from);\n  * \n  * }\n  * \n  * let map =
new PreviousMap(this.css, opts);\n  * \n  * if ( map.text ) {\n  * \n  * /**\n  * @member {PreviousMap} - The
input source map passed from\n  * \n  * \n  * a compilation step before PostCSS\n  * \n  *
(for example, from Sass compiler).\n  * \n  * @example\n  *
root.source.input.map.consumer().sources // => ['a.sass']\n  * ^\n  * this.map = map;\n  * \n  * let file =
map.consumer().file;\n  * \n  * if ( !this.file && file ) this.file = this.map.resolve(file);\n  * \n  * }\n  * ^\n  * if ( !this.file )
{\n  * \n  * sequence += 1;\n  * \n  * /**\n  * @member {string} - The unique ID of the CSS source. It will be\n  *
created if `from` option is not provided\n  * \n  * \n  * (because PostCSS does not know the file path).\n  * \n
*\n  * @example\n  * const root = postcss.parse(css);\n  * \n  * root.source.input.file // => undefined\n  *
root.source.input.id // => '<input css 1>'\n  * ^\n  * this.id = `<input css ${sequence}>`;\n  * }\n  * if (this.map)
this.map.file = this.from;\n  * }\n  * \n  * error(message, line, column, opts = {}) {\n  * \n  * let result;\n  * \n  * const origin =
this.origin(line, column);\n  * \n  * if (origin) {\n  * \n  * result = new CssSyntaxError(\n  * \n  * message,\n  * \n  * origin.line,\n
origin.column,\n  * \n  * origin.source,\n  * \n  * origin.file,\n  * \n  * opts.plugin\n  * \n  * );\n  * \n  * } else {\n  * \n  * result = new
CssSyntaxError(message, line, column, this.css, this.file, opts.plugin);\n  * \n  * }\n  * \n  * result.input = { line, column,
source: this.css };\n  * \n  * if (this.file) result.input.file = this.file;\n  * \n  * return result;\n  * }\n  * \n  * /**\n  * Reads the input
source map and returns a symbol position\n  * \n  * \n  * in the input source (e.g., in a Sass file that was compiled\n  * \n  * to CSS
before being passed to PostCSS).\n  * \n  * @param {number} line - line in input CSS\n  * @param {number}
column - column in input CSS\n  * \n  * @return {filePosition} position in input source\n  * \n  * @example\n  *
root.source.input.origin(1, 1) // => { file: 'a.css', line: 3, column: 1 }\n  * ^\n  * origin(line, column) {\n  * \n  * if ( !this.map )
return false;\n  * \n  * const consumer = this.map.consumer();\n  * \n  * const from = consumer.originalPositionFor({ line,
column });\n  * \n  * if ( !from.source ) return false;\n  * \n  * const result = {\n  * \n  * file: this.map.resolve(from.source),\n
line: from.line,\n  * \n  * column: from.column,\n  * \n  * };\n  * \n  * const source = consumer.sourceContentFor(from.source);\n  * \n
if (source) result.source = source;\n  * \n  * return result;\n  * }\n  * \n  * mapResolve(file) {\n  * \n  * if (/^\w+:\w+\/\w+\.test(file)) {\n
return file;\n  * \n  * } else {\n  * \n  * return path.resolve(this.map.consumer().sourceRoot || '.', file);\n  * \n  * }\n  * }\n  * \n  * /**\n  *
The CSS source identifier. Contains {@link Input#file} if the user\n  * \n  * set the `from` option, or {@link Input#id} if
they did not.\n  * \n  * @type {string}\n  * \n  * @example\n  * const root = postcss.parse(css, { from: 'a.css' });\n  * \n
root.source.input.from // => '/home/ai/a.css'\n  * \n  * const root = postcss.parse(css);\n  * \n  * root.source.input.from
// => '<input css 1>'\n  * ^\n  * get from() {\n  * \n  * return this.file || this.id;\n  * }\n  * }\n\n\nexport default Input;\n", "

```

```

@flow\nimport tokenize from './postcss/tokenize';\nimport Comment from './postcss/comment';\nimport Parser
from './postcss/parser';\n\nexport default class SafeParser extends Parser {\n  tokenize() {\n    this.tokens =
tokenize(this.input, { ignoreErrors: true });\n  }\n  comment(token) {\n    const node = new Comment();\n    this.init(node, token[2], token[3]);\n    node.source.end = { line: token[4], column: token[5] };\n\n    let text =
token[1].slice(2);\n    if (text.slice(-2) === '*/') text = text.slice(0, -2);\n\n    if (/^\s*$/\.test(text)) {\n      node.text =
";\n      node.raws.left = text;\n      node.raws.right = ";\n    } else {\n      const match =
text.match(/^(\\s*)([^\s]*)(\\s*)$/);\n      node.text = match[2];\n      node.raws.left = match[1];\n      node.raws.right = match[3];\n    }\n  }\n  unclosedBracket() {\n\n  }\n  unknownWord(start) {\n    const buffer =
this.tokens.slice(start, this.pos + 1);\n    this.spaces += buffer.map(i => i[1]).join("");\n  }\n  unexpectedClose() {\n
this.current.raws.after += '};\n  }\n  doubleColon() {\n\n  }\n  unnamedAttrule(node) {\n    node.name = ";\n  }\n  precheckMissedSemicolon(tokens) {\n    const colon = this.colon(tokens);\n    if (colon === false) return;\n\n    let
split;\n    for (split = colon - 1; split >= 0; split--) {\n      if (tokens[split][0] === 'word') break;\n    }\n    for (split --
1; split >= 0; split--) {\n      if (tokens[split][0] !== 'space') {\n        split += 1;\n        break;\n      }\n    }\n    const
other = tokens.splice(split, tokens.length - split);\n    this.decl(other);\n  }\n  checkMissedSemicolon() {\n\n  }\n  endFile() {\n    if (this.current.nodes && this.current.nodes.length) {\n      this.current.raws.semicolon =
this.semicolon;\n    }\n    this.current.raws.after = (this.current.raws.after || "") + this.spaces;\n\n    while
(this.current.parent) {\n      this.current = this.current.parent;\n      this.current.raws.after = ";\n    }\n  }\n}\n\n"/
@flow\nimport Input from './postcss/input';\nimport SafeParser from './safe-parser';\n\nexport default function
safeParse(css, opts) {\n  const input = new Input(css, opts);\n\n  const parser = new SafeParser(input);\n
parser.tokenize();\n  parser.loop();\n\n  return parser.root;\n}\n\n"/ @flow\n/* eslint-disable import/no-unresolved
*\nimport transformDeclPairs from 'css-to-react-native';\nimport generateComponentId from
'./utils/generateComponentId';\nimport type { RuleSet, StyleSheet } from './types';\nimport flatten from
'./utils/flatten';\n\n$FlowFixMe\nimport parse from './vendor/postcss-safe-parser/parse';\n\nlet generated =
{};\n\nexport const resetStyleCache = () => {\n  generated = {};\n};\n\n/*\n  InlineStyle takes arbitrary CSS and
generates a flat object\n  *\n  export default (styleSheet: StyleSheet) => {\n    class InlineStyle {\n      rules: RuleSet;\n\n      constructor(rules: RuleSet) {\n        this.rules = rules;\n      }\n\n      generateStyleObject(executionContext: Object) {\n
        const flatCSS = flatten(this.rules, executionContext).join("");\n        const hash =
generateComponentId(flatCSS);\n        if (!generated[hash]) {\n          const root = parse(flatCSS);\n          const
declPairs = [];\n          root.each(node => {\n            if (node.type === 'decl') {\n              declPairs.push([node.prop,
node.value]);\n            } else if (process.env.NODE_ENV !== 'production' && node.type !== 'comment') {\n
/* eslint-disable no-console */\n              console.warn(`Node of type ${node.type} not supported as an inline
style`);\n            }\n          });\n          // RN currently does not support differing values for the corner radii of Image\n
// components (but does for View). It is almost impossible to tell whether we'll have\n          // support, so we'll just
disable multiple values here.\n          // https://github.com/styled-components/css-to-react-native/issues/11\n          const
styleObject = transformDeclPairs(declPairs, [\n            'borderRadius',\n            'borderWidth',\n            'borderColor',\n
            'borderStyle',\n          ]);\n          const styles = styleSheet.create({\n            generated: styleObject,\n          });\n
generated[hash] = styles.generated;\n          }\n          return generated[hash];\n        }\n      }\n\n      return InlineStyle;\n    };\n  };\n\n"/
* eslint-disable */\n  mixin-deep; https://github.com/jonschlinkert/mixin-deep\n  Inlined such that it will be
consistently transpiled to an IE-compatible syntax.\n\n  The MIT License (MIT)\n\n  Copyright (c) 2014-present,
Jon Schlinkert.\n\n  Permission is hereby granted, free of charge, to any person obtaining a copy\n  of this software
and associated documentation files (the "Software"), to deal\n  in the Software without restriction, including
without limitation the rights\n  to use, copy, modify, merge, publish, distribute, sublicense, and/or sell\n  copies of
the Software, and to permit persons to whom the Software is\n  furnished to do so, subject to the following
conditions:\n\n  The above copyright notice and this permission notice shall be included in\n  all copies or
substantial portions of the Software.\n\n  THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY
OF ANY KIND, EXPRESS OR\n  IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY,\n  FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO
EVENT SHALL THE\n  AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES

```



OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

const isObject = val => {
  return (
    typeof val === 'function' || (typeof val === 'object' && val !== null && !Array.isArray(val))
  );
};
const isValidKey = key => {
  return key !== '__proto__' && key !== 'constructor' && key !== 'prototype';
};
function mixin(target, val, key) {
  const obj = target[key];
  if (isObject(val) && isObject(obj)) {
    mixinDeep(obj, val);
  } else {
    target[key] = val;
  }
}
export default function mixinDeep(target, ...rest) {
  for (const obj of rest) {
    if (isObject(obj)) {
      for (const key in obj) {
        if (isValidKey(key)) {
          mixin(target, obj[key], key);
        }
      }
    }
  }
  return target;
}
"@flow
import { EMPTY_OBJECT } from './empties';
type Props = {
  theme?: any;
};
export default (props: Props, providedTheme: any, defaultProps: any = EMPTY_OBJECT) => {
  return (
    props.theme !== defaultProps.theme && props.theme || providedTheme || defaultProps.theme
  );
};
"@flow
import type { IStyledComponent } from './types';
export default function isTag(target: $PropertyType<IStyledComponent, 'target'>): boolean {
  %checks
  return (
    typeof target === 'string' && (process.env.NODE_ENV !== 'production' ? target.charAt(0) === target.charAt(0).toLowerCase() : true)
  );
}
"@flow
import type { IStyledComponent } from './types';
import getComponentName from './getComponentName';
import isTag from './isTag';
export default function generateDisplayName(target: $PropertyType<IStyledComponent, 'target'>): string {
  return isTag(target) ? `styled.${target}` : `Styled(${getComponentName(target)})`;
}
"@flow
import React, { useContext, useMemo, type Element, type Context } from 'react';
import throwStyledError from './utils/error';
import isFunction from './utils/isFunction';
export type Theme = { [key: string]: mixed };
type ThemeArgument = Theme | ((outerTheme?: Theme) => Theme);
type Props = {
  children?: Element<any>,
  theme: ThemeArgument,
};
export const ThemeContext: Context<Theme | void> = React.createContext();
export const ThemeConsumer = ThemeContext.Consumer;
function mergeTheme(theme: ThemeArgument, outerTheme?: Theme): Theme {
  if (!theme) {
    return throwStyledError(14);
  }
  if (isFunction(theme)) {
    const mergedTheme = theme(outerTheme);
    if (process.env.NODE_ENV !== 'production' && (mergedTheme === null || Array.isArray(mergedTheme) || typeof mergedTheme !== 'object')) {
      return throwStyledError(7);
    }
    return mergedTheme;
  }
  if (Array.isArray(theme) || typeof theme !== 'object') {
    return throwStyledError(8);
  }
  return outerTheme ? { ...outerTheme, ...theme } : theme;
}
/** Provide a theme to an entire react component tree via context */
export default function ThemeProvider(props: Props) {
  const outerTheme = useContext(ThemeContext);
  const themeContext = useMemo(() => mergeTheme(props.theme, outerTheme), [props.theme, outerTheme]);
  if (!props.children) {
    return null;
  }
  return <ThemeContext.Provider value={themeContext}>{props.children}</ThemeContext.Provider>;
}
"@flow
import React, { createElement, Component } from 'react';
import hoist from 'hoist-non-react-statics';
import merge from './utils/mixinDeep';
import determineTheme from './utils/determineTheme';
import { EMPTY_ARRAY, EMPTY_OBJECT } from './utils/empties';
import generateDisplayName from './utils/generateDisplayName';
import isFunction from './utils/isFunction';
import isTag from './utils/isTag';
import isStyledComponent from './utils/isStyledComponent';
import { ThemeConsumer } from './ThemeProvider';
import type { Theme } from './ThemeProvider';
import type { Attrs, RuleSet, Target } from './types';
// NOTE: no hooks available for react-native yet; if the user makes use of ThemeProvider or StyleSheetManager things will break.
// Validator defaults to true if not in HTML/DOM env
const validAttr = () => true;
class StyledNativeComponent extends Component<*, *> {
  root: ?Object;
  attrs = {};
  render() {
    return (
      <ThemeConsumer>
        {(theme?: Theme) => {
          const {
            $as: transientAsProp,
            as: renderAs,
            forwardedComponent,
            forwardedAs,
            forwardedRef,
            testID,
            style = [],
            ...props
          } = this.props;
          const { defaultProps, target, shouldForwardProp } = forwardedComponent;
          const elementToBeRendered = this.attrs.$as || this.attrs.as || transientAsProp || renderAs || target;
          const generatedStyles = this.generateAndInjectStyles(
            determineTheme(this.props, theme, defaultProps) || EMPTY_OBJECT,

```

```

    this.props\n
    );\n\n
    const isTargetTag = isTag(elementToBeRendered);\n
    const computedProps =
this.attrs !== props ? { ...props, ...this.attrs } : props;\n
    const propFilterFn = shouldForwardProp || (isTargetTag
&& validAttr);\n
    const propsForElement = {};\n
    let key;\n\n
    for (key in computedProps) {\n
if (key[0] === '$' || key === 'as') continue;\n
    else if (key === 'forwardedAs') {\n
    propsForElement.as
= props[key];\n
    } else if (!propFilterFn || propFilterFn(key, validAttr)) {\n
    // Don't pass through
filtered tags through to native elements\n
    propsForElement[key] = computedProps[key];\n
    }\n
}\n\n
    propsForElement.style = typeof style === 'function' ?\n
(state) => {\n
    return
[generatedStyles].concat(style(state))\n
    } : [generatedStyles].concat(style);\n
propsForElement.testID = testID;\n\n
    if (forwardedRef) propsForElement.ref = forwardedRef;\n
    if
(forwardedAs) propsForElement.as = forwardedAs;\n\n
    return createElement(elementToBeRendered,
propsForElement);\n
    }}\n
</ThemeConsumer>\n
);\n
}}\n\n
buildExecutionContext(theme: ?Object, props:
Object, attrs: Attrs) {\n
    const context = { ...props, theme };\n\n
    if (!attrs.length) return context;\n\n
    this.attrs =
{};\n\n
    attrs.forEach(attrDef => {\n
    let resolvedAttrDef = attrDef;\n
    let attr;\n
    let key;\n\n
    if
(isFunction(resolvedAttrDef)) {\n
    resolvedAttrDef = resolvedAttrDef(context);\n
    }\n\n
    /* eslint-disable
guard-for-in */\n
    for (key in resolvedAttrDef) {\n
    attr = resolvedAttrDef[key];\n
    this.attrs[key] = attr;\n
    context[key] = attr;\n
    }\n
    /* eslint-enable */\n
});\n\n
    return context;\n
}}\n\n
generateAndInjectStyles(theme: any, props: any) {\n
    const { inlineStyle } = props.forwardedComponent;\n\n
const executionContext = this.buildExecutionContext(\n
    theme,\n
    props,\n
props.forwardedComponent.attrs\n
);\n\n
    return inlineStyle.generateStyleObject(executionContext);\n
}}\n\n
setNativeProps(nativeProps: Object) {\n
    if (this.root !== undefined) {\n
    // $FlowFixMe\n
this.root.setNativeProps(nativeProps);\n
    } else if (process.env.NODE_ENV !== 'production') {\n
    // eslint-
disable-next-line no-console\n
    console.warn(\n
    'setNativeProps was called on a Styled Component wrapping
a stateless functional component.\n
    );\n
    }\n
}}\n\n
}\n\n
export default (InlineStyle: Function) => {\n
    const
createStyledNativeComponent = (target: Target, options: Object, rules: RuleSet) => {\n
    const {\n
    attrs =
EMPTY_ARRAY,\n
    displayName = generateDisplayName(target),\n
    ParentComponent =
StyledNativeComponent,\n
    } = options;\n\n
    const isClass = !isTag(target);\n
    const isTargetStyledComp =
isStyledComponent(target);\n\n
    // $FlowFixMe\n
    const WrappedStyledNativeComponent =
React.forwardRef((props, ref) => (\n
    <ParentComponent\n
    {...props}\n
forwardedComponent={ WrappedStyledNativeComponent }\n
    forwardedRef={ ref }\n
    />\n
));\n\n
    const
finalAttrs =\n
    // $FlowFixMe\n
    isTargetStyledComp && target.attrs\n
    ?
Array.prototype.concat(target.attrs, attrs).filter(Boolean)\n
    : attrs;\n\n
    // eslint-disable-next-line prefer-
destructuring\n
    let shouldForwardProp = options.shouldForwardProp;\n\n
    // $FlowFixMe\n
    if
(isTargetStyledComp && target.shouldForwardProp) {\n
    if (shouldForwardProp) {\n
    // compose nested
shouldForwardProp calls\n
    shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n
    //
$FlowFixMe\n
    target.shouldForwardProp(prop, filterFn, elementToBeCreated) &&\n
options.shouldForwardProp(prop, filterFn, elementToBeCreated);\n
    } else {\n
    // eslint-disable-next-line
prefer-destructuring\n
    shouldForwardProp = target.shouldForwardProp;\n
    }\n
}}\n\n
    /**\n
    * forwardRef
creates a new interim component, which we'll take advantage of\n
    * instead of extending ParentComponent to
create _another_ interim class\n
    */\n\n
    // $FlowFixMe\n
    WrappedStyledNativeComponent.attrs =
finalAttrs;\n\n
    WrappedStyledNativeComponent.displayName = displayName;\n\n
    // $FlowFixMe\n
    WrappedStyledNativeComponent.shouldForwardProp = shouldForwardProp;\n\n
    // $FlowFixMe\n
    WrappedStyledNativeComponent.inlineStyle = new InlineStyle(\n
    // $FlowFixMe\n
    isTargetStyledComp ?
target.inlineStyle.rules.concat(rules) : rules\n
);\n\n
    // $FlowFixMe\n
    WrappedStyledNativeComponent.styledComponentId = 'StyledNativeComponent';\n
    // $FlowFixMe\n
    WrappedStyledNativeComponent.target = isTargetStyledComp\n
    ? // $FlowFixMe\n
    target.target\n
    :
target;\n
    // $FlowFixMe\n
    WrappedStyledNativeComponent.withComponent = function withComponent(tag:
Target) {\n
    const { displayName: _, componentId: __, ...optionsToCopy } = options;\n
    const newOptions =
{\n
    ...optionsToCopy,\n
    attrs: finalAttrs,\n
    ParentComponent,\n
    };\n\n
    return

```

```

createStyledNativeComponent(tag, newOptions, rules);\n  };\n\n // $FlowFixMe\nObject.defineProperty(WrappedStyledNativeComponent, 'defaultProps', {\n  get() {\n    return\n    this._foldedDefaultProps;\n  },\n  set(obj) {\n    // $FlowFixMe\n    this._foldedDefaultProps =\n    isTargetStyledComp ? merge({}, target.defaultProps, obj) : obj;\n  },\n});\n\n if (isClass) {\n  hoist(WrappedStyledNativeComponent, (target: any), {\n    // all SC-specific things should not be hoisted\n    attrs: true,\n    displayName: true,\n    shouldForwardProp: true,\n    inlineStyle: true,\n    styledComponentId: true,\n    target: true,\n    withComponent: true,\n  });\n}\n\n return\n  WrappedStyledNativeComponent;\n};\n\n return createStyledNativeComponent;\n};\n\n", "\n @flow\n\nimport type {\n  Interpolation } from './types';\n\nexport default (\n  strings: Array<string>,\n  interpolations:\n  Array<Interpolation>): Array<Interpolation> => {\n  const result = [strings[0]];\n\n  for (let i = 0, len =\n  interpolations.length; i < len; i += 1) {\n    result.push(interpolations[i], strings[i + 1]);\n  }\n\n  return\n  result;\n};\n\n", "\n @flow\n\nimport {interleave} from './utils/interleave';\n\nimport {isPlainObject} from\n './utils/isPlainObject';\n\nimport {EMPTY_ARRAY} from './utils/empties';\n\nimport {isFunction} from\n './utils/isFunction';\n\nimport {flatten} from './utils/flatten';\n\nimport type {Interpolation, RuleSet, Styles} from\n './types';\n\n\n * Used when flattening object styles to determine if we should\n * expand an array of styles.\n\n *\n\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n\n  return arg;\n};\n\n\nexport default function css(styles: Styles, ...interpolations:\n  Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return\n    addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n\n  if (interpolations.length === 0\n  && styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n\n  //\n  $FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations)));\n};\n\n", "\n @flow\n\nimport {\n  isValidElementType } from 'react-is';\n\nimport {css} from './css';\n\nimport {throwStyledError} from './utils/error';\n\nimport {\n  EMPTY_OBJECT } from './utils/empties';\n\nimport type {Target} from './types';\n\n\nexport default function\n  constructWithOptions(\n    componentConstructor: Function,\n    tag: Target,\n    options: Object =\n    EMPTY_OBJECT)\n  {\n    if (!isValidElementType(tag)) {\n      return throwStyledError(1, String(tag));\n    }\n\n    /*\n    This is callable directly as a template function *\n    // $FlowFixMe: Not typed to avoid destructuring arguments\n    const templateFunction = (...args) => componentConstructor(tag, options, css(...args));\n\n    /* If config methods are\n    called, wrap up a new template function and merge options *\n    templateFunction.withConfig = config =>\n    constructWithOptions(componentConstructor, tag, { ...options, ...config });\n\n    /* Modify/inject new props at\n    runtime *\n    templateFunction.attrs = attrs =>\n    constructWithOptions(componentConstructor, tag, {\n    ...options,\n    attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n  });\n\n  return\n  templateFunction;\n};\n\n", "\n @flow\n\nimport {React, {useContext, type AbstractComponent}} from 'react';\n\nimport\n  hoistStatics from 'hoist-non-react-statics';\n\nimport {ThemeContext} from './models/ThemeProvider';\n\nimport\n  determineTheme from './utils/determineTheme';\n\nimport {getComponentName} from\n './utils/getComponentName';\n\n\n// NOTE: this would be the correct signature:\n// export default <Config: { theme?:\n  any }, Instance>(\n  // Component: AbstractComponent<Config, Instance>)\n  // ): AbstractComponent<$Diff<Config,\n  { theme?: any }> & { theme?: any }, Instance>\n\n// but the old build system tooling doesn't support the\n  syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n  // $FlowFixMe This should be\n  React.forwardRef<Config, Instance>\n  const WithTheme = React.forwardRef((props, ref) => {\n    const theme =\n    useContext(ThemeContext);\n\n    // $FlowFixMe defaultProps isn't declared so it can be inferrable\n    const {\n    defaultProps } = Component;\n\n    const themeProp = determineTheme(props, theme, defaultProps);\n\n    if\n    (process.env.NODE_ENV !== 'production' && themeProp === undefined) {\n      // eslint-disable-next-line no-\n      console\n      console.warn(\n        `[withTheme] You are not using a ThemeProvider nor passing a theme prop or a\n        theme in defaultProps in component class "${getComponentName(\n        Component\n        )}"\n        );\n    }\n\n    return <Component { ...props } theme={themeProp} ref={ref} />;\n  });\n\n  hoistStatics(WithTheme,\n  Component);\n\n  WithTheme.displayName = `WithTheme(${getComponentName(Component)});\n\n  return\n  WithTheme;\n};\n\n", "\n @flow\n\nimport {useContext} from 'react';\n\nimport {ThemeContext} from\n './models/ThemeProvider';\n\n\nconst useTheme = () => useContext(ThemeContext);\n\nexport default

```

```

useTheme;\n", "// @flow\n\n/* eslint-disable import/no-unresolved */\nimport reactPrimitives from 'react-
primitives';\nimport _InlineStyle from './models/InlineStyle';\nimport _StyledNativeComponent from
 './models/StyledNativeComponent';\nimport css from './constructors/css';\nimport constructWithOptions from
 './constructors/constructWithOptions';\nimport ThemeProvider, { ThemeConsumer, ThemeContext } from
 './models/ThemeProvider';\nimport withTheme from './hoc/withTheme';\nimport useTheme from
 './hooks/useTheme';\nimport isStyledComponent from './utils/isStyledComponent';\nimport type { Target } from
 './types';\n\nconst InlineStyle = _InlineStyle(reactPrimitives.StyleSheet);\nconst StyledNativeComponent =
 _StyledNativeComponent(InlineStyle);\nconst styled = (tag: Target) =>
constructWithOptions(StyledNativeComponent, tag);\n\n/* React native lazy-requires each of these modules for
some reason, so let's\n * assume it's for a good reason and not eagerly load them all */\nconst aliases = 'Image Text
Touchable View';\n\n/* Define a getter for each alias which simply gets the reactNative component\n * and passes
it to styled */\naliases.split(/\\s+/m).forEach(alias =>\n Object.defineProperty(styled, alias, {\n enumerable:
true,\n configurable: false,\n get() {\n return styled(reactPrimitives[alias]);\n },\n }));\n\nexport { css,
isStyledComponent, ThemeProvider, ThemeConsumer, ThemeContext, withTheme, useTheme };
\nexport default
styled;\n"], "names": ["AD_REPLACER_R", "charsLength", "getAlphabeticChar", "code", "String", "fromCharCode", "g
enerateAlphabeticName", "name", "x", "Math", "abs", "replace", "SEED", "phash", "h", "i", "length", "charCodeAt", "hash",
"str", "getComponentName", "target", "process", "env", "NODE_ENV", "displayName", "isFunction", "test", "isStateless
Function", "prototype", "isReactComponent", "toString", "Object", "call", "typeof", "isStyledComponent", "styledComp
onentId", "SC_ATTR", "REACT_APP_SC_ATTR", "SC_ATTR_ACTIVE", "SC_ATTR_VERSION", "SC_VERSION",
"__VERSION__", "SPLITTER", "IS_BROWSER", "window", "DISABLE_SPEEDY", "Boolean", "SC_DISABLE_
SPEEDY", "REACT_APP_SC_DISABLE_SPEEDY", "EMPTY_ARRAY", "freeze", "EMPTY_OBJECT", "ERRORS
", "errorMap", "format", "a", "b", "c", "len", "push", "forEach", "d", "throwStyledComponentsError", "interpolations", "Erro
r", "join", "trim", "makeGroupedTag", "tag", "DefaultGroupedTag", "BASE_SIZE", "groupSizes", "Uint32Array", "index
OfGroup", "group", "index", "insertRules", "rules", "oldBuffer", "oldSize", "newSize", "throwStyledError", "set", "ruleInd
ex", "l", "insertRule", "clearGroup", "startIndex", "endIndex", "deleteRule", "getGroup", "css", "getRule", "MAX_SMI", "g
roupIDRegister", "Map", "reverseRegister", "nextFreeGroup", "getGroupForId", "id", "has", "get", "getIdForGroup", "set
GroupForId", "SELECTOR", "MARKER_RE", "RegExp", "outputSheet", "sheet", "getTag", "undefined", "names", "size",
"selector", "content", "rehydrateNamesFromContent", "split", "registerName", "rehydrateSheetFromTag", "style", "part
s", "textContent", "part", "marker", "match", "parseInt", "rehydrateSheet", "nodes", "document", "querySelectorAll", "nod
e", "getAttribute", "parentNode", "removeChild", "getNonce", "__webpack_nonce__", "ELEMENT_TYPE", "findLastSt
yleTag", "childNodes", "child", "nodeType", "hasAttribute", "makeStyleTag", "head", "parent", "createElement", "prevSt
yle", "nextSibling", "setAttribute", "nonce", "insertBefore", "getSheet", "styleSheets", "ownerNode", "makeTag", "isServe
r", "useCSSOMInjection", "VirtualTag", "CSSOMTag", "TextTag", "element", "appendChild", "createTextNode", "rule",
"_error", "cssRules", "cssText", "refNode", "_target", "splice", "SHOULD_REHYDRATE", "defaultOptions", "StyleShe
et", "registerId", "options", "globalStyles", "gs", "server", "reconstructWithOptions", "withNames", "allocateGSInstance",
"hasNameForId", "groupNames", "Set", "add", "clearNames", "clear", "clearRules", "clearTag", "delimiter", "needle", "to
Sheet", "block", "e", "ruleSheet", "context", "selectors", "parents", "line", "column", "ns", "depth", "at", "COMMENT_REG
EX", "COMPLEX_SELECTOR_PREFIX", "createStylisInstance", "plugins", "stylis", "Stylis", "parsingRules", "returnR
ulesPlugin", "parsedRules", "parseRulesPlugin", "insertRulePlugin", "_componentId", "_selector", "_selectorRegex", "_
_consecutiveSelfRefRegExp", "selfReferenceReplacer", "offset", "string", "indexOf", "selfReferenceReplacementPlugi
n", "_", "lastIndexOf", "use", "stringifyRules", "prefix", "componentId", "flatCSS", "cssStr", "reduce", "acc", "plugin", "Sty
leSheetContext", "React", "createContext", "StyleSheetConsumer", "Consumer", "StylisContext", "StylisConsumer", "m
asterSheet", "masterStylis", "Keyframes", "inject", "styleSheet", "stylisInstance", "resolvedName", "getName", "uppercas
eCheck", "uppercasePattern", "msPattern", "prefixAndLowerCase", "char", "toLowerCase", "hyphenateStyleName", "ad
dUnitIfNeeded", "value", "unitless", "isFalsish", "chunk", "objToCssArray", "obj", "prevKey", "key", "hasOwnProperty",
"Array", "isArray", "isCss", "hyphenate", "isPlainObject", "flatten", "executionContext", "ruleSet", "result", "isElement", "
console", "warn", "printed", "warnOnce", "message", "SINGLE_QUOTE", "DOUBLE_QUOTE", "BACKSLASH", "SL
ASH", "NEWLINE", "SPACE", "FEED", "TAB", "CR", "OPEN_SQUARE", "CLOSE_SQUARE", "OPEN_PARENTH

```

ESES", "CLOSE\_PARENTHESES", "OPEN\_CURLY", "CLOSE\_CURLY", "SEMICOLON", "ASTERISK", "COLON", "AT", "RE\_AT\_END", "RE\_WORD\_END", "RE\_BAD\_BRACKET", "tokenize", "input", "tokens", "valueOf", "ignore", "ignoreErrors", "next", "quote", "lines", "last", "escape", "nextLine", "nextOffset", "escaped", "escapePos", "prev", "n", "pos", "unclosed", "what", "error", "slice", "lastIndex", "HIGHLIGHT\_THEME", "brackets", "comment", "color", "terminalHighlight", "Input", "token", "map", "CssSyntaxError", "source", "file", "reason", "setMessage", "captureStackTrace", "showSourceCode", "supportsColor", "start", "max", "end", "min", "maxWidth", "number", "padded", "gutter", "spacing", "defaultRaw", "colon", "indent", "beforeDecl", "beforeRule", "beforeOpen", "beforeClose", "beforeComment", "after", "emptyBody", "commentLeft", "commentRight", "capitalize", "toUpperCase", "Stringifier", "builder", "stringify", "semicolon", "type", "root", "body", "raws", "left", "raw", "right", "text", "decl", "between", "prop", "rawValue", "important", "atrul", "params", "afterName", "before", "own", "detect", "first", "rawCache", "beforeAfter", "method", "walk", "rawSemicolon", "rawEmptyBody", "rawIndent", "p", "rawBeforeComment", "walkComments", "rawBeforeDecl", "walkDecls", "rawBeforeRule", "rawBeforeClose", "rawBeforeOpen", "rawColon", "buf", "step", "cloneNode", "cloned", "constructor", "j", "Node", "defaults", "opts", "positionBy", "data", "remove", "stringifier", "clone", "overrides", "cloneBefore", "cloneAfter", "insertAfter", "replaceWith", "moveTo", "newParent", "cleanRaws", "append", "moveBefore", "otherNode", "moveAfter", "toJSON", "fixed", "defaultType", "keepBetween", "positionInside", "word", "removeSelf", "cleanStyles", "val", "Declaration", "Comment", "Parser", "Root", "current", "spaces", "tokenizer", "loop", "emptyRule", "other", "endFile", "init", "Rule", "bracket", "pop", "unclosedBracket", "unknownWord", "spacesFromEnd", "shift", "spacesFromStart", "precheckMissedSemicolon", "stringFrom", "cache", "checkMissedSemicolon", "AtRule", "unnamedAtrule", "open", "unexpectedClose", "unclosedBlock", "clean", "all", "lastTokenType", "from", "doubleColon", "founded", "parse", "safe", "parser", "cleanSource", "Container", "each", "callback", "lastEach", "indexes", "walkRules", "walkAtRules", "children", "normalize", "prepend", "reverse", "unshift", "exist", "removeAll", "replaceValues", "pattern", "props", "fast", "every", "condition", "some", "sample", "processed", "rebuild", "fix", "eachInside", "eachDecl", "eachRule", "eachAtRule", "eachComment", "list", "separators", "array", "func", "letter", "space", "comma", "values", "sep", "Warning", "opt", "Result", "processor", "messages", "lastPlugin", "postcssPlugin", "warning", "warnings", "filter", "isPromise", "then", "LazyResult", "stringified", "inline", "syntax", "sync", "onFulfilled", "onRejected", "async", "handleError", "postcssVersion", "pluginName", "pluginVer", "runtimeVer", "version", "err", "asyncTick", "resolve", "reject", "promise", "run", "Promise", "processing", "Processor", "concat", "normalized", "postcss", "toResult", "lazy", "prevMap", "sequence", "path", "origin", "consumer", "originalPositionFor", "mapResolve", "sourceContentFor", "sourceRoot", "SafeParser", "buffer", "safeParse", "generated", "InlineStyle", "generateStyleObject", "generateComponentId", "declPairs", "styleObject", "transformDeclPairs", "styles", "create", "isObject", "isValidKey", "mixin", "mixinDeep", "rest", "providedTheme", "defaultProps", "theme", "isTag", "charAt", "generateDisplayName", "ThemeContext", "ThemeConsumer", "mergeTheme", "outerTheme", "mergedTheme", "ThemeProvider", "useContext", "themeContext", "useMemo", "validAttr", "StyledNativeComponent", "attrs", "render", "transientAsProp", "\$as", "renderAs", "as", "forwardedComponent", "forwardedAs", "forwardedRef", "testID", "shouldForwardProp", "elementToBeRendered", "generatedStyles", "generateAndInjectStyles", "determineTheme", "isTargetTag", "computedProps", "propFilterFn", "propsForElement", "state", "ref", "buildExecutionContext", "attrDef", "resolvedAttrDef", "attr", "inlineStyle", "setNativeProps", "nativeProps", "Component", "createStyledNativeComponent", "ParentComponent", "isClass", "isTargetStyledComp", "WrappedStyledNativeComponent", "forwardRef", "finalAttrs", "filterFn", "elementToBeCreated", "withComponent", "\_", "optionsToCopy", "newOptions", "defineProperty", "\_foldedDefaultProps", "merge", "hoist", "strings", "addTag", "arg", "interleave", "constructWithOptions", "componentConstructor", "isValidElementType", "templateFunction", "withConfig", "config", "WithTheme", "themeProp", "hoistStatics", "useTheme", "\_InlineStyle", "reactPrimitives", "\_StyledNativeComponent", "styled", "aliases", "alias", "enumerable", "configurable"], "mappings": ";;;;;;;;;;;;;AAAA;;AACA;AAEA,IAAMA,aAAa,GAAG,UAAtB;AAEA;;AAEA,IAAMC,WAAW,GAAG,EAAPB;AAEA;;AACA,IAAMC,iBAAiB,GAAG,SAAPBA,iBAAoB,CAACC,IAAD;AAAA,SACxBC,MAAM,CAACC,YAAP,CAAoBF,IAAI,IAAIA,IAAI,GAAG,EAAP,GAAY,EAZ,GAaiB,EAARb,CAAxB,CADwB;AAAA,CAAIB;AAGA;;AACe,SAASG,sBAAT,CAAgCH,IAAhC,EAAsD;AACnE,MAAIL,IAAI,GAAG,EAAX;AACA,MAAIC,CAAJ;AAEA;;AACA,OAACA,CAAC,GAAGC,IAAI,CAACC,GAAL,CAASP,IAAT,CAAT,EAAYBK,CAAC,GAAGP,WAAT7B,EAACO,CAAC,GAAlA,CAAC,GAAGP,WAAL,GAaoB,CAAIE,EAaqE;AACnEM,IAAAA,IAAI,GAAGL,iBAAiB,CAACM,CAAC,GAAGP,WAAL,CAAjB,GAaqCM,IAA5C;AACD;;AAED,SAAO,CAACL,iBAAiB,

CAACM,CAAC,GAAGP,WAAL,CAAjB,GAAqCM,IAAtC,EAA4CI,OAA5C,CAAoDX,aAApD,EAAmE,OAAne  
,CAAP;AACD;;ACxBD;;AACa;AAEA,AAAO,IAAMY,IAAI,GAAG,IAAb;AAGP;AACa;;AACa,AAAO,IAAM  
C,KAAK,GAAG,SAARA,KAAQ,CAACC,CAAD,EAAYN,CAAZ,EAAkC;AACrD,MAAIO,CAAC,GAAGP,CA  
AC,CAACQ,MAAV;;AAEA,SAAOD,CAAP,EAAU;AACRD,IAAAA,CAAC,GAAlA,CAAC,GAAG,EAAL,GAA  
WN,CAAC,CAACS,UAAF,CAAa,EAAEF,CAAf,CAAf;AACD;;AAED,SAAOD,CAAP;AACD,CARM;;AAWP,A  
AAO,IAAMI,IAAI,GAAG,SAAPA,IAAO,CAACV,CAAD,EAAuB;AACzC,SAAOK,KAAK,CAACD,IAAD,EAA  
OJ,CAAP,CAAZ;AACD,CAFm;;ACnBP;AKA,2BAaE,UACW,GAAD,EAAyB;AACtC,SAAOb,sBAAsB,CA  
ACY,IAAI,CAACC,GAAD,CAAJ,KAAc,CAAf,CAA7B;AACD,CAFd;;ACLA;AAGA,AAAE,SAASC,gBAAT,C  
ACbC,MADa,EAEL;AACR,SACE,CAACC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GAAwC,O  
AAOH,MAAP,KAAkB,QAAIB,IAA8BA,MAAtE,GAA+E,KAAhF;AAEA,EA AAA,MAAM,CAACI,WAFP;AA  
IAJ,EA AAA,MAAM,CAACd,IAJP,IACA,WANF;AAQD;;ACdD;AACa,AAAE,SAASmB,UAAT,CAAoBC,IAAp  
B,EAAGd;AAC7D,SAAO,OAAOA,IAAP,KAAgB,UAAvB;AACD;;ACHD;AACa,AAAE,SAASC,mBAAT,CAA  
6BD,IAA7B,EAAd;AAC9D,SACE,OAAOA,IAAP,KAAgB,UAAhB,IACG,EACDA,IAAI,CAACE,SAAL,IACG  
F,IAAI,CAACE,SAAL,CAAeC,gBAFjB,CAFL;AAOD;;ACTD;AACa,AAEA,qBAaE,UACtB,CAAD;AAAA,S  
ACbA,CAAC,KAAK,IAAN,IACA,OAAOA,CAAP,KAAa,QADb,IAEA,CAACA,CAAC,CAACuB,QAAF,GAAav  
B,CAAC,CAACuB,QAAF,EAAb,GAA4BC,MAAM,CAACH,SAAP,CAAIbE,QAAjB,CAA0BE,IAA1B,CAA+Bz  
B,CAA/B,CAA7B,MAAoE,iBAFpE,IAGA,CAAC0B,cAAM,CAAC1B,CAAD,CAJM;AAAA,CAAf;;ACHA;AAC  
A,AAAE,SAAS2B,iBAAT,CAA2Bd,MAA3B,EAAYd;AACtE,SAAOA,MAAM,IAAI,OAAOA,MAAM,CAACe,i  
BAAd,KAAoC,QAArD;AACD;;ACHD;AKA,AAAO,IAAMC,OAAO,GA  
CjB,OAAOf,OAAP,KAAmB,WAAmB,KAAmCA,OAAO,CAACC,GAAR,CAAYe,iBAAZ,IAAiChB,OAAO,CAA  
CC,GAAR,CAAYc,OAAhF,CAAD,IACA,aAFK;AAIP,AAAO,IAAME,cAAc,GAAG,QAAvB;AACP,AAAO,IAA  
MC,eAAe,GAAG,qBAAXB;AACP,AAAO,IAAMC,UAAU,GAAGC,OAAmB;AACP,AAAO,IAAMC,QAAQ,GAA  
G,WAAjB;AAEP,AAAO,IAAMC,UAAU,GAAG,OAAOC,MAAP,KAAkB,WAAIB,IAAiC,iBAAiBA,MAArE;A  
AEP,AAAO,IAAMC,cAAc,GACzBC,OAAO,CAAC,OAAOC,iBAAP,KAA6B,SAA7B,GACJA,iBADI,GAEH,OA  
AO1B,OAAP,KAAmB,WAAmB,IAAkC,OAAOA,OAAO,CAACC,GAAR,CAAY0B,2BAAnB,KAAmD,WAArF,I  
AAoG3B,OAAO,CAACC,GAAR,CAAY0B,2BAAZ,KAA4C,EAAhJ,GACC3B,OAAO,CAACC,GAAR,CAAY0B  
,2BAAZ,KAA4C,OAA5C,GAA5D,KAAtD,GAA8D3B,OAAO,CAACC,GAAR,CAAY0B,2BAD3E,GAEE,OAAO  
3B,OAAP,KAAmB,WAAmB,IAAkC,OAAOA,OAAO,CAACC,GAAR,CAAYyB,iBAAnB,KAAyC,WAA3E,IAA0  
F1B,OAAO,CAACC,GAAR,CAAYyB,iBAAZ,KAAkC,EAA5H,GACC1B,OAAO,CAACC,GAAR,CAAYyB,iBA  
AZ,KAAkC,OAAIC,GAA4C,KAA5C,GAAoD1B,OAAO,CAACC,GAAR,CAAYyB,iBADjE,GAEC1B,OAAO,C  
AACC,GAAR,CAAYC,QAAZ,KAAyB,YAN1B,CADF;;AChBP;AACa,AAAO,IAAM0B,WAAW,GAAGIB,MA  
AM,CAACmB,MAAP,CAAc,EAAd,CAAP;AACP,AAAO,IAAMC,YAAy,GAAGpB,MAAM,CAACmB,MAAP  
,CAAc,EAAd,CAArB;;ACFP,eAAe;AAAC,OAAI,uDAAL;AAA6D,OAAI,+PAAjE;AAAIu,OAAI,qHAARu;AAA  
2b,OAAI,qMAA/b;AAAqoB,OAAI,iKAAzoB;AAA2yB,OAAI,2OAA/yB;AAA2hC,OAAI,sHAA/hC;AAAspC,O  
AAI,+DAA1pC;AAA0tC,OAAI,+BAA9tC;AAA8vC,QAAK,gUAAncW;AAAokD,QAAK,uNAAZkD;AAAIyD,Q  
AAK,oWAAtyD;AAA2oE,QAAK,wLAAhpE;AAAY0E,QAAK,gDAA90E;AAA+3E,QAAK,0ZAAp4E;AAA+xF,  
QAAK,sQAAPyF;AAA2iG,QAAK;AAAhjG,CAAf;;ACAA;AACa,AAEA,IAAME,MAAM,GAAG/B,OAAO,CA  
ACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GAAwC8B,QAAxC,GAAmD,EAAlE;AAEA;;;AAGA,SAASC,M  
AAT,GAAYB;AACvB,MAAIC,CAAC,mDAAL;AACa,MAAMC,CAAC,GAAG,EA AV;;AAEA,OAAK,IAAIC,C  
AAC,GAAG,CAAR,EAAWC,GAAG,GAAG,UAAK3C,MAA3B,EAAmC0C,CAAC,GAAGC,GAAvC,EAA4CD,  
CAAC,IAAI,CAAJD,EAAoD;AACIDD,IAAAA,CAAC,CAACG,IAAF,CAAYF,CAAZ,4BAAYA,CAAZ,yBAAY  
A,CAAZ;AACD;;AAEDD,EA AAA,CAAC,CAACI,OA AF,CAAU,UAAAC,CAAC,EAAl;AACbN,IAAAA,CAAC  
,GAAGA,CAAC,CAAC7C,OA AF,CAAU,QAAV,EAAoBmD,CAAPB,CAAJ;AACD,GAFD;AAIA,SAAON,CAA  
P;AACD;AAED;;AAIA,AAAE,SAASO,0BAAT,CACb5D,IADa,EAGb;AAAA,oCADG6D,cACH;AADGA,IAA  
AA,cACH;AAAA;;AACa,MAAI1C,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAA7B,EAA2C;AACzC,U  
AAM,IAAIyC,KAAJ,kDAC2C9D,IAD3C,+BAEF6D,cAAc,CAACHD,MAAf,GAAwB,CAAxB,eAAsCgD,cAAc,C  
AACE,IAAf,CAAoB,IAAPB,CAAtC,GAAoE,EAFIE,EAAN;AAKD,GAND,MAMO;AACL,UAAM,IAAID,KAAJ  
,CAAUV,MAAM,MAAN,UAAOF,MAAM,CAACID,IAAD,CAAAb,SAAwB6D,cAAxB,GAAwCG,IAAXC,EA AV,

CAAN;AACD;AACF;;ACxCD;AAOA;;ACA,AAAO,IAAMC,cAAc,GAAG,SAAjBA,cAAiB,CAACC,GAAD,EAA0B;AACtD,SAAO,IAAIC,iBAAJ,CAAsBD,GAAAtB,CAAP;AACD,CAFM;AAIP,IAAME,SAAS,GAAG,KAAK,CAAvB;;IAEMD;AAOJ,6BAAYD,GAAZ,EAAsB;AACpB,SAAKG,UAAL,GAakB,IAAIC,WAAJ,CAAgBF,SAAhB,CAAIB;ACA,SAAKvD,MAAL,GAACuD,SAAd;ACA,SAAKF,GAAL,GAAWA,GAAX;AACD;;;SAEDK,eAAA,sBAAaC,KAAb,EAAoC;AACIC,QAAIC,KAAK,GAAG,CAAZ;;ACA,SAAK,IAAI7D,CAAC,GAAG,CAAAb,EAAgBA,CAAC,GAAG4D,KAApB,EAA2B5D,CAAC,EAA5B,EAAgC;AAC9B6D,MAAAA,KAAK,IAALI,KAAKJ,UAAL,CAAgBzD,CAAhB,CAAT;AACD;;AAED,WAAO6D,KAAP;AACD;;SAEDC,cAAA,qBAAyF,KAAZ,EAA2BG,KAA3B,EAakD;AACHD,QAAIH,KAAK,IAAI,KAAKH,UAAL,CAAgBxD,MAA7B,EAAqC;AACnC,UAAM+D,SAAS,GAAG,KAAKP,UAAvB;ACA,UAAMQ,OAAO,GAAGD,SAAS,CAAC/D,MAA1B;AAEA,UAAlIE,OAAO,GAAGD,OAAAd;;ACA,aAAOL,KAAK,IAAIM,OAAhB,EAAyB;AACvBA,QAAAA,OAAO,KAAK,CAAZ;;ACA,YAAIA,OAAO,GAAG,CAAd,EAAiB;AACfC,UAAAA,0BAAgB,CAAC,EAAD,OAAQP,KAAAR,CAAhB;AACD;AACF;;AAED,WAAKH,UAAL,GAakB,IAAIC,WAAJ,CAAgBQ,OAAhB,CAAIB;AACAWA,WAAKT,UAAL,CAAgBW,GAAhB,CAAoBJ,SAApB;ACA,WAAK/D,MAAL,GAACiE,OAAAd;;AAEA,WAAK,IAAIE,CAAC,GAAGiE,OAAAb,EAAsBjE,CAAC,GAAGkE,OAA1B,EAAMcIE,CAAC,EAAPc,EAAWc;AACtC,aAAKyD,UAAL,CAAgBzD,CAAhB,IAAqB,CAArB;AACD;AACF;;AAED,QAAIqE,SAAS,GAAG,KAAKV,YAAL,CAAkBC,KAAK,GAAG,CAA1B,CAAhB;;ACA,SAAK,IAAI5D,EAAC,GAAG,CAAR,EAAWsE,CAAC,GAAGP,KAAK,CAAC9D,MAA1B,EAakCD,EAAC,GAAGsE,CAAtC,EAAYCtE,EAAC,EAA1C,EAA8C;AAC5C,UAAI,KAAKsD,GAAL,CAASiB,UAAT,CAAoBF,SAApB,EAA+BN,KAAK,CAAC/D,EAAD,CAAPc,CAAJ,EAA8C;AAC5C,aAAKyD,UAAL,CAAgBG,KAAhB;AACAS,QAAAA,SAAS;AACV;AACF;AACF;;SAEDG,aAAA,oBAAWZ,KAAAX,EAAgC;AAC9B,QAAIA,KAAK,GAAG,KAAK3D,MAAjB,EAAyB;AACvB,UAAMA,MAAM,GAAG,KAAKwD,UAAL,CAAgBG,KAAhB,CAAF;ACA,UAAMa,UAAU,GAAG,KAAKd,YAAL,CAAkBC,KAAIB,CAAnB;ACA,UAAMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;AAEA,WAAKwD,UAAL,CAAgBG,KAAhB,IAAyB,CAAzB;;AAEA,WAAK,IAAI5D,CAAC,GAAGyE,UAAAb,EAAYzE,CAAC,GAAG0E,QAA7B,EAAuC1E,CAAC,EAAXC,EAA4C;AAC1C,aAAKsD,GAAL,CAASqB,UAAT,CAAoBF,UAAPB;AACD;AACF;AACF;;SAEDG,WAAA,kBAAShB,KAAT,EAAgC;AAC9B,QAAIiB,GAAG,GAAG,EAAV;;ACA,QAAIjB,KAAK,IAAI,KAAK3D,MAAd,IAAwB,KAAKwD,UAAL,CAAgBG,KAAhB,MAA2B,CAAvD,EAA0D;AACxD,aAAOiB,GAAP;AACD;;AAED,QAAAM5E,MAAM,GAAG,KAAKwD,UAAL,CAAgBG,KAAhB,CAAF;ACA,QAAMa,UAAU,GAAG,KAAKd,YAAL,CAAkBC,KAAIB,CAAnB;ACA,QAAMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;;AAEA,SAAK,IAAID,CAAC,GAAGyE,UAAAb,EAAYzE,CAAC,GAAG0E,QAA7B,EAAuC1E,CAAC,EAAXC,EAA4C;AAC1C6E,MAAAA,GAAG,SAAO,KAAKvB,GAAL,CAASwB,OAAAT,CAAiB9E,CAAjB,CAAP,GAAG6B4B,QAAhC;AACD;;AAED,WAAOiD,GAAP;AACD;;;AChGH;AAEA,AAEA,IAAME,OAAO,GAAG,KAAK,KAAK,CAA1B;AAEA,IAAIC,eAAe,GAAwB,IAAIC,GAAJ,EAA3C;ACA,IAAIC,eAAe,GAAwB,IAAID,GAAJ,EAA3C;ACA,IAAIE,aAAa,GAAG,CAAPB;AAEA,AAMO,IAAMC,aAAa,GAAG,SAAhBA,aAAGB,CAACC,EAAD,EAAwB;AACnD,MAAIL,eAAe,CAACM,GAAhB,CAAoBD,EAAPB,CAAJ,EAA6B;AAC3B,WAAQL,eAAe,CAACO,GAAhB,CAAoBF,EAAPB,CAAR;AACD;;AAED,SAAOH,eAAe,CAACI,GAAhB,CAAoBH,aAAPB,CAAP,EAA2C;AACzCA,IAAAA,aAAa;AACd;;AAED,MAAMvB,KAAK,GAAGuB,aAAa,EAA3B;;AAEA,MACE5E,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC,CAACmD,KAAK,GAAG,CAAT,IAAac,CAAd,IAAmBA,KAAK,GAAGmB,OAD5B,CADF,EAGE;AACAZ,IAAAA,0BAAgB,CAAC,EAAD,OAAQP,KAAAR,CAAhB;AACD;;AAEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KAAxB;AACAsB,EAAAA,eAAe,CAACd,GAAhB,CAAoBR,KAAPB,EAA2ByB,EAA3B;ACA,SAAOzB,KAAP;AACD,CArBM;AAuBP,AAAO,IAAM4B,aAAa,GAAG,SAAhBA,aAAGB,CAAC5B,KAAD,EAakC;AAC7D,SAAOsB,eAAe,CAACK,GAAhB,CAAoB3B,KAAPB,CAAP;AACD,CAFM;AAIP,AAAO,IAAM6B,aAAa,GAAG,SAAhBA,aAAGB,CAACJ,EAAD,EAAzB,KAAb,EAA+B;AAC1D,MAAIA,KAAK,IAAIuB,aAAAb,EAA4B;AAC1BA,IAAAA,aAAa,GAAGvB,KAAK,GAAG,CAAXB;AACD;;AAEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KAAxB;AACAsB,EAAAA,eAAe,CAACd,GAAhB,CAAoBR,KAAPB,EAA2ByB,EAA3B;AACD,CAPM;;AC3CP;AAEA,AAIA,IAAMK,QAAQ,cAAyPE,OAAZ,UAAwBG,eAAxB,WAA4CC,UAA5C,QAAAd;ACA,IAAMiE,SAAS,GAAG,IAAIC,MAAJ,OAAeT,OAAf,sDAAIB;AAEA,AAAO,IAAMuE,WAAW,GAAG,SAAdA,WAAc,CAACC,KAAD,EAakB;AAC3C,MAAMxC,GAAG,GAAGwC,KAAK,CAACC,MAAN,EAAZ;AAD2C,MA

EnC9F,MAFmC,GAExBqD,GAFwB,CAEnCrD,MAFmC;AAI3C,MAAI4E,GAAG,GAAG,EAAV;;AACA,OAAK,IAAIjB,KAAK,GAAG,CAAjB,EAAoBA,KAAK,GAAG3D,MAA5B,EAAoC2D,KAAK,EAAzC,EAA6C;AAC3C,QAAMyB,EAAE,GAAGG,aAAa,CAAC5B,KAAD,CAAxB;AACA,QAAlYB,EAAE,KAAKW,SAAX,EAA5B;AAEtB,QAAMC,KAAK,GAAGH,KAAK,CAACG,KAAN,CAAYV,GAAG,CAAgBF,EAAhB,CAAd;AACA,QAAMtB,KAAK,GAAGT,GAAG,CAACsB,QAAl,CAAahB,KAAb,CAAd;AACA,QAAl,CAACqC,KAAD,IAAU,CAAClC,KAAx,IAAoB,CAACkC,KAAK,CAACC,IAA/B,EAAqC;AAErC,QAAMC,QAAQ,GAAM7E,OAAN,UAAkBsC,KAAIB,cAA+ByB,EAA/B,QAAd;AAEA,QAAlE,OAAG,GAAG,EAAAd;;AACA,QAAlH,KAAK,KAAKD,SAAD,EAAyB;AACvBC,MAAAA,KAAK,CAACnD,OAAN,CAAc,UAAAtD,IAAl,EAAI;AACpB,YAAIA,IAAl,CAACs,MAAL,GAAC,CAAIB,EAAqB;AACnBmG,UAAAA,OAAG,IAAO5G,IAAP,MAAP;AACD;AACF,OAJD;AAKD,KAJB0C;AAoB3C;;;AACqF,IAAAA,GAAG,SAAOd,KAAP,GAAeoC,QAAl,mBAAoCC,OAAPC,WAAgDxE,QAAnD;AACD;;AAED,SAAOiD,GAAP;AACD,CA9BM;;AAgCP,IAAMwB,yBAAyB,GAAG,SAA5BA,yBAA4B,CAACP,KAAD,EAAeT,EAAf,EAA2Be,OA3B,EAA+C;AAC/E,MAAMH,KAAK,GAAGG,OAAG,CAACE,KAAAR,CAAC,GAAd,CAAd;AACA,MAAI9G,IAAJ;;AAEA,OAAK,IAAIQ,CAAC,GAAG,CAAR,EAAW5E,CAAC,GAAG2B,KAAK,CAACHG,MAAI1B,EAAkCD,CAAC,GAAGsE,CAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C;AACA,QAARK,IAAl,GAAGyG,KAAK,CAACjG,CAAD,CAAjB,EAAuB;AACrB8F,MAAAA,KAAK,CAACs,YAAN,CAAmBIB,EAAAnB,EAAuB7F,IAAvB;AACD;AACF;AACF,CAVD;;AAYA,IAAMgH,qBAAqB,GAAG,SAAxBA,qBAAwB,CAACV,KAAD,EAAeW,KAAf,EAA2C;AACvE,MAAMC,KAAK,GAAG,CAACD,KAAK,CAACE,WAAN,IAAQB,EAAtB,EAA0BL,KAA1B,CAAgC1E,QAAhC,CAAd;AACA,MAAMmC,KAAK,GAAa,EAAxB;;AAEA,OAAK,IAAI/D,CAAC,GAAG,CAAR,EAAW5E,CAAC,GAAGoC,KAAK,CAACzG,MAAI1B,EAAkCD,CAAC,GAAGsE,CAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C,QAAM4G,IAAl,GAAGF,KAAK,CAAC1G,CAAD,CAAL,CAASoD,IAAT,EAAb;AACA,QAAl,CAACwD,IAAL,EAAW;AAEX,QAAMC,MAAM,GAAGD,IAAl,CAACE,KAAAL,CAAWnB,SAAX,CAAf;;AAEA,QAAlkB,MAAJ,EAAy;AACV,UAAmjD,KAAK,GAAGmD,QAAl,CAACF,MAAM,CAAC,CAAD,CAAP,EAAy,EAAZ,CAAR,GAA0B,CAAxC;AACA,UAAmxB,EAAE,GAAGwB,MAAM,CAAC,CAAD,CAAjB;;AAEA,UAAjD,KAAK,KAAK,CAAd,EAAiB;AACf;AACA6B,QAAAA,aAAa,CAACJ,EAAD,EAAkzB,KAAAL,CAAAb,CAFe;AAIf;;AACAyC,QAAAA,yBAAyB,CAACP,KAAAD,EAAQT,EAAR,EAAyWb,MAAM,CAAC,CAAD,CAAIB,CAAzB;AACaf,QAAAA,KAAK,CAACC,MAAN,GAAejC,WAAf,CAA2BF,KAA3B,EAAkCG,KAAIC;AACD;;AAEDA,MAAAA,KAAK,CAAC9D,MAAN,GAAe,CAAf;AACD,KADd,MAcO;AACL8D,MAAAA,KAAK,CAACIB,IAAN,CAAW+D,IAAX;AACD;AACF;AACF,CA5BD;;AA8BA,AAAO,IAAMI,cAAc,GAAG,SAAjBA,cAAiB,CAACIB,KAAD,EAAkB;AAC9C,MAAMmB,KAAK,GAAGC,QAAl,CAACC,gBAAT,CAA0BzB,QAAlB,CAAd;;AAEA,OAAK,IAAI1F,CAAC,GAAG,CAAR,EAAW5E,CAAC,GAAG2C,KAAK,CAACHH,MAAI1B,EAAkCD,CAAC,GAAGsE,CAAtC,EAAyCtE,CAAC,EAA1C,EAA8C;AAC5C,QAAMoH,IAAl,GAAKH,KAAK,CAACjH,CAAD,CAApB;;AACA,QAAlIoH,IAAl,IAAIA,IAAl,CAACC,YAAL,CAAkB/F,OAAlB,MAA+BE,cAA3C,EAA2D;AACzDgF,MAAAA,qBAAqB,CAACV,KAAD,EAAQsB,IAAR,CAArB;;AAEA,UAAIA,IAAl,CAACE,UAAAT,EAAqB;AACnBF,QAAAA,IAAl,CAACE,UAAAL,CAAgBC,WAAhB,CAA4BH,IAA5B;AACD;AACF;AACF;AACF,CABm;;ACnFP;;AACA;AAIA,IAAMI,QAAl,GAAG,SAAXA,QAAW,GAAM;AAErB,SAAO,OAAG1F,MAAP,KAAkB,WAAIB,GACH,OAAGOA,MAAM,CAAC2F,iBAAd,KAAoC,WAApC,GACE3F,MAAM,CAAC2F,iBADT,GAEE,IAHC,GAIH,IAJJ;AAKD,CAPD;;ACLA;AAEA,AAIA,IAAMC,YAAy,GAAG,CAArB;AAAwB;;AAExB;;AACA,IAAMC,gBAAgB,GAAG,SAAnBA,gBAAmB,CAACrH,MAAD,EAAkD;AAAA,MACjEsH,UADiE,GACIDtH,MADkD,CACjEsH,UADiE;;AAGzE,OAAK,IAAI5H,CAAC,GAAG4H,UAAU,CAAC3H,MAAxB,EAAgCD,CAAC,IAAI,CAArC,EAAwCA,CAAC,EAAzC,EAA6C;AAC3C,QAAM6H,KAAK,GAAKD,UAAU,CAAC5H,CAAD,CAA1B;;AACA,QAAl6H,KAAK,IAAIA,KAAK,CAACC,QAAN,KAAMBJ,YAA5B,IAA4CG,KAAK,CAACE,YAAN,CAAmBzG,OAAnB,CAAhD,EAA6E;AAC3E,aAASuG,KAAT;AACD;AACF;;AAED,SAAO7B,SAAP;AACD,CAXD;AAaA;;;AACA,AAAO,IAAMgC,YAAy,GAAG,SAAfA,YAAe,CAAC1H,MAAD,EAA4C;AACtE,MAAM2H,IAAl,GAAKf,QAAl,CAACE,IAAxB;AACA,MAAMC,MAAM,GAAG5H,MAAM,IAAI2H,IAAzB;AACA,MAAMxB,KAAK,GAAGS,QAAl,CAACiB,aAAT,CAAUb,OAAvB,CAAd;AACA,MAAMC,SAAS,GAAGT,gBAAgB,CAACO,MAAD,CAAlC;AACA,MAAMG,WAAW,GAAGD,SAAS,KAAKpC,SAAd,GAA0BoC,SAAS,CAACC,WAApC,GAAkD,IAAtE;AAEA5B,EAAAA,KAAK,CAAC6B,YAAN,CAAmBhH,OAAnB,EAA4BE,cAA5B;AACaIF,EAAAA,KAAK,CAAC



6B, YAAN, CAAMb7G, eAAnB, EAAoCC, UAApC; AAEA, MAAM6G, KAAK, GAAGf, QAAQ, EAAtB; AAEA, MAA  
Ie, KAAJ, EAAW9B, KAAK, CAAC6B, YAAN, CAAMb, OAAAnB, EAA4BC, KAA5B; AAEXL, EAAAA, MAAM, CA  
ACM, YAAP, CAAoB/B, KAApB, EAA2B4B, WAA3B; AAEA, SAAO5B, KAAP; AACD, CAjBM; AAmBP; AACA, A  
AAO, IAAMgC, QAAQ, GAAG, SAAXA, QAAW, CAACnF, GAAD, EAA0C; AACHe, MAAlA, GAAG, CAACwC, KA  
AR, EAAe; AACb, WAASxC, GAAG, CAACwC, KAAb; AACD, GAH+D; ; AAAA, kBAMxCoB, QANwC; AAAA, MA  
MxDwB, WANwD, aAMxDA, WANwD; ; AAOHe, OAAK, IAAlI, CAAC, GAAG, CAAR, EAAWSe, CAAC, GAAGoE  
, WAAW, CAACzI, MAAhC, EAAwCD, CAAC, GAAGsE, CAA5C, EAA+CtE, CAAC, EAAhD, EAAoD; AACID, QAA  
M8F, KAAK, GAAG4C, WAAW, CAAC1I, CAAD, CAAzB; ; AACA, QAAI8F, KAAK, CAAC6C, SAAN, KAAoBrF, G  
AAxB, EAA6B; AAC3B, aAASwC, KAAT; AACD; AACF; ; AAED3B, EAAAA, OBAAGB, CAAC, EAAD, CAAhB; AA  
CA, SAAQ6B, SAAR; AACD, CAhBM; ; AC3CP; AAMA; ; AACA, AAAO, IAAM4C, OAAO, GAAG, SAAVA, OAAU,  
OAAgE; AAAA, MAA7DC, QAA6D, QAA7DA, QAA6D; AAAA, MAAnDC, iBAAmD, QAAAnDA, iBAAmD; AAAA,  
MAAhCxI, MAAGC, QAAhCA, MAAGC; ; AACrF, MAAluI, QAAJ, EAAc; AACZ, WAAO, IAAlE, UAAJ, CAEzI, MA  
Af, CAAP; AACD, GAFD, MAEO, IAAlwI, iBAAJ, EAAuB; AAC5B, WAAO, IAAlE, QAAJ, CAAa1I, MAAb, CAAP; A  
ACD, GAFM, MAEA; AACL, WAAO, IAAl2I, OAAJ, CAAY3I, MAAZ, CAAP; AACD; AACF, CARM; AAUP, IAAl0I,  
QAAb; AAOE, oBAAY1I, MAAZ, EAAkC; AACChC, QAAM4I, OAAO, GAAI, KAAKA, OAAL, GAAeIB, YAAY, CAA  
C1H, MAAD, CAA5C, CADgC; ; AAlhC4I, IAAlAA, OAAO, CAACC, WAAR, CAAoBjC, QAAQ, CAACKc, cAAT, CA  
AwB, EAAxB, CAAPb; AAEA, SAAKtD, KAAL, GAAa2C, QAAQ, CAACS, OAAD, CAArB; AACA, SAAKjJ, MAAL,  
GAAc, CAAd; AACD; ; AAfH; ; AAAA, SAiBEsE, UAjBF, GAiBE, oBAAWV, KAAX, EAA0BwF, IAAlB, EAAiD; AA  
C/C, QAAI; AACF, WAAKvD, KAAL, CAAWvB, UAAX, CAAsB8E, IAAtB, EAA4BxF, KAA5B; AACA, WAAK5D,  
MAAL; AACA, aAAO, IAAP; AACD, KAJD, CAIE, OAAOqJ, MAAP, EAAe; AACf, aAAO, KAAP; AACD; AACF, GAz  
BH; ; AAAA, SA2BE3E, UA3BF, GA2BE, oBAAWd, KAAX, EAAgC; AAC9B, SAAKiC, KAAL, CAAWnB, UAAX, C  
AAsBd, KAAtB; AACA, SAAK5D, MAAL; AACD, GA9BH; ; AAAA, SAgCE6E, OAhCF, GAgCE, iBAAQjB, KAAR, E  
AA+B; AAC7B, QAAMwF, IAAl, GAAG, KAAKvD, KAAL, CAAWyD, QAAX, CAAoB1F, KAApB, CAAb, CAD6B; ;  
AAG7B, QAAIwF, IAAl, KAAKrD, SAAT, IAAsB, OAAOqD, IAAl, CAACG, OAAZ, KAAwB, QAAID, EAA4D; AAC  
ID, aAAOH, IAAl, CAACG, OAAZ; AACD, KAfD, MAEO; AACL, aAAO, EAAP; AACD; AACF, GAxCH; ; AAAA; AA  
AA; AA2CA; ; AACA, IAAlaP, OAAb; AAOE, mBAAY3I, MAAZ, EAAkC; AACChC, QAAM4I, OAAO, GAAI, KAAKA,  
OAAL, GAAeIB, YAAY, CAAC1H, MAAD, CAA5C; AACA, SAAK2G, KAAL, GAAaiC, OAAO, CAACtB, UAARb; A  
ACA, SAAK3H, MAAL, GAAc, CAAd; AACD; ; AAXH; ; AAAA, UAaEsE, UAfF, GAaE, oBAAWV, KAAX, EAA0Bw  
F, IAAlB, EAAiD; AAC/C, QAAIxF, KAAK, IAAl, KAAK5D, MAAd, IAAlwB4D, KAAK, IAAl, CAArC, EAAwC; AAC  
tC, UAAMuD, IAAl, GAAGF, QAAQ, CAACKc, cAAT, CAAWBC, IAAXB, CAAb; AACA, UAAMI, OAAO, GAAG, KA  
AKxC, KAAL, CAAWpD, KAAX, CAAhB; AACA, WAAKqF, OAAL, CAAaV, YAAb, CAA0BpB, IAAlB, EAAgCqC,  
OAAO, IAAl, IAAl3C; AACA, WAAKxJ, MAAL; AACA, aAAO, IAAP; AACD, KAND, MAMO; AACL, aAAO, KAAP;  
AACD; AACF, GAvBH; ; AAAA, UAyBE0E, UAzBF, GAyBE, oBAAWd, KAAX, EAAgC; AAC9B, SAAKqF, OAAL, C  
AAa3B, WAAb, CAAyB, KAAKN, KAAL, CAAWpD, KAAX, CAAzB; AACA, SAAK5D, MAAL; AACD, GA5BH; ; A  
AAA, UA8BE6E, OA9BF, GA8BE, iBAAQjB, KAAR, EAA+B; AAC7B, QAAIA, KAAK, GAAG, KAAK5D, MAAljB, E  
AAyB; AACvB, aAAO, KAAKgH, KAAL, CAAWpD, KAAX, EAAkB8C, WAAzB; AACD, KAfD, MAEO; AACL, aA  
AO, EAAP; AACD; AACF, GApCH; ; AAAA; AAAA; AAuCA; ; AACA, IAAlaoC, UAAb; AAKE, sBAAYW, OAAZ, EA  
AmC; AACjC, SAAK3F, KAAL, GAAa, EAAb; AACA, SAAK9D, MAAL, GAAc, CAAd; AACD; ; AARH; ; AAAA, UA  
UEsE, UAfF, GAUE, oBAAWV, KAAX, EAA0BwF, IAAlB, EAAiD; AAC/C, QAAIxF, KAAK, IAAl, KAAK5D, MA  
AlB, EAA0B; AACxB, WAAK8D, KAAL, CAAW4F, MAAX, CAAkB9F, KAAlB, EAAyB, CAAzB, EAA4BwF, IAAl5  
B; AACA, WAAKpJ, MAAL; AACA, aAAO, IAAP; AACD, KAJD, MAIO; AACL, aAAO, KAAP; AACD; AACF, GAIB  
H; ; AAAA, UAoBE0E, UAfF, GAoBE, oBAAWd, KAAX, EAAgC; AAC9B, SAAKE, KAAL, CAAW4F, MAAX, CAA  
kB9F, KAAlB, EAAyB, CAAzB; AACA, SAAK5D, MAAL; AACD, GAvBH; ; AAAA, UAyBE6E, OAzBF, GAyBE, iBA  
AQjB, KAAR, EAA+B; AAC7B, QAAIA, KAAK, GAAG, KAAK5D, MAAljB, EAAyB; AACvB, aAAO, KAAK8D, KA  
AL, CAAWF, KAAX, CAAP; AACD, KAfD, MAEO; AACL, aAAO, EAAP; AACD; AACF, GA/BH; ; AAAA; AAAA; ; A  
C5FA, IAAl+F, gBAAGB, GAAG/H, UAAlvB; AAWA, IAAMgI, cAAc, GAAiB; AACnChB, EAAAA, QAAQ, EAAE, C  
AAChH, UADwB; AAEnCiH, EAAAA, iBAAlB, EAAE, CAAC/G; AAFe, CAArC; AAKA; ; IACqB+H; AAWnB; aACO  
C, aAAP, oBAAkB1E, EAAIB, EAAc; AACpC, WAAOD, aAAa, CAACC, EAAD, CAAPb; AACD; ; AAED, sBACE2E,

OADF,EAEEC,YAFF,EAGEhE,KAHF,EAIE;AAAA,QAHA+D,OAGA;AAHAA,MAAAA,OAGA,GAHgC3H,YAGhC;AAAA;;AAAA,QAFA4H,YAEA;AAFAA,MAAAA,YAEA,GAF2C,EAE3C;AAAA;;AACA,SAAKD,OAA L,gBACKH,cADL,MAEKG,OAFI;AKA,SAAKE,EAAL,GAAUD,YAAV;AACA,SAAKhE,KAAL,GAAa,IAAI hB,GAAJ,CAAQgB,KAAR,CAAb;AACA,SAAKkE,MAAL,GAAC,CAAC,CAACH,OAAO,CAACnB,QAAXB,CA RA;;AAWA,QAAl,CAAC,KAAKsB,MAAN,IAAgBtI,UAAhB,IAA8B+H,gBAAIC,EAAoD;AACIDA,MAAAA,g BAAgB,GAAG,KAAAnB;ACA5C,MAAAA,cAAc,CAAC,IAAD,CAAd;AACD;AACF;;;SAEDoD,yBAAA,gCA AuBJ,OAAvB,EAA5DK,SAAtD,EAAkF;AAAA,QAAS5BA,SA4B;AAA5BA,MAAAA,SA4B,GAAN,IAAM;A AAA;;AACHF,WAAO,IAAIP,UAAJ,cACA,KAAKE,OADL,MACiBA,OADjB,GAEL,KAAKE,EAFa,EAGJG,SA AS,IAAI,KAAKpE,KAAAnB,IAA6BD,SAHxB,CAAP;AAKD;;SAEDsE,qBAAA,4BAAmBjF,EAAAnB,EAA+B;AA C7B,WAAQ,KAAK6E,EAAL,CAAQ7E,EAAR,IAAc,CAAC,KAAK6E,EAAL,CAAQ7E,EAAR,KAAe,CAAhB,I AAqB,CAA3C;AACD;AAED;;;SACAU,SAAA,kBAAqB;AACnB,WAAO,KAAKzC,GAAL,KAAa,KAAKA,GA AL,GAAWD,cAAc,CAACuF,OAAO,CAAC,KAAKoB,OAAN,CAAR,CAAtC,CAAP;AACD;AAED;;;SACAO,eA AA,sBAAaIF,EAAb,EAAyB7F,IAAzB,EAAGD;AAC9C,WAAO,KAAKyG,KAAL,CAAWX,GAAX,CAAeD,EAA f,KAAuB,KAAKY,KAAL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA0BC,GAA1B,CAA8B9F,IAA9B,CAA7B; AACD;AAED;;;SACA+G,eAAA,sBAAaIB,EAAb,EAAyB7F,IAAzB,EAAuC;AACrC4F,IAAAA,aAAa,CAACC,E AAD,CAAb;;AAEA,QAAl,CAAC,KAAKY,KAAL,CAAWX,GAAX,CAAeD,EAAf,CAAL,EAAyB;AACvB,UAA MmF,UAAU,GAAG,IAAIC,GAAJ,EAAAnB;AACAD,MAAAA,UAAU,CAACE,GAAX,CAAeL,IAAf;AACA,WA AKyG,KAAL,CAAW7B,GAAX,CAAeIB,EAAf,EAAMbMf,UAAAnB;AACD,KAJD,MAIO;AACJ,WAAKvE,KA AL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA0BqF,GAA1B,CAA8BIL,IAA9B;AACD;AACF;AAED;;;SACAs E,cAAA,qBAAyUB,EAAZ,EAAwB7F,IAAxB,EAA5CuE,KAAtC,EAAuD;AACrD,SAAKwC,YAAL,CAAKBIB,E AAIB,EAA5B7F,IAAtB;AACA,SAAKuG,MAAL,GAACjC,WAAAd,CAA0BsB,aAAa,CAACC,EAAD,CAAvC,EA A6CtB,KAA7C;AACD;AAED;;;SACA4G,aAAA,oBAAWxF,EAAAX,EAAuB;AACrB,QAAl,KAAKY,KAAL,CAA WX,GAAX,CAAeD,EAAf,CAAJ,EAAwB;AACrB,WAAKY,KAAL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA 0BuF,KAA1B;AACD;AACF;AAED;;;SACAC,aAAA,oBAAWxF,EAAAX,EAAuB;AACrB,SAAKU,MAAL,GAAC vB,UAAAd,CAAyBY,aAAa,CAACC,EAAD,CAAtC;AACA,SAAKsF,UAAAL,CAAgBtF,EAAhB;AACD;AAED;;;S ACAYF,WAAA,oBAAW;AACT;AACA;AACA,SAAKxH,GAAL,GAAW0C,SAAX;AACD;AAED;;;SACAhF,W AAA,oBAAmB;AACjB,WAAO6E,WAAW,CAAC,IAAD,CAAIB;AACD;;;AC/HH;,,,,,,,,,,,,,,,,,,,,,AAoBA;AAEA ,AAAe,2BAAsTb,UAAAT,EAAqB;AACIC,MAAMwG,SAAS,GAAG,OAAIB;AACA,MAAMC,MAAM,GAAMD, SAAN,MAAZ;;AAEA,WAASE,OAAT,CAAiBC,KAAjB,EAAwB;AACTb,QAAIA,KAAJ,EAAW;AACT,UAAI;A ACF3G,QAAAA,UAAU,CAA12G,KAAJ,OAAV;AACD,OAFD,CAEE,OAAOC,CAAP,EAAU;AACb;AACF;;AA ED,SAAO,SAASC,SAAT,CACLC,OADK,EAELjF,OAFK,EAGLkF,SAHK,EAILC,OAJK,EAKLC,IALK,EAML C,MANK,EAOLxL,MAPK,EAQLyL,EARK,EASLC,KATK,EAULC,EAVK,EAWL;AACA,YAAQP,OAAAR;AAC E;AACA,WAAK,CAAL;AAACE;AACA,YAAIM,KAAK,KAAK,CAAV,IAAevF,OAAO,CAACIG,UAAAR,CAAmB ,CAAAnB,MAA0B,EAA7C,EAAiD,OAAOqE,UAAU,CAA16B,OAAJ,OAAV,EAA2B,EAAIC;AACjD;AACF;;AA CA,WAAK,CAAL;AAACE,YAAIsF,EAAE,KAAK,CAAX,EAAC,OAAOtF,OAAO,GAAG2E,SAAjB;AACd;AACF ;;AACA,WAAK,CAAL;AAACE,gBAAQW,EAAR;AAACE;AACA,eAAK,GAAL;AACA,eAAK,GAAL;AAACE,mBA AOnH,UAAU,CAAC+G,SAAS,CAAC,CAAD,CAAT,GAAEIf,OAAhB,CAAV,EAAoC,EAA3C;;AACF;AAACE,m BAAOA,OAAO,IAAIwF,EAAE,KAAK,CAAP,GAAWb,SAAX,GAAuB,EAA3B,CAAd;AANJ;;AAQF,WAAK,C AAC,CAAN;AAACE3E,QAAAA,OAAO,CAACE,KAAR,CAAc0E,MAAd,EAA5BII,OAAtB,CAA8BmI,OA9B;A ArBJ;AAuBD,GAnCD;AAoCD;;AC/DD,IAAMY,aAAa,GAAG,eAAAtB;AACA,IAAMC,uBAAuB,GAAG,CAAC, GAAD,EAAM,GAAN,EAAW,GAAX,EAAGb,GAAhB,CAAhC;AAOA,AAAe,SAASC,oBAAT,QAGkC;AAAA,g CAAdIJ,YAAc;AAAA,0BAF/C2H,OAE+C;AAAA,MAF/CA,OAE+C,6BAFrC3H,YAEqC;AAAA,0BAD/C2J,OA C+C;AAAA,MAD/CA,OAC+C,6BADrC7J,WACqC;;AAC/C,MAAM8J,MAAM,GAAG,IAAIC,MAAJ,CAAWIC, OAAAX,CAAf,CAD+C;AAI/C;AACA;;AAEA,MAAIc,YAAAY,GAAG,EAAAnB,CAP+C;;AAU/C,MAAMC,iBAA iB,GAAG,SAAPbA,iBAAoB,CAAaf,OAAO,EAAl;AACnB,QAAIA,OAAO,KAAK,CAAC,CAAjB,EAAoB;AAC lB,UAAAMgB,WAAW,GAAGF,YAApB;AACAA,MAAAA,YAAAY,GAAG,EAAf;AACA,aAAOE,WAAp;AACD; AACF,GAND;;AAQA,MAAMC,gBAAgB,GAAGC,gBAAgB,CAAC,UAAAIID,IAAI,EAAl;AAChD8C,IAAAA,Y AAY,CAACTj,IAAb,CAAKbWg,IAAIB;AACD,GAFWc,CAAzC;;AAIA,MAAIcD,YAAJ;;AACA,MAAIC,SAAJ;

;ACA,MAAIC,eAAJ;;ACA,MAAIC,yBAAJ;;AAEA,MAAMC,qBAAqB,GAAG,SAAXBA,qBAAwB,CAAC9F  
,KAAD,EAAQ+F,MAAR,EAAgBC,MAAhB,EAA2B;AACvD;AAEE,KAACD,MAAM,KAAC,CAAX,GAAef,uB  
AAuB,CAACiB,OAAXB,CAAqCD,MAAM,CAACL,SAAS,CAACxM,MAAX,CAAtC,MAA8D,CAAC,CAA9E,G  
AAkF,IAAnF;AAEA,KAAC6M,MAAM,CAACHg,KAAP,CAAa6F,yBAAb,CAJH,EAKE;ACA,mBAAWH,YA  
AX;AACD;;AAED,WAAO1F,KAAP;AACD,GAXD;AAaA;;;;;;;;;;AAaA,MAAMkG,8BAA8B,GAAG,SAAjC  
A,8BAAiC,CAAC3B,OAAD,EAAU4B,CAAV,EAAa3B,SAAb,EAA2B;AACHe,QAAID,OOAO,KAAC,CAAZ,IA  
AiBC,SAAS,CAACrL,MAA3B,IAAqCqL,SAAS,CAAC,CAAD,CAAT,CAAa4B,WAAb,CAAYBT,SAAZB,IAAsC  
,CAA/E,EAAkF;AACHf;AACAnB,MAAAA,SAAS,CAAC,CAAD,CAAT,GAAeA,SAAS,CAAC,CAAD,CAAT,C  
AAa1L,OAAb,CAAqB8M,eAArB,EAAcE,qBAATC,CAAF;AACD;AACF,GALD;;AAOAX,EAAAA,MAAM,CA  
ACkB,GAAP,WAAenB,OAaf,GAAwBgB,8BAAxB,EAAwDV,gBAAXD,EAA0EF,iBAA1E;;AAEA,WAAsgB,c  
AAT,CAAwBvI,GAAxB,EAA6BsB,QAA7B,EAAuCKH,MAAvC,EAA+CC,WAA/C,EAA+E;AAAA,QAAhCA,W  
AAgC;AAAhCA,MAAAA,WAAgC,GAAIB,GAakB;AAAA;;AAC7E,QAAAC,OOAO,GAAG1I,GAAG,CAACjF  
,OAAJ,CAAYiM,aAAZ,EAA2B,EAA3B,CAAhB;ACA,QAA2B,MAAM,GAAGrH,QAAQ,IAAIkH,MAAZ,G  
AAwBA,MAAXB,SAAkCIH,QAAIC,WAAgDoH,OAAdH,UAA8DA,OOA7E,CAF6E;AAK7E;ACA;;AACf,IA  
AAA,YAAY,GAAGc,WAAf;AACAb,IAAAA,SAAS,GAAGtG,QAAZ;AACAuG,IAAAA,eAAe,GAAG,IAAI9G,  
MAAJ,QAAgB6G,SAAhB,UAAgC,GAAhC,CAAIB;AACAE,IAAAA,yBAAYB,GAAG,IAAI/G,MAAJ,SAAiB6G,  
SAAjB,cAA5B;AAEA,WAAOR,MAAM,CAACoB,MAAM,IAAI,CAACIH,QAAAX,GAAsB,EAAtB,GAA2BA,QA  
A5B,EAAcQh,MAAtC,CAAb;AACD;;AAEDJ,EAAAA,cAAc,CAACjN,IAAf,GAAsB6L,OOAO,CAAC/L,MAA  
R,GACIB+L,OOAO,CACjYB,MADH,CACU,UAACC,GAAD,EAAMC,MAAN,EAAiB;AACvB,QAAI,CAACA,  
MAAM,CAACnO,IAAZ,EAAkB;AACHB2E,MAAAA,0BAAgB,CAAC,EAAD,CAAhB;AACD;;AAED,WAAOrE  
,KAAC,CAAC4N,GAAD,EAAMC,MAAM,CAACnO,IAAb,CAAZ;AACD,GAPH,EAOKK,IAPL,EAQGmB,QAR  
H,EADkB,GAUIB,EAVJ;AAYA,SAAOoM,cAAP;AACD;;AC5GD;ACA,AAeO,IAAMQ,iBAAiB,GAA+BC,cA  
AK,CAACC,aAAN,EAAtD;ACP,AAAO,IAAMC,kBAakB,GAAGH,iBAAiB,CAACI,QAA7C;ACP,AAAO,IA  
AMC,aAAa,GAAgCJ,cAAK,CAACC,aAAN,EAAhD;ACP,AAAO,IAAMI,cAAc,GAAGD,aAAa,CAACD,QAAR  
C;AAEP,AAAO,IAAMG,WAAW,GAAe,IAAIrE,UAAJ,EAAhC;ACP,AAAO,IAAMsE,YAAY,GAAGBrC,oBA  
AoB,EAAtD;;ACtBP;ACA;IAKqBsC;AAOnB,qBAAy7O,IAAZ,EAA0BuE,KAA1B,EAAyC;AAAA;;AAAA,S  
AMzCuK,MANyC,GAMhC,UAACC,UAAD,EAAyBC,cAAzB,EAAwE;AAAA,UAA/CA,cAA+C;AAA/CA,QAA  
AA,cAA+C,GAAjBJ,YAAiB;AAAA;;AAC/E,UAAMK,YAAY,GAAG,KAAI,CAACjP,IAAL,GAAYgP,cAAc,CA  
ACrO,IAAhD;;AAEA,UAAI,CAACoO,UAAU,CAACHe,YAAX,CAAwB,KAAI,CAACIF,EAA7B,EAAiCoJ,YA  
AjC,CAAL,EAAqD;AACnDF,QAAAA,UAAU,CAACzK,WAAAX,CACE,KAAI,CAACuB,EADP,EAEEoJ,YAFF,  
EAGED,cAAc,CAAC,KAAI,CAACzK,KAAAN,EAAa0K,YAAb,EAA2B,YAA3B,CAHhB;AAKD;AACF,KAhBw  
C;;AAAA,SAkBzCzN,QAIByC,GakB9B,YAAM;AACf,aAAOmD,0BAAgB,CAAC,EAAD,EAk9E,MAAM,CA  
AC,KAAI,CAACG,IAAN,CAAX,CAAvB;AACD,KApBwC;;AACvC,SAAKA,IAAL,GAAYA,IAAZ;ACA,SA  
K6F,EAAL,qBAA0B7F,IAA1B;ACA,SAAKuE,KAAAL,GAAaA,KAAAb;AACD;;;SAkBD2K,UAAA,iBAAQF,cA  
AR,EAAoD;AAAA,QAA5CA,cAA4C;AAA5CA,MAAAA,cAA4C,GAADJ,YAAc;AAAA;;AACID,WAAO,KAA  
K5O,IAAL,GAAYgP,cAAc,CAACrO,IAAIC;AACD;;;ACrCH;;AAEA;;;AAKA,IAAMwO,cAAc,GAAG,SAAv  
B;ACA,IAAMC,gBAAgB,GAAG,UAAzB;ACA,IAAMC,SAAS,GAAG,MAAiB;;ACA,IAAMC,kBAakB,G  
AAG,SAArBA,kBAAqB,CAACC,KAAD;AAAA,eAA8BA,KAAI,CAACC,WAAAL,EAA9B;AAAA,CAA3B;AAE  
A;;;;;;;;;AAgBA,AAAE,SAASC,kBAAT,CAA4BnC,MAA5B,EAAoD;AACjE,SAAO6B,cAAc,CAAC/N,IA  
Af,CAAoBkM,MAApB,IACLA,MAAM,CACLIN,OADD,CACSGp,gBADT,EAC2BE,kBAD3B,EAECIP,OAFD,C  
AESiP,SAFT,EAEOB,MAFPB,CADK,GAIL/B,MAJF;AAKD;;ACICD;ACA;AAGA,AAAE,SAASoC,eAAT,CA  
AyBIP,IAAZB,EAAuC2P,KAAvC,EAAwD;AACrE;ACA;ACA,MAAIA,KAAK,IAAI,IAAT,IAAiB,OOAOA,  
KAAP,KAAiB,SAAI,IAA+CA,KAAK,KAAK,EAA7D,EAAiE;AAC/D,WAAO,EAAP;AACD;;AAED,MAAI,O  
AAOA,KAAP,KAAiB,QAAjB,IAA6BA,KAAK,KAAK,CAAvC,IAA4C,EAAE3P,IAAI,IAAI4P,QAAV,CAAhD,  
EAAqE;AACnE,WAAUD,KAAV,QADmE;AAEpE;;AAED,SAAO9P,MAAM,CAAC8P,KAAD,CAAN,CAAc/L,I  
AAAd,EAAP;AACD;;AChBD;ACA,AAWA;;;AAGA,IAAMiM,SAAS,GAAG,SAAZA,SAAY,CAAAC,KAAK;A  
AAA,SAAIA,KAAK,KAAKtJ,SAAV,IAAuBsJ,KAAK,KAAK,IAAjC,IAAyCA,KAAK,KAAK,KAAAnD,IAA4DA,  
KAAK,KAAK,EAA1E;AAAA,CAAvB;;AAEA,AAAO,IAAMC,aAAa,GAAG,SAAhBA,aAAgB,CAACC,GAAD,

EAAcC,OAAd,EAA6D;AACxF,MAAM1L,KAAK,GAAG,EAAAd;:AAEA,OAAK,IAAM2L,GAAX,IAAkBF,GAAlB,EAauB;AACrB,QAAI,CAACA,GAAG,CAACG,cAAJ,CAAmBD,GAAnB,CAAD,IAA4BL,SAAS,CAACG,GAG,CAACE,GAAD,CAAJ,CAAzC,EAAqD;:AAErD,QAAKE,KAAK,CAACC,OAAN,CAAcL,GAAG,CAACE,GAAD,CAAjB,KAA2BF,GAAG,CAACE,GAAD,CAAH,CAASI,KAArC,IAA+CnP,UAAU,CAAC6O,GAAG,CAACE,GAAD,CAAJ,CAA7D,EAAyE;AACvE3L,MAAAA,KAAK,CAACIB,IAAN,CAAcN,kBAAS,CAACL,GAAD,CAAvB,QAAiCF,GAAG,CAACE,GAAD,CAApC,EAA2C,GAA3C;AACD,KAFD,MAEO,IAAIM,aAAa,CAACR,GAAG,CAACE,GAAD,CAAJ,CAAjB,EAA6B;AAClC3L,MAAAA,KAAK,CAACIB,IAAN,OAAAkB,KAAK,EAAswL,aAAa,CAACC,GAAG,CAACE,GAAD,CAAJ,EAAWA,GAAX,CAAtB,CAAL;AACD,KAFM,MAEA;AACl3L,MAAAA,KAAK,CAACIB,IAAN,CAAcN,kBAAS,CAACL,GAAD,CAAvB,UAAiCR,eAAe,CAACQ,GAAD,EAAMF,GAAG,CAACE,GAAD,CAAT,CAAhD;AACD;AACF;:AAED,SAOD,OAAO,IAAOA,OAAP,gBAauB1L,KAAvB,GAA8B,GAA9B,KAAqCA,KAAAnD;AACD,CAhBM;AAkBP,AAAE,SAASkM,OAAT,CACbX,KADa,EAebY,gBAFa,EAGb3B,UAHa,EAIbC,cAJa,EAKR;AACL,MAAIoB,KAAK,CAACC,OAAN,CAAcP,KAAAd,CAAJ,EAA0B;AACxB,QAAMa,OAAO,GAAG,EAAb;:AAEA,SAAK,IAAIInQ,CAAC,GAAG,CAAR,EAAW4C,GAAG,GAAG0M,KAAK,CAACrP,MAAvB,EAA+BmQ,MAApC,EAA4CpQ,CAAC,GAAG4C,GAAhD,EAqD5C,CAAC,IAAI,CAA1D,EAA6D;AAC3DoQ,MAAAA,MAAM,GAAGH,OAAO,CAACX,KAAK,CAACtP,CAAD,CAAN,EAAWkQ,gBAAX,EAA6B3B,UAA7B,EAAyCC,cAAzC,CAAhB;AAEA,UAAI4B,MAAM,KAAK,EAAf,EAAMb,SAAnB,KACK,IAAIR,KAAK,CAACC,OAAN,CAAcO,MAAd,CAAJ,EAA2BD,OAAO,CAACtN,IAAR,OAAAsN,OAAO,EAASC,MAAT,CAAP,CAA3B,KACAD,OAAO,CAACtN,IAAR,CAAauN,MAAb;AACN;:AAED,WAAOD,OAAP;AACD;:AAED,MAAIId,SAAS,CAACC,KAAD,CAAb,EAAsB;AACpB,WAAO,EAAP;AACD;AAED;:AACa,MAAIIO,iBAAiB,CAACkO,KAAD,CAArB,EAA8B;AAC5B,iBAAWA,KAAK,CAACjO,iBAAjB;AACD;AAED;:AACa,MAAIV,UAAU,CAAC2O,KAAD,CAAd,EAauB;AACrB,QAAIzO,mBAAMb,CAACyO,KAAD,CAAnB,IAA8BY,gBAAlC,EAAoD;AACID,UAAAME,OAAO,GAAGd,KAAK,CAACY,gBAAD,CAApB;AAEA,UAAI3P,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,IAAyC4P,iBAAS,CAACD,OAAD,CAAtD,EAAgE;AAC9D;AACAE,QAAAA,OAAO,CAACC,IAAR,CACKIQ,gBAAgB,CACjBiP,KADiB,CADrB;AAKD;:AAED,aAAOW,OAAO,CAACG,OAAD,EAASF,gBAAT,EAA2B3B,UAA3B,EAauCC,cAAvC,CAAd;AACD,KAbD,MAAo,OAAOc,KAAP;AACR;:AAED,MAAIA,KAAK,YAAyJB,SAArB,EAAgC;AAC9B,QAAlE,UAAJ,EAAgB;AACde,MAAAA,KAAK,CAACb,MAAN,CAAaC,UAAb,EAAyBC,cAAzB;AACa,aAAOc,KAAK,CAACZ,OAAN,CAAcF,cAAAd,CAAP;AACD,KAHD,MAGO,OAAOc,KAAP;AACR;AAED;:AACa,SAAOU,aAAa,CAACV,KAAD,CAAb,GAauBC,aAAa,CAACD,KAAD,CAApC,GAA8CA,KAAK,CAACtO,QAAN,EAARd;AACD;AC3FD;AACa,IAAMwP,OAAO,GAAG,EAAb;AAEA,AAAE,SAASC,QAAT,CAAKBC,OAAIB,EAA2B;AACxC,MAAIF,OAAO,CAACE,OAAD,CAAX,EAAsB;AACTBF,EAAAA,OAAO,CAACE,OAAD,CAAP,GAAMb,IAAnB;AAEA,MAAI,OAAOJ,OAAP,KAAMb,WAAAnB,IAAkCA,OAAO,CAACC,IAA9C,EAAoDD,OAAO,CAACC,IAAR,CAAaG,OAAb;AACrD;:ACRD;AACa,IAAMC,YAAy,GAAG,IAAIzQ,UAAJ,CAAe,CAAf,CAArB;AACa,IAAM0Q,YAAy,GAAG,IAAI1Q,UAAJ,CAAe,CAAf,CAArB;AACa,IAAM2Q,SAAS,GAAG,KAAK3Q,UAAAL,CAAgB,CAAhB,CAAIb;AACa,IAAM4Q,KAAK,GAAG,IAAI5Q,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM6Q,OAAO,GAAG,KAAK7Q,UAAAL,CAAgB,CAAhB,CAAIb;AACa,IAAM8Q,KAAK,GAAG,IAAI9Q,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM+Q,IAAI,GAAG,KAAK/Q,UAAAL,CAAgB,CAAhB,CAAb;AACa,IAAMgR,GAAG,GAAG,KAAKhR,UAAAL,CAAgB,CAAhB,CAAZ;AACa,IAAMiR,EAAE,GAAG,KAAKjR,UAAAL,CAAgB,CAAhB,CAAX;AACa,IAAMkR,WAAW,GAAG,IAAIIR,UAAJ,CAAe,CAAf,CAApB;AACa,IAAMmR,YAAy,GAAG,IAAIInR,UAAJ,CAAe,CAAf,CAArB;AACa,IAAMoR,gBAAgB,GAAG,IAAIpR,UAAJ,CAAe,CAAf,CAAzB;AACa,IAAMqR,iBAAiB,GAAG,IAAIrR,UAAJ,CAAe,CAAf,CAA1B;AACa,IAAMsR,UAAU,GAAG,IAAItr,UAAJ,CAAe,CAAf,CAAnB;AACa,IAAMuR,WAAW,GAAG,IAAIvR,UAAJ,CAAe,CAAf,CAApB;AACa,IAAMwR,SAAS,GAAG,IAAIxR,UAAJ,CAAe,CAAf,CAAIB;AACa,IAAMyR,QAAQ,GAAG,IAAIzR,UAAJ,CAAe,CAAf,CAAjB;AACa,IAAM0R,KAAK,GAAG,IAAI1R,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM2R,EAAE,GAAG,IAAI3R,UAAJ,CAAe,CAAf,CAAX;AAEA,IAAM4R,SAAS,GAAG,+BAAlB;AACa,IAAMC,WAAW,GAAG,4CAApB;AACa,IAAMC,cAAc,GAAG,eAAvB;AAEA,AAAE,SAASC,QAAT,CAAKBC,KAAIB,EAAyBII,OAAzB,EAAuC;AAAA,MAAdA,OAAC;AAAdA,IAAAA,OAAC,GAAJ,EAAl;AAAA;:AACpD,MAAMmI,MAAM,GAAG,EAAf;AACa,MAAMtN,GAAG,GAAGqN,KAAK,CAACrN,GAAN,CAAUuN,OAAV,EAAZ;AAE

A,MAAMC,MAAM,GAAGrI,OAAO,CAACsI,YAAvB;AAEA,MAAIIT,IAAJ,EACEmT,IADF,EAEEC,KAFF,EA  
GEC,KAHF,EAIEC,IAJF,EAKEtM,OALF,EAMEuM,MANF,EAOEC,QAPF,EAQEC,UARF,EASEC,OATF,EAU  
EC,SAVF,EAWEC,IAXF,EAyec,CAZF;AAcA,MAAMhT,MAAM,GAAG4E,GAAG,CAAC5E,MAAnB;ACA,  
MAAI4M,MAAM,GAAG,CAAC,CAAd;ACA,MAAIrB,IAAI,GAAG,CAAX;ACA,MAAI0H,GAAG,GAAG,C  
AAV;;AAEA,WAASC,QAAT,CAAkBC,IAAIB,EAAwB;AACTb,UAAMIB,KAAK,CAACmB,KAAAN,eAAwBD,I  
AAxB,EAAgC5H,IAAhC,EAAsC0H,GAAG,GAAGrG,MAA5C,CAAN;AACD;;AAED,SAAOqG,GAAG,GAAGj  
T,MAAb,EAAqB;AACnBb,IAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAegT,GAAf,CAAP;;AAEA,QAA  
I9T,IAAI,KAAK2R,OAAT,IAAoB3R,IAAI,KAAK6R,IAA7B,IAAsC7R,IAAI,KAAK+R,EAAT,IAAetM,GAAG,  
CAAC3E,UAAJ,CAAegT,GAAG,GAAG,CAArB,MAA4BnC,OAArF,EAA+F;AAC7FIE,MAAAA,MAAM,GAA  
GqG,GAAT;ACA1H,MAAAA,IAAI,IAAI,CAAR;AACD;;AAED,YAAQpM,IAAR;AAEC,WAAK2R,OAAL;A  
ACA,WAAKC,KAAL;ACA,WAAKE,GAAL;ACA,WAAKC,EAAL;ACA,WAAKF,IAAL;AAECsB,QAAA  
A,IAAI,GAAGW,GAAP;;ACA,WAAAG;AACDX,UAAAA,IAAI,IAAI,CAAR;AACAnT,UAAAA,IAAI,GAAGy  
F,GAAG,CAAC3E,UAAJ,CAAeqS,IAAf,CAAP;;ACA,cAAInT,IAAI,KAAK2R,OAAb,EAAsB;AACpBIE,YAA  
AA,MAAM,GAAG0F,IAAT;ACA/G,YAAAA,IAAI,IAAI,CAAR;AACD;AACF,SAPD,QAQEpM,IAAI,KAAK4  
R,KAAT,IACA5R,IAAI,KAAK2R,OADT,IAEA3R,IAAI,KAAK8R,GAFT,IAGA9R,IAAI,KAAK+R,EAHT,IAIA/  
R,IAAI,KAAK6R,IAZX;;AAeAkB,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,OAAD,EAAUgC,GAAG,CA  
ACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAf,CAAV,CAAZ;AACAW,QAAAA,GAAG,GAAGX,IAAI,GAAG,CAA  
b;ACA;;AAEF,WAAKnB,WAAL;AAECe,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAA  
N,EAAW2I,IAAX,EAaiB0H,GAAG,GAAGrG,MAAvB,CAAZ;ACA;;AAEF,WAAKwE,YAAL;AAECc,QAAA  
A,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAaiB0H,GAAG,GAAGrG,MA  
AvB,CAAZ;ACA;;AAEF,WAAK2E,UAAL;AAECW,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,E  
AAM,GAAN,EAAW2I,IAAX,EAaiB0H,GAAG,GAAGrG,MAAvB,CAAZ;ACA;;AAEF,WAAK4E,WAAL;AA  
CEU,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAaiB0H,GAAG,G  
AAGrG,MAAvB,CAAZ;ACA;;AAEF,WAAK+E,KAAL;AACEO,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAA  
C,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAaiB0H,GAAG,GAAGrG,MAAvB,CAAZ;ACA;;AAEF,WAAK6E,  
SAAL;AAECs,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAaiB0  
H,GAAG,GAAGrG,MAAvB,CAAZ;ACA;;AAEF,WAAKyE,gBAAL;AAEC0B,QAAAA,IAAI,GAAGb,MAAM,  
CAACIS,MAAP,GAAGbKs,MAAM,CAACA,MAAM,CAACIS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAA1B,  
CAAhB,GAA+C,EAAtD;AACAgT,QAAAA,CAAC,GAAGpO,GAAG,CAAC3E,UAAJ,CAAegT,GAAG,GAAG,  
CAArB,CAAJ;;ACA,YACEF,IAAI,KAAK,KAAT,IACAC,CAAC,KAAKtC,YADN,IAEAsC,CAAC,KAAKrC,Y  
AFN,IAGAqC,CAAC,KAAKjC,KAHN,IAIAiC,CAAC,KAAKIC,OAjN,IAKAkC,CAAC,KAAK/B,GALN,IAMA  
+B,CAAC,KAAKhC,IANN,IAOAgC,CAAC,KAAK9B,EARR,EASE;AACAOB,UAAAA,IAAI,GAAGW,GAAP;;  
ACA,aAAG;AACDJ,YAAAA,OAAO,GAAG,KAAY;AACAP,YAAAA,IAAI,GAAGIN,GAAG,CAACKI,OAjJ,  
CAAY,GAAZ,EAaiBwF,IAAI,GAAG,CAAxB,CAAP;;ACA,gBAAIA,IAAI,KAAK,CAAC,CAAd,EAaiB;AAC  
f,kBAAIF,MAAJ,EAAY;AACVE,gBAAAA,IAAI,GAAGW,GAAP;ACA;AACD,eAHD,MAGO;AACLC,gBAA  
AA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF;;AACDJ,YAAAA,SAAS,GAAGR,IAAZ;;ACA,mBAAO1N,GA  
AG,CAAC3E,UAAJ,CAAe6S,SAAS,GAAG,CAA3B,MAAkCIC,SAAzC,EAAoD;AACIDkC,cAAAA,SAAS,IAAI  
,CAAb;AACAD,cAAAA,OAAO,GAAG,CAACA,OAAX;AACD;AACF,WAhBD,QAgBSA,OAhBT;;AAkBAX,U  
AAAA,MAAM,CAACtP,IAAP,CAAY,CACV,UADU,EAEVgC,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,  
IAAI,GAAG,CAAtB,CAFU,EAGV/G,IAHU,EAIV0H,GAAG,GAAGrG,MAJI,EAKVrB,IALU,EAMV+G,IAAI,G  
AAGIF,MANG,CAAZ;AAQAqG,UAAAA,GAAG,GAAGX,IAAN;AACD,SAtCD,MAAsCO;AACLA,UAAAA,IA  
AI,GAAGIN,GAAG,CAACKI,OAjJ,CAAY,GAAZ,EAaiBmG,GAAG,GAAG,CAAvB,CAAP;ACA9M,UAAA  
A,OAAO,GAAGvB,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAV;;AAEA,cAAI  
A,IAAI,KAAK,CAAC,CAAV,IAAeP,cAAc,CAACpR,IAAf,CAAObwF,OAAPB,CAANB,EAaiD;AAC/C+L,YAA  
AA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAaiB0H,GAAG,GAAGrG,M  
AAvB,CAAZ;AACD,WAFD,MAEO;AACLSF,YAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,UAAD,EAauD,  
OAAb,EAAsBoF,IAAtB,EA4B0H,GAAG,GAAGrG,MAAIC,EA0CrB,IAA1C,EAAGD+G,IAAI,GAAG1F,MA  
AvD,CAAZ;ACAqG,YAAAA,GAAG,GAAGX,IAAN;AACD;AACF;;AAED;;AAEF,WAAKhB,iBAAL;AAEC

Y,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,GAAGrG,MAAvB,CAAZ;AACa;;AAEF,WAAK8D,YAAL;AACa,WAAKC,YAAL;AACE4B,QAAAA,KAAK,GAAGpT,IAAI,KAAKuR,YAAT,GAAwB,GAAXB,GAA8B,GAAtC;AACa4B,QAAAA,IAAI,GAAGW,GAAP;;AACaA,WAAG;AACDJ,UAAAA,OOAO,GAAG,KAAV;AACAP,UAAAA,IAAI,GAAG1N,GAAG,CAACKi,OA AJ,CAAYyF,KAAZ,EAAMBD,IAAI,GAAG,CAA1B,CAAP;;AACa,cAAIA,IAAI,KAAK,CAAC,CAAd,EAAiB;AACf,gBAAIF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAGW,GAAG,GAAG,CAAb;AACa;AACD,aAHD,MAGO;AACLC,cAAAA,QAAQ,CAAC,OAD,CAAR;AACD;AACF;;AACDJ,UAAAA,SAAS,GAAGR,IAAZ;;AACa,iBAAO1N,GAAG,CAAC3E,UAAJ,CAAe6S,SAAS,GAAG,CAA3B,MAAkCIC,SAAzC,EAAoD;AACIDkC,YAAAA,SAAS,IAAI,CAAb;AACAD,YAAAA,OOAO,GAAG,CAACA,OAAX;AACD;AACF,SAhBD,QAgBSA,OA hBT;;AAkBA1M,QAAAA,OOAO,GAAGvB,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAA V;AACAE,QAAAA,KAAK,GAAGrM,OOAO,CAACE,KAAR,CAAc,IAAd,CAAR;AACAOm,QAAAA,IAAI,GAAGD,KAAK,CAACxS,MAAN,GAAe,CAAtB;;AAEA,YAAIyS,IAAI,GAAG,CAAX,EAAC;AACZE,UAAAA,QAAQ,GAAGpH,IAAI,GAAGkH,IAAIB;AACAG,UAAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,CAAL,CAAYzS,MAAhC;AACD,SAHD,MAGO;AACL2S,UAAAA,QAAQ,GAAGpH,IAAX;AACAQH,UAAAA,UAAU,GAAGhG,MAAb;AACD;;AAEDsF,QAAAA,MAAM,CAACtP,IAAP,CAAY,CACV,QADU,EAEVgC,GAA G,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAFU,EAGV/G,IAHU,EAIV0H,GAAG,GAAG rG,MAJI,EAKV+F,QALU,EAMVL,IAAI,GAAGM,UANG,CAAZ;AASAhG,QAAAA,MAAM,GAAGgG,UAAT; AACArH,QAAAA,IAAI,GAAGoH,QAAP;AACAM,QAAAA,GAAG,GAAGX,IAAN;AACa;;AAEF,WAAKV,E AAL;AAEC,QAAAA,SAAS,CAACyB,SAAV,GAAsBL,GAAG,GAAG,CAA5B;AACApB,QAAAA,SAAS,CAA CIR,IAAV,CAAeiE,GAaf;;AACa,YAAIiN,SAAS,CAACyB,SAAV,KAAwB,CAA5B,EAA+B;AAC7BhB,UAAA A,IAAI,GAAG1N,GAAG,CAAC5E,MAAJ,GAAa,CAApB;AACD,SAFD,MAEO;AACLsS,UAAAA,IAAI,GAAG T,SAAS,CAACyB,SAAV,GAAsB,CAA7B;AACD;;AACDpB,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,SA AD,EAAyGc,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAZ,EAAsC/G,IAAtC,EA A4C0H,GAAG,GAAGrG,MAAID,EAA0DrB,IAA1D,EAAGe+G,IAAI,GAAG1F,MAAvE,CAAZ;AACAQG,QAA AA,GAAG,GAAGX,IAAN;AACa;;AAEF,WAAK1B,SAAL;AACE0B,QAAAA,IAAI,GAAGW,GAAP;AACAP, QAAAA,MAAM,GAAG,IAAT;;AACa,eAA09N,GAAG,CAAC3E,UAAJ,CAAeqS,IAAI,GAAG,CAAtB,MAA6 B1B,SAAPc,EAA+C;AAC7C0B,UAAAA,IAAI,IAAI,CAAR;AACAI,UAAAA,MAAM,GAAG,CAACA,MAAV; AACD;;AACDvT,QAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAeqS,IAAI,GAAG,CAAtB,CAAP;;AAC A,YACEI,MAAM,IACLvT,IAAI,KAAK0R,KAAT,IACC1R,IAAI,KAAK4R,KADV,IAEC5R,IAAI,KAAK2R,OA FV,IAGC3R,IAAI,KAAK8R,GAHV,IAIC9R,IAAI,KAAK+R,EAJV,IAKC/R,IAAI,KAAK6R,IAPb,EAQE;AACAsB,UAAAA,IAAI,IAAI,CAAR;AACD;;AACDJ,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,MAAD,EAASgC ,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAT,EAAMC/G,IAAnC,EAAyC0H,GA AG,GAAGrG,MAA/C,EA AuDrB,IAAvD,EAA6D+G,IAAI,GAAG1F,MAApE,CAAZ;AACAQG,QAAAA,GAAG, GAAGX,IAAN;AACa;;AAEF;AAEC,YAAInT,IAAI,KAAK0R,KAAT,IAAkBjM,GAAG,CAAC3E,UAAJ,CAAe gT,GAAG,GAAG,CAArB,MAA4BvB,QA AID,EAA4D;AAC1DY,UAAAA,IAAI,GAAG1N,GAAG,CAACKi,OA AJ,CAAY,IAAZ,EA AkBmG,GAAG,GAAG,CAAXB,IAA6B,CAApC;;AACa,cAAIX,IAAI,KAAK,CAAb,EAAGB ;AACd,gBAAIF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAG1N,GAAG,CAAC5E,MAAX;AACD,aAFD,MAEO; AACLkT,cAAAA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF;;AAED/M,UAAAA,OOAO,GAAGvB,GAAG,CA ACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAV;AACAE,UAAAA,KAAK,GAAGrM,OOAO,C AAACE,KAAR,CAAc,IAAd,CAAR;AACAOm,UAAAA,IAAI,GAAGD,KAAK,CAACxS,MAAN,GAAe,CAAtB;;A AEA,cAAIyS,IAAI,GAAG,CAAX,EAAC;AACZE,YAAAA,QAAQ,GAAGpH,IAAI,GAAGkH,IAAIB;AACAG,Y AAAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,CAAL,CAAYzS,MAAhC;AACD,WAHD,MAGO; AACL2S,YAAAA,QAAQ,GAAGpH,IAAX;AACAQH,YAAAA,UAAU,GAAGhG,MAAb;AACD;;AAEDsF,UAA AA,MAAM,CAACtP,IAAP,CAAY,CAAC,SAAD,EAAyD,OA AZ,EAAqBoF,IAArB,EAA2B0H,GAAG,GAAGr G,MAAjC,EAAyC+F,QAAzC,EAAMDL,IAAI,GAAGM,UAA1D,CAAZ;AAEAhG,UAAAA,MAAM,GAAGgG,U AAT;AACArH,UAAAA,IAAI,GAAGoH,QAAP;AACAM,UAAAA,GAAG,GAAGX,IAAN;AACD,SA3BD,MA2 BO;AACLR,UAAAA,WAAW,CAACwB,SAAZ,GAAwBL,GAAG,GAAG,CAA9B;AACAnB,UAAAA,WAAW,C AACnR,IAAZ,CAAiBiE,GAAjB;;AACa,cAAIkN,WAAW,CAACwB,SAAZ,KAA0B,CAA9B,EAAiC;AAC/BhB,

YAAAA,IAAI,GAAG1N,GAAG,CAAC5E,MAAJ,GAAa,CAApB;AACD,WAFD,MAEO;AACLSs,YAAAA,IAAI,GAAGR,WAAW,CAACwB,SAAZ,GAAwB,CAA/B;AACD;;AAEDpB,UAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,MAAD,EAASgC,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAT,EAAMC/G,IAAnC,EAAYC0H,GAAG,GAAGrG,MAA/C,EAADrB,IAAvD,EAA6D+G,IAAI,GAAG1F,MAApE,CAAZ;ACAqG,UAAAA,GAAG,GAAGX,IAAN;AACD;;AAED;AAzOJ;;AA4OAW,IAAAA,GAAG;AACJ;;AAED,SAAOf,MAAP;AACD;;AC9SD;ACA,AAGA,IAAMqB,eAAe,GAAG;AACtBC,EAAAA,QAAQ,EAAE,CAAC,EAAD,EAAK,EAAL,CADY;AACF;AACpB3G,EAAAA,MAAM,EAAE,CAAC,EAAD,EAAK,EAAL,CAFc;AAEJ;AACIB,aAAW,CAAC,EAAD,EAAK,EAAL,CAHW;AAGD;AACrB4G,EAAAA,OAAO,EAAE,CAAC,EAAD,EAAK,EAAL,CAJa;AAIH;AACnB,OAAK,CAAC,EAAD,EAAK,EAAL,CALiB;AAKP;AACf,OAAK,CAAC,EAAD,EA AK,EAAL,CANiB;AAMP;AACf,OAAK,CAAC,CAAD,EAAL,EAJ,CAPiB;AAOR;AACd,OAAK,CAAC,CAAD,EAAL,EAJ,CARiB;AAQR;AACd,OAAK,CAAC,CAAD,EAAL,EAJ,CATiB;AASR;AACd,OAAK,CAAC,CAAD,EAAL,EAJ,CAViB;;AAAA,CAAxB;;AAaA,SAAStU,IAAT,CAACuU,KAAd,EAaqB;AACnB,mBAAiBA,KA Ajb;AACD;;AAED,SAASC,iBAAT,CAA2B/O,GAA3B,EAAGc;AAC9B,MAAMsN,MAAM,GAAGF,QAAQ,CA AC,IAAI4B,KAAJ,CAAUhP,GAAV,CAAD,EAAL;AAAEyN,IAAAA,YAAY,EAAE;AAAhB,GAAjB,CAAvB;A ACA,MAAMIC,MAAM,GAAG,EAAf;ACA+B,EAAAA,MAAM,CAACrP,OAAP,CAAe,UAAAgR,KAAK,EAA I;AACtB,QAAMH,KAAK,GAAGH,eAAe,CAACM,KAAK,CAAC,CAAD,CAAN,CAA7B;;AACA,QAAIH,KAAJ ,EAAW;AACTvD,MAAAA,MAAM,CAACvN,IAAP,CACEiR,KAAK,CAAC,CAAD,CAAL,CACGxN,KADH,C ACS,OADT,EAEGyN,GAFH,CAEO,UAAA/T,CAAC;AAAA,eAAIZ,IAAI,CAACuU,KAAK,CAAC,CAAD,CAA N,CAAJ,GAAiB3T,CAAjB,GAAqBZ,IAAI,CAACuU,KAAK,CAAC,CAAD,CAAN,CAA7B;AAAA,OAFR,EAG GxQ,IAHH,CAGQ,IAHR,CADF;AAMD,KAPD,MAOO;AACLiN,MAAAA,MAAM,CAACvN,IAAP,CAAYiR,K AAK,CAAC,CAAD,CAAjB;AACD;AACF,GAZD;AAaA,SAAO1D,MAAM,CAACjN,IAAP,CAAY,EAAZ,CAAP ;AACD;;AChCD;IA2BM6Q;AACJ;;AAQA,0BAAyT,D,OA AZ,EAAqB1F,IAArB,EAA2BC, MAA3B,EAAMCwI,MAAnC,EAA2CC,IAA3C,EAADvG,MAAJD,EAAYD;AACvD;AAYA,SAAKnO,IA AL,GAAY,gBAAZ;AACA;AAMA,SAAK2U,MAAL,GAACzD,OAAd;AAEA,QAAIwD,IAAJ,EAAU;AACR; ;AAOA,WAAKA,IAAL,GAAYA,IAAZ;AACD;AACD,QAAID,MAAJ,EAAY;AACV;AAOA,WAAKA, MAAL,GAACa,MAAd;AACD;AACD,QAAItG,MAAJ,EAAY;AACV;AAMA,WAAKA,MAAL,GAACa,MA Ad;AACD;AACD,QAAI,OAAOnC,IAAP,KAAgB,WAAhB,IAA+B,OAAOC,MAAP,KAAkB,WAArD,EAAkE;A AChE;AAOA,WAAKD,IAAL,GAAYA,IAAZ;AACA;AAOA,WAAKC,MAAL,GAACa,MAAd;AACD;; AAED,SAAK2I,UAAAL;AAEA,QAAIIR,KAAK,CAACmR,iBAAV,EAA6B;AAC3BnR,MAAAA,KAAK,CAACm R,iBAAN,CAAwB,IAAxB,EAA8BL,cAA9B;AACD;AACF;SAEDI,aAAA,sBAAa;AACX;AAOA,SAAK1D ,OAAL,GAAe,KAAK/C,MAAL,GAAiB,KAAKA,MAAtB,UAAmC,EAAD;AACA,SAAK+C,OAAL,IAAgB,KA AKwD,IAAL,GAAY,KAAKA,IAAjB,GAAwB,aAAxC;;AACA,QAAI,OAAO,KAAK1I,IAAZ,KAAqB,WAAzB,E AAsC;AACpC,WAAKkF,OAAL,UAAoB,KAAKIF,IAAZB,SAAiC,KAAKC,MAAtC;AACD;AACD,SAAKiF,OA AL,WAAqB,KAAKyD,MAA1B;AACD;AAED;SAqBAG,iBAAA,wBAAeX,KAAf,EAAsB;AAAA ;AACpB,QAAI,CAAC,KAAKM,MAAV,EAakB,OAAO,EAAP;AAEIB,QAAIpP,GAAG,GAAG,KAAKoP,MAA f;AACA,QAAI,OAAON,KAAP,KAAiB,WAArB,EAakCA,KAAK,GAAGY,aAAR;AACIC,QAAIZ,KAAJ,EAAW 9O,GAAG,GAAG+O,iBAAiB,CAAC/O,GAAD,CAAvB;AAEX,QAAM4N,KAAK,GAAG5N,GAAG,CAACyB,K AAJ,CAAU,OA AV,CAAd;AACA,QAAMkO,KAAK,GAAG9U,IAAI,CAAC+U,GAAL,CAAS,KAAKjJ,IAAL,G AAY,CAArB,EAAwB,CAAxB,CAAd;AACA,QAAMkJ,GAAG,GAAGhV,IAAI,CAACiV,GAAL,CAAS,KAAKnJ ,IAAL,GAAY,CAArB,EAAwBiH,KAAK,CAACxS,MAA9B,CAAZ;AAEA,QAAM2U,QAAQ,GAAGvV,MAAM, CAACqV,GAAD,CAAN,CAAYzU,MAA7B;AAEA,WAAOwS,KAAK,CACTa,KADI,CACEkB,KADF,EACSE,G ADT,EAEXJ,GAFI,CAEA,UAAcV,I,IAAD,EAAO3H,KAAP,EAAL;AACpB,UAAmGr,MAAM,GAAGL,KAAK, GAAG,CAAR,GAAY3Q,KAA3B;AACA,UAAmIR,MAAM,GAAG,OAAID,MAAJ,EAAavB,KAAb,CAAmB,CA ACsB,QAApB,CAAf;AACA,UAAmG,MAAM,SAAOD,MAAP,QAAZ;AACA,UAAID,MAAM,KAAK,KAAI,C AACrJ,IAApB,EAA0B;AACxB,YAAMwJ,OAAO,GACXD,MAAM,CAACnV,OAAP,CAAe,KAAf,EAAsB,GAAt B,IAA6B4L,IAAI,CAAC8H,KAAL,CAAW,CAAX,EAAc,KAAI,CAAC7H,MAAL,GAAC,CAA5B,EAA+B7L,OA A/B,CAAuC,QAAvC,EAADiD,GAAjD,CAD/B;AAEA,qBAAWmV,MAAX,GAAoBvJ,IAApB,WAA8BwJ,OAA9B ;AACD,OAJD,MAIO;AACL,qBAAWD,MAAX,GAAoBvJ,IAApB;AACD;AACF,KAbI,EAcJrI,IADi,CACc,IADd,

CAAP;AAeD;AAED;,,,,,,;SAUAnC,WAAA,oBAAW;AACT,QAAI5B,IAAI,GAAG,KAAKkV,cAAL,EAAX;;  
AACa,QAAIIV,IAAJ,EAAU;AACRA,MAAAA,IAAI,YAAUA,IAAV,OAAJ;AACD;;AACD,WAAU,KAAKI,IA  
Af,UAAwB,KAAKkR,OAA7B,GAAuCr,IAAvC;AACD;;;wBAEe;AACdqR,MAAAA,QAAQ,CAAC,4DAAD,C  
AAR;AACa,aAAO,KAAKyB,KAAZ;AACD;AAED;,,,,,,;ACjNF;;AACa;AAEA,IAAM+C,UAAU,GAAG;  
AACjBC,EAAAA,KAAK,EAAE,IADU;AAEjBC,EAAAA,MAAM,EAAE,MAFS;AAGjBC,EAAAA,UAAU,EAA  
E,IAHK;AAIjBC,EAAAA,UAAU,EAAE,IAJK;AAKjBC,EAAAA,UAAU,EAAE,GALK;AAMjBC,EAAAA,WAA  
W,EAAE,IANI;AAOjBC,EAAAA,aAAa,EAAE,IAPE;AAQjBC,EAAAA,KAAK,EAAE,IARU;AASjBC,EAAAA,  
SAAS,EAAE,EATM;AAUjBC,EAAAA,WAAW,EAAE,GAVI;AAWjBC,EAAAA,YAAY,EAAE;AAXG,CAAnB;  
;AAcA,SAASC,UAAT,CAAoBzV,GAAPB,EAAYB;AACvB,SAAOA,GAAG,CAAC,CAAD,CAAH,CAAO0V,W  
AAP,KAAuB1V,GAAG,CAACKT,KAAJ,CAAU,CAAV,CAA9B;AACD;;IAEKyC;AACJ,uBAAYC,OAAZ,EAAq  
B;AACnB,SAKA,OAAL,GAAeA,OAaf;AACD;;;SAEDC,YAAA,mBAAU7O,IAAV,EAAGB8O,SAAhB,EAA2  
B;AACzB,SAAK9O,IAAI,CAAC+O,IAAV,EAAGB/O,IAAhB,EAASB8O,SAAtB;AACD;;SAEDE,OAAA,cAAKk  
P,IAAL,EAAW;AACT,SAAKiP,IAAL,CAAUjP,IAAV;AACa,QAAIA,IAAI,CAACKP,IAAL,CAAUb,KAA  
d,EA  
AqB,KAAKO,OAAL,CAAa5O,IAAI,CAACKP,IAAL,CAAUb,KAAvB;AACTB;;SAED/B,UAAA,iBAAQtM,IAA  
R,EAAC;AACZ,QAAMmP,IAAI,GAAG,KAAKC,GAAL,CAASpP,IAAT,EAAe,MAAf,EAAB,AAAvB,CAAb;A  
ACA,QAAMqP,KAAK,GAAG,KAAKD,GAAL,CAASpP,IAAT,EAAe,OAaf,EAAB,cAAxB,CAAd;AACa,SA  
AK4O,OAAL,QAakBO,IAAIB,GAAYBnP,IAAI,CAACsP,IAA9B,GAAqCD,KAArC,SAAGDrP,IAAhD;AACD;;S  
AEDuP,OAAA,cAAKvP,IAAL,EAAW8O,SAAX,EAASB;AACpB,QAAMU,OOAO,GAAG,KAAKJ,GAAL,CAA  
SpP,IAAT,EAAe,SAaf,EAAB,OA1B,CAAhB;AACa,QAAI0F,MAAM,GAAG1F,IAAI,CAACyP,IAAL,GAA  
YD,OAAZ,GAASB,KAAKE,QAAL,CAAc1P,IAAd,EAAoB,OAAPB,CAAnC;;AAEA,QAAIA,IAAI,CAAC2P,SA  
AT,EAAoB;AACIBjK,MAAAA,MAAM,IAAI1F,IAAI,CAACKP,IAAL,CAAUS,SAAV,IAAuB,aAAjC;AACD;;A  
AED,QAAIb,SAAJ,EAAepJ,MAAM,IAAI,GAAV;AACf,SAAKkK,OAAL,CAAaIJ,MAAb,EAAG1F,IAArB;AAC  
D;;SAEDiC,OAAA,cAAKjC,IAAL,EAAW;AACT,SAAK8D,KAAL,CAAW9D,IAAX,EAAiB,KAAK0P,QAAL,C  
AAc1P,IAAd,EAAoB,UAAPB,CAAjB;AACD;;SAED4P,SAAA,gBAAO5P,IAAP,EAAB8O,SAAb,EAABW;AACt  
B,QAAI1W,IAAI,SAAO4H,IAAI,CAAC5H,IAApB;AACa,QAAMyX,MAAM,GAAG7P,IAAI,CAAC6P,MAAL,  
GAAC,KAAKH,QAAL,CAAc1P,IAAd,EAAoB,QAAPB,CAAd,GAA8C,EAA7D;;AAEA,QAAI,OAAOA,IAAI,C  
AACKP,IAAL,CAAUY,SAAjB,KAA+B,WAAnc,EAAGD;AAC9C1X,MAAAA,IAAI,IAAI4H,IAAI,CAACKP,IA  
AL,CAAUY,SAAB;AACD,KAFD,MAEO,IAAID,MAAJ,EAAY;AACjBzX,MAAAA,IAAI,IAAI,GAAR;AACD;;  
AAED,QAAI4H,IAAI,CAACH,KAAT,EAAGB;AACd,WAAKiE,KAAL,CAAW9D,IAAX,EAAiB5H,IAAI,GAAG  
yX,MAAxB;AACD,KAFD,MAEO;AACL,UAMvC,GAAG,GAAG,CAACtN,IAAI,CAACKP,IAAL,CAAUM,OA  
AV,IAAQB,EAAtB,KAA6BV,SAAS,GAAG,GAAH,GAAS,EAA/C,CAAZ;AACa,WAAKF,OAAL,CAAaxW,IAA  
I,GAAGyX,MAAP,GAAGBvC,GAA7B,EAACtN,IAAIC;AACD;AACF;;SAEDiP,OAAA,cAAKjP,IAAL,EAAW;  
AACT,QAAIsL,IAAI,GAAGtL,IAAI,CAACH,KAAL,CAAWH,MAAX,GAAoB,CAA/B;;AACa,WAAOyS,IAA  
I,GAAG,CAAd,EAAiB;AACf,UAAItL,IAAI,CAACH,KAAL,CAAWyL,IAAX,EAAiByD,IAAjB,KAA0B,SAA9B  
,EAAYC;AACzCzD,MAAAA,IAAI,IAAI,CAAR;AACD;;AAED,QAAMwD,SAAS,GAAG,KAAKM,GAAL,CAA  
SpP,IAAT,EAAe,WAAf,CAAIb;;AACa,SAAK,IAAIpH,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAGoH,IAAI,  
CAACH,KAAL,CAAWH,MAA/B,EAACD,CAAC,EAAXC,EAA4C;AAC1C,UAM6H,KAAK,GAAGT,IAAI,  
CAACH,KAAL,CAAWjH,CAAX,CAAd;AACa,UAMmX,MAAM,GAAG,KAAKX,GAAL,CAAS3O,KAAT,E  
AAGB,QAAB,CAAF;AACa,UAAIsP,MAAJ,EAAY,KAAKnB,OAAL,CAAAB,MAAb;AACZ,WAAKIB,SAAL,  
CAAepO,KAAf,EAASB6K,IAAI,KAAK1S,CAAT,IAACKW,SAAPC;AACD;AACF;;SAEDhL,QAAA,eAAM9D,I  
AAN,EAAYoN,KAAZ,EAAMB;AACjB,QAAMoC,OOAO,GAAG,KAAKJ,GAAL,CAASpP,IAAT,EAAe,SAAF,E  
AA0B,YAA1B,CAAhB;AACa,SAAK4O,OAAL,CAAGBxB,KAAK,GAAGoC,OAAXB,QAAoCxP,IAAPC,EAAB  
C,OAAC;AAEA,QAAIqO,KAAJ;;AACa,QAAIrO,IAAI,CAACH,KAAL,IAAcG,IAAI,CAACH,KAAL,CAAW  
H,MAA7B,EAAqC;AACnC,WAAKoW,IAAL,CAAUjP,IAAV;AACaQO,MAAAA,KAAK,GAAG,KAAKe,GAA  
L,CAASpP,IAAT,EAAe,OAaf,CAAR;AACD,KAHD,MAGO;AACLqO,MAAAA,KAAK,GAAG,KAAKe,GAAL,  
CAASpP,IAAT,EAAe,OAaf,EAAB,WAAxB,CAAR;AACD;;AAED,QAAIqO,KAAJ,EAAW,KAAKO,OAAL,C  
AAAP,KAAb;AACX,SAAKO,OAAL,CAAa,GAAB,EAAB5O,IAAIB,EAABW,KAAxB;AACD;;SAEDoP,MAAA,  
aAAIpP,IAAJ,EAAGuQ,GAAV,EAAeC,MAAF,EAAB;AACrB,QAAIII,KAAJ;AACa,QAAI,CAACKI,MAAL,E



AAaA,MAAM,GAAGD,GAAT,CAFQ;;AAKrB,QAAIA,GA AJ,EAAS;AACPjI,MAAAA,KAAK,GAAG/H,IAAI,CAACKp,IAAL,CAAUc,GA AV,CAAR;AAC A,UAAI,OAAOjI,KAAP,KAAiB,WAArB,EAakC,OAAOA,KAAP;AACn C;;AAED,QAAMjH,MAAM,GAAGd,IAAI,CAACc,MAApB,CAVqB;;AAarB,QAAImP,MAAM,KAAK,QAAf,EAAYB;AACvB,UAAI,CAACnP,MAAD,IAAYA,MAAM,CAACiO,IAAP,KAAgB,MAAhB,IAA0BjO,MAAM,CAACoP,KAAP,KAAiBIQ,IAA3D,EAakE;AACHe,eAAO,EAAP;AACD;AACF,KAjBoB;;;AAoBrB,QAAI,CAACc,MAAL,EAaA,OAAO+M,UAAU,CAACoC,MAAD,CAAjB,CAPBQ;;AAuBrB,QAAmJb,IAAI,GAAGhP,IAAI,CAACgP,IAAL,EAAb;AAC A,QAAI,CAACA,IAAI,CAACmB,QAAV,EA AoBnB,IAAI,CAACmB,QAAL,GAAGb,EA AhB;;AACpB,QAAI,OAAOnB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP,KAAiC,WAArC,EAakD;AAC hD,aAAOjB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP;AACD;;AAED,QAAIA,MAAM,KAAK,QAAX,IAAuBA,MAAM,KAAK,OAAc,EAA+C;AAC7C,aAAO,KAAKG,WAAAL,CAAiBpQ,IAAjB,EA AuBiQ,MAAvB,CAAP;AACD,KAFD,MAEO;AACL,UAA MI,MAAM,WAAS5B,UAAU,CAACwB,MAAD,CAA/B;;AAC A,UAAI,KAAKI,MAAL,CAAJ,EAakB;AAC hBi,QAAAA,KAAK,GAAG,KAAKsI,MAAL,EA ArB,IAAb,EA AmBhP,IAAnB,CAAR;AACD,OAFD,MAEO;AACLgP,QAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA1X,CAAC,EA AI;AACbmP,UAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOc,GAAP,CAAR;AAC A,cAAI,OAAOjI,KAAP,KAAiB,WAArB,EAakC,OAAO,KAAP;AACn C,SAHD;AAID;AACF;;AAED,QAAI,OAAOA,KAAP,KAAiB,WAArB,EAakCA,KAAK,GAAG8F,UAAU,CAACoC,MAAD,CAAIB;AAEICjB,IAAAA,IAAI,CAACmB,QAAL,CAAcF,MAAd,IAAwBII,KAAxB;AAC A,WAAOA,KAAP;AACD;;SAEDwI,eAAA,sBAAavB,IAAb,EA AmB;AACjB,QAAIjH,KAAJ;AACAiH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA1X,CAAC,EA AI;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CAAQhH,MAAnB,IAA6BD,CAAC,CAAC0S,IAAF,CAA0yD,IAAP,KAAgB,MAAjD,EAAYD;AACvDhH,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOJ,SAAf;AAC A,YAAI,OAAO/G,KAAP,KAAiB,WAArB,EAakC,OAAO,KAAP;AACn C;AACF,KALD;AAMA,WAAOA,KAA P;AACD;;SAEDyI,eAAA,sBAAaxB,IAAb,EA AmB;AACjB,QAAIjH,KAAJ;AACAiH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA1X,CAAC,EA AI;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,KAAF,CAAQhH,MAAR,KAAmB,CAAIC,EA AqC;AACn CkP,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOB,KAAf;AAC A,YAAI,OAAOtG,KAAP,KAAiB,WAArB,EAakC,OAAO,KAAP;AACn C;AACF,KALD;AAMA,WAAOA,KAA P;AACD;;SAED0I,YAAA,mBAAUzB,IAAV,EAAGb;AACd,QAAIA,IAAI,CAACE,IAAL,CAAU nB,MAAd,EAAsB,OAAOiB,IAAI,CAACE,IAAL,CAAU nB,MAAjB;AACtB,QAAIhG,KAAJ;AACAiH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA1X,CAAC,EA AI;AACb,UAAAM8X,CAAC,GAAG9X,CAAC,CAACKI,MAAZ;;AAC A,UAAI4P,CAAC,IAAIA,CAAC,KAAK1B,IAAX,IAAmB0B,CAAC,CAAC5P,MAArB,IAA+B4P,CAAC,CAAC5P,MAAF,KAAakO,IAAhD,EAAsD;AACpD,YAAI,OAAOpW,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EA A0C;AACxC,cAAMzQ,KAAK,GAAG1G,CAAC,CAACsW,IAAF,CAAOa,MAAP,CAAc7Q,KAA d,CAAoB,IAAPB,CAAd;AAC A6I,UAAAA,KAAK,GAAGzI,KAAK,CAACA,KAAK,CAACzG,MAAN,GA Ae,CAAhB,CAAb;AACAKP,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,QAAd,EA AwB,EAxB,CAAR;AAC A,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAED4I,mBAAA,0BAAiB3B,IAAjB,EA AuBhP,IAAvB,EA A6B;AAC3B,QAAI+H,KAAJ;AACAiH,IAAAA,IAAI,CAAC4B,YAAL,CAAKB,UAAAhY,CAAC,EA AI;AACrB,UAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EA A0C;AACxChI,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOa,MAAf;;AAC A,YAAIhI,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAYB,EAzB,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAI,OAAOuP,KAAP,KAAiB,WAArB,EAakC;AAC hCA,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,EA Ae,IAAf,EA AqB,YAArB,CAAR;AACD;;AACD,WAAO+H,KAAP;AACD;;SAED8I,gBAAA,uBAAc7B,IAAd,EA AoBhP,IAAPB,EA A0B;AACxB,QAAI+H,KAAJ;AACAiH,IAAAA,IAAI,CAAC8B,SAAL,CA Ae,UAAAIY,CAAC,EA AI;AACIB,UAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EA A0C;AACxChI,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOa,MAAf;;AAC A,YAAIhI,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAYB,EAzB,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAI,OAAOuP,KAA P,KAAiB,WAArB,EAakC;AAC hCA,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,EA Ae,IAAf,EA AqB,YAArB,CAAR;AACD;;AACD,WAAO+H,KAAP;AACD;;SAEDgJ,gBAAA,uBAAc/B,IAAd,EA AoB;AACIB

,QAAIjH,KAAJ;AACaiH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAAIX,CAAC,EAAI;AACb,UAAIA,CAAC,C AACiH,KAAF,KAAYjH,CAAC,CAACKI,MAAF,KAAakO,IAAb,IAAqBA,IAAI,CAACKb,KAAL,KAAetX,CAA hD,CAAJ,EAAwD;AACTd,YAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOb,MAAd,KAAyB,WAA7B,EAA0C;A ACxChI,UAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOb,MAAf;;AACa,cAAIhI,KAAK,CAACpC,OA AN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,YAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN ,CAAc,SAAd,EAAyB,EAAzB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAA OuP,KAAP;AACD;;SAEDIj,iBAAA,wBAAehC,IAAf,EAAqB;AACnB,QAAIjH,KAAJ;AACaiH,IAAAA,IAAI,C AACsB,IAAL,CAAU,UAAAIX,CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH, KAAF,CAAQhH,MAAR,GAAiB,CAAhC,EAAmC;AACjC,YAAI,OAAOD,CAAC,CAACsW,IAAF,CAAOb,KA Ad,KAAwB,WAA5B,EAAyC;AACvCtG,UAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOb,KAAf;;AA CA,cAAItG,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,YAAAA,KAAK, GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAyB,EAAzB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD;A ACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAEDkJ,gBAAA,uBAAcjC,IAAd,EAAoB;AACIB,QAAIj H,KAAJ;AACaiH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAAIX,CAAC,EAAI;AACb,UAAIA,CAAC,CAACm W,IAAF,KAAW,MAAf,EAAuB;AACrBhH,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOM,OAAf;A ACA,YAAI,OAAOzH,KAAP,KAAiB,WAArB,EAAkC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,K AAP;AACD;;SAEDmJ,WAAA,kBAASIC,IAAT,EAAe;AACb,QAAIjH,KAAJ;AACaiH,IAAAA,IAAI,CAAC8B, SAAL,CAAe,UAAAIY,CAAC,EAAI;AACIB,UAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOM,OAAAd,KAA0B, WAA9B,EAA2C;AACzCzH,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOM,OAAp,CAAehX,OAAf ,CAAuB,SAAvB,EAAkC,EAAIC,CAAR;AACa,eAAO,KAAP;AACD;AACF,KALD;AAMA,WAAOuP,KAAP;A ACD;;SAEDqI,cAAA,qBAAYpQ,IAAZ,EAAkBiQ,MAAIB,EAA0B;AACxB,QAAIII,KAAJ;;AACa,QAAI/H,IAA I,CAAC+O,IAAL,KAAc,MAAIB,EAA0B;AACxBhH,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT, EAAe,IAAf,EAAqB,YAArB,CAAR;AACD,KAFD,MAEO,IAAIA,IAAI,CAAC+O,IAAL,KAAc,SAAIb,EAA6B; AACIChH,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,EAAe,IAAf,EAAqB,eAArB,CAAR;AACD, KAFM,MAEA,IAAIiQ,MAAM,KAAK,QAAf,EAAyB;AAC9BII,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAA SpP,IAAT,EAAe,IAAf,EAAqB,YAArB,CAAR;AACD,KAFM,MAEA;AACL+H,MAAAA,KAAK,GAAG,KAAK qH,GAAL,CAASpP,IAAT,EAAe,IAAf,EAAqB,aAArB,CAAR;AACD;;AAED,QAAImR,GAAG,GAAGnR,IAAI, CAACc,MAAf;AACa,QAAIyD,KAAK,GAAG,CAAZ;;AACa,WAAO4M,GAAG,IAAIA,GAAG,CAACpC,IAAJ ,KAAa,MAA3B,EAAmC;AACjCxK,MAAAA,KAAK,IAAI,CAAT;AACa4M,MAAAA,GAAG,GAAGA,GAAG, CAACrQ,MAAV;AACD;;AAED,QAAIiH,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAG C;AAC9B,UAAmOI,MAAM,GAAG,KAAKqB,GAAL,CAASpP,IAAT,EAAe,IAAf,EAAqB,QAArB,CAAF;;AAC A,UAAI+N,MAAM,CAACIV,MAAX,EAAmB;AACjB,aAAK,IAAIuY,IAAI,GAAG,CAAhB,EAAmBA,IAAI,GA AG7M,KAA1B,EAAiC6M,IAAI,EAArC;AAAYCrJ,UAAAA,KAAK,IAAIgG,MAAT;AAAzC;AACD;AACF;;AA ED,WAAOhG,KAAP;AACD;;SAED2H,WAAA,kBAAS1P,IAAT,EAAeyP,IAAf,EAAqB;AACnB,QAAmIH,KA AK,GAAG/H,IAAI,CAACyP,IAAD,CAAIB;AACa,QAAML,GAAG,GAAGpP,IAAI,CAACKp,IAAL,CAAUO,IA AV,CAAZ;;AACa,QAAIL,GAAG,IAAIA,GAAG,CAACrH,KAAJ,KAAcA,KAAzB,EAAGC;AAC9B,aAAOqH,G AAG,CAACA,GAAX;AACD,KAFD,MAEO;AACL,aAAOrH,KAAP;AACD;AACF;;;AChUH;AACa,AAEe,SA AS8G,SAAT,CAAmB7O,IAAnB,EAAyB4O,OAAzB,EAAkC;AAC/C,MAAM5V,GAAG,GAAG,IAAI2V,WAAJ, CAAGBC,OAAb,CAAZ;AACa5V,EAAAA,GAAG,CAAC6V,SAAJ,CAAc7O,IAAd;AACD;;ACAD;;;AAMA; ;;;;AAOA,IAAMqR,SAAS,GAAG,SAAZA,SAAY,CAASjJ,GAAT,EAAcH,MAAd,EAAsB;AACtC,MAAMwQ, MAAM,GAAG,IAAIJ,GAAG,CAACmJ,WAAR,EAaf;;AAEA,OAAK,IAAM3Y,CAAX,IAAgBwP,GAAb,EAA qB;AACnB,QAAI,CAACA,GAAG,CAACG,cAAJ,CAAmB3P,CAAnB,CAAL,EAA4B;AAC5B,QAAImP,KAAK, GAAGK,GAAG,CAACxP,CAAD,CAAF;AACa,QAAMmW,IAAI,GAAG,OAAOhH,KAApB;;AAEA,QAAImP,C AAC,KAAK,QAAAN,IAAkBmW,IAAI,KAAK,QAA/B,EAAyC;AACvC,UAAIjO,MAAJ,EAAyWQ,MAAM,CAA C1Y,CAAD,CAAN,GAAYki,MAAZ;AACb,KAFD,MAEO,IAAIII,CAAC,KAAK,QAAV,EAAoB;AACzB0Y,MA AAA,MAAM,CAAC1Y,CAAD,CAAN,GAAYmP,KAAZ;AACD,KAFM,MAEA,IAAIA,KAAK,YAAYS,KAArB, EAA4B;AACjC8I,MAAAA,MAAM,CAAC1Y,CAAD,CAAN,GAAYmP,KAAK,CAAC4E,GAAN,CAAU,UAAA 6E,CAAC;AAAA,eAAIH,SAAS,CAACG,CAAD,EAAIF,MAAJ,CAAAb;AAAA,OAAX,CAAZ;AACD,KAFM,MA

EA,IAAIIY,CAAC,KAAK,QAAN,IAAkBA,CAAC,KAAK,OAAxB,IAAmCA,CAAC,KAAK,SAAzC,IAAsDA,C  
AAC,KAAK,WAAhE,EAA6E;AACIF,UAAImW,IAAI,KAAK,QAAT,IAAqBhH,KAAK,KAAK,IAAnC,EAAYCA  
,KAAK,GAAGsJ,SAAS,CAACtJ,KAAD,CAAjB;AACzCuJ,MAAAA,MAAM,CAAC1Y,CAAD,CAAN,GAAYmP  
,KAAZ;AACD;AACF;;AAED,SAAOuJ,MAAP;AACD,CArBD;AAuBA;,,,,;IAKMG;AACJ;;AAGA,gBAAYC,Q  
AAZ,EAA2B;AAAA,QAaFA,QAaE;AAaFA,MAAAA,QAaE,GAAJ,EAAI;AAAA;;AACzB,SAAKxC,IAAL,GA  
AY,EAAZ;;AACA,SAAK,IAAM9W,IAAX,IAAmBsZ,QAAnB,EAA6B;AAC3B,WAAKtZ,IAAL,IAAasZ,QAQ,  
CAACtZ,IAAD,CAArB;AACD;AACF;AAED;,,;SAGCA6T,QAAA,eAAM3C,OAAN,EAAe  
qI,IAAf,EAA0B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAI;AAAA;;AACxB,QAAL,KAAK9  
E,MAAT,EAAiB;AACf,UAAMf,GAAG,GAAG,KAAK8F,UAAAL,CAAgBD,IAAhB,CAAZ;AACA,aAAO,KAAK  
9E,MAAL,CAAY/B,KAAZ,CAAKBmB,KAAIB,CAAwB3C,OAAxB,EAAiCwC,GAAG,CAAC1H,IAArC,EAA2C  
0H,GAAG,CAACzH,MAA/C,EAAuDsN,IAAvD,CAAP;AACD,KAHD,MAGO;AACL,aAAO,IAAI/E,cAAJ,CAA  
mBtD,OAAnB,CAAP;AACD;AACF;AAED;,,;SAyBAH,OAAA,cAAKH,MAAL,EAAasG,IAAb,E  
AAmBqC,IAAnB,EAAYB;AACvB,QAAME,IAAI,GAAG;AAAE7R,MAAAA,IAAI,EAAE;AAAR,KAAb;;AACA  
,SAAK,IAAMpH,CAAX,IAAgB+Y,IAAhB;AAAsBE,MAAAA,IAAI,CAACjZ,CAAD,CAAJ,GAAU+Y,IAAI,CA  
AC/Y,CAAD,CAAd;AAAtB;;AACA,WAAOoQ,MAAM,CAACG,IAAP,CAAYmG,IAAZ,EAakBuC,IAAIB,CAA  
P;AACD;AAED;,,,,,,,,,,,,,,,,,,,,;SAWAC,SAAA,kBAAS;AACP,QAAL,KAAKhR,MAAT,EAAiB;AACf,WAAKA,MAAL  
,CAAYX,WAAZ,CAAwB,IAAxB;AACD;;AACD,SAAKW,MAAL,GAAClC,SAAd;AACA,WAAO,IAAP;AACD;  
AAED;,,,,,,,,,,,,,,,,,,,,;SAWAhF,WAAA,kBAASmY,WAAT,EAakC;AAAA,QAazBA,WAAyB;AAazBA,MAAAA,W  
AAyB,GAAXID,SAAW;AAAA;;AAChC,QAAlkD,WAAW,CAACID,SAAhB,EAA2BkD,WAAW,GAAGA,WAA  
W,CAACID,SAA1B;AAC3B,QAAl7F,MAAM,GAAG,EAAb;AACA+I,IAAAA,WAAW,CAAC,IAAD,EAAO,UA  
AAnZ,CAAC,EAAI;AACrBoQ,MAAAA,MAAM,IAAIpQ,CAAV;AACD,KAFU,CAAX;AAGA,WAAOoQ,MAA  
P;AACD;AAED;,,,,,,,,,,,,,,,,,,,,;SAGBAGJ,QAAA,eAAMC,SAAN,EAAsB;AAAA,QAahBA,SAAgB;AAAhBA,MAA  
AA,SAAgB,GAAJ,EAAI;AAAA;;AACpB,QAAMX,MAAM,GAAGD,SAAS,CAAC,IAAD,CAAxB;;AACA,SAA  
K,IAAMjZ,IAAX,IAAmB6Z,SAAnB,EAA8B;AAC5BX,MAAAA,MAAM,CAACIZ,IAAD,CAAN,GAaE6Z,SAA  
S,CAAC7Z,IAAD,CAAxB;AACD;;AACD,WAAOkZ,MAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,;SAWAY,cAAA,qBAAYD,S  
AAZ,EAA4B;AAAA,QAahBA,SAAgB;AAAhBA,MAAAA,SAAgB,GAAJ,EAAI;AAAA;;AAC1B,QAAMX,MA  
AM,GAAG,KAAKU,KAAL,CAAWC,SAAX,CAAf;AACA,SAAKnR,MAAL,CAAYM,YAAZ,CAAYB,IAAZB,E  
AA+BkQ,MAA/B;AACA,WAAOA,MAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,;SAQAa,aAAA,oBAAWF,SAAX,EAA2B;AAAA  
,QAahBA,SAAgB;AAAhBA,MAAAA,SAAgB,GAAJ,EAAI;AAAA;;AACzB,QAAMX,MAAM,GAAG,KAAKU,  
KAAL,CAAWC,SAAX,CAAf;AACA,SAAKnR,MAAL,CAAYsR,WAAZ,CAAwB,IAAxB,EAA8Bd,MAA9B;AA  
CA,WAAOA,MAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,;SAYAE,cAAA,uBAAsB;AAAA;;AACpB,QAAL,KAAKvR,MAAT,E  
AAiB;AAAA,wCADJb,KACI;AADJA,QAAAA,KACI;AAAA;;AACfA,MAAAA,KAAK,CAACnE,OAAN,CAA  
c,UAAAsE,IAAI,EAAI;AACpB,QAAA,KAAI,CAACc,MAAL,CAAYM,YAAZ,CAAYB,KAAZB,EAA+BpB,IAA/  
B;AACD,OADF;AAIA,WAAK8R,MAAL;AACD;;AAED,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,;SAiBAQ,SA  
AA,gBAAOC,SAAP,EAakB;AAChB,SAAKC,SAAL,CAAe,KAAKxD,IAAL,OAAGBuD,SAAS,CAACvD,IAAV,  
EAA/B;AACA,SAAK8C,MAAL;AACAS,IAAAA,SAAS,CAACE,MAAV,CAAiB,IAAjB;AACA,WAAO,IAAP;A  
ACD;AAED;,,,,,,,,,,,,,,,,,,,,;SAWAC,aAAA,oBAAWC,SAAX,EAAsB;AACpB,SAAKH,SAAL,CAAe,KAAKxD,IAAL,  
OAAGB2D,SAAS,CAAC3D,IAAV,EAA/B;AACA,SAAK8C,MAAL;AACaA,IAAAA,SAAS,CAAC7R,MAAV,C  
AAiBM,YAAjB,CAA8BuR,SAA9B,EAAYC,IAAZC;AACA,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,;SAWAC,YAA  
A,mBAAUD,SAAV,EAAqB;AACnB,SAAKH,SAAL,CAAe,KAAKxD,IAAL,OAAGB2D,SAAS,CAAC3D,IAAV,  
EAA/B;AACA,SAAK8C,MAAL;AACaA,IAAAA,SAAS,CAAC7R,MAAV,CAAiBsR,WAAjB,CAA6BO,SAA7B,  
EAAwC,IAAXC;AACA,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,;SAcAXH,OAAA,gBAAO;AACL,QAAM10,KAA  
K,GAAG,KAAKqE,MAAL,CAAYrE,KAAZ,CAAKB,IAAIB,CAAd;AACA,WAAO,KAAKqE,MAAL,CAAYjB,K  
AAZ,CAAKBpD,KAAK,GAAG,CAA1B,CAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,;SAYAmP,OAAA,gBAAO;AACL,QAAM  
nP,KAAK,GAAG,KAAKqE,MAAL,CAAYrE,KAAZ,CAAKB,IAAIB,CAAd;AACA,WAAO,KAAKqE,MAAL,CA  
AYjB,KAAZ,CAAKBpD,KAAK,GAAG,CAA1B,CAAP;AACD;;SAEDoW,SAAA,kBAAS;AACP,QAAMC,KAA  
K,GAAG,EAAd;;AAEA,SAAK,IAAM1a,IAAX,IAAmB,IAAnB,EAAYB;AACvB,UAAI,CAAC,KAAKmqC,aAL,  
CAAoBnQ,IAAPB,CAAL,EAAGC;AAChC,UAAIA,IAAI,KAAK,QAAb,EAAuB;AACvB,UAAAM2P,KAAK,GAA

G,KAAK3P,IAAL,CAAd;;AAEA,UAAI2P,KAAK,YAAYS,KAArB,EAA4B;AAC1BsK,QAAAA,KAAK,CAAC1a,IAAD,CAAL,GAAC2P,KAAK,CAAC4E,GAAN,CAAU,UAAA/T,CAAC,EAAl;AAC3B,cAAI,OAAOA,CAAP,KAAa,QAAb,IAAyBA,CAAC,CAACia,MAA/B,EAAuC;AACrC,mBAAOja,CAAC,CAACia,MAAF,EAAP;AACD,WAFD,MAEO;AACL,mBAAOja,CAAP;AACD;AACF,SANa,CAAd;AAOD,OARD,MAQO,IAAI,OAAOmP,KAAP,KAAiB,QAAjB,IAA6BA,KAAK,CAAC8K,MAAvC,EAA+C;AACpDC,QAAAA,KAAK,CAAC1a,IAAD,CAAL,GAAC2P,KAAK,CAAC8K,MAAN,EAAd;AACD,OAFM,MAEA;AACLC,QAAAA,KAAK,CAAC1a,IAAD,CAAL,GAAC2P,KAAAd;AACD;AACF;;AAED,WAAO+K,KAAP;AACD;AAED;;;;;;;;;;;;;;SakBA1D,MAAA,aAAIK,IAAJ,EAAUsD,WAAV,EAAuB;AACrB,QAAM/Z,GAAG,GAAG,IAAI2V,WAAJ,EAAZ;AACa,WAAO3V,GAAG,CAACoW,GAAJ,CAAQ,IAAR,EAAC,K,IAAd,EAAoBsD,WAApB,CAAP;AACD;AAED;;;;;;;;SAQA/D,OAAA,gBAAO;AACL,QAAIhG,MAAM,GAAG,IAAb;;AACa,WAAOA,MAAM,CAACII,MAAd;AAAsBkI,MAAAA,MAAM,GAAGA,MAAM,CAACII,MAAhB;AAAtB;;AACa,WAAOkI,MAAP;AACD;;SAEDwJ,YAAA,mBAAUQ,WAAV,EAAuB;AACrB,WAAO,KAAK9D,IAAL,CAAUa,MAAjB;AACa,WAAO,KAAKb,IAAL,CAAUb,KAAjB;AACa,QAAI,CAAC2E,WAAL,EAakB,OAAO,KAAK9D,IAAL,CAAUM,OAAjB;AACnB;;SAEDyD,iBAAA,wBAAexW,KAAf,EAAsB;AACpB,QAAMiJ,MAAM,GAAG,KAAK9L,QAAL,EAaf;AACa,QAAIyK,MAAM,GAAG,KAAKwI,MAAL,CAAYO,KAAZ,CAAKB/I,MAA/B;AACa,QAAID,IAAI,GAAG,KAAKyI,MAAL,CAAYO,KAAZ,CAAKbhJ,IAA7B;;AAEA,SAAK,IAAIxL,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAG6D,KAApB,EAA2B7D,CAAC,EAA5B,EAAgC;AAC9B,UAAI8M,MAAM,CAAC9M,CAAD,CAAN,KAAc,IAAIb,EAAwB;AACtByL,QAAAA,MAAM,GAAG,CAAT;AACAD,QAAAA,IAAI,IAAI,CAAR;AACD,OAHd,MAGO;AACLC,QAAAA,MAAM,IAAI,CAAV;AACD;AACF;;AAED,WAAO;AAAED,MAAAA,IAAI,EAAJA,IAAF;AAAQC,MAAAA,MAAM,EAANA;AAAR,KAAP;AACD;;SAEDuN,aAAA,oBAAWD,IAAX,EAAiB;AACf,QAAI7F,GAAG,GAAG,KAAKe,MAAL,CAAYO,KAAtB;;AACa,QAAIuE,IAAI,CAACIV,KAAT,EAAgB;AACdqP,MAAAA,GAAG,GAAG,KAAKmH,cAAL,CAAoBtB,IAAI,CAACIV,KAAzB,CAAN;AACD,KAFD,MAEO,IAAIkV,IAAI,CAACuB,IAAT,EAAe;AACpB,UAAmzW,KAAK,GAAG,KAAK7C,QAAL,GAAGb+L,OAAhB,CAAwbGm,IAAI,CAACuB,IAA7B,CAAd;AACa,UAAIzW,KAAK,KAAK,CAAC,CAAf,EAAkBqP,GAAG,GAAG,KAAKmH,cAAL,CAAoBxW,KAApB,CAAN;AACnB;;AACD,WAAOqP,GAAP;AACD;;SAEDqH,aAAA,sBAAa;AACX9J,IAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,WAAO,KAAKyI,MAAL,EAAP;AACD;;SAEDtZ,UAAA,iBAAQqH,KAAr,EAAe;AACbwJ,IAAAA,QAAQ,CAAC,kDAAD,CAAR;AACa,WAAO,KAAKgj,WAAL,CAAiBxS,KAAjB,CAAP;AACD;;SAEDR,QAAA,eAAM2Q,GAAN,EAAWC,MAAX,EAAmB;AACjB5G,IAAAA,QAAQ,CAAC,4CAAD,CAAR;AACa,WAAO,KAAK+F,GAAL,CAASY,GAAT,EAAcC,MAAd,CAAP;AACD;;SAEDmD,cAAa,qBAAyJ,WAAZ,EAAyB;AACvB3J,IAAAA,QAAQ,CAAC,wDAAD,CAAR;AACa,WAAO,KAAKmJ,SAAL,CAAeQ,WAAf,CAAP;AACD;;wBAEY;AACX3J,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUa,MAAjB;AACD;sBAEUd,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUa,MAAV,GAAMBsD,GAAnB;AACD;;wBAEa;AACZhK,MAAAA,QAAQ,CAAC,mDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUM,OAAjB;AACD;sBAEW6D,KAAK;AACfhK,MAAAA,QAAQ,CAAC,mDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUM,OAAV,GAAoB6D,GAAP;AACD;AAED;;;;;;;;AAUA;;;;;;AAQA;;;;;;AAqCA;;;;;;ACphBF;;;;;;IAWMC;;AACJ,uBAAy5B,QAAZ,EAAsB;AAAA;;AACpB,6BAAMA,QAAN;AACa,UAAK3C,IAAL,GAAY,MAAZ;AAFoB;AAGrB;;wBAEY;AACX1F,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUnH,KAAjB;AACD;sBAEUsl,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUnH,KAAV,GAakBsL,GAAlB;AACD;;wBAEgB;AACfhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUS,SAAjB;AACD;sBAEc0D,KAAK;AACIbhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUS,SAAV,GAAsB0D,GAAtB;AACD;AAED;;;;;;AAUA;;;;;;AAUA;;;;;;AAWA;;;;;;;;;;;;EAzDwB5B;;ACX1B;;;;;;IAQM8B;;AACJ,mBAAy7B,QAAZ,EAAsB;AAAA;;AACpB,6BAAma,QAAN;AACa,UAAK3C,IAAL,GAAY,SAAZ;AAFoB;AAGrB;;wBAEU;AACT1F,MAAAA,QAAQ,CAAC,oDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUC,IAAjB;AACD;sBAEQkE,KAAK;AACZhK,MAAAA,QA AQ,CAAC,oDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUC,IAAV,GAaiBkE,GAAjB;AACD;;wBAEW;AACVhK,MAAAA,QAAQ,CAAC,sDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUG,KAAjB;AACD;sBAESgE,KAAK;AACbhK,MAAAA,QAAQ,CAAC,sDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUG,KAAV,GAakBgE,GA

AIB;AACD;AAED;,,,,;AAKA;,,,,,;EA/BoB5B;;ACZtB;AACa;IAOqB+B;AACnB,kBAAYII,KAAZ,EAAM  
B;AACjB,SAAKA,KAAL,GAAaA,KAAb;AAEA,SAAKgB,GAAL,GAAW,CAAX;AACa,SAAKd,IAAL,GAA  
Y,IAAIyE,IAAJ,EAZ;AACa,SAAKC,OAAL,GAAe,KAAK1E,IAApB;AACa,SAAK2E,MAAL,GAAc,EAAd;A  
ACA,SAAK7E,SAAL,GAAiB,KAAjB;AAEA,SAAKE,IAAL,CAAUnC,MAAV,GAAmB;AAAE/B,MAAAA,KA  
AK,EAALA,KAAF;AAASc,MAAAA,KAAK,EAAE;AAAEhJ,QAAAA,IAAI,EAAE,CAAR;AAAWC,QAAAA,  
MAAM,EAAE;AAAnB;AAAhB,KAAhB;AACD;,,,;SAEDwG,WAAA,sBAAW;AACT,SAAKE,MAAL,GAAc6I,Q  
AAS,CAAC,KAAK9I,KAAN,CAAvB;AACD;,,;SAED+I,OAAA,gBAAO;AACL,QAAInH,KAAJ;;AACa,WAAO,  
KAAKZ,GAAL,GAAW,KAAKf,MAAL,CAAYIS,MAA9B,EAAsC;AACpC6T,MAAAA,KAAK,GAAG,KAAK3  
B,MAAL,CAAY,KAAKe,GAAjB,CAAR;;AAEA,cAAQY,KAAK,CAAC,CAAD,CAAb;AAACE,aAAK,OAAL;AA  
CA,aAAK,GAAL;AAACE,eAAKiH,MAAL,IAAejH,KAAK,CAAC,CAAD,CAApB;AACa;,,;AAEF,aAAK,GAAL;A  
ACE,eAAKY,GAAL,CAASZ,KAAT;AACa;,,;AAEF,aAAK,SAAL;AAACE,eAAKJ,OAAL,CAAaI,KAAb;AACa;,  
AAEF,aAAK,SAAL;AAACE,eAAKkD,MAAL,CAAYID,KAAZ;AACa;,,;AAEF,aAAK,GAAL;AAACE,eAAKoH,SA  
AL,CAAepH,KAAf;AACa;,,;AAEF;AAACE,eAAKqH,KAAL;AACa;AAxBJ;;AA2BA,WAAKjI,GAAL,IAAY,CA  
AZ;AACD;,,;AACD,SAAKKI,OAAL;AACD;,,;SAEDIH,UAAA,iBAAQI,KAAR,EAae;AACb,QAAM1M,IAAI,GA  
AG,IAAIuT,OA AJ,EAAb;AACa,SAAKU,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,CAArB,EA  
0BA,KAAK,CAAC,CAAD,CAA/B;AACa1M,IAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,  
MAAAA,IAAI,EAAsI,KAAK,CAAC,CAAD,CAAb;AAAKBrI,MAAAA,MAAM,EAAEqI,KAAK,CAAC,CAAD  
;AAA/B,KAAIB;AAEA,QAAM4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAAE,CAAF,E  
AAkB,CAAC,CAAnB,CAAb;;AACa,QAAL,QAQ1S,IAAR,CAAa8V,IAAb,CAAJ,EAAbW;AACtBtP,MAAAA,  
IAAI,CAACsP,IAAL,GAAY,EAZ;AACAtP,MAAAA,IAAI,CAACKP,IAAL,CAAUC,IAAV,GAaiBG,IAAJB;A  
ACAtP,MAAAA,IAAI,CAACKP,IAAL,CAAUG,KA AV,GAakB,EAaIB;AACD,KAJD,MAIO;AACL,UAM3P,  
KAAK,GAAG4P,IAAI,CAAC5P,KAAL,CAAW,yBAAX,CAAD;AACAM,MAAAA,IAAI,CAACsP,IAAL,GAAY  
5P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAAI,CAACKP,IAAL,CAAUC,IAAV,GAaiBzP,KAAK,CA  
AC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACKP,IAAL,CAAUG,KA AV,GAakB3P,KAAK,CAAC,CAAD,C  
AAvB;AACD;AACF;,,;SAEDoU,YAAA,mBAUpH,KA AV,EAaiB;AACf,QAAM1M,IAAI,GAAG,IAAIkU,IAAJ  
,EAAb;AACa,SAAKD,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,CAArB,EA0BA,KAAK,CAA  
C,CAAD,CAA/B;AACa1M,IAAAA,IAAI,CAACjB,QAAL,GAAGB,EAAhB;AACaIB,IAAAA,IAAI,CAACKP,IA  
AL,CAAUM,OA AV,GAaOB,EAAPB;AACa,SAAKKE,OAAL,GAAeIT,IAAf;AACD;,,;SAED+T,QAAA,iBAAQ;  
AACN,QAAlrH,KAAJ;AACa,QAAY,GAAG,GAAG,KA AV;AACa,QAAYB,IAAI,GAAG,IAAX;AACa,QAAY  
jB,KAAK,GAAG,KAAZ;AACa,QAAYqG,OA AO,GAAG,IAAd;AACa,QAAM9H,QAAY,GAAG,EAajB;AAEA,  
QAAMe,KAAK,GAAG,KAAKtB,GAAnB;;AACa,WAAO,KAAKA,GAAL,GAAW,KAAKf,MAAL,CAAYIS,M  
AA9B,EAAsC;AACpC6T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,CAAR;AACaID,M  
AAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAAK,GAAT,IAAgBA,IAAI,KAAK  
,GAA7B,EAakC;AAChC,YAAI,CAACoF,OAAL,EAaC,A,OA AO,GAAGzH,KA AV;AACdL,QAAAA,QAAY,CA  
AC5Q,IAAT,CAAcS,T,IAAI,KAAK,GAAT,GAAe,GAAf,GAAqB,GAAnC;AACD,OAHD,MAGO,IAAI1C,QAAY  
,CAACxT,MAAT,KAAoB,CAAxB,EA2B;AAChC,YAAIKW,IAAI,KAAK,GAAb,EAakB;AAChB,cAAIjB,KA  
AJ,EA AW;AACT,iBAAYB,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAAKBkB,KAAIB,EAAYB,KAA  
KtB,GAAL,GAAW,CAApC,CAAV;AACa;AACD,WAHD,MAGO;AACL;AACD;AACF,SAPD,MAOO,IAAIID,I  
AAI,KAAK,GAAb,EAakB;AACvB,eAAK9M,IAAL,CAAU,KAAK8I,MAAL,CAAYmB,KAAZ,CAAKBkB,KAA  
IB,EAAYB,KAAKtB,GAAL,GAAW,CAApC,CAAV;AACa;AACD,SAHM,MAGA,IAAIID,IAAI,KAAK,GAAb,E  
AAkB;AACvB,eAAKjD,GAAL,IAAY,CAAZ;AACAwB,UAAAA,GAAG,GAAG,IAAN;AACa;AACD,SAJM,M  
AIA,IAAYB,IAAI,KAAK,GAAb,EAakB;AACvBjB,UAAAA,KAAK,GAAG,IAAR;AACD;AACF,OAlBM,MAK  
BA,IAAIIB,IAAI,KAAK1C,QAAY,CAACA,QAAY,CAACxT,MAAT,GAakB,CAAnB,CAArB,EA4C;AACjDw  
T,QAAAA,QAAY,CAAC+H,GAAT;AACa,YAAI/H,QAAY,CAACxT,MAAT,KAAoB,CAAxB,EA2Bsb,OA  
O,GAAG,IAAV;AAC5B;,,;AAED,WAAKfI,GAAL,IAAY,CAAZ;AACD;,,;AACD,QAAL,KAAKA,GAAL,KAAa,K  
AAKf,MAAL,CAAYIS,MAA7B,EAaqC;AACnC,WAAKiT,GAAL,IAAY,CAAZ;AACAwB,MAAAA,GAAG,GA  
AG,IAAN;AACD;,,;AAED,QAAYjB,QAAY,CAACxT,MAAT,GAakB,CAAtB,EAAYB,KAAKwb,eAAL,CAAYqBF,  
OAArB;,,;AAEZB,QAAY7G,GAAG,IAAIQ,KAAK,EAakB;AAChB,aAAO,KAAKhC,GAAL,GAAWsb,KAAIB,EA

AyB;AACvBV,QAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,EAAsB,CAAtB,CAAR;AACAA, YAAIY,KAAK,KAAK,OAAV,IAAqBA,KAAK,KAAK,SAAnC,EAA8C;AAC9C,aAAKZ,GAAL,IAAY,CAAZ;AACD;;AACD,WAAKyD,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAAkBkB,KAAIB,EAAYB,KAAKtB, GAAL,GAAW,CAApC,CAAV;AACAA;AACD;;AAED,SAAKwI,WAAL,CAAiBIH,KAAjB;AACD;;SAEDnL,OA AA,cAAK8I,MAAL,EAAa;AACXA,IAAAA,MAAM,CAACqJ,GAAP;AAEA,QAAMpU,IAAI,GAAG,IAAIkU,IA AJ,EAAb;AACAA,SAAKD,IAAL,CAAUjU,IAAV,EAAGB+K,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAh B,EAA8BA,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAA9B;AAEA/K,IAAAA,IAAI,CAACKP,IAAL,CAA UM,OAAV,GAAoB,KAAK+E,aAAL,CAAmBxJ,MAAnB,CAApB;AACAA,SAAKqE,GAAL,CAASpP,IAAT,EAA e,UAAf,EAA2B+K,MAA3B;AACAA,SAAK2I,OAAL,GAAe1T,IAAf;AACD;;SAEDuP,OAAA,cAAKxE,MAAL,E AAa;AACX,QAAM/K,IAAI,GAAG,IAAIst,WAAJ,EAAb;AACAA,SAAKW,IAAL,CAAUjU,IAAV;AAEA,QAA MsL,IAAI,GAAGP,MAAM,CAACA,MAAM,CAACIS,MAAP,GAAGB,CAAjB,CAAnB;;AACAA,QAAlYs,IAAI,C AAC,CAAD,CAAJ,KAAy,GAAhB,EAQb;AACnB,WAAKwD,SAAL,GAAiB,IAAjB;AACAA/D,MAAAA,MAA M,CAACqJ,GAAP;AACD;;AACD,QAAl9I,IAAI,CAAC,CAAD,CAAR,EAAa;AACXtL,MAAAA,IAAI,CAAC6 M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,QAAAA,IAAI,EAAEKH,IAAI,CAAC,CAAD,CAAZ;AAAbjH,QAA AAA,MAAM,EAAEiH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD,KAFD,MAEO;AACLlL,MAAAA,IAAI,CAA C6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,QAAAA,IAAI,EAAEKH,IAAI,CAAC,CAAD,CAAZ;AAAbjH,Q AAAAA,MAAM,EAAEiH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD;;AAED,WAAOP,MAAM,CAAC,CAAD,C AAN,CAAU,CAAV,MAAiB,MAAxB,EAAGC;AAC9B/K,MAAAA,IAAI,CAACKP,IAAL,CAAUa,MAAV,IAAoB hF,MAAM,CAACyJ,KAAP,GAAe,CAAf,CAApB;AACD;;AACDxU,IAAAA,IAAI,CAAC6M,MAAL,CAAYO,K AAZ,GAAoB;AAAEHJ,MAAAA,IAAI,EAAE2G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAR;AAAsB1G ,MAAAA,MAAM,EAAE0G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV;AAA9B,KAAPB;AAEA/K,IAAAA,IA AI,CAACyP,IAAL,GAAY,EAAZ;;AACAA,WAAO1E,MAAM,CAACIS,MAAd,EAAsB;AACpB,UAAmKw,IAAI, GAAGhE,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAb;;AACAA,UAAIgE,IAAI,KAAK,GAAT,IAAGBA,IA AI,KAAK,OAazB,IAAoCA,IAAI,KAAK,SAAjD,EAA4D;AAC1D;AACD;;AACD/O,MAAAA,IAAI,CAACyP,IA AL,IAAa1E,MAAM,CAACyJ,KAAP,GAAe,CAAf,CAAb;AACD;;AAEDxU,IAAAA,IAAI,CAACKP,IAAL,CAA UM,OAAV,GAAoB,EAAPB;AAEA,QAAl9C,KAJ;;AACAA,WAAO3B,MAAM,CAACIS,MAAd,EAAsB;AACp B6T,MAAAA,KAAK,GAAG3B,MAAM,CAACyJ,KAAP,EAAR;;AAEA,UAAI9H,KAAK,CAAC,CAAD,CAAL, KAAa,GAAjB,EAAsB;AACpB1M,QAAAA,IAAI,CAACKP,IAAL,CAAUM,OAAV,IAAqB9C,KAAK,CAAC,CA AD,CAA1B;AACAA;AACD,OAHD,MAGO;AACL1M,QAAAA,IAAI,CAACKP,IAAL,CAAUM,OAAV,IAAqB9C, KAAK,CAAC,CAAD,CAA1B;AACD;AACF;;AAED,QAAl1M,IAAI,CAACyP,IAAL,CAAU,CAAV,MAAiB,GA AjB,IAAwBzP,IAAI,CAACyP,IAAL,CAAU,CAAV,MAAiB,GAA7C,EAakD;AACHDzP,MAAAA,IAAI,CAACK P,IAAL,CAAUa,MAAV,IAAoB/P,IAAI,CAACyP,IAAL,CAAU,CAAV,CAAPB;AACAzP,MAAAA,IAAI,CAAC yP,IAAL,GAAYzP,IAAI,CAACyP,IAAL,CAAUvD,KAAY,CAAGB,CAAhB,CAAZ;AACD;;AACDIM,IAAAA,I AAI,CAACKP,IAAL,CAAUM,OAAV,IAAqB,KAAKiF,eAAL,CAAqB1J,MAArB,CAArB;AACAA,SAAK2J,uBAAL,CAA6B3J,MAA7B;;AAEA,SAAK,IAAIInS,CAAC,GAAGmS,MAAM,CAACIS,MAAP,GAAGB,CAA7B,EAAG CD,CAAC,GAAG,CAAPC,EAauCA,CAAC,EAAXC,EAA4C;AAC1C8T,MAAAA,KAAK,GAAG3B,MAAM,CA ACnS,CAAD,CAAd;;AACAA,UAAI8T,KAAK,CAAC,CAAD,CAAL,KAAa,YAAjB,EAA+B;AAC7B1M,QAAAA, IAAI,CAAC2P,SAAL,GAAiB,IAAjB;AACAA,YAAIjK,MAAM,GAAG,KAAKiP,UAAAL,CAAqB5J,MAAhB,EAA wBnS,CAAxB,CAAb;AACAA8M,QAAAA,MAAM,GAAG,KAAK6O,aAAL,CAAmBxJ,MAAnB,IAA6BrF,MAAt C;AACAA,YAAIA,MAAM,KAAK,aAAf,EAA8B1F,IAAI,CAACKP,IAAL,CAAUS,SAAV,GAAsBjK,MAAtB;AA C9B;AACD,OAND,MAMO,IAAIgH,KAAK,CAAC,CAAD,CAAL,KAAa,WAAjB,EAA8B;AACnC,YAAMkI,KAA K,GAAG7J,MAAM,CAACmB,KAAP,CAAa,CAAb,CAAd;AACAA,YAAIIT,GAAG,GAAG,EAAY;;AACAA,aAA K,IAAIwY,CAAC,GAAG5Y,CAAb,EAAGB4Y,CAAC,GAAG,CAAPB,EAauBA,CAAC,EAAXB,EAA4B;AAC1 B,cAAMzC,KAAI,GAAG6F,KAAK,CAACpD,CAAD,CAAL,CAAS,CAAT,CAAb;;AACAA,cAAIxY,GAAG,CAA CgD,IAAJ,GAAW2J,OAAX,CAAmB,GAAnB,MAA4B,CAA5B,IAAiCoJ,KAAI,KAAK,OAA9C,EAauD;AACrD ;AACD;;AACD/V,UAAAA,GAAG,GAAG4b,KAAK,CAACR,GAAN,GAAY,CAAZ,IAAiBpb,GAAvB;AACD;;AACD,YAAIA,GAAG,CAACgD,IAAJ,GAAW2J,OAAX,CAAmB,GAAnB,MAA4B,CAAhC,EAAMc;AACjC3F,U AAAAA,IAAI,CAAC2P,SAAL,GAAiB,IAAjB;AACAA3P,UAAAA,IAAI,CAACKP,IAAL,CAAUS,SAAV,GAAsB3

W,GAAtB;AACAR,UAAAA,MAAM,GAAG6J,KAAT;AACD;AACF;;AAED,UAAIII,KAAK,CAAC,CAAD,CAAL,KAAa,OAAb,IAAwBA,KAAK,CAAC,CAAD,CAAL,KAAa,SAAzC,EAAoD;AACID;AACD;AACF;;AAED, SAAK0C,GAAL,CAASpP,IAAT,EAAe,OAaf,EAawB+K,MAAxB;AAEA,QAAI/K,IAAI,CAAC+H,KAAL,CAA WpC,OAAX,CAAmB,GAAnB,MAA4B,CAAC,CAAjC,EAAoC,KAAKkP,oBAAL,CAA0B9J,MAA1B;AACrC;;S AED6E,SAAA,gBAAOID,KAAP,EAAc;AACZ,QAAM1M,IAAI,GAAG,IAAI8U,MAAJ,EAAb;AACa9U,IAAAA ,IAAI,CAAC5H,IAAL,GAAYsU,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAAe,CAaf,CAAZ;;AACa,QAA IIM,IAAI,CAAC5H,IAAL,KAAc,EAAIB,EAA5B;AACpB,WAAK2c,aAAL,CAAmB/U,IAAnB,EAAyB0M,KAAz B;AACD;;AACD,SAAKuH,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAAK,C AAC,CAAD,CAA/B;AAEA,QAAIpB,IAAI,GAAG,KAAx;AACa,QAAI0J,IAAI,GAAG,KAAx;AACa,QAAmN F,MAAM,GAAG,EAAf;AAEA,SAAK/D,GAAL,IAAY,CAAZ;;AACa,WAAO,KAAKA,GAAL,GAAW,KAAKf, MAAL,CAAYIS,MAA9B,EAA5C;AACpC6T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB, CAAR;;AAEA,UAAIY,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAA5B;AACpB1M,QAAAA,IAAI,CAAC6 M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,UAAAA,IAAI,EAAEsI,KAAK,CAAC,CAAD,CAAb;AAAkBrI,UAA AA,MAAM,EAAEqI,KAAK,CAAC,CAAD;AAA/B,SAAIb;AACa,aAAKoC,SAAL,GAAiB,IAAjB;AACa;AAC D,OAJD,MAIO,IAAIpC,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAA5B;AAC3BsI,QAAAA,IAAI,GAAG,IA AP;AACa;AACD,OAHM,MAGA,IAAIiI,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAA5B;AAC3B,aAAKY, GAAL,CAASZ,KAAT;AACa;AACD,OAHM,MAGA;AACLmD,QAAAA,MAAM,CAACpU,IAAP,CAAYiR,KA AZ;AACD;;AAED,WAAKZ,GAAL,IAAY,CAAZ;AACD;;AACD,QAAI,KAAKA,GAAL,KAAa,KAAKf,MAAL, CAAYIS,MAA7B,EAAqC;AACnCyS,MAAAA,IAAI,GAAG,IAAP;AACD;;AAEDtL,IAAAA,IAAI,CAACKP,IA AL,CAAUM,OAaV,GAAoB,KAAK+E,aAAL,CAAmB1E,MAAnB,CAApB;;AACa,QAAIA,MAAM,CAACHX, MAAX,EAAMb;AACjBmH,MAAAA,IAAI,CAACKP,IAAL,CAAUY,SAaV,GAAsB,KAAK2E,eAAL,CAAqB5E ,MAArB,CAAtB;AACa,WAAKT,GAAL,CAASpP,IAAT,EAAe,QAAf,EAAYB6P,MAAzB;;AACa,UAAIvE,IAA J,EAAU;AACRoB,QAAAA,KAAK,GAAGmD,MAAM,CAACA,MAAM,CAACHX,MAAP,GAAGb,CAAjB,CAA d;AACAmH,QAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,UAAAA,IAAI,EAAEsI,KAAK, CAAC,CAAD,CAAb;AAAkBrI,UAAAA,MAAM,EAAEqI,KAAK,CAAC,CAAD;AAA/B,SAAIb;AACa,aAAKi H,MAAL,GAAc3T,IAAI,CAACKP,IAAL,CAAUM,OAAXB;AACAxP,QAAAA,IAAI,CAACKP,IAAL,CAAUM,O AAV,GAAoB,EAAPB;AACD;AACF,KATD,MASO;AACLxP,MAAAA,IAAI,CAACKP,IAAL,CAAUY,SAaV,G AAsB,EAAtB;AACa9P,MAAAA,IAAI,CAAC6P,MAAL,GAAC,EAAd;AACD;;AAED,QAAImF,IAAJ,EAAU;A ACRhV,MAAAA,IAAI,CAACH,KAAL,GAAa,EAAb;AACa,WAAK6T,OAAL,GAAe1T,IAAf;AACD;AACF;;S AEDsN,MAAA,aAAIZ,KAAJ,EAaW;AACT,QAAI,KAAKgH,OAAL,CAAa7T,KAAb,IAAsB,KAAK6T,OAAL, CAAa7T,KAAb,CAAmBhH,MAA7C,EAAqD;AACnD,WAAK6a,OAAL,CAAaxE,IAAb,CAAKBJ,SAAIb,GAA8 B,KAAKA,SAAnC;AACD;;AACD,SAAKA,SAAL,GAAiB,KAAjB;AAEA,SAAK4E,OAAL,CAAaxE,IAAb,CAA kBb,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF ,MAAjE;AACa,SAAKA,MAAL,GAAC,EAAd;;AAEA,QAAI,KAAKD,OAAL,CAAa5S,MAAjB,EAAyB;AACvB, WAAK4S,OAAL,CAAa7G,MAAb,CAAoBS,GAAPB,GAA0B;AAAEIJ,QAAAA,IAAI,EAAEsI,KAAK,CAAC,C AAD,CAAb;AAAkBrI,QAAAA,MAAM,EAAEqI,KAAK,CAAC,CAAD;AAA/B,OAa1B;AACa,WAAKgH,OAAL, GAAe,KAAKA,OAAL,CAAa5S,MAA5B;AACD,KAHD,MAGO;AACL,WAAKmU,eAAL,CAAqBvI,KAARb; AACD;AACF;;SAEDsH,UAAA,mBAaU;AACR,QAAI,KAAKN,OAAL,CAAa5S,MAAjB,EAAyB,KAAKoU,aA AL;;AACzB,QAAI,KAAKxB,OAAL,CAAa7T,KAAb,IAAsB,KAAK6T,OAAL,CAAa7T,KAAb,CAAmBhH,MA A7C,EAAqD;AACnD,WAAK6a,OAAL,CAAaxE,IAAb,CAAKBJ,SAAIb,GAA8B,KAAKA,SAAnC;AACD;;AAC D,SAAK4E,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb, KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF,MAAjE;AACD;;SAIDM,OAAA,cAAKjU,IAAL,EAaWoe,IAAX,EAA iBC,MAAjB,EAAyB;AACvB,SAAKqP,OAAL,CAAajY,IAAb,CAAKBuE,IAAIb;AAEAA,IAAAA,IAAI,CAAC6 M,MAAL,GAAC;AAAEIO,MAAAA,KAAK,EAAE;AAAEhJ,QAAAA,IAAI,EAAJA,IAAF;AAAQC,QAAAA,MA AM,EAANA;AAAR,OAAT;AAA2ByG,MAAAA,KAAK,EAAE,KAAKA;AAAvC,KAAd;AACa9K,IAAAA,IAA I,CAACKP,IAAL,CAAUa,MAAV,GAAmB,KAAK4D,MAAxB;AACa,SAAKA,MAAL,GAAC,EAAd;AACa,QA AI3T,IAAI,CAAC+O,IAAL,KAAc,SAAIb,EAA6B,KAAKD,SAAL,GAAiB,KAAjB;AAC9B;;SAEDM,MAAA,aA AIpP,IAAJ,EAAUyP,IAAV,EAAGB1E,MAAhB,EAAwB;AACtB,QAAI2B,KAAJ,EAaWqC,IAAX;AACa,QAA

MIW,MAAM,GAAGkS,MAAM,CAACIS,MAAtB;AACA,QAAlKp,KAAK,GAAG,EAAZ;AACA,QAAlON,KAA  
K,GAAG,IAAZ;;AACA,SAAK,IAAIvc,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAGC,MAApB,EAA4BD,CAA  
C,IAAI,CAAjC,EAAoC;AACIC8T,MAAAA,KAAK,GAAG3B,MAAM,CAACnS,CAAD,CAAd;AACAmW,MAA  
AA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AACA,UAAIqC,IAAI,KAAK,SAAT,IAAuBA,IAAI,KAAK,O  
AAT,IAAoBnW,CAAC,KAAKC,MAAM,GAAG,CAA9D,EAAkE;AACHEsc,QAAAA,KAAK,GAAG,KAAR;AA  
CD,OAFD,MAEO;AACLPn,QAAAA,KAAK,IAAI2E,KAAK,CAAC,CAAD,CAAd;AACD;AACF;;AACD,QAAl  
,CAACyI,KAAL,EAAy;AACV,UAM/F,GAAG,GAAGrE,MAAM,CAAC1E,MAAP,CAAc,UAAc+O,GAAD,E  
AAMxc,CAAN;AAAA,eAAywc,GAAG,GAAGxc,CAAC,CAAC,CAAD,CAAnB;AAAA,OAAd,EAAcC,EAAcC,  
CAAZ;AACAOH,MAAAA,IAAI,CAACkP,IAAL,CAAUO,IAAV,IAAkB;AAAE1H,QAAAA,KAAK,EAALA,KA  
AF;AAASqH,QAAAA,GAAG,EAHA;AAAT,OAAlB;AACD;;AACDPp,IAAAA,IAAI,CAACyP,IAAD,CAAJ,G  
AAa1H,KAAb;AACD;;SAEDwM,gBAAA,uBAAcxJ,MAAd,EAAcB;AACpB,QAAlS,K,aAAJ;AACA,QAAl1B,M  
AAM,GAAG,EAAb;;AACA,WAAO5I,MAAM,CAACIS,MAAd,EAAcB;AACpBwc,MAAAA,aAAa,GAAGtK,M  
AAM,CAACA,MAAM,CAACIS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAA1B,CAAhB;AACA,UAAIwc,aAAa  
,KAAK,OAAlB,IAA6BA,aAAa,KAAK,SAAnD,EAA8D;AAC9D1B,MAAAA,MAAM,GAAG5I,MAAM,CAACqJ  
,GAAP,GAAa,CAAb,IAAkBT,MAA3B;AACD;;AACD,WAAOA,MAAP;AACD;;SAEDc,kBAAA,yBAAGb1J,M  
AAhB,EAAwB;AACTB,QAAlI,IAAJ;AACA,QAAlwI,MAAM,GAAG,EAAb;;AACA,WAAO5I,MAAM,CAACIS,  
MAAd,EAAcB;AACpBsS,MAAAA,IAAI,GAAGJ,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAP;AACA,U  
AAII,IAAI,KAAK,OAAT,IAAoBA,IAAI,KAAK,SAAjC,EAA4C;AAC5CwI,MAAAA,MAAM,IAAI5I,MAAM,C  
AACyJ,KAAP,GAAe,CAAf,CAAV;AACD;;AACD,WAAOb,MAAP;AACD;;SAEDgB,aAAA,oBAAW5J,MAAX,  
EAAmBuK,IAAnB,EAAyB;AACvB,QAAltM,MAAM,GAAG,EAAb;;AACA,SAAK,IAAIpQ,CAAC,GAAG0c,IA  
Ab,EAAmB1c,CAAC,GAAGmS,MAAM,CAACIS,MAA9B,EAAcD,CAAC,EAAvC,EAA2C;AACzCoQ,MAAA  
A,MAAM,IAAI+B,MAAM,CAACnS,CAAD,CAAN,CAAU,CAAV,CAAV;AACD;;AACDmS,IAAAA,MAAM,C  
AACxI,MAAP,CAAc+S,IAAd,EAAoBvK,MAAM,CAACIS,MAAP,GAAGbYc,IAApC;AACA,WAAOtM,MAAP;  
AACD;;SAED8E,QAAA,eAAM/C,MAAN,EAAc;AACZ,QAAlSb,QAAQ,GAAG,CAAf;AACA,QAAlK,KAAJ,E  
AAWqC,IAAX,EAAiBnD,IAAjB;;AACA,SAAK,IAAIhT,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAGmS,MA  
AM,CAACIS,MAA3B,EAAmCD,CAAC,EAApC,EAAwC;AACtC8T,MAAAA,KAAK,GAAG3B,MAAM,CAAC  
nS,CAAD,CAAd;AACAmW,MAAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAA  
K,GAAb,EAAkB;AACb1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFM,MAEA,IAAIA,QAAQ,KAAK,CAAb,IAAkB0C,IA  
AAI,KAAK,GAA/B,EAAoC;AACzC,YAAI,CAACnD,IAAL,EAAW;AACT,eAAK2J,WAAL,CAAiB7I,KAJb;A  
ACD,SAFD,MAEO,IAAIId,IAAI,CAAC,CAAD,CAAJ,KAAY,MAAZ,IAAsBA,IAAI,CAAC,CAAD,CAAJ,KAAY  
,QAAtC,EAAgD;AACrD;AACD,SAFM,MAEA;AACL,iBAAOhT,CAAP;AACD;AACF;;AAEDgT,MAAAA,IAA  
I,GAAGc,KAAP;AACD;;AACD,WAAO,KAAP;AACD;;SAID2H,kBAAA,yBAAGbF,OAAbB,EAAyB;AACvB,  
UAAM,KAAKrJ,KAAL,CAAWmB,KAAX,CAAiB,kBAAjB,EAAqCkI,OOAO,CAAC,CAAD,CAA5C,EAAiDA,  
OOAO,CAAC,CAAD,CAAxD,CAAN;AACD;;SAEDG,cAAA,qBAAYIH,KAAZ,EAAmB;AACjB,QAAMV,KAA  
K,GAAG,KAAK3B,MAAL,CAAYqC,KAAZ,CAAd;AACA,UAM,KAAKtC,KAAL,CAAWmB,KAAX,CAAiB,  
cAAjB,EAAiCS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDuI,  
kBAAA,yBAAGbvI,KAAbB,EAAuB;AACrB,UAAM,KAAK5B,KAAL,CAAWmB,KAAX,CAAiB,cAAjB,EAAi  
CS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDwI,gBAAA,yB  
AAGb;AACd,QAAMpJ,GAAG,GAAG,KAAK4H,OAAL,CAAa7G,MAAb,CAAoBO,KAAhC;AACA,UAM,KA  
AKtC,KAAL,CAAWmB,KAAX,CAAiB,gBAAjB,EAAmCH,GAAG,CAAC1H,IAAvC,EAA6C0H,GAAG,CAACz  
H,MAAjD,CAAN;AACD;;SAEDkR,cAAA,qBAAY7I,KAAZ,EAAmB;AACjB,UAAM,KAAK5B,KAAL,CAAW  
mB,KAAX,CAAiB,cAAjB,EAAiCS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAA  
N;AACD;;SAEDqI,gBAAA,uBAAc/U,IAAd,EAAoB0M,KAAPB,EAA2B;AACzB,UAAM,KAAK5B,KAAL,CAA  
WmB,KAAX,CAAiB,sBAAjB,EAAyCS,KAAK,CAAC,CAAD,CAA9C,EAAmDA,KAAK,CAAC,CAAD,CAAxD  
,CAAN;AACD;;SAEDgI,0BAAA,iCAAwB3J,MAAxB,EAAgC;AAC9B,AAED;;SAED8J,uBAAA,8BAaqB9J,M  
AArB,EAA6B;AAC3B,QAAM+C,KAAK,GAAG,KAAKA,KAAL,CAAW/C,MAAX,CAAd;AACA,QAAl+C,KA  
AK,KAAK,KAAd,EAAqB;AAErB,QAAl0H,OOAO,GAAG,CAAd;AACA,QAAl9I,KAJ;AACA,SAAK,IAAI8E



,CAAC,GAAG1D,KAAK,GAAG,CAArB,EAAwB0D,CAAC,IAAI,CAA7B,EAAgCA,CAAC,EAAjC,EAAqC;AA  
CnC9E,MAAAA,KAAK,GAAG3B,MAAM,CAACyG,CAAD,CAAd;;AACA,UAAI9E,KAAK,CAAC,CAAD,CA  
AL,KAAa,OAAjB,EAA0B;AACxB8I,QAAAA,OAAO,IAAI,CAAX;AACA,YAAIA,OAAO,KAAK,CAAhB,EAA  
mB;AACpB;AACF;;AACD,UAMM,KAAK1K,KAAL,CAAWmB,KAAX,CAAiB,kBAAjB,EAAqCS,KAAK,CAA  
C,CAAD,CAA1C,EAA+CA,KAAK,CAAC,CAAD,CAApD,CAAN;AACD;;;;;AC/cH;AACA,AAGe,SAAS+I,KA  
AT,CAAehY,GAaf,EAAoBkU,IAApB,EAA0B;AACvC,MAAIA,IAAI,IAAIA,IAAI,CAAC+D,IAAjB,EAAuB;A  
ACrB,UAMM,IAAI5Z,KAAJ,CAAU,8BAA8B,4CAAxC,CAAN;AACD;;AAED,MAAMgP,KAAK,GAAG,IAAI2  
B,KAAJ,CAAUhP,GAAV,EAAekU,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAIInC,MAAJ,CAAW1I,KA  
AX,CAAf;;AACA,MAAI;AACF6K,IAAAA,MAAM,CAAC9K,QAAP;AACa8K,IAAAA,MAAM,CAAC9B,IAA  
P;AACD,GAHD,CAGE,OAAO9P,CAAP,EAAU;AACV,QAAlA,CAAC,CAAC3L,IAAF,KAAW,gBAAX,IAA+B  
uZ,IAA/B,IAAuCA,IAAI,CAAC2D,IAAhD,EAAsD;AACpD,UAAI,WAAW9b,IAAX,CAAgBmY,IAAI,CAAC2D  
,IAArB,CAAJ,EAAgC;AAC9BvR,QAAAA,CAAC,CAACuF,OAAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAI  
D,OALD,MAKO,IAAI,WAAW9P,IAAX,CAAgBmY,IAAI,CAAC2D,IAArB,CAAJ,EAAgC;AACrCvR,QAAAA,  
CAAC,CAACuF,OAAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID;AACF;;AACD,UAMMvF,CAAN;AACD;;  
AAED,SAAO4R,MAAM,CAAC3G,IAAd;AACD;;ACvBD,SAAS4G,WAAW,CAAqB/V,KAArB,EAA4B;AAC1B,  
SAAOA,KAAK,CAAC8M,GAAN,CAAU,UAAA/T,CAAC,EAAl;AACpB,QAAlA,CAAC,CAACiH,KAAN,EAA  
ajH,CAAC,CAACiH,KAAl,GAAU+V,WAAW,CAAChd,CAAC,CAACiH,KAAl,CAArB;AACb,WAAOjH,CAA  
C,CAACiU,MAAT;AACA,WAAOjU,CAAP;AACD,GAJM,CAAP;AAKD;AAED;;;;;;AAQA;;;;;;AAOA;;;;;;  
IAUMid;;;;;;SACJpa,OAAA,cAAKGF,KAAL,EAAy;AACVA,IAAAA,KAAK,CAACK,MAAN,GAAe,IAAf;AA  
CA,SAAKjB,KAAL,CAAWpE,IAAX,CAAgBgF,KAAlB;AACA,WAAO,IAAP;AACD;AAED;;;;;;  
;;;;;;SAiCAqV,OAAA,cAAKC,QAAL,EAAe;AACb,QAAl,CAAC,KAAKC,QAAl,EAAoB,KAAKA,QAAL,GA  
AgB,CAAlB;AACpB,QAAl,CAAC,KAAKC,OAAV,EAAmB,KAAKA,OAAL,GAAe,EAAl;AAEnB,SAAKD,QA  
AL,IAAiB,CAAjB;AACA,QAAM/X,EAAE,GAAG,KAAK+X,QAAlB;AACA,SAAKC,OAAL,CAAahY,EAAb,I  
AAmB,CAAnB;AAEA,QAAl,CAAC,KAAK4B,KAAl,EAAiB,OAAOjB,SAAP;AAEjB,QAAlInC,KAAJ,EAAWu  
M,MAAX;;AACA,WAAO,KAAKiN,OAAL,CAAahY,EAAb,IAAmB,KAAK4B,KAAL,CAAWHh,MAArC,EAA6  
C;AAC3C4D,MAAAA,KAAK,GAAG,KAAKwZ,OAAL,CAAahY,EAAb,CAAR;AACA+K,MAAAA,MAAM,GA  
AG+M,QAAQ,CAAC,KAAKIW,KAAL,CAAWpD,KAAX,CAAD,EAAoBA,KAAPB,CAAjB;AACA,UAAIuM,M  
AAM,KAAK,KAAl,EAAsB;AAEtB,WAAKiN,OAAL,CAAahY,EAAb,KAAoB,CAAPB;AACD;;AAED,WAAO,  
KAAKgY,OAAL,CAAahY,EAAb,CAAP;AAEA,WAAO+K,MAAP;AACD;AAED;;;;;;SAmBAsH,OA  
A,cAAKyF,QAAL,EAAe;AACb,WAAO,KAAKD,IAAL,CAAU,UAAcRv,KAAD,EAAQ7H,CAAR,EAAc;AAC7  
B,UAAIoQ,MAAM,GAAG+M,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAArB;;AACA,UAAIoQ,MAAM,KA  
AK,KAAAX,IAAoBvI,KAAK,CAAC6P,IAA9B,EAAoC;AACICtH,QAAAA,MAAM,GAAGvI,KAAK,CAAC6P,IA  
AN,CAAWyF,QAAX,CAAT;AACD;;AACD,aAAO/M,MAAP;AACD,KANM,CAAP;AAOD;AAED;;;;;;  
;;;;;;SA6BA8H,YAAA,mBAAUrB,IAAV,EAAgBsG,QAAlB,EAA0B;AACxB,QAAl,CAACA,QAAL,EAAe;A  
ACbA,MAAAA,QAAQ,GAAGtG,IAAX;AACA,aAAO,KAAKa,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,  
EAAc;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,MAAnB,EAA2B;AACzB,iBAAOgH,QAAQ,CAACtV,K  
AAD,EAAQ7H,CAAR,CAAl;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAI6W,IAAI,YAAyJR,MAA  
pB,EAA4B;AACjC,aAAO,KAAK8R,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,YAAI6H,K  
AAK,CAACsO,IAAN,KAAe,MAAl,IAAyBU,IAAI,CAACjW,IAAL,CAAUiH,KAAK,CAACgP,IAAhB,CAA7B,  
EAAoD;AACID,iBAAOsG,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAl;AACD;AACF,OAJM,CAAP;AAKD,  
KANM,MAMA;AACL,aAAO,KAAK0X,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,YAAI6  
H,KAAK,CAACsO,IAAN,KAAe,MAAl,IAAyBtO,KAAK,CAACgP,IAAN,KAAeA,IAA5C,EAAkD;AACd,iB  
AAOsG,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAl;AACD;AACF,OAJM,CAAP;AAKD;AACF;AAED;;;;;;  
;;;;;;SAuBASd,YAAA,mBAAUxX,QAAV,EAAoBgX,QAAPB,EAA8B;AAC5B,QAAl,CAACA,QAAL,EAA  
e;AACbA,MAAAA,QAAQ,GAAGhX,QAAX;AAEA,aAAO,KAAKuR,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,  
CAAR,EAAc;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,MAAnB,EAA2B;AACzB,iBAAOgH,QAAQ,CAA  
CtV,KAAD,EAAQ7H,CAAR,CAAl;AACD;AACF,OAJM,CAAP;AAKD,KARD,MAQO,IAAIImG,QAAQ,YAAy  
P,MAAxB,EAAgC;AACrC,aAAO,KAAK8R,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,YA

AI6H,KAAK,CAACsO,IAAN,KAAe,MAAf,IAAyBhQ,QAAQ,CAACvF,IAAT,CAACiH,KAAK,CAAC1B,QAAp  
B,CAA7B,EAA4D;AAC1D,iBAAOgX,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,C  
AAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK0X,IAAL,CAAU,UAC7P,KAAD,EAAQ7H,CAAR,EAAc;A  
AC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,MAAf,IAAyBtO,KAAK,CAAC1B,QAAN,KAAmBA,QAAhD,EA  
A0D;AACxD,iBAAOgX,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD;A  
ACF;AAED;,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,;SA8BAud,cAAA,qBAAY/d,IAAZ,EAAkB2d,QAAIB,EAA4B;AAC1B,QAAI,C  
AACA,QAAL,EAAe;AACbA,MAAAA,QAAQ,GAAG3d,IAAX;AACA,aAAO,KAAKkY,IAAL,CAAU,UAC7P,  
KAAD,EAAQ7H,CAAR,EAAc;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,QAAAnB,EAA6B;AAC3B,iBAA  
OgH,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAIR  
,IAAI,YAAyOG,MAApB,EAA4B;AACjC,aAAO,KAAK8R,IAAL,CAAU,UAC7P,KAAD,EAAQ7H,CAAR,EA  
Ac;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,QAAf,IAA2B3W,IAAI,CAACoB,IAAL,CAAUiH,KAAK,C  
AACrI,IAAhB,CAA/B,EAA5D;AACpD,iBAAO2d,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AAC  
F,OAJM,CAAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK0X,IAAL,CAAU,UAC7P,KAAD,EAAQ7H,CAA  
R,EAAc;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,QAAf,IAA2BtO,KAAK,CAACrI,IAAN,KAAeA,IAA9  
C,EAAoD;AACID,iBAAO2d,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,OAJM,CAAP;AAK  
D;AACF;AAED;,,,,,,,,,,,,,,,,,,,,,,,,;SagBAgY,eAAA,sBAAamF,QAAb,EAAuB;AACrB,WAAO,KAAKzF,IAAL,CAAU,  
UAC7P,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,UAAI6H,KAAK,CAACsO,IAAN,KAAe,SAAnB,EAA8B;AAC  
5B,eAAOgH,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAf;AACD;AACF,KAJM,CAAP;AAKD;AAED;,,,,,,,,,  
,,,,,,,,;SAoBA6Z,SAAA,kBAAoB;AAAA;AAAA,sCAAV2D,QAAU;AAVA,MAAAA,QAAU;AAAA;AACIB  
A,IAAAA,QAAQ,CAAC1a,OAAT,CAAiB,UAAA+E,KAAK,EAAI;AACxB,UAMZ,KAAK,GAAG,KAAI,CAA  
CwW,SAAL,CAAe5V,KAAf,EAA5B,KAAI,CAAC6K,IAA3B,CAAd;AACAzL,MAAAA,KAAK,CAACnE,OAA  
N,CAAc,UAAAsE,IAAI;AAAA,eAAI,KAAI,CAACH,KAAL,CAAWpE,IAAX,CAAgBuE,IAAhB,CAAJ;AAAA,  
OAAIB;AACD,KAHD;AAIA,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,,,,,;SAoBAsW,UAAA,mBAAqB;AAAA;A  
AAA,uCAAVF,QAAU;AAVA,MAAAA,QAAU;AAAA;AACnBA,IAAAA,QAAQ,GAAGA,QAAQ,CAACG,O  
AAT,EAX;AACAH,IAAAA,QAAQ,CAAC1a,OAAT,CAAiB,UAAA+E,KAAK,EAAI;AACxB,UAMZ,KAAK,  
GAAG,MAAI,CAACwW,SAAL,CAAe5V,KAAf,EAA5B,MAAI,CAACyP,KAA3B,EAAc,SAaIC,EAA6CqG,O  
AA7C,EAAAd;AACAIW,MAAAA,KAAK,CAACnE,OAAAN,CAAc,UAAAsE,IAAI;AAAA,eAAI,MAAI,CAACH,  
KAAL,CAAW2W,OAAAX,CAAmBxW,IAAnB,CAAJ;AAAA,OAAIB;AACa,WAAK,IAAM/B,EAX,IAAiB,M  
AAI,CAACgY,OAAtB,EAA+B;AAC7B,QAAA,MAAI,CAACA,OAAL,CAAahY,EAAb,IAAmB,MAAI,CAACgY  
,OAAL,CAAahY,EAAb,IAAmB4B,KAAK,CAACH,MAA5C;AACD;AACF,KAND;AAOA,WAAO,IAAP;AAC  
D;SAED2Z,YAAA,mBAAUQ,WAAV,EAAuB;AACrB,oBAAMR,SAAN,YAAgBQ,WAAhB;AACa,QAAI,KA  
AKnT,KAAI,EAAgB;AACd,WAAKA,KAAL,CAAWnE,OAAAX,CAAmB,UAAAsE,IAAI;AAAA,eAAIA,IAAI,C  
AACwS,SAAL,CAAeQ,WAAf,CAAJ;AAAA,OAAvB;AACD;AACF;AAED;,,,,,,,,,,,,,,,,;SAWA5R,eAAA,sBAAaqV,  
KAAb,EAAoBnT,GAAPB,EAAyB;AAAA;AACvBmT,IAAAA,KAAK,GAAG,KAAKha,KAAL,CAAWga,KAA  
X,CAAR;AAEA,QAAM1H,IAAI,GAAG0H,KAAK,KAAK,CAAV,GAAC,SAAd,GAA0B,KAAvC;AACa,QAAM  
5W,KAAK,GAAG,KAAKwW,SAAL,CAAe/S,GAAf,EAAoB,KAAKzD,KAAL,CAAW4W,KAAK,CAAPB,EAAu  
C1H,IAAvC,EAA6CwH,OAA7C,EAAAd;AACAIW,IAAAA,KAAK,CAACnE,OAAAN,CAAc,UAAAsE,IAAI;AAA  
A,aAAI,MAAI,CAACH,KAAL,CAAW0C,MAAX,CAAKbK,U,KAAIB,EAAyB,CAAzB,EAA4BzW,IAA5B,CAAJ  
;AAAA,KAAIB;AAEA,QAAIVd,KAAJ;AACa,SAAK,IAAMwB,EAX,IAAiB,KAAKgy,OAAtB,EAA+B;AAC  
7BxZ,MAAAA,KAAK,GAAG,KAAKwZ,OAAL,CAAahY,EAAb,CAAR;AACa,UAAIwY,KAAK,IAAIha,KAA  
b,EAAoB;AACIB,aAAKwZ,OAAL,CAAahY,EAAb,IAAmBxB,KAAK,GAAGoD,KAAK,CAACH,MAAjC;AA  
CD;AACF;AAED,WAAO,IAAP;AACD;AAED;,,,,,,,,;SAQAUZ,cAAA,qBAAYqE,KAAZ,EAAmBnT,GAAAnB,E  
AAwB;AAAA;AACtBmT,IAAAA,KAAK,GAAG,KAAKha,KAAL,CAAWga,KAAK,CAAR;AAEA,QAAM5W,  
KAAK,GAAG,KAAKwW,SAAL,CAAe/S,GAAf,EAAoB,KAAKzD,KAAL,CAAW4W,KAAK,CAAPB,EAAuCF,  
OAAvC,EAAAd;AACAIW,IAAAA,KAAK,CAACnE,OAAAN,CAAc,UAAAsE,IAAI;AAAA,aAAI,MAAI,CAACH,  
KAAL,CAAW0C,MAAX,CAAKbK,U,KAAK,GAAG,CAAIB,EAA6B,CAA7B,EAAgCzW,IAAhC,CAAJ;AAAA,  
KAAIB;AAEA,QAAIVd,KAAJ;AACa,SAAK,IAAMwB,EAX,IAAiB,KAAKgy,OAAtB,EAA+B;AAC7BxB,M  
AAAA,KAAK,GAAG,KAAKwZ,OAAL,CAAahY,EAAb,CAAR;AACa,UAAIwY,KAAK,GAAGha,KAAZ,EAA

mB;AACjB,aAAkwZ,OAAL,CAAahY,EAAb,IAAmBxB,KAAK,GAAGoD,KAAK,CAACH,MAAjC;AACD;AA  
CF;;AAED,WAAO,IAAP;AACD;;SAEDiZ,SAAA,gBAAOrR,KAAP,EAAC;AACZ,QAAI,OAAOA,KAAP,KAAi  
B,WAArB,EAAC;AACHC4I,MAAAA,QAAQ,CAAC,qCAAqC,2BAAtC,CAAR;AACA,WAAKIJ,WAAAL,CAAi  
BM,KAAjB;AACD,KAHD,MAGO;AACL,sBAAMqR,MAAN;AACD;;AACD,WAAO,IAAP;AACD;AAED;,,,,,  
,,,,;SACa3R,cAAA,qBAAYM,KAAZ,EAAMb;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,K  
AAX,CAAR;AACA,SAAKZ,KAAL,CAAWY,KAAX,EAakBK,MAAIB,GAA2BIC,SAA3B;AACA,SAAKiB,KA  
AL,CAAW0C,MAAX,CAAKB9B,KAAIB,EAAYB,CAAzB;AAEA,QAAIhE,KAAJ;;AACA,SAAK,IAAMwB,EA  
AX,IAAiB,KAAKgY,OAAtB,EAA+B;AAC7BxZ,MAAAA,KAAK,GAAG,KAAKwZ,OAAL,CAAahY,EAAb,CA  
AR;;AACA,UAAIxB,KAAK,IAAIgE,KAAb,EAAoB;AACIB,aAAkwV,OAAL,CAAahY,EAAb,IAAmBxB,KAA  
K,GAAG,CAA3B;AACD;AACF;;AAED,WAAO,IAAP;AACD;AAED;,,,,,  
,,,,;SAUAia,YAAA,qBAAY;AACV,S  
AAK7W,KAAL,CAAWnE,OAAX,CAAmB,UAAAsE,IAAI;AAAA,aAAKA,IAAI,CAACc,MAAL,GAAcC,SAA  
nB;AAAA,KAAvB;AACA,SAAKiB,KAAL,GAAa,EAAb;AACA,WAAO,IAAP;AACD;AAED;,,,,,  
,,,;SA6BA8W,gBAAA,uBAACc,OAAd,EAABjF,IAAvB,EAA6BoE,QAA7B,EAAuC;AACrC,QAAI,CAACA,QA  
AL,EAAC;AACbA,MAAAA,QAAQ,GAAGpE,IAAX;AACAA,MAAAA,IAAI,GAAG,EAAP;AACD;;AAED,SAA  
Kb,SAAL,CAAE,UAAAvB,IAAI,EAAI;AACrB,UAAIoC,IAAI,CAACKf,KAAL,IAAcf,IAAI,CAACKf,KAAL,C  
AAWIR,OAAX,CAAmB4J,IAAI,CAACE,IAAxB,MAAkC,CAAC,CAArD,EAAwD;AACxD,UAAIkC,IAAI,CAA  
CmF,IAAL,IAAvH,IAAI,CAACxH,KAAL,CAAWpC,OAAX,CAAmBgM,IAAI,CAACmF,IAAxB,MAAkC,CA  
AC,CAApD,EAAuD;AAEvDvH,MAAAA,IAAI,CAACxH,KAAL,GAAawH,IAAI,CAACxH,KAAL,CAAWvP,O  
AAX,CAAmBoe,OAAnB,EAA4Bb,QAA5B,CAAb;AACD,KALD;AAOA,WAAO,IAAP;AACD;AAED;,,,,,  
,,,;SAWAgB,QAAA,eAAMC,SAAN,EAAB;AACf,WAAO,KAAKnX,KAAL,CAAWkX,KAAX,CAAiBC,SAAjB,CA  
AP;AACD;AAED;,,,,,  
,,,;SAWAC,OAAA,cAAKD,SAAL,EAAGb;AACd,WAAO,KAAKnX,KAAL,CAAWoX,I  
AAX,CAAGBD,SAAhB,CAAP;AACD;AAED;,,,,,  
,,,;SAUAvA,QAAA,eAAMgE,KAAAN,EAaA;AACX,QAAI,OA  
AOA,KAAP,KAAiB,QAArB,EAA+B;AAC7B,aAAOA,KAAP;AACD,KAFD,MAEO;AACL,aAAO,KAAKZ,KA  
AL,CAAW8F,OAAX,CAAmBIF,KAAnB,CAAP;AACD;AACF;AAED;,,,,,  
,,,;SA0BA4V,YAAA,mBAAUxW,KA  
AV,EAABqX,MAAjB,EAAYB;AAAA;;AACvB,QAAI,OAAOrX,KAAP,KAAiB,QAArB,EAA+B;AAC7BA,MA  
AAA,KAAK,GAAG+V,WAAW,CAACH,KAAK,CAAC5V,KAAD,CAAL,CAAaA,KAAd,CAAnB;AACD,KAFD  
,MAEO,IAAI,CAAC2I,KAAK,CAACC,OAAN,CAAc5I,KAAd,CAAL,EAAB2B;AACChC,UAAIA,KAAK,CAACKP  
,IAAN,KAAe,MAAnB,EAA2B;AACzBIP,QAAAA,KAAK,GAAGA,KAAK,CAACA,KAAd;AACD,OAFD,MAE  
O,IAAIA,KAAK,CAACKP,IAAV,EAAGb;AACrBIP,QAAAA,KAAK,GAAG,CAACA,KAAD,CAAR;AACD,OA  
FM,MAEA,IAAIA,KAAK,CAAC4P,IAAV,EAAGb;AACrB,YAAI,OAAO5P,KAAK,CAACKI,KAAb,KAAuB,W  
AA3B,EAAwC;AACtC,gBAAM,IAAIjM,KAAJ,CAAU,wCAAV,CAAN;AACD,SAFD,MAEO,IAAI,OAAO+D,K  
AAK,CAACKI,KAAb,KAAuB,QAA3B,EAAGc;AAC1CII,UAAAA,KAAK,CAACKI,KAAAN,GAAc9P,MAAM,CA  
AC4H,KAAK,CAACKI,KAAP,CAApB;AACD;;AACDII,QAAAA,KAAK,GAAG,CAAC,IAAIyT,WAAJ,CAAGB  
zT,KAAhB,CAAD,CAAR;AACD,OAPM,MAOA,IAAIA,KAAK,CAACd,QAAV,EAAoB;AACzBc,QAAAA,KA  
AK,GAAG,CAAC,IAAIqU,IAAJ,CAASrU,KAAT,CAAD,CAAR;AACD,OAFM,MAEA,IAAIA,KAAK,CAACzH  
,IAAV,EAAGb;AACrByH,QAAAA,KAAK,GAAG,CAAC,IAAIv,MAAJ,CAAWjV,KAAK,CAAD,CAAR;AAC  
D,OAFM,MAEA,IAAIA,KAAK,CAACyP,IAAV,EAAGb;AACrBzP,QAAAA,KAAK,GAAG,CAAC,IAAI0T,OA  
AJ,CAAY1T,KAAZ,CAAD,CAAR;AACD,OAFM,MAEA;AACL,cAAM,IAAI/D,KAAJ,CAAU,oCAAV,CAAN;  
AACD;AACF;;AAED,QAAMqb,SAAS,GAAGtX,KAAK,CAAC8M,GAAN,CAAU,UAAA/T,CAAC,EAAI;AAC/  
B,UAAI,OAAOA,CAAC,CAACsW,IAAT,KAAKB,WAAtB,EAAMCtW,CAAC,GAAG,MAAI,CAACwe,OAAL,C  
AAaxe,CAAb,CAAJ;AAEnC,UAAIA,CAAC,CAACKI,MAAN,EAACII,CAAC,GAAGA,CAAC,CAACoZ,KAAF,  
EAAJ;;AACd,UAAI,OAAOpZ,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxC,YAAI  
mH,MAAM,IAAI,OAAOA,MAAM,CAACH,IAAP,CAAYa,MAAnB,KAA8B,WAA5C,EAAYD;AACvDnX,UAA  
AA,CAAC,CAACsW,IAAF,CAAOa,MAAP,GAAGbM,MAAM,CAACH,IAAP,CAAYa,MAAZ,CAAmBvX,OA  
AnB,CAA2B,QAA3B,EAAGc,EAARc,CAAhB;AACD;AACF;;AACDI,MAAAA,CAAC,CAACKI,MAAF,GAAW,  
MAAX;AACA,aAAOII,CAAP;AACD,KAXiB,CAAIb;AAaA,WAAOue,SAAP;AACD;;SAEDC,UAAA,iBAAQp  
X,IAAR,EAAC,MAAd,EAAsB;AAAA;;AACpB,QAAIuW,GAAJ;;AACA,QAAIrX,IAAI,CAAC+O,IAAL,KAAc,  
MAAIB,EAA0B;AACxBsI,MAAAA,GAAG,GAAG,IAAI5D,IAAJ,EAAN;AACD,KAFD,MAEO,IAAIzT,IAAI,C

AAC+O,IAAL,KAAc,QAAIB,EAA4B;AACjCsI,MAAAA,GAAG,GAAG,IAAIvC,MAAJ,EAAN;AACD,KAFM,MAEA,IAAI9U,IAAI,CAAC+O,IAAL,KAAc,MAAIB,EAA0B;AAC/BsI,MAAAA,GAAG,GAAG,IAAIInD,IAAJ,EAAN;AACD,KAFM,MAEA,IAAIU,IAAI,CAAC+O,IAAL,KAAc,MAAIB,EAA0B;AAC/BsI,MAAAA,GAAG,GAAG,IAAI/D,WAAJ,EAAN;AACD,KAFM,MAEA,IAAIrT,IAAI,CAAC+O,IAAL,KAAc,SAAIB,EAA6B;AAClCsI,MAAAA,GAAG,GAAG,IAAI9D,OAAJ,EAAN;AACD;;AAED,SAAK,IAAM3a,CAAX,IAAgBoH,IAAhB,EAAsB;AACpB,UAAIpH,CAAC,KAAK,OAAV,EAAMb;AACjBye,QAAAA,GAAG,CAACxX,KAAJ,GAAYG,IAAI,CAACH,KAAL,CAAW8M,GAAX,CAAe,UAAA6E,CAAC;AAAA,iBAAI,MAAI,CAAC4F,OAAL,CAAa5F,CAAb,EAAGb6F,GAAhB,CAAJ;AAAA,SAAhB,CAAZ;AACD,OAFD,MAEO,IAAIze,CAAC,KAAK,QAAN,IAAkBkl,MAAtB,EAA8B;AACnCuW,QAAAA,GAAG,CAACvW,MAAJ,GAAaA,MAAb;AACD,OAFM,MAEA,IAAIId,IAAI,CAACuI,cAAL,CAAoB3P,CAApB,CAAJ,EAA4B;AACjCye,QAAAA,GAAG,CAACze,CAAD,CAAH,GASoH,IAAI,CAACpH,CAAD,CAAb;AACD;AACF;;AAED,WAAOye,GAAP;AACD;;SAEDC,aAAA,oBAAWvB,QAAAX,EAAqB;AACnB1M,IAAAA,QAAQ,CAAC,yCAAyC,6BAA1C,CAAR;AACa,WAAO,KAAKiH,IAAL,CAAUyF,QAAV,CAAP;AACD;;SAEDwB,WAAA,kBAAS9H,IAAT,EAAesG,QAAf,EAAyB;AACvB1M,IAAAA,QAAQ,CAAC,uCAAuC,kCAAxC,CAAR;AACa,WAAO,KAAKyH,SAAL,CAAerB,IAAf,EAAqBsG,QAAR,CAAP;AACD;;SAEDyB,WAAA,kBAASzY,QAAT,EAAMBgX,QAAnB,EAA6B;AAC3B1M,IAAAA,QAAQ,CAAC,uCAAuC,kCAAxC,CAAR;AACa,WAAO,KAAK6M,SAAL,CAAenX,QAAf,EAAyBgX,QAazB,CAAP;AACD;;SAED0B,aAAA,oBAAWrf,IAAX,EAAiB2d,QAAjB,EAA2B;AACzB1M,IAAAA,QAAQ,CAAC,yCAAyC,oCAA1C,CAAR;AACa,WAAO,KAAK8M,WAAL,CAAiB/d,IAAJB,EAAB2d,QAAvB,CAAP;AACD;;SAED2B,cAAA,qBAAy3B,QAAZ,EAAsB;AACpB1M,IAAAA,QAAQ,CAAC,0CAA0C,qCAA3C,CAAR;AACa,WAAO,KAAKuH,YAAL,CAAKBmF,QAAIB,CAAP;AACD;;;wBA9GW;AACV,UAAI,CAAC,KAAKIW,KAAV,EAAiB,OAABjB,SAAP;AACjB,aAAO,KAAKiB,KAAL,CAAW,CAAX,CAAP;AACD;AAED;,,,,,,;wBAQW;AACT,UAAI,CAAC,KAAKA,KAAV,EAAiB,OAABjB,SAAP;AACjB,aAAO,KAAKiB,KAAL,CAAW,KAAKA,KAAL,CAAWHh,MAAX,GAAoB,CAA/B,CAAP;AACD;;;wBAgGe;AACdwQ,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAAO,KAAK6F,IAAL,CAAUJ,SAAJB;AACD;sBAEauE,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUJ,SAAV,GAAsBuE,GAAtB;AACD;;;wBAEW;AACVhK,MAAAA,QAAQ,CAAC,+CAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUb,KAAjB;AACD;sBAESgF,KAAK;AACbhK,MAAAA,QAAQ,CAAC,+CAAD,CAAR;AACa,WAAK6F,IAAL,CAAUb,KAAV,GAAkBgF,GAAIB;AACD;AAED;,,,,,,;EAvqBsB5B;;ACvCxB;;,,,,,,;IAkBMqD;;AACJ,kBAAYpD,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAAN;AACa,UAAK3C,IAAL,GAAY,QAAZ;AAFoB;AAGrB;;;SAED0D,SAAA,kBAAoB;AAAA;;AACIB,QAAI,CAAC,KAAK5S,KAAV,EAAiB,KAAKA,KAAL,GAAa,EAAb;;AADc,sCAAVuW,QAAU;AAAVA,MAAAA,QAAU;AAAA;;AAEIB,yDAAa3D,MAAb,kDAAuB2D,QAAvB;AACD;;SAEDE,UAAA,mBAAqB;AAAA;;AACnB,QAAI,CAAC,KAAKzW,KAAV,EAAiB,KAAKA,KAAL,GAAa,EAAb;;AADE,uCAAVuW,QAAU;AAAVA,MAAAA,QAAU;AAAA;;AAEnB,0DAAaE,OAAb,mDAawBF,QAAxB;AACD;;;wBAEe;AACd/M,MAAAA,QAAQ,CAAC,4DAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUY,SAAJB;AACD;sBAEauD,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,4DAAD,CAAR;AACa,WAAK6F,IAAL,CAAUY,SAAV,GAAsBuD,GAAtB;AACD;;;wBAEa;AACZhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUW,MAAJB;AACD;sBAEWwD,KAAK;AACfhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUW,MAAV,GAAmBwD,GAAAnB;AACD;AAED;,,,,,,;AAUA;,,,,,,;AAYA;,,,,,,;EAIDmBwC;;ACtBrB;;ACA;,,,,,,;AASA,IAAM8B,IAAI,GAAG;AACXzY,EAAAA,KADW,iBACLwG,MADK,EACGkS,UADH,EACetM,IADf,EACqB;AAC9B,QAAMuM,KAAK,GAAG,EAAd;AACa,QAAInE,OAAB,GAAG,EAAd;AACa,QAAIxU,KAAK,GAAG,KAAZ;AAEA,QAAI4Y,IAAI,GAAG,CAAX;AACa,QAAI1M,KAAK,GAAG,KAAZ;AACa,QAAIG,MAAM,GAAG,KAAb;;AAEA,SAAK,IAAI3S,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAG8M,MAAM,CAAC7M,MAA3B,EAAMCD,CAAC,EAAPC,EAAWC;AACtC,UAAmmf,MAAM,GAAGrS,MAAM,CAAC9M,CAAD,CAArB;;AAEA,UAAIwS,KAAJ,EAAW;AACT,YAAIG,MAAJ,EAAY;AACVA,UAAAA,MAAM,GAAG,KAAAT;AACD,SAFD,MAEO,IAAIwM,MAAM,KAAK,IAAf,EAAqB;AAC1BxM,UAAAA,MAAM,GAAG,IAAT;AACD,SAFM,MAEA,IAAIwM,MAAM,KAAK3M,KAAf,EAAsB;AAC3BA,UAAAA,KAAK,GAAG,KAAAR;AACD;AACF,OARD,MAQO,IAAI2M,MAAM,KAAK,GAAX,IAAkBA,MAAM,KAAK,GAAJc,EAAsC;AAC3C3M,QAAAA,KAAK,GAAG2M,MAAR;AACD,OAFM,MAEA,IAAIA,MAAM,KAAK,GAAf,EAAoB;AACzBD,QAAA

A,IAAI,IAAI,CAAR;AACD,OAFM,MAEA,IAAIC,MAAM,KAAK,GAaf,EAAoB;AACzB,YAAID,IAAI,GAAG,CAAX,EAaCa,IAAI,IAAI,CAAR;AACf,OAFM,MAEA,IAAIA,IAAI,KAAK,CAAb,EAAGB;AACrB,YAAIF,UA AU,CAACjS,OAAx,CAAmBoS,MAAnB,MAA+B,CAAC,CAApC,EAAuC7Y,KAAK,GAAG,IAAR;AACxC::AA ED,UAAIA,KAAJ,EAAW;AACT,YAAIwU,OAAO,KAAK,EAAhB,EAAoBmE,KAAK,CAACpc,IAAN,CAAWi Y,OAAO,CAAC1X,IAAR,EAAX;AACpB0X,QAAAA,OAAO,GAAG,EAAV;AACAxU,QAAAA,KAAK,GAAG, KAAR;AACD,OAJD,MAIO;AACLwU,QAAAA,OAAO,IAAIqE,MAAX;AACD;AACF::AAED,QAAlZM,IAAI, IAAIoI,OAAO,KAAK,EAAXB,EAA4BmE,KAAK,CAACpc,IAAN,CAAWiY,OAAO,CAAC1X,IAAR,EAAX;AA C5B,WAAO6b,KAAP;AACD,GA1CU::AA4CX::;AAWAG,EAAAA,KAvDW,iBAuDLtS,MAvDK,EAuDG; AACZ,QAAMiO,MAAM,GAAG,CAAC,GAAD,EAAM,IAAN,EAAY,IAAZ,CAAf;AACa,WAAOgE,IAAI,CAA CzY,KAAL,CAAWwG,MAAX,EAAMBiO,MAAnB,CAAP;AACD,GA1DU::AA4DX::;AAYAsE,EAAAA, KAxEW,iBAwELvS,MAxEK,EAwEG;AACZ,QAAMuS,KAAK,GAAG,GAAd;AACa,WAAON,IAAI,CAACzY, KAAL,CAAWwG,MAAX,EAAMb,CAACuS,KAAD,CAAnB,EAA4B,IAA5B,CAAP;AACD;AA3EU,CAAb::AC HA::;IAWM/D::;AACJ,gBAAYxC,QAAZ,EAAsB;AAAA::AACpB,kCAAMA,QAAN;AACa,UAAK3C,IA AL,GAAY,MAAZ;AACa,QAAl,CAAC,MAAKIP,KAAV,EAaiB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB; AAED::;wBAGBgB;AACd,aAAO8X,IAAI,CAACM,KAAL,CAAW,KAAKIZ,QAAbB,CAAP;AACD;s BAEamZ,QAAQ;AACpB,UAMxY,KAAK,GAAG,KAAKX,QAAL,GAAGb,KAAKA,QAAL,CAAcW,KAAd,C AAoB,MAApB,CAAhB,GAA8C,IAA5D;AACa,UAMyY,GAAG,GAAGzY,KAAK,GAAGA,KAAK,CAAC,CA AD,CAAR,SAAKB,KAAK0P,GAAL,CAAS,SAAT,EAAoB,YAAPB,CAAnC;AACa,WAAKrQ,QAAL,GAAGBm Z,MAAM,CAACnc,IAAP,CAAYoc,GAAZ,CAAhB;AACD::;wBAEe;AACd9O,MAAAA,QAAQ,CAAC,sDAAD, CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUq,QAAjB;AACD;sBAEasU,KAAK;AACjBhK,MAAAA,QAAQ,C AAC,sDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUq,QAAV,GAAqBsU,GAARb;AACD;AAED::;AAWA ::;EAtDiBwC;ACIBnB;AACa::;IAQMuc;AACJ::;AAWA,mBAAY9I,IAAZ,EAakB qC,IAAIB,EAA6B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;AAC3B::;AAQA, SAAK5C,IAAL,GAAY,SAAZ;AACa::;AAMA,SAAKO,IAAL,GAAYA,IAAZ;AAEA,QAAlqC,IAAI,CAAC3 R,IAAL,IAAa2R,IAAI,CAAC3R,IAAL,CAAU6M,MAA3B,EAAMc;AACjC,UAMf,GAAG,GAAG6F,IAAI,CA AC3R,IAAL,CAAU4R,UAAV,CAAqBD,IAArB,CAAZ;AACa::;AAOA,WAAKvN,IAAL,GAAY0H,GAAG,C AAC1H,IAAhB;AACa::;AAOA,WAAKC,MAAL,GAacyH,GAAG,CAACzH,MAAIB;AACD::;AAED,SAAK, IAAMgU,GAAX,IAAKB1G,IAAIB;AAAwB,WAAK0G,GAAL,IAAY1G,IAAI,CAAC0G,GAAD,CAAhB;AAAxB ;AACD;AAED::;SAQAzE,WAAA,oBAAW;AACT,QAAl,KAAKoG,IAAT,EAae;AACb,aAAO,KAAKA,IA AL,CAAUiM,KAAV,CAAgB,KAAKqD,IAArB,EAA2B;AACHc/I,QAAAA,MAAM,EAAE,KAAKA,MADmB;A AEhC9J,QAAAA,KAAK,EAAE,KAAKA,KAFoB;AAGhCyW,QAAAA,IAAI,EAAE,KAAKA;AAHQb,OAA3B,E AIJ5J,OAJH;AAKD,KAND,MAMO,IAAI,KAAK/C,MAAT,EAaiB;AACTb,aAAU,KAAKA,MAAf,UAA0B,KAA K+I,IAA/B;AACD,KAFM,MAEA;AACL,aAAO,KAAKA,IAAZ;AACD;AACF;AAED::;AAUA::;AC3 FF::;AAMA::;IAcMgJ;AACJ::;AAMA,kBAAYC,SAAZ,EAAuBvJ,IAAvB,EAA6B2C,IAA7B,EAAM C;AACjC::;AAWA,SAAK4G,SAAL,GAaiBA,SAAjB;AACa::;AAkBA,SAAKC,QAAL,GAAGb, EAAbB;AACa::;AAMA,SAAKxJ,IAAL,GAAYA,IAAZ;AACa::;AAQA,SAAK2C,IAAL,GAAYA,IAAZ; AACa::;AAMA,SAAKIU,GAAL,GAAWmB,SAAX;AACa::;AAcA,SAAK+N,GAAL,GAAW/N,SAAX;AACD;AAED::;SAQAhF,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAZ;AACD;AAED::;S AgBA0L,OAAA,cAAKmG,IAAL,EAAWqC,IAAX,EAAsB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,G AAJ,EAAl;AAAA;AACpB,QAAl,CAACA,IAAI,CAACpL,MAAV,EAakB;AACHb,UAAI,KAAKkS,UAAAL,IAA mB,KAAKA,UAAAL,CAAgBC,aAAvC,EAAsD;AACpD/G,QAAAA,IAAI,CAACpL,MAAL,GAAC,KAAKkS,UA AL,CAAgBC,aAA9B;AACD;AACF::;AAED,QAAMC,OAAO,GAAG,IAAIP,OAAJ,CAAY9I,IAAZ,EAakBqC,IA AIB,CAAhB;AACa,SAAK6G,QAAL,CAAc/c,IAAd,CAAMbkd,OAAAnB;AAEA,WAAOA,OAAP;AACD;AAED; ::;SAWAC,WAAA,oBAAW;AACT,WAAO,KAAKJ,QAAL,CAAcK,MAAd,CAAqB,UAAAJgB,CAAC;AA AA,aAAIA,CAAC,CAACmW,IAAF,KAAW,SAAf;AAAA,KAAtB,CAAP;AACD;AAED::;wBAQc;AACZ, aAAO,KAAKtR,GAAZ;AACD::;ACIKH,SAASqb,SAAT,CAAMb1Q,GAAnB,EAAwB;AACTb,SAAO,OAAOA ,GAAP,KAAe,QAaf,IAA2B,OAAOA,GAAG,CAAC2Q,IAAX,KAAoB,UAAtd;AACD;AAED::;AAKA::;AAK A::;IAQMC;AACJ,sBAAYT,SAAZ,EAAuB9a,GAAvB,EAA4BkU,IAA5B,EAakC;AACHc,SAAKsH,WAA

L,GAAMb,KAAAnB;AACa,SAAK9B,SAAL,GAAiB,KAAjB;AAEA,QAAInI,IAAJ;;AACa,QAAI,OAAOvR,GAA  
P,KAAe,QAAf,IAA2BA,GAAG,CAACsR,IAAJ,KAAa,MAA5C,EAAoD;AACIDC,MAAAA,IAAI,GAAGvR,GA  
AP;AACD,KAFD,MAEO,IAAIA,GAAG,YAAyub,UAAf,IAA6Bvb,GAAG,YAAy6a,MAAhD,EAAwD;AAC7Dt  
J,MAAAA,IAAI,GAAGvR,GAAG,CAACuR,IAAX;;AACa,UAAIvR,GAAG,CAACkP,GAAR,EAAa;AACX,YA  
AI,OAAOgF,IAAI,CAACf,GAAG,KAAoB,WAAxB,EAAqCgF,IAAI,CAACf,GAAL,GAAW,EAAx;AACrC,  
YAAI,CAACgF,IAAI,CAACf,GAAL,CAASuM,MAAd,EAAsBvH,IAAI,CAACf,GAAL,CAASuM,MAAT,GA  
AkB,KAAIB;AACtBvH,QAAAA,IAAI,CAACf,GAAL,CAASf,IAAT,GAAGBnO,GAAG,CAACkP,GAAPB;AA  
CD;AACF,KAPM,MAOA;AACL,UAAIgJ,MAAM,GAAGF,KAAb;AACa,UAAI9D,IAAI,CAACwH,MAAT,EA  
AiBxD,MAAM,GAAGhE,IAAI,CAACwH,MAAL,CAAY1D,KAArB;AACjB,UAAI9D,IAAI,CAACgE,MAAT,E  
AAiBA,MAAM,GAAGhE,IAAI,CAACgE,MAAd;AACjB,UAAIA,MAAM,CAACF,KAAx,EAAkBE,MAAM,GA  
AGA,MAAM,CAACF,KAAhB;;AAEIB,UAAI;AACFzG,QAAAA,IAAI,GAAG2G,MAAM,CAACIY,GAAD,EAA  
MkU,IAAN,CAAb;AACD,OAFD,CAEE,OAAO1F,KAAP,EAAc;AACd,aAKA,KAAAL,GAAaA,KAAb;AACD;A  
ACF;;AAED,SAAKjD,MAAL,GAAGc,IAAIsp,MAAJ,CAAWC,SAAX,EAAsBvJ,IAAiB,EAA4B2C,IAA5B,CAAd;  
AACD;AAED;,,,,,,;AAmGA;,,,,;SAAiH,WAAA,oBAAW;AACT,WAAO,KAAKQ,IAAL,GAAYR,QAAZ,EAA  
P;AACD;AAED;,,,,,,;SAQAhf,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAAG;AACD;AAED;,,,,,,;S  
AkBAsb,OAAA,cAAKM,WAAL,EAAkBC,UAAIB,EAA8B;AAC5B,WAAO,KAAKC,KAAAL,GAAaR,IAAb,CAA  
kBM,WAAIB,EAA+BC,UAA/B,CAAP;AACD;AAED;,,,,,,;oBAiBA,gBAAMA,UAAAN,EAAkB;AACbB,  
WAAO,KAAKC,KAAAL,YAAmBD,UAAAnB,CAAP;AACD;;SAEDE,cAAA,qBAAYvN,KAAZ,EAAmB1F,MAAn  
B,EAA2B;AACzB,QAAI;AACF,WAAK0F,KAAAL,GAAaA,KAAb;;AACa,UAAIA,KAAK,CAAC7T,IAAN,KAA  
e,gBAAf,IAAmC,CAAC6T,KAAK,CAAC1F,MAA9C,EAA5D;AACpD0F,QAAAA,KAAK,CAAC1F,MAAN,GA  
AeA,MAAM,CAACmS,aAAtB;AACAzM,QAAAA,KAAK,CAACe,UAAAN;AACD,OAHD,MAGO,IAAIzG,MAA  
M,CAACKT,cAAAX,EAA2B;AACChC,YAAMC,UAAU,GAAGnT,MAAM,CAACmS,aAA1B;AACa,YAAMiB,SA  
AS,GAAGpT,MAAM,CAACKT,cAAzB;AACa,YAAMG,UAAU,GAAG,KAAK5Q,MAAL,CAAYuP,SAAZ,CAA  
sBsB,OAAzC;AACa,YAAMxe,CAAC,GAAGse,SAAS,CAACza,KAAV,CAAGB,GAAhB,CAAV;AACa,YAAM  
5D,CAAC,GAAGse,UAAU,CAAC1a,KAAAX,CAAiB,GAAjB,CAAV;;AAEA,YAAI7D,CAAC,CAAC,CAAD,CA  
AD,KAAASC,CAAC,CAAC,CAAD,CAAV,IAAiBqE,QAAQ,CAACtE,CAAC,CAAC,CAAD,CAAF,CAAR,GAAi  
BsE,QAAQ,CAACrE,CAAC,CAAC,CAAD,CAAF,CAA9C,EAA5D;AACpD+N,UAAAA,QAAQ,CACN,MAAG,k  
CAAKc,KAArC,IAA6CuQ,UAA7C,cAAgEF,UAAhE,oBACUC,SADV,2DADM,CAAR;AAKD;AACF;AACF,KA  
pBD,CAoBE,OAAOG,GAAP,EAAy;AACZ,UAAI5Q,OAAO,IAAIA,OAAO,CAAC+C,KAAvB,EAA8B/C,OAA  
O,CAAC+C,KAAAR,CAAc6N,GAAd;AAC/B;AACF;;SAEDC,YAAA,mBAAUC,OAAV,EAAmBC,MAAnB,EAA  
2B;AAAA;;AACzB,QAAI,KAAK1T,MAAL,IAAe,KAAKgS,SAAL,CAAe3T,OAAf,CAAuB/L,MAA1C,EAAkD;  
AAChD,WAAKse,SAAL,GAAiB,IAAjB;AACa,aAAO6C,OAAO,EAAAd;AACD;;AAED,QAAI;AACF,UAAmzT,  
MAAM,GAAG,KAAKgS,SAAL,CAAe3T,OAAf,CAAuB,KAAK2B,MAA5B,CAAF;AACa,UAAm2T,OAAO,GA  
AG,KAAKC,GAAL,CAAS5T,MAAT,CAAhB;AACa,WAAKA,MAAL,IAAe,CAAF;;AAEA,UAAIuS,SAAS,CA  
ACoB,OAAD,CAAb,EAAwB;AACtBA,QAAAA,OAAO,CACJnB,IADH,CACQ,YAAM;AACV,UAAA,KAAI,C  
AACgB,SAAL,CAAeC,OAAf,EAAwBC,MAAxB;AACD,SAHH,WAIS,UAAAhO,KAAK,EAAI;AACd,UAAA,K  
AAI,CAACuN,WAAL,CAAiBvN,KAAjB,EAAwB1F,MAAxB;;AACa,UAAA,KAAI,CAAC4Q,SAAL,GAAiB,IA  
AjB;AACa8C,UAAAA,MAAM,CAACHo,KAAD,CAAN;AACD,SARH;AASD,OA VD,MAUO;AACL,aAAK8N,  
SAAL,CAAeC,OAAf,EAAwBC,MAAxB;AACD;AACF,KAIBD,CAkBE,OAAOhO,KAAP,EAAc;AACd,WAAKk  
L,SAAL,GAAiB,IAAjB;AACa8C,MAAAA,MAAM,CAACHo,KAAD,CAAN;AACD;AACF;;SAEDsN,QAAA,iB  
AAQ;AAAA;;AACN,QAAI,KAAKpC,SAAT,EAAoB;AACIB,aAAO,IAAIiD,OAAJ,CAAY,UAAcJ,OAAD,EAA  
UC,MAAV,EAAqB;AACtC,YAAI,MAAI,CAACHo,KAAAT,EAAgB;AACdgO,UAAAA,MAAM,CAAC,MAAI,C  
AACHo,KAAAN,CAAN;AACD,SAFD,MAEO;AACL+N,UAAAA,OAAO,CAAC,MAAI,CAACnL,SAAL,EAAD,  
CAAP;AACD;AACF,OANM,CAAP;AAOD;;AACD,QAAI,KAAKwL,UAAAT,EAAqB;AACnB,aAAO,KAAKA,U  
AAZ;AACD;;AAED,SAAKA,UAAAL,GAAkB,IAAID,OAAJ,CAAY,UAAcJ,OAAD,EAAUC,MAAV,EAAqB;AA  
CjD,UAAI,MAAI,CAACHo,KAAAT,EAAgB,OAAOgO,MAAM,CAAC,MAAI,CAACHo,KAAAN,CAAb;AACbB,  
MAAA,MAAI,CAAC1F,MAAL,GAAGc,CAAD;;AACa,MAAA,MAAI,CAACwT,SAAL,CAAeC,OAAf,EAAwBC,  
MAAxB;AACD,KAJiB,EAIflB,IAJe,CAIV,YAAM;AACZ,MAAA,MAAI,CAAC5B,SAAL,GAAiB,IAAjB;AACa

,aAAO,MAAI,CAACtI,SAAL,EAAP;AACD,KAPiB,CAAIB;AASA,WAAO,KAAKwL,UAAZ;AACD;;SAEDjB,  
OAAA,gBAAO;AAAA;;AACL,QAAI,KAAKjC,SAAT,EAAoB,OAAO,KAAKnO,MAAZ;AACpB,SAAKmO,SA  
AL,GAAiB,IAAjB;;AAEA,QAAI,KAAKkD,UAAT,EAAqB;AACnB,YAAM,IAAIve,KAAJ,CAAU,sDAAV,CAA  
N;AACD;;AAED,QAAI,KAAKmQ,KAAT,EAAGB,MAAM,KAAKA,KAAAX;AAEHb,SAAKjD,MAAL,CAAYuP,  
SAAZ,CAAsB3T,OAAtB,CAA8BIJ,OAA9B,CAAsC,UAAA6K,MAAM,EAAl;AAC9C,UAAAM2T,OAAO,GAAG,  
MAAI,CAACC,GAAL,CAAS5T,MAAT,CAAhB;;ACA,UAAIuS,SAAS,CAACoB,OAAO,CAAb,EAawB;AACt  
B,cAAM,IAAIpe,KAAJ,CAAU,sDAAV,CAAN;AACD;AACF,KALD;AAOA,WAAO,KAAKkN,MAAZ;AACD;;  
SAEDmR,MAAA,aAAI5T,MAAJ,EAAY;AACV,SAAKyC,MAAL,CAAYyP,UAAZ,GAAyBIS,MAAZB;;AAEA,  
QAAI;AACF,aAAOA,MAAM,CAAC,KAAKyC,MAAL,CAAYgG,IAAb,EAAMb,KAAKhG,MAAxB,CAAb;AA  
CD,KAFD,CAEE,OAAOiD,KAAP,EAAC;AACd,WAAKuN,WAAAL,CAAiBvN,KAAjB,EAawBIF,MAAxB;AAC  
A,YAAM0F,KAAN;AACD;AACF;;SAED4C,YAAA,uBAAY;AACV,QAAI,KAAKoK,WAAT,EAAsB,OAAO,K  
AAKjQ,MAAZ;AACTB,SAAKiQ,WAAAL,GAAmB,IAAnB;AAEA,SAAKG,IAAL;AAEA,QAAMzH,IAAI,GAAG,  
KAAK3I,MAAL,CAAY2I,IAAZB;ACA,QAAI3Y,GAAG,GAAG6V,SAAV;ACA,QAAI8C,IAAI,CAACwH,M  
AAT,EAAbNgB,GAAG,GAAG2Y,IAAI,CAACwH,MAAL,CAAYtK,SAAlB;AACjB,QAAI8C,IAAI,CAACI,WA  
AT,EAAsB/Y,GAAG,GAAG2Y,IAAI,CAACI,WAAAX;AACTB,QAAI/Y,GAAG,CAAC6V,SAAR,EAAMb7V,GA  
AG,GAAGA,GAAG,CAAC6V,SAAV;AAEnB,QAAI7F,MAAM,GAAG,EAAb;AACAhQ,IAAAA,GAAG,CAAC,  
KAAKgW,IAAN,EAAY,UAAApW,CAAC,EAAl;AACIBoQ,MAAAA,MAAM,IAAIpQ,CAAV;AACD,KAFE,CA  
AH;AAGA,SAAKoQ,MAAL,CAAYvL,GAAZ,GAABuL,MAAlB;AAEA,WAAO,KAAKA,MAAZ;AACD;;;wB  
AnSe;AACd,aAAO,KAAKA,MAAL,CAAYuP,SAAnB;AACD;AAED;;;;;;wBAIW;AACT,aAAO,KAAKvP,MAA  
L,CAAY2I,IAAnB;AACD;AAED;;;;;;wBAYU;AACR,aAAO,KAAK9C,SAAL,GAAiBpR,GAAXB;AACD;  
AAED;;;;;;wBAYc;AACZ,aAAO,KAAKoR,SAAL,GAAiB7P,OAAxB;AACD;AAED;;;;;;wBAYU;A  
ACR,aAAO,KAAK6P,SAAL,GAAiBIC,GAAXB;AACD;AAED;;;;;;wBAaW;AACT,aAAO,KAAKyM,IAA  
L,GAAYpK,IAAnB;AACD;AAED;;;;;;wBAae;AACb,aAAO,KAAKoK,IAAL,GAAYZ,QAAAnB;AACD;;;;;  
AC5JH;ACA,AAEA;;;;AAOA;;;;AAUA;;;;AAUA;;;;AAMA;;;;AKA;;;;AAMA;;;;AKA;;;;;  
;;;;AAkCA;;;;IASM8B;AACJ;;;AAIA,qBAAY1V,OAAZ,EAA0B;AAAA,QAAaA,OAAC;AAAd  
A,MAAAA,OAAC,GAAJ,EAAl;AAAA;;AACxB;;;;AAQA,SAAKiV,OAAL,GAAe,OAaf;ACA;;;;AAOA,  
SAAKjV,OAAL,GAAe,KAAKyR,SAAL,CAAEzR,OAaf,CAAF;AACD;AAED;;;;;;SA6BAmB,  
MAAA,aAAIQ,MAAJ,EAAY;AACV,SAAK3B,OAAL,GAAe,KAAKA,OAAL,CAAa2V,MAAb,CAAoB,KAAKI  
E,SAAL,CAAE,CAAC9P,MAAD,CAAF,CAApB,CAAF;ACA,WAAO,IAAP;AACD;AAED;;;;;;SAs  
BApN,UAAA,iBAAQsE,GAAR,EAAakU,IAAb,EAawB;AAAA,QAAAXA,IAAW;AAAXA,MAAAA,IAAW,GAA  
J,EAAl;AAAA;;AACTB,WAAO,IAAIqH,UAAJ,CAAE,IAAF,EAaqBvb,GAARb,EAABkU,IAA1B,CAAP;AACD;  
;SAED0E,YAAA,mBAAUzR,OAAV,EAAMb;AACjB,QAAI4V,UAAU,GAAG,EAajB;ACA5V,IAAAA,OAAO  
,CAACIJ,OAAR,CAAGB,UAAA9C,CAAC,EAAl;AACnB,UAAIA,CAAC,CAAC6hB,OAAN,EAae7hB,CAAC,G  
AAGA,CAAC,CAAC6hB,OAAN;;AAEf,UAAI,OAAO7hB,CAAP,KAAa,QAAb,IAAYB4P,KAAK,CAACC,OAA  
N,CAAc7P,CAAC,CAACgM,OAAbB,CAA7B,EAAd;AACrD4V,QAAAA,UAAU,GAAGA,UAAU,CAACD,M  
AAX,CAAKb3hB,CAAC,CAACgM,OAAPB,CAAb;AACD,OAFD,MAEO,IAAI,OAAOhM,CAAP,KAAa,UAAjB  
,EAA6B;AACIC4hB,QAAAA,UAAU,CAAC/e,IAAX,CAAGB7C,CAAhB;AACD,OAFM,MAEA;AACL,cAAM,I  
AAIkD,KAAJ,CAAaID,CAAb,8BAAN;AACD;AACF,KAVD;AAWA,WAAO4hB,UAAp;AACD;;;;AC1LH;;;;;  
;;IAUM/G;;AACJ,gBAAY/B,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAAN;ACA,UAAK3C,IAAL,GAAY  
,MAAZ;ACA,QAAI,CAAC,MAAKIP,KAAV,EAaiB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;;SAEDM,  
cAAA,qBAAYM,KAAZ,EAAMb;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,KAAAX,CAAR;;A  
AEA,QAAIA,KAAK,KAAK,CAAV,IAAe,KAAKZ,KAAL,CAAWHh,MAAX,GAAoB,CAAvC,EAA0C;AACxC,  
WAAKgH,KAAL,CAAW,CAAX,EAACqP,IAAd,CAAMBa,MAAnB,GAA4B,KAAKIQ,KAAL,CAAWY,KAAAX,  
EAAbByO,IAAIB,CAAuBa,MAAnD;AACD;;AAED,gCAAa5P,WAAb,YAAyBM,KAAzB;AACD;;SAED4V,YA  
AA,mBAAU5V,KAAV,EAaiByW,MAAjB,EAAYbNI,IAAZB,EAA+B;AAC7B,QAAAMIP,KAAK,wBAASwW,SA  
AT,YAAmB5V,KAAnB,CAAX;;AAEA,QAAIyW,MAAJ,EAAY;AACV,UAAInI,IAAI,KAAK,SAAb,EAawB;A  
ACtB,YAAI,KAAKIP,KAAL,CAAWHh,MAAX,GAAoB,CAAxB,EAA2B;AACzBqe,UAAAA,MAAM,CAACH,I  
AAP,CAAYa,MAAZ,GAAqB,KAAKIQ,KAAL,CAAW,CAAX,EAACqP,IAAd,CAAMBa,MAAxC;AACD,SAFD,

MAEO;AACL,iBAAOmH,MAAM,CAACHi,IAAP,CAAYa,MAAnB;AACD;AACF,OAND,MAMO,IAAI,KAAK  
G,KAAAL,KAAegH,MAAnB,EAA2B;AACChCrX,QAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI,EAAl;  
AACpBA,UAAAA,IAAI,CAACkP,IAAL,CAAUa,MAAV,GAAMbMh,MAAM,CAACHi,IAAP,CAAYa,MAA/B;  
AACD,SAFD;AAGD;AACF;;AAED,WAAOIQ,KAAP;AACD;AAED;,,,,,,,,,,,,;SaaA6a,WAAA,kBAAS/I,IAAT,  
EAAoB;AAAA,QAXA,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAl;AAAA;;AACIB,QAAMgJ,IAAI,GAAG,I  
AAI3B,UAAJ,CAAe,IAAI,SAAJ,EAaf,EAAGc,IAAhC,EAAsC3I,IAAtC,CAAb;AACa,WAAOgJ,IAAI,CAAC  
9L,SAAL,EAAP;AACD;;SAEDiD,SAAA,gBAAOrR,KAAP,EAAC;AACZ4I,IAAAA,QAAQ,CAAC,iDAAD,CAA  
R;AACa,SAAKIJ,WAAL,CAAiBM,KAAjB;AACD;;SAEDma,UAAA,mBAAU;AACRvR,IAAAA,QAAQ,CAAC  
,uDAAD,CAAR;AACa,WAAO,KAAKwD,MAAL,CAAY/B,KAAZ,CAAKb6B,GAazB;AACD;AAED;,,,,,,,,,,,,;  
;;EAjEiBkJ;;ACZnB,IAAIgF,QAAQ,GAAG,CAAF;AAEA;,,,,,;AAOA;,,,,,;IAOMpO;AACJ;;AAIA,iBAAyHp,G  
AAZ,EAAbkU,IAAjB,EAA4B;AAAA,QAXA,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAl;AAAA;;AACIB;  
,,,,,;AAOA,SAAKIU,GAAL,GAAWA,GAAG,CAAC7D,QAAJ,EAAX;;AAEA,QAAl,KAAK6D,GAAL,CAAS,C  
AAT,MAAgB,QAAbH,IAA4B,KAAKA,GAAL,CAAS,CAAT,MAAgB,QAAbH,EAA0D;AACxD,WAAKA,GAA  
L,GAAW,KAAKA,GAAL,CAASyO,KAAT,CAAe,CAAF,CAAX;AACD;;AAED,QAAIyF,IAAI,CAAC2D,IAAT,  
EAAe;AACb,UAAI,YAAy9b,IAAZ,CAAiBmY,IAAI,CAAC2D,IAAtB,CAAJ,EAAlC;AAC/B;,,,,,;AAQA,aAAK  
xI,IAAL,GAAY6E,IAAI,CAAC2D,IAAjB;AACD,OAVD,MAUO;AACL,aAAKxI,IAAL,GAAYgO,IAAI,CAACd,  
OAAL,CAAarI,IAAI,CAAC2D,IAAI,CAAZ;AACD;AACF;AAED;,,,,,,,,,,,,;AAiBA,QAAl,CAAC,KAAKxI,I  
AAV,EAAGB;AACd+N,MAAAA,QAAQ,IAAI,CAAZ;AACa;,,,,,;AAUA,WAAK5c,EAAL,mBAAwB4c,QAA  
xB;AACD;;AACD,QAAl,KAAKIO,GAAT,EAAC,KAAKA,GAAL,CAASG,IAAT,GAAGB,KAAKwI,IAArB;AAC  
f;,,;SAEDrJ,QAAA,eAAM3C,OAAN,EAaeF,IAAf,EAAGBC,MAArB,EAA6BsN,IAA7B,EAawC;AAAA,QAA  
A,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAl;AAAA;;AACtC,QAAl3I,MAAJ;AACa,QAAM+R,MAAM,GA  
AG,KAAKA,MAAL,CAAY3W,IAAZ,EAakBC,MAAI,CAAf;;AACa,QAAl0W,MAAJ,EAAY;AACV/R,MAA  
AA,MAAM,GAAG,IAAI4D,cAAJ,CACPtD,OADO,EAEPyR,MAAM,CAAC3W,IAFA,EAGP2W,MAAM,CAAC  
1W,MAHA,EAIP0W,MAAM,CAACIO,MAJA,EAKPko,MAAM,CAACjO,IALA,EAMP6E,IAAI,CAACpL,MAN  
E,CAAT;AAQD,KATD,MASO;AACLyC,MAAAA,MAAM,GAAG,IAAI4D,cAAJ,CAAMbtD,OAAnB,EAA4BIF,  
IAA5B,EAakCC,MAAIC,EAA0C,KAAK5G,GAA/C,EAaoD,KAAKqP,IAAZD,EAA+D6E,IAAI,CAACpL,MAA  
pE,CAAT;AACD;;AAEDyC,IAAAA,MAAM,CAAC8B,KAAP,GAAG;AAAEIG,MAAAA,IAAI,EAAlJA,IAAF;A  
AAQC,MAAAA,MAAM,EAANA,MAAR;AAAgBwI,MAAAA,MAAM,EAAlE,KAAKpP;AAA7B,KAaf;AACa,  
QAAl,KAAKqP,IAAT,EAae9D,MAAM,CAAC8B,KAAP,CAAagC,IAAb,GAaoB,KAAKA,IAAZB;AAEF,WAA  
O9D,MAAP;AACD;AAED;,,,,,,,,,,,,;SaaA+R,SAAA,gBAAO3W,IAAP,EAaAc,MAAb,EAAGB;AACnB,QAAl,  
CAAC,KAAKsI,GAAY,EAae,OAao,KAAP;AACf,QAAMqO,QAAQ,GAAG,KAAKrO,GAAL,CAASqO,QAAT,  
EAAGB;AAEA,QAAM1F,IAAI,GAAG0F,QAAQ,CAACC,mBAAT,CAA6B;AAAE7W,MAAAA,IAAI,EAAlJA,IA  
AF;AAQC,MAAAA,MAAM,EAANA;AAAR,KAA7B,CAAb;AACa,QAAl,CAACiR,IAAI,CAACzI,MAAV,E  
AAkB,OAao,KAAP;AAEIB,QAAM7D,MAAM,GAAG;AACb8D,MAAAA,IAAI,EAAlE,KAAKoO,UAAAL,CAAG  
B5F,IAAI,CAACzI,MAArB,CADO;AAEBzI,MAAAA,IAAI,EAAlEK,IAAI,CAACIR,IAFE;AAGbC,MAAAA,M  
AAM,EAAlEiR,IAAI,CAACjR;AAHA,KAaf;AAMA,QAAMwI,MAAM,GAAGmO,QAAQ,CAACG,gBAAT,CA  
A0B7F,IAAI,CAACzI,MAA/B,CAAF;AACa,QAAlA,MAAJ,EAAY7D,MAAM,CAAC6D,MAAP,GAAGBA,MA  
AhB;AAEZ,WAAO7D,MAAP;AACD;;SAEDks,aAAA,oBAAWpO,IAAX,EAAlB;AACf,QAAl,YAAyTt,IAAZ,  
CAAiBsT,IAAjB,CAAJ,EAA4B;AAC1B,aAAOA,IAAP;AACD,KAFD,MAEO;AACL,aAAOgO,IAAI,CAACd,O  
AAL,CAAa,KAAKrN,GAAL,CAASqO,QAAT,GAaoBI,UAApB,IAAKC,GAA/C,EAaoDtO,IAApD,CAAP;AAC  
D;AACF;AAED;,,,,,,,,,,,,;wBAYW;AACT,aAAO,KAAKA,IAAL,IAAa,KAAK7O,EAazB;AACD;,,,,,;ICIKkBod;  
,,,,,;SACnBxQ,WAAA,sBAAW;AACT,SAAKE,MAAL,GAAcF,QAAQ,CAAC,KAAKC,KAAAN,EAAlA;AAAEI,  
MAAAA,YAAy,EAAlE;AAAhB,KAAb,CAAtB;AACD;;SAEDoB,UAAA,iBAAQI,KAAR,EAAlE;AACb,QAAM1  
M,IAAI,GAAG,IAAIuT,OAAl,EAAb;AACa,SAAKU,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,C  
AArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;AACa1M,IAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAG,GAAG  
B;AAAEIJ,MAAAA,IAAI,EAAlEsI,KAAK,CAAC,CAAD,CAAb;AAAKBrI,MAAAA,MAAM,EAAlEiQ,KAAK,C  
AAC,CAAD;AAA/B,KAAlB;AAEA,QAAl4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAA  
e,CAAF,CAAX;AACa,QAAl0D,IAAI,CAACpD,KAAL,CAAW,CAAC,CAAZ,MAAmB,IAAvB,EAA6BoD,IAAI,



GAAGA,IAAI,CAACpD,KAAL,CAAW,CAAX,EAAC,CAAC,CAAF,CAAP;;AAE7B,QAAl,QAAQ1S,IAAR,CAA  
a8V,IAAb,CAAJ,EAawB;AACtBtP,MAAAA,IAAI,CAACsP,IAAL,GAAY,EAaz;AACAtP,MAAAA,IAAI,CAA  
CkP,IAAL,CAAUC,IAAV,GAaiBG,IAAjB;AACAtP,MAAAA,IAAI,CAACKP,IAAL,CAAUG,KAaV,GAakB,E  
AAIB;AACD,KAJD,MAIO;AACL,UAAM3P,KAAK,GAAG4P,IAAI,CAAC5P,KAAL,CAAW,yBAAX,CAAd;A  
ACAM,MAAAA,IAAI,CAACsP,IAAL,GAAY5P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAAI,CAACK  
P,IAAL,CAAUC,IAAV,GAaiBzP,KAAK,CAAC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACKP,IAAL,CAA  
UG,KAaV,GAakB3P,KAAK,CAAC,CAAD,CAAvB;AACD;AACF;;SAED2U,kBAAA,2BAakB;;SAEIBC,cAA  
A,qBAAYIH,KAAZ,EAAMb;AACjB,QAAMkO,MAAM,GAAG,KAAKvQ,MAAL,CAAYmB,KAAZ,CAAKbBb,  
KAAIB,EAAYb,KAAktB,GAAL,GAAW,CAAPc,CAAF;AACa,SAAK6H,MAAL,IAAe2H,MAAM,CAAC3O,G  
AAP,CAAW,UAAA/T,CAAC;AAAA,aAAIA,CAAC,CAAC,CAAD,CAAL;AAAA,KAAZ,EAAsBmD,IAAtB,CA  
A2B,EAa3B,CAAF;AACD;;SAEDkZ,kBAAA,2BAakB;AACHb,SAAKvB,OAAL,CAAaxE,IAAb,CAAKbB,KAA  
IB,IAA2B,GAa3B;AACD;;SAEDkH,cAAA,uBAAc;;SAEdR,gBAAA,uBAAc/U,IAAd,EAaoB;AACIBA,IAAAA,  
IAAI,CAAC5H,IAAL,GAAY,EAaz;AACD;;SAEDsc,0BAAA,iCAAwB3J,MAAxB,EAAGc;AAC9B,QAAM+C,  
KAAK,GAAG,KAAKA,KAAL,CAAW/C,MAAX,CAAd;AACa,QAAl+C,KAAK,KAAK,KAAd,EAaqB;AAErB,  
QAAl5O,KAAJ;;AACa,SAAKA,KAAK,GAAG4O,KAAK,GAAG,CAArB,EAawB5O,KAAK,IAAI,CAAJc,EA  
oCA,KAAK,EAazC,EAa6C;AAC3C,UAAI6L,MAAM,CAAC7L,KAAD,CAAN,CAAc,CAAd,MAAqB,MAAzB,  
EAaiC;AACIC;;AACD,SAAKA,KAAK,IAAI,CAAd,EAaiBA,KAAK,IAAI,CAA1B,EAa6BA,KAAK,EAaIC,E  
AAsC;AACpC,UAAI6L,MAAM,CAAC7L,KAAD,CAAN,CAAc,CAAd,MAAqB,OAazB,EAakC;AACHCA,QA  
AAA,KAAK,IAAI,CAAT;AACa;AACD;AACF;;AACD,QAAM6U,KAAK,GAAGhJ,MAAM,CAACxI,MAAP,C  
AAcrD,KAAd,EAaqB6L,MAAM,CAACIS,MAAP,GAAGbqG,KAARc,CAAd;AACa,SAAKqQ,IAAL,CAAUwE,  
KAaV;AACD;;SAEDc,uBAAA,gCAAUb;;SAEvBb,UAAA,mBAAU;AACR,QAAl,KAAKN,OAAL,CAAa7T,KA  
Ab,IAAsB,KAAK6T,OAAL,CAAa7T,KAAb,CAAmBhH,MAA7C,EAaqD;AACnD,WAAK6a,OAAL,CAAaxE,I  
AAb,CAAKBJ,SAaIB,GAa8B,KAAKA,SAAnC;AACD;;AACD,SAAK4E,OAAL,CAAaxE,IAAb,CAAKbB,KAAI  
B,GAa0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKbB,KAAIB,IAA2B,EAa5B,IAAkC,KAAKsF,MAAJE;;  
AAEA,WAAO,KAAKD,OAAL,CAAa5S,MAAPb,EAa4B;AAC1B,WAAK4S,OAAL,GAae,KAAKA,OAAL,CA  
Aa5S,MAA5B;AACa,WAAK4S,OAAL,CAAaxE,IAAb,CAAKbB,KAAIB,GAa0B,EAa1B;AACD;AACF;;EAxE  
qCmF;ACLxC;AACa,AAIe,SAAS+H,SAAT,CAAmB9d,GAAnB,EAawBkU,IAAxB,EAa8B;AAC3C,MAAM7  
G,KAAK,GAAG,IAAI2B,KAAJ,CAAUhP,GAaV,EAaekU,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAI  
0F,UAAJ,CAAevQ,KAaf,CAAF;AACa6K,EAAAA,MAAM,CAAC9K,QAAP;AACa8K,EAAAA,MAAM,CAAC  
9B,IAAP;AAEA,SAa08B,MAAM,CAAC3G,IAAd;AACD;;ACbD;AAUA,IAAIwM,SAAS,GAAG,EAahB;AAE  
A,AAIA;;;AAGA,oBAae,UAAcrU,UAAD,EAa4B;AAAA,MACnCsU,WADmC;AAIvC,yBAAY9e,KAAZ,EA  
4B;AAC1B,WAAKA,KAAL,GAaA,KAAb;AACD;;AANsC;;AAAA,WAQvC+e,mBARuC,GAQvC,6BAaoB5S,  
gBAApB,EAa8C;AAC5C,UAAAM3C,OAAO,GAAG0C,OAAO,CAAC,KAAKIM,KAAAN,EAAMm,gBAAb,CAA  
P,CAAsC/M,IAAtC,CAA2C,EAa3C,CAAhB;AAEA,UAAmhd,IAAI,GAAG4iB,mBAAMb,CAACxV,OAAD,CA  
AhC;;AACa,UAAI,CAACqV,SAAS,CAACziB,IAAD,CAAd,EAAsB;AACpB,YAAMiW,IAAI,GAAGyG,SAAK,  
CAACtP,OAAD,CAAIB;AACa,YAAMyV,SAAS,GAAG,EAaIB;AACa5M,QAAAA,IAAI,CAAC8G,IAAL,CA  
AU,UAAA9V,IAAI,EAaI;AACHb,cAAIA,IAAI,CAAC+O,IAAL,KAAC,MAAIB,EAa0B;AACxB6M,YAAAA,S  
AAS,CAACngB,IAAV,CAAE,CAACuE,IAAI,CAACyP,IAAN,EAAYzP,IAAI,CAAC+H,KAAjB,CAAF;AACD,W  
AFD,MAEO,IAAI5O,OAAO,CAACC,GAAR,CAAYC,QAaz,KAAyB,YAAzB,IAAyC2G,IAAI,CAAC+O,IAAL,  
KAAC,SAa3D,EAAsE;AAC3E;AACa7F,YAAAA,OAAO,CAACC,IAAR,mBAA6BnJ,IAAI,CAAC+O,IAaIC;A  
ACD;AACF,SAPD,EAHoB;AAYpB;AACa;AACa;;AACa,YAAM8M,WAAW,GAAGC,kBAakB,CAACF,SA  
D,EAAY,CACHD,cADgD,EAehD,aAFgD,EAGhD,aAHgD,EAIHd,aAJgD,CAAZ,CAAtC;AAMA,YAAMG,MA  
M,GAAG5U,UAAU,CAAC6U,MAAX,CAAKb;AAC/BR,UAAAA,SAAS,EAaEK;AADoB,SAaIB,CAAF;AAGA  
L,QAAAA,SAAS,CAACziB,IAAD,CAAT,GAAKBgjB,MAAM,CAACP,SAaZB;AACD;;AACD,aAAOA,SAAS,C  
AACziB,IAAD,CAAhB;AACD,KAvCsC;;AAAA;AAAA;;AA0CzC,SAa00iB,WAAP;AACD,CA3CD;;ACnBA;;  
AACa;:::;AA2BA,IAAMQ,QAAQ,GAAG,SAAXA,QAAW,CAAa5I,GAAG,EAaI;AACtB,SACE,  
OAAOA,GAAP,KAAe,UAAf,IAA8B,OAAOA,GAAP,KAAe,QAAf,IAA2BA,GAAG,KAAK,IAAnC,IAA2C,CAA  
C7K,KAAK,CAACC,OAAN,CAAc4K,GAAd,CAD5E;AAGD,CAJD;;AAMA,IAAM6I,UAAU,GAAG,SAAbA,U

AAa,CAA5T,GAAG,EAAl;AACxB,SAAOA,GAAG,KAAK,WAAR,IAAuBA,GAAG,KAAK,aAA/B,IAAgDA,  
GAAG,KAAK,WAA/D;AACD,CAFD;;AAIA,SAAS6T,KAAT,CAAejjB,MAAf,EAABma,GAAvB,EAA4B/K,G  
AA5B,EAAlC;AAC/B,MAAMF,GAAG,GAAGIP,MAAM,CAACoP,GAAD,CAAIB;;ACA,MAAI2T,QAAQ,CA  
AC5I,GAAD,CAAR,IAAiB4I,QAAQ,CAAC7T,GAAD,CAA7B,EAAoC;AACICgU,IAAAA,SAAS,CAACHu,GA  
AD,EAAMiL,GAAN,CAAT;AACD,GAFD,MAEO;AACLnA,IAAAA,MAAM,CAACoP,GAAD,CAAN,GAAC+K,  
GAAd;AACD;AACF;;AAED,AAAE,SAAS+I,SAAT,CAAmBljB,MAAnB,EAAoC;AAAA,oCAANmjB,IAAM;A  
AANA,IAAAA,IAAM;AAAA;;AACjD,2BAakBA,IAAiB,2BAAwB;AAAnB,QAAMjU,GAAG,YAAT;;AACH,Q  
AAI6T,QAAQ,CAAC7T,GAAD,CAAZ,EAAMb;AACjB,WAAK,IAAME,GAAX,IAAkBF,GAAlB,EAABuB;AACr  
B,YAAI8T,UAAU,CAAC5T,GAAD,CAAd,EAaqB;AACnB6T,UAAAA,KAAK,CAACjjB,MAAD,EAASKp,GA  
AG,CAACE,GAAD,CAAZ,EAAMb,GAAnB,CAAL;AACD;AACF;AACF;AACF;;AAED,SAAOpP,MAAP;AA  
CD;;AC3DD;AACa,AAMA,sBAAE,UAAc2d,KAAD,EAaeyF,aAAf,EAAMCC,YAAnC,EAawE;AAAA,MAArC  
A,YAAqC;AAArCA,IAAAA,YAAqC,GAAjBthB,YAAiB;AAAA;;AACrF,SAAQ4b,KAAK,CAAC2F,KAAN,KA  
AgBD,YAAY,CAACC,KAA7B,IAAsC3F,KAAK,CAAC2F,KAA7C,IAAuDF,aAAvD,IAAwEC,YAAY,CAACC,  
KAA5F;AACD,CAFD;;ACPA;AAGA,AAAE,SAASC,KAAT,CAAevjB,MAAf,EAAMf;AACHG,SACE,OAAOA,  
MAAP,KAAkB,QAAIB,KACCC,OAAO,CAACC,GAAR,CAAYC,QAaz,KAAyB,YAAzB,GACGH,MAAM,CA  
ACwjB,MAAP,CAAc,CAAd,MAAqBxjB,MAAM,CAACwjB,MAAP,CAAc,CAAd,EAAB9U,WAAjB,EADxB,G  
AEG,IAHJ,CADF;AAMD;;ACVD;AAEA,AAGe,SAAS+U,mBAAT,CACbzjB,MADa,EAEL;AACR,SAAOujB,K  
AAK,CAACvjB,MAAD,CAAL,eAA0BA,MAAI1B,eAA+CD,gBAAgB,CAACC,MAAD,CAAD,MAAP;AACD;;I  
CKY0jB,YAAY,GAA0BnW,cAAK,CAACC,aAAN,EAAS5C;AAEP,IAAmW,aAAa,GAAGD,YAAY,CAACHW,Q  
AAAnC;;AAEP,SAASKW,UAAAT,CAAoBN,KAAPB,EAA0CO,UAA1C,EAaqE;AACnE,MAAI,CAACP,KAAL,EA  
AY;AACV,WAAOzf,0BAAGB,CAAC,EAAD,CAAvB;AACD;;AAED,MAAIxD,UAAU,CAACijB,KAAD,CAAd,  
EAABuB;AACrB,QAAMQ,WAAW,GAAGR,KAAK,CAACO,UAAD,CAAzB;;AAEA,QACE5jB,OAAO,CAACC,  
GAAR,CAAYC,QAaz,KAAyB,YAAzB,KACC2jB,WAAW,KAAK,IAAhB,IAAwBxU,KAAK,CAACC,OAAAN,C  
AAcuU,WAAAd,CAAxB,IAAsD,OAAOA,WAAp,KAAuB,QAD9E,CADF,EAGE;AACa,aAAOjgB,0BAAGB,CAA  
C,CAAD,CAAvB;AACD;;AAED,WAAOigB,WAAp;AACD;;AAED,MAAIxU,KAAK,CAACC,OAAAN,CAAc+T,  
KAAd,KAAwB,OAAOA,KAAP,KAAiB,QAA7C,EAABuD;AACrD,WAAOzf,0BAAGB,CAAC,CAAD,CAAvB;AA  
CD;;AAED,SAAOggB,UAAU,gBAAQA,UAAAR,MAAuBP,KAAvB,IAAiCA,KAAID;AACD;AAED;;;;AAGA,A  
AAe,SAASS,aAAT,CAAuBpG,KAAvB,EAaqC;AACID,MAAMkG,UAAU,GAAGG,gBAAU,CAACN,YAAD,C  
AA7B;AACa,MAAMO,YAAY,GAAGC,aAAO,CAAC;AAAA,WAAMN,UAAU,CAACjG,KAAK,CAAC2F,KA  
AP,EAACo,UAAAd,CAAhB;AAAA,GAAD,EAAS4C,CACtElG,KAAK,CAAC2F,KADgE,EAEtEO,UAFsE,CAA5C,  
CAA5B;;AAKA,MAAI,CAACIG,KAAK,CAACT,QAAX,EAaqB;AACnB,WAAO,IAAP;AACD;;AAED,sBAAO  
3P,6BAAC,YAAD,CAAc,QAAd;AAABuB,IAAA,KAAK,EAAS0W;AAA9B,KAA6CtG,KAAK,CAACT,QAANd,  
CAAP;AACD;;AC1CD;AAEA;;AACa,IAAMiH,SAAS,GAAG,SAAZA,SAAY;AAAA,SAAM,IAAN;AAAA,CA  
AlB;;IAEMC;;;UAGJC,QAAQ;;;SAERC,SAAA,kBAAS;AAAA;;AACP,wBACE/W,6BAAC,aAAD,QAC  
G,UAAc+V,KAAD,EAAMb;AAAA,yBAUd,MAAI,CAAC3F,KAVS;AAAA,UAE4G,eAFW,gBAEhBC,GAfG  
B;AAAA,UAGZC,QAHY,gBAGhBC,EAHgB;AAAA,UAIhBC,kBAJgB,gBAIhBA,kBAJgB;AAAA,UAKhBC,W  
ALgB,gBAKhBA,WALgB;AAAA,UAMhBC,YANgB,gBAMhBA,YANgB;AAAA,UAOhBC,MAPgB,gBAOhBA,  
MAPgB;AAAA,4CAQhB3e,KARgB;AAAA,UAQhBA,KARgB,mCAQR,EARQ;AAAA,UASbwX,KATa;;AAAA,  
UAYV0F,YAZU,GAYkCsB,kBAZIC,CAYVtB,YAZU;AAAA,UAYIrjB,MAZJ,GAYkC2kB,kBAZIC,CAYI3kB,  
MAZJ;AAAA,UAYY+kB,iBAZZ,GAYkCJ,kBAZIC,CAYYI,iBAZZ;AAAlB,UAAmC,mBAAMb,GACvB,MAAI,  
CAACX,KAAL,CAAWG,GAAX,IAAkB,MAAI,CAACH,KAAL,CAAWK,EAAS7B,IAAmCH,eAAAnC,IAAsDE,Q  
AAtd,IAAkEzKB,MADpE;;AAGA,UAAmIlB,eAAe,GAAG,MAAI,CAACC,uBAAL,CACtBC,cAAc,CAAC,MAA  
I,CAACxH,KAAN,EAAS2F,KAAb,EAAoBD,YAApB,CAAd,IAAmDthB,YAD7B,EAETB,MAAI,CAAC4b,KAFi  
B,CAAxB;;AAKA,UAAmyH,WAAW,GAAG7B,KAAK,CAACyB,mBAAD,CAAzB;AACa,UAAmK,aAAa,GA  
AG,MAAI,CAACHb,KAAL,KAAe1G,KAAf,gBAA4BA,KAA5B,MAASc,MAAI,CAAC0G,KAA3C,IAAQd1G,K  
AA3E;AACa,UAAm2H,YAAY,GAAGP,iBAAiB,IAAKK,WAAW,IAAIjB,SAA1D;AACa,UAAmOb,eAAe,GA  
AG,EAAXB;AACa,UAAInW,GAJ;;AAEA,WAAKA,GAAL,IAAYiW,aAAZ,EAAS2B;AACzB,YAAIjW,GAAG,  
CAAC,CAAD,CAAH,KAAW,GAAX,IAAkBA,GAAG,KAAK,IAAS9B,EAAoC,SAApC,KACK,IAAIA,GAAG,KA

AK,aAAZ,EAA2B;AAC9BmW,UAAAA,eAAe,CAACb,EAAhB,GAAqB/G,KAAK,CAACvO,GAAD,CAA1B;AACD,SAFI,MAEE,IAAI,CAACKW,YAAD,IAAiBA,YAAY,CAACIW,GAAD,EAAM+U,SAAN,CAAjC,EAAMd;AACxD;ACAoB,UAAAA,eAAe,CAACnW,GAAD,CAAf,GAAuBiW,aAAa,CAACjW,GAAD,CAApC;AACD;AACF;;AAEDmW,MAAAA,eAAe,CAACpf,KAAhB,GAAwB,OAAOA,KAAP,KAAiB,UAAjB,GACxB,UACqf,KAAD,EAAW;AACT,eAAO,CAACP,eAAD,EAakB5D,MAAIB,CAAyBlb,KAAK,CAACqf,KAAD,CAA9B,CAAP;AACD,OAHuB,GAIb,CAACP,eAAD,EAakB5D,MAAIB,CAAyBlb,KAAzB,CAJF;AAKAof,MAAAA,eAAe,CAACT,MAAhB,GAAyBA,MAAzB;AAEA,UAAID,YAAJ,EAakBU,eAAe,CAACE,GAAhB,GAAzBZ,YAAtB;AACIB,UAAID,WAAJ,EAaiBW,eAAe,CAACb,EAAhB,GAAqBE,WAArB;AAEjB,aAAO/c,mBAAa,CAACmd,mBAAD,EAAsBO,eAAtB,CAApB;AACD,KAjDH,CADF;AAqDD;;SAEDG,wBAAA,+BAAsBpC,KAAtB,EAAsC3F,KAAcT,EAaqD0G,KAArD,EAAMe;AAAA;;AACjE,QAAMtZ,OAAO,gBAAQ4S,KAAr;AAE2F,MAAAA,KAAK,EAALA;AAAf,MAAb;;AAEA,QAAl,CAACe,KAAK,CAAC1kB,MAAX,EAAMb,OAAOoL,OAAP;AAEnB,SAAKsZ,KAAAL,GAAa,EAAb;AAEAA,IAAAA,KAAK,CAAC7hB,OAAN,CAAc,UAAAmjB,OAAO,EAAl;AACvB,UAAIC,eAAe,GAAGD,OAAtB;AACa,UAAIE,IAAJ;AACa,UAAIzW,GAAJ;;AAEA,UAAI/O,UAAU,CAACuL,eAAD,CAAd,EAAlC;AAC/BA,QAAAA,eAAe,GAAGA,eAAe,CAAC7a,OAAD,CAAjC;AACD;AAED;;;AACa,WAAKqE,GAAL,IAAYwW,eAAZ,EAA6B;AAC3BC,QAAAA,IAAI,GAAGD,eAAe,CAACxW,GAAD,CAAtB;AACa,QAAA,MAAI,CAACiV,KAAAL,CAAWjV,GAAX,IAAkByW,IAAlB;AACa9a,QAAAA,OAAO,CAACqE,GAAD,CAAP,GAAeyW,IAAf;AACD;AACD;AACD,KAhBD;AAkBA,WAAO9a,OAAP;AACD;;SAEDma,0BAAA,iCAAwB5B,KAAxB,EAaoC3F,KAApC,EAAGd;AAAA,QACtCmI,WADsC,GACtBnI,KAAK,CAACgH,kBADgB,CACtCmB,WADsC;AAG9C,QAAMIW,gBAAgB,GAAG,KAAK8V,qBAAL,CACvBpC,KADuB,EAEvB3F,KAFuB,EAGvBA,KAAK,CAACgH,kBAAN,CAAyBN,KAHF,CAAzB;AAMA,WAAOyB,WAAW,CAACtD,mBAAZ,CAAgC5S,gBAAhC,CAAP;AACD;;SAEDmW,iBAAA,wBAAeC,WAAf,EAaoC;AACIC,QAAl,KAAKIQ,IAAL,KAAcpQ,SAAlB,EAA6B;AAC3B;AACa,WAAKoQ,IAAL,CAAUiQ,cAAV,CAAyBC,WAAzB;AACD,KAHD,MAGO,IAAI/IB,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAA7B,EAA2C;AACD;AACa6P,MAAAA,OAAO,CAACC,IAAR,CACE,4FADF;AAGD;AACF;;EA/GiCgW;;AAkHpC,8BAAE,UAAAC1D,WAAD,EAA2B;AACxC,MAAM2D,2BAA2B,GAAG,SAA9BA,2BAA8B,CAACImB,MAAD,EAAlB0J,OAajB,EAakCjG,KAAIC,EAaqD;AAAA,yBAKnFiG,OALmF,CAErF2a,KAFqF;AAAA,QAerFA,KAFqF,+BAE7ExiB,WAF6E;AAAA,+BAKnF6H,OALmF,CAGrFuJ,WAHqF;AAAA,QAGrFA,WAHqF,qCAGvEqjB,mBAAmB,CAACzjB,MAAD,CAHoD;AAAA,gCAKnF0J,OALmF,CAIrFyc,eAJqF;AAAA,QAIRFA,eAJqF,sCAInE/B,qBAJmE;AAOVF,QAMgC,OAAO,GAAG,CAAC7C,KAAK,CAACvjB,MAAD,CAAtB;AACa,QAAMqmB,kBAakB,GAAGvIB,iBAAlB,CAACd,MAAD,CAA5C,CARuF;;AAWvF,QAAMsmB,4BAA4B,GAAG/Y,cAAK,CAACgZ,UAAAN,CAAiB,UAAAC5I,KAAD,EAAQ8H,GAAR;AAAA,0BACpDIY,6BAAC,eAAD,eACMoQ,KADN;AAEE,QAAA,kBAakB,EAEE2I,4BAFtB;AAGE,QAAA,YAAY,EAABe;AAHhB,SADoD;AAAA,KAAjB,CAArC;AAQA,QAAMe,UAAU;AAEdH,IAAAA,kBAakB,IAAIrmB,MAAM,CAACqkB,KAA7B,GACI/U,KAAK,CAAC9O,SAAN,CAAgB6gB,MAAhB,CAAuBrhB,MAAM,CAACqkB,KAA9B,EAaqCA,KAArC,EAa4C1E,MAA5C,CAAMdJe,OAAnD,CADJ,GAEl2iB,KAJN,CAnBuF;;AA0BvF,QAAlU,iBAAlB,GAAGrb,OAAO,CAACqB,iBAAhC,CA1BuF;;AA6BvF,QAAlS,kBAakB,IAAIrmB,MAAM,CAAC+kB,iBAAjC,EAaoD;AACID,UAAIA,iBAAJ,EAauB;AACrB;AACAA,QAAAA,iBAAlB,GAAG,2BAACxO,IAAD,EAaOkQ,QAAP,EAAlBC,kBAAjB;AAAA;AAElB1mB,YAAA,MAAM,CAAC+kB,iBAAP,CAAyBxO,IAAzB,EAA+BkQ,QAA/B,EAAYCC,kBAAzC,KACAhD,OAAO,CAACqb,iBAAR,CAA0BxO,IAA1B,EAAGCkQ,QAaHc,EAa0CC,kBAA1C;AAHkB;AAAA,SAAPB;AAID,OAND,MAAMO;AACL;AACa3B,QAAAA,iBAAlB,GAAG/kB,MAAM,CAAC+kB,iBAA3B;AACD;AACF;AAED;;;AAKA;;AACAuB,IAAAA,4BAA4B,CAACjC,KAA7B,GAAqCmC,UAArC;AAEAF,IAAAA,4BAA4B,CAACImB,WAA7B,GAA2CA,WAA3C,CAIDuF;;AAqDvFkmB,IAAAA,4BAA4B,CAACvB,iBAA7B,GAAiDA,iBAAJD,CARduF;;AAwDvFuB,IAAAA,4BAA4B,CAACR,WAA7B,GAA2C,IAAIvD,WAAJ;AAEzC8D,IAAAA,kBAakB,GAAGrmB,MAAM,CAAC8IB,WAAP,CAAmBriB,KAAAnB,CAAyB4d,MAAzB,CAAGC5d,KAAhC,CAAH,GAA4CA,KAFrB,CAA3C,CAXduF;;AA8DvF6iB,IAAAA,4BAA4B,CAACvIB,iBAA7B,GAAID,uBAAJD,CA9DuF;;AAgEvFulB,IAAAA,4BAA4B,CAACtmB,MAA7B,GAAcSqmB,kBAakB;AAEpDrmB,IAAAA,MAAM,CAACA,MAF6C,GAGpDA,MAHJ,CAHEuF;;AAqEvFsmB,IAAAA,4BAA4B,CAACK,aAA7B,GAA6C,SAASA,aAAT,CAAuB3jB,GAAvB,EAAoC;AAAA,UAC1D2J,CAD0D,GACjBjD,OADiB,CACvEtJ,WADuE;AAAA,UAC1CwmB,EAD0C,GAC

jBlD,OADiB,CACvDsD,WADuD;AAAA,UACn6Z,aADmC,iCACjBnd,OADiB;;AAE/E,UAAMod,UAAU,gBAC  
XD,aADW;AAEdxC,QAAAA,KAACK,EAAEmC,UAF0;AAGdL,QAAAA,eAAe,EAaF;AAHc,QAaHb;;AAMA,  
aAAOD,2BAA2B,CAACljB,GAAD,EAAM8jB,UAAN,EAakBrjB,KAAIB,CAAIC;AACD,KATD,CAReuF;;;AAi  
FvF9C,IAAAA,MAAM,CAAComB,cAAP,CAAsBT,4BAAtB,EAAoD,cAApD,EAAoE;AACIErhB,MAAAA,GAD  
kE,iBAC5D;AACJ,eAAO,KAACK+hB,mBAAZ;AACD,OAHiE;AAKIEljB,MAAAA,GALkE,eAK9DoL,GAL8D,E  
AKzD;AACp;AACa,aAAK8X,mBAAL,GAA2BX,kBAaKB,GAAGY,SAACK,CAAC,EAAD,EAAKjnB,MAAM,C  
AACqjB,YAAZ,EAA0BnU,GAA1B,CAAR,GAAYCA,GAATF;AACD;AARiE,KAApE;;AAWA,QAAlkX,OAAJ,E  
AAa;AACXc,MAAAA,KAACK,CAACZ,4BAAD,EAAgCtmB,MAAhC,EAA8C;AACjD;AACaQkB,QAAAA,KAA  
K,EAAE,IAF0C;AAGjDjkB,QAAAA,WAAW,EAAE,IAHoC;AAIjD2kB,QAAAA,iBAAiB,EAAE,IAJ8B;AAKjD  
e,QAAAA,WAAW,EAAE,IALoC;AAMjD/kB,QAAAA,iBAAiB,EAAE,IAN8B;AAOjDf,QAAAA,MAAM,EAAE,  
IAPyC;AAQjD2mB,QAAAA,aAAa,EAAE;AARkC,OAA9C,CAAL;AAUD;;AAED,WAAOL,4BAAP;AACD,GA  
1GD;;AA4GA,SAAOJ,2BAAP;AACD,CA9GD;;ACvIA;AAGA,kBAaE,UACbiB,OADa,EAEBxkB,cAFa,EAGY;  
AACzB,MAAMmN,MAAM,GAAG,CAACqX,OAAO,CAAC,CAAD,CAAR,CAAF;;AAEA,OAAK,IAAIznB,CA  
AC,GAAG,CAAR,EAAW4C,GAAG,GAAGK,cAAc,CAACHD,MAArC,EAA6CD,CAAC,GAAG4C,GAAjD,EAA  
sD5C,CAAC,IAAI,CAA3D,EAA8D;AAC5DoQ,IAAAA,MAAM,CAACvN,IAAP,CAAYI,cAAc,CAACjD,CAAD,  
CAA1B,EAA+BynB,OAAO,CAACznB,CAAC,GAAG,CAAL,CAATC;AACD;;AAED,SAAOoQ,MAAP;AACD,C  
AXD;;ACHA;AACa,AAOA;;;AAIA,IAAMsX,MAAM,GAAG,SAATA,MAAS,CAAAC,GAAG,EAAI;AACpB,  
MAAI/X,KAACK,CAACC,OAAO,CAAC8X,GAAd,CAAJ,EAAwB;AACtB;AACAA,IAAAA,GAAG,CAAC7X,KA  
AJ,GAAY,IAAZ;AACD;;AACD,SAAO6X,GAAP;AACD,CAND;;AAQA,AAAE,SAAS9iB,GAAT,CAAase,MAA  
b,EAA+E;AAAA,oCAA/ClgB,cAA+C;AAA/CA,IAAAA,cAA+C;AAAA;;AAC5F,MAAIc,UAAU,CAACwiB,M  
AAD,CAAV,IAAsBnT,aAAa,CAACmT,MAAD,CAAvC,EAAiD;AAC/C;AACa,WAAOuE,MAAM,CAACzX,O  
AAO,CAAC2X,UAAU,CAACzlB,WAAD,GAaeghB,MAAf,SAA0BlgB,cAA1B,EAAx,CAAR,CAAb;AACD;;A  
AED,MAAIA,cAAc,CAACHD,MAAf,KAA0B,CAA1B,IAA+BkjB,MAAM,CAACljB,MAAP,KAAKB,CAAjD,IA  
AsD,OAAOkjB,MAAM,CAAC,CAAD,CAAb,KAAqB,QAA/E,EAAYF;AACvF;AACa,WAAOA,MAAP;AACD,  
GAT2F;;;AAY5F,SAAOuE,MAAM,CAACzX,OAAO,CAAC2X,UAAU,CAACzE,MAAD,EAASlgB,cAAT,CAA  
X,CAAR,CAAb;AACD;;ACzBc,SAAS4kB,oBAAT,CACbC,oBADa,EAEBxkB,GAFa,EAGb0G,OAHa,EAlB;AAA  
A,MADAA,OACA;AADAA,IAAAA,OACA,GADk3H,YACIB;AAAA;;AACa,MAAI,CAAC0IB,0BAaKB,CAA  
CzKB,GAAD,CAAvB,EAA8B;AAC5B,WAAOa,0BAAGB,CAAC,CAAD,EAAI9E,MAAM,CAACIE,GAAD,CAA  
V,CAAvB;AACD;AAED;AACa;;;AACa,MAAM0kB,gBAAGB,GAAG,SAAnBA,gBAAmB;AAAA,WAAaF,oB  
AAoB,CAACxkB,GAAD,EAAM0G,OAAO,EAaenF,GAAG,MAAH,mBAAf,CAAjC;AAAA,GAazB;AAEA;;;A  
ACAmjB,EAAAA,gBAAGB,CAACC,UAAjB,GAA8B,UAAAC,MAAM;AAAA,WACICL,oBAAoB,CAACC,oBA  
AD,EAAuBxB,GAAvB,eAAiC0G,OAAjC,MAA6Cke,MAA7C,EADc;AAAA,GAAPC;AAGA;;;AACAF,EAAA  
A,gBAAGB,CAACrD,KAAjB,GAAYB,UAAAA,KAACK;AAAA,WAC5BkD,oBAAoB,CAACC,oBAAD,EAAuBxB  
B,GAAvB,eACf0G,OADe;AAEIB2a,MAAAA,KAACK,EAAE/U,KAACK,CAAC9O,SAAN,CAAGB6gB,MAAhB,C  
AAuB3X,OAAO,CAAC2a,KAA/B,EAAsCA,KAAtC,EAA6C1E,MAA7C,CAAoDje,OAAPD;AAFW,OADQ;AA  
AA,GAAY9B;;AAMA,SAAOgmB,gBAAP;AACD;;ACzBD;AACa;AACa;AACa;AACa;;AAEA,iBAAe,UAAcZ  
B,SAAD,EAAwC;AACrD;AACa,MAAM4B,SAAS,GAAGta,cAAK,CAACgZ,UAAN,CAAiB,UAAc5I,KAAD,E  
AAQ8H,GAAR,EAAGB;AACjD,QAAMnC,KAACK,GAAGU,gBAAU,CAACN,YAAD,CAAxB,CADiD;;AAAA,Q  
AGzCL,YAHyC,GAGxB4C,SAHwB,CAGzC5C,YAHyC;AAIjD,QAAMyE,SAAS,GAAG3C,cAAc,CAACxH,KA  
AD,EAAQ2F,KAAR,EAAeD,YAAf,CAAhC;;AAEA,QAAPjB,OAAO,CAACC,GAAR,CAAYC,QAAYZ,KAAyB,  
YAAzB,IAAYC2nB,SAAS,KAAKpiB,SAA3D,EAASe;AACpE;AACAsK,MAAAA,OAAO,CAACC,IAAR,6HAC  
2HIQ,gBAAGB,CACvIkMB,SADuI,CAD3I;AAKD;;AAED,wBAAO1Y,6BAAC,SAAD,eAAeoQ,KAAf;AAAsB,  
MAAA,KAACK,EAAEmK,SAA7B;AAAwC,MAAA,GAAG,EAAErC;AAA7C,OAAP;AACD,GAhBiB,CAAIB;AA  
kBAc,EAAAA,KAAY,CAACF,SAAD,EAAY5B,SAAZ,CAAZ;AAEA4B,EAAAA,SAAS,CAACznB,WAAV,kB  
AAqCL,gBAAGB,CAACKmB,SAAD,CAArD;AAEA,SAAO4B,SAAP;AACD,CAzBD;;ACdA;AACa;AAGA,IAA  
MG,QAAQ,GAAG,SAAXA,QAAW;AAAA,SAAMhE,gBAAU,CAACN,YAAD,CAAhB;AAAA,CAAjB;;ACJA;;  
AAiBA,IAAMnB,WAAW,GAAG0F,YAAY,CAACC,eAAe,CAAC1e,UAAjB,CAAhC;;AACa,IAAM4a,uBAAqB,  
GAAG+D,sBAAsB,CAAC5F,WAAD,CAAPD;;AACa,IAAM6F,MAAM,GAAG,SAATA,MAAS,CAACplB,GAA

D;AAAA,SAAiBukB,oBAAoB,CAACnD,uBAAD,EAawBphB,GAaxB,CAArC;AAAA,CAAf;AAEA;;;AAEA,I  
AAMqIB,OAAO,GAAG,4BAAhB;AAEA;;;AAEAA,OAAO,CAACriB,KAAR,CAAc,MAAd,EAAsBxD,OAAtB,C  
AA8B,UAAA8IB,KAAK;AAAA,SACjC3nB,MAAM,CAAComB,cAAP,CAAsBqB,MAAtB,EAA8BE,KAA9B,E  
AAqC;AACnCC,IAAAA,UAAU,EAAE,IADuB;AAEnCC,IAAAA,YAAY,EAAE,KAFqB;AAGnCvjB,IAAAA,G  
AHmC,iBAG7B;AACJ,aAAOmjB,MAAM,CAACF,eAAe,CAACI,KAAD,CAAhB,CAAb;AACD;AALkC,GAArC  
,CADiC;AAAA,CAAnC;;;;;;;"}

Found in path(s):

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/primitives/dist/styled-components-primitives.cjs.js.map

No license file was found, but licenses were detected in source scan.

/\*\*

\* MIT License

\*

\* Copyright (c) 2016 Sultan Tarimo

\*

\* Permission is hereby granted, free of charge, to any person obtaining a copy of

\* this software and associated documentation files (the "Software"),

\* to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or

\* sell copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

\*

\* The above copyright notice and this permission notice shall be included in all

\* copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS

\* OR IMPLIED INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

\* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

\* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,

\* WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR

\* IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

/\*\*

mixin-deep; <https://github.com/jonschlinkert/mixin-deep>

Inlined such that it will be consistently transpiled to an IE-compatible syntax.

The MIT License (MIT)

Copyright (c) 2014-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

\*/

Found in path(s):

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/primitives/dist/styled-components-primitives.esm.js

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/native/dist/styled-components.native.esm.js

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/native/dist/styled-components.native.cjs.js

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/primitives/dist/styled-components-primitives.cjs.js

No license file was found, but licenses were detected in source scan.

Licensed under the MIT License, Copyright © 2016-present Glen Maddern and Maximilian Stoiber.

Found in path(s):

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/README.md

No license file was found, but licenses were detected in source scan.

```
{ "version": 3, "file": "styled-components.esm.js", "sources": [ "../src/utils/interleave.js", "../src/utils/isPlainObject.js", "../src/utils/empties.js", "../src/utils/isFunction.js", "../src/utils/getComponentName.js", "../src/utils/isStyledComponent.js", "../src/constants.js", "../src/utils/error.js", "../src/utils/errors.js", "../src/sheet/GroupedTag.js", "../src/sheet/GroupIDAllocator.js", "../src/sheet/Rehydration.js", "../src/utils/nonce.js", "../src/sheet/dom.js", "../src/sheet/Tag.js", "../src/sheet/Sheet.js", "../src/utils/generateAlphabeticName.js", "../src/utils/hash.js", "../src/utils/isStaticRules.js", "../src/models/ComponentStyle.js", "../src/utils/stylis.js", "../src/utils/stylisPluginInsertRule.js", "../src/models/StyleSheetManager.js", "../src/models/Keyframes.js", "../src/utils/hyphenateStyleName.js", "../src/utils/flatten.js", "../src/utils/isStatelessFunction.js", "../src/utils/addUnitIfNeeded.js", "../src/constructors/css.js", "../src/utils/checkDynamicCreation.js", "../src/utils/determineTheme.js", "../src/utils/escape.js", "../src/utils/generateComponentId.js", "../src/utils/isTag.js", "../src/utils/mixinDeep.js", "../src/models/ThemeProvider.js", "../src/models/StyledComponent.js", "../src/utils/generateDisplayName.js", "../src/utils/joinStrings.js", "../src/utils/createWarnTooManyClasses.js", "../src/utils/domElements.js", "../src/constructors/styled.js", "../src/constructors/constructWithOptions.js", "../src/models/GlobalStyle.js", "../src/constructors/createGlobalStyle.js", "../src/constructors/keyframes.js", "../src/models/ServerStyleSheet.js", "../src/hoc/withTheme.js", "../src/hooks/useTheme.js", "../src/secretInternals.js", "../src/base.js"], "sourcesContent": [ "@flow\nimport type { Interpolation } from './types';\n\nexport default (\n  strings: Array<string>,\n  interpolations: Array<Interpolation>\n) \n\nArray<Interpolation> => {\n  const result = [strings[0]];\n  for (let i = 0, len = interpolations.length; i < len; i += 1)
```

```

{\n  result.push(interpolations[i], strings[i + 1]);\n } \n\n return result;\n};\n", "// @flow\nimport { typeOf } from
'react-is';\n\nexport default (x: any): boolean =>\n x !== null &&\n typeof x === 'object' &&\n (x.toString ?
x.toString() : Object.prototype.toString.call(x)) === '[object Object]' &&\n !typeOf(x);\n", "// @flow\nexport const
EMPTY_ARRAY = Object.freeze([]);\nexport const EMPTY_OBJECT = Object.freeze({});\n", "// @flow\nexport
default function isFunction(test: any): boolean %checks {\n  return typeof test === 'function';\n}\n", "//
@flow\nimport type { IStyledComponent } from './types';\n\nexport default function getComponentName(\n
target: $PropertyType<IStyledComponent, 'target'>\n): string {\n  return (\n    (process.env.NODE_ENV !==
'production' ? typeof target === 'string' && target : false) ||\n    // $FlowFixMe\n    target.displayName ||\n    //
$FlowFixMe\n    target.name ||\n    'Component'\n  );\n}\n", "// @flow\nexport default function
isStyledComponent(target: any): boolean %checks {\n  return target && typeof target.styledComponentId ===
'string';\n}\n", "// @flow\n\ndeclare var SC_DISABLE_SPEEDY: ?boolean;\ndeclare var __VERSION__:
string;\n\nexport const SC_ATTR: string =\n (typeof process !== 'undefined' &&
(process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||\n 'data-styled';\n\nexport const
SC_ATTR_ACTIVE = 'active';\nexport const SC_ATTR_VERSION = 'data-styled-version';\nexport const
SC_VERSION = __VERSION__;\nexport const SPLITTER = '/*!sc*/\n';\nexport const IS_BROWSER = typeof
window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE_SPEEDY =\n Boolean(typeof
SC_DISABLE_SPEEDY === 'boolean'\n ? SC_DISABLE_SPEEDY\n : (typeof process !== 'undefined' &&
typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined' &&
process.env.REACT_APP_SC_DISABLE_SPEEDY !== "\n ?
process.env.REACT_APP_SC_DISABLE_SPEEDY === 'false' ? false :
process.env.REACT_APP_SC_DISABLE_SPEEDY\n : (typeof process !== 'undefined' && typeof
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== "\n ?
process.env.SC_DISABLE_SPEEDY === 'false' ? false : process.env.SC_DISABLE_SPEEDY\n :
process.env.NODE_ENV !== 'production'\n )\n );\n\n// Shared empty execution context when generating static
styles\n\nexport const STATIC_EXECUTION_CONTEXT = {};\n", "// @flow\nimport errorMap from
'./errors';\n\nconst ERRORS = process.env.NODE_ENV !== 'production' ? errorMap : {};\n\n/**\n * super basic
version of sprintf\n */\nfunction format(...args) {\n  let a = args[0];\n  const b = [];\n\n  for (let c = 1, len =
args.length; c < len; c += 1) {\n    b.push(args[c]);\n  }\n\n  b.forEach(d => {\n    a = a.replace(/%[a-z]/, d);\n  });\n\n  return a;\n}\n\n/**\n * Create an error file out of errors.md for development and a simple web link to the full
errors\n * in production mode.\n */\nexport default function throwStyledComponentsError(\n  code: string |
number,\n  ...interpolations: Array<any>\n) {\n  if (process.env.NODE_ENV === 'production') {\n    throw new
Error(\n      `An error occurred. See https://git.io/JUIaE#${code} for more information.${\n
interpolations.length > 0 ? ` Args: ${interpolations.join(', ')} ` : "\n `);\n  } else {\n    throw new
Error(format(ERRORS[code], ...interpolations).trim());\n  }\n}\n", "export default {\n  "1": "Cannot create styled-
component for component: %s.\n\n",\n  "2": "Can't collect styles once you've consumed a `ServerStyleSheet`'s
styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.\n\n- Are you trying to reuse it
across renders?\n- Are you accidentally calling collectStyles twice?\n\n",\n  "3": "Streaming SSR is only supported
in a Node.js environment; Please do not try to call this method in the browser.\n\n",\n  "4": "The
`StyleSheetManager` expects a valid target or sheet prop!\n\n- Does this error occur on the client and is your target
falsy?\n- Does this error occur on the server and is the sheet falsy?\n\n",\n  "5": "The clone method cannot be used
on the client!\n\n- Are you running in a client-like environment on the server?\n- Are you trying to run SSR on the
client?\n\n",\n  "6": "Trying to insert a new style tag, but the given Node is unmounted!\n\n- Are you using a
custom target that isn't mounted?\n- Does your document not have a valid head element?\n- Have you accidentally
removed a style tag manually?\n\n",\n  "7": "ThemeProvider: Please return an object from your `theme` prop
function, e.g.\n\n``js\ntheme={() => ({})}\n``\n\n",\n  "8": "ThemeProvider: Please make your `theme`
prop an object.\n\n",\n  "9": "Missing document `<head>\n\n",\n  "10": "Cannot find a StyleSheet instance. Usually
this happens if there are multiple copies of styled-components loaded at once. Check out this issue for how to
troubleshoot and fix the common cases where this situation can happen: https://github.com/styled-

```

components/styled-components/issues/1941#issuecomment-417862021

"11": "\_This error was replaced with a dev-time warning, it will be deleted for v4 final. [createGlobalStyle] received children which will not be rendered. Please use the component without passing children elements."

"12": "It seems you are interpolating a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer supported in v4 as keyframes are now injected on-demand. Please wrap your string in the css` helper which ensures the styles are injected correctly. See <https://www.styled-components.com/docs/api#css>"

"13": "%s is not a styled component and cannot be referred to via component selector. See <https://www.styled-components.com/docs/advanced#referring-to-other-components> for more details."

"14": "ThemeProvider: `theme` prop is required."

"15": "A stylis plugin has been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between different stylis configurations within the same app. Before you pass your plugin to `<StyleSheetManager stylisPlugins={[]}>`, please make sure each plugin is uniquely-named, e.g. `js\nObject.defineProperty(importedPlugin, 'name', { value: 'some-unique-name' });`"

"16": "Reached the limit of how many styled components may be created at group %s. You may only create up to 1,073,741,824 components. If you're creating components dynamically, for instance in your render method then you may be running into this limitation."

"17": "CSSStyleSheet could not be found on HTMLStyleElement. Has styled-components' style tag been unmounted or altered by another script?"

```

@flow\n/* eslint-disable no-use-before-define *\n\nimport type { GroupedTag, Tag } from './types';\nimport { SPLITTER } from './constants';\nimport throwError from './utils/error';\n\n/** Create a GroupedTag with an underlying Tag implementation */\nexport const makeGroupedTag = (tag: Tag): GroupedTag => {\n  return new DefaultGroupedTag(tag);\n};\n\nconst BASE_SIZE = 1 << 9;\n\nclass DefaultGroupedTag implements GroupedTag {\n  groupSizes: Uint32Array;\n  length: number;\n  tag: Tag;\n\n  constructor(tag: Tag) {\n    this.groupSizes = new Uint32Array(BASE_SIZE);\n    this.length = BASE_SIZE;\n    this.tag = tag;\n  }\n\n  indexOfGroup(group: number): number {\n    let index = 0;\n    for (let i = 0; i < group; i++) {\n      index += this.groupSizes[i];\n    }\n    return index;\n  }\n\n  insertRules(group: number, rules: string[]): void {\n    if (group >= this.groupSizes.length) {\n      const oldBuffer = this.groupSizes;\n      const oldSize = oldBuffer.length;\n      let newSize = oldSize;\n      while (group >= newSize) {\n        newSize <<= 1;\n        if (newSize < 0) {\n          throwError(16, `${group}`);\n        }\n        this.groupSizes = new Uint32Array(newSize);\n        this.groupSizes.set(oldBuffer);\n        this.length = newSize;\n        for (let i = oldSize; i < newSize; i++) {\n          this.groupSizes[i] = 0;\n        }\n        let ruleIndex = this.indexOfGroup(group + 1);\n        for (let i = 0, l = rules.length; i < l; i++) {\n          if (this.tag.insertRule(ruleIndex, rules[i])) {\n            this.groupSizes[group]++;;\n            ruleIndex++;;\n          }\n        }\n        clearGroup(group: number): void {\n          if (group < this.length) {\n            const length = this.groupSizes[group];\n            const startIndex = this.indexOfGroup(group);\n            const endIndex = startIndex + length;\n            this.groupSizes[group] = 0;\n            for (let i = startIndex; i < endIndex; i++) {\n              this.tag.deleteRule(startIndex);\n            }\n          }\n        }\n        getGroup(group: number): string {\n          let css = "";\n          if (group >= this.length || this.groupSizes[group] === 0) {\n            return css;\n          }\n          const length = this.groupSizes[group];\n          const startIndex = this.indexOfGroup(group);\n          const endIndex = startIndex + length;\n          for (let i = startIndex; i < endIndex; i++) {\n            css += `${this.tag.getRule(i)}${SPLITTER}`;\n          }\n          return css;\n        }\n      }\n\n@flow\n\nimport throwError from './utils/error';\n\nconst MAX_SMI = 1 << 31 - 1;\n\nlet groupIDRegister: Map<string, number> = new Map();\nlet reverseRegister: Map<number, string> = new Map();\nlet nextFreeGroup = 1;\n\nexport const resetGroupIds = () => {\n  groupIDRegister = new Map();\n  reverseRegister = new Map();\n  nextFreeGroup = 1;\n};\n\nexport const getGroupForId = (id: string): number => {\n  if (groupIDRegister.has(id)) {\n    return (groupIDRegister.get(id): any);\n  }\n  while (reverseRegister.has(nextFreeGroup)) {\n    nextFreeGroup++;;\n  }\n  const group = nextFreeGroup++;;\n  if ((process.env.NODE_ENV !== 'production' && ((group | 0) < 0 || group > MAX_SMI))) {\n    throwError(16, `${group}`);\n  }\n  groupIDRegister.set(id, group);\n  reverseRegister.set(group, id);\n  return group;\n};\n\nexport const getIdForGroup = (group: number): void | string => {\n  return reverseRegister.get(group);\n};\n\nexport const setGroupForId = (id: string, group: number) => {\n  if (group >= nextFreeGroup) {\n    nextFreeGroup = group + 1;\n  }\n  groupIDRegister.set(id, group);\n  reverseRegister.set(group, id);\n};

```



```

SPLITTER, SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport
{ getIdForGroup, setGroupForId } from './GroupIDAllocator';\nimport type { Sheet } from './types';\n\nconst
SELECTOR = `style[${SC_ATTR}][${SC_ATTR_VERSION}]="${SC_VERSION}"`; \n\nconst MARKER_RE =
new RegExp(`^${SC_ATTR}\\\\.g(\\\\d+)\\\\[id="(\\\\w\\\\d-+)"\\\\\\\\.*?("[^"]*)`);\n\nexport const outputSheet =
(sheet: Sheet) => {\n  const tag = sheet.getTag();\n  const { length } = tag;\n\n  let css = "";\n  for (let group = 0;\n  group < length; group++) {\n    const id = getIdForGroup(group);\n    if (id === undefined) continue;\n\n    const
names = sheet.names.get(id);\n    const rules = tag.getGroup(group);\n    if (!names || !rules || !names.size)\n    continue;\n\n    const selector = `${SC_ATTR}.g${group}[id="${id}"]`;\n\n    let content = "";\n    if (names !==\n    undefined) {\n      names.forEach(name => {\n        if (name.length > 0) {\n          content += `${name},`;\n        }\n      });\n    }\n\n    // NOTE: It's easier to collect rules and have the marker\n    // after the actual rules to simplify the
rehydration\n    css += `${rules}${selector}{content:"${content}"}`;\n  }\n\n  return
css;\n};\n\nconst rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n  const names =
content.split(',');\n  let name;\n\n  for (let i = 0, l = names.length; i < l; i++) {\n    // eslint-disable-next-line\n    if
((name = names[i])) {\n      sheet.registerName(id, name);\n    }\n  }\n};\n\nconst rehydrateSheetFromTag = (sheet:\n  Sheet, style: HTMLStyleElement) => {\n  const parts = (style.textContent || "").split(SPLITTER);\n  const rules:\n  string[] = [];\n\n  for (let i = 0, l = parts.length; i < l; i++) {\n    const part = parts[i].trim();\n    if (!part) continue;\n\n    const marker = part.match(MARKER_RE);\n    if (marker) {\n      const group = parseInt(marker[1], 10) | 0;\n      const id = marker[2];\n\n      if (group !== 0) {\n        // Rehydrate componentId to group index mapping\n        setGroupForId(id, group);\n\n        // Rehydrate names and rules\n        // looks like: data-\n        styled.g11[id="idA"]{content:"nameA,"}\n        rehydrateNamesFromContent(sheet, id, marker[3]);\n      }\n\n      sheet.getTag().insertRules(group, rules);\n    }\n\n    rules.length = 0;\n  } else {\n    rules.push(part);\n  }\n};\n\nexport const rehydrateSheet = (sheet: Sheet) => {\n  const nodes =
document.querySelectorAll(SELECTOR);\n\n  for (let i = 0, l = nodes.length; i < l; i++) {\n    const node =
((nodes[i]: any): HTMLStyleElement);\n    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)\n    {\n      rehydrateSheetFromTag(sheet, node);\n\n      if (node.parentNode) {\n        node.parentNode.removeChild(node);\n      }\n    }\n  }\n};\n\n/** @flow\n  *!\n  *!\ndeclare var window: { __webpack_nonce__: string };\n\nconst getNonce = () => {\n  return typeof window\n  !== 'undefined'\n  ? typeof window.__webpack_nonce__ !== 'undefined'\n  ? window.__webpack_nonce__\n  : null\n  : null;\n};\n\nexport default getNonce;\n\n/** @flow\n  \nimport { SC_ATTR, SC_ATTR_ACTIVE,\n  SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport getNonce from './utils/nonce';\nimport\n  throwStyledError from './utils/error';\n\nconst ELEMENT_TYPE = 1; /* Node.ELEMENT_TYPE */\n\n/** Find\n  last style element if any inside target */\nconst findLastStyleTag = (target: HTMLInputElement): void |
HTMLStyleElement => {\n  const { childNodes } = target;\n\n  for (let i = childNodes.length; i >= 0; i--) {\n    const
child = ((childNodes[i]: any): ?HTMLInputElement);\n    if (child && child.nodeType === ELEMENT_TYPE &&\n    child.hasAttribute(SC_ATTR)) {\n      return ((child: any): HTMLStyleElement);\n    }\n  }\n\n  return
undefined;\n};\n\n/** Create a style element inside `target` or <head> after the last */\nexport const makeStyleTag =
(target?: HTMLInputElement): HTMLStyleElement => {\n  const head = ((document.head: any): HTMLInputElement);\n  const parent = target || head;\n  const style = document.createElement('style');\n  const prevStyle =
findLastStyleTag(parent);\n  const nextSibling = prevStyle !== undefined ? prevStyle.nextSibling : null;\n\n  style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n  style.setAttribute(SC_ATTR_VERSION,\n  SC_VERSION);\n\n  const nonce = getNonce();\n\n  if (nonce) style.setAttribute('nonce', nonce);\n\n  parent.insertBefore(style, nextSibling);\n\n  return style;\n};\n\n/** Get the CSSStyleSheet instance for a given style
element */\nexport const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n  if (tag.sheet) {\n    return
((tag.sheet: any): CSSStyleSheet);\n  }\n\n  // Avoid Firefox quirk where the style element might not have a sheet
property\n  const { styleSheets } = document;\n  for (let i = 0, l = styleSheets.length; i < l; i++) {\n    const sheet =
styleSheets[i];\n    if (sheet.ownerNode === tag) {\n      return ((sheet: any): CSSStyleSheet);\n    }\n  }\n\n  throwStyledError(17);\n  return (undefined: any);\n};\n\n/** @flow\n  *!\n  *!\neslint-disable no-use-before-define\n  */\nimport { makeStyleTag, getSheet } from './dom';\nimport type { SheetOptions, Tag } from './types';\n\n/**

```

```

Create a CSSStyleSheet-like tag depending on the environment
*/\nexport const makeTag = ({ isServer,
useCSSOMInjection, target }: SheetOptions): Tag => {\n if (isServer) {\n return new VirtualTag(target);\n } else
if (useCSSOMInjection) {\n return new CSSOMTag(target);\n } else {\n return new TextTag(target);\n
}\n};\n\nexport class CSSOMTag implements Tag {\n element: HTMLStyleElement;\n\n sheet:
CSSStyleSheet;\n\n length: number;\n\n constructor(target?: HTMLElement) {\n const element = (this.element =
makeStyleTag(target));\n\n // Avoid Edge bug where empty style elements don't create sheets\n
element.appendChild(document.createTextNode("")); \n\n this.sheet = getSheet(element);\n this.length = 0;\n
}\n\n insertRule(index: number, rule: string): boolean {\n try {\n this.sheet.insertRule(rule, index);\n
this.length++;\n return true;\n } catch (_error) {\n return false;\n }\n }\n\n deleteRule(index: number):
void {\n this.sheet.deleteRule(index);\n this.length--;\n }\n\n getRule(index: number): string {\n const rule =
this.sheet.cssRules[index];\n // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n if (rule
!== undefined && typeof rule.cssText === 'string') {\n return rule.cssText;\n } else {\n return ";\n }\n
}\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes */\nexport class TextTag implements
Tag {\n element: HTMLStyleElement;\n\n nodes: NodeList<Node>;\n\n length: number;\n\n constructor(target?:
HTMLElement) {\n const element = (this.element = makeStyleTag(target));\n this.nodes =
element.childNodes;\n this.length = 0;\n }\n\n insertRule(index: number, rule: string): boolean {\n if (index <=
this.length && index >= 0) {\n const node = document.createTextNode(rule);\n const refNode =
this.nodes[index];\n this.element.insertBefore(node, refNode || null);\n this.length++;\n return true;\n }
else {\n return false;\n }\n }\n\n deleteRule(index: number): void {\n
this.element.removeChild(this.nodes[index]);\n this.length--;\n }\n\n getRule(index: number): string {\n if
(index < this.length) {\n return this.nodes[index].textContent;\n } else {\n return ";\n }\n }\n}\n\n/** A
completely virtual (server-side) Tag that doesn't manipulate the DOM */\nexport class VirtualTag implements Tag
{\n rules: string[];\n\n length: number;\n\n constructor(_target?: HTMLElement) {\n this.rules = [];\n
this.length = 0;\n }\n\n insertRule(index: number, rule: string): boolean {\n if (index <= this.length) {\n
this.rules.splice(index, 0, rule);\n this.length++;\n return true;\n } else {\n return false;\n }\n }\n\n
deleteRule(index: number): void {\n this.rules.splice(index, 1);\n this.length--;\n }\n\n getRule(index: number):
string {\n if (index < this.length) {\n return this.rules[index];\n } else {\n return ";\n }\n }\n}\n\n"/
@flow\nimport { DISABLE_SPEEDY, IS_BROWSER } from '../constants';\nimport { EMPTY_OBJECT } from
../utils/empties;\nimport { makeGroupedTag } from './GroupedTag';\nimport { getGroupForId } from
./GroupIDAllocator';\nimport { outputSheet, rehydrateSheet } from './Rehydration';\nimport { makeTag } from
./Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from './types';\n\nlet SHOULD_REHYDRATE =
IS_BROWSER;\n\ntype SheetConstructorArgs = {\n isServer?: boolean,\n useCSSOMInjection?: boolean,\n
target?: HTMLElement,\n};\n\ntype GlobalStylesAllocationMap = { [key: string]: number }; \ntype
NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions: SheetOptions = {\n isServer:
!IS_BROWSER,\n useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains the main stylesheet logic for
stringification and caching */\nexport default class StyleSheet implements Sheet {\n gs:
GlobalStylesAllocationMap;\n\n names: NamesAllocationMap;\n\n options: SheetOptions;\n\n server:
boolean;\n\n tag: void | GroupedTag;\n\n /** Register a group ID to give it an index */\n static registerId(id:
string): number {\n return getGroupForId(id);\n }\n\n constructor(\n options: SheetConstructorArgs =
EMPTY_OBJECT,\n globalStyles?: GlobalStylesAllocationMap = {},\n names?: NamesAllocationMap\n ) {\n
this.options = {\n ...defaultOptions,\n ...options,\n }; \n\n this.gs = globalStyles;\n this.names = new
Map(names);\n this.server = !options.isServer;\n\n // We rehydrate only once and use the sheet that is created
first\n if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n SHOULD_REHYDRATE =
false;\n rehydrateSheet(this);\n }\n }\n\n reconstructWithOptions(options: SheetConstructorArgs,
withNames?: boolean = true) {\n return new StyleSheet(\n { ...this.options, ...options },\n this.gs,\n
(withNames && this.names) || undefined\n );\n }\n\n allocateGSInstance(id: string) {\n return (this.gs[id] =
(this.gs[id] || 0) + 1);\n }\n\n /** Lazily initialises a GroupedTag for when it's actually needed */\n getTag():
GroupedTag {\n return this.tag || (this.tag = makeGroupedTag(makeTag(this.options))); \n }\n\n /** Check

```

```

whether a name is known for caching */
hasNameForId(id: string, name: string): boolean {
  return this.names.has(id) && (this.names.get(id): any).has(name);
}

/** Mark a group's name as known for caching */
registerName(id: string, name: string) {
  getGroupForId(id);
  if (!this.names.has(id)) {
    const groupNames = new Set();
    groupNames.add(name);
    this.names.set(id, groupNames);
  } else {
    (this.names.get(id): any).add(name);
  }
}

/** Insert new rules which also marks the name as known */
insertRules(id: string, name: string, rules: string[]) {
  this.registerName(id, name);
  this.getTag().insertRules(getGroupForId(id), rules);
}

/** Clears all cached names for a given group ID */
clearNames(id: string) {
  if (this.names.has(id)) {
    (this.names.get(id): any).clear();
  }
}

/** Clears all rules for a given group ID */
clearRules(id: string) {
  this.getTag().clearGroup(getGroupForId(id));
  this.clearNames(id);
}

/** Clears the entire tag which deletes all rules but not its names */
clearTag() {
  // NOTE: This does not clear the names, since it's only used during SSR
  // so that we can continuously output only new rules
  this.tag = undefined;
}

/** Outputs the current sheet as a CSS string with markers for SSR */
toString(): string {
  return outputSheet(this);
}

/** @flow eslint-disable no-bitwise */
const AD_REPLACER_R = /(a)(d)/gi;

/** This is the "capacity" of our alphabet i.e. 2x26 for all letters plus their capitalised counterparts */
const charsLength = 52;

/** start at 75 for 'a' until 'z' (25) and then start at 65 for capitalised letters */
const getAlphabeticChar = (code: number): string => String.fromCharCode(code + (code > 25 ? 39 : 97));

/** input a number, usually a hash and convert it to base-52 */
export default function generateAlphabeticName(code: number): string {
  let name = "";
  let x;

  /* get a char and divide by alphabet-length */
  for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {
    name = getAlphabeticChar(x % charsLength) + name;
  }

  return (getAlphabeticChar(x % charsLength) + name).replace(AD_REPLACER_R, '$1-$2');
}

/** @flow eslint-disable */
export const SEED = 5381;

// When we have separate strings it's useful to run a progressive version of djb2 where we pretend that we're still looping over the same string
export const phash = (h: number, x: string): number => {
  let i = x.length;
  while (i) {
    h = (h * 33) ^ x.charCodeAt(--i);
  }
  return h;
};

// This is a djb2 hashing function
export const hash = (x: string): number => {
  return phash(SEED, x);
};

/** @flow */
import isFunction from './isFunction';
import isStyledComponent from './isStyledComponent';
import type { RuleSet } from './types';
export default function isStaticRules(rules: RuleSet): boolean {
  for (let i = 0; i < rules.length; i += 1) {
    const rule = rules[i];
    if (isFunction(rule) && !isStyledComponent(rule)) {
      // functions are allowed to be static if they're just being
      // used to get the classname of a nested styled component
      return false;
    }
  }
  return true;
}

/** @flow */
import { SC_VERSION } from './constants';
import StyleSheet from './sheet';
import type { RuleSet, Stringifier } from './types';
import flatten from './utils/flatten';
import generateName from './utils/generateAlphabeticName';
import { hash, phash } from './utils/hash';
import isStaticRules from './utils/isStaticRules';
const SEED = hash(SC_VERSION);

/** ComponentStyle is all the CSS-specific stuff, not the React-specific stuff. */
export default class ComponentStyle {
  baseHash: number;
  baseStyle: ?ComponentStyle;
  componentId: string;
  isStatic: boolean;
  rules: RuleSet;
  staticRulesId: string;

  constructor(rules: RuleSet, componentId: string, baseStyle?: ComponentStyle) {
    this.rules = rules;
    this.staticRulesId = "";
    this.isStatic = process.env.NODE_ENV === 'production' && (baseStyle === undefined || baseStyle.isStatic) && isStaticRules(rules);
    this.componentId = componentId;
    // SC_VERSION gives us isolation between multiple runtimes on the page at once
    // this is improved further with use of the babel plugin "namespace" feature
    this.baseHash = phash(SEED, componentId);
    this.baseStyle = baseStyle;
    // NOTE: This registers the componentId, which ensures a consistent order
    // for this component's styles compared to others
    StyleSheet.registerId(componentId);
  }

  /** Flattens a rule set into valid CSS */
  /** Hashes it, wraps the whole chunk in a .hash1234 {} */
  /** Returns the hash to be injected on render() */
  /** */
  generateAndInjectStyles(executionContext: Object, styleSheet: StyleSheet, stylis: Stringifier) {
    const { componentId } = this;
    const names = [];
    if (this.baseStyle) {
      names.push(this.baseStyle.generateAndInjectStyles(executionContext, styleSheet, stylis));
    }
    // force dynamic classnames if user-supplied stylis plugins are in use
    if (this.isStatic && !stylis.hash) {
      if (this.staticRulesId && styleSheet.hasNameForId(componentId, this.staticRulesId)) {

```

```

names.push(this.staticRulesId);\n    } else {\n        const cssStatic = flatten(this.rules, executionContext, styleSheet,
stylis).join(");\n        const name = generateName(phash(this.baseHash, cssStatic) >>> 0);\n        if
(!styleSheet.hasNameForId(componentId, name)) {\n            const cssStaticFormatted = stylis(cssStatic, `.${name}`,
undefined, componentId);\n            styleSheet.insertRules(componentId, name, cssStaticFormatted);\n        }\n        names.push(name);\n        this.staticRulesId = name;\n    } } else {\n        const { length } = this.rules;\n        let
dynamicHash = phash(this.baseHash, stylis.hash);\n        let css = ";\n        for (let i = 0; i < length; i++) {\n            const
partRule = this.rules[i];\n            if (typeof partRule === 'string') {\n                css += partRule;\n                if
(process.env.NODE_ENV !== 'production') dynamicHash = phash(dynamicHash, partRule + i);\n            } else if
(partRule) {\n                const partChunk = flatten(partRule, executionContext, styleSheet, stylis);\n                const
partString = Array.isArray(partChunk) ? partChunk.join(") : partChunk;\n                dynamicHash =
phas(dynamicHash, partString + i);\n                css += partString;\n            }\n        }\n        if (css) {\n            const name =
generateName(dynamicHash >>> 0);\n            if (!styleSheet.hasNameForId(componentId, name)) {\n                const
cssFormatted = stylis(css, `.${name}`, undefined, componentId);\n                styleSheet.insertRules(componentId, name,
cssFormatted);\n            }\n        }\n        names.push(name);\n    }\n}\n\nreturn names.join(' ');}\n}\n\n", "import Stylis
from '@emotion/stylis';\nimport { type Stringifier } from './types';\nimport { EMPTY_ARRAY, EMPTY_OBJECT
} from './empties';\nimport throwError from './error';\nimport { phash, SEED } from './hash';\nimport
insertRulePlugin from './stylisPluginInsertRule';\n\nconst COMMENT_REGEX = /^\\s*\\|\\|\\.\\*$/gm;\nconst
COMPLEX_SELECTOR_PREFIX = [':', '[', '.', '#'];\n\ntype StylisInstanceConstructorArgs = {\n  options?:
Object,\n  plugins?: Array<Function>,\n};\n\nexport default function createStylisInstance({\n  options =
EMPTY_OBJECT,\n  plugins = EMPTY_ARRAY,\n}: StylisInstanceConstructorArgs = EMPTY_OBJECT) {\n  const stylis = new Stylis(options);\n  \n  // Wrap `insertRulePlugin` to build a list of rules,\n  // and then make our own
plugin to return the rules. This\n  // makes it easier to hook into the existing SSR architecture\n  \n  let parsingRules =
[];\n  \n  // eslint-disable-next-line consistent-return\n  const returnRulesPlugin = context => {\n    if (context === -2)\n    {\n      const parsedRules = parsingRules;\n      parsingRules = [];\n      return parsedRules;\n    }\n  }; \n  \n  const
parseRulesPlugin = insertRulePlugin(rule => {\n    parsingRules.push(rule);\n  });\n  \n  let _componentId: string;\n  let
_selector: string;\n  let _selectorRegex: RegExp;\n  let _consecutiveSelfRefRegex: RegExp;\n  \n  const
selfReferenceReplacer = (match, offset, string) => {\n    if (\n      // do not replace the first occurrence if it is
complex (has a modifier)\n      (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length])
=== -1 : true) &&\n      // no consecutive self refs (.b.b); that is a precedence boost and treated differently\n
!string.match(_consecutiveSelfRefRegex)\n    ) {\n      return `.${_componentId}`;\n    }\n    return match;\n  }; \n  \n  /**\n   * When writing a style like\n   * .b.b & + & {\n   *   color: red;\n   * }\n   * .b.b\n   * The second
ampersand should be a reference to the static component class. stylis\n   * has no knowledge of static class so we
have to intelligently replace the base selector.\n   * .b.b\n   * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <-
more info about the context phase values\n   * \"2\" means this plugin is taking effect at the very end after all other
processing is complete\n   * .b.b\n   * const selfReferenceReplacementPlugin = (context, _, selectors) => {\n   *   if (context
=== 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n   *     // eslint-disable-next-line no-param-
reassign\n   *     selectors[0] = selectors[0].replace(_selectorRegex, selfReferenceReplacer);\n   *   }\n   * }; \n  \n  stylis.use([...plugins, selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);\n  \n  function
stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {\n    const flatCSS =
css.replace(COMMENT_REGEX, ");\n    const cssStr = selector && prefix ? `.${prefix} ${selector} { ${flatCSS}
}` : flatCSS;\n    \n    // stylis has no concept of state to be passed to plugins\n    // but since JS is single-threaded, we
can rely on that to ensure\n    // these properties stay in sync with the current stylis run\n    _componentId =
componentId;\n    _selector = selector;\n    _selectorRegex = new RegExp(`\\\\\\\\${_selector}\\\\\\\\b`, 'g');\n    _consecutiveSelfRefRegex = new RegExp(`(\\\\\\\\${_selector}\\\\\\\\b){2,}`);\n    \n    return stylis(prefix || !selector ? " :
selector, cssStr);\n  }\n  \n  stringifyRules.hash = plugins.length\n    ? plugins\n      .reduce((acc, plugin) => {\n
if (!plugin.name) {\n        throwError(15);\n      }\n      return phash(acc, plugin.name);\n    },
SEED)\n    .toString()\n    : ";\n  \n  return stringifyRules;\n  }\n  \n  /**\n   * MIT License\n   * Copyright (c) 2016
Sultan Tarimo\n   * Permission is hereby granted, free of charge, to any person obtaining a copy of\n   * this

```

software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

function(insertRule) {
  const delimiter = '/**/';
  const needle = `${delimiter}`;
  function toSheet(block) {
    if (block) {
      try {
        insertRule(`${block}`);
      } catch (e) {}
    }
    return function ruleSheet(
      context,
      content,
      selectors,
      parents,
      line,
      column,
      length,
      ns,
      depth,
      at ) {
      switch (context) {
        // property
        case 1:
          // @import
          if (depth === 0 && content.charCodeAt(0) === 64) return insertRule(`${content};`), ";
          break;
          // selector
          case 2:
            if (ns === 0) return content + delimiter;
            break;
            // at-rule
          case 3:
            switch (ns) {
              // @font-face, @page
              case 102:
              case 112:
                return insertRule(selectors[0] + content), ";
                default:
                return content + (at === 0 ? delimiter : "");
            }
          case -2:
            content.split(needle).forEach(toSheet);
          }
    };
  }
  // @flow
  import React, { type Context, type Node, useContext, useEffect, useMemo, useState } from 'react';
  import shallowequal from 'shallowequal';
  import StyleSheet from './sheet';
  import type { Stringifier } from './types';
  import createStylisInstance from './utils/stylis';
  type Props = {
    children?: Node,
    disableCSSOMInjection?: boolean,
    disableVendorPrefixes?: boolean,
    sheet?: StyleSheet,
    stylisPlugins?: Array<Function>,
    target?: HTMLElement,
  };
  export const StyleSheetContext: Context<StyleSheet | void> = React.createContext();
  export const StyleSheetConsumer = StyleSheetContext.Consumer;
  export const StylisContext: Context<Stringifier | void> = React.createContext();
  export const StylisConsumer = StylisContext.Consumer;
  export const masterSheet: StyleSheet = new StyleSheet();
  export const masterStylis: Stringifier = createStylisInstance();
  export function useStyleSheet(): StyleSheet {
    return useContext(StyleSheetContext) || masterSheet;
  }
  export function useStylis(): Stringifier {
    return useContext(StylisContext) || masterStylis;
  }
  export default function StyleSheetManager(props: Props) {
    const [plugins, setPlugins] = useState(props.stylisPlugins);
    const contextStyleSheet = useStyleSheet();
    const styleSheet = useMemo(() => {
      let sheet = contextStyleSheet;
      if (props.sheet) {
        // eslint-disable-next-line prefer-destructuring
        sheet = props.sheet;
      } else if (props.target) {
        sheet = sheet.reconstructWithOptions({ target: props.target }, false);
      }
      if (props.disableCSSOMInjection) {
        sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });
      }
      return sheet;
    }, [props.disableCSSOMInjection, props.sheet, props.target]);
    const stylis = useMemo(() => {
      createStylisInstance({
        options: { prefix: !props.disableVendorPrefixes },
        plugins,
      }),
      [props.disableVendorPrefixes, plugins]
    );
    useEffect(() => {
      if (!shallowequal(plugins, props.stylisPlugins)) setPlugins(props.stylisPlugins);
    }, [props.stylisPlugins]);
    return (
      <StyleSheetContext.Provider value={styleSheet}>
        <StylisContext.Provider value={stylis}>
          {process.env.NODE_ENV !== 'production' ? React.Children.only(props.children) : props.children}
        </StylisContext.Provider>
      </StyleSheetContext.Provider>
    );
  }
  // @flow
  import StyleSheet from './sheet';
  import { type Stringifier } from './types';
  import throwStyledError from './utils/error';
  import { masterStylis } from './StyleSheetManager';
  export default class Keyframes {
    id: string;
    name: string;
    rules: string;
    constructor(name: string, rules: string) {
      this.name = name;
      this.id = `sc-keyframes-${name}`;
      this.rules = rules;
    }
    inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis) => {
      const resolvedName = this.name + stylisInstance.hash;
      if (!styleSheet.hasNameForId(this.id, resolvedName)) {
        styleSheet.insertRules(this.id, resolvedName, stylisInstance(this.rules,

```

```

resolvedName, '@keyframes')\n    );\n  }\n  };\n\n  toString = () => {\n    return throwStyledError(12,\n      String(this.name));\n  };\n\n  getName(stylisInstance: Stringifier = masterStylis) {\n    return this.name +\n      stylisInstance.hash;\n  }\n}\n", "// @flow\n\n/**\n * inlined version of\n *  

https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n *  

\nconst  

uppercaseCheck = /([A-Z])/;\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-/;\nconst  

prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/**\n * Hyphenates a camelcased  

CSS property name, for example:\n * > hyphenateStyleName('backgroundColor')\n * < \"background-  

color\"\n * > hyphenateStyleName('MozTransition')\n * < \"-moz-transition\"\n * >  

hyphenateStyleName('msTransition')\n * < \"-ms-transition\"\n *  

\n * As Modernizr suggests  

(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `-ms-`.\n *  

\n * @param {string} string\n *  

\n * @return {string}\n */\n\nexport default function hyphenateStyleName(string: string): string {\n  return  

uppercaseCheck.test(string)\n    ? string\n      .replace(uppercasePattern, prefixAndLowerCase)\n      .replace(msPattern,  

'-ms-')\n    : string;\n}\n", "// @flow\n\nimport { isElement } from 'react-is';\nimport getComponentName from  

'./getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from  

'./isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from  

'./isStyledComponent';\nimport Keyframes from './models/Keyframes';\nimport hyphenate from  

'./hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from  

'./types';\n\n/**\n * It's falsish not falsy because 0 is allowed.\n */\n\nconst isFalsish = chunk => chunk ===  

undefined || chunk === null || chunk === false || chunk === "";\n\nexport const objToCssArray = (obj: Object,  

prevKey?: string): Array<string | Function> => {\n  const rules = [];\n\n  for (const key in obj) {\n    if  

(!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n    if ((Array.isArray(obj[key]) && obj[key].isCss) ||  

isFunction(obj[key])) {\n      rules.push(`${hyphenate(key)}:`, obj[key], `;`);\n    } else if (isPlainObject(obj[key]))  

{\n      rules.push(...objToCssArray(obj[key], key));\n    } else {\n      rules.push(`${hyphenate(key)}:  

${addUnitIfNeeded(key, obj[key]);}`);\n    }\n  }\n\n  return prevKey ? [`${prevKey} {`, ...rules, `}`]:  

rules;\n}\n\nexport default function flatten(n chunk: any, executionContext: ?Object, styleSheet: ?Object, stylisInstance: ?Stringifier): any {\n  if (Array.isArray(chunk)) {\n    const ruleSet = [];\n\n    for (let i = 0, len =  

chunk.length, result; i < len; i += 1) {\n      result = flatten(chunk[i], executionContext, styleSheet,  

stylisInstance);\n\n      if (result === "") continue;\n      else if (Array.isArray(result)) ruleSet.push(...result);\n      else  

ruleSet.push(result);\n    }\n\n    return ruleSet;\n  }\n\n  if (isFalsish(chunk)) {\n    return "";\n  }\n\n  /* Handle other  

components */\n  if (isStyledComponent(chunk)) {\n    return `.${chunk.styledComponentId}`;\n  }\n\n  /* Either  

execute or defer the function */\n  if (isFunction(chunk)) {\n    if (isStatelessFunction(chunk) && executionContext)  

{\n      const result = chunk(executionContext);\n\n      if (process.env.NODE_ENV !== 'production' &&  

isElement(result)) {\n        // eslint-disable-next-line no-console\n        console.warn(\n  

`${getComponentName(\n          chunk\n        )} is not a styled component and cannot be referred to via  

component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components for  

more details.`\n      );\n    }\n\n    return flatten(result, executionContext, styleSheet, stylisInstance);\n  } else  

return chunk;\n  }\n\n  if (chunk instanceof Keyframes) {\n    if (styleSheet) {\n      chunk.inject(styleSheet,  

stylisInstance);\n      return chunk.getName(stylisInstance);\n    } else return chunk;\n  }\n\n  /* Handle objects */\n  if  

return isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString();\n}\n", "// @flow\n\nexport default function  

isStatelessFunction(test: any): boolean {\n  return (\n    typeof test === 'function'\n    && !(\n      test.prototype\n      && test.prototype.isReactComponent\n    )\n  );\n}\n", "// @flow\n\nimport unitless from '@emotion/unitless';\n\n//  

Taken from https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-  

dom/src/shared/dangerousStyleValue.js\n\nexport default function addUnitIfNeeded(name: string, value: any): any {\n  //  

https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n  // $FlowFixMe\n  if (value === null ||  

typeof value === 'boolean' || value === "") {\n    return "";\n  }\n\n  if (typeof value === 'number' && value !== 0 &&  

!(name in unitless)) {\n    return `${value}px`; // Presumes implicit 'px' suffix for unitless numbers\n  }\n\n  return  

String(value).trim();\n}\n", "// @flow\n\nimport Interleave from './utils/interleave';\nimport isPlainObject from  

'./utils/isPlainObject';\nimport { EMPTY_ARRAY } from './utils/empties';\nimport isFunction from

```

```

'./utils/isFunction';\nimport flatten from './utils/flatten';\nimport type { Interpolation, RuleSet, Styles } from
'./types';\n\n/**\n * Used when flattening object styles to determine if we should\n * expand an array of styles.\n */\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles: Styles, ...interpolations:
Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return
addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n  if (interpolations.length === 0
&& styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n  //
$FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations)));\n}\n\n", "@flow\n\nimport { useRef } from
'react';\n\nconst invalidHookCallRe = /invalid hook call/i;\nconst seen = new Set();\n\nexport const
checkDynamicCreation = (displayName: string, componentId?: string) => {\n  if (process.env.NODE_ENV !==
'production') {\n    const parsedIdString = componentId ? `with the id of \"${componentId}\"` : \"\";\n    const message
=\n    `The component ${displayName}${parsedIdString} has been created dynamically.\\n` +\n    `\"You may see
this warning because you've called styled inside another component.\\n\" +\n    `To resolve this only create new
StyledComponents outside of any render method and function component.`;\n    // If a hook is called outside of a
component:\n    // React 17 and earlier throw an error\n    // React 18 and above use console.error\n    const
originalConsoleError = console.error // eslint-disable-line no-console\n    try {\n      let didNotCallInvalidHook =
true\n      /* $FlowIgnore[cannot-write] */\n      console.error = (consoleErrorMessage, ...consoleErrorArgs) => { //
eslint-disable-line no-console\n        // The error here is expected, since we're expecting anything that uses
`checkDynamicCreation` to\n        // be called outside of a React component.\n        if
(invalidHookCallRe.test(consoleErrorMessage)) {\n          didNotCallInvalidHook = false\n          // This shouldn't
happen, but resets `warningSeen` if we had this error happen intermittently\n          seen.delete(message);\n        }
else {\n          originalConsoleError(consoleErrorMessage, ...consoleErrorArgs);\n        }\n      }\n      // We
purposefully call `useRef` outside of a component and expect it to throw\n      // If it doesn't, then we're inside
another component.\n      // eslint-disable-next-line react-hooks/rules-of-hooks\n      useRef();\n      if
(didNotCallInvalidHook && !seen.has(message)) {\n        // eslint-disable-next-line no-console\n        console.warn(message);\n        seen.add(message);\n      }\n    } catch (error) {\n      // The error here is expected,
since we're expecting anything that uses `checkDynamicCreation` to\n      // be called outside of a React
component.\n      if (invalidHookCallRe.test(error.message)) {\n        // This shouldn't happen, but resets
`warningSeen` if we had this error happen intermittently\n        seen.delete(message);\n      }\n    } finally {\n      /*
$FlowIgnore[cannot-write] */\n      console.error = originalConsoleError; // eslint-disable-line no-console\n    }\n  }\n};\n\n", "@flow\n\nimport { EMPTY_OBJECT } from './empties';\n\ntype Props = {\n  theme?: any,\n};\n\nexport
default (props: Props, providedTheme: any, defaultProps: any = EMPTY_OBJECT) => {\n  return (props.theme !==
defaultProps.theme && props.theme) || providedTheme || defaultProps.theme;\n};\n\n", "@flow\n\n// Source:
https://www.w3.org/TR/cssom-1/#serialize-an-identifier\n\n// Control characters and non-letter first symbols are not
supported\nconst escapeRegex = /[!\"#$%&'()*+,-./:;<=>?@[\\\\\\]`^{}~]+/g;\n\nconst dashesAtEnds = /(^\n-
$)/g;\n\n/**\n * TODO: Explore using CSS.escape when it becomes more available\n * in evergreen browsers.\n */\n\nexport default function escape(str: string): string {\n  return (\n    str\n    // Replace all possible CSS selectors\n
.replace(escapeRegex, '-')\n    // Remove extraneous hyphens at the start and end\n    .replace(dashesAtEnds,
'')\n  );\n}\n\n", "@flow\n\n/* eslint-disable */\nimport generateAlphabeticName from
'./generateAlphabeticName';\nimport { hash } from './hash';\n\nexport default (str: string): string => {\n  return
generateAlphabeticName(hash(str) >>> 0);\n};\n\n", "@flow\n\nimport type { IStyledComponent } from
'./types';\n\nexport default function isTag(target: $PropertyType<IStyledComponent, 'target'>): boolean %checks
{\n  return (\n    typeof target === 'string' &&\n    (process.env.NODE_ENV !== 'production'\n      ? target.charAt(0)
=== target.charAt(0).toLowerCase()\n      : true)\n  );\n}\n\n", /* eslint-disable */\n\n/**\n * mixin-deep;\n
https://github.com/jonschlinkert/mixin-deep\n  Inlined such that it will be consistently transpiled to an IE-
compatible syntax.\n\n  The MIT License (MIT)\n\n  Copyright (c) 2014-present, Jon Schlinkert.\n\n  Permission is
hereby granted, free of charge, to any person obtaining a copy\n  of this software and associated documentation files
(the \"Software\"), to deal\n  in the Software without restriction, including without limitation the rights\n  to use,

```

copy, modify, merge, publish, distribute, sublicense, and/or sell\n copies of the Software, and to permit persons to whom the Software is\n furnished to do so, subject to the following conditions:\n\n The above copyright notice and this permission notice shall be included in\n all copies or substantial portions of the Software.\n\n THE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR\n IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,\n FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE\n AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER\n LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,\n OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN\n THE SOFTWARE.

```

const isObject = val => {\n  return (\n    typeof val === 'function' || (typeof val === 'object'\n      && val !== null && !Array.isArray(val))\n  );\n};\nconst isValidKey = key => {\n  return key !== '__proto__'\n    && key !== 'constructor' && key !== 'prototype';\n};\nfunction mixin(target, val, key) {\n  const obj = target[key];\n  if (isObject(val) && isObject(obj)) {\n    mixinDeep(obj, val);\n  } else {\n    target[key] = val;\n  }\n}\nexport default function mixinDeep(target, ...rest) {\n  for (const obj of rest) {\n    if (isObject(obj)) {\n      for (const key in obj) {\n        if (isValidKey(key)) {\n          mixin(target, obj[key], key);\n        }\n      }\n    }\n  }\n  return target;\n}\n\n\"// @flow\nimport React, { useContext, useMemo, type Element, type Context } from 'react';\nimport throwStyledError from '../utils/error';\nimport isFunction from '../utils/isFunction';\nexport type Theme = { [key: string]: mixed }; \nexport type ThemeArgument = Theme | ((outerTheme?: Theme) => Theme);\nexport type Props = {\n  children?: Element<any>,\n  theme: ThemeArgument,\n};\nexport const ThemeContext: Context<Theme | void> = React.createContext();\nexport const ThemeConsumer = ThemeContext.Consumer;\n\nfunction mergeTheme(theme: ThemeArgument, outerTheme?: Theme): Theme {\n  if (!theme) {\n    return throwStyledError(14);\n  }\n  if (isFunction(theme)) {\n    const mergedTheme = theme(outerTheme);\n\n    if (\n      process.env.NODE_ENV !== 'production' &&\n      (mergedTheme === null || Array.isArray(mergedTheme) ||\n        typeof mergedTheme !== 'object')\n    ) {\n      return throwStyledError(7);\n    }\n\n    return mergedTheme;\n  }\n  if (Array.isArray(theme) ||\n    typeof theme !== 'object') {\n    return throwStyledError(8);\n  }\n  return outerTheme ? { ...outerTheme, ...theme } : theme;\n}\n\n/*\n * Provide a theme to an entire react component tree via context\n */\nexport default function ThemeProvider(props: Props) {\n  const outerTheme = useContext(ThemeContext);\n  const themeContext = useMemo(() => mergeTheme(props.theme, outerTheme), [\n    props.theme,\n    outerTheme,\n  ]);\n  if (!props.children) {\n    return null;\n  }\n  return <ThemeContext.Provider value={themeContext}>{\n    props.children\n  }</ThemeContext.Provider>;\n}\n\n\"// @flow\nimport validAttr from '@emotion/is-prop-valid';\nimport hoist from 'hoist-non-react-statics';\nimport React, { createElement, type Ref, useContext, useDebugValue } from 'react';\nimport { SC_VERSION } from '../constants';\nimport type {\n  Attrs,\n  IStyledComponent,\n  IStyledStatics,\n  RuleSet,\n  ShouldForwardProp,\n  Target,\n} from '../types';\nimport {\n  checkDynamicCreation\n} from '../utils/checkDynamicCreation';\nimport createWarnTooManyClasses from '../utils/createWarnTooManyClasses';\nimport determineTheme from '../utils/determineTheme';\nimport {\n  EMPTY_ARRAY,\n  EMPTY_OBJECT\n} from '../utils/empties';\nimport escape from '../utils/escape';\nimport generateComponentId from '../utils/generateComponentId';\nimport generateDisplayName from '../utils/generateDisplayName';\nimport getComponentName from '../utils/getComponentName';\nimport isFunction from '../utils/isFunction';\nimport isStyledComponent from '../utils/isStyledComponent';\nimport isTag from '../utils/isTag';\nimport joinStrings from '../utils/joinStrings';\nimport merge from '../utils/mixinDeep';\nimport ComponentStyle from './ComponentStyle';\nimport {\n  useStyleSheet,\n  useStylis\n} from './StyleSheetManager';\nimport {\n  ThemeContext\n} from './ThemeProvider';\n\nconst identifiers = {};\n\n/*\n We depend on components having unique IDs\n */\nfunction generateId(displayName?: string, parentComponentId?: string) {\n  const name =\n    typeof displayName !== 'string' ? 'sc' :\n    escape(displayName);\n  // Ensure that no displayName can lead to duplicate componentIds\n  identifiers[name] = (identifiers[name] || 0) + 1;\n\n  const componentId = `${name}-${generateComponentId(\n    // SC_VERSION gives us isolation between multiple runtimes on the page at once\n    // this is improved further with use of the babel plugin \"namespace\" feature\n
```



```

SC_VERSION + name + identifiers[name]\n )}`;\n\n return parentComponentId ? `${parentComponentId}-
${componentId}` : componentId;\n}\n\nfunction useResolvedAttrs<Config>(theme: any = EMPTY_OBJECT,
props: Config, attrs: Attrs) {\n // NOTE: can't memoize this\n // returns [context, resolvedAttrs]\n // where
resolvedAttrs is only the things injected by the attrs themselves\n const context = { ...props, theme };
const resolvedAttrs = {};\n\n attrs.forEach(attrDef => {\n let resolvedAttrDef = attrDef;\n let key;\n\n if
(isFunction(resolvedAttrDef)) {\n resolvedAttrDef = resolvedAttrDef(context);\n }\n\n /* eslint-disable
guard-for-in */\n for (key in resolvedAttrDef) {\n context[key] = resolvedAttrs[key] =\n key ===
'className'\n ? joinStrings(resolvedAttrs[key], resolvedAttrDef[key])\n : resolvedAttrDef[key];\n }\n
/* eslint-enable guard-for-in */\n });\n\n return [context, resolvedAttrs];\n}\n\nfunction useInjectedStyle<T>(\n
componentStyle: ComponentStyle,\n isStatic: boolean,\n resolvedAttrs: T,\n warnTooManyClasses?: $Call<typeof
createWarnTooManyClasses, string, string>)\n {\n const styleSheet = useStyleSheet();\n const stylis =
useStylis();\n\n const className = isStatic\n ? componentStyle.generateAndInjectStyles(EMPTY_OBJECT,
styleSheet, stylis)\n : componentStyle.generateAndInjectStyles(resolvedAttrs, styleSheet, stylis);\n\n // eslint-
disable-next-line react-hooks/rules-of-hooks\n if (process.env.NODE_ENV !== 'production')
useDebugValue(className);\n\n if (process.env.NODE_ENV !== 'production' && !isStatic &&
warnTooManyClasses) {\n warnTooManyClasses(className);\n }\n\n return className;\n}\n\nfunction
useStyledComponentImpl(\n forwardedComponent: IStyledComponent,\n props: Object,\n forwardedRef:
Ref<any>,\n isStatic: boolean)\n {\n const {\n attrs: componentAttrs,\n componentStyle,\n defaultProps,\n
foldedComponentIds,\n shouldForwardProp,\n styledComponentId,\n target,\n } = forwardedComponent;\n\n
// eslint-disable-next-line react-hooks/rules-of-hooks\n if (process.env.NODE_ENV !== 'production')
useDebugValue(styledComponentId);\n\n // NOTE: the non-hooks version only subscribes to this when
!componentStyle.isStatic,\n // but that'd be against the rules-of-hooks. We could be naughty and do it anyway as it\n
// should be an immutable value, but behave for now.\n const theme = determineTheme(props,
useContext(ThemeContext), defaultProps);\n\n const [context, attrs] = useResolvedAttrs(theme ||
EMPTY_OBJECT, props, componentAttrs);\n\n const generatedClassName = useInjectedStyle(\n
componentStyle,\n isStatic,\n context,\n process.env.NODE_ENV !== 'production' ?
forwardedComponent.warnTooManyClasses : undefined\n );\n\n const refToForward = forwardedRef;\n\n const
elementToBeCreated: Target = attrs.$as || props.$as || attrs.as || props.as || target;\n\n const isTargetTag =
isTag(elementToBeCreated);\n const computedProps = attrs !== props ? { ...props, ...attrs } : props;\n const
propsForElement = {};\n\n // eslint-disable-next-line guard-for-in\n for (const key in computedProps) {\n if
(key[0] === '$' || key === 'as') continue;\n else if (key === 'forwardedAs') {\n propsForElement.as =
computedProps[key];\n } else if (\n shouldForwardProp\n ? shouldForwardProp(key, validAttr,
elementToBeCreated)\n : isTargetTag\n ? validAttr(key)\n : true\n ) {\n // Don't pass through non
HTML tags through to HTML elements\n propsForElement[key] = computedProps[key];\n }\n }\n\n if
(props.style && attrs.style !== props.style) {\n propsForElement.style = { ...props.style, ...attrs.style };
}\n\n propsForElement.className = Array.prototype\n .concat(\n foldedComponentIds,\n styledComponentId,\n
generatedClassName !== styledComponentId ? generatedClassName : null,\n props.className,\n
attrs.className\n )\n .filter(Boolean)\n .join('');\n\n propsForElement.ref = refToForward;\n\n return
createElement(elementToBeCreated, propsForElement);\n}\n\nexport default function createStyledComponent(\n
target: $PropertyType<IStyledComponent, 'target'>,\n options: {\n attrs?: Attrs,\n componentId: string,\n
displayName?: string,\n parentComponentId?: string,\n shouldForwardProp?: ShouldForwardProp,\n },\n rules:
RuleSet)\n {\n const isTargetStyledComp = isStyledComponent(target);\n const isCompositeComponent =
!isTag(target);\n\n const {\n attrs = EMPTY_ARRAY,\n componentId = generateId(options.displayName,
options.parentComponentId),\n displayName = generateDisplayName(target),\n } = options;\n\n const
styledComponentId =\n options.displayName && options.componentId\n ? `${escape(options.displayName)}-
${options.componentId}`\n : options.componentId || componentId;\n\n // fold the underlying StyledComponent
attrs up (implicit extend)\n const finalAttrs =\n isTargetStyledComp && ((target: any): IStyledComponent).attrs\n
? Array.prototype.concat(((target: any): IStyledComponent).attrs, attrs).filter(Boolean)\n : attrs;\n\n // eslint-

```

```

disable-next-line prefer-destructuring\n let shouldForwardProp = options.shouldForwardProp;\n\n if
(isTargetStyledComp && target.shouldForwardProp) {\n  if (options.shouldForwardProp) {\n    // compose
nested shouldForwardProp calls\n    shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n
(((target: any): IStyledComponent).shouldForwardProp: any): ShouldForwardProp)(\n    prop,\n
filterFn,\n    elementToBeCreated\n  ) &&\n    ((options.shouldForwardProp: any):
ShouldForwardProp)(prop, filterFn, elementToBeCreated);\n  } else {\n    // eslint-disable-next-line prefer-
destructuring\n    shouldForwardProp = ((target: any): IStyledComponent).shouldForwardProp;\n  }\n}\n\n const componentStyle = new ComponentStyle(\n  rules,\n  styledComponentId,\n  isTargetStyledComp ?
((target: Object).componentStyle: ComponentStyle) : undefined\n); \n\n // statically styled-components don't need
to build an execution context object,\n // and shouldn't be increasing the number of class names\n const isStatic =
componentStyle.isStatic && attrs.length === 0;\n\n /**\n * forwardRef creates a new interim component, which
we'll take advantage of\n * instead of extending ParentComponent to create _another_ interim class\n */\n let
WrappedStyledComponent: IStyledComponent;\n\n const forwardRef = (props, ref) =>\n // eslint-disable-next-
line\n useStyledComponentImpl(WrappedStyledComponent, props, ref, isStatic);\n\n forwardRef.displayName =
displayName;\n\n WrappedStyledComponent = ((React.forwardRef(forwardRef): any): IStyledComponent);\n
WrappedStyledComponent.attrs = finalAttrs;\n WrappedStyledComponent.componentStyle = componentStyle;\n
WrappedStyledComponent.displayName = displayName;\n WrappedStyledComponent.shouldForwardProp =
shouldForwardProp;\n\n // this static is used to preserve the cascade of static classes for component selector\n //
purposes; this is especially important with usage of the css prop\n WrappedStyledComponent.foldedComponentIds
= isTargetStyledComp\n ? Array.prototype.concat(\n    ((target: any):
IStyledComponent).foldedComponentIds,\n    ((target: any): IStyledComponent).styledComponentId\n  )\n :
EMPTY_ARRAY;\n\n WrappedStyledComponent.styledComponentId = styledComponentId;\n\n // fold the
underlying StyledComponent target up since we folded the styles\n WrappedStyledComponent.target =
isTargetStyledComp\n ? ((target: any): IStyledComponent).target\n : target;\n\n
WrappedStyledComponent.withComponent = function withComponent(tag: Target) {\n  const { componentId:
previousComponentId, ...optionsToCopy } = options;\n\n  const newComponentId =\n    previousComponentId
&&\n    `${previousComponentId}-${isTag(tag) ? tag : escape(getComponentName(tag))}`;\n\n  const
newOptions = {\n    ...optionsToCopy,\n    attrs: finalAttrs,\n    componentId: newComponentId,\n  };\n\n  return createStyledComponent(tag, newOptions, rules);\n};\n\n Object.defineProperty(WrappedStyledComponent,
'defaultProps', {\n  get() {\n    return this._foldedDefaultProps;\n  },\n  set(obj) {\n
this._foldedDefaultProps = isTargetStyledComp\n    ? merge({}, ((target: any): IStyledComponent).defaultProps,
obj)\n    : obj;\n  },\n});\n\n if (process.env.NODE_ENV !== 'production') {\n
checkDynamicCreation(displayName, styledComponentId);\n\n WrappedStyledComponent.warnTooManyClasses
= createWarnTooManyClasses(\n  displayName,\n  styledComponentId\n);\n}\n\n
WrappedStyledComponent.toString = () => `.${WrappedStyledComponent.styledComponentId}`;\n\n if
(isCompositeComponent) {\n  hoist<\n    IStyledStatics,\n    $PropertyType<IStyledComponent, 'target'>,\n    {\n
[key: $Keys<IStyledStatics>]: true }\n  >(WrappedStyledComponent, ((target: any):
$PropertyType<IStyledComponent, 'target'>), {\n    // all SC-specific things should not be hoisted\n    attrs: true,\n
componentStyle: true,\n    displayName: true,\n    foldedComponentIds: true,\n    shouldForwardProp: true,\n
styledComponentId: true,\n    target: true,\n    withComponent: true,\n  });\n}\n\n return
WrappedStyledComponent;\n}\n\n", "\n\n // @flow\nimport type { IStyledComponent } from './types';\nimport
getComponentName from './getComponentName';\nimport isTag from './isTag';\n\nexport default function
generateDisplayName(\n  target: $PropertyType<IStyledComponent, 'target'>:\n) : string {\n  return isTag(target) ?
`styled.${target}` : `Styled(${getComponentName(target)})`;\n}\n\n", "\n\n /**\n * Convenience function for joining
strings to form className chains\n */\nexport default function joinStrings(a: ?String, b: ?String): ?String {\n  return
a && b ? `${a} ${b}` : a || b;\n}\n\n", "\n\n // @flow\n\nexport const LIMIT = 200;\n\nexport default (displayName: string,
componentId: string) => {\n  let generatedClasses = {};\n  let warningSeen = false;\n\n  return (className: string)
=> {\n    if (!warningSeen) {\n      generatedClasses[className] = true;\n      if

```

```

(Object.keys(generatedClasses).length >= LIMIT) {\n      // Unable to find latestRule in test environment.\n      /*
eslint-disable no-console, prefer-template */\n      const parsedIdString = componentId ? ` with the id of
`${componentId}` : "";\n      console.warn(\n        `Over ${LIMIT} classes were generated for component
${displayName} ${parsedIdString}.\n` +\n        `Consider using the attrs method, together with a style object for
frequently changed styles.\n` +\n        `Example:\n` +\n        `const Component = styled.div.attrs(props =>
({\n` +\n        `  style: {\n` +\n        `    background: props.background,\n` +\n        `  },\n` +\n        `  })` +\n        `)` +\n        `width: 100%;` +\n        `<Component />\n` +\n        `);\n      warningSeen = true;\n      generatedClasses =
{};\n      }\n    }\n  };\n};\n";\n"} @flow\n// Thanks to ReactDOMFactories for this handy list!\n\nexport default [\n
'a',\n 'abbr',\n 'address',\n 'area',\n 'article',\n 'aside',\n 'audio',\n 'b',\n 'base',\n 'bdi',\n 'bdo',\n 'big',\n
'blockquote',\n 'body',\n 'br',\n 'button',\n 'canvas',\n 'caption',\n 'cite',\n 'code',\n 'col',\n 'colgroup',\n 'data',\n
'datalist',\n 'dd',\n 'del',\n 'details',\n 'dfn',\n 'dialog',\n 'div',\n 'dl',\n 'dt',\n 'em',\n 'embed',\n 'fieldset',\n
'figcaption',\n 'figure',\n 'footer',\n 'form',\n 'h1',\n 'h2',\n 'h3',\n 'h4',\n 'h5',\n 'h6',\n 'head',\n 'header',\n
'hgroup',\n 'hr',\n 'html',\n 'i',\n 'iframe',\n 'img',\n 'input',\n 'ins',\n 'kbd',\n 'keygen',\n 'label',\n 'legend',\n 'li',\n
'link',\n 'main',\n 'map',\n 'mark',\n 'marquee',\n 'menu',\n 'menuitem',\n 'meta',\n 'meter',\n 'nav',\n 'noscript',\n
'object',\n 'ol',\n 'optgroup',\n 'option',\n 'output',\n 'p',\n 'param',\n 'picture',\n 'pre',\n 'progress',\n 'q',\n 'rp',\n
'rt',\n 'ruby',\n 's',\n 'samp',\n 'script',\n 'section',\n 'select',\n 'small',\n 'source',\n 'span',\n 'strong',\n 'style',\n
'sub',\n 'summary',\n 'sup',\n 'table',\n 'tbody',\n 'td',\n 'textarea',\n 'tfoot',\n 'th',\n 'thead',\n 'time',\n 'title',\n
'tr',\n 'track',\n 'u',\n 'ul',\n 'var',\n 'video',\n 'wbr',\n\n // SVG\n 'circle',\n 'clipPath',\n 'defs',\n 'ellipse',\n
'foreignObject',\n 'g',\n 'image',\n 'line',\n 'linearGradient',\n 'marker',\n 'mask',\n 'path',\n 'pattern',\n
'polygon',\n 'polyline',\n 'radialGradient',\n 'rect',\n 'stop',\n 'svg',\n 'text',\n 'textPath',\n 'tspan',\n];\n";\n"}\n"}\n"} @flow\nimport constructWithOptions from './constructWithOptions';\nimport StyledComponent from
'./models/StyledComponent';\nimport domElements from './utils/domElements';\nimport type { Target } from
'./types';\n\nconst styled = (tag: Target) => constructWithOptions(StyledComponent, tag);\n\n// Shorthands for all
valid HTML Elements\ndomElements.forEach(domElement => {\n  styled[domElement] =
styled(domElement);\n});\n\nexport default styled;\n";\n"} @flow\nimport { isValidElementType } from 'react-
is';\nimport css from './css';\nimport throwStyledError from './utils/error';\nimport { EMPTY_OBJECT } from
'./utils/empties';\nimport type { Target } from './types';\n\nexport default function constructWithOptions(\n
componentConstructor: Function,\n tag: Target,\n options: Object = EMPTY_OBJECT\n) {\n  if
(!isValidElementType(tag)) {\n    return throwStyledError(1, String(tag));\n  }\n\n  /* This is callable directly as a
template function */\n  // $FlowFixMe: Not typed to avoid destructuring arguments\n  const templateFunction =
(...args) => componentConstructor(tag, options, css(...args));\n\n  /* If config methods are called, wrap up a new
template function and merge options */\n  templateFunction.withConfig = config =>\n
constructWithOptions(componentConstructor, tag, { ...options, ...config });\n\n  /* Modify/inject new props at
runtime */\n  templateFunction.attrs = attrs =>\n    constructWithOptions(componentConstructor, tag, {\n
...options,\n    attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n  });\n\n  return
templateFunction;\n};\n";\n"} @flow\nimport StyleSheet from './sheet';\nimport type { RuleSet, Stringifier } from
'./types';\nimport flatten from './utils/flatten';\nimport isStaticRules from './utils/isStaticRules';\n\nexport default
class GlobalStyle {\n  componentId: string;\n\n  isStatic: boolean;\n\n  rules: RuleSet;\n\n  constructor(rules:
RuleSet, componentId: string) {\n    this.rules = rules;\n    this.componentId = componentId;\n    this.isStatic =
isStaticRules(rules);\n\n    // pre-register the first instance to ensure global styles\n    // load before component ones\n
    StyleSheet.registerId(this.componentId + 1);\n  }\n\n  createStyles(\n    instance: number,\n    executionContext:
Object,\n    styleSheet: StyleSheet,\n    stylis: Stringifier\n ) {\n    const flatCSS = flatten(this.rules,
executionContext, styleSheet, stylis);\n    const css = stylis(flatCSS.join(", "));\n    const id = this.componentId +
instance;\n\n    // NOTE: We use the id as a name as well, since these rules never change\n
    styleSheet.insertRules(id, id, css);\n  }\n\n  removeStyles(instance: number, styleSheet: StyleSheet) {\n
styleSheet.clearRules(this.componentId + instance);\n  }\n\n  renderStyles(\n    instance: number,\n
executionContext: Object,\n    styleSheet: StyleSheet,\n    stylis: Stringifier\n ) {\n    if (instance > 2)\n      StyleSheet.registerId(this.componentId + instance);\n\n    // NOTE: Remove old styles, then inject the new ones\n

```

```

this.removeStyles(instance, styleSheet);\n  this.createStyles(instance, executionContext, styleSheet, stylis);\n
}\n}\n", "// @flow\nimport React, { useContext, useEffect, useRef } from 'react';\nimport {
STATIC_EXECUTION_CONTEXT } from './constants';\nimport GlobalStyle from
'./models/GlobalStyle';\nimport { useStyleSheet, useStylis } from './models/StyleSheetManager';\nimport {
ThemeContext } from './models/ThemeProvider';\nimport type { Interpolation } from './types';\nimport {
checkDynamicCreation } from './utils/checkDynamicCreation';\nimport determineTheme from
'./utils/determineTheme';\nimport generateComponentId from './utils/generateComponentId';\nimport css from
'./css';\n\ndeclare var __SERVER__: boolean;\n\ntype GlobalStyleComponentPropsType = Object;\n\nexport
default function createGlobalStyle(\n  strings: Array<string>,\n  ...interpolations: Array<Interpolation>)\n {\n  const
rules = css(strings, ...interpolations);\n  const styledComponentId = `sc-global-
${generateComponentId(JSON.stringify(rules))}`;\n  const globalStyle = new GlobalStyle(rules,
styledComponentId);\n  if (process.env.NODE_ENV !== 'production') {\n
checkDynamicCreation(styledComponentId);\n  }\n  function GlobalStyleComponent(props:
GlobalStyleComponentPropsType) {\n    const styleSheet = useStyleSheet();\n    const stylis = useStylis();\n    const
theme = useContext(ThemeContext);\n    const instanceRef =
useRef(styleSheet.allocateGSInstance(styledComponentId));\n\n    const instance = instanceRef.current;\n\n    if
(process.env.NODE_ENV !== 'production' && React.Children.count(props.children)) {\n      // eslint-disable-next-
line no-console\n      console.warn(\n        `The global style component ${styledComponentId} was given child JSX.
createGlobalStyle does not render children.`\n      );\n    }\n\n    if (\n      process.env.NODE_ENV !== 'production'
&&\n      rules.some(rule => typeof rule === 'string' && rule.indexOf('@import') !== -1)\n    ) {\n      // eslint-
disable-next-line no-console\n      console.warn(\n        `Please do not use @import CSS syntax in createGlobalStyle
at this time, as the CSSOM APIs we use in production do not handle it well. Instead, we recommend using a library
such as react-helmet to inject a typical <link> meta tag to the stylesheet, or simply embedding it manually in your
index.html <head> section for a simpler app.`\n      );\n    }\n\n    if (styleSheet.server) {\n      renderStyles(instance,
props, styleSheet, theme, stylis);\n    }\n\n    if (!__SERVER__) {\n      // this conditional is fine because it is
compiled away for the relevant builds during minification,\n      // resulting in a single unguarded hook call\n      //
eslint-disable-next-line react-hooks/rules-of-hooks\n      useEffect(() => {\n        if (!styleSheet.server) {\n
renderStyles(instance, props, styleSheet, theme, stylis);\n          return () => globalStyle.removeStyles(instance,
styleSheet);\n        }\n      }, [instance, props, styleSheet, theme, stylis]);\n    }\n\n    return null;\n  }\n  function
renderStyles(instance, props, styleSheet, theme, stylis) {\n    if (globalStyle.isStatic) {\n
globalStyle.renderStyles(instance, STATIC_EXECUTION_CONTEXT, styleSheet, stylis);\n    } else {\n      const
context = {\n        ...props,\n        theme: determineTheme(props, theme, GlobalStyleComponent.defaultProps),\n
};\n\n      globalStyle.renderStyles(instance, context, styleSheet, stylis);\n    }\n  }\n  // $FlowFixMe\n  return
React.memo(GlobalStyleComponent);\n}\n", "// @flow\nimport css from './css';\nimport generateComponentId
from './utils/generateComponentId';\nimport Keyframes from './models/Keyframes';\nimport type { Interpolation,
Styles } from './types';\n\nexport default function keyframes(\n  strings: Styles,\n  ...interpolations:
Array<Interpolation>)\n {\n  /* Warning if you've used keyframes on React Native */\n  if (\n
process.env.NODE_ENV !== 'production' &&\n    typeof navigator !== 'undefined' &&\n    navigator.product ===
'ReactNative'\n  ) {\n    // eslint-disable-next-line no-console\n    console.warn(\n      `keyframes` cannot be used on
ReactNative, only on the web. To do animation in ReactNative please use Animated.`\n    );\n  }\n\n  const rules =
css(strings, ...interpolations).join("");\n  const name = generateComponentId(rules);\n  return new Keyframes(name,
rules);\n}\n", "// @flow\n/* eslint-disable no-underscore-dangle */\nimport React from 'react';\nimport {
IS_BROWSER, SC_ATTR, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport throwStyledError
from './utils/error';\nimport getNonce from './utils/nonce';\nimport StyleSheet from './sheet';\nimport
StyleSheetManager from './StyleSheetManager';\n\ndeclare var __SERVER__: boolean;\n\nconst
CLOSING_TAG_R = /^\\s*<\\[a-z]/i;\n\nexport default class ServerStyleSheet {\n  isStreaming: boolean;\n\n  instance:
StyleSheet;\n\n  sealed: boolean;\n\n  constructor() {\n    this.instance = new StyleSheet({ isServer: true
});\n    this.sealed = false;\n  }\n\n  _emitSheetCSS = (): string => {\n    const css = this.instance.toString();\n    if

```

```

(!css) return "";
const nonce = getNonce();
const attrs = [nonce && `nonce=${nonce}`];
`{SC_ATTR}=${true}`, `{SC_ATTR_VERSION}=${SC_VERSION}`];
const htmlAttr =
attrs.filter(Boolean).join(' ');
return `<style ${htmlAttr}>${css}</style>`;
};
collectStyles(children: any)
{
  if (this.sealed) {
    return throwStyledError(2);
  }
  return <StyleSheetManager
sheet={this.instance}>{children}</StyleSheetManager>;
}
getStyleTags = (): string => {
  if (this.sealed) {
    return throwStyledError(2);
  }
  return this._emitSheetCSS();
};
getStyleElement = () => {
  if (this.sealed) {
    return throwStyledError(2);
  }
  const props = {
    [SC_ATTR]: "",
    [SC_ATTR_VERSION]: SC_VERSION,
    dangerouslySetInnerHTML: {
      __html:
this.instance.toString(),
    },
  };
  const nonce = getNonce();
  if (nonce) {
    (props: any).nonce =
nonce;
  }
  // v4 returned an array for this fn, so we'll do the same for v5 for backward compat
  return
[<style {...props} key="sc-0-0" />];
};
// eslint-disable-next-line consistent-return
interleaveWithNodeStream(input: any) {
  if (!__SERVER__ || IS_BROWSER) {
    return
throwStyledError(3);
  }
  else if (this.sealed) {
    return throwStyledError(2);
  }
  if (__SERVER__) {
    this.seal();
    // eslint-disable-next-line global-require
    const { Readable, Transform } =
require('stream');
    const readableStream: Readable = input;
    const { instance: sheet, _emitSheetCSS } =
this;
    const transformer = new Transform({
      transform: function appendStyleChunks(chunk, /* encoding
*/ _, callback) {
        // Get the chunk and retrieve the sheet's CSS as an HTML chunk,
        // then reset its
rules so we get only new ones for the next chunk
        const renderedHtml = chunk.toString();
        const html
= _emitSheetCSS();
        sheet.clearTag();
        // prepend style html to chunk, unless the start of the chunk
is a
        // closing tag in which case append right after that
        if (CLOSING_TAG_R.test(renderedHtml))
{
          const endOfClosingTag = renderedHtml.indexOf('>') + 1;
          const before = renderedHtml.slice(0,
endOfClosingTag);
          const after = renderedHtml.slice(endOfClosingTag);
          this.push(before + html
+ after);
        }
        else {
          this.push(html + renderedHtml);
        }
        callback();
      },
    });
    readableStream.on('error', err => {
      // forward the error to the transform stream
      transformer.emit('error', err);
    });
    return readableStream.pipe(transformer);
  }
}
seal = () => {
  this.sealed = true;
};
}
"@flow
import React, { useContext, type AbstractComponent } from
'react';
import hoistStatics from 'hoist-non-react-statics';
import { ThemeContext } from
'./models/ThemeProvider';
import determineTheme from './utils/determineTheme';
import getComponentName
from './utils/getComponentName';
// NOTE: this would be the correct signature:
// export default <Config: {
theme?: any }, Instance>(
// Component: AbstractComponent<Config, Instance>
):
AbstractComponent<$Diff<Config, { theme?: any }> & { theme?: any }, Instance>
// but the old build system
tooling doesn't support the syntax
// export default (Component: AbstractComponent<*, *>) => {
//
$FlowFixMe This should be React.forwardRef<Config, Instance>
const WithTheme = React.forwardRef((props,
ref) => {
  const theme = useContext(ThemeContext);
  // $FlowFixMe defaultProps isn't declared so it can be
inferred
  const { defaultProps } = Component;
  const themeProp = determineTheme(props, theme,
defaultProps);
  if (process.env.NODE_ENV !== 'production' && themeProp === undefined) {
    // eslint-
disable-next-line no-console
    console.warn(`[withTheme] You are not using a ThemeProvider nor
passing a theme prop or a theme in defaultProps in component class \`${getComponentName(
Component)
}\``);
  }
  return <Component {...props} theme={themeProp} ref={ref} />;
});
hoistStatics(WithTheme, Component);
WithTheme.displayName =
`WithTheme(${getComponentName(Component)}`;
return WithTheme;
};
"@flow
import {
useContext } from 'react';
import { ThemeContext } from './models/ThemeProvider';
const useTheme = () =>
useContext(ThemeContext);
// export default useTheme;
"@flow
*
import StyleSheet
from './sheet';
import { masterSheet } from './models/StyleSheetManager';
// export const __PRIVATE__ = {
StyleSheet,
masterSheet,
};
"@flow
*
import singletons
import isStyledComponent from
'./utils/isStyledComponent';
import css from './constructors/css';
import createGlobalStyle from
'./constructors/createGlobalStyle';
import keyframes from './constructors/keyframes';
import ServerStyleSheet
from './models/ServerStyleSheet';
import { SC_VERSION } from './constants';
import StyleSheetManager, {

```

```

StyleSheetContext,\n StyleSheetConsumer,\n} from './models/StyleSheetManager';\n\n/* Import components
*\nimport ThemeProvider, { ThemeContext, ThemeConsumer } from './models/ThemeProvider';\n\n/* Import
Higher Order Components *\nimport withTheme from './hoc/withTheme';\n\n/* Import hooks *\nimport useTheme
from './hooks/useTheme';\n\ndeclare var __SERVER__: boolean;\n\n/* Warning if you've imported this file on
React Native *\nif (\n process.env.NODE_ENV !== 'production' &&\n typeof navigator !== 'undefined' &&\n
navigator.product === 'ReactNative'\n) {\n // eslint-disable-next-line no-console\n console.warn(\n \n "It looks like
you've imported 'styled-components' on React Native.\n\n" +\n \n "Perhaps you're looking to import 'styled-
components/native'?\n\n" +\n \n "Read more about this at https://www.styled-components.com/docs/basics#react-
native\n );\n}\n\n/* Warning if there are several instances of styled-components *\nif (process.env.NODE_ENV
!== 'production' && process.env.NODE_ENV !== 'test' && typeof window !== 'undefined') {\n window['__styled-
components-init__'] = window['__styled-components-init__'] || 0;\n\n if (window['__styled-components-init__']
=== 1) {\n // eslint-disable-next-line no-console\n console.warn(\n \n "It looks like there are several instances
of 'styled-components' initialized in this application. \n" +\n \n "This may cause dynamic styles to not render
properly, errors during the rehydration process, ' +\n \n "a missing theme prop, and makes your application bigger
without good reason.\n\n" +\n \n "See https://s-c.sh/2BAXzed for more info.\n );\n }\n\n window['__styled-
components-init__'] += 1;\n}\n\n/* Export everything *\nexport * from './secretInternals';\nexport {\n
createGlobalStyle,\n css,\n isStyledComponent,\n keyframes,\n ServerStyleSheet,\n StyleSheetConsumer,\n
StyleSheetContext,\n StyleSheetManager,\n ThemeConsumer,\n ThemeContext,\n ThemeProvider,\n
useTheme,\n SC_VERSION as version,\n
withTheme,\n};\n\n,"names":["strings","interpolations","result","i","len","length","push","x","toString","Object","pr
ototype","call","typeof","EMPTY_ARRAY","freeze","EMPTY_OBJECT","isFunction","test","getComponentName","target","process","env","NODE_ENV","displayName","name","isStyledComponent","styledComponentId","SC
_ATTR","REACT_APP_SC_ATTR","SC_VERSION","__VERSION__","IS_BROWSER","window","DISABLE_SPEEDY","Boolean","SC_DISABLE_SPEEDY","REACT_APP_SC_DISABLE_SPEEDY","STATIC_EXECUTION_CONTEXT","ERRORS","format","a","b","c","arguments","forEach","d","replace","throwStyledComponentsError","code","Error","join","trim","DefaultGroupedTag","tag","groupSizes","Uint32Array","indexOfGroup","group","index","this","insertRules","rules","oldBuffer","oldSize","newSize","throwStyledError","set","ruleIndex","I","insertRule","clearGroup","startIndex","endIndex","deleteRule","getGroup","css","getRule","groupIDRegister","Map","reverseRegister","nextFreeGroup","getGroupForId","id","has","get","getIdForGroup","setGroupForId","SELECTOR","MARKER_RE","RegExp","rehydrateNamesFromContent","sheet","content","names","split","registerName","rehydrateSheetFromTag","style","parts","textContent","part","marker","match","parseInt","getTag","getNonce","__webpack_nonce__","makeStyleTag","head","document","parent","createElement","prevStyle","childNodes","child","nodeType","hasAttribute","findLastStyleTag","nextSibling","undefined","setAttribute","nonce","insertBefore","CSSOMTag","element","appendChild","createTextNode","styleSheets","ownerNode","getSheet","rule","_error","cssRules","cssText","TextTag","nodes","node","refNode","removeChild","VirtualTag","_target","splice","SHOULD_REHYDRATE","defaultOptions","isServer","useCSSOMInjection","StyleSheet","options","globalStyles","gs","server","querySelectorAll","getAttribute","parentNode","rehydrateSheet","registerId","reconstructWithOptions","withNames","allocateGSInstance","hasNameForId","add","groupNames","Set","clearNames","clear","clearRules","clearTag","size","selector","outputSheet","AD_REPLACER_R","getAlphabeticChar","String","fromCharCode","generateAlphabeticName","Math","abs","phash","h","charCodeAt","hash","isStaticRules","SEED","ComponentStyle","componentId","baseStyle","staticRulesId","isStatic","baseHash","generateAndInjectStyles","executionContext","styleSheet","stylis","cssStatic","flatten","generateName","cssStaticFormatted","dynamicHash","partRule","partChunk","partString","Array","isArray","cssFormatted","COMMENT_REGEX","COMPLEX_SELECTOR_PREFIX","createStylisInstance","_componentId","_selector","_selectorRegex","_consecutiveSelfRefRegex","plugins","Stylis","parsingRules","parseRulesPlugin","toSheet","block","e","context","selectors","parents","line","column","ns","depth","at","delimitter","insertRulePlugin","selfReferenceReplacer","offset","string","indexOf","stringifyRules","prefix","flatCSS","cssStr","use","_","lastIndexOf","parsedRules","reduce","acc","plugin","StyleSheetContext","React","createContext","StyleSheetConsumer","Consumer","StylisContext","masterSheet","masterStylis","useStyleSheet","useContext","

```

useStylis", "StyleSheetManager", "props", "useState", "stylisPlugins", "setPlugins", "contextStyleSheet", "useMemo", "disableCSSOMInjection", "disableVendorPrefixes", "useEffect", "shallowequal", "Provider", "value", "Children", "only", "children", "Keyframes", "inject", "stylisInstance", "resolvedName", "\_this", "getName", "uppercaseCheck", "uppercasePattern", "msPattern", "prefixAndLowerCase", "char", "toLowerCase", "hyphenateStyleName", "isFalsish", "chunk", "ruleSet", "isReactComponent", "isElement", "console", "warn", "isPlainObject", "objToCssArray", "obj", "prevKey", "key", "hasOwnProperty", "isCss", "hyphenate", "unitless", "addTag", "arg", "styles", "interleave", "invalidHookCallRe", "seen", "checkDynamicCreation", "message", "originalConsoleError", "error", "didNotCallInvalidHook", "consoleErrorMessage", "consoleErrorArgs", "useRef", "providedTheme", "defaultProps", "theme", "escapeRegex", "dashesAtEnds", "escape", "str", "isTag", "charAt", "isObject", "val", "isValidKey", "mixin", "mixinDeep", "rest", "ThemeContext", "ThemeConsumer", "ThemeProvider", "outerTheme", "themeContext", "mergedTheme", "mergeTheme", "identifiers", "createStyledComponent", "isTargetStyledComp", "isCompositeComponent", "attrs", "parentComponentId", "generateComponentId", "generateId", "generateDisplayName", "finalAttrs", "concat", "filter", "shouldForwardProp", "prop", "filterFn", "elementToBeCreated", "WrappedStyledComponent", "componentStyle", "forwardRef", "ref", "forwardedComponent", "forwardedRef", "componentAttrs", "foldedComponentIds", "useDebugValue", "resolvedAttrs", "attrDef", "resolvedAttrDef", "useResolvedAttrs", "determineTheme", "generatedClassName", "warnTooManyClasses", "className", "useInjectedStyle", "refToForward", "\$as", "as", "isTargetTag", "computedProps", "propsForElement", "validAttr", "withComponent", "previousComponentId", "optionsToCopy", "newComponentId", "defineProperty", "\_foldedDefaultProps", "merge", "generatedClasses", "warningSeen", "keys", "parsedIdString", "createWarnTooManyClasses", "hoist", "styled", "constructWithOptions", "componentConstructor", "isValidElementType", "templateFunction", "withConfig", "config", "StyledComponent", "domElement", "GlobalStyle", "createStyles", "instance", "removeStyles", "renderStyles", "createGlobalStyle", "JSON", "stringify", "globalStyle", "GlobalStyleComponent", "current", "count", "some", "memo", "keyframes", "navigator", "product", "CLOSING\_TAG\_R", "ServerStyleSheet", "\_emitSheetCSS", "SC\_ATTR\_VERSION", "getStyleTags", "sealed", "getStyleElement", "dangerouslySetInnerHTML", "\_\_html", "seal", "collectStyles", "interleaveWithNodeStream", "input", "require", "Transform", "Readable", "readableStream", "transformer", "transform", "callback", "renderedHtml", "html", "endOfClosingTag", "before", "slice", "after", "on", "err", "emit", "pipe", "Component", "WithTheme", "themeProp", "hoistStatics", "useTheme", "\_\_PRIVATE\_\_"], "mappings": "mkBAGA,eACEA,EACAC,WAEMC,EAAS,CAACF,EA AQ,IAEfG,EAAI,EAAGC,EAAMH,EAAeI,OAAQF,EAAIC,EAAKD,GAAC,EACzDD,EAAOI,KAAKL,EAAeE, GAAIH,EAAQG,EAAI,WAGtCD,cCVOK,UACR,OAANA,GACa,iBAANA,GAC6D,qBAAnEA,EAAEC,SAAW D,EAAEC,WAAaC,OAAOC,UAAUF,SAASG,KAAKJ,MAC3DK,EAAOL,ICNGM,EAAcJ,OAAOK,OAAO,IAC 5BC,EAAeN,OAAOK,OAAO,ICD3B,SAASE,EAAWC,SACV,mBAATA,ECCD,SAASC,EACtBC,SAG4B,eAAz BC,QAAQC,IAAIC,UAA8C,iBAAXH,GAAuBA,GAEvEA,EAAOI,aAEPJ,EAAOK,MACP,YCXW,SAASC,EAA kBN,UACjCA,GAA8C,iBAA7BA,EAAOO,kBCGjC,IAAaC,EACS,oBAAZP,UAA4BA,QAAQC,IAAIO,mBAAq BR,QAAQC,IAAIM,UACjF,cAIWE,EAAaC,QAGbC,EAA+B,oBAAXC,QAA0B,gBAAiBA,OAE/DC,EACXC,Q AAqC,kBAAtBC,kBACXA,kBACoB,oBAAZf,cAA8E,IAA5CA,QAAQC,IAAIe,6BAA2F,KAA5ChB,QAAQC,IA AIE,4BACnE,UAA5ChB,QAAQC,IAAIe,6BAAkDhB,QAAQC,IAAIe,4BACtD,oBAAZhB,cAAoE,IAAICA,QAA QC,IAAIC,mBAAuE,KAAICf,QAAQC,IAAIC,kBACnE,UAAICf,QAAQC,IAAIC,mBAAwCf,QAAQC,IAAIC,kBA CvC,eAAzBf,QAAQC,IAAIC,UAKTe,EAA2B,GCzBICC,EAAkC,eAAzBIB,QAAQC,IAAIC,SCHZ,GAAC,0DA A4D,kQAAoQ,wHAA0H,wMAA0M,oKAAaK,8OAAgP,uHAA2H,gEAAoE,mCAAqC,oUAAsU,2NAA6N,wWA A0W,4LAA8L,kDAAsD,8ZAAga,0QAA4Q,0IDG7/F,GAKIE,SAASiB,YACHC,0CACEC,EAAI,GAEDC,EAAI,E AAGtC,EAAMuC,UAAKtC,OAAQqC,EAAItC,EAAKsC,GAAC,EAC/CD,EAAEnC,KAAUoC,uBAAAA,mBAA AA,WAGdD,EAAEG,SAAQ,SAAAC,GACRL,EAAIA,EAAEM,QAAQ,SAAUD,MAGnBL,EAOM,SAASO,EAC tBC,8BACG/C,mCAAAA,yBAE0B,eAAzBmB,QAAQC,IAAIC,SACR,IAAI2B,qDACuCD,4BAC7C/C,EAAeI,O AAS,YAAcJ,EAAeID,KAAK,MAAU,KAIIE,IAAID,MAAMV,gBAAOD,EAAOU,WAAU/C,IAAgBkD,QE9BrD,I AMDC,wBAOQC,QACLC,WAAa,IAAIC,YAVR,UAWTID,OAXS,SAYTgD,IAAMA,6BAGbG,aAAA,SAAaC,W ACPC,EAAQ,EACHvD,EAAI,EAAGA,EAAIsD,EAAOtD,IACzBuD,GAASC,KAAKL,WAAWnD,UAGpBuD,K AGTE,YAAA,SAAYH,EAAeI,MACrBJ,GAASE,KAAKL,WAAWjD,OAAQ,SAC7ByD,EAAYH,KAAKL,WACj BS,EAAUD,EAAUzD,OAEtB2D,EAAUD,EACPN,GAASO,IACdA,IAAY,GACE,GACZC,EAAiB,MAAOR,QAI vBH,WAAa,IAAIC,YAAYS,QAC7BV,WAAWY,IAAIJ,QACfzD,OAAS2D,MAET,IAAI7D,EAAI4D,EAAS5D,E

AAI6D,EAAS7D,SAC5BmD,WAAWnD,GAACK,UAIrBgE,EAAYR,KAAKH,aAAaC,EAAQ,GACjCtD,EAAl,EAAGiE,EAAIP,EAAMxD,OAAQF,EAAlIe,EAAGjE,IACnCWd,KAAKN,IAAIgB,WAAWF,EAAWN,EAAM1D,WAClCmD,WAAWG,KACHBU,QAKNG,WAAA,SAAWb,MACLA,EAAQE,KAAKtD,OAAQ,KACjBA,EAASsD,KAAKL,WAAWG,GACzBc,EAAaZ,KAAKH,aAAaC,GAC/Be,EAAWD,EAAalE,OEzBiD,WAAWG,GAAS,MAEpB,IAAItd,EAAlOe,EAAYpE,EAAlqE,EAAlUrE,SACChkD,IAAIoB,WAAWF,OAK1BG,SAAS,SAASjB,OACHkE,EAAM,MACNIB,GAASE,KAAKtD,QAAqC,IAA3BsD,KAAKL,WAAWG,UACnCbB,UAGHtE,EAASsD,KAAKL,WAAWG,GACzBc,EAAaZ,KAAKH,aAAaC,GAC/Be,EAAWD,EAAalE,EAERBF,EAAlOe,EAAYpE,EAAlqE,EAAlUrE,IACrCwE,GAAUhB,KAAKN,IAAIuB,QAAQzE,GHhFT,mBGmFbwE,QCzFPE,EAAlC,IAAIC,IAC3CC,EAAlC,IAAID,IAC3CE,EAAGb,EAQPC,EAAGb,SAACC,MACxBL,EAAGBM,IAAID,UACdL,EAAGBO,IAAIF,QAGvBH,EAAGbI,IAAIH,IACzBA,QAGIvB,EAAlQuB,UAGa,eAAzB5D,QAAQC,IAAIC,YACF,EAARmC,GAAa,GAACA,EAzBR,GAACK,KA2BjBQ,EAAlB,MAAOR,GAG1BoB,EAAGbX,IAAIgB,EAAlzB,GACxBsB,EAAGbB,IAAIT,EAAlOyB,GACpBzB,GAGI4B,EAAGb,SAAC5B,UACrBsB,EAAGbK,IAAI3B,IAGhB6B,EAAGb,SAACJ,EAAYzB,GACpCA,GAASuB,IACXA,EAAGbVb,EAAGb,EAAGbX,IAAIgB,EAAlzB,GACxBsB,EAAGbB,IAAIT,EAAlOyB,IC3CvBK,WAAoB5D,mCACpB6D,EAAY,IAAIC,WAAW9D,kDAkC3B+D,EA4B,SAACC,EAACt,EAAYU,WAEvDpE,EADEqE,EAAGD,EAAGQ,MAAM,KAGnB3F,EAAl,EAAGiE,EAAlYB,EAAMxF,OAAQF,EAAlIe,EAAGjE,KAElCqB,EAAlOqE,EAAM1F,KACHBwF,EAAMI,aAAab,EAAl1D,IAKvBwE,EAAlwB,SAACL,EAAlM,WACrCC,GAASD,EAAME,aAAe,IAAIL,ML1CIB,aK2ChBjC,EAAlB,GAEl1D,EAAl,EAAGiE,EAAl8B,EAAM7F,OAAQF,EAAlIe,EAAGjE,IAAK,KACtCiG,EAAlOF,EAAM/F,GAAGd,UACjBiD,OAEC,EAASD,EAAlKE,MAAMd,MAElBa,EAAGb,KACJ5C,EAAlK,EAAl1B8C,SAASF,EAAlO,GAAl,IAAC5BnB,EAAlM,EAAlO,GAEl,IAAV5C,IAElF6B,EAAlC,EAAlzB,GAGIBiC,EAAl0BC,EAAlOT,EAAlImB,EAAlO,IAAC5CV,EAAlMa,SAAS5C,YAAYH,EAAlO,IAGpCA,EAAMxD,OAAS,OAElwD,EAAMvD,KAAK8F,MCzEXK,EAAlW,iBAEU,oBAAXzE,aAC0B,IAA7BA,OAAlO0E,kBACZ1E,OAAlO0E,kBAET,MCYOC,EAAlE,SAACxF,OACrByF,EAASC,SAASD,KACIBE,EAAS3F,GAAUyF,EACnBX,EAAGY,SAASE,cAAc,SAC/BC,EAAlBiB,SAAC7F,WACHB8F,EAAlE9F,EAAlF8F,WAEC9G,EAAl8G,EAAlW5G,OAAQF,GAACK,EAAGA,IAAK,KACrC+G,EAAlUD,EAAlW9G,MACvB+G,GARa,IAQJA,EAAMC,UAA6BD,EAAME,aAAazF,UACxDuF,GAYKG,CAAlB,P,GAC7BQ,OAAl4BC,IAAlDP,EAAl0BA,EAAlUM,YAAlC,KAElErB,EAAlMuB,aAAa7F,EPrBS,UOBS5BsE,EAAluB,aPrBuB,sBACL1F,aOsBIB2F,EAAlQhB,WAEVgB,GAAOxB,EAAlMuB,aAAa,QAASC,GAElvCX,EAAlOY,aAAzB,EAAlOqB,GAElBrB,GCTBI0B,wBAOCxG,OACJyG,EAAlWjE,KAAKiE,QAAUjB,EAAlaxF,GAG7CyG,EAAlQC,YAAYhB,SAAlSiB,eAAe,UAElvCnC,MDae,SAAlCt,MACnBA,EAAlIsC,aACGtC,EAAlIsC,cAlPOC,EAAlBIB,SAAlhBkB,YACC5H,EAAl,EAAGiE,EAAl2D,EAAY1H,OAAQF,EAAlIe,EAAGjE,IAAK,KAC5CwF,EAAlQoC,EAAY5H,MACtBwF,EAAlmqC,YAAlC3E,SACbsC,EAAlB1B,EAAlB,IC3BFgE,CAASL,QACjBvH,OAAS,6BAGhBgE,WAAA,SAAlWX,EAAlEwE,mBAElBvC,MAAlM,WAAlW6D,EAAlMxE,QACvBrD,UACE,EACP,MAAlO8H,UACA,MAAlX1D,WAAA,SAAlWf,QACJiC,MAAlMIB,WAAlWf,QACjBrD,YAGPuE,QAAA,SAAlQIB,OACAwE,EAAlOvE,KAAKgC,MAAlMyC,SAAlS1E,eAlEpB6D,IAAlTW,GAA8C,iBAAljBA,EAAlKG,QAC7BH,EAAlKG,QAlEL,SAMAC,wBAOCnH,OACJyG,EAAlWjE,KAAKiE,QAAUjB,EAAlaxF,QACxCoH,MAAlQX,EAAlQX,gBACHB5G,OAAS,6BAGhBgE,WAAA,SAAlWX,EAAlEwE,MACpBxE,GAASC,KAAKtD,QAAUqD,GAAS,EAAG,KACHC8E,EAAlO3B,SAAlSiB,eAAeI,GAC/BO,EAAlU9E,KAAK4E,MAAlM7E,eAlCtBkE,QAAQF,aAAac,EAAlMC,GAAW,WACtCpI,UACE,SAEA,KAlXoE,WAAA,SAAlWf,QACJkE,QAAQc,YAAY/E,KAAK4E,MAAlM7E,SAC/BrD,YAGPuE,QAAA,SAAlQIB,UACFA,EAAlQC,KAAKtD,OACrSd,KAAK4E,MAAlM7E,GAAOyC,YAlElB,SAMAwC,wBAKCC,QACL/E,MAAlQ,QACrxD,OAAS,6BAGhBgE,WAAA,SAAlWX,EAAlEwE,UACpBxE,GAASC,KAAKtD,cACXwD,MAAlMgF,OAAlOnF,EAAlO,EAAlGwE,QACvB7H,UACE,MAMXoE,WAAA,SAAlWf,QACJG,MAAlMgF,OAAlOnF,EAAlO,QACpBrD,YAGPuE,QAAA,SAAlQIB,UACFA,EAAlQC,KAAKtD,OACrSd,KAAKE,MAAlMH,GAEX,SCzHToF,EAAlM/B/G,EAAlWjBhG,EAAl+B,CACnCC,UAAWjH,EACXkH,mBAAlO BhH,GAAlDiH,wBAAlBjBC,EACAC,EACAvD,YAlFAsD,IAAlAA,EAAlGcPl,YAlChCqI,IAAlAA,EAAl2C,SAGtCD,aAlCAJ,KAlCAI,QAlGAE,GAAlKD,OAlLvD,MAAlQ,IAAlIf,IAAlIe,QAlChByD,SAAlWH,EAAlQH,UAlGnBrF,KAAK2F,QAAUvH,GAlAc+G,IAlChCA,GAlAmB,EJyBK,SAAlCnD,WAlCvB4C,EAAlQ1B,SAAlS0C,iBAAlBhE,GAlE/BpF,EAAl,EAAlGiE,EAAlImE,EAAlMII,OAAQF,EAAlIe,EAAGjE,IAAK,KACtCqI,EAASD,EAAlMpl,GACjBqI,GL/EsB,WK+EdA,EAAlKgB,aAAa7H,KAC5BqE,EAAlsBL,EAAlO6C,GAlEzBA,EAAlKiB,YAlCpJB,EAAlKiB,WAAWf,YAAYF,KlJc9Bk



B,CAAE/F,SArBZgG,WAAP,SAAkBzE,UACTD,EAACc,+BAwBvB0E,uBAAA,SAAuBT,EAA+BU,mBAAAA,I  
AAAA,GAAaB,GACnE,IAAIX,OACJvF,KAAKwF,WAAYA,GACtBxF,KAAK0F,GACJQ,GAAaIG,KAAKkC,Y  
AAU0B,MAIjCuC,mBAAA,SAAmB5E,UACTvB,KAAK0F,GAAGnE,IAAOvB,KAAK0F,GAAGnE,IAAO,GAA  
K,KAI7CsB,OAAA,kBACS7C,KAAKN,MAAQM,KAAKN,KDtEH2F,KCsEgCrF,KAAKwF,SDtErCH,SAAUC,I  
AAAA,kBAAmB9H,IAAAA,OLCxBkC,EKAzB2F,EACK,IAAIL,EAAXH,GACb8H,EACF,IAAIb,EAASxG,G  
AEb,IAAIH,EAQnH,GLJd,IAAIiC,EAaKBC,KADD,IAACA,IKDL2F,EAAUC,EAAMb9H,KC0ErD4I,aAAA,  
SAAa7E,EAAY1D,UACHBmC,KAAKkC,MAAMV,IAAID,IAAQvB,KAAKkC,MAAMT,IAAIF,GAAUC,IAAI3  
D,MAI7DuE,aAAA,SAAab,EAAY1D,MACvByD,EAACc,GAETvB,KAAKkC,MAAMV,IAAID,QAQZV,MAA  
MT,IAAIF,GAAU8E,IAAIxI,OALP,KACjByI,EAaA,IAAIC,IACvBD,EAAWD,IAAIxI,QACVqE,MAAM3B,IAA  
Igb,EAAl+E,OAovBrG,YAAA,SAAySb,EAAY1D,EAACqC,QAC/BkC,aAAab,EAAlID,QACjBgF,SAAS5C,YA  
AYqB,EAACc,GAARb,MAI/CsG,WAAA,SAAWjF,GACLvB,KAAKkC,MAAMV,IAAID,SACXW,MAAMT,IA  
AIF,GAAUkF,WAK9BC,WAAA,SAAWnF,QACJsB,SAASIC,WAAWW,EAACc,SACICf,WAAWjF,MAIIBoF,S  
AAA,gBAGOjH,SAAMkE,KAIb/G,SAAA,kBJpHyB,SAACmF,WACpBtC,EAAMsC,EAAMa,SACVnG,EAAWg  
D,EAAXhD,OAEEsE,EAAM,GACDIB,EAQ,EAAGA,EAQpD,EAQoD,IAAS,KACrCyB,EAAKG,EAAC5B,  
WACd8D,IAAPrC,OAEEW,EAQF,EAAME,MAAMT,IAAIF,GACxBrB,EAQR,EAAlqB,SAASjB,MACtBoC,  
GAAUhC,GAAUGC,EAAM0E,UAEzBC,EAAC7I,OAAY8B,UAAayB,OAECU,EAAU,QACA2B,IAAV1B,GAC  
FA,EAAMjD,SAAQ,SAApB,GACRA,EAANb,OAAS,IACHuF,GAACpE,UOpBmD,MAAUd,EAQ2G,eA  
AqB5E,yBAGICjB,ElwFE8F,CAAY9G,YC3HjB+G,EAAGb,WAOhBC,EAAbB,SAAC3H,UACzB4H,OAOC,aA  
Aa7H,GAAQA,EAAO,GAAG,GAAG,MAGhC,SAAS8H,EAAbB9H,OAECzC,EADAIb,EAAO,OAInjB,EAAlw  
K,KAAKc,IAAIhI,GAAOzC,EAZP,GAYwBA,EAAKA,EAZ7B,GAYgD,EACHeIB,EAOMj,EAAbpK,EAAbT,I  
Aa4BiB,SAGtCmJ,EAAbpK,EAhBR,IAgB2BiB,GAAMsB,QAAQ4H,EAae,SCpBrE,IAKMO,GAAQ,SAACC,E  
AAW3K,WAC3BJ,EAAlI,EAAEF,OAEEF,GACL+K,EAAS,GAAJA,EAU3K,EAEE4K,aAAahL,UAGzB+K,G  
AIIE,GAAO,SAAC7K,UACZ0K,GAjBW,KAIbC1K,ICfN,SAAS8K,GAACxH,OAC/B,IAAI1D,EAAl,EAAGA,E  
AAI0D,EAAMxD,OAQF,GAAG,EAAG,KACIC+H,EAOrE,EAAM1D,MAEfa,EAAWkH,KAAUzG,EAAbBy  
G,UAGIC,SAII,ECPT,IAAMoD,GAAOF,GbEatJ,SaGLyJ,yBAaP1H,EAAGb2H,EAQBC,QAC1C5H,MAAQA,O  
ACR6H,cAAgB,QACHBC,SAAoC,eAAzBvK,QAAQC,IAAIC,gBACXiG,IAAdkE,GAA2BA,EAAlUE,WACtCN,  
GAACxH,QACX2H,YAAcA,OAIdI,SAAWX,GAAMK,GAAME,QAevBC,UAYA,EAIJvC,EAAWS,WAAW6  
B,sBAQxBK,wBAAA,SAAwBC,EAAB0C,EAawBC,OACHER,EAAGb7H,KAAhB6H,YAEF3F,EAQ,MAEVIC  
,KAAK8H,WACP5F,EAAMvF,KAAKqD,KAAK8H,UAAUI,wBAawBC,EAAbC,EAAYC,IAI9ErI,KAAKgI,W  
AAaK,EAAOZ,QACvzH,KAAK+H,eAAiBK,EAAWhC,aAAayB,EAa7H,KAAK+H,eACIE7F,EAAMvF,KAA  
KqD,KAAK+H,mBACX,KACCO,EAAYC,GAAQvI,KAAKE,MAAOiI,EAAbC,EAAYC,GAAQ9I,KAAK,IAC3  
E1B,EAAO2K,EAAlB,GAAMtH,KAAKiI,SAAUK,KAAe,OAEdF,EAAWhC,aAAayB,EAahK,GAAO,KACz  
C4K,EAQBJ,EAOC,MAAezK,OAQ+F,EAAWiE,GAEPeO,EAAWnI,YAAY4H,EAahK,EAAM4K,GAG5C  
vG,EAAMvF,KAAKbB,QACNkK,cAAgBIK,MAEIB,SACGnB,EAASd,KAAKE,MAAhBxD,OACJgM,EAACP  
B,GAAMtH,KAAKiI,SAAUI,EAAOZ,MAC1CzG,EAAM,GAEDxE,EAAl,EAAGA,EAAlE,EAQF,IAAK,KACz  
BmM,EAAW3I,KAAKE,MAAM1D,MAEJ,iBAAbmM,EACT3H,GAAO2H,EAESB,eAAzBIL,QAAQC,IAAIC,W  
AA2B+K,EAACPb,GAAMoB,EAACc,EAAWnM,SACIF,GAAImM,EAU,KACbC,EAAYL,GAAQI,EAUR,EA  
AkBC,EAAYC,GAC5DQ,EAACc,MAAMC,QAAQH,GAAaA,EAUj,KAAK,IAAMqJ,EACnEF,EAACPb,GAA  
MoB,EAAG,EAARm,GAC9CwE,GAAO6H,MAIP7H,EAAG,KACDnD,EAAO2K,EAaE,IAAgB,OAECN,EA  
AWhC,aAAayB,EAahK,GAAO,KACzCmL,EAaEx,EAOrH,MAASnD,OAQ+F,EAAWiE,GACxDO,EAAW  
nI,YAAY4H,EAahK,EAAMmL,GAG5C9G,EAAMvF,KAAKbB,WAIRqE,EAAM3C,KAAK,WCTghB0J,GAAG  
B,gBACHBC,GAA0B,CAAC,IAAK,IAAK,IAAK,KAOjC,SAASC,UAYBIBC,EACAC,EACAC,EACAC,eAzB6Bn  
M,QAFjCoI,QAAAA,aAAUpI,QACVoM,QAAAA,aAAUtM,IAEJmL,EAAS,IAAIoB,EAQjE,GAMtBkE,EAae,  
GAWbC,ECdR,SAAwBjJ,YAIbkJ,EAQC,MACXA,MAEAnJ,EAACmJ,OACd,MAAOC,YAIN,SACLC,EACA9  
H,EACA+H,EACAC,EACAC,EACAC,EACAzN,EACA0N,EACAC,EACAC,UAEQP,QAED,KAEW,IAAVM,GA  
AyC,KAA1BpI,EAQf,WAAW,GAAW,OA09G,EAACuB,OAaA,cAGhF,KACQ,IAAPmI,EAU,OAOnI,E  
A/BT,mBAkCT,SACKmI,QAED,SACA,WACI1J,EAASjJ,EAU,GAAG/H,GAAU,kBAEPcA,GAAbB,IAAPqI,  
EAzCV,QAYCiC,SAEzC,EACJrI,EAQe,MA3CIoI,U2CUtL,QAAQ2K,KD/BXY,EAAbB,SAAjG,GACxCMF,

EAAa/M,KAAK4H,MAQdkG,EAAwB,SAAC9H,EAAO+H,EAAQC,UAG9B,IAAXD,IAA8E,IAA/DxB,GAAwB  
0B,QAAQD,EAAOtB,EAAU3M,UAEhEiO,EAAOhI,MAAM4G,GAKT5G,MAHMYg,YA4BNyB,EAAe7J,EAAK  
6F,EAAUie,EAAQjD,YAAAA,IAAAA,EAAC,SACrDkD,EAAU/J,EAAI7B,QAAQ8J,GAAe,IACrC+B,EAASnE,  
GAAYiE,EAAYA,MAAUjE,QAACKe,OAACa,SAK7E3B,EAAevB,EACfwB,EAAYxC,EACZyC,EAaKB,IAAIx  
H,YAAyUH,QAAgB,KACIDE,EAA4B,IAAIzH,aAAauH,cAEtChB,EAAOyC,IAAWjE,EAAW,GAAKA,EAAMu  
E,UAdrD3C,EAAO4C,cAAQzB,GAPwB,SAACO,EAASmB,EAAGIB,GACIC,IAAZD,GAAiBC,EAAUtN,QAAU  
sN,EAAU,GAAGmB,YAAY9B,GAAa,IAE7EW,EAAU,GAAKA,EAAU,GAAG7K,QAAQmK,EAAiBmB,KAIDd  
,EAI9B,SAAAI,OACP,IAAbA,EAAGB,KACZqB,EAAC1B,SACpBA,EAAe,GACR0B,OA+DXP,EAAepD,KAA  
O+B,EAAQ9M,OAC1B8M,EACG6B,QAAO,SAACC,EAAC,UAACP,EAAO1N,MACVyc,EAAiB,IAGZgH,G  
AAMgE,EAAC,EAAMC,QHnGf,MGqGXhB,WACH,GAEGgO,ME3FIW,GAAGDC,EAAMC,gBACtDC,GAA  
qBH,GAaKB,SACvCC,GAA6CJ,EAAMC,gBAGnDI,IAFiBD,GAACd,SAEL,IAAIrG,GAC9BwG,GAA4B5C,KA  
EzC,SAAGB6C,YACPC,EAAWT,KAAAsBM,GAG1C,SAAGBI,YACPD,EAAWJ,KAAkBE,GAGvB,SAASI,GAAC  
BC,SACVC,EAASD,EAAME,eAAc9C,OAAS+C,OACVC,EAAoBR,KAEP5D,EAAaqE,GAAQ,eACrBzK,EA  
AQwK,SAERJ,EAAMPK,MAERA,EAAQoK,EAAMPK,MACLoK,EAAM5O,SACfwE,EAAQA,EAAMiE,uBAA  
uB,CAAeZi,OAAQ4O,EAAM5O,SAAU,IAG7D4O,EAAMM,wBACR1K,EAAQA,EAAMiE,uBAAuB,CAAEX,m  
BAAmB,KAGrDtD,IACN,CAACoK,EAAMM,sBAAuBN,EAAMPK,MAAOoK,EAAM5O,SAE9C6K,EAASoE,G  
ACb,kBACeT,D,GAAqB,CACnB3D,QAAS,CAAESf,QAASsB,EAAMO,uBAC1BnD,QAAAA,MAEJ,CAAC4C,E  
AAMO,sBAAuBnD,WAGhCoD,GAAU,WACH,EAAarD,EAAS4C,EAAME,gBAAGBC,EAAWH,EAAME,iBA  
CjE,CAACF,EAAME,gBAGRb,gBAACD,GAaKBsB,UAASC,MAAO3E,GACjCqD,gBAACI,GAACiB,UAASC,  
MAAO1E,GACH,eAAzB5K,QAAQC,IAAIC,SACT8N,EAAMuB,SAASC,KAAKB,EAAMc,UAC1Bd,EAAMc,eC  
jEGC,yBAOPtP,EAACqC,mBAM1BkN,OAAS,SAACf,EAAwBiF,YAAAA,IAAAA,EAA8BtB,QACxDuB,EAA  
eC,EAAK1P,KAAOWP,EAAe5F,KAE3CW,EAAWhC,aAAamH,EAAKhM,GAAl+L,IACpCfI,EAAWnI,YACTs  
N,EAAKhM,GACL+L,EACAD,EAAeE,EAAKrN,MAAOoN,EAAC,qBAK/CzQ,SAAW,kBACfYD,EAAiB,GAAl  
2G,OAAOsG,EAAK1P,aAlBnCA,KAAOA,OACP0D,mBAAqB1D,OACrBqC,MAAQA,qBAmbfS,N,QAAA,SA  
QH,mBAAAA,IAAAA,EAA8BtB,IAC7B/L,KAAKnC,KAAOWP,EAAe5F,WC7BhCgG,GAAiB,UACjBC,GAAm  
B,WACnBC,GAAY,OACZC,GAAqB,SAACC,aAA6BA,EAAC,EAAC/B,C,SAASC,GAAmBpD,UACIC8C,GAAen  
Q,KAAKqN,GACzBA,EACCxL,QAAQuO,GAaKB,EIAC1BzO,QAAQwO,GAAW,QACpBhD,ECIBJ,IAAMqD,  
GAAY,SAAAC,UAASA,MAAAA,IAAmD,IAAVA,GAA6B,KAAVA,GAObvF,SAAWB1F,GACTB0F,EACA9F,E  
ACAC,EACAiF,MAEivE,MAAMC,QAAQkF,GAAQ,SAGY1R,EAF9B2R,EAAU,GAEP1R,EAAI,EAAGC,EAA  
MwR,EAAMvR,OAAGBF,EAAIC,EAAKD,GAAC,EAAGzC,MAFFD,EAASgM,GAAQ0F,EAAMzR,GAAl2L,EAA  
kBC,EAAYiF,MAGhDvE,MAAMC,QAAQxM,GAAS2R,EAAQvR,WAARuR,EAAGB3R,GAC3C2R,EAAQvR,K  
AAKJ,WAGb2R,KAGLF,GAAUC,SACL,MAILnQ,EAaKBmQ,aACTA,EAAMIQ,qBAIfV,EAAW4Q,GAAQ,IC9  
DL,mBAFwB3Q,EDiEhB2Q,IC7DtB3Q,EAACP,WACFO,EAACP,UAAUoR,mBD4DchG,EAa3B,OAAO8F,MA  
ZN1R,EAAS0R,EAAM9F,SAEQ,eAAzB1K,QAAQC,IAAIC,UAA6ByQ,EAAU7R,IAErD8R,QAAQC,KACH/Q,  
EACD0Q,uLAKC1F,GAAQhM,EAAQ4L,EAaKB,EAAYiF,GC7E5C,IAA6B/P,SdIFtC2Q,aAAiBd,GACf/E,GA  
CF6F,EAAMb,OAAOhF,EAAYiF,GACIBY,EAAMT,QAAQH,IACTY,EAITM,EAAcN,GAzEM,SAAhBO,EAAi  
BC,EAAaC,OEbH7Q,EAACKP,EFc9C7M,EAAQ,OAET,IAAMyO,KAAOF,EACXA,EAAIG,eAAeD,KAAQX,GA  
AUS,EAAIE,MAEzC7F,MAAMC,QAAQ0F,EAAIE,KAASF,EAAIE,GAAKE,OAAUxR,EAAWoR,EAAIE,IAC  
EzO,EAAMvD,KAAQmS,GAAUH,OAASF,EAAIE,GAAM,KACICJ,EAACe,EAAIE,IAC3BzO,EAAMvD,WAA  
NuD,EAAcS,O,EAAC,EAAIE,GAAMA,IAEtCzO,EAAMvD,KAAQmS,GAAUH,SExBU9Q,EFwBe8Q,EErBxC,  
OAHuC5B,EFwBM0B,EAAIE,KErBxB,kBAAV5B,GAAiC,KAAVA,EAC1C,GAGY,iBAAVA,GAAgC,IAAVA,  
GAAiBIP,KAAQkR,EAIInD9H,OAAO8F,GAAOvN,OAHTuN,qBFoBL2B,GAAcA,eAAgBxO,GAAO,MAAOA,E  
A0DrBsO,CAACp,GAASA,EAAMPR,WG9E7D,IAAMmS,GAAS,SAAAC,UACTnG,MAAMC,QAAQkG,KAehB  
A,EAAIJ,OAQ,GAEPI,GAGM,SAASjO,GAAlkO,8BAAMb5S,mCAAAA,2BACzCe,EAAW6R,IAAWX,EAAC  
W,GAE/BF,GAAOzG,GAAQ4G,EAAWjS,GAACgS,UAAW5S,MAG9B,IAA1BA,EAAeI,QAaKc,IAAIbW,S,EA  
OxS,QAAQc,iBAAdwS,EAAO,GAE/DA,EAIFF,GAAOzG,GAAQ4G,EAAWD,EAAQ5S,KC5B3C,IAAM8S,GA  
AoB,qBACpBC,GAAO,IAAI9I,IAEJ+I,GAAuB,SAAC1R,EAAqBiK,MAC3B,eAAzBpK,QAAQC,IAAIC,SA2B  
,KAEnC4R,EACJ,iBAAiB3R,GAFliK,sBAaKCA,MAAiB,6NAUpE2H,EAuBnB,QAAQoB,cAE/BC,GAAwB,E

AE5BrB,QAAQoB,MAAQ,SAACE,MAGXP,GAakB9R,KAAKqS,GACzBD,GAAwB,EAExBL,UAA YE,OACP,4BAPgCK,mCAAAA,oBAQRcJ,gBAAqBG,UAAwBC,MAMjDC,IAEIH,IAA0BL,GAak7N,IAAI+N,KAERcIB,QAAQC,KAAKiB,GACbF,GAakHJ,IAAIkJ,IAEX,MAAOE,GAGHL,GAakB9R,KAAKms,EAAMF,UAE/BF,UAA YE,WAIIdB,QAAQoB,MAAQD,iBC9CNpD,EAac0D,EAAoBC,mBAAAA,IAAAA,EAAoB3S,GAC5DgP,EAAM4D,QAAUD,EAAaC,OAAS5D,EAAM4D,OAAUF,GAAiBC,EAAaC,OCJxFC,GAAc,wCAEdC,GAAe,WAMN,SAASC,GAAOC,UAE3BA,EAEGjR,QAAQ8Q,GAAa,KAGrB9Q,QAAQ+Q,GAAc,ICd7B,gBAAGBE,UACPjJ,EAAuBM,GAak2I,KAAS,ICH/B,SAASC,GAAM7S,SAER,iBAAXA,IACmB,eAAzBC,QAAQC,IAAIC,UACTH,EAAO8S,OAAO,KAAO9S,EAAO8S,OAAO,GAAGxC,eCqB9C,IAAMyC,GAAW,SAAAC,SAEE,mBAARA,GAAsC,iBAARA,GAA4B,OAARA,IAAiB1H,MAAMC,QAAQyH,IAItFC,GAAa,SAAA9B,SACF,cAARA,GAA+B,gBAARA,GAAiC,cAARA,GAGzD,SAAS+B,GAAMIT,EAAQgT,EAak7B,OACpBF,EAAMjR,EAAOmR,GACf4B,GAASC,IAAQD,GAAS9B,GAC5BkC,GAAUIC,EAak+B,GAefhT,EAAOmR,GAAO6B,EAIH,SAASG,GAUUnT,8BAAWoT,mCAAAA,kCACzBA,iBAAM,KAAbnC,UACL8B,GAAS9B,OACN,IAAME,KAAOF,EACZgC,GAAW9B,IACb+B,GAAMIT,EAAQiR,EAAIE,GAAMA,UAMzBnR,MC5CIqT,GAAsCpF,EAAMC,gBAE5CoF,GAAGBD,GAAajF,SA8B3B,SAASmF,GAAc3E,OAC9B4E,EAAa/E,EAAW4E,IACxBI,EAAexE,GAAQ,kBA9B/B,SAAoBuD,EAAsBgB,OACnChB,SACI1P,EAAiB,OAGtBjD,EAAW2S,GAAQ,KACfkB,EAacIB,EAAMgB,SAGC,eAAzBvT,QAAQC,IAAIC,UACK,OAahBuT,IAAwBpI,MAAMC,QAAQmI,IAAuC,iBAAhBA,EAKzDA,EAHE5Q,EAAiB,UAMxBwI,MAAMC,QAAQiH,IAA2B,iBAAVA,EAC1B1P,EAAiB,GAGnB0Q,OAakBA,KAAehB,GAAUA,EAQfmB,CAAW/E,EAAM4D,MAAOgB,KAAa,CACtE5E,EAAM4D,MACNGB,WAGG5E,EAAMc,SAIJzB,gBAACoF,GAAa/D,UAASC,MAAOke,GAAe7E,EAAMc,UAHjD,KCxBX,IAAMke,GAAc,GakJpB,SAAWBC,GACtB7T,EACAgI,EAOfAtF,OAEMoR,EAAqBxT,EAakBN,GACvC+T,GAAWBIB,GAAM7S,KAMhCgI,EAHFgM,MAAAA,aAAQtU,MAGNsI,EAFFqC,YAAAA,aA/JJ,SAAoBjK,EAAsB6T,OACIC5T,EAA8B,iBAAhBD,EAA2B,KAAOuS,GAAOvS,GAE7DwT,GAAYvT,IAASuT,GAAYvT,IAAS,GAAK,MAEzCgK,EAAiBhK,MAAQ6T,G9B3BPvT,Q8B8BTN,EAAOuT,GAAYvT,WAG3B4T,EAauBA,MAAQb5J,EAAGBA,EAoJnD8J,CAAWnM,EAAQ5H,YAAa4H,EAAQiM,uBAEpDjM,EADF5H,YAAAA,aC5LW,SACbJ,UAE06S,GAAM7S,aAAoBA,YAAqBD,EAAiBC,ODyLvDoU,CAAoBpU,KAG9BO,EACJyH,EAAQ5H,aAAe4H,EAAQqC,YACxBsI,GAAO3K,EAAQ5H,iBAAGb4H,EAAQqC,YAC1CrC,EAAQqC,aAAeA,EAGvBgK,EACJP,GAAWb9T,EAAGcGU,MACpD1I,MAAM/L,UAAU+U,OAAStU,EAAGcGU,MAAOA,GAAOO,OAAOxT,SAC9EiT,EAGFQ,EAAoBxM,EAAQwM,kBAE5BV,GAAsB9T,EAAOwU,oBAG7BA,EAfExM,EAAQwM,kBAEU,SAACC,EAAMC,EAAUC,UAC/B3U,EAAGcWU,kBACICC,EACAC,EACAC,IAEA3M,EAAQwM,kBAA4CC,EAAMC,EAAUC,IAGID3U,EAAGcwU,uBAkbtDI,EAdeC,EAAiB,IAAIzK,GACzB1H,EACAnC,EACauT,EAauB9T,EAAGb6U,oBAAKCzO,GAKrEoE,EAAWqK,EAaerK,UAA6B,IAAjBwJ,EAAM9U,OAQ5C4V,EAAa,SAACIG,EAAOmG,UahJ7B,SACEC,EACApG,EACAgQ,EACAZK,OAGS0K,EAOLF,EAPFhB,MACAa,EAMEG,EANFH,eACAAtC,EAKEyC,EALFzC,aACA4C,EAIEH,EAJFG,mBACAX,EAGEQ,EAHFR,kBACAjU,EAEEyU,EAFFzU,kBACAP,EACEgV,EADFhV,OAI2B,eAAzBC,QAAQC,IAAIC,UAA2BiV,EAAC7U,SAPe3D,SAakCiS,EAA2B5D,EAAeoF,YAA1CxB,IAAAA,EAAa5S,OAIvC2M,OAaeqC,GAAO4D,MAAAA,IACtB6C,EAAGb,UAETBrB,EAAMvS,SAAQ,SAAA6T,OAERnE,EErD4B9P,EAAYC,EFoDxCiU,EAakBD,MAQjBnE,KALDtR,EAAW0V,KACbA,EAakBA,EAAGbhJ,IAIxBgJ,EACVhJ,EAAQ4E,GAAOkE,EAacIE,GACnB,cAARA,GE9D4B9P,EF+DZgU,EAacIE,GE/DU7P,EF+DJiU,EAAgBpE,GE9DnD9P,GAakC,EAAOD,MAAKC,EAAMD,GAakC,GF+DzBiU,EAAGbPE,MAKnB,CAAC5E,EAAS8I,GakDQG,CAFxc,GAAe7G,EAAOH,EAAW4E,IAAed,IAEX3S,EAACgP,EAAOsG,GAAjE3I,OAASyH,OAEOV0B,EAjDR,SACEb,EACArK,EACA6K,EACAM,OAEM/K,EAAa4D,KACb3D,EAAS6D,KAETkH,EAAYpL,EACdqK,EAaenK,wBAAwB9K,EAACgL,EAAYC,GACjEgK,EAaenK,wBAAwB2K,EAazK,EAAYC,SAGzC,eAAzB5K,QAAQC,IAAIC,UAA2BiV,EAACQ,GAe5B,eAAzB3V,QAAQC,IAAIC,WAA8BqK,GAAYmL,GACxDA,EAAMBC,GAGdA,EA6BoBC,CACzBhB,EACArK,EACA+B,EACyB,eAAzBtM,QAAQC,IAAIC,SAA4B6U,EAAMBW,wBAAQbVp,GAG5E0P,EAAeb,EAefN,EAA6BX,EAAM+B,KAAOnH,EAAMmH,KAAO/B,EAAMgC,IAAMpH,EAAMoH,IAAMhW,EAE/EiW,EAACpD,GAAM8B,GACpBuB,EAAGBIC,IAAUfP,OAAaA,KAAUoF,GAAUfP,EAC3DuH,EAakB,OAGnB,IAAMhF,KAAO+E,EACD,MAAX/E,EAAl,IAAsB,OAARA,IACL,gBARARA,EACpGF,EAAGBH,GAAKE,EAAC/E,IAEnCqD,EACIA,EAakBrD,EAakIF,EAAWzB,IACICsB,GACAG,EAUJf,MAIdGF,EAAGbhF,GAAO+E,EAAC/E,YAIrCvC,EAAM9J,OAASKP,EAAMIP,QAAU8J,EAAM9J,QACv

CqR,EAAGBrR,WAAa8J,EAAM9J,SAAUkP,EAAMIP,QAGrDqR,EAAGBP,UAAyK,MAAM/L,UAC/B+U,OAC  
Ca,EACA5U,EACAmV,IAAuBnV,EAAoBmV,EAAGqB,KACHe9G,EAAMgH,UACN5B,EAAM4B,WAEPb,OA  
AOxT,SACPgB,KAAK,KAERoU,EAAGbPb,IAAMe,EAeflQ,EAAC+O,EAAoBwB,IAuEhBvB,EAawBhG,EA  
OmG,EAAKvK,WAE7DsK,EAAW1U,YAAcA,GAezBwU,EAAB2B3G,EAAM6G,WAAWA,IACrBd,MAAQK,EA  
C/BO,EAABc,eAAiBA,EACxCD,EAABxU,YAAcA,EACrCwU,EAABJ,kBAABa,EAIBCI,EAABO,mBAA  
qBrB,EACxCxI,MAAM/L,UAAU+U,OACZtU,EAAGCmV,mBACHCnV,EAAGCO,mBAEpCb,EAJkV,EAABr  
U,kBAABa,EAAG3CqU,EAAB5U,OAAS8T,EAC1B9T,EAAGCA,OACICA,EAJ4U,EAABByB,cAAGB,SAAB  
BnU,OACvCoU,EAAB0CtO,EAABvDqC,YAAqCkM,uIAAkBvO,mBAEzDwO,EACJF,GACGA,OAABzD,GAAM  
3Q,GAAOA,EAAMyQ,GAAO5S,EAABmC,YAQhE2R,GAASB3R,OALxBqU,GACHvC,MAAOK,EACPhK,YA  
AamM,IAG+B9T,IAGhDpD,OAAOmX,eAAe7B,EAABwB,eAAGB,CAC5D3Q,sBACSzB,KAAKkU,qBAGd3T,aA  
AlkO,QACGyF,oBAASB5C,EACvB6C,GAAM,GAAM3W,EAAGCuS,aAActB,GAC1DA,KAIqB,eAAzBhR,QAA  
QC,IAAIC,WACd2R,GAAqB1R,EAABaG,GAELCqU,EAABe,4BGzSXvV,EAABiK,OAC/BuM,EAABM,GACn  
BC,GAAc,SAEX,SAACjB,OACDiB,IACHD,EAABhB,IAAa,EAC1BtW,OAAOwX,KAAKF,GAAB1X,QATnB,  
KASoC,KAG3C6X,EAABiM,sBAAkCA,MAABiB,GAELewG,QAAQC,KACN,iDAASD1Q,EAAC2W,oQAUtEF,  
GAAc,EACdD,EAABM,KHiRqBI,CAC1C5W,EACAG,IAIJqU,EAABvV,SAAW,qBAAUuV,EAABrU,mBAE/  
DwT,GACfKd,EAIErC,EAAB0B5U,EAAB0D,CAEpFgU,OAAO,EACPa,gBAAGB,EACHzU,aAAa,EACb+U,oBA  
AoB,EACpBX,mBAABM,EACnBjU,mBAABM,EACnBP,QAAQ,EACRqW,eAAe,IAIZzB,ElpUT,ICIMsC,GAAS  
,SAACHv,mBCCQiv,EACtBC,EACAIv,EACA8F,eAAAA,IAAAA,EAABpI,IAEbyX,EAABnV,UACfY,EAABi  
B,EAAG2G,OAAOVH,QAK9BoV,EAABM,kBAABaF,EAABqBIV,EAAB8F,EAASxE,oCAGzE8T,EAABiBC,WAAa,  
SAAAC,UAC5BL,EAABqBC,EAASBIV,OAAU8F,KAAyWp,KAGnEF,EAABiBtD,MAAQ,SAAAA,UACvBmD,EA  
AqBC,EAASBIV,OACtC8F,GACHgM,MAAO1I,MAAM/L,UAAU+U,OAAOtM,EAABqGm,MAAOA,GAAOO,O  
AAOxT,aAGxDuW,EDzBuBH,CAAqBM,GAABiVvV,IDJvD,CACb,IACA,OACA,UACA,OACA,UACA,QACA,Q  
ACA,IACA,OACA,MACA,MACA,MACA,aACA,OACA,KACA,SACA,SACA,UACA,OACA,OACA,MACA,W  
ACA,OACA,WACA,KACA,MACA,UACA,MACA,SACA,MACA,KACA,KACA,KACA,QACA,WACA,aACA,S  
ACA,SACA,OACA,KACA,KACA,KACA,KACA,KACA,KACA,OACA,SACA,SACA,KACA,OACA,IACA,SAC  
A,MACA,QACA,MACA,MACA,SACA,QACA,SACA,KACA,OACA,OACA,MACA,OACA,UACA,OACA,WA  
CA,OACA,QACA,MACA,WACA,SACA,KACA,WACA,SACA,SACA,IACA,QACA,UACA,MACA,WACA,IAC  
A,KACA,KACA,OACA,IACA,OACA,SACA,UACA,SACA,QACA,SACA,OACA,SACA,QACA,MACA,UACA,  
MACA,QACA,QACA,KACA,WACA,QACA,KACA,QACA,OACA,QACA,KACA,QACA,IACA,KACA,MACA,  
QACA,MAGA,SACA,WACA,OACA,UACA,gBACA,IACA,QACA,OACA,iBACA,SACA,OACA,OACA,UACA,  
UACA,WACA,iBACA,OACA,OACA,MACA,OACA,WACA,SCnIUT,SAAQ,SAAAIW,GACIBR,GAAOQ,GAAc  
R,GAAOQ,UELTC,yBAOPjV,EAAGB2H,QACrB3H,MAAQA,OACR2H,YAAcA,OACdG,SAAWN,GAAcxH,G  
AI9BqF,EAAWS,WAAWhG,KAAK6H,YAAc,8BAG3CuN,aAAA,SACEC,EACAIN,EACAC,EACAC,OAGMrH,  
EAAMqH,EADIE,GAAQvI,KAAKE,MAAOiI,EAABc,EAAYC,GACvC9I,KAAK,IAAK,IAC/BgC,EAABvB,K  
AAK6H,YAAcwN,EAAG9BjN,EAABnI,YAAySb,EAABIA,EAABIP,MAGjCsU,aAAA,SAAAD,EAABjN,GAC7BA  
,EAAB1B,WAAW1G,KAAK6H,YAAcwN,MAG3CE,aAAA,SACEF,EACAIN,EACAC,EACAC,GAELgN,EA  
AW,GAAG9P,EAAWS,WAAWhG,KAAK6H,YAAcwN,QAGtDC,aAAAD,EAABjN,QACvBgN,aAAAC,EAABIN,E  
AAKBC,EAAYC,SCnC/C,SAASmN,GACTBnZ,8BACGC,mCAAAA,wBAEG4D,EAABqC,iBAAB3E,UAAyC,IAC  
xByB,eAAiC2T,GAAOB+D,KAAKC,UAAUxV,IACpEyV,EAAC,IAAIR,GAAYjV,EAABnC,YAMIC6X,EAABx  
J,OACtBhE,EAAB4D,KACb3D,EAAS6D,KACT8D,EAABQ/D,EAABW4E,IAGnBwE,EAFCxF,EAABzH,EAABjC,  
mBAABpI,IAE5B8X,cAEA,eAAzBpY,QAAQC,IAAIC,UAA6B8N,EAABuB,SAAS8I,MAAB1J,EAABc,WA  
EtEmB,QAAQC,mCACwBvQ,uEAKP,eAAzBN,QAAQC,IAAIC,UACZuC,EAAB6V,MAAK,SAAAxR,SAABwB,i  
BAATA,IAAKd,IAA7BA,EAABqG,QAAQ,eAG5DyD,QAAQC,qVAKNIG,EAABzC,QACb4P,EAABf,EAABjJ,  
EAABOhE,EAAY4H,EAAB03H,GAe5C,cAGAKN,EAABf,EAABjJ,EAABOhE,EAAY4H,EAAB03H,MACpDsN,EA  
AY3N,SACd2N,EAAYJ,aAAAF,EAABU3W,EAAB0Bj,EAAYC,OACpE,KACC0B,OACDqC,GACH4D,MAAOiD,G  
AAe7G,EAAB04D,EAAB04F,EAABqB7F,gBAG3D4F,EAAYJ,aAAAF,EAABuL,EAAS3B,EAAYC,UazD/B,eAAzB  
5K,QAAQC,IAAIC,UACd2R,GAAqBvR,GA6DhB0N,EAABuK,KAAKJ,GC9EL,SAASK,GACTB5Z,GAK2B,eA  
AzBoB,QAAQC,IAAIC,UACS,oBAADuY,WACe,gBAABa,UAABUC,SAGV9H,QAAQC,KACN,8IAVDhS,mCA

AAA,wBAcG4D,EAAQc,iBAAI3E,UAAyC,IAAgBiD,KAAK,IAC7C1B,EAAO6T,GAAoBxR,UAC1B,IAAIiN,G  
AAUtP,EAAMqC,GCf7B,IAAMkW,GAAgB,gBAEDC,2CAYnBC,cAAgB,eACRtV,EAAMuM,EAACK8H,SAASx  
Y,eACrBmE,EAACK,MAAO,OAEX8C,EAAQhB,oBACA,CAACgB,aAAmBA,MAAa9F,YAAqBuY,+BAC7CxE,  
OAAOxT,SAASgB,KAAK,SAEfyB,mBAW/BwV,aAAe,kBACTjJ,EAACKJ,OACAnW,EAAiB,GAGnBiN,EAACK  
+I,sBAGdI,gBAaKB,oBACZnJ,EAACKJ,cACAnW,EAAiB,OAGpB8L,UACHpO,GAAU,KxChDc,uBACLg,UwC  
iDpBwY,wBAAYb,CACvBC,OAAQrJ,EAACK8H,SAASxY,eAIpBiH,EAAQhB,WACVgB,IACDsI,EAAYtI,MAA  
QA,GAiHb,CAAC2H,6BAAWW,GAAOuC,IAAI,mBAsDhCkI,KAAO,WACLtJ,EAACKJ,QAAS,QAzGTpB,SAA  
W,IAAI9P,EAAW,CAAEF,UAAU,SACtCoR,QAAS,6BAchBK,cAAA,SAAc5J,UACRIN,KAAKyW,OACAnW,E  
AAiB,GAGnBmL,gBAACU,IAAkBnK,MAAOhC,KAAKqV,UAAWnI,MAkCnD6J,yBAAA,SAAyBC,MACJ5Y,  
SACVkc,EAAiB,GACnB,GAAIN,KAAKyW,cACPnW,EAAiB,QAIInBuW,aAG2BI,QAAQ,UAAAtBC,KAAVC,W  
AAUD,WAEZE,EAA2BJ,EACfhV,EAAYBhC,KAAncqV,SAAiBiB,EAakBtW,KAAIBsW,cAEnBe,EAAC,IAAIH  
,EAAU,CACHCI,UAAW,SAA2BrJ,EAAsB/C,EAAGqM,OAGvDC,EAAevJ,EAAMpR,WACrB4a,EAAOnB,OA  
btU,EAAM2E,WAIyP,GAAc9Y,KAAKka,GAAe,KAC9BE,EAakBF,EAAa5M,QAAQ,KAAO,EAC9C+M,EA  
SH,EAAaI,MAAM,EAAGF,GAC/BG,EAAQL,EAAaI,MAAMF,QAe5B/a,KAAKgb,EAASF,EAAOI,aAerBib,KA  
AK8a,EAAOD,GAGnBD,cAIJH,EAAeU,GAAG,SAAS,SAAAC,GAezBV,EAAYW,KAAK,QAASD,MAGrBX,E  
AAea,KAAKZ,qBC3GjBa,OAERC,EAAY1M,EAAM6G,YAAW,SAACIG,EAAOmG,OACnCvC,EAAQ/D,EA  
W4E,IAEjBd,EAAiBmI,EAAjBnI,aACFqI,EAAYnF,GAAe7G,EAAO4D,EAAOD,SAEIB,eAAzBtS,QAAQC,IA  
IC,eAA2CiG,IAAdwU,GAe3C/J,QAAQC,8HACmH/Q,EACvH2a,QAKCzM,gBAACyM,OAac9L,GAAO4D,MA  
AOoI,EAAW7F,IAAKA,eAGtD8F,EAAaF,EAAWD,GAExBC,EAAUva,yBAA2BL,EAAiB2a,OAE/CC,GCICHG,  
GAAW,kBAAMrM,EAAW4E,KCERb0H,GAAc,CACzBhT,WAAAA,EACAUg,YAAAA,ICmByB,eAAzBrO,QA  
AQC,IAAIC,UACS,oBAAduY,WACe,gBAAtBA,UAAUC,SAGV9H,QAAQC,KACN,wNAOyB,eAAzB7Q,QAA  
QC,IAAIC,UAAAsD,SAAZBF,QAAQC,IAAIC,UAAyC,oBAAXU,SACrFA,OAAO,8BAAgCA,OAAO,+BAAiC,E  
AEIC,IAAZCA,OAAO,+BAETgQ,QAAQC,KACN,4TAOJjQ,OAAO,+BAAiC" }

Found in path(s):

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/dist/styled-components.esm.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"styled-  
components.browser.esm.js","sources":["../src/utis/interleave.js","../src/utis/isPlainObject.js","../src/utis/empties.js  
","../src/utis/isFunction.js","../src/utis/getComponentName.js","../src/utis/isStyledComponent.js","../src/constants.j  
s","../src/utis/error.js","../src/utis/errors.js","../src/sheet/GroupedTag.js","../src/sheet/GroupIDAllocator.js","../src/sh  
eet/Rehydration.js","../src/utis/nonce.js","../src/sheet/dom.js","../src/sheet/Tag.js","../src/sheet/Sheet.js","../src/utis/  
generateAlphabeticName.js","../src/utis/hash.js","../src/utis/isStaticRules.js","../src/models/ComponentStyle.js","../  
src/utis/stylis.js","../src/utis/stylisPluginInsertRule.js","../src/models/StyleSheetManager.js","../src/models/Keyfram  
es.js","../src/utis/hyphenateStyleName.js","../src/utis/flatten.js","../src/utis/isStatelessFunction.js","../src/utis/addU  
nitIfNeeded.js","../src/constructors/css.js","../src/utis/checkDynamicCreation.js","../src/utis/determineTheme.js","../  
src/utis/escape.js","../src/utis/generateComponentId.js","../src/utis/isTag.js","../src/utis/mixinDeep.js","../src/mode  
ls/ThemeProvider.js","../src/models/StyledComponent.js","../src/utis/generateDisplayName.js","../src/utis/joinStrin  
gs.js","../src/utis/createWarnTooManyClasses.js","../src/utis/domElements.js","../src/constructors/styled.js","../src/c  
onstructors/constructWithOptions.js","../src/models/GlobalStyle.js","../src/constructors/createGlobalStyle.js","../src/  
constructors/keyframes.js","../src/models/ServerStyleSheet.js","../src/hoc/withTheme.js","../src/hooks/useTheme.js",  
"../src/secretInternals.js","../src/base.js"],"sourcesContent":["// @flow\nimport type { Interpolation } from  
'./types';\n\nexport default (\n  strings: Array<string>,\n  interpolations: Array<Interpolation>\n):  
Array<Interpolation> => {\n  const result = [strings[0]];\n  for (let i = 0, len = interpolations.length; i < len; i += 1)  
  {\n    result.push(interpolations[i], strings[i + 1]);\n  }\n  return result;\n};\n\n// @flow\nimport { typeOf } from  
'react-is';\n\nexport default (x: any): boolean => {\n  x !== null &&\n  typeof x === 'object' &&\n  (x.toString ?
```

```

x.toString() : Object.prototype.toString.call(x) === '[object Object]' && \n !typeof(x);\n", "// @flow\nexport const
EMPTY_ARRAY = Object.freeze([]);\nexport const EMPTY_OBJECT = Object.freeze({});\n", "// @flow\nexport
default function isFunction(test: any): boolean %checks {\n return typeof test === 'function';\n}\n", "//
@flow\nimport type { IStyledComponent } from './types';\n\nexport default function getComponentName(\n
target: $PropertyType<IStyledComponent, 'target'>)\n): string {\n return (\n (process.env.NODE_ENV !==
'production' ? typeof target === 'string' && target : false) ||\n // $FlowFixMe\n target.displayName ||\n //
$FlowFixMe\n target.name ||\n 'Component'\n );\n}\n", "// @flow\nexport default function
isStyledComponent(target: any): boolean %checks {\n return target && typeof target.styledComponentId ===
'string';\n}\n", "// @flow\n\ndeclare var SC_DISABLE_SPEEDY: ?boolean;\ndeclare var __VERSION__:
string;\n\nexport const SC_ATTR: string =\n (typeof process !== 'undefined' &&
(process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||\n 'data-styled';\n\nexport const
SC_ATTR_ACTIVE = 'active';\n\nexport const SC_ATTR_VERSION = 'data-styled-version';\n\nexport const
SC_VERSION = __VERSION__;\n\nexport const SPLITTER = '/*!sc*/\n';\n\nexport const IS_BROWSER = typeof
window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE_SPEEDY =\n Boolean(typeof
SC_DISABLE_SPEEDY === 'boolean'\n ? SC_DISABLE_SPEEDY\n : (typeof process !== 'undefined' &&
typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined' &&
process.env.REACT_APP_SC_DISABLE_SPEEDY !== "\n\n ?
process.env.REACT_APP_SC_DISABLE_SPEEDY === 'false' ? false :
process.env.REACT_APP_SC_DISABLE_SPEEDY\n : (typeof process !== 'undefined' && typeof
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== "\n\n\n ?
process.env.SC_DISABLE_SPEEDY === 'false' ? false : process.env.SC_DISABLE_SPEEDY\n :
process.env.NODE_ENV !== 'production'\n )\n );\n\n // Shared empty execution context when generating static
styles\n\nexport const STATIC_EXECUTION_CONTEXT = {};\n", "// @flow\nimport errorMap from
'./errors';\n\nconst ERRORS = process.env.NODE_ENV !== 'production' ? errorMap : {};\n\n/**\n * super basic
version of sprintf\n */\nfunction format(...args) {\n let a = args[0];\n const b = [];\n\n for (let c = 1, len =
args.length; c < len; c += 1) {\n b.push(args[c]);\n }\n\n b.forEach(d => {\n a = a.replace(/%[a-z]/, d);\n
});\n\n return a;\n}\n\n/**\n * Create an error file out of errors.md for development and a simple web link to the full
errors\n * in production mode.\n */\n\nexport default function throwStyledComponentsError(\n code: string |
number,\n ...interpolations: Array<any>)\n {\n if (process.env.NODE_ENV === 'production') {\n throw new
Error(\n `An error occurred. See https://git.io/JUIaE#${code} for more information.`\n\n
interpolations.length > 0 ? ` Args: ${interpolations.join(', ')} : "\n\n `);\n } else {\n throw new
Error(format(ERRORS[code], ...interpolations).trim());\n }\n}\n", "export default {\n"1": "Cannot create styled-
component for component: %s.\n\n", "2": "Can't collect styles once you've consumed a `ServerStyleSheet`'s
styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.\n\n- Are you trying to reuse it
across renders?\n- Are you accidentally calling collectStyles twice?\n\n", "3": "Streaming SSR is only supported
in a Node.js environment; Please do not try to call this method in the browser.\n\n", "4": "The
`StyleSheetManager` expects a valid target or sheet prop!\n\n- Does this error occur on the client and is your target
falsy?\n- Does this error occur on the server and is the sheet falsy?\n\n", "5": "The clone method cannot be used
on the client!\n\n- Are you running in a client-like environment on the server?\n- Are you trying to run SSR on the
client?\n\n", "6": "Trying to insert a new style tag, but the given Node is unmounted!\n\n- Are you using a
custom target that isn't mounted?\n- Does your document not have a valid head element?\n- Have you accidentally
removed a style tag manually?\n\n", "7": "ThemeProvider: Please return an object from your `theme` prop
function, e.g. \n\n``js\ntheme={() => ({})}\n\n``\n\n", "8": "ThemeProvider: Please make your `theme`
prop an object.\n\n", "9": "Missing document `<head>\n\n", "10": "Cannot find a StyleSheet instance. Usually
this happens if there are multiple copies of styled-components loaded at once. Check out this issue for how to
troubleshoot and fix the common cases where this situation can happen: https://github.com/styled-
components/styled-components/issues/1941#issuecomment-417862021\n\n", "11": "_ This error was replaced
with a dev-time warning, it will be deleted for v4 final. _ [createGlobalStyle] received children which will not be

```

rendered. Please use the component without passing children elements.

"12": "It seems you are interpolating a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer supported in v4 as keyframes are now injected on-demand. Please wrap your string in the `css` `` helper which ensures the styles are injected correctly. See <https://www.styled-components.com/docs/api#css>"

"13": "%s is not a styled component and cannot be referred to via component selector. See <https://www.styled-components.com/docs/advanced#referring-to-other-components> for more details."

"14": "ThemeProvider: `theme` prop is required."

"15": "A stylis plugin has been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between different stylis configurations within the same app. Before you pass your plugin to `<StyleSheetManager stylisPlugins={[]}>`, please make sure each plugin is uniquely-named, e.g. `Object.defineProperty(importedPlugin, 'name', { value: 'some-unique-name' });`"

"16": "Reached the limit of how many styled components may be created at group %s. You may only create up to 1,073,741,824 components. If you're creating components dynamically, for instance in your render method then you may be running into this limitation."

"17": "CSSStyleSheet could not be found on HTMLStyleElement. Has styled-components' style tag been unmounted or altered by another script?"

```

// @flow
import type { GroupedTag, Tag } from './types';
import { SPLITTER } from './constants';
import throwError from './utils/error';

/** Create a GroupedTag with an underlying Tag implementation */
export const makeGroupedTag = (tag: Tag): GroupedTag => {
  return new DefaultGroupedTag(tag);
}

const BASE_SIZE = 1 << 9;
class DefaultGroupedTag implements GroupedTag {
  groupSizes: Uint32Array;
  length: number;
  tag: Tag;
  constructor(tag: Tag) {
    this.groupSizes = new Uint32Array(BASE_SIZE);
    this.length = BASE_SIZE;
    this.tag = tag;
  }
  indexOfGroup(group: number): number {
    let index = 0;
    for (let i = 0; i < group; i++) {
      index += this.groupSizes[i];
    }
    return index;
  }
  insertRules(group: number, rules: string[]): void {
    if (group >= this.groupSizes.length) {
      const oldBuffer = this.groupSizes;
      const oldSize = oldBuffer.length;
      let newSize = oldSize;
      while (group >= newSize) {
        newSize <<= 1;
        if (newSize < 0) {
          throwError(16, `${group}`);
        }
        this.groupSizes = new Uint32Array(newSize);
        this.groupSizes.set(oldBuffer);
        this.length = newSize;
        for (let i = oldSize; i < newSize; i++) {
          this.groupSizes[i] = 0;
        }
        let ruleIndex = this.indexOfGroup(group + 1);
        for (let i = 0, l = rules.length; i < l; i++) {
          if (this.tag.insertRule(ruleIndex, rules[i])) {
            this.groupSizes[group]++;
            ruleIndex++;
          }
        }
      }
      clearGroup(group: number): void {
        if (group < this.length) {
          const length = this.groupSizes[group];
          const startIndex = this.indexOfGroup(group);
          const endIndex = startIndex + length;
          this.groupSizes[group] = 0;
          for (let i = startIndex; i < endIndex; i++) {
            this.tag.deleteRule(startIndex);
          }
        }
      }
      getGroup(group: number): string {
        let css = "";
        if (group >= this.length || this.groupSizes[group] === 0) {
          return css;
        }
        const length = this.groupSizes[group];
        const startIndex = this.indexOfGroup(group);
        const endIndex = startIndex + length;
        for (let i = startIndex; i < endIndex; i++) {
          css += `${this.tag.getRule(i)}${SPLITTER}`;
        }
        return css;
      }
}

import throwError from './utils/error';
const MAX_SMI = 1 << 31 - 1;
let groupIDRegister: Map<string, number> = new Map();
let reverseRegister: Map<number, string> = new Map();
let nextFreeGroup = 1;
export const resetGroupIds = () => {
  groupIDRegister = new Map();
  reverseRegister = new Map();
  nextFreeGroup = 1;
}
export const getGroupForId = (id: string): number => {
  if (groupIDRegister.has(id)) {
    return (groupIDRegister.get(id): any);
  }
  while (reverseRegister.has(nextFreeGroup)) {
    nextFreeGroup++;
  }
  const group = nextFreeGroup++;
  if (process.env.NODE_ENV !== 'production' && ((group | 0) < 0 || group > MAX_SMI)) {
    throwError(16, `${group}`);
  }
  groupIDRegister.set(id, group);
  reverseRegister.set(group, id);
  return group;
}
export const getIdForGroup = (group: number): void | string => {
  return reverseRegister.get(group);
}
export const setGroupForId = (id: string, group: number) => {
  if (group >= nextFreeGroup) {
    nextFreeGroup = group + 1;
  }
  groupIDRegister.set(id, group);
  reverseRegister.set(group, id);
}

import { SPLITTER, SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';
import { getIdForGroup, setGroupForId } from './GroupIDAllocator';
import type { Sheet } from './types';
const

```

```

SELECTOR = `style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`;
const MARKER_RE =
new RegExp(`^${SC_ATTR}\\\\.g(\\\\d+)\\\\[id=\\'(\\\\w\\\\d-)+\\'\\\\\\\\.\\\\.*?\\'([\\^\\']*)`);
export const outputSheet =
(sheet: Sheet) => {
  const tag = sheet.getTag();
  const { length } = tag;
  let css = "";
  for (let group = 0;
  group < length; group++) {
    const id = getIdForGroup(group);
    if (id === undefined) continue;
    const
names = sheet.names.get(id);
    const rules = tag.getGroup(group);
    if (!names || !rules || !names.size)
continue;
    const selector = `${SC_ATTR}.g${group}[id=${id}]`;
    let content = "";
    if (names !==
undefined) {
      names.forEach(name => {
        if (name.length > 0) {
          content += `${name},`;
        }
      });
    }
    // NOTE: It's easier to collect rules and have the marker
    // after the actual rules to simplify the
rehydration
    css += `${rules}${selector}{content: "${content}"}${SPLITTER}`;
  }
  return
css;
}
const rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {
  const names =
content.split(',');
  let name;
  for (let i = 0, l = names.length; i < l; i++) {
    // eslint-disable-next-line
    if
((name = names[i])) {
      sheet.registerName(id, name);
    }
  }
}
const rehydrateSheetFromTag = (sheet:
Sheet, style: HTMLStyleElement) => {
  const parts = (style.textContent || "").split(SPLITTER);
  const rules:
string[] = [];
  for (let i = 0, l = parts.length; i < l; i++) {
    const part = parts[i].trim();
    if (!part) continue;
    const marker = part.match(MARKER_RE);
    if (marker) {
      const group = parseInt(marker[1], 10) | 0;
      const id = marker[2];
      if (group !== 0) {
        // Rehydrate componentId to group index mapping
setGroupForId(id, group);
        // Rehydrate names and rules
        // looks like: data-
styled.g11[id="idA"]{content:"nameA,"}
rehydrateNamesFromContent(sheet, id, marker[3]);
      }
      sheet.getTag().insertRules(group, rules);
    } else {
      rules.push(part);
    }
  }
}
export const rehydrateSheet = (sheet: Sheet) => {
  const nodes =
document.querySelectorAll(SELECTOR);
  for (let i = 0, l = nodes.length; i < l; i++) {
    const node =
((nodes[i]: any): HTMLStyleElement);
    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)
{
      rehydrateSheetFromTag(sheet, node);
      if (node.parentNode) {
        node.parentNode.removeChild(node);
      }
    }
  }
}
declare var window: { __webpack_nonce__: string };
const getNonce = () => {
  return typeof window
!== 'undefined'
? typeof window.__webpack_nonce__ !== 'undefined'
? window.__webpack_nonce__
: null
: null;
}
export default getNonce;
import { SC_ATTR, SC_ATTR_ACTIVE,
SC_ATTR_VERSION, SC_VERSION } from './constants';
import getNonce from './utils/nonce';
import
throwStyledError from './utils/error';
const ELEMENT_TYPE = 1; /* Node.ELEMENT_TYPE */
Find
last style element if any inside target
const findLastStyleTag = (target: HTMLElement): void |
HTMLStyleElement => {
  const { childNodes } = target;
  for (let i = childNodes.length; i >= 0; i--) {
    const
child = ((childNodes[i]: any): ?HTMLElement);
    if (child && child.nodeType === ELEMENT_TYPE &&
child.hasAttribute(SC_ATTR)) {
      return ((child: any): HTMLStyleElement);
    }
  }
  return
undefined;
}
Create a style element inside `target` or <head> after the last
export const makeStyleTag =
(target?: HTMLElement): HTMLStyleElement => {
  const head = ((document.head: any): HTMLElement);
  const parent = target || head;
  const style = document.createElement('style');
  const prevStyle =
findLastStyleTag(parent);
  const nextSibling = prevStyle !== undefined ? prevStyle.nextSibling : null;
  style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);
  style.setAttribute(SC_ATTR_VERSION,
SC_VERSION);
  const nonce = getNonce();
  if (nonce) style.setAttribute('nonce', nonce);
  parent.insertBefore(style, nextSibling);
  return style;
}
Get the CSSStyleSheet instance for a given style
element
export const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {
  if (tag.sheet) {
    return
((tag.sheet: any): CSSStyleSheet);
  }
  // Avoid Firefox quirk where the style element might not have a sheet
property
  const { styleSheets } = document;
  for (let i = 0, l = styleSheets.length; i < l; i++) {
    const sheet =
styleSheets[i];
    if (sheet.ownerNode === tag) {
      return ((sheet: any): CSSStyleSheet);
    }
  }
  throwStyledError(17);
  return (undefined: any);
}
import { makeStyleTag, getSheet } from './dom';
import type { SheetOptions, Tag } from './types';
Create a CSSStyleSheet-like tag depending on the environment
export const makeTag = ({ isServer,
useCSSOMInjection, target }: SheetOptions): Tag => {
  if (isServer) {
    return new VirtualTag(target);
  } else

```



```

if (useCSSOMInjection) {\n  return new CSSOMTag(target);\n } else {\n  return new TextTag(target);\n
}\n};\n\nexport class CSSOMTag implements Tag {\n  element: HTMLStyleElement;\n\n  sheet:
CSSStyleSheet;\n\n  length: number;\n\n  constructor(target?: HTMLElement) {\n  const element = (this.element =
makeStyleTag(target));\n\n  // Avoid Edge bug where empty style elements don't create sheets\n
element.appendChild(document.createTextNode("")); \n\n  this.sheet = getSheet(element);\n  this.length = 0;\n
}\n\n  insertRule(index: number, rule: string): boolean {\n  try {\n  this.sheet.insertRule(rule, index);\n
this.length++;\n  return true;\n  } catch (_error) {\n  return false;\n  }\n }\n\n  deleteRule(index: number):
void {\n  this.sheet.deleteRule(index);\n  this.length--;\n }\n\n  getRule(index: number): string {\n  const rule =
this.sheet.cssRules[index];\n  // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n  if (rule
!== undefined && typeof rule.cssText === 'string') {\n  return rule.cssText;\n  } else {\n  return ";\n }\n
}\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes */\n\nexport class TextTag implements
Tag {\n  element: HTMLStyleElement;\n\n  nodes: NodeList<Node>;\n\n  length: number;\n\n  constructor(target?:
HTMLElement) {\n  const element = (this.element = makeStyleTag(target));\n  this.nodes =
element.childNodes;\n  this.length = 0;\n }\n\n  insertRule(index: number, rule: string): boolean {\n  if (index <=
this.length && index >= 0) {\n  const node = document.createTextNode(rule);\n  const refNode =
this.nodes[index];\n  this.element.insertBefore(node, refNode || null);\n  this.length++;\n  return true;\n }
else {\n  return false;\n }\n }\n\n  deleteRule(index: number): void {\n
this.element.removeChild(this.nodes[index]);\n  this.length--;\n }\n\n  getRule(index: number): string {\n  if
(index < this.length) {\n  return this.nodes[index].textContent;\n  } else {\n  return ";\n }\n }\n}\n\n/** A
completely virtual (server-side) Tag that doesn't manipulate the DOM */\n\nexport class VirtualTag implements Tag
{\n  rules: string[];\n\n  length: number;\n\n  constructor(_target?: HTMLElement) {\n  this.rules = [];\n
this.length = 0;\n }\n\n  insertRule(index: number, rule: string): boolean {\n  if (index <= this.length) {\n
this.rules.splice(index, 0, rule);\n  this.length++;\n  return true;\n } else {\n  return false;\n }\n }\n\n
deleteRule(index: number): void {\n  this.rules.splice(index, 1);\n  this.length--;\n }\n\n  getRule(index: number):
string {\n  if (index < this.length) {\n  return this.rules[index];\n  } else {\n  return ";\n }\n }\n}\n\n"/
@flow\nimport { DISABLE_SPEEDY, IS_BROWSER } from './constants';\nimport { EMPTY_OBJECT } from
'./utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport { getGroupForId } from
'./GroupIDAllocator';\nimport { outputSheet, rehydrateSheet } from './Rehydration';\nimport { makeTag } from
'./Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from './types';\n\nlet SHOULD_REHYDRATE =
IS_BROWSER;\n\ntype SheetConstructorArgs = {\n  isServer?: boolean,\n  useCSSOMInjection?: boolean,\n  target?: HTMLElement,\n};\n\ntype GlobalStylesAllocationMap = { [key: string]: number }; \ntype
NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions: SheetOptions = {\n  isServer:
!IS_BROWSER,\n  useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains the main stylesheet logic for
stringification and caching */\n\nexport default class StyleSheet implements Sheet {\n  gs:
GlobalStylesAllocationMap;\n\n  names: NamesAllocationMap;\n\n  options: SheetOptions;\n\n  server:
boolean;\n\n  tag: void | GroupedTag;\n\n  /** Register a group ID to give it an index */\n  static registerId(id:
string): number {\n  return getGroupForId(id);\n }\n\n  constructor(\n  options: SheetConstructorArgs =
EMPTY_OBJECT,\n  globalStyles?: GlobalStylesAllocationMap = {},\n  names?: NamesAllocationMap\n ) {\n
this.options = {\n  ...defaultOptions,\n  ...options,\n }; \n\n  this.gs = globalStyles;\n  this.names = new
Map(names);\n  this.server = !!options.isServer;\n\n  // We rehydrate only once and use the sheet that is created
first\n  if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n  SHOULD_REHYDRATE =
false;\n  rehydrateSheet(this);\n }\n }\n\n  reconstructWithOptions(options: SheetConstructorArgs,
withNames?: boolean = true) {\n  return new StyleSheet(\n  { ...this.options, ...options },\n  this.gs,\n
(withNames && this.names) || undefined\n );\n }\n\n  allocateGSInstance(id: string) {\n  return (this.gs[id] =
(this.gs[id] || 0) + 1);\n }\n\n  /** Lazily initialises a GroupedTag for when it's actually needed */\n  getTag():
GroupedTag {\n  return this.tag || (this.tag = makeGroupedTag(makeTag(this.options)));\n }\n\n  /** Check
whether a name is known for caching */\n  hasNameForId(id: string, name: string): boolean {\n  return
this.names.has(id) && (this.names.get(id) | any).has(name);\n }\n\n  /** Mark a group's name as known for caching

```

```

*\n registerName(id: string, name: string) {\n  getGroupForId(id);\n  if (!this.names.has(id)) {\n    const
groupNames = new Set();\n    groupNames.add(name);\n    this.names.set(id, groupNames);\n  } else {\n
(this.names.get(id): any).add(name);\n  }\n}\n\n/** Insert new rules which also marks the name as known */\n
insertRules(id: string, name: string, rules: string[]) {\n  this.registerName(id, name);\n
this.getTag().insertRules(getGroupForId(id), rules);\n}\n\n/** Clears all cached names for a given group ID */\n
clearNames(id: string) {\n  if (this.names.has(id)) {\n    (this.names.get(id): any).clear();\n  }\n}\n\n/** Clears
all rules for a given group ID */\n
clearRules(id: string) {\n  this.getTag().clearGroup(getGroupForId(id));\n
this.clearNames(id);\n}\n\n/** Clears the entire tag which deletes all rules but not its names */\n
clearTag() {\n
// NOTE: This does not clear the names, since it's only used during SSR\n
// so that we can continuously output
only new rules\n
this.tag = undefined;\n
}\n\n/** Outputs the current sheet as a CSS string with markers for SSR
*/\n
toString(): string {\n  return outputSheet(this);\n}\n}\n\n", /* @flow\n*/ eslint-disable no-bitwise *\n\nconst
AD_REPLACER_R = /(a)(d)/gi;\n\n/* This is the "capacity" of our alphabet i.e. 2x26 for all letters plus their
capitalised\n
* counterparts */\n\nconst charsLength = 52;\n\n/* start at 75 for 'a' until 'z' (25) and then start at 65 for
capitalised letters */\n\nconst getAlphabeticChar = (code: number): string =>\n
String.fromCharCode(code + (code >
25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to base-52 */\n\nexport default function
generateAlphabeticName(code: number): string {\n  let name = "";\n  let x;\n\n  /* get a char and divide by alphabet-
length */\n  for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {\n    name = getAlphabeticChar(x
% charsLength) + name;\n  }\n\n  return (getAlphabeticChar(x % charsLength) +
name).replace(AD_REPLACER_R, '$1-$2');\n}\n\n", /* @flow\n*/ eslint-disable *\n\nexport const SEED =
5381;\n\n// When we have separate strings it's useful to run a progressive\n\n// version of djb2 where we pretend that
we're still looping over\n\n// the same string\n\nexport const phash = (h: number, x: string): number => {\n  let i =
x.length;\n\n  while (i) {\n    h = (h * 33) ^ x.charCodeAt(--i);\n  }\n\n  return h;\n};\n\n// This is a djb2 hashing
function\n\nexport const hash = (x: string): number => {\n  return phash(SEED, x);\n};\n\n", /* @flow\n\nimport
isFunction from './isFunction';\n\nimport isStyledComponent from './isStyledComponent';\n\nimport type { RuleSet }
from './types';\n\nexport default function isStaticRules(rules: RuleSet): boolean {\n  for (let i = 0; i < rules.length; i
+= 1) {\n    const rule = rules[i];\n\n    if (isFunction(rule) && !isStyledComponent(rule)) {\n      // functions are
allowed to be static if they're just being\n      // used to get the classname of a nested styled component\n      return
false;\n    }\n  }\n\n  return true;\n}\n\n", /* @flow\n\nimport { SC_VERSION } from './constants';\n\nimport StyleSheet
from './sheet';\n\nimport type { RuleSet, Stringifier } from './types';\n\nimport flatten from './utils/flatten';\n\nimport
generateName from './utils/generateAlphabeticName';\n\nimport { hash, phash } from './utils/hash';\n\nimport
isStaticRules from './utils/isStaticRules';\n\nconst SEED = hash(SC_VERSION);\n\n/**\n
* ComponentStyle is all the CSS-specific stuff, not the React-specific stuff.\n
*/\n\nexport default class ComponentStyle {\n  baseHash:
number;\n\n  baseStyle: ?ComponentStyle;\n\n  componentId: string;\n\n  isStatic: boolean;\n\n  rules: RuleSet;\n\n
staticRulesId: string;\n\n  constructor(rules: RuleSet, componentId: string, baseStyle?: ComponentStyle) {\n
this.rules = rules;\n  this.staticRulesId = "";\n  this.isStatic = process.env.NODE_ENV === 'production' &&\n
(baseStyle === undefined || baseStyle.isStatic) &&\n
isStaticRules(rules);\n  this.componentId =
componentId;\n\n  // SC_VERSION gives us isolation between multiple runtimes on the page at once\n
// this is improved further with use of the babel plugin "namespace" feature\n
this.baseHash = phash(SEED,
componentId);\n\n  this.baseStyle = baseStyle;\n\n  // NOTE: This registers the componentId, which ensures a
consistent order\n
// for this component's styles compared to others\n
StyleSheet.registerId(componentId);\n
}\n\n/*\n
* Flattens a rule set into valid CSS\n
* Hashes it, wraps the whole chunk in a .hash1234 {}\n
*\n
Returns the hash to be injected on render()\n
*/\n\nexport * from './utils/generateAndInjectStyles';\n\nexport default function generateAndInjectStyles(executionContext: Object, styleSheet:
StyleSheet, stylis: Stringifier) {\n  const { componentId } = this;\n\n  const names = [];\n\n  if (this.baseStyle) {\n
names.push(this.baseStyle.generateAndInjectStyles(executionContext, styleSheet, stylis));\n  }\n\n  // force
dynamic classnames if user-supplied stylis plugins are in use\n
if (this.isStatic && !stylis.hash) {\n  if
(this.staticRulesId && styleSheet.hasNameForId(componentId, this.staticRulesId)) {\n
names.push(this.staticRulesId);\n  } else {\n    const cssStatic = flatten(this.rules, executionContext, styleSheet,
stylis).join("");\n    const name = generateName(phash(this.baseHash, cssStatic) >>> 0);\n    if

```

```

(!styleSheet.hasNameForId(componentId, name)) {\n      const cssStaticFormatted = stylis(cssStatic, `.${name}`,
undefined, componentId);\n      styleSheet.insertRules(componentId, name, cssStaticFormatted);\n    }\n\n    names.push(name);\n    this.staticRulesId = name;\n  }\n } else {\n    const { length } = this.rules;\n    let
dynamicHash = phash(this.baseHash, stylis.hash);\n    let css = "";\n\n    for (let i = 0; i < length; i++) {\n      const
partRule = this.rules[i];\n\n      if (typeof partRule === 'string') {\n        css += partRule;\n\n        if
(process.env.NODE_ENV !== 'production') dynamicHash = phash(dynamicHash, partRule + i);\n      } else if
(partRule) {\n        const partChunk = flatten(partRule, executionContext, styleSheet, stylis);\n        const
partString = Array.isArray(partChunk) ? partChunk.join(") : partChunk;\n        dynamicHash =
phash(dynamicHash, partString + i);\n        css += partString;\n      }\n    }\n\n    if (css) {\n      const name =
generateName(dynamicHash >>> 0);\n\n      if (!styleSheet.hasNameForId(componentId, name)) {\n        const
cssFormatted = stylis(css, `.${name}`, undefined, componentId);\n        styleSheet.insertRules(componentId, name,
cssFormatted);\n      }\n\n      names.push(name);\n    }\n  }\n\n  return names.join(' ');
}\n}\n\n", "import Stylis
from '@emotion/stylis';\nimport { type Stringifier } from './types';\nimport { EMPTY_ARRAY, EMPTY_OBJECT
} from './empties';\nimport throwError from './error';\nimport { phash, SEED } from './hash';\nimport
insertRulePlugin from './stylisPluginInsertRule';\n\nconst COMMENT_REGEX = /^\\s*\\|\\|\\. *$/gm;\nconst
COMPLEX_SELECTOR_PREFIX = [':', '[', '.', '#'];\n\ntype StylisInstanceConstructorArgs = {\n  options?:
Object,\n  plugins?: Array<Function>,\n};\n\nexport default function createStylisInstance({\n  options =
EMPTY_OBJECT,\n  plugins = EMPTY_ARRAY,\n}: StylisInstanceConstructorArgs = EMPTY_OBJECT) {\n
const stylis = new Stylis(options);\n\n  // Wrap `insertRulePlugin` to build a list of rules,\n  // and then make our own
plugin to return the rules. This\n  // makes it easier to hook into the existing SSR architecture\n\n  let parsingRules =
[];\n\n  // eslint-disable-next-line consistent-return\n  const returnRulesPlugin = context => {\n    if (context === -2)
{\n      const parsedRules = parsingRules;\n      parsingRules = [];\n      return parsedRules;\n    }\n  }; \n\n  const
parseRulesPlugin = insertRulePlugin(rule => {\n    parsingRules.push(rule);\n  });\n\n  let _componentId: string;\n
let _selector: string;\n  let _selectorRegexp: RegExp;\n  let _consecutiveSelfRefRegexp: RegExp;\n\n  const
selfReferenceReplacer = (match, offset, string) => {\n    if (\n      // do not replace the first occurrence if it is
complex (has a modifier)\n      (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length])
=== -1 : true) &&\n      // no consecutive self refs (.b.b); that is a precedence boost and treated differently\n
!string.match(_consecutiveSelfRefRegexp)\n    ) {\n      return `.${_componentId}`;\n    }\n\n    return match;\n
  };\n\n  /**\n   * When writing a style like\n   * & + & {\n   *   color: red;\n   * }\n   * The second
ampersand should be a reference to the static component class. stylis\n   * has no knowledge of static class so we
have to intelligently replace the base selector.\n   *\n   * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <-
more info about the context phase values\n   * \"2\" means this plugin is taking effect at the very end after all other
processing is complete\n   *\n   const selfReferenceReplacementPlugin = (context, _, selectors) => {\n    if (context
=== 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n      // eslint-disable-next-line no-param-
reassign\n      selectors[0] = selectors[0].replace(_selectorRegexp, selfReferenceReplacer);\n    }\n  }; \n\n
stylis.use([...plugins, selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);\n\n  function
stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {\n    const flatCSS =
css.replace(COMMENT_REGEX, "");\n    const cssStr = selector && prefix ? `.${prefix} ${selector} { ${flatCSS}
}` : flatCSS;\n\n    // stylis has no concept of state to be passed to plugins\n    // but since JS is single-threaded, we
can rely on that to ensure\n    // these properties stay in sync with the current stylis run\n    _componentId =
componentId;\n    _selector = selector;\n    _selectorRegexp = new RegExp(`\\\\\\\\${_selector}\\\\\\\\b`, 'g');\n
    _consecutiveSelfRefRegexp = new RegExp(`(\\\\\\\\${_selector}\\\\\\\\b){2,}`);\n\n    return stylis(prefix || !selector ? " :
selector, cssStr);\n  }\n\n  stringifyRules.hash = plugins.length\n    ? plugins\n      .reduce((acc, plugin) => {\n
if (!plugin.name) {\n        throwError(15);\n      }\n\n      return phash(acc, plugin.name);\n    },
SEED)\n    .toString()\n    : "";\n\n  return stringifyRules;\n}\n\n", /**\n * MIT License\n *\n * Copyright (c) 2016
Sultan Tarimo\n *\n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this
software and associated documentation files (the \"Software\"),\n * to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell

```

copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

\* The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

\* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

eslint-disable
export default
function(insertRule) {
  const delimiter = '/*|*/';
  const needle = `${delimiter}`;
  function toSheet(block) {
    if (block) {
      try {
        insertRule(`${block}`);
      } catch (e) {}
    }
    return function ruleSheet(
      context,
      content,
      selectors,
      parents,
      line,
      column,
      length,
      ns,
      depth,
      at ) {
      switch (context) {
        // property
        case 1:
          // @import
          if (depth === 0 && content.charCodeAt(0) === 64) return insertRule(`${content};`);
          break;
          // selector
          case 2:
            if (ns === 0) return content + delimiter;
            break;
            // at-rule
          case 3:
            switch (ns) {
              // @font-face, @page
              case 102:
              case 112:
                return insertRule(selectors[0] + content, ";");
              default:
                return content + (at === 0 ? delimiter : "");
            }
          case -2:
            content.split(needle).forEach(toSheet);
          }
    };
  }
  // @flow
  import React, { type Context, type Node, useContext, useEffect, useMemo, useState } from 'react';
  import shallowequal from 'shallowequal';
  import StyleSheet from './sheet';
  import type { Stringifier } from './types';
  import createStylisInstance from './utils/stylis';
  type Props = {
    children?: Node,
    disableCSSOMInjection?: boolean,
    disableVendorPrefixes?: boolean,
    sheet?: StyleSheet,
    stylisPlugins?: Array<Function>,
    target?: HTMLElement,
  };
  export const StyleSheetContext: Context<StyleSheet | void> = React.createContext();
  export const StyleSheetConsumer = StyleSheetContext.Consumer;
  export const StylisContext: Context<Stringifier | void> = React.createContext();
  export const StylisConsumer = StylisContext.Consumer;
  export const masterSheet: StyleSheet = new StyleSheet();
  export const masterStylis: Stringifier = createStylisInstance();
  export function useStyleSheet(): StyleSheet {
    return useContext(StyleSheetContext) || masterSheet;
  }
  export function useStylis(): Stringifier {
    return useContext(StylisContext) || masterStylis;
  }
  export default function StyleSheetManager(props: Props) {
    const [plugins, setPlugins] = useState(props.stylisPlugins);
    const contextStyleSheet = useStyleSheet();
    const styleSheet = useMemo(() => {
      let sheet = contextStyleSheet;
      if (props.sheet) {
        // eslint-disable-next-line prefer-destructuring
        sheet = props.sheet;
      } else if (props.target) {
        sheet = sheet.reconstructWithOptions({ target: props.target }, false);
      }
      if (props.disableCSSOMInjection) {
        sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });
      }
      return sheet;
    }, [props.disableCSSOMInjection, props.sheet, props.target]);
    const stylis = useMemo(() => {
      createStylisInstance({
        options: { prefix: !props.disableVendorPrefixes },
        plugins,
      }),
    }, [props.disableVendorPrefixes, plugins]);
    useEffect(() => {
      if (!shallowequal(plugins, props.stylisPlugins)) setPlugins(props.stylisPlugins);
    }, [props.stylisPlugins]);
    return (
      <StyleSheetContext.Provider value={styleSheet}>
      <StylisContext.Provider value={stylis}>
      {process.env.NODE_ENV !== 'production' ? React.Children.only(props.children) : props.children}
    </StylisContext.Provider>
    </StyleSheetContext.Provider>
  );
}
// @flow
import StyleSheet from './sheet';
import { type Stringifier } from './types';
import throwStyledError from './utils/error';
import { masterStylis } from './StyleSheetManager';
export default class Keyframes {
  id: string;
  name: string;
  rules: string;
  constructor(name: string, rules: string) {
    this.name = name;
    this.id = `sc-keyframes-${name}`;
    this.rules = rules;
  }
  inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis) => {
    const resolvedName = this.name + stylisInstance.hash;
    if (!styleSheet.hasNameForId(this.id, resolvedName)) {
      styleSheet.insertRules(this.id, resolvedName, stylisInstance(this.rules, resolvedName, '@keyframes'));
    }
  };
  toString = () => {
    return throwStyledError(12, String(this.name));
  };
  getName(stylisInstance: Stringifier = masterStylis) {
    return this.name +

```

```

stylisInstance.hash;\n } \n } \n", "// @flow\n\n/**\n * inlined version of\n *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n *\n\nconst
uppercaseCheck = /([A-Z]);\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-;/\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/**\n * Hyphenates a camelcased
CSS property name, for example:\n * > hyphenateStyleName('backgroundColor')\n * < \"background-
color\"\n * > hyphenateStyleName('MozTransition')\n * < \"-moz-transition\"\n * >
hyphenateStyleName('msTransition')\n * < \"-ms-transition\"\n *\n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `ms-`.\n *\n * @param {string} string\n *
@return {string}\n *\n\nexport default function hyphenateStyleName(string: string): string {\n return
uppercaseCheck.test(string)\n ? string\n .replace(uppercasePattern, prefixAndLowerCase)\n .replace(msPattern,
'-ms-')\n : string;\n }\n", "// @flow\n\nimport { isElement } from 'react-is';\nimport getComponentName from
'./getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from
'./isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from
'./isStyledComponent';\nimport Keyframes from './models/Keyframes';\nimport hyphenate from
'./hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from
'./types';\n\n/**\n * It's falsish not falsy because 0 is allowed.\n */\n\nconst isFalsish = chunk => chunk ===
undefined || chunk === null || chunk === false || chunk === '';\n\nexport const objToCssArray = (obj: Object,
prevKey?: string): Array<string | Function> => {\n const rules = [];\n\n for (const key in obj) {\n if
(!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n if ((Array.isArray(obj[key]) && obj[key].isCss) ||
isFunction(obj[key])) {\n rules.push(`${hyphenate(key)}`, obj[key], ',');\n } else if (isPlainObject(obj[key]))
{\n rules.push(...objToCssArray(obj[key], key));\n } else {\n rules.push(`${hyphenate(key)}:
${addUnitIfNeeded(key, obj[key])}`);\n }\n }\n\n return prevKey ? [`${prevKey} {`, ...rules, '}' ] :
rules;\n }\n\nexport default function flatten(n chunk: any, executionContext: ?Object, styleSheet: ?Object,
stylisInstance: ?Stringifier): any {\n if (Array.isArray(chunk)) {\n const ruleSet = [];\n\n for (let i = 0, len =
chunk.length, result; i < len; i += 1) {\n result = flatten(chunk[i], executionContext, styleSheet,
stylisInstance);\n\n if (result === '') continue;\n\n else if (Array.isArray(result)) ruleSet.push(...result);\n\n else
ruleSet.push(result);\n }\n\n return ruleSet;\n }\n\n if (isFalsish(chunk)) {\n return '';\n }\n\n /* Handle other
components */\n if (isStyledComponent(chunk)) {\n return `.${chunk.styledComponentId}`;\n }\n\n /* Either
execute or defer the function */\n if (isFunction(chunk)) {\n if (isStatelessFunction(chunk) && executionContext)
{\n const result = chunk(executionContext);\n\n if (process.env.NODE_ENV !== 'production' &&
isElement(result)) {\n // eslint-disable-next-line no-console\n console.warn(\n
`${getComponentName(chunk)} is not a styled component and cannot be referred to via
component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components for
more details.`\n );\n }\n\n return flatten(result, executionContext, styleSheet, stylisInstance);\n } else
return chunk;\n }\n\n if (chunk instanceof Keyframes) {\n if (styleSheet) {\n chunk.inject(styleSheet,
stylisInstance);\n return chunk.getName(stylisInstance);\n } else return chunk;\n }\n\n /* Handle objects */\n
return isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString();\n }\n", "// @flow\n\nexport default function
isStatelessFunction(test: any): boolean {\n return (\n typeof test === 'function'\n && !(test.prototype\n
&& test.prototype.isReactComponent)\n );\n }\n", "// @flow\n\nimport unitless from '@emotion/unitless';\n\n//
Taken from https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-
dom/src/shared/dangerousStyleValue.js\n\nexport default function addUnitIfNeeded(name: string, value: any): any {\n
// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n if (value == null ||
typeof value === 'boolean' || value === '') {\n return '';\n }\n\n if (typeof value === 'number' && value !== 0 &&
!(name in unitless)) {\n return `${value}px`; // Presumes implicit 'px' suffix for unitless numbers\n }\n\n return
String(value).trim();\n }\n", "// @flow\n\nimport interleave from './utils/interleave';\nimport isPlainObject from
'./utils/isPlainObject';\nimport { EMPTY_ARRAY } from './utils/empties';\nimport isFunction from
'./utils/isFunction';\nimport flatten from './utils/flatten';\nimport type { Interpolation, RuleSet, Styles } from
'./types';\n\n/**\n * Used when flattening object styles to determine if we should\n * expand an array of styles.\n

```

```

*\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles: Styles, ...interpolations: Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n  if (interpolations.length === 0 && styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n  // $FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations)));\n}\n\n", /* @flow\n\nimport { useRef } from 'react';\n\nconst invalidHookCallRe = /invalid hook call/i;\n\nconst seen = new Set();\n\nexport const checkDynamicCreation = (displayName: string, componentId?: string) => {\n  if (process.env.NODE_ENV !== 'production') {\n    const parsedIdString = componentId ? `with the id of "${componentId}"` : "";\n    const message =\n      `The component ${displayName}${parsedIdString} has been created dynamically.\\n` +\n      `You may see this warning because you've called styled inside another component.\\n` +\n      `To resolve this only create new StyledComponents outside of any render method and function component.`;\n    // If a hook is called outside of a component:\n    // React 17 and earlier throw an error\n    // React 18 and above use console.error\n    const originalConsoleError = console.error // eslint-disable-line no-console\n    try {\n      let didNotCallInvalidHook = true\n      /* $FlowIgnore[cannot-write] */\n      console.error = (consoleErrorMessage, ...consoleErrorArgs) => {\n        // eslint-disable-line no-console\n        // The error here is expected, since we're expecting anything that uses `checkDynamicCreation` to be called outside of a React component.\n        if (invalidHookCallRe.test(consoleErrorMessage)) {\n          didNotCallInvalidHook = false\n          // This shouldn't happen, but resets `warningSeen` if we had this error happen intermittently\n          seen.delete(message);\n        }\n        else {\n          originalConsoleError(consoleErrorMessage, ...consoleErrorArgs);\n        }\n      }\n      // We purposefully call `useRef` outside of a component and expect it to throw\n      // If it doesn't, then we're inside another component.\n      // eslint-disable-next-line react-hooks/rules-of-hooks\n      useRef();\n      if (didNotCallInvalidHook && !seen.has(message)) {\n        // eslint-disable-next-line no-console\n        console.warn(message);\n        seen.add(message);\n      }\n    } catch (error) {\n      // The error here is expected, since we're expecting anything that uses `checkDynamicCreation` to be called outside of a React component.\n      if (invalidHookCallRe.test(error.message)) {\n        // This shouldn't happen, but resets `warningSeen` if we had this error happen intermittently\n        seen.delete(message);\n      }\n    } finally {\n      /* $FlowIgnore[cannot-write] */\n      console.error = originalConsoleError; // eslint-disable-line no-console\n    }\n  }\n};\n\n", /* @flow\n\nimport { EMPTY_OBJECT } from './empties';\n\ntype Props = {\n  theme?: any,\n};\n\nexport default (props: Props, providedTheme: any, defaultProps: any = EMPTY_OBJECT) => {\n  return (props.theme !== defaultProps.theme && props.theme) || providedTheme || defaultProps.theme;\n};\n\n", /* @flow\n\n// Source: https://www.w3.org/TR/cssom-1/#serialize-an-identifier\n// Control characters and non-letter first symbols are not supported\nconst escapeRegex = /[!\"#$%&'()*+,-./:;<=>?@[\\|\\\]\^{}~]+/g;\n\nconst dashesAtEnds = /^(^-|-$)/g;\n\n/*\n * TODO: Explore using CSS.escape when it becomes more available\n * in evergreen browsers.\n */\n\nexport default function escape(str: string): string {\n  return (\n    str\n    // Replace all possible CSS selectors\n    .replace(escapeRegex, '-')\n    // Remove extraneous hyphens at the start and end\n    .replace(dashesAtEnds, ''))\n};\n\n", /* @flow\n\n/* eslint-disable */\n\nimport generateAlphabeticName from './generateAlphabeticName';\n\nimport { hash } from './hash';\n\nexport default (str: string): string => {\n  return generateAlphabeticName(hash(str) >>> 0);\n};\n\n", /* @flow\n\nimport type { IStyledComponent } from './types';\n\nexport default function isTag(target: $PropertyType<IStyledComponent, 'target'>): boolean %checks {\n  return (\n    typeof target === 'string' &&\n    (process.env.NODE_ENV !== 'production' ? target.charAt(0) === target.charAt(0).toLowerCase() : true))\n  );\n};\n\n", /* eslint-disable */\n\n/*\n * mixin-deep; https://github.com/jonschlinkert/mixin-deep\n * Inlined such that it will be consistently transpiled to an IE-compatible syntax.\n * The MIT License (MIT)\n * Copyright (c) 2014-present, Jon Schlinkert.\n * Permission is hereby granted, free of charge, to any person obtaining a copy\n * of this software and associated documentation files (the "Software"), to deal\n * in the Software without restriction, including without limitation the rights\n * to use, copy, modify, merge, publish, distribute, sublicense, and/or sell\n * copies of the Software, and to permit persons to whom the Software is\n * furnished to do so, subject to the following conditions:\n * The above copyright notice and

```

this permission notice shall be included in all copies or substantial portions of the Software. THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

const isObject = val => {
  return (
    typeof val === 'function' || (typeof val === 'object'
      && val !== null && !Array.isArray(val))
  );
};
const isValidKey = key => {
  return key !== '__proto__'
    && key !== 'constructor'
    && key !== 'prototype';
};
function mixin(target, val, key) {
  const obj = target[key];
  if (isObject(val) && isObject(obj)) {
    mixinDeep(obj, val);
  } else {
    target[key] = val;
  }
}
export default function mixinDeep(target, ...rest) {
  for (const obj of rest) {
    if (isObject(obj)) {
      for (const key in obj) {
        if (isValidKey(key)) {
          mixin(target, obj[key], key);
        }
      }
    }
  }
  return target;
}
"@flow
import React, { useContext, useMemo, type Element, type Context } from 'react';
import throwStyledError from '../utils/error';
import isFunction from '../utils/isFunction';
export type Theme = { [key: string]: mixed };
type ThemeArgument = Theme | ((outerTheme?: Theme) => Theme);
type Props = {
  children?: Element<any>,
  theme: ThemeArgument,
};
export const ThemeContext: Context<Theme | void> = React.createContext();
export const ThemeConsumer = ThemeContext.Consumer;
function mergeTheme(theme: ThemeArgument, outerTheme?: Theme): Theme {
  if (!theme) {
    return throwStyledError(14);
  }
  if (isFunction(theme)) {
    const mergedTheme = theme(outerTheme);
    if (
      process.env.NODE_ENV !== 'production' &&
      (mergedTheme === null || Array.isArray(mergedTheme) || typeof mergedTheme !== 'object')
    ) {
      return throwStyledError(7);
    }
    return mergedTheme;
  }
  if (Array.isArray(theme) || typeof theme !== 'object') {
    return throwStyledError(8);
  }
  return outerTheme ? { ...outerTheme, ...theme } : theme;
}
export default function ThemeProvider(props: Props) {
  const outerTheme = useContext(ThemeContext);
  const themeContext = useMemo(() => mergeTheme(props.theme, outerTheme), [
    props.theme,
    outerTheme,
  ]);
  if (!props.children) {
    return null;
  }
  return <ThemeContext.Provider value={themeContext}>{props.children}</ThemeContext.Provider>;
}
"@flow
import validAttr from '@emotion/is-prop-valid';
import hoist from 'hoist-non-react-statics';
import React, { createElement, type Ref, useContext, useDebugValue } from 'react';
import { SC_VERSION } from '../constants';
import type {
  Attrs,
  IStyledComponent,
  IStyledStatics,
  RuleSet,
  ShouldForwardProp,
  Target,
} from '../types';
import { checkDynamicCreation } from '../utils/checkDynamicCreation';
import createWarnTooManyClasses from '../utils/createWarnTooManyClasses';
import determineTheme from '../utils/determineTheme';
import { EMPTY_ARRAY, EMPTY_OBJECT } from '../utils/empties';
import escape from '../utils/escape';
import generateComponentId from '../utils/generateComponentId';
import generateDisplayName from '../utils/generateDisplayName';
import getComponentName from '../utils/getComponentName';
import isFunction from '../utils/isFunction';
import isStyledComponent from '../utils/isStyledComponent';
import isTag from '../utils/isTag';
import joinStrings from '../utils/joinStrings';
import merge from '../utils/mixinDeep';
import ComponentStyle from './ComponentStyle';
import { useStyleSheet, useStylis } from './StyleSheetManager';
import { ThemeContext } from './ThemeProvider';
const identifiers = {};
/* We depend on components having unique IDs */
function generateId(displayName?: string, parentComponentId?: string) {
  const name = typeof displayName !== 'string' ? 'sc' : escape(displayName);
  // Ensure that no displayName can lead to duplicate componentIds
  identifiers[name] = (identifiers[name] || 0) + 1;
  const componentId = `${name}-${generateComponentId(
    // SC_VERSION gives us isolation between multiple runtimes on the page at once
    // this is improved further with use of the babel plugin "namespace" feature
    SC_VERSION + name + identifiers[name]
  )}`;
  return parentComponentId ? `${parentComponentId}-${componentId}` : componentId;
}
function useResolvedAttrs<Config>(theme: any = EMPTY_OBJECT,

```

```

props: Config, attrs: Attrs) {\n // NOTE: can't memoize this\n // returns [context, resolvedAttrs]\n // where
resolvedAttrs is only the things injected by the attrs themselves\n const context = { ...props, theme };\n const
resolvedAttrs = {};\n\n attrs.forEach(attrDef => {\n let resolvedAttrDef = attrDef;\n let key;\n\n if
(isFunction(resolvedAttrDef)) {\n resolvedAttrDef = resolvedAttrDef(context);\n }\n\n /* eslint-disable
guard-for-in *\n for (key in resolvedAttrDef) {\n context[key] = resolvedAttrs[key] =\n key ===
'className'\n ? joinStrings(resolvedAttrs[key], resolvedAttrDef[key])\n : resolvedAttrDef[key];\n }\n
\n /* eslint-enable guard-for-in *\n });\n\n return [context, resolvedAttrs];\n}\n\nfunction useInjectedStyle<T>(\n
componentStyle: ComponentStyle,\n isStatic: boolean,\n resolvedAttrs: T,\n warnTooManyClasses?: $Call<typeof
createWarnTooManyClasses, string, string>)\n {\n const styleSheet = useStyleSheet();\n const stylis =
useStylis();\n\n const className = isStatic\n ? componentStyle.generateAndInjectStyles(EMPTY_OBJECT,
styleSheet, stylis)\n : componentStyle.generateAndInjectStyles(resolvedAttrs, styleSheet, stylis);\n\n // eslint-
disable-next-line react-hooks/rules-of-hooks\n if (process.env.NODE_ENV !== 'production')
useDebugValue(className);\n\n if (process.env.NODE_ENV !== 'production' && !isStatic &&
warnTooManyClasses) {\n warnTooManyClasses(className);\n }\n\n return className;\n}\n\nfunction
useStyledComponentImpl(\n forwardedComponent: IStyledComponent,\n props: Object,\n forwardedRef:
Ref<any>,\n isStatic: boolean)\n {\n const {\n attrs: componentAttrs,\n componentStyle,\n defaultProps,\n
foldedComponentIds,\n shouldForwardProp,\n styledComponentId,\n target,\n } = forwardedComponent;\n\n
// eslint-disable-next-line react-hooks/rules-of-hooks\n if (process.env.NODE_ENV !== 'production')
useDebugValue(styledComponentId);\n\n // NOTE: the non-hooks version only subscribes to this when
!componentStyle.isStatic,\n // but that'd be against the rules-of-hooks. We could be naughty and do it anyway as it\n
// should be an immutable value, but behave for now.\n const theme = determineTheme(props,
useContext(ThemeContext), defaultProps);\n\n const [context, attrs] = useResolvedAttrs(theme ||
EMPTY_OBJECT, props, componentAttrs);\n\n const generatedClassName = useInjectedStyle(\n
componentStyle,\n isStatic,\n context,\n process.env.NODE_ENV !== 'production' ?
forwardedComponent.warnTooManyClasses : undefined\n );\n\n const refToForward = forwardedRef;\n\n const
elementToBeCreated: Target = attrs.$as || props.$as || attrs.as || props.as || target;\n\n const isTargetTag =
isTag(elementToBeCreated);\n const computedProps = attrs !== props ? { ...props, ...attrs } : props;\n const
propsForElement = {};\n\n // eslint-disable-next-line guard-for-in\n for (const key in computedProps) {\n if
(key[0] === '$' || key === 'as') continue;\n else if (key === 'forwardedAs') {\n propsForElement.as =
computedProps[key];\n } else if (\n shouldForwardProp\n ? shouldForwardProp(key, validAttr,
elementToBeCreated)\n : isTargetTag\n ? validAttr(key)\n : true\n ) {\n // Don't pass through non
HTML tags through to HTML elements\n propsForElement[key] = computedProps[key];\n }\n }\n\n if
(props.style && attrs.style !== props.style) {\n propsForElement.style = { ...props.style, ...attrs.style };\n }\n\n
propsForElement.className = Array.prototype\n .concat(\n foldedComponentIds,\n styledComponentId,\n
generatedClassName !== styledComponentId ? generatedClassName : null,\n props.className,\n
attrs.className\n )\n .filter(Boolean)\n .join(' ');\n\n propsForElement.ref = refToForward;\n\n return
createElement(elementToBeCreated, propsForElement);\n}\n\nexport default function createStyledComponent(\n
target: $PropertyType<IStyledComponent, 'target'>,\n options: {\n attrs?: Attrs,\n componentId: string,\n
displayName?: string,\n parentComponentId?: string,\n shouldForwardProp?: ShouldForwardProp,\n },\n rules:
RuleSet)\n {\n const isTargetStyledComp = isStyledComponent(target);\n const isCompositeComponent =
!isTag(target);\n\n const {\n attrs = EMPTY_ARRAY,\n componentId = generateId(options.displayName,
options.parentComponentId),\n displayName = generateDisplayName(target),\n } = options;\n\n const
styledComponentId =\n options.displayName && options.componentId\n ? `${escape(options.displayName)}-
${options.componentId}`\n : options.componentId || componentId;\n\n // fold the underlying StyledComponent
attrs up (implicit extend)\n const finalAttrs =\n isTargetStyledComp && ((target: any): IStyledComponent).attrs\n
? Array.prototype.concat(((target: any): IStyledComponent).attrs, attrs).filter(Boolean)\n : attrs;\n\n // eslint-
disable-next-line prefer-destructuring\n let shouldForwardProp = options.shouldForwardProp;\n\n if
(isTargetStyledComp && target.shouldForwardProp) {\n if (options.shouldForwardProp) {\n // compose

```



```

nested shouldForwardProp calls\n    shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n
(((target: any): IStyledComponent).shouldForwardProp: any): ShouldForwardProp)(\n    prop,\n
filterFn,\n    elementToBeCreated\n    ) &&\n    ((options.shouldForwardProp: any):\n
ShouldForwardProp)(prop, filterFn, elementToBeCreated);\n  } else {\n    // eslint-disable-next-line prefer-\n
destructuring\n    shouldForwardProp = ((target: any): IStyledComponent).shouldForwardProp;\n  }\n}\n\n
const componentStyle = new ComponentStyle(\n  rules,\n  styledComponentId,\n  isTargetStyledComp ?\n
((target: Object).componentStyle: ComponentStyle) : undefined\n  );\n\n// statically styled-components don't need\n
to build an execution context object,\n// and shouldn't be increasing the number of class names\n
const isStatic =\n
componentStyle.isStatic && attrs.length === 0;\n\n/**\n * forwardRef creates a new interim component, which\n
we'll take advantage of\n * instead of extending ParentComponent to create _another_ interim class\n
*/\n
let\n
WrappedStyledComponent: IStyledComponent;\n\nconst forwardRef = (props, ref) =>\n  // eslint-disable-next-\n
line\n  useStyledComponentImpl(WrappedStyledComponent, props, ref, isStatic);\n\nforwardRef.displayName =\n
displayName;\n\nWrappedStyledComponent = ((React.forwardRef(forwardRef): any): IStyledComponent);\n
WrappedStyledComponent.attrs = finalAttrs;\n
WrappedStyledComponent.componentStyle = componentStyle;\n
WrappedStyledComponent.displayName = displayName;\n
WrappedStyledComponent.shouldForwardProp =\n
shouldForwardProp;\n\n// this static is used to preserve the cascade of static classes for component selector\n
//\n
purposes; this is especially important with usage of the css prop\n
WrappedStyledComponent.foldedComponentIds\n
= isTargetStyledComp\n  ? Array.prototype.concat(\n    ((target: any):\n
IStyledComponent).foldedComponentIds,\n    ((target: any): IStyledComponent).styledComponentId\n  )\n  :\n
EMPTY_ARRAY;\n\nWrappedStyledComponent.styledComponentId = styledComponentId;\n\n// fold the\n
underlying StyledComponent target up since we folded the styles\n
WrappedStyledComponent.target =\n
isTargetStyledComp\n  ? ((target: any): IStyledComponent).target\n  : target;\n\n
WrappedStyledComponent.withComponent = function withComponent(tag: Target) {\n  const { componentId:\n
previousComponentId, ...optionsToCopy } = options;\n\n  const newComponentId =\n
previousComponentId\n
&&\n  `${previousComponentId}-${isTag(tag) ? tag : escape(getComponentName(tag))}`;\n\n  const\n
newOptions = {\n    ...optionsToCopy,\n    attrs: finalAttrs,\n    componentId: newComponentId,\n  };\n\n
return createStyledComponent(tag, newOptions, rules);\n  };\n\n  Object.defineProperty(WrappedStyledComponent,\n
'defaultProps', {\n    get() {\n      return this._foldedDefaultProps;\n    },\n    set(obj) {\n\n
this._foldedDefaultProps = isTargetStyledComp\n      ? merge({}, ((target: any): IStyledComponent).defaultProps,\n
obj)\n      : obj;\n    },\n  });\n\n  if (process.env.NODE_ENV !== 'production') {\n\n
checkDynamicCreation(displayName, styledComponentId);\n\n  WrappedStyledComponent.warnTooManyClasses\n
= createWarnTooManyClasses(\n    displayName,\n    styledComponentId\n  );\n}\n\n
WrappedStyledComponent.toString = () => `.${WrappedStyledComponent.styledComponentId}`;\n\nif\n
(isCompositeComponent) {\n  hoist<\n    IStyledStatics,\n    $PropertyType<IStyledComponent, 'target'>,\n  {\n
[key: $Keys<IStyledStatics>]: true }\n  >(WrappedStyledComponent, ((target: any):\n
$PropertyType<IStyledComponent, 'target'>), {\n    // all SC-specific things should not be hoisted\n
attrs: true,\n    componentStyle: true,\n    displayName: true,\n    foldedComponentIds: true,\n    shouldForwardProp: true,\n
styledComponentId: true,\n    target: true,\n    withComponent: true,\n  });\n}\n\nreturn\n
WrappedStyledComponent;\n}\n\n"/ @flow\nimport type { IStyledComponent } from '../types';\nimport\n
getComponentName from './getComponentName';\nimport isTag from './isTag';\n\nexport default function\n
generateDisplayName(\n  target: $PropertyType<IStyledComponent, 'target'>:\n) : string {\n  return isTag(target) ?\n
`styled.${target}` : `Styled(${getComponentName(target)})`;\n}\n\n"/**\n * Convenience function for joining\n
strings to form className chains\n */\nexport default function joinStrings(a: ?String, b: ?String): ?String {\n  return\n
a && b ? `${a} ${b}` : a || b;\n}\n\n"/ @flow\n\nexport const LIMIT = 200;\n\nexport default (displayName: string,\n
componentId: string) => {\n  let generatedClasses = {};\n  let warningSeen = false;\n\n  return (className: string)\n
=> {\n    if (!warningSeen) {\n      generatedClasses[className] = true;\n      if\n
(Object.keys(generatedClasses).length >= LIMIT) {\n        // Unable to find latestRule in test environment.\n        /*\n
eslint-disable no-console, prefer-template */\n        const parsedIdString = componentId ? ` with the id of`

```

```

\`${componentId}` : ";
    console.warn(`Over ${LIMIT} classes were generated for component
${displayName}${parsedIdString}`);
    +
    'Consider using the attrs method, together with a style object for
frequently changed styles.';
    +
    'Example:';
    +
    ' const Component = styled.div.attrs(props =>
({
  style: {
    background: props.background,
  },
}))`width: 100%;`);
    +
    '<Component />';
    +
    warningSeen = true;
    generatedClasses =
{
};
};
};
};
";
"/ @flow
// Thanks to ReactDOMFactories for this handy list
\nexport default [
'a',
'abbr',
'address',
'area',
'article',
'aside',
'audio',
'b',
'base',
'bdi',
'bdo',
'big',
'blockquote',
'body',
'br',
'button',
'canvas',
'caption',
'cite',
'code',
'col',
'colgroup',
'data',
'datalist',
'dd',
'del',
'details',
'dfn',
'dialog',
'div',
'dl',
'dt',
'em',
'embed',
'fieldset',
'figcaption',
'figure',
'footer',
'form',
'h1',
'h2',
'h3',
'h4',
'h5',
'h6',
'head',
'header',
'hgroup',
'hr',
'html',
'i',
'iframe',
'img',
'input',
'ins',
'kbd',
'keygen',
'label',
'legend',
'li',
'link',
'main',
'map',
'mark',
'marquee',
'menu',
'menuitem',
'meta',
'meter',
'nav',
'noscript',
'object',
'ol',
'optgroup',
'option',
'output',
'p',
'param',
'picture',
'pre',
'progress',
'q',
'rp',
'rt',
'ruby',
's',
'samp',
'script',
'section',
'select',
'small',
'source',
'span',
'strong',
'style',
'sub',
'summary',
'sup',
'table',
'tbody',
'td',
'textarea',
'tfoot',
'th',
'thead',
'time',
'title',
'tr',
'track',
'u',
'ul',
'var',
'video',
'wbr',
// SVG
'circle',
'clipPath',
'defs',
'ellipse',
'foreignObject',
'g',
'image',
'line',
'linearGradient',
'marker',
'mask',
'path',
'pattern',
'polygon',
'polyline',
'radialGradient',
'rect',
'stop',
'svg',
'text',
'textPath',
'tspan',
];
"/
@flow
import constructWithOptions from './constructWithOptions';
import StyledComponent from
'./models/StyledComponent';
import domElements from './utils/domElements';
import type { Target } from
'./types';
const styled = (tag: Target) => constructWithOptions(StyledComponent, tag);
// Shorthands for all
valid HTML Elements
domElements.forEach(domElement => {
  styled[domElement] =
styled(domElement);
});
\nexport default styled;
"/ @flow
import { isValidElementType } from 'react-
is';
import css from './css';
import throwStyledError from './utils/error';
import { EMPTY_OBJECT } from
'./utils/empties';
import type { Target } from './types';
\nexport default function constructWithOptions(
componentConstructor: Function,
tag: Target,
options: Object = EMPTY_OBJECT
) {
  if
(isValidElementType(tag)) {
    return throwStyledError(1, String(tag));
  }
  /* This is callable directly as a
template function */
  // $FlowFixMe: Not typed to avoid destructuring arguments
  const templateFunction =
(...args) => componentConstructor(tag, options, css(...args));
  /* If config methods are called, wrap up a new
template function and merge options */
  templateFunction.withConfig = config =>
constructWithOptions(componentConstructor, tag, { ...options, ...config });
  /* Modify/inject new props at
runtime */
  templateFunction.attrs = attrs =>
constructWithOptions(componentConstructor, tag, {
...options,
  attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),
});
  return
templateFunction;
}
"/ @flow
import StyleSheet from './sheet';
import type { RuleSet, Stringifier } from
'./types';
import flatten from './utils/flatten';
import isStaticRules from './utils/isStaticRules';
\nexport default
class GlobalStyle {
  componentId: string;
  isStatic: boolean;
  rules: RuleSet;
  constructor(rules:
RuleSet, componentId: string) {
    this.rules = rules;
    this.componentId = componentId;
    this.isStatic =
isStaticRules(rules);
    // pre-register the first instance to ensure global styles
    // load before component ones
    StyleSheet.registerId(this.componentId + 1);
  }
  createStyles(
instance: number,
executionContext:
Object,
styleSheet: StyleSheet,
stylis: Stringifier
) {
    const flatCSS = flatten(this.rules,
executionContext, styleSheet, stylis);
    const css = stylis(flatCSS.join(""), "");
    const id = this.componentId +
instance;
    // NOTE: We use the id as a name as well, since these rules never change
    styleSheet.insertRules(id, id, css);
  }
  removeStyles(instance: number, styleSheet: StyleSheet) {
    styleSheet.clearRules(this.componentId + instance);
  }
  renderStyles(
instance: number,
executionContext: Object,
styleSheet: StyleSheet,
stylis: Stringifier
) {
    if (instance > 2)
StyleSheet.registerId(this.componentId + instance);
    // NOTE: Remove old styles, then inject the new ones
    this.removeStyles(instance, styleSheet);
    this.createStyles(instance, executionContext, styleSheet, stylis);
  }
}
"/ @flow
import React, { useContext, useLayoutEffect, useRef } from 'react';
import {

```

```

STATIC_EXECUTION_CONTEXT } from './constants';\nimport GlobalStyle from
'./models/GlobalStyle';\nimport { useStyleSheet, useStylis } from './models/StyleSheetManager';\nimport {
ThemeContext } from './models/ThemeProvider';\nimport type { Interpolation } from './types';\nimport {
checkDynamicCreation } from './utils/checkDynamicCreation';\nimport determineTheme from
'./utils/determineTheme';\nimport generateComponentId from './utils/generateComponentId';\nimport css from
'./css';\n\nndeclare var __SERVER__: boolean;\n\ntype GlobalStyleComponentPropsType = Object;\n\nexport
default function createGlobalStyle(\n  strings: Array<string>,\n  ...interpolations: Array<Interpolation>)\n) {\n  const
rules = css(strings, ...interpolations);\n  const styledComponentId = `sc-global-
${generateComponentId(JSON.stringify(rules))}`;\n  const globalStyle = new GlobalStyle(rules,
styledComponentId);\n  \n  if (process.env.NODE_ENV !== 'production') {\n
checkDynamicCreation(styledComponentId);\n  }\n  \n  function GlobalStyleComponent(props:
GlobalStyleComponentPropsType) {\n    const styleSheet = useStyleSheet();\n    const stylis = useStylis();\n    const
theme = useContext(ThemeContext);\n    const instanceRef =
useRef(styleSheet.allocateGSInstance(styledComponentId));\n    \n    const instance = instanceRef.current;\n    \n    if
(process.env.NODE_ENV !== 'production' && React.Children.count(props.children)) {\n      // eslint-disable-next-
line no-console\n      console.warn(\n        `The global style component ${styledComponentId} was given child JSX.
createGlobalStyle does not render children.`\n      );\n    }\n    \n    if (\n      process.env.NODE_ENV !== 'production'
&&\n      rules.some(rule => typeof rule === 'string' && rule.indexOf('@import') !== -1)\n    ) {\n      // eslint-
disable-next-line no-console\n      console.warn(\n        `Please do not use @import CSS syntax in createGlobalStyle
at this time, as the CSSOM APIs we use in production do not handle it well. Instead, we recommend using a library
such as react-helmet to inject a typical <link> meta tag to the stylesheet, or simply embedding it manually in your
index.html <head> section for a simpler app.`\n      );\n    }\n    \n    if (styleSheet.server) {\n      renderStyles(instance,
props, styleSheet, theme, stylis);\n    }\n    \n    if (!__SERVER__) {\n      // this conditional is fine because it is
compiled away for the relevant builds during minification,\n      // resulting in a single unguarded hook call\n      //
eslint-disable-next-line react-hooks/rules-of-hooks\n      useEffect(() => {\n        if (!styleSheet.server) {\n
renderStyles(instance, props, styleSheet, theme, stylis);\n          return () => globalStyle.removeStyles(instance,
styleSheet);\n        }\n      }, [instance, props, styleSheet, theme, stylis]);\n    }\n    \n    return null;\n  }\n  \n  function
renderStyles(instance, props, styleSheet, theme, stylis) {\n    if (globalStyle.isStatic) {\n
globalStyle.renderStyles(instance, STATIC_EXECUTION_CONTEXT, styleSheet, stylis);\n    } else {\n      const
context = {\n      ...props,\n      theme: determineTheme(props, theme, GlobalStyleComponent.defaultProps),\n
};\n    \n    globalStyle.renderStyles(instance, context, styleSheet, stylis);\n    }\n  }\n  \n  // $FlowFixMe\n  return
React.memo(GlobalStyleComponent);\n}\n\n", "// @flow\n\nimport css from './css';\nimport generateComponentId
from './utils/generateComponentId';\nimport Keyframes from './models/Keyframes';\n\nimport type { Interpolation,
Styles } from './types';\n\nexport default function keyframes(\n  strings: Styles,\n  ...interpolations:
Array<Interpolation>): Keyframes {\n  /* Warning if you've used keyframes on React Native */\n  if (\n
process.env.NODE_ENV !== 'production' &&\n    typeof navigator !== 'undefined' &&\n    navigator.product ===
'ReactNative'\n  ) {\n    // eslint-disable-next-line no-console\n    console.warn(\n      `keyframes` cannot be used on
ReactNative, only on the web. To do animation in ReactNative please use Animated.`\n    );\n  }\n  \n  const rules =
css(strings, ...interpolations).join("");\n  const name = generateComponentId(rules);\n  return new Keyframes(name,
rules);\n}\n\n", "// @flow\n\n/* eslint-disable no-underscore-dangle */\n\nimport React from 'react';\nimport {
IS_BROWSER, SC_ATTR, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport throwError from './utils/error';\nimport
getNonce from './utils/nonce';\nimport StyleSheet from './sheet';\nimport
StyleSheetManager from './StyleSheetManager';\n\nndeclare var __SERVER__: boolean;\n\nconst
CLOSING_TAG_R = /^\\s*<\\[a-z]/i;\n\nexport default class ServerStyleSheet {\n  isStreaming: boolean;\n  \n  instance:
StyleSheet;\n  \n  sealed: boolean;\n  \n  constructor() {\n    this.instance = new StyleSheet({ isServer: true
});\n    this.sealed = false;\n  }\n  \n  _emitSheetCSS = (): string => {\n    const css = this.instance.toString();\n    if
(!css) return "";\n    \n    const nonce = getNonce();\n    const attrs = [nonce && `nonce=${`"${nonce}"`},
`${SC_ATTR}=${`true`}`, `${SC_ATTR_VERSION}=${`${SC_VERSION}`}`];\n    const htmlAttr =

```

```

attrs.filter(Boolean).join('');\n\n  return `<style ${htmlAttr}>${css}</style>`; \n }; \n\n  collectStyles(children: any)
{\n  if (this.sealed) {\n    return throwStyledError(2); \n  } \n\n  return <StyleSheetManager
sheet={this.instance}>{children}</StyleSheetManager>; \n } \n\n  getStyleTags = () => {\n  if (this.sealed)
{\n    return throwStyledError(2); \n  } \n\n  return this._emitSheetCSS(); \n }; \n\n  getStyleElement = () => {\n
if (this.sealed) {\n    return throwStyledError(2); \n  } \n\n  const props = {\n    [SC_ATTR]: ", \n
[SC_ATTR_VERSION]: SC_VERSION, \n    dangerouslySetInnerHTML: {\n      __html:
this.instance.toString(), \n    }, \n  }; \n\n  const nonce = getNonce(); \n  if (nonce) {\n    (props: any).nonce =
nonce; \n  } \n\n  // v4 returned an array for this fn, so we'll do the same for v5 for backward compat \n  return
[<style {...props} key="sc-0-0" />]; \n }; \n\n  // eslint-disable-next-line consistent-return \n
interleaveWithNodeStream(input: any) {\n  if (!__SERVER__ || IS_BROWSER) {\n    return
throwStyledError(3); \n  } else if (this.sealed) {\n    return throwStyledError(2); \n  } \n\n  if (__SERVER__) {\n
this.seal(); \n\n  // eslint-disable-next-line global-require \n  const { Readable, Transform } =
require('stream'); \n\n  const readableStream: Readable = input; \n  const { instance: sheet, _emitSheetCSS } =
this; \n\n  const transformer = new Transform({ \n    transform: function appendStyleChunks(chunk, /* encoding
*/ _, callback) {\n      // Get the chunk and retrieve the sheet's CSS as an HTML chunk, \n      // then reset its
rules so we get only new ones for the next chunk \n      const renderedHtml = chunk.toString(); \n      const html
= _emitSheetCSS(); \n\n      sheet.clearTag(); \n\n      // prepend style html to chunk, unless the start of the chunk
is a \n      // closing tag in which case append right after that \n      if (CLOSING_TAG_R.test(renderedHtml))
{\n        const endOfClosingTag = renderedHtml.indexOf('>') + 1; \n        const before = renderedHtml.slice(0,
endOfClosingTag); \n        const after = renderedHtml.slice(endOfClosingTag); \n\n        this.push(before + html
+ after); \n      } else {\n        this.push(html + renderedHtml); \n      } \n\n      callback(); \n    }, \n
  }); \n\n  readableStream.on('error', err => {\n    // forward the error to the transform stream \n
transformer.emit('error', err); \n  }); \n\n  return readableStream.pipe(transformer); \n } \n } \n\n  seal = () => {\n
this.sealed = true; \n }; \n } \n", " // @flow \n\nimport React, { useContext, type AbstractComponent } from
'react'; \n\nimport hoistStatics from 'hoist-non-react-statics'; \n\nimport { ThemeContext } from
'../models/ThemeProvider'; \n\nimport determineTheme from '../utils/determineTheme'; \n\nimport getComponentName
from '../utils/getComponentName'; \n\n// NOTE: this would be the correct signature: \n\nexport default <Config: {
theme?: any }, Instance>(\n// Component: AbstractComponent<Config, Instance>\n// ):
AbstractComponent<$Diff<Config, { theme?: any }> & { theme?: any }, Instance>\n\n\n// but the old build system
tooling doesn't support the syntax \n\nexport default (Component: AbstractComponent<*, *>) => {\n //
$FlowFixMe This should be React.forwardRef<Config, Instance>\n  const WithTheme = React.forwardRef((props,
ref) => {\n    const theme = useContext(ThemeContext); \n    // $FlowFixMe defaultProps isn't declared so it can be
inferred \n    const { defaultProps } = Component; \n    const themeProp = determineTheme(props, theme,
defaultProps); \n\n    if (process.env.NODE_ENV !== 'production' && themeProp === undefined) {\n      // eslint-
disable-next-line no-console \n      console.warn(\n        `[withTheme] You are not using a ThemeProvider nor
passing a theme prop or a theme in defaultProps in component class "${getComponentName(\n      Component \n
    )}"` \n      ); \n    } \n\n    return <Component {...props} theme={themeProp} ref={ref} />; \n  }); \n\n
  hoistStatics(WithTheme, Component); \n\n  WithTheme.displayName =
`WithTheme(${getComponentName(Component)})`; \n\n  return WithTheme; \n }; \n", " // @flow \n\nimport {
useContext } from 'react'; \n\nimport { ThemeContext } from '../models/ThemeProvider'; \n\nconst useTheme = () =>
useContext(ThemeContext); \n\nexport default useTheme; \n", " // @flow \n\n/* eslint-disable */ \n\nimport StyleSheet
from './sheet'; \n\nimport { masterSheet } from './models/StyleSheetManager'; \n\nexport const __PRIVATE__ = {\n
StyleSheet, \n  masterSheet, \n }; \n", " // @flow \n\n/* Import singletons */ \n\nimport isStyledComponent from
'./utils/isStyledComponent'; \n\nimport css from './constructors/css'; \n\nimport createGlobalStyle from
'./constructors/createGlobalStyle'; \n\nimport keyframes from './constructors/keyframes'; \n\nimport ServerStyleSheet
from './models/ServerStyleSheet'; \n\nimport { SC_VERSION } from './constants'; \n\nimport StyleSheetManager, {\n
StyleSheetContext, \n  StyleSheetConsumer, \n } from './models/StyleSheetManager'; \n\n/* Import components
*/ \n\nimport ThemeProvider, { ThemeContext, ThemeConsumer } from './models/ThemeProvider'; \n\n/* Import

```

```

Higher Order Components *\nimport withTheme from './hoc/withTheme';\n\n/* Import hooks *\nimport useTheme
from './hooks/useTheme';\n\ndeclare var __SERVER__: boolean;\n\n/* Warning if you've imported this file on
React Native *\nif (\n  process.env.NODE_ENV !== 'production' &&\n  typeof navigator !== 'undefined' &&\n
navigator.product === 'ReactNative'\n) {\n  // eslint-disable-next-line no-console\n  console.warn(\n    `It looks like
you've imported 'styled-components' on React Native.\n` +\n    `Perhaps you're looking to import 'styled-
components/native'?\n` +\n    `Read more about this at https://www.styled-components.com/docs/basics#react-
native\n`);\n}\n\n/* Warning if there are several instances of styled-components *\nif (process.env.NODE_ENV
!== 'production' && process.env.NODE_ENV !== 'test' && typeof window !== 'undefined') {\n  window['__styled-
components-init__'] = window['__styled-components-init__'] || 0;\n  if (window['__styled-components-init__']
=== 1) {\n    // eslint-disable-next-line no-console\n    console.warn(\n      `It looks like there are several
instances
of 'styled-components' initialized in this application. \n` +\n      `This may cause dynamic styles to not render
properly, errors during the rehydration process, ` +\n      `a missing theme prop, and makes your application bigger
without good reason.\n\n` +\n      `See https://s-c.sh/2BAXzed for more info.\n`);\n  }\n  window['__styled-
components-init__'] += 1;\n}\n\n/* Export everything *\nexport * from './secretInternals';\nexport {\n
createGlobalStyle,\n  css,\n  isStyledComponent,\n  keyframes,\n  ServerStyleSheet,\n  StyleSheetConsumer,\n
StyleSheetContext,\n  StyleSheetManager,\n  ThemeConsumer,\n  ThemeContext,\n  ThemeProvider,\n
useTheme,\n  SC_VERSION as version,\n
withTheme,\n};\n\n], "names": ["strings", "interpolations", "result", "i", "len", "length", "push", "x", "toString", "Object", "pr
ototype", "call", "typeof", "EMPTY_ARRAY", "freeze", "EMPTY_OBJECT", "isFunction", "test", "getComponentNam
e", "target", "process", "env", "NODE_ENV", "displayName", "name", "isStyledComponent", "styledComponentId", "SC
_ATTR", "REACT_APP_SC_ATTR", "SC_VERSION", "__VERSION__", "IS_BROWSER", "window", "DISABLE_
SPEEDY", "Boolean", "SC_DISABLE_SPEEDY", "REACT_APP_SC_DISABLE_SPEEDY", "STATIC_EXECUTI
ON_CONTEXT", "ERRORS", "format", "a", "b", "c", "arguments", "forEach", "d", "replace", "throwStyledComponentsE
rror", "code", "Error", "join", "trim", "DefaultGroupedTag", "tag", "groupSizes", "Uint32Array", "indexOfGroup", "group"
, "index", "this", "insertRules", "rules", "oldBuffer", "oldSize", "newSize", "throwStyledError", "set", "ruleIndex", "I", "inse
rtRule", "clearGroup", "startIndex", "endIndex", "deleteRule", "getGroup", "css", "getRule", "groupIDRegister", "Map", "r
everseRegister", "nextFreeGroup", "getGroupForId", "id", "has", "get", "getIdForGroup", "setGroupForId", "SELECTOR
", "MARKER_RE", "RegExp", "rehydrateNamesFromContent", "sheet", "content", "names", "split", "registerName", "reh
ydrateSheetFromTag", "style", "parts", "textContent", "part", "marker", "match", "parseInt", "getTag", "getNonce", "__we
bpack_nonce__", "makeStyleTag", "head", "document", "parent", "createElement", "prevStyle", "childNodes", "child", "n
odeType", "hasAttribute", "findLastStyleTag", "nextSibling", "undefined", "setAttribute", "nonce", "insertBefore", "CSS
OMTag", "element", "appendChild", "createTextNode", "styleSheets", "ownerNode", "getSheet", "rule", "_error", "cssRul
es", "cssText", "TextTag", "nodes", "node", "refNode", "removeChild", "VirtualTag", "_target", "splice", "SHOULD_REH
YDRATE", "defaultOptions", "isServer", "useCSSOMInjection", "StyleSheet", "options", "globalStyles", "gs", "server", "
querySelectorAll", "getAttribute", "parentNode", "rehydrateSheet", "registerId", "reconstructWithOptions", "withNames
", "allocateGSInstance", "hasNameForId", "add", "groupNames", "Set", "clearNames", "clear", "clearRules", "clearTag", "
size", "selector", "outputSheet", "AD_REPLACER_R", "getAlphabeticChar", "String", "fromCharCode", "generateAlph
abeticName", "Math", "abs", "phash", "h", "charCodeAt", "hash", "isStaticRules", "SEED", "ComponentStyle", "compone
ntId", "baseStyle", "staticRulesId", "isStatic", "baseHash", "generateAndInjectStyles", "executionContext", "styleSheet",
"stylis", "cssStatic", "flatten", "generateName", "cssStaticFormatted", "dynamicHash", "partRule", "partChunk", "partStri
ng", "Array", "isArray", "cssFormatted", "COMMENT_REGEX", "COMPLEX_SELECTOR_PREFIX", "createStylisIn
stance", "_componentId", "_selector", "_selectorRegex", "_consecutiveSelfRefRegex", "plugins", "Stylis", "parsingR
ules", "parseRulesPlugin", "toSheet", "block", "e", "context", "selectors", "parents", "line", "column", "ns", "depth", "at", "de
limiter", "insertRulePlugin", "selfReferenceReplacer", "offset", "string", "indexOf", "stringifyRules", "prefix", "flatCSS",
"cssStr", "use", "_", "lastIndexOf", "parsedRules", "reduce", "acc", "plugin", "StyleSheetContext", "React", "createContext
", "StyleSheetConsumer", "Consumer", "StylisContext", "masterSheet", "masterStylis", "useStyleSheet", "useContext", "
useStylis", "StyleSheetManager", "props", "useState", "stylisPlugins", "setPlugins", "contextStyleSheet", "useMemo", "di
sableCSSOMInjection", "disableVendorPrefixes", "useEffect", "shallowequal", "Provider", "value", "Children", "only", "

```

children", "Keyframes", "inject", "stylisInstance", "resolvedName", "\_this", "getName", "uppercaseCheck", "uppercasePattern", "msPattern", "prefixAndLowerCase", "char", "toLowerCase", "hyphenateStyleName", "isFalsish", "chunk", "ruleSet", "isReactComponent", "isElement", "console", "warn", "isPlainObject", "objToCssArray", "obj", "prevKey", "key", "hasOwnProperty", "isCss", "hyphenate", "unitless", "addTag", "arg", "styles", "interleave", "invalidHookCallRe", "seen", "checkDynamicCreation", "message", "originalConsoleError", "error", "didNotCallInvalidHook", "consoleErrorMessage", "consoleErrorArgs", "useRef", "providedTheme", "defaultProps", "theme", "escapeRegex", "dashesAtEnds", "escape", "str", "isTag", "charAt", "isObject", "val", "isValidKey", "mixin", "mixinDeep", "rest", "ThemeContext", "ThemeConsumer", "ThemeProvider", "outerTheme", "themeContext", "mergedTheme", "mergeTheme", "identifiers", "createStyledComponent", "isTargetStyledComp", "isCompositeComponent", "attrs", "parentComponentId", "generateComponentId", "generateId", "generateDisplayName", "finalAttrs", "concat", "filter", "shouldForwardProp", "prop", "filterFn", "elementToBeCreated", "WrappedStyledComponent", "componentStyle", "forwardRef", "ref", "forwardedComponent", "forwardedRef", "componentAttrs", "foldedComponentIds", "useDebugValue", "resolvedAttrs", "attrDef", "resolvedAttrDef", "useResolvedAttrs", "determineTheme", "generatedClassName", "warnTooManyClasses", "className", "useInjectedStyle", "refToForward", "\$as", "as", "isTargetTag", "computedProps", "propsForElement", "validAttr", "withComponent", "previousComponentId", "optionsToCopy", "newComponentId", "defineProperty", "\_foldedDefaultProps", "merge", "generatedClasses", "warningSeen", "keys", "parsedIdString", "createWarnTooManyClasses", "hoist", "styled", "constructWithOptions", "componentConstructor", "isValidElementType", "templateFunction", "withConfig", "config", "StyledComponent", "domElement", "GlobalStyle", "createStyles", "instance", "removeStyles", "renderStyles", "createGlobalStyle", "JSON", "stringify", "globalStyle", "GlobalStyleComponent", "current", "count", "some", "useLayoutEffect", "memo", "keyframes", "navigator", "product", "ServerStyleSheet", "\_emitSheetCSS", "SC\_ATTR\_VERSION", "getStyleTags", "sealed", "getStyleElement", "dangerouslySetInnerHTML", "\_\_html", "seal", "collectStyles", "interleaveWithNodeStream", "input", "Component", "WithTheme", "themeProp", "hoistStatics", "useTheme", "\_\_PRIVATE\_\_"], "mappings": "wLBAGA,eACEA,EACAC,WAEMC,EAAS,CAACF,EAAQ,IAeFG,EAAL,EAAGC,EAAMH,EAaeI,OAQF,EAaic,EAakD,GAak,EAaczDD,EAaOI,KAAKL,EAaeE,GAaiH,EAaQG,EAAL,WAGtCD,cCVOK,UACR,OAANA,GACa,iBAA NA,GAC6D,qBAAnEA,EAaec,SAAWD,EAaec,WAAaC,OAaOC,UAAUF,SAASG,KAAKJ,MAC3DK,EAaOL,ICNGM,EAaCj,OAaOK,OAaO,IAC5BC,EAaeN,OAaOK,OAaO,ICD3B,SAASE,EAaWC,SACV,mBAATA,ECCD,SAASC,EACtBC,SAG4B,eAAzBC,QAAQC,IAaIC,UAA8C,iBAAXH,GAAuBA,GAevEA,EAaOI,aAEPJ,EAaOK,MACP,YCXW,SAASC,EAakBN,UACjCA,GAA8C,iBAA7BA,EAaOO,kBCGjC,IAaAc,EACS,oBAAZP,UAA4BA,QAAQC,IAaIO,mBAAqBR,QAAQC,IAAIM,UACjF,cAIWE,EAaAc,QAGbC,EAa+B,oBAAXC,QAA0B,gBAAiBA,OAE/DC,EACXC,QAAqC,kBAAtBC,kBACXA,kBACoB,oBAAZf,cAA8E,IAA5CA,QAAQC,IAAIe,6BAA2F,KAA5ChB,QAAQC,IAAIe,4BACnE,UAA5ChB,QAAQC,IAAIe,6BAAkDhB,QAAQC,IAAIe,4BACtD,oBAAZhb,cAAoE,IAAIcA,QAAQC,IAAIc,mBAauE,KAAIcf,QAAQC,IAAIc,kBACnE,UAAIcf,QAAQC,IAAIc,mBAawCf,QAAQC,IAAIc,kBACvC,eAAzBf,QAAQC,IAaIC,UAKTe,EAa2B,GCzBICC,EAakC,eAAzBlB,QAAQC,IAaIC,SCHZ,GAak,0DAA4D,kQAAoQ,wHAA0H,wMAA0M,oKAAsK,8OAAgP,uHAA2H,gEAAoE,mCAAqC,oUAAsU,2NAA6N,wWAA0W,4LAA8L,kDAAsD,8ZAAga,0QAA4Q,0IDG7/F,GAKIE,SAASiB,YACHC,0CACEC,EAAL,GAEDC,EAAL,EAAGtC,EAAMuC,UAAKtC,OAaQqC,EAALtC,EAAsC,GAak,EAC/CD,EAaEnC,KAAUoC,uBAAAA,mBAAAA,WAGdD,EAaEG,SAAQ,SAAAC,GACRL,EAaIA,EAaEM,QAAQ,SAaUD,MAGnBL,EAOM,SAASO,EACtBC,8BACG/C,mCAAAA,yBAE0B,eAAzBmB,QAAQC,IAaIC,SACR,IAAI2B,qDAcuCD,4BAC7C/C,EAaeI,OAAS,YAAcJ,EAaeID,KAAK,MAAU,KAIIE,IAaID,MAAMV,gBAAOD,EAaOU,WAAU/C,IAAgBkD,QE9BrD,IAMDC,wBAOQC,QACLc,WAAa,IAaIC,YAVR,UAWTID,OAXS,SAYTgD,IAAMA,6BAGbG,aAAA,SAAaC,WACPC,EAaQ,EACHvD,EAAL,EAAGA,EAALsD,EAaOtD,IACzBuD,GASc,KAAKL,WAAWnD,UAGpBuD,KAGTE,YAAA,SAAYH,EAaeI,MACrBJ,GAASE,KAAKL,WAAWjD,OAaAQ,SAC7ByD,EAAYH,KAAKL,WACjBS,EAaUD,EAaUzD,OAeTb2D,EAaUD,EACPN,GAASO,IACdA,IAAY,GACE,GACZC,EAaiB,MAAOR,QAIvBH,WAAa,IAaIC,YAAYS,QAC7BV,WAAWY,IAAIJ,QACzfD,OAAS2D,MAET,IAAI7D,EAai4D,EAAS5D,EAai6D,EAAS7D,SAC5BmD,WAAWnD,GAak,UAIrBgE,EAAYR,KAAKH,aAAaC,EAaQ,GACjCtD,EAAL,EAAGiE,EAaIP,EAAMxD,OAaQF,EAaiiE,EAAGjE,IACnCwD,KAAKN,IAAIgB,WAAWF,EAAWN,EAAMiD,WACiCmD,WAAWG,KACBU,QAKNG,WAAA,SAAWb,MACLA,EAaQE,KAAKiD,OAaQ,KACjBA,EAASd,KAAKL,WAAWG,GACzBc,EAaAZ,KAAKH,aAAaC,GAC/Be,EAaWD

,EAAaIE,OAEzBiD,WAAWG,GAAS,MAEpB,IAAIItD,EAAIoE,EAAYpE,EAAIqE,EAAUrE,SACChCkD,IAAIoB,  
WAAWF,OAK1BG,SAAA,SAASjB,OACHkB,EAAM,MACNIB,GAASE,KAAKtD,QAAqC,IAA3BsD,KAAKL,  
WAAWG,UACnCbB,UAGHtE,EAASsD,KAAKL,WAAWG,GACzBc,EAAaZ,KAAKH,aAAaC,GAC/Be,EAAW  
D,EAAaIE,EAERBF,EAAIoE,EAAYpE,EAAIqE,EAAUrE,IACrCwE,GAAUhB,KAAKN,IAAIuB,QAAQzE,GHhF  
T,mBGmFbwE,QCzFPE,EAaUC,IAAIC,IAC3CC,EAaUC,IAAID,IAC3CE,EAAGB,EAQPC,EAAGB,SAACC,MA  
CxBL,EAAGBM,IAAID,UACdL,EAAGBO,IAAIF,QAGvBH,EAAGBI,IAAIH,IACzBA,QAGIvB,EAAGuB,UAGa,  
eAAzB5D,QAAQC,IAAIC,YACF,EAARmC,GAAa,GAACA,EAzBR,GAAC,KA2BjBQ,EAaiB,MAAOR,GAG1  
BoB,EAAGBX,IAAIgB,EAAlzB,GACxBsB,EAAGBb,IAAIT,EAAOyB,GACpBzB,GAGI4B,EAAGB,SAAC5B,U  
ACrBsB,EAAGBK,IAAI3B,IAGhB6B,EAAGB,SAACJ,EAAYzB,GACpCA,GAASuB,IACXA,EAAGBvB,EAAGQ,  
GAG1BoB,EAAGBX,IAAIgB,EAAlzB,GACxBsB,EAAGBb,IAAIT,EAAOyB,IC3CvBK,WAAoB5D,mCACpB6D,  
EAAY,IAAIC,WAAW9D,kDAkC3B+D,EAA4B,SAACC,EAACt,EAAYU,WAEvDpE,EADEqE,EAAGD,EAAG  
E,MAAM,KAGnB3F,EAAl,EAAGiE,EAAlYB,EAAMxF,OAAQF,EAAlIE,EAAGjE,KAElCqB,EAAGQe,EAAM1  
F,KAChBwF,EAAMI,aAAab,EAAl1D,IAKvBwE,EAawB,SAACL,EAACm,WACrCC,GAASD,EAAME,aAAe,I  
AAIL,ML1CIB,aK2ChBjC,EAakB,GAef1D,EAAl,EAAGiE,EAAl8B,EAAM7F,OAAQF,EAAlIE,EAAGjE,IAAK  
,KACtCiG,EAAGF,EAAM/F,GAAGgD,UACjBiD,OAEC,EAASD,EAAKE,MAAMd,MAEtBa,EAAGQ,KACJ5C,  
EAakC,EAAlB8C,SAASF,EAAG,GAAl,IAC5BnB,EAAMkM,EAAG,GAEl,IAAV5C,IAEF6B,EAACJ,EAAlzB,  
GAGIBiC,EAAG0BC,EAAGOT,EAAlmB,EAAG,IAAC5CV,EAAMa,SAAS5C,YAAyH,EAAGOI,IAAGpCA,EAAMxD,  
OAAAS,OAefwD,EAAMvD,KAAK8F,MCzEXK,EAAGW,iBAEU,oBAAXzE,aAC0B,IAA7BA,OAAO0E,kBACZ1E  
,OAAO0E,kBAET,MCYOC,EAAGe,SAACxF,OACrByF,EAASC,SAASD,KACIBE,EAAS3F,GAAUyF,EACnBX,E  
AAQY,SAASE,cAAc,SAC/BC,EAAlBiB,SAAC7F,WAChB8F,EAAG9F,EAAG8F,WAEC9G,EAAl8G,EAAG5G,O  
AAQF,GAAC,EAAGA,IAAK,KACrC+G,EAAGUD,EAAGW9G,MACvB+G,GARa,IAQJA,EAAMC,UAA6BD,EA  
AME,aAAazF,UACxDuF,GAYKG,CAAIbP,GAC7BQ,OAA4BC,IAADp,EAAG0BA,EAAGUM,YAAc,KAElErB,EA  
MuB,aAAa7F,EPrBS,UOsB5BsE,EAAGMuB,aPrBuB,sBACL1F,aOsBIB2F,EAAGhB,WAEVgB,GAAGxB,EAAG  
uB,aAAa,QAASC,GAEvCX,EAAGOY,aAAazB,EAAGQb,GAEPBrB,GCTBI0B,wBAOCxG,OACJyG,EAAGwE,KA  
AKiE,QAAUjB,EAAGaxF,GAG7CyG,EAAGQ,YAAYhB,SAASiB,eAAe,UAEvCnC,MDae,SAACtC,MACnBA,EA  
AlS,cACGtC,EAAlS,cAIPoC,EAAGBIB,SAAGhBkB,YACC5H,EAAl,EAAGiE,EAAl2D,EAAY1H,OAAQF,EA  
AlIE,EAAGjE,IAAK,KAC5CwF,EAAGQc,EAAY5H,MACtBwF,EAAGmQ,YAAG3E,SACbsC,EAAlb1B,EAAlB,IC  
3BFgE,CAASL,QACjBvH,OAAAS,6BAGhBgE,WAAA,SAAGW,EAAGewE,mBAEjBvC,MAAMtB,WAAW6D,EA  
AMx,E,QACvBrD,UACE,EACP,MAAG08H,UACA,MAIX1D,WAAA,SAAGWf,QACJiC,MAAMIB,WAAWf,QACj  
BrD,YAGPuE,QAAA,SAAQIB,OACAwE,EAAGvE,KAAKgC,MAAGMyC,SAAS1E,eAEPb6D,IAATW,GAA8C,i  
BAAjBA,EAAGK,QAC7BH,EAAGK,QAEL,SAMAC,wBAOCnH,OACJyG,EAAGwE,KAAKiE,QAAUjB,EAAGax  
F,QACxCoH,MAAGQX,EAAGQX,gBACHb5G,OAAAS,6BAGhBgE,WAAA,SAAGW,EAAGewE,MACpBxE,GAASC,  
KAAKtD,QAAUqD,GAAS,EAAG,KACCh8E,EAAG03B,SAASiB,eAAeI,GAC/BO,EAAGU9E,KAAK4E,MAAM7E  
,eACtBkE,QAAQF,aAAac,EAAMC,GAAGW,WACtCpI,UACE,SAEA,KAIxoE,WAAA,SAAGWf,QACJkE,QAAQc,  
YAAY/E,KAAK4E,MAAM7E,SAC/BrD,YAGPuE,QAAA,SAAQIB,UACFA,EAAGQ,KAAKtD,OACrSd,KAAK  
4E,MAAM7E,GAAOyC,YAEIB,SAMAwC,wBAKCC,QACL/E,MAAGQ,QACRxD,OAAAS,6BAGhBgE,WAAA,SA  
AGW,EAAGewE,UACpBxE,GAASC,KAAKtD,cACXwD,MAAGmF,OAAOnF,EAAG,EAAGwE,QACvB7H,UAC  
E,MAMXoE,WAAA,SAAGWf,QACJG,MAAGmF,OAAOnF,EAAG,QACpBrD,YAGPuE,QAAA,SAAQIB,UACFA  
,EAAGQ,KAAKtD,OACrSd,KAAKE,MAAMH,GAEX,SCzHToF,EAAGmB/G,EAAGwE,EAAG+B,CACnCC,UAA  
WjH,EACXkH,mBAAGoBhH,GAIDiH,wBAiBjBC,EACAC,EACAvD,YAFAsD,IAAAA,EAAGCpI,YACChqI,IAA  
AA,EAAG2C,SAGtCD,aACAJ,KACAI,QAGAE,GAAGK,OACLvD,MAAGQ,IAAlf,IAAlE,QACChyD,SAAGWH,EA  
AQH,UAGnBrF,KAAK2F,QAAUvH,GAAGc+G,IACChCA,GAAGmB,EJyBK,SAAGnD,WACvB4C,EAAGQ1B,SAAS0  
C,iBAAlBhE,GAEl/BpF,EAAl,EAAGiE,EAAlmE,EAAMII,OAAQF,EAAlIE,EAAGjE,IAAK,KACtCqI,EAASD,E  
AAMpI,GACjBqI,GL/EsB,WK+EdA,EAAGkG,aAAa7H,KAC5BqE,EAASBL,EAAG06C,GAAGzBA,EAAGKiB,YAC  
PjB,EAAGKiB,WAAWf,YAAYF,KIjC9BkB,CAAGe/F,SArBZgG,WAAP,SAAGkzE,UAAGTD,EAAGc,+BAWvB0E,  
uBAAA,SAAuBT,EAAG+BU,mBAAAA,IAAAA,GAAGsB,GACnE,IAAIX,OACJvF,KAAKwF,WAAyA,GACtBxF,  
KAAK0F,GACJQ,GAAGaI,KAAKkC,YAAU0B,MAIjCuC,mBAAA,SAAGmB5E,UAAGTvB,KAAK0F,GAAGnE,IA  
AGvB,KAAK0F,GAAGnE,IAAG,GAAG,KAI7CsB,OAAA,kBACS7C,KAAKN,MAAGQM,KAAKN,KDtEH2F,KC

sEgCrF,KAAKwF,SDtErCH,SAAUC,IAAAA,kBAAmB9H,IAAAA,OLCxBkC,EKAzB2F,EACK,IAAIL,EA AWx  
H,GACb8H,EACF,IAAI tB,EAASxG,GAEB,IAAI mH,EAAQnH,GLJd,IAAI iC,EA AKBC,KADD,IAACA,IKDL2F,  
EAAUC,EA AmB9H,KC0ErD4I,aAAA,SAAa7E,EAAY1D,UAC hBmC,KAAKkC,MAAMV,IAAID,IAAQvB,KA  
AKkC,MAAMT,IAAIF,GAAUC,IAAI3D,MAI7DuE,aAAA,SAAab,EAAY1D,MACvByD,EAACc,GAETvB,KAA  
KkC,MAAMV,IAAID,QAKZW,MAAMT,IAAIF,GAAU8E,IAAIxI,OALP,KACjByI,EAAa,IAAIC,IACvBD,EAA  
WD,IAAIxI,QACVqE,MAAM3B,IAAIgB,EA AI+E,OA OvBrG,YAAA,SAAYsB,EAAY1D,EAACqC,QAC/BkC,a  
AAab,EA AI1D,QACjBgF,SAAS5C,YAAYqB,EAACc,GA AKrB,MAI/CsG,WAAA,SAAWjF,GACLvB,KAAKkC,  
MAAMV,IAAID,SACXW,MAAMT,IAAIF,GAAUkF,WAK9BC,WAAA,SAAWnF,QACJsB,SAASIC,WAAWW,  
EAACc,SACICiF,WAAWjF,MAIIBoF,SAAA,gBAGOjH,SAAMkE,KAIb/G,SAAA,kBJpHyB,SAACmF,WACpBt  
C,EAAMsC,EAAMa,SACVnG,EA AWgD,EAAXhD,OAEJsE,EAAM,GACDIB,EAAQ,EAAGA,EAAQpD,EAAQ  
oD,IAAS,KACrCyB,EA AKG,EAAC5B,WACd8D,IAAPrC,OAE EW,EAAQF,EAAME,MAAMT,IAAIF,GACxB rB  
,EAAQR,EA AIqB,SAASjB,MACtBoC,GAAUhC,GAAUgC,EAAM0E,UAEzBC,EAAC7I,OAAY8B,UAAayB,OA  
EzCU,EAAU,QACA2B,IAAV1B,GACFA,EAAMjD,SAAQ,SAAApB,GACRA,EA AKnB,OAAS,IAC hBuF,GAAC  
pE,UAO pBmD,MAAUd,EAAQ2G,eAAqB5E,yBAGICjB,EIwFE8F,CAAY9G,YC3HjB+G,EAAGB,WAOhBC,EA  
AoB,SAAC3H,UACzB4H,OA AOC,aAAa7H,GAAQA,EAAO,GA AK,GA AK,MAGhC,SAAS8H,GAAuB9H,OAE  
zCzC,EADAIb,EAAO,OAINjB,EA AIwK,KAAKC,IAAIhI,GAAOzC,EA ZP,GAYwBA,EA AKA,EAZ7B,GAYgD,  
EAChEiB,EA AO mJ,EA AKBpK,EAbT,IAa4BiB,SAGtCmJ,EA AKBpK,EAhBR,IAgB2BiB,GAAMsB,QAAQ4H,E  
AAe,SCpBrE,IAKMO,GAAQ,SAACC,EA AW3K,WAC3BJ,EA AI,EAAEF,OAEHF,GACL+K,EAAS,GA AJA,EA  
AU3K,EA AE4K,aAAahL,UAGzB+K,GA IIE,GAAO,SAAC7K,UACZ0K,GAjBW,KAIbC1K,ICfN,SAAS8K,GA  
cxH,OAC/B,IAAI1D,EA AI,EAAGA,EA AI0D,EAAMxD,OA AQF,GA AK,EAAG,KACIC+H,EAAOrE,EAAM1D,  
MAEfa,EA AWkH,KAAUzG,EA AKByG,UAGIC,SAIJ,ECPT,IAAMoD,GAAOF,GbEatJ,SaGLyJ,yBAaP1H,EAAG  
B2H,EA AQBC,QAC1C5H,MAAQA,OACR6H,cAAgB,QAC hBC,SAAoC,eAAzBvK,QAAQC,IAAIC,gBACXiG,I  
AAdkE,GAA2BA,EA AUE,WACtCN,GA ACxH,QACX2H,YAAcA,OA IdI,SAAWX,GAAMK,GAAME,QA EvBC,  
UAAYA,EAIjBvC,EA AWS,WAAW6B,sBAQxBK,wBAAA,SAAwBC,EAA0BC,EA AwBC,OAC hER,EAAGB7H,  
KAAhB6H,YAEF3F,EA AQ,MAEVIC,KAAK8H,WACP5F,EAAMvF,KAAKqD,KAAK8H,UAAUI,wBAAwBC,E  
AAKBC,EAAYC,IAI9ErI,KAAKgi,WAAaK,EAAOZ,QACvBzH,KAAK+H,eAAiBK,EA AW hC,aAAayB,EA Aa7  
H,KAAK+H,eACIE7F,EAAMvF,KAAKqD,KAAK+H,mBACX,KACCO,EAAYC,GAAQvI,KAAKE,MAAOiI,EA  
AKBC,EAAYC,GAAQ9I,KAAK,IAC3E1B,EAAO2K,GAAaIb,GAAMtH,KAAKiI,SAAUK,KAAe,OAEzDF,EA  
WhC,aAAayB,EA AahK,GAAO,KACzC4K,EA AQBJ,EA AOC,MAAezK,OA AQ+F,EA AWiE,GA EpEO,EA AWnI,  
YAAY4H,EA AahK,EAAM4K,GAG5CvG,EAAMvF,KAAKkB,QACNkK,cAAgBIK,MAEIB,SACGnB,EA WsD,  
KAAKE,MAAhBxD,OACJgM,EA AcPb,GAAMtH,KAAKiI,SAAU,EA AOZ,MAC1CzG,EAAM,GAEDxE,EA AI,  
EAAGA,EA AIE,EA AQF,IAAK,KACzBmM,EA AW3I,KAAKE,MAAM1D,MAEJ,iBAAbmM,EACT3H,GAAO2  
H,EA EsB,eAAzBIL,QAAQC,IAAIC,WAA2B+K,EA AcPb,GAAMoB,EA AaC,EA AWnM,SACIF,GAAImM,EA  
U,KACbC,EAAYL,GAAQI,EA AUR,EA AKBC,EAAYC,GAC5DQ,EA AaC,MAAMC,QAAQH,GAAaA,EA AUrJ,  
KAAK,IAAMqJ,EACnEF,EA AcPb,GAAMoB,EA AaG,EA AarM,GAC9CwE,GAAO6H,MAIP7H,EA AK,KACDn  
D,EA AO2K,GAAaE,IAAgB,OA ErCN,EA AW hC,aAAayB,EA AahK,GAAO,KACzCmL,EA AeX,EA OrH,MAAS  
nD,OA AQ+F,EA AWiE,GACxDO,EA AWnI,YAAY4H,EA AahK,EAAMmL,GAG5C9G,EAAMvF,KAAKkB,WAI  
RqE,EAAM3C,KAAK,WCTGhB0J,GA AgB,gBACHBC,GAA0B,CAAC,IAAK,IAAK,IAAK,KAOjC,SAASC,UAY  
BIBC,EACAC,EACAC,EACAC,eAzB6BnM,QAFjCoI,QAAAA,aAAUpI,QACVoM,QAAAA,aAAUtM,IAEJmL,E  
AAS,IAAIoB,EA AOjE,GAMtBkE,EA Ae,GA WbC,ECdR,SAAwBjJ,YAIbkJ,EA AQC,MACXA,MAEAnJ,EA AcMj  
,OACd,MAAOC,YAIN,SACLC,EACA9H,EACA+H,EACAC,EACAC,EACAC,EACAzN,EACA0N,EACAC,EAC  
AC,UAEQP,QAED,KA EW,IAAVM,GAAyC,KAA1BpI,EA AQuF,WAAW,GAAW,OA AO9G,EA AcuB,OA Aa,cA  
GhF,KACQ,IAAPmI,EA AU,OA AO nI,EA/BT,mBAkCT,SACKmI,QAED,SACA,WACI1J,EA AWsJ,EA AU,GAA  
K/H,GAAU,kBAEpCA,GA AkB,IAAPqI,EA zCV,QAYCiC,SAEzC,EACJrI,EA AQE,MA3CIoI,UA2CUtL,QAAQ2  
K,KD/BXY,EA AiB,SAAAJG,GACxCmF,EA Aa/M,KAAK4H,MAQdkG,EA AwB,SAAC9H,EA AO+H,EA AQC,U  
AG9B,IAAXD,IAA8E,IAA/DxB,GA AwB0B,QAAQD,EA AO tB,EA AU3M,UAEhEiO,EA AO hI,MAAM4G,GAKT  
5G,MAHMyG,YA4BNyB,EA Ae7J,EA AK6F,EA AU iE,EA AQjD,YAAAA,IAAAA,EA AC,SACrDkD,EA AU/J,EA  
AI7B,QAAQ8J,GA Ae,IACrC+B,EAASnE,GAAYiE,EAAYA,MAAUjE,QAAckE,OA ACa,SAK7E3B,EA AevB,E



ACfwB,EAAYxC,EACZyC,EAakB,IAAIxH,YAAYuH,QAAGB,KACIDE,EAA4B,IAAIzH,aAAauH,cAEtChB,EAAOyC,IAAWjE,EAAW,GAAKA,EAAUmE,UAdrD3C,EAAO4C,cAAQzB,GAPwB,SAACO,EAASmB,EAAGlB,GAClC,IAAZD,GAAiBC,EAAUtN,QAAUsN,EAAU,GAAGmB,YAAY9B,GAAa,IAE7EW,EAAU,GAAKA,EAAU,GAAG7K,QAAQmK,EAAiBmB,KAIDd,EAID9B,SAAI,OACP,IAAbA,EAAGB,KACZqB,EAAC1B,SACpBA,EA Ae,GACR0B,OA+DXP,EA AepD,KAAO+B,EAAQ9M,OAC1B8M,EACG6B,QAAO,SAACC,EA AKC,UACPA,EA AO1N,MACVyC,EAAiB,IAGZgH,GAAMgE,EA AKC,EA AO1N,QHnGf,MGqGXhB,WACH,GAEGgO,ME3FIW,GAAgDC,EAAMC,gBACtDC,GAAqBH,GAakBI,SACvCC,GAA6CJ,EAAMC,gBAGnDI,IAFiBD,GAACd,SAEL,IAAIrG,GAC9BwG,GAA4B5C,KAeZC,SAAGB6C,YACPC,EAAWT,KAA sBM,GAG1C,SAAGBI,YACPd,EA AWJ,KAAkBE,GAGvB,SAASI,GAakBC,SACVC,EAASD,EAAME,eAAtC9C,OAAS+C,OACVC,EA AoBR,KAEPB5D,EAAaqE,GAAQ,eACrBzK,EAAQwK,SAERJ,EAAMpK,MAERA,EAAQoK,EAAMpK,MACLoK,EAAM5O,SACfwE,EAAQA,EAAMiE,uBA AuB,CAAEzI,OAAQ4O,EAAM5O,SAAU,IAG7D4O,EAAMM,wBACR1K,EAAQA,EAAMiE,uBA AuB,CAAEEX,mBA AmB,KAGrDtD,IACN,CAACoK,EAAMM,sBA AuBN,EAAMpK,MAAOoK,EAAM5O,SAE9C6K,EAASoE,GACb,kBACeTd,GAAqB,CACnB3D,QAAS,CAAESF,QAASsB,EAAMO,uBAC1BnD,QAAAA,MAEJ,CAAC4C,EAAMO,sBA AuBnD,WAGhCoD,GAAU,WACHC,EAARd,EAAS4C,EAAME,gBAAGBC,EAAWH,EAAME,iBACjE,CAACF,EAAME,gBAGRb,gBAACD,GAakBsB,UAA SC,MAAO3E,GACjCqD,gBAACI,GAACiB,UAA SC,MAAO1E,GACH,eAAzB5K,QAAQC,IAAIC,SACT8N,EAAMuB,SAASC,KAAKb,EAAMc,UAC1Bd,EAAMc,eCjEGC,yBAOPtP,EAACqC,mBAM1BkN,OAAS,SAACHf,EA AwBiF,YAAAA,IAAAA,EAA8BtB,QACxDuB,EAAeC,EAAK1P,KAAOWP,EAAe5F,KA E3CW,EA AWhC,aAAamH,EA AKhM,GA AI+L,IACpClF,EA AWnI,YACTsN,EA AKhM,GACL+L,EACAD,EA AeE,EA AKrN,MAAOoN,EA Ac,qBAK/CzQ,SAAW,kBACFyD,EAAiB,GA AI2G,OAAOsG,EAAK1P,aAI BnCA,KAAOA,OACP0D,mBA AqB1D,OACrBqC,MAAQA,qBA mBfsN,QAAA,SAAQH,mBAAAA,IAAAA,EAA8BtB,IAC7B/L,KAAKnC,KAAOWP,EA Ae5F,WC7BhCgG,GAAiB,UACjBC,GAAmB,WACnBC,GAA Y,OACZC,GAAqB,SAACC,aAA6BA,EA AKC,eA kB/C,SAASC,GAAmBpD,UAClC8C,GAAenQ,KAAKqN,GACzBA,EACCxL,QAAQuO,GAakBE,IAC1BzO,QA AQwO,GAAW,QACpBhD,ECIBJ,IAAMqD,GAA Y,SAAAC,UAASA,MAAAA,IAAmD,IAAVA,GAA6B,KAAVA,GAoBvF,SA AwB1F,GACtB0F,EACA9F,EACAC,EACAI f,MAEIvE,MAAMC,QAAQkF,GAAQ,SAGY1R,EA F9B2R,EAAU,GAEP1R,EAAI,EAAGC,EAAMwR,EAAMvR,OAAGBF,EA AIC,EA AKD,GA AK,EAGzC,MAFFD,EAASgM,GAAQ0F,EAAMzR,GA AI2L,EA AKBC,EAAYiF,MAGhDvE,MAAMC,QAAQxM,GAAS2R,EA AQvR,WAARuR,EAAgB3R,GAC3C2R,EAAQvR,KAAKJ,WAGb2R,KAGLF,GAAUC,SACL,MAILnQ,EA AkBmQ,aACTA,EAAMIQ,qBAI fV,EA AW4Q,GAAQ,IC9DL,mBA FwB3Q,EDiEhB2Q,IC7DtB3Q,EA AKP,WACFO,EA AKP,UAAUoR,mBD4DchG,EAa3B,OAAO8F,MAZN1R,EAAS0R,EAAM9F,SAEQ,eAAzB1K,QAAQC,IAAIC,UAA6ByQ,EAAU7R,IAErD8R,QAAQC,KACH/Q,EACD0Q,uLAKC1F,GAAQhM,EAAQ4L,EA AKBC,EAAYiF,GCTE5C,IAA6B/P,SDiFtC2Q,aAAiBd,GACf/E,GACF6F,EAAMb,OAAOhF,EAAYiF,GACIBY,EAAMT,QAAQH,IACTY,EAITM,EAACn,GAzEM,SAAhBO,EAAiBC,EAAaC,OEbH7Q,EAACKP,EFc9C7M,EAAQ,OAET,IAAMyO,KAAOF,EACXA,EAAIG,eAAeD,KAAQX,GAAUS,EAAIE,MAEzC7F,MAAMC,QAAQ0F,EAAIE,KAA SF,EAAIE,GAAKE,OAAUxR,EA AWoR,EAAIE,IACHEzO,EAAMvD,KAAQmS,GAAUH,OAASF,EAAIE,GAAM,KACICJ,EAACe,EAAIE,IAC3BzO,EAAMvD,WAANuD,EAACsO,EAAcC,EAAIE,GAAMA,IAEtCzO,EAAMvD,KAAQmS,GAAUH,SExBU9Q,EFwBe8Q,EErBxC,OA HuC5B,EFwBM0B,EAAIE,KErBxB,kBA AV5B,GAAiC,KAAVA,EAC1C,GAGY,iBAAVA,GAAgC,IAAVA,GAAiBIP,KAAQkR,EAInD9H,OAAO8F,GAAOVN,OAHTuN,qBFoBL2B,GAACa,eAAgBxO,GAAO,MAAOA,EA0DrBsO,CAACp,GAASA,EAAMpR,WG9E7D,IAAMmS,GAAS,SAAAC,UACTnG,MAAMC,QAAQkG,KAehBA,EA AIJ,OAAQ,GAEPi,GAGM,SAASjO,GAAIkO,8BA AmB5S,mCAA AA,2BACzCe,EA AW6R,IAAWX,EAACw,GAE/BF,GAAOzG,GAAQ4G,EA AWjS,GAACgS,UAAW5S,MAG9B,IAA1BA,EAAeI,QAAKc,IAAI BwS,EAAOxS,QAAqC,iBA AdwS,EAAO,GAE/DA,EAIFF,GAAOzG,GAAQ4G,EA AWD,EAAQ5S,KC5B3C,IAAM8S,GAAoB,qBACpBC,GAAO,IAAI9I,IAEJ+I,GAAuB,SAAC1R,EA AQBiK,MAC3B,eAAzBpK,QAAQC,IAAIC,SA A2B,KAEnC4R,EACJ,iBA AiB3R,GAFLiK,sBA AKCA,MAAiB,6NAUpE2H,EA AuBnB,QAAQoB,cAE/BC,GAAwB,EA E5BrB,QAAQoB,MAAQ,SAACE,MAGXP,GA AkB9R,KAAKqS,GACzBD,GAAwB,EA ExBL,UAA YE,OACP,4BAPgCK,mCAAAA,oBA QRcJ,gBA AqBG,UAAwBC,MAMjDC,IAEI H,IAA0BL,GA AK7N,IAAI+N,KA ERcIB,QAAQC,KAAKiB,GACbF,GA AKhJ,IAAIkI,IAEX,MAAOE,GAGHL,GAAKB9R,KAAKmS,EAAMF,UAE/BF,UAA YE,WAI dIb,QAAQoB,MAAQD,iBC9CNpD,EAAc0D,EA AoBC,mB

AAAA,IAAAA,EAAoB3S,GAC5DgP,EAAM4D,QAAUD,EAAaC,OAAS5D,EAAM4D,OAAUF,GAAiBC,EAAaC,OCJxFC,GAAc,wCAEdC,GAAe,WAMN,SAASC,GAAOC,UAE3BA,EAEGjR,QAAQ8Q,GAAa,KAGrB9Q,QA AQ+Q,GAAc,ICd7B,gBAAgBE,UACPjJ,GAAuBM,GAACK2I,KAAS,ICH/B,SAASC,GAAM7S,SAER,iBAAXA,IA CmB,eAAzBC,QAAQC,IAAIC,UACTH,EAAO8S,OAAO,KAAO9S,EAAO8S,OAAO,GAAGxC,eCqB9C,IAA MyC,GAAW,SAAAC,SAEE,mBAARA,GAAc,iBAARA,GAA4B,OAARA,IAAiB1H,MAAMC,QAAQyH,IAItF C,GAAa,SAAA9B,SACF,cAARA,GAA+B,gBAARA,GAAiC,cAARA,GAGzD,SAAS+B,GAAMIT,EAAQgT,EA AK7B,OACpBF,EAAMjR,EAAOmR,GACf4B,GAASC,IAAQD,GAAS9B,GAC5BkC,GAAUIC,EAAK+B,GAefh T,EAAOmR,GAAO6B,EAIH,SAASG,GAAUnT,8BAAWot,mCAAAA,kCACzBA,iBAAM,KAAbnC,UACL8B,G AAS9B,OACN,IAAME,KAAOF,EACZgC,GAAW9B,IACb+B,GAAMIT,EAAQiR,EAAIE,GAAMA,UAMzBnR, MC5CIqT,GAAsCpF,EAAMC,gBAE5CoF,GAAGBD,GAAajF,SA8B3B,SAASmF,GAAc3E,OAC9B4E,EAAa/E,EA AAW4E,IACxBI,EAAexE,GAAQ,kBA9B/B,SAAoBuD,EAAsBgB,OACnChB,SACIIP,EAAiB,OAGtBjD,EA AW 2S,GAAQ,KACfkb,EAAclB,EAAMgB,SAGC,eAAzBvT,QAAQC,IAAIC,UACK,OAAhBuT,IAAwBpI,MAAMC, QAAQmI,IAAuC,iBAAhBA,EAKzDA,EAHE5Q,EAAiB,UAMxBwI,MAAMC,QAAQiH,IAA2B,iBAAVA,EAC1 B1P,EAAiB,GAGnB0Q,OAakBA,KAAehB,GAAUA,EAQfmB,CAAW/E,EAAM4D,MAAOgB,KAAa,CACtE5E, EAAM4D,MACNgB,WAGG5E,EAAMc,SAIJzB,gBAACoF,GAAa/D,UAASC,MAAOke,GAAe7E,EAAMc,UAH jD,KCxBX,IAAMkE,GAAc,GakJpB,SAAwBC,GACTB7T,EACAgI,EAOfT,OAEMoR,EAAqBxT,EAakBN,GA CvC+T,GAAwBIB,GAAM7S,KAMhCgI,EAHFgM,MAAAA,aAAQtU,MAGNsI,EAFFqC,YAAAA,aA/JJ,SAAoBj K,EAAsB6T,OACIC5T,EAA8B,iBAAhBD,EAA2B,KAAOuS,GAAOvS,GAE7DwT,GAAYvT,IAASuT,GAAYvT, IAAS,GAAK,MAEzCgK,EAAiBhK,MAAQ6T,G9B3BPvT,Q8B8BTN,EAAOuT,GAAYvT,WAG3B4T,EAaUBA, MAaqB5J,EAAGBA,EAoJnD8J,CAAWnM,EAAQ5H,YAAa4H,EAAQiM,uBAEpDjM,EADF5H,YAAAA,aC5L W,SACbJ,UAE06S,GAAM7S,aAAoBA,YAAqBD,EAAiBC,ODyLvDoU,CAAoBpU,KAG9BO,EACJyH,EAAQ5 H,aAAe4H,EAAQqC,YACxBsI,GAAO3K,EAAQ5H,iBAAGB4H,EAAQqC,YAC1CrC,EAAQqC,aAAeA,EAGvBg K,EACJP,GAAwB9T,EAAGcGU,MACpDII,MAAM/L,UAAU+U,OAASuT,EAAGcGU,MAAOA,GAAOO,OAAO xT,SAC9EiT,EAGFQ,EAAoBxM,EAAQwM,kBAE5BV,GAAsB9T,EAAOuU,oBAG7BA,EAFExM,EAAQwM,k BAEU,SAACC,EAAMC,EAAUC,UAC/B3U,EAAGcWU,kBACICC,EACAC,EACAC,IAEA3M,EAAQwM,kBAA 4CC,EAAMC,EAAUC,IAGID3U,EAAGcWU,uBAkBTdI,EAdEC,EAAiB,IAAIzK,GACzB1H,EACAnC,EACAuT, EAAuB9T,EAAGB6U,oBAAkCzO,GAKrEoE,EAAWqK,EAERK,UAA6B,IAAjBwJ,EAAM9U,OAQ5C4V,EAAa ,SAACIG,EAAOmG,UahJ7B,SACEC,EACApG,EACAqG,EACAzK,OAGS0K,EAOLF,EAPFhB,MACAa,EAME G,EANFH,eACAtC,EAKeyC,EALFzC,aACA4C,EAIEH,EAJFG,mBACAX,EAGEQ,EAHFR,kBACAjU,EAEEyU ,EAFFzU,kBACAP,EACEgV,EADFhV,OAI2B,eAAzBC,QAAQC,IAAIC,UAA2BiV,EAAc7U,SAPe3D,SAAKCiS ,EAA2B5D,EAAeoF,YAA1CxB,IAAAA,EAAa5S,OAIvC2M,OAaeqC,GAAO4D,MAAAA,IACtB6C,EAAGB,UA EtBrB,EAAMvS,SAAQ,SAAA6T,OAERnE,EErD4B9P,EAAyC,EFoDxCiU,EAakBD,MAQjBnE,KALDtR,EAA W0V,KACbA,EAakBA,EAAGbhJ,IAIxBgJ,EACVhJ,EAAQ4E,GAAOkE,EAACIE,GACnB,cAARA,GE9D4B9P, EF+DZgU,EAACIE,GE/DU7P,EF+DjiU,EAAGBpE,GE9DnD9P,GAACK,EAAOD,MAACK,EAAMD,GAACK,G F+DzBiU,EAAGBpE,MAKnB,CAAC5E,EAAS8I,GakDQG,CAFXC,GAAe7G,EAAOH,EAAW4E,IAAed,IAEX3 S,EAACgP,EAAOsG,GAAjE3I,OAASyH,OAEO0B,EAjDR,SACEb,EACArK,EACA6K,EACAM,OAEM/K,EAAa 4D,KACb3D,EAAS6D,KAETkH,EAAYpL,EACdqK,EAaenK,wBAAwB9K,EAAGL,EAAYC,GACjEgK,EAaen K,wBAAwB2K,EAaezK,EAAYC,SAGzC,eAAzB5K,QAAQC,IAAIC,UAA2BiV,EAAcQ,GAE5B,eAAzB3V,QA AQC,IAAIC,WAA8BqK,GAAYmL,GACxDA,EAAMBC,GAGdA,EA6BoBC,CACzBhB,EACArK,EACA+B,EAC yB,eAAzBtM,QAAQC,IAAIC,SAA4B6U,EAAMBW,wBAAGBvP,GAG5E0P,EAAeb,EAefN,EAA6BX,EAAM+B ,KAAOnH,EAAMmH,KAAO/B,EAAMgC,IAAMpH,EAAMoH,IAAMhW,EAE/EiW,EAACpD,GAAM8B,GACpB uB,EAAGBIC,IAAUfP,OAAaA,KAAUoF,GAAUpF,EAC3DuH,EAakB,OAGnB,IAAMhF,KAAO+E,EACD,MA AX/E,EAAl,IAAsB,OAARA,IACL,gBAARA,EACpGF,EAAGBH,GAAKE,EAAC/E,IAEnCqD,EACIA,EAakBrD, EAAKiF,EAAWzB,IACICsB,GACAG,EAUjF,MAIdGF,EAAGBhF,GAAO+E,EAAC/E,YAIrCvC,EAAM9J,OA ASkP,EAAMIP,QAAU8J,EAAM9J,QACvCqR,EAAGBrR,WAAa8J,EAAM9J,SAAUkP,EAAMIP,QAGrDqR,EAAG BP,UAAyT,MAAM/L,UAC/B+U,OACCa,EACA5U,EACAmV,IAAuBnV,EAAoBmV,EAAGB,KACHE9G,EA A MgH,UACN5B,EAAM4B,WAEPrB,OAAXt,SACpGB,KAAK,KAERoU,EAAGBpB,IAAMe,EAefIQ,EAAC+O,E AAoBwB,IAUehBvB,EAawBhG,EAAOmG,EAakvK,WAE7DsK,EAAW1U,YAAcA,GAEzBwU,EAA2B3G,EA

AM6G,WAAWA,IACrBd,MAAQK,EAC/BO,EAAuBC,eAAiBA,EACxCD,EAAuBxU,YAAcA,EACrCwU,EAAu  
BJ,kBAAoBA,EAI3CI,EAAuBO,mBAAqBrB,EACxCxI,MAAM/L,UAAU+U,OACZtU,EAAGCmV,mBACHCnV,  
EAAGCO,mBAEpCb,EAElkV,EAAuBrU,kBAAoBA,EAG3CqU,EAAuB5U,OAAS8T,EAC1B9T,EAAGCA,OACI  
CA,EAEl4U,EAAuByB,cAAgB,SAAuBnU,OACvCoU,EAA0CtO,EAAvDqC,YAAqCkM,uIAAkBvO,mBAEzDw  
O,EACJF,GACGA,OAAuBzD,GAAM3Q,GAAOA,EAAMyQ,GAAO5S,EAAiBmC,YAQhE2R,GAAsB3R,OALx  
BqU,GACHvC,MAAOK,EACPhK,YAAamM,IAG+B9T,IAGhDpD,OAAOmX,eAAe7B,EAAwB,eAAgB,CAC5D  
3Q,sBACsZB,KAAKkU,qBAGd3T,aAAIkO,QACGyF,oBAAsB5C,EACvB6C,GAAM,GAAM3W,EAAgCuS,aAA  
ctB,GAC1DA,KAIqB,eAAzBhR,QAAQC,IAAIC,WACd2R,GAAqB1R,EAAaG,GAElCqU,EAAuBe,4BGzSXvV,  
EAAqBiK,OAC/BuM,EAAMb,GACnBC,GAAC,SAEX,SAACjB,OACDiB,IACHD,EAAiBhB,IAAa,EAC1BtW,O  
AAOwX,KAAKF,GAakB1X,QATnB,KASoC,KAG3C6X,EAAiB1M,sBAakCA,MAAiB,GAElEwG,QAAQC,K  
ACN,iDAAsD1Q,EAAc2W,oQAUTeF,GAAC,EACdD,EAAMb,KHiRqBI,CAC1C5W,EACAG,IAIJqU,EAAuBvV,  
SAAW,qBAAUuV,EAAuBrU,mBAE/DwT,GACfkd,EAIeRc,EAA0B5U,EAA0D,CAEpFgU,OAAO,EACPa,gBA  
AgB,EACHBzU,aAAa,EACb+U,oBAAoB,EACpBX,mBAAMb,EACnBjU,mBAAMb,EACnBP,QAAQ,EACRqW,  
eAAe,IAIZzB,ElpUT,ICIMsC,GAAS,SAACHv,mBCCQiV,EACtBC,EACAIv,EACA8F,eAAAA,IAAAA,EAakB  
pI,IAEbyX,EAAMbnV,UACfY,EAAiB,EAAG2G,OAAOvH,QAK9BoV,EAAMb,kBAAaF,EAAqBIV,EAak8F,E  
AASxE,oCAGzE8T,EAAiBC,WAAa,SAAAC,UAC5BL,EAAqBC,EAAsBIV,OAAU8F,KAAyWp,KAGnEF,EAAi  
BtD,MAAQ,SAAAA,UACvBmD,EAAqBC,EAAsBIV,OACtC8F,GACHgM,MAAO1I,MAAM/L,UAAU+U,OAA  
OtM,EAAQgM,MAAOA,GAAOO,OAAOxT,aAGxDuW,EDzBuBH,CAAqBM,GAAiBvV,IDJvD,CACb,IACA,O  
ACA,UACA,OACA,UACA,QACA,QACA,IACA,OACA,MACA,MACA,MACA,aACA,OACA,KACA,SACA,SA  
CA,UACA,OACA,OACA,MACA,WACA,OACA,WACA,KACA,MACA,UACA,MACA,SACA,MACA,KACA,K  
ACA,KACA,QACA,WACA,aACA,SACA,SACA,OACA,KACA,KACA,KACA,KACA,KACA,KACA,OACA,SA  
CA,SACA,KACA,OACA,IACA,SACA,MACA,QACA,MACA,MACA,SACA,QACA,SACA,KACA,OACA,OAC  
A,MACA,OACA,UACA,OACA,WACA,OACA,QACA,MACA,WACA,SACA,KACA,WACA,SACA,SACA,IAC  
A,QACA,UACA,MACA,WACA,IACA,KACA,KACA,OACA,IACA,OACA,SACA,UACA,SACA,QACA,SACA,  
OACA,SACA,QACA,MACA,UACA,MACA,QACA,QACA,KACA,WACA,QACA,KACA,QACA,OACA,QACA,  
KACA,QACA,IACA,KACA,MACA,QACA,MAGA,SACA,WACA,OACA,UACA,gBACA,IACA,QACA,OACA,i  
BACA,SACA,OACA,OACA,UACA,UACA,WACA,iBACA,OACA,OACA,MACA,OACA,WACA,ScnIUT,SAA  
Q,SAAaiW,GACIBR,GAAOQ,GAAcR,GAAOQ,UELTC,yBAOPjV,EAAgB2H,QACrB3H,MAAQA,OACR2H,Y  
AAcA,OACdG,SAAWN,GAACxH,GAI9BqF,EAAWS,WAAWhG,KAAK6H,YAAc,8BAG3CuN,aAAA,SACEC,E  
ACAIN,EACAC,EACAC,OAGMrH,EAAMqH,EADIE,GAAQvI,KAAKE,MAAOiI,EAakBC,EAAYC,GACvC9I,  
KAAK,IAAK,IAC/BgC,EAakvB,KAAK6H,YAAcwN,EAG9BjN,EAAWnI,YAAySb,EAAIA,EAaip,MAGjCsU,  
aAAA,SAAaD,EAakBjN,GAC7BA,EAaw1B,WAAW1G,KAAK6H,YAAcwN,MAG3CE,aAAA,SACEF,EACAI  
N,EACAC,EACAC,GAElgN,EAaw,GAAG9P,EAAWS,WAAWhG,KAAK6H,YAAcwN,QAGtDC,aAAaD,EAA  
UjN,QACvBgN,aAAaC,EAAUIN,EAakBC,EAAYC,ScnC/C,SAASmN,GACtBnZ,8BACGC,mCAAAA,wBAEG  
4D,EAAQc,iBAAI3E,UAYC,IACxByB,eAAiC2T,GAAoB+D,KAAKC,UAAUxV,IACpEyV,EAAC,IAAIR,GAA  
YjV,EAAOnC,YAMIC6X,EAAqBxJ,OACtBhE,EAAa4D,KACb3D,EAAS6D,KACT8D,EAAQ/D,EAaw4E,IAGn  
BwE,EAfcxV,EAAOzH,EAawjC,mBAAMbpI,IAE5B8X,cAEA,eAAzBpY,QAAQC,IAAIC,UAA6B8N,EAAMu  
B,SAAS8I,MAAM1J,EAAMc,WAEtEmB,QAAQC,mCACwBvQ,uEAKP,eAAzBN,QAAQC,IAAIC,UACZuC,EA  
AM6V,MAAK,SAAAxR,SAAwB,iBAATA,IAAkD,IAA7BA,EAakqG,QAAQ,eAG5DyD,QAAQC,qVAKNIG,E  
AAWzC,QACb4P,EAAaF,EAAUjJ,EAAOhE,EAAY4H,EAAO3H,GAOjD2N,GAAgB,eACT5N,EAawzC,cACd4  
P,EAAaF,EAAUjJ,EAAOhE,EAAY4H,EAAO3H,GAC1C,kBAAMsN,EAAYL,aAAaD,EAAUjN,MAEjD,CAACi  
N,EAAUjJ,EAAOhE,EAAY4H,EAAO3H,IAGnC,cAGAKN,EAAaF,EAAUjJ,EAAOhE,EAAY4H,EAAO3H,MAC  
pDsN,EAAY3N,SACd2N,EAAYJ,aAAaF,EAAU3W,EAA0B0J,EAAYC,OACpE,KACC0B,OACDqC,GACH4D,  
MAAOiD,GAAe7G,EAAO4D,EAAO4F,EAAqB7F,gBAG3D4F,EAAYJ,aAAaF,EAAUtl,EAAS3B,EAAYC,Uaz  
D/B,eAAzB5K,QAAQC,IAAIC,UACd2R,GAAqBvR,GA6DhB0N,EAAMwK,KAAKL,GC9EL,SAASM,GACtB7  
Z,GAK2B,eAAzBoB,QAAQC,IAAIC,UACS,oBAAdwY,WACe,gBAAtBA,UAAUC,SAGV/H,QAAQC,KACN,8I  
AVDhS,mCAAAA,wBACg4D,EAAQc,iBAAI3E,UAYC,IAAgBiD,KAAK,IAC7C1B,EAAO6T,GAAoBxR,UA  
C1B,IAAliN,GAAUtp,EAAMqC,OCbRmW,2CAYnBC,cAAgB,eACRtV,EAAMuM,EAak8H,SAASxY,eACrBm

E,EA AK,MAAO,OAEX8C,EAAQhB,oBACA,CAACgB,aAAmBA,MAAa9F,YAAqBuY,+BAC7CxE,OAAOxT,S  
AASgB,KAAK,SAEfyB,mBAW/BwV,aAAe,kBACTjJ,EA AKkJ,OACAnW,EAAiB,GAGnBiN,EA AK+I,sBAGdI,  
gBA AkB,oBACZnJ,EA AKkJ,cACAnW,EAAiB,OAGpB8L,UACHpO,GAAU,KxChDc,uBACLg,UwCiDpBwY,w  
BA AyB,CACvBC,OAAQrJ,EA AK8H,SAASxY,eAlpBiH,EAAQhB,WACVgB,IACDsI,EAAYtI,MAAQA,GAlhB,  
CAAC2H,6BA AWW,GAAOuC,IAAI,mBA sDhCkI,KAAO,WACLtJ,EA AKkJ,QAAS,QAzGTpB,SAAW,IAAI9P,  
EA AW,CAAEF,UAAU,SACtCoR,QAAS,6BAchBK,cAAA,SAAc5J,UACRlN,KAAKyW,OACAnW,EAAiB,GAG  
nBmL,gBAACU,IAAkBnK,MAAOhC,KAAKqV,UAAWnI,MAkCnD6J,yBAAA,SAAyBC,UAEd1W,EAAiB,qBC  
/Dd2W,OAERC,EAAYzL,EAAM6G,YAAW,SAACIG,EAAOmG,OACnCvC,EAAQ/D,EA AW4E,IAEjBd,EAAiB  
kH,EA AjBIH,aACFoH,EAAYIE,GAAe7G,EAAO4D,EAAOD,SAEIB,eAAzBtS,QAAQC,IAAIC,eAA2CiG,IAAd  
T,GAE3C9I,QAAQC,8HACmH/Q,EACvH0Z,QAKCxL,gBAACwL,OAAc7K,GAAO4D,MAAOmH,EA AW5E,IA  
AKA,eAGtD6E,EA Af,EA AWd,GAExBC,EAAUtZ,yBAA2BL,EAAiB0Z,OAE/CC,GCICHG,GAAW,kBAAMP  
L,EA AW4E,KCErByG,GAAC,CACzB/R,WAAAA,EACAUg,YAAAA,ICmByB,eAAzBrO,QAAQC,IAAIC,UACS  
,oBAAdwY,WACe,gBAAtBA,UAAUC,SAGV/H,QAAQC,KACN,wNAOyB,eAAzB7Q,QAAQC,IAAIC,UAA sD,  
SAAzBF,QAAQC,IAAIC,UAAyC,oBAAXU,SACrFA,OAAO,8BAAGCA,OAAO,+BA AiC,EAEIC,IAAzCA,OAA  
O,+BAETgQ,QAAQC,KACN,4TAOJjQ,OAAO,+BA AiC" }

Found in path(s):

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/dist/styled-components.browser.esm.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version": 3, "file": "styled-components-  
primitives.esm.js", "sources": [ "../src/utls/generateAlphabeticName.js", "../src/utls/hash.js", "../src/utls/generate  
ComponentId.js", "../src/utls/getComponentName.js", "../src/utls/isFunction.js", "../src/utls/isStatelessFunction  
.js", "../src/utls/isPlainObject.js", "../src/utls/isStyledComponent.js", "../src/constants.js", "../src/utls/empties.j  
s", "../src/utls/errors.js", "../src/utls/error.js", "../src/sheet/GroupedTag.js", "../src/sheet/GroupIDAllocator.js", "  
../src/sheet/Rehydration.js", "../src/utls/nonce.js", "../src/sheet/dom.js", "../src/sheet/Tag.js", "../src/sheet/She  
et.js", "../src/utls/stylisPluginInsertRule.js", "../src/utls/stylis.js", "../src/models/StyleSheetManager.js", "../src/  
models/Keyframes.js", "../src/utls/hyphenateStyleName.js", "../src/utls/addUnitIfNeeded.js", "../src/utls/flatten  
.js", "../src/vendor/postcss/warn-once.js", "../src/vendor/postcss/tokenize.js", "../src/vendor/postcss/terminal-  
highlight.js", "../src/vendor/postcss/css-syntax-  
error.js", "../src/vendor/postcss/stringifier.js", "../src/vendor/postcss/stringify.js", "../src/vendor/postcss/node.js", "  
../src/vendor/postcss/declaration.js", "../src/vendor/postcss/comment.js", "../src/vendor/postcss/parser.js", "../s  
rc/vendor/postcss/parse.js", "../src/vendor/postcss/container.js", "../src/vendor/postcss/at-  
rule.js", "../src/vendor/postcss/list.js", "../src/vendor/postcss/rule.js", "../src/vendor/postcss/warning.js", "../src/v  
endor/postcss/result.js", "../src/vendor/postcss/lazy-  
result.js", "../src/vendor/postcss/processor.js", "../src/vendor/postcss/root.js", "../src/vendor/postcss/input.js", "../  
src/vendor/postcss-safe-parser/safe-parser.js", "../src/vendor/postcss-safe-  
parser/parse.js", "../src/models/InlineStyle.js", "../src/utls/mixinDeep.js", "../src/utls/determineTheme.js", "../s  
rc/utls/isTag.js", "../src/utls/generateDisplayName.js", "../src/models/ThemeProvider.js", "../src/models/Styled  
NativeComponent.js", "../src/utls/interleave.js", "../src/constructors/css.js", "../src/constructors/constructWithOp  
tions.js", "../src/hoc/withTheme.js", "../src/hooks/useTheme.js", "../src/primitives/index.js"], "sourcesContent": ["/  
@flow\n/* eslint-disable no-bitwise *\n\nconst AD_REPLACER_R = /(a)(d)(gi);*\n\n/* This is the \"capacity\" of  
our alphabet i.e. 2x26 for all letters plus their capitalised\n * counterparts *\n\nconst charsLength = 52;\n\n/* start at  
75 for 'a' until 'z' (25) and then start at 65 for capitalised letters *\n\nconst getAlphabeticChar = (code: number): string  
=>\n  String.fromCharCode(code + (code > 25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to  
base-52 *\n\nexport default function generateAlphabeticName(code: number): string {\n  let name = \"\";\n  let x;\n\n  /*  
  get a char and divide by alphabet-length *\n  for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0)
```

```

{\n  name = getAlphabeticChar(x % charsLength) + name;\n }\n\n return (getAlphabeticChar(x % charsLength) +
name).replace(AD_REPLACER_R, '$1-$2');\n}\n", "// @flow\n/* eslint-disable *\n\nexport const SEED =
5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we pretend that
we're still looping over\n// the same string\nexport const phash = (h: number, x: string): number => {\n let i =
x.length;\n\n while (i) {\n  h = (h * 33) ^ x.charCodeAt(--i);\n }\n\n return h;\n};\n\n// This is a djb2 hashing
function\nexport const hash = (x: string): number => {\n return phash(SEED, x);\n};\n", "// @flow\n/* eslint-disable
*\n\nimport generateAlphabeticName from './generateAlphabeticName';\nimport { hash } from './hash';\n\nexport
default (str: string): string => {\n return generateAlphabeticName(hash(str) >>> 0);\n};\n", "// @flow\nimport type {
IStyledComponent } from './types';\n\nexport default function getComponentName(\n target:
$PropertyType<IStyledComponent, 'target'>)\n): string {\n return (\n (process.env.NODE_ENV !== 'production' ?
typeof target === 'string' && target : false) ||\n // $FlowFixMe\n target.displayName ||\n // $FlowFixMe\n
target.name ||\n 'Component'\n );\n}\n", "// @flow\nexport default function isFunction(test: any): boolean %checks
{\n return typeof test === 'function';\n}\n", "// @flow\nexport default function isStatelessFunction(test: any):
boolean {\n return (\n typeof test === 'function'\n && !(\n test.prototype\n &&
test.prototype.isReactComponent\n )\n );\n}\n", "// @flow\nimport { typeOf } from 'react-is';\n\nexport default (x:
any): boolean => \n x !== null && \n typeof x === 'object' && \n (x.toString ? x.toString() :
Object.prototype.toString.call(x)) === '[object Object]' && \n !typeOf(x);\n", "// @flow\nexport default function
isStyledComponent(target: any): boolean %checks {\n return target && typeOf(target.styledComponentId) ===
'string';\n}\n", "// @flow\n\ndeclare var SC_DISABLE_SPEEDY: ?boolean;\ndeclare var __VERSION__:
string;\n\nexport const SC_ATTR: string = \n (typeof process !== 'undefined' &&
(process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) || \n 'data-styled';\n\nexport const
SC_ATTR_ACTIVE = 'active';\nexport const SC_ATTR_VERSION = 'data-styled-version';\n\nexport const
SC_VERSION = __VERSION__;\n\nexport const SPLITTER = '/*!sc*/\n';\n\nexport const IS_BROWSER = typeOf
window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE_SPEEDY = \n Boolean(typeof
SC_DISABLE_SPEEDY === 'boolean'\n ? SC_DISABLE_SPEEDY\n : (typeof process !== 'undefined' &&
typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined' &&
process.env.REACT_APP_SC_DISABLE_SPEEDY !== "\n ?
process.env.REACT_APP_SC_DISABLE_SPEEDY === 'false' ? false :
process.env.REACT_APP_SC_DISABLE_SPEEDY\n : (typeof process !== 'undefined' && typeOf
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== "\n ?
process.env.SC_DISABLE_SPEEDY === 'false' ? false : process.env.SC_DISABLE_SPEEDY\n :
process.env.NODE_ENV !== 'production'\n )\n );\n\n// Shared empty execution context when generating static
styles\nexport const STATIC_EXECUTION_CONTEXT = {};\n", "// @flow\nexport const EMPTY_ARRAY =
Object.freeze([]);\nexport const EMPTY_OBJECT = Object.freeze({});\n", "export default {\n"1": "Cannot create
styled-component for component: %s.\n\n",\n"2": "Can't collect styles once you've consumed a
`ServerStyleSheet`'s styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.\n\n- Are you
trying to reuse it across renders?\n- Are you accidentally calling collectStyles twice?\n\n",\n"3": "Streaming SSR
is only supported in a Node.js environment; Please do not try to call this method in the browser.\n\n",\n"4": "The
`StyleSheetManager` expects a valid target or sheet prop!\n\n- Does this error occur on the client and is your target
falsy?\n- Does this error occur on the server and is the sheet falsy?\n\n",\n"5": "The clone method cannot be used
on the client!\n\n- Are you running in a client-like environment on the server?\n- Are you trying to run SSR on the
client?\n\n",\n"6": "Trying to insert a new style tag, but the given Node is unmounted!\n\n- Are you using a
custom target that isn't mounted?\n- Does your document not have a valid head element?\n- Have you accidentally
removed a style tag manually?\n\n",\n"7": "ThemeProvider: Please return an object from your ""theme"" prop
function, e.g.\n\n``js\ntheme={() => ({})}\n``\n\n",\n"8": "ThemeProvider: Please make your ""theme""
prop an object.\n\n",\n"9": "Missing document `<head>\n\n",\n"10": "Cannot find a StyleSheet instance. Usually
this happens if there are multiple copies of styled-components loaded at once. Check out this issue for how to
troubleshoot and fix the common cases where this situation can happen: https://github.com/styled-

```

components/styled-components/issues/1941#issuecomment-417862021

"11": "\_This error was replaced with a dev-time warning, it will be deleted for v4 final. [createGlobalStyle] received children which will not be rendered. Please use the component without passing children elements."

"12": "It seems you are interpolating a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer supported in v4 as keyframes are now injected on-demand. Please wrap your string in the css` helper which ensures the styles are injected correctly. See <https://www.styled-components.com/docs/api#css>"

"13": "%s is not a styled component and cannot be referred to via component selector. See <https://www.styled-components.com/docs/advanced#referring-to-other-components> for more details."

"14": "ThemeProvider: `theme` prop is required."

"15": "A stylis plugin has been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between different stylis configurations within the same app. Before you pass your plugin to `

"16": "Reached the limit of how many styled components may be created at group %s. You may only create up to 1,073,741,824 components. If you're creating components dynamically, for instance in your render method then you may be running into this limitation."

"17": "CSSStyleSheet could not be found on HTMLStyleElement. Has styled-components' style tag been unmounted or altered by another script?"

```

import errorMap from './errors';
const ERRORS = process.env.NODE_ENV !== 'production' ? errorMap : {};
/** * super basic version of sprintf
function format(...args) {
  let a = args[0];
  const b = [];
  for (let c = 1, len = args.length; c < len; c += 1) {
    b.push(args[c]);
  }
  b.forEach(d => {
    a = a.replace(/%[a-z]/, d);
  });
  return a;
}
**
 * Create an error file out of errors.md for development and a simple web link to the full errors
 * in production mode.
 */
export default function
throwStyledComponentsError(
  code: string | number,
  ...interpolations: Array<any>
) {
  if (process.env.NODE_ENV === 'production') {
    throw new Error(`An error occurred. See https://git.io/JUIaE#${code} for more information.`);
  }
  if (interpolations.length > 0) {
    Args:
    ${interpolations.join(', ')} :
    }
  } else {
    throw new Error(format(ERRORS[code], ...interpolations).trim());
  }
}
**
 * @flow
 */
import type {
  GroupedTag,
  Tag
} from './types';
import { SPLITTER } from './constants';
import throwStyledError from './utils/error';
/**
 * Create a GroupedTag with an underlying Tag implementation
 */
export const
makeGroupedTag = (tag: Tag): GroupedTag => {
  return new DefaultGroupedTag(tag);
}
const BASE_SIZE = 1 << 9;
class DefaultGroupedTag implements GroupedTag {
  groupSizes: Uint32Array;
  length: number;
  tag: Tag;
  constructor(tag: Tag) {
    this.groupSizes = new Uint32Array(BASE_SIZE);
    this.length = BASE_SIZE;
    this.tag = tag;
  }
  indexOfGroup(group: number): number {
    let index = 0;
    for (let i = 0; i < group; i++) {
      index += this.groupSizes[i];
    }
    return index;
  }
  insertRules(group: number, rules: string[]): void {
    if (group >= this.groupSizes.length) {
      const oldBuffer = this.groupSizes;
      const oldSize = oldBuffer.length;
      let newSize = oldSize;
      while (group >= newSize) {
        newSize <<= 1;
        if (newSize < 0) {
          throwStyledError(16, `${group}`);
        }
      }
      this.groupSizes = new Uint32Array(newSize);
      this.groupSizes.set(oldBuffer);
      this.length = newSize;
      for (let i = oldSize; i < newSize; i++) {
        this.groupSizes[i] = 0;
      }
      let ruleIndex = this.indexOfGroup(group + 1);
      for (let i = 0, l = rules.length; i < l; i++) {
        if (this.tag.insertRule(ruleIndex, rules[i])) {
          this.groupSizes[group]++;
          ruleIndex++;
        }
      }
      clearGroup(group: number): void {
        if (group < this.length) {
          const length = this.groupSizes[group];
          const startIndex = this.indexOfGroup(group);
          const endIndex = startIndex + length;
          this.groupSizes[group] = 0;
          for (let i = startIndex; i < endIndex; i++) {
            this.tag.deleteRule(startIndex);
          }
        }
      }
      getGroup(group: number): string {
        let css = "";
        if (group >= this.length || this.groupSizes[group] === 0) {
          return css;
        }
        const length = this.groupSizes[group];
        const startIndex = this.indexOfGroup(group);
        const endIndex = startIndex + length;
        for (let i = startIndex; i < endIndex; i++) {
          css += `${this.tag.getRule(i)}${SPLITTER}`;
        }
        return css;
      }
}
**
 * @flow
 */
import throwStyledError from './utils/error';
const MAX_SMI = 1 << 31 - 1;
let groupIDRegister: Map<string, number> = new Map();

```

```

reverseRegister: Map<number, string> = new Map();\nlet nextFreeGroup = 1;\n\nexport const resetGroupIds = () =>
{\n  groupIDRegister = new Map();\n  reverseRegister = new Map();\n  nextFreeGroup = 1;\n};\n\nexport const
getGroupForId = (id: string): number => {\n  if (groupIDRegister.has(id)) {\n    return (groupIDRegister.get(id):
any);\n  }\n  while (reverseRegister.has(nextFreeGroup)) {\n    nextFreeGroup++;\n  }\n  const group =
nextFreeGroup++;\n  if (\n    process.env.NODE_ENV !== 'production' &&\n    ((group | 0) < 0 || group >
MAX_SMI)\n  ) {\n    throwStyledError(16, `${group}`);\n  }\n  groupIDRegister.set(id, group);\n  reverseRegister.set(group, id);\n  return group;\n};\n\nexport const getIdForGroup = (group: number): void | string
=> {\n  return reverseRegister.get(group);\n};\n\nexport const setGroupForId = (id: string, group: number) => {\n  if
(group >= nextFreeGroup) {\n    nextFreeGroup = group + 1;\n  }\n  groupIDRegister.set(id, group);\n  reverseRegister.set(group, id);\n};\n\n"@flow\n\nimport { SPLITTER, SC_ATTR, SC_ATTR_ACTIVE,
SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport { getIdForGroup, setGroupForId } from
'./GroupIDAllocator';\nimport type { Sheet } from './types';\n\nconst SELECTOR =
`style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`;
\nconst MARKER_RE = new
RegExp(`^${SC_ATTR}\\\\\\\\.g(\\\\\\\\d+)(\\\\\\\\[id=](\\\\\\\\[\\\\\\\\w\\\\\\\\d-]+)\\\\\\\\\\\\\\\\.\\\\\\\\.\\\\\\\\.?(\\\\\\\\[\\\\\\\\^]\\\\\\\\*)`);\n\nexport const outputSheet =
(sheet: Sheet) => {\n  const tag = sheet.getTag();\n  const { length } = tag;\n  let css = "";\n  for (let group = 0;
group < length; group++) {\n    const id = getIdForGroup(group);\n    if (id === undefined) continue;\n    const
names = sheet.names.get(id);\n    const rules = tag.getGroup(group);\n    if (!names || !rules || !names.size)
continue;\n    const selector = `${SC_ATTR}.g${group}[id=${id}]`;\n    let content = "";\n    if (names !==
undefined) {\n      names.forEach(name => {\n        if (name.length > 0) {\n          content += `${name},`;\n        }\n      });\n    }\n    // NOTE: It's easier to collect rules and have the marker\n    // after the actual rules to simplify the
rehydration\n    css += `${rules}${selector}{content:\\`${content}\\`}${SPLITTER}`;\n  }\n  return
css;\n};\n\nconst rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n  const names =
content.split(',');\n  let name;\n  for (let i = 0, l = names.length; i < l; i++) {\n    // eslint-disable-next-line\n    if
((name = names[i])) {\n      sheet.registerName(id, name);\n    }\n  }\n};\n\nconst rehydrateSheetFromTag = (sheet:
Sheet, style: HTMLStyleElement) => {\n  const parts = (style.textContent || "").split(SPLITTER);\n  const rules:
string[] = [];\n  for (let i = 0, l = parts.length; i < l; i++) {\n    const part = parts[i].trim();\n    if (!part) continue;\n    const marker = part.match(MARKER_RE);\n    if (marker) {\n      const group = parseInt(marker[1], 10) | 0;\n      const id = marker[2];\n      if (group !== 0) {\n        // Rehydrate componentId to group index mapping\n        setGroupForId(id, group);\n        // Rehydrate names and rules\n        // looks like: data-
styled.g11[id="idA"]{content:"nameA,"}\n        rehydrateNamesFromContent(sheet, id, marker[3]);\n      }\n      sheet.getTag().insertRules(group, rules);\n    } else {\n      rules.push(part);\n    }\n  }\n};\n\nexport const rehydrateSheet = (sheet: Sheet) => {\n  const nodes =
document.querySelectorAll(SELECTOR);\n  for (let i = 0, l = nodes.length; i < l; i++) {\n    const node =
((nodes[i]: any): HTMLStyleElement);\n    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE) {\n      rehydrateSheetFromTag(sheet, node);\n      if (node.parentNode) {\n        node.parentNode.removeChild(node);\n      }\n    }\n  }\n};\n\n"@flow\n\n/* eslint-disable camelcase, no-undef
*\n\ndeclare var window: { __webpack_nonce__: string };
\nconst getNonce = () => {\n  return typeof window
!=='undefined'\n    ? typeof window.__webpack_nonce__ !== 'undefined'\n    ? window.__webpack_nonce__\n    : null\n    : null;\n};\n\nexport default getNonce;\n\n"@flow\n\nimport { SC_ATTR, SC_ATTR_ACTIVE,
SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport getNonce from './utils/nonce';\nimport
throwStyledError from './utils/error';\n\nconst ELEMENT_TYPE = 1; /* Node.ELEMENT_TYPE *\n\n/** Find
last style element if any inside target *\n\nconst findLastStyleTag = (target: HTMLInputElement): void |
HTMLStyleElement => {\n  const { childNodes } = target;\n  for (let i = childNodes.length; i >= 0; i--) {\n    const
child = ((childNodes[i]: any): ?HTMLInputElement);\n    if (child && child.nodeType === ELEMENT_TYPE &&
child.hasAttribute(SC_ATTR)) {\n      return ((child: any): HTMLStyleElement);\n    }\n  }\n  return
undefined;\n};\n\n/** Create a style element inside `target` or <head> after the last *\n\nexport const makeStyleTag =
(target?: HTMLInputElement): HTMLStyleElement => {\n  const head = ((document.head: any): HTMLInputElement);\n  const parent = target || head;\n  const style = document.createElement('style');\n  const prevStyle =

```

```

findLastStyleTag(parent);\n const nextSibling = prevStyle !== undefined ? prevStyle.nextSibling : null;\n\n style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n style.setAttribute(SC_ATTR_VERSION,\n SC_VERSION);\n\n const nonce = getNonce();\n if (nonce) style.setAttribute('nonce', nonce);\n\n parent.insertBefore(style, nextSibling);\n\n return style;\n};\n\n/** Get the CSSStyleSheet instance for a given style\n element */\nexport const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n if (tag.sheet) {\n return\n ((tag.sheet: any): CSSStyleSheet);\n }\n\n // Avoid Firefox quirk where the style element might not have a sheet\n property\n const { styleSheets } = document;\n for (let i = 0, l = styleSheets.length; i < l; i++) {\n const sheet =\n styleSheets[i];\n if (sheet.ownerNode === tag) {\n return ((sheet: any): CSSStyleSheet);\n }\n }\n\n throwStyledError(17);\n return (undefined: any);\n};\n\n", "\n\n @flow\n\n/* eslint-disable no-use-before-define\n\n*/\n\nimport { makeStyleTag, getSheet } from './dom';\nimport type { SheetOptions, Tag } from './types';\n\n/**\n Create a CSSStyleSheet-like tag depending on the environment\n */\nexport const makeTag = ({ isServer,\n useCSSOMInjection, target }: SheetOptions): Tag => {\n if (isServer) {\n return new VirtualTag(target);\n }\n else if (useCSSOMInjection) {\n return new CSSOMTag(target);\n }\n else {\n return new TextTag(target);\n }\n }\n};\n\nexport class CSSOMTag implements Tag {\n element: HTMLStyleElement;\n\n sheet:\n CSSStyleSheet;\n\n length: number;\n\n constructor(target?: HTMLElement) {\n const element = (this.element =\n makeStyleTag(target));\n\n // Avoid Edge bug where empty style elements don't create sheets\n element.appendChild(document.createTextNode(''));\n\n this.sheet = getSheet(element);\n this.length = 0;\n }\n\n insertRule(index: number, rule: string): boolean {\n try {\n this.sheet.insertRule(rule, index);\n\n this.length++;\n return true;\n } catch (_error) {\n return false;\n }\n }\n\n deleteRule(index: number):\n void {\n this.sheet.deleteRule(index);\n this.length--;\n }\n\n getRule(index: number): string {\n const rule =\n this.sheet.cssRules[index];\n // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n if (rule\n !== undefined && typeof rule.cssText === 'string') {\n return rule.cssText;\n }\n else {\n return '';\n }\n }\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes\n */\nexport class TextTag implements\n Tag {\n element: HTMLStyleElement;\n\n nodes: NodeList<Node>;\n\n length: number;\n\n constructor(target?:\n HTMLElement) {\n const element = (this.element = makeStyleTag(target));\n this.nodes =\n element.childNodes;\n this.length = 0;\n }\n\n insertRule(index: number, rule: string): boolean {\n if (index <=\n this.length && index >= 0) {\n const node = document.createTextNode(rule);\n const refNode =\n this.nodes[index];\n this.element.insertBefore(node, refNode || null);\n this.length++;\n return true;\n }\n else {\n return false;\n }\n }\n\n deleteRule(index: number): void {\n this.element.removeChild(this.nodes[index]);\n this.length--;\n }\n\n getRule(index: number): string {\n if\n (index < this.length) {\n return this.nodes[index].textContent;\n }\n else {\n return '';\n }\n }\n}\n\n/** A\n completely virtual (server-side) Tag that doesn't manipulate the DOM\n */\nexport class VirtualTag implements Tag {\n rules: string[];\n\n length: number;\n\n constructor(_target?: HTMLElement) {\n this.rules = [];\n this.length = 0;\n }\n\n insertRule(index: number, rule: string): boolean {\n if (index <=\n this.length) {\n this.rules.splice(index, 0, rule);\n this.length++;\n return true;\n }\n else {\n return false;\n }\n }\n\n deleteRule(index: number): void {\n this.rules.splice(index, 1);\n this.length--;\n }\n\n getRule(index: number):\n string {\n if (index < this.length) {\n return this.rules[index];\n }\n else {\n return '';\n }\n }\n}\n\n", "\n\n @flow\n\nimport { DISABLE_SPEEDY, IS_BROWSER } from './constants';\nimport { EMPTY_OBJECT } from\n './utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport { getGroupForId } from\n './GroupIDAllocator';\nimport { outputSheet, rehydrateSheet } from './Rehydration';\nimport { makeTag } from\n './Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from './types';\n\nlet SHOULD_REHYDRATE =\n IS_BROWSER;\n\ntype SheetConstructorArgs = {\n isServer?: boolean,\n useCSSOMInjection?: boolean,\n target?: HTMLElement,\n};\n\ntype GlobalStylesAllocationMap = { [key: string]: number }; \ntype\n NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions: SheetOptions = {\n isServer:\n !IS_BROWSER,\n useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains the main stylesheet logic for\n stringification and caching\n */\nexport default class StyleSheet implements Sheet {\n gs:\n GlobalStylesAllocationMap;\n\n names: NamesAllocationMap;\n\n options: SheetOptions;\n\n server:\n boolean;\n\n tag: void | GroupedTag;\n\n /** Register a group ID to give it an index\n */\n static registerId(id:

```



```

string): number {\n  return getGroupForId(id);\n }\n\n constructor(\n  options: SheetConstructorArgs =
EMPTY_OBJECT,\n  globalStyles?: GlobalStylesAllocationMap = {},\n  names?: NamesAllocationMap\n ) {\n
this.options = {\n  ...defaultOptions,\n  ...options,\n }; \n\n this.gs = globalStyles;\n this.names = new
Map(names);\n this.server = !!options.isServer;\n\n // We rehydrate only once and use the sheet that is created
first\n if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n  SHOULD_REHYDRATE =
false;\n  rehydrateSheet(this);\n }\n }\n\n reconstructWithOptions(options: SheetConstructorArgs,
withNames?: boolean = true) {\n  return new StyleSheet(\n    { ...this.options, ...options },\n    this.gs,\n
(withNames && this.names) || undefined\n );\n }\n\n allocateGSInstance(id: string) {\n  return (this.gs[id] =
(this.gs[id] || 0) + 1);\n }\n\n /** Lazily initialises a GroupedTag for when it's actually needed */\n getTag():
GroupedTag {\n  return this.tag || (this.tag = makeGroupedTag(makeTag(this.options)));\n }\n\n /** Check
whether a name is known for caching */\n hasNameForId(id: string, name: string): boolean {\n  return
this.names.has(id) && (this.names.get(id): any).has(name);\n }\n\n /** Mark a group's name as known for caching
*/\n registerName(id: string, name: string) {\n  getGroupForId(id);\n\n if (!this.names.has(id)) {\n  const
groupNames = new Set();\n  groupNames.add(name);\n  this.names.set(id, groupNames);\n } else {\n
(this.names.get(id): any).add(name);\n }\n }\n\n /** Insert new rules which also marks the name as known */\n
insertRules(id: string, name: string, rules: string[]) {\n  this.registerName(id, name);\n
this.getTag().insertRules(getGroupForId(id), rules);\n }\n\n /** Clears all cached names for a given group ID */\n
clearNames(id: string) {\n  if (this.names.has(id)) {\n    (this.names.get(id): any).clear();\n }\n }\n\n /** Clears
all rules for a given group ID */\n clearRules(id: string) {\n  this.getTag().clearGroup(getGroupForId(id));\n
this.clearNames(id);\n }\n\n /** Clears the entire tag which deletes all rules but not its names */\n clearTag() {\n
// NOTE: This does not clear the names, since it's only used during SSR\n // so that we can continuously output
only new rules\n  this.tag = undefined;\n }\n\n /** Outputs the current sheet as a CSS string with markers for SSR
*/\n toString(): string {\n  return outputSheet(this);\n }\n}\n\n"/**\n * MIT License\n * Copyright (c) 2016
Sultan Tarimo\n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this
software and associated documentation files (the "Software"),\n * to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell
copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following
conditions:\n * The above copyright notice and this permission notice shall be included in all\n * copies or
substantial portions of the Software.\n * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT
WARRANTY OF ANY KIND, EXPRESS\n * OR IMPLIED INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n * WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR\n * IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.\n */\n\nexport default
function(insertRule) {\n  const delimiter = '*/';\n  const needle = `${delimiter}`;\n\n  function toSheet(block) {\n
if (block) {\n  try {\n    insertRule(`${block}`);\n  } catch (e) {\n    }\n }\n\n  return function ruleSheet(\n
context,\n  content,\n  selectors,\n  parents,\n  line,\n  column,\n  length,\n  ns,\n  depth,\n  at\n ) {\n
switch (context) {\n  // property\n  case 1:\n    // @import\n    if (depth === 0 && content.charCodeAt(0)
=== 64) return insertRule(`${content}`); break;\n  // selector\n  case 2:\n    if (ns === 0) return
content + delimiter;\n    break;\n  // at-rule\n  case 3:\n    switch (ns) {\n  // @font-face, @page\n
case 102:\n    case 112:\n      return insertRule(selectors[0] + content), "; default:\n      return
content + (at === 0 ? delimiter : ");\n    }\n  case -2:\n    content.split(needle).forEach(toSheet);\n  }\n
};\n}\n\n", "import Stylis from '@emotion/stylis';\nimport { type Stringifier } from './types';\nimport {
EMPTY_ARRAY, EMPTY_OBJECT } from './empties';\nimport throwError from './error';\nimport { phash,
SEED } from './hash';\nimport insertRulePlugin from './stylisPluginInsertRule';\n\nconst COMMENT_REGEX =
/^\\s*\\/\\/.*$/gm;\nconst COMPLEX_SELECTOR_PREFIX = [':', '[', '!', '#'];\n\nexport type StylisInstanceConstructorArgs
= {\n  options?: Object,\n  plugins?: Array<Function>,\n};\n\nexport default function createStylisInstance({\n

```

```

options = EMPTY_OBJECT,\n plugins = EMPTY_ARRAY,\n}: StyliInstanceConstructorArgs =
EMPTY_OBJECT) {\n const stylis = new Styli(options);\n\n // Wrap `insertRulePlugin` to build a list of rules,\n // and then make our own plugin to return the rules. This\n // makes it easier to hook into the existing SSR
architecture\n\n let parsingRules = [];\n\n // eslint-disable-next-line consistent-return\n const returnRulesPlugin =
context => {\n if (context === -2) {\n const parsedRules = parsingRules;\n parsingRules = [];\n return
parsedRules;\n }\n };\n\n const parseRulesPlugin = insertRulePlugin(rule => {\n parsingRules.push(rule);\n
});\n\n let _componentId: string;\n let _selector: string;\n let _selectorRegexp: RegExp;\n let
_consecutiveSelfRefRegExp: RegExp;\n\n const selfReferenceReplacer = (match, offset, string) => {\n if (\n //
do not replace the first occurrence if it is complex (has a modifier)\n (offset === 0 ?
COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length]) === -1 : true) &&\n // no consecutive self
refs (.b.b); that is a precedence boost and treated differently\n !string.match(_consecutiveSelfRefRegExp)\n )
{\n return `.${_componentId}`;\n }\n\n return match;\n };\n\n /**\n * When writing a style like\n * \n *
& + & {\n * color: red;\n * }\n * \n * The second ampersand should be a reference to the static component
class. stylis\n * has no knowledge of static class so we have to intelligently replace the base selector.\n * \n *
https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <- more info about the context phase values\n * `2`\n
means this plugin is taking effect at the very end after all other processing is complete\n * \n\n const
selfReferenceReplacementPlugin = (context, _, selectors) => {\n if (context === 2 && selectors.length &&
selectors[0].lastIndexOf(_selector) > 0) {\n // eslint-disable-next-line no-param-reassign\n selectors[0] =
selectors[0].replace(_selectorRegexp, selfReferenceReplacer);\n }\n };\n\n stylis.use([...plugins,
selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);\n\n function stringifyRules(css, selector,
prefix, componentId = '&'): Stringifier {\n const flatCSS = css.replace(COMMENT_REGEX, "");\n const cssStr
= selector && prefix ? `${prefix} ${selector} { ${flatCSS} }` : flatCSS;\n\n // stylis has no concept of state to be
passed to plugins\n // but since JS is single-threaded, we can rely on that to ensure\n // these properties stay in
sync with the current stylis run\n _componentId = componentId;\n _selector = selector;\n _selectorRegexp =
new RegExp(`\\\\\\\\${_selector}\\\\\\\\b`, 'g');\n _consecutiveSelfRefRegExp = new
RegExp(`\\\\\\\\${_selector}\\\\\\\\b{2,}`);\n\n return stylis(prefix || !selector ? " : selector, cssStr);\n }\n\n
stringifyRules.hash = plugins.length\n ? plugins\n .reduce((acc, plugin) => {\n if (!plugin.name) {\n
throw StyledError(15);\n }\n\n return phash(acc, plugin.name);\n }, SEED)\n .toString()\n :
";\n\n return stringifyRules;\n }\n\n", // @flow\nimport React, { type Context, type Node, useContext, useEffect,
useMemo, useState } from 'react';\nimport shallowequal from 'shallowequal';\nimport StyleSheet from
'./sheet';\nimport type { Stringifier } from './types';\nimport createStylisInstance from './utils/stylis';\n\n type Props
= {\n children?: Node,\n disableCSSOMInjection?: boolean,\n disableVendorPrefixes?: boolean,\n sheet?:
StyleSheet,\n stylisPlugins?: Array<Function>,\n target?: HTML<Element>,\n };\n\n export const StyleSheetContext:
Context<StyleSheet | void> = React.createContext();\n export const StyleSheetConsumer =
StyleSheetContext.Consumer;\n export const StyliContext: Context<Stringifier | void> =
React.createContext();\n export const StyliConsumer = StyliContext.Consumer;\n\n export const masterSheet:
StyleSheet = new StyleSheet();\n export const masterStylis: Stringifier = createStylisInstance();\n\n export function
useStyleSheet(): StyleSheet {\n return useContext(StyleSheetContext) || masterSheet;\n }\n\n export function
useStylis(): Stringifier {\n return useContext(StyliContext) || masterStylis;\n }\n\n export default function
StyleSheetManager(props: Props) {\n const [plugins, setPlugins] = useState(props.stylisPlugins);\n const
contextStyleSheet = useStyleSheet();\n\n const styleSheet = useMemo(() => {\n let sheet = contextStyleSheet;\n\n
if (props.sheet) {\n // eslint-disable-next-line prefer-destructuring\n sheet = props.sheet;\n } else if
(props.target) {\n sheet = sheet.reconstructWithOptions({ target: props.target }, false);\n }\n\n if
(props.disableCSSOMInjection) {\n sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });\n
}\n\n return sheet;\n }, [props.disableCSSOMInjection, props.sheet, props.target]);\n\n const stylis = useMemo(\n
() =>\n createStylisInstance({\n options: { prefix: !props.disableVendorPrefixes },\n plugins,\n },\n
[props.disableVendorPrefixes, plugins]\n );\n\n useEffect(() => {\n if (!shallowequal(plugins,
props.stylisPlugins)) setPlugins(props.stylisPlugins);\n }, [props.stylisPlugins]);\n\n return (\n

```

```

<StyleSheetContext.Provider value={styleSheet}>\n  <StylisContext.Provider value={stylis}>\n
{process.env.NODE_ENV !== 'production'\n    ? React.Children.only(props.children)\n    : props.children}\n
  </StylisContext.Provider>\n  </StyleSheetContext.Provider>\n );\n}\n", "// @flow\nimport StyleSheet from
'./sheet';\nimport { type Stringifier } from './types';\nimport throwStyledError from './utils/error';\nimport {
masterStylis } from './StyleSheetManager';\n\nexport default class Keyframes {\n  id: string;\n  name: string;\n  rules: string;\n\n  constructor(name: string, rules: string) {\n    this.name = name;\n    this.id = `sc-keyframes-
${name}`;\n    this.rules = rules;\n  }\n\n  inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis)
=> {\n    const resolvedName = this.name + stylisInstance.hash;\n\n    if (!styleSheet.hasNameForId(this.id,
resolvedName)) {\n      styleSheet.insertRules(\n        this.id,\n        resolvedName,\n        stylisInstance(this.rules,
resolvedName, '@keyframes')\n      );\n    }\n  }; \n\n  toString = () => {\n    return throwStyledError(12,
String(this.name));\n  }; \n\n  getName(stylisInstance: Stringifier = masterStylis) {\n    return this.name +
stylisInstance.hash;\n  }\n}\n", "// @flow\n\n/**\n * inlined version of\n *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n *\n\nconst
uppercaseCheck = /([A-Z]);\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-;/\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/**\n * Hyphenates a camelcased
CSS property name, for example:\n *\n * > hyphenateStyleName('backgroundColor')\n * < \"background-
color\"\n *\n * > hyphenateStyleName('MozTransition')\n * < \"-moz-transition\"\n *\n * >
hyphenateStyleName('msTransition')\n * < \"-ms-transition\"\n *\n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `ms-`.\n *\n * @param {string} string\n *
@return {string}\n */\nexport default function hyphenateStyleName(string: string): string {\n  return
uppercaseCheck.test(string)\n    ? string\n      .replace(uppercasePattern, prefixAndLowerCase)\n      .replace(msPattern,
'-ms-')\n    : string;\n}\n", "// @flow\nimport unitless from '@emotion/unitless';\n\n// Taken from
https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-
dom/src/shared/dangerousStyleValue.js\nexport default function addUnitIfNeeded(name: string, value: any): any {\n
// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n if (value === null ||
typeof value === 'boolean' || value === '') {\n    return '';\n  }\n\n  if (typeof value === 'number' && value !== 0 &&
!(name in unitless)) {\n    return `${value}px`;\n  }\n\n  // Presumes implicit 'px' suffix for unitless numbers\n }\n\n  return
String(value).trim();\n}\n", "// @flow\nimport { isElement } from 'react-is';\nimport getComponentName from
'./getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from
'./isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from
'./isStyledComponent';\nimport Keyframes from './models/Keyframes';\nimport hyphenate from
'./hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from
'./types';\n\n/**\n * It's falsish not falsy because 0 is allowed.\n *\n\nconst isFalsish = chunk => chunk ===
undefined || chunk === null || chunk === false || chunk === '';\n\nexport const objToCssArray = (obj: Object,
prevKey?: string): Array<string | Function> => {\n  const rules = [];\n\n  for (const key in obj) {\n    if
(!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n    if ((Array.isArray(obj[key]) && obj[key].isCss) ||
isFunction(obj[key])) {\n      rules.push(`${hyphenate(key)}:`, obj[key], `;`);\n    } else if (isPlainObject(obj[key]))
{\n      rules.push(...objToCssArray(obj[key], key));\n    } else {\n      rules.push(`${hyphenate(key)}:
${addUnitIfNeeded(key, obj[key]);}`);\n    }\n  }\n\n  return prevKey ? [`${prevKey} {`, ...rules, `}`] :
rules;\n};\n\nexport default function flatten(\n  chunk: any,\n  executionContext: ?Object,\n  styleSheet: ?Object,\n
stylisInstance: ?Stringifier\n): any {\n  if (Array.isArray(chunk)) {\n    const ruleSet = [];\n\n    for (let i = 0, len =
chunk.length, result; i < len; i += 1) {\n      result = flatten(chunk[i], executionContext, styleSheet,
stylisInstance);\n\n      if (result === '') continue;\n      else if (Array.isArray(result)) ruleSet.push(...result);\n
      else ruleSet.push(result);\n    }\n\n    return ruleSet;\n  }\n\n  if (isFalsish(chunk)) {\n    return '';\n  }\n\n  /* Handle other
components *\n\n  if (isStyledComponent(chunk)) {\n    return `.${chunk.styledComponentId}`;\n  }\n\n  /* Either
execute or defer the function *\n\n  if (isFunction(chunk)) {\n    if (isStatelessFunction(chunk) && executionContext)
{\n      const result = chunk(executionContext);\n\n      if (process.env.NODE_ENV !== 'production' &&
isElement(result)) {\n        // eslint-disable-next-line no-console\n        console.warn(\n

```

```

`$ {getComponentName(\n      chunk\n    )} is not a styled component and cannot be referred to via
component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components for
more details.`\n  );\n  }\n  return flatten(result, executionContext, styleSheet, stylisInstance);\n  } else
return chunk;\n  }\n  if (chunk instanceof Keyframes) {\n    if (styleSheet) {\n      chunk.inject(styleSheet,
stylisInstance);\n      return chunk.getName(stylisInstance);\n    } else return chunk;\n  }\n  /* Handle objects */\n  return isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString();\n}\n\n", "// @flow\nconst printed =
{ };\n\nexport default function warnOnce(message) {\n  if (printed[message]) return;\n  printed[message] = true;\n  if (typeof console !== 'undefined' && console.warn) console.warn(message);\n}\n\n", "// @flow\nconst
SINGLE_QUOTE = "'" .charCodeAt(0);\nconst DOUBLE_QUOTE = '"' .charCodeAt(0);\nconst BACKSLASH =
'\\' .charCodeAt(0);\nconst SLASH = '/' .charCodeAt(0);\nconst NEWLINE = '\n' .charCodeAt(0);\nconst SPACE =
' ' .charCodeAt(0);\nconst FEED = '\f' .charCodeAt(0);\nconst TAB = '\t' .charCodeAt(0);\nconst CR =
'\r' .charCodeAt(0);\nconst OPEN_SQUARE = '[' .charCodeAt(0);\nconst CLOSE_SQUARE =
']' .charCodeAt(0);\nconst OPEN_PARENTHESSES = '(' .charCodeAt(0);\nconst CLOSE_PARENTHESSES =
')' .charCodeAt(0);\nconst OPEN_CURLY = '{' .charCodeAt(0);\nconst CLOSE_CURLY =
'}' .charCodeAt(0);\nconst SEMICOLON = ';' .charCodeAt(0);\nconst ASTERISK = '*' .charCodeAt(0);\nconst
COLON = ':' .charCodeAt(0);\nconst AT = '@' .charCodeAt(0);\n\nconst RE_AT_END = /[
\n\t\r\f\\{\|\(\)\'"/\:\;\#\&\/g;\nconst RE_WORD_END = /[
\n\t\r\f\\{\|\(\)\'"/\:\;\#\&\/g;\nconst
RE_BAD_BRACKET = /.[\|\(\)\'"/\:\;\#\&\/g;\n\nexport default function tokenize(input, options = { }) {\n  const tokens
= [];\n  const css = input.css.valueOf();\n  const ignore = options.ignoreErrors;\n  let code,\n  next,\n  quote,\n  lines,\n  last,\n  content,\n  escape,\n  nextLine,\n  nextOffset,\n  escaped,\n  escapePos,\n  prev,\n  n;\n  const length = css.length;\n  let offset = -1;\n  let line = 1;\n  let pos = 0;\n  function unclosed(what) {\n    throw
input.error(`Unclosed ${what}`, line, pos - offset);\n  }\n  while (pos < length) {\n    code =
css.charCodeAt(pos);\n    if (code === NEWLINE || code === FEED || (code === CR && css.charCodeAt(pos +
1) !== NEWLINE)) {\n      offset = pos;\n      line += 1;\n    }\n    switch (code) {\n      case NEWLINE:\n      case
SPACE:\n      case TAB:\n      case CR:\n      case FEED:\n        next = pos;\n        do {\n          next += 1;\n
code = css.charCodeAt(next);\n          if (code === NEWLINE) {\n            offset = next;\n            line += 1;\n
          }\n        } while (\n          code === SPACE ||\n          code === NEWLINE ||\n          code === TAB ||\n          code
=== CR ||\n          code === FEED\n        );\n        tokens.push(['space', css.slice(pos, next)]);\n        pos = next -
1;\n        break;\n      case OPEN_SQUARE:\n        tokens.push(['[', '[', line, pos - offset]);\n        break;\n      case
CLOSE_SQUARE:\n        tokens.push([']', ']', line, pos - offset]);\n        break;\n      case OPEN_CURLY:\n
tokens.push(['{', '{', line, pos - offset]);\n        break;\n      case CLOSE_CURLY:\n        tokens.push(['}', '}', line,
pos - offset]);\n        break;\n      case COLON:\n        tokens.push([':', ':', line, pos - offset]);\n        break;\n      case
SEMICOLON:\n        tokens.push([';', ';', line, pos - offset]);\n        break;\n      case
OPEN_PARENTHESSES:\n        prev = tokens.length ? tokens[tokens.length - 1][1] : '';\n        n =
css.charCodeAt(pos + 1);\n        if (\n          prev === 'url' &&\n          n !== SINGLE_QUOTE &&\n          n !==
DOUBLE_QUOTE &&\n          n !== SPACE &&\n          n !== NEWLINE &&\n          n !== TAB &&\n          n
!== FEED &&\n          n !== CR\n        ) {\n          next = pos;\n          do {\n            escaped = false;\n            next =
css.indexOf(')', next + 1);\n            if (next === -1) {\n              if (ignore) {\n                next = pos;\n
break;\n              } else {\n                unclosed('bracket');\n              }\n            }\n            escapePos = next;\n
while (css.charCodeAt(escapePos - 1) === BACKSLASH) {\n              escapePos -= 1;\n              escaped =
!escaped;\n            }\n            } while (escaped);\n            tokens.push([\n              'brackets',\n              css.slice(pos,
next + 1),\n              line,\n              pos - offset,\n              line,\n              next - offset,\n              ]);\n            pos = next;\n
          } else {\n            next = css.indexOf(')', pos + 1);\n            content = css.slice(pos, next + 1);\n            if (next === -1 ||
RE_BAD_BRACKET.test(content)) {\n              tokens.push(['(', '(', line, pos - offset]);\n            } else {\n
tokens.push(['brackets', content, line, pos - offset, line, next - offset]);\n              pos = next;\n            }\n          }\n          break;\n      case CLOSE_PARENTHESSES:\n
tokens.push([')', ')', line, pos - offset]);\n        break;\n      case SINGLE_QUOTE:\n      case DOUBLE_QUOTE:\n        quote = code === SINGLE_QUOTE ? "'" : '"';\n
next = pos;\n        do {\n          escaped = false;\n          next = css.indexOf(quote, next + 1);\n          if (next === -1)

```

```

{\n      if (ignore) {\n          next = pos + 1;\n          break;\n      } else {\n          unclosed('quote');\n      }\n      }\n      escapePos = next;\n      while (css.charCodeAt(escapePos - 1) === BACKSLASH) {\n      escapePos -= 1;\n      escaped = !escaped;\n      }\n      } while (escaped);\n      content = css.slice(pos, next\n+ 1);\n      lines = content.split('\\n');\n      last = lines.length - 1;\n      if (last > 0) {\n      nextLine = line +\nlast;\n      nextOffset = next - lines[last].length;\n      } else {\n      nextLine = line;\n      nextOffset =\noffset;\n      }\n      tokens.push([\n      'string',\n      css.slice(pos, next + 1),\n      line,\n      pos -\noffset,\n      nextLine,\n      next - nextOffset,\n      ]);\n      offset = nextOffset;\n      line = nextLine;\n      pos = next;\n      break;\n      case AT:\n      RE_AT_END.lastIndex = pos + 1;\n      RE_AT_END.test(css);\n      if (RE_AT_END.lastIndex === 0) {\n      next = css.length - 1;\n      } else {\n      next =\nRE_AT_END.lastIndex - 2;\n      }\n      tokens.push(['at-word', css.slice(pos, next + 1), line, pos - offset, line,\nnext - offset]);\n      pos = next;\n      break;\n      case BACKSLASH:\n      next = pos;\n      escape = true;\n      while (css.charCodeAt(next + 1) === BACKSLASH) {\n      next += 1;\n      escape = !escape;\n      }\n      code = css.charCodeAt(next + 1);\n      if (\n      escape &&\n      (code !== SLASH &&\n      code !==\nSPACE &&\n      code !== NEWLINE &&\n      code !== TAB &&\n      code !== CR &&\n      code\n!== FEED)\n      ) {\n      next += 1;\n      }\n      tokens.push(['word', css.slice(pos, next + 1), line, pos - offset,\nline, next - offset]);\n      pos = next;\n      break;\n      default:\n      if (code === SLASH &&\ncss.charCodeAt(pos + 1) === ASTERISK) {\n      next = css.indexOf('*/', pos + 2) + 1;\n      if (next === 0) {\n      if (ignore) {\n      next = css.length;\n      } else {\n      unclosed('comment');\n      }\n      }\n      content = css.slice(pos, next + 1);\n      lines = content.split('\\n');\n      last = lines.length - 1;\n      if (last > 0) {\n      nextLine = line + last;\n      nextOffset = next - lines[last].length;\n      } else {\n      nextLine = line;\n      nextOffset = offset;\n      }\n      tokens.push(['comment', content, line, pos - offset,\nnextLine, next - nextOffset]);\n      offset = nextOffset;\n      line = nextLine;\n      pos = next;\n      } else\n{\n      RE_WORD_END.lastIndex = pos + 1;\n      RE_WORD_END.test(css);\n      if\n(RE_WORD_END.lastIndex === 0) {\n      next = css.length - 1;\n      } else {\n      next =\nRE_WORD_END.lastIndex - 2;\n      }\n      tokens.push(['word', css.slice(pos, next + 1), line, pos - offset,\nline, next - offset]);\n      pos = next;\n      }\n      break;\n      }\n      }\n      pos++;\n      }\n      return tokens;\n      }\n      }"/\n\n@flow\nimport tokenize from './tokenize';\nimport Input from './input';\n\nconst HIGHLIGHT_THEME = {\n  brackets: [36, 39], // cyan\n  string: [31, 39], // red\n  'at-word': [31, 39], // red\n  comment: [90, 39], // gray\n  '{':\n[32, 39], // green\n  '}': [32, 39], // green\n  ':': [1, 22], // bold\n  '-': [1, 22], // bold\n  '(': [1, 22], // bold\n  ')': [1, 22],\n// bold\n};\n\nfunction code(color) {\n  return '\\u001b[${color}m';\n}\n\nfunction terminalHighlight(css) {\n  const\ntokens = tokenize(new Input(css), { ignoreErrors: true });\n  const result = [];\n  tokens.forEach(token => {\n    const\ncolor = HIGHLIGHT_THEME[token[0]];\n    if (color) {\n      result.push(\n        token[1]\n        .split(/\\r?\\n/)\n        .map(i => code(color[0]) + i + code(color[1]))\n        .join('\\n')\n      );\n    } else {\n      result.push(token[1]);\n    }\n  });\n  return result.join('');\n}\n\nexport default terminalHighlight;\n\n"/\n\n@flow\nimport supportsColor from\n'supports-color';\nimport terminalHighlight from './terminal-highlight';\nimport warnOnce from './warn-\nonece';\n\n/**\n * The CSS parser throws this error for broken CSS.\n * Custom parsers can throw this error for\nbroken custom syntax using\n * the { @link Node#error } method.\n * PostCSS will use the input source map to\ndetect the original error location.\n * If you wrote a Sass file, compiled it to CSS and then parsed it with PostCSS,\n * PostCSS will show the original position in the Sass file.\n * If you need the position in the PostCSS input\n * (e.g., to debug the previous compiler), use `error.input.file`.\n * @example\n * // Catching and checking syntax\nerror\n * try {\n *   postcss.parse('a{')\n * } catch (error) {\n *   if (error.name === 'CssSyntaxError') {\n *     error\n//=> CssSyntaxError\n *   }\n * }\n * @example\n * // Raising error from plugin\n * throw node.error('Unknown\nvariable', { plugin: 'postcss-vars' });\n *\n * \\nclass CssSyntaxError {\n *   /**\n *     @param {string} message - error\nmessage\n *     @param {number} [line] - source line of the error\n *     @param {number} [column] - source column\nof the error\n *     @param {string} [source] - source code of the broken file\n *     @param {string} [file] - absolute\npath to the broken file\n *     @param {string} [plugin] - PostCSS plugin name, if error came from plugin\n *     ^\n *     constructor(message, line, column, source, file, plugin) {\n *       /**\n *         @member {string} - Always equal to\n`CssSyntaxError`. You should\n *         always check error type\n *         by `error.name ===

```

```

`CssSyntaxError` instead of\n * `error instanceof CssSyntaxError`, because\n * npm
could have several PostCSS versions.\n *\n * @example\n * if ( error.name === 'CssSyntaxError' ) {\n *
error //=> CssSyntaxError\n * }\n * ^\n * this.name = 'CssSyntaxError';\n * /**\n * @member {string} - Error
message.\n *\n * @example\n * error.message //=> 'Unclosed block'\n * ^\n * this.reason = message;\n *\n *
if (file) {\n * /**\n * @member {string} - Absolute path to the broken file.\n *\n * @example\n *
error.file //=> 'a.sass'\n * error.input.file //=> 'a.css'\n * ^\n * this.file = file;\n * }\n * if (source) {\n *
/**\n * @member {string} - Source code of the broken file.\n *\n * @example\n * error.source
//=> 'a { b {} }'\n * error.input.column //=> 'a b { }'\n * ^\n * this.source = source;\n * }\n * if (plugin) {\n *
/**\n * @member {string} - Plugin name, if error came from plugin.\n *\n * @example\n *
error.plugin //=> 'postcss-vars'\n * ^\n * this.plugin = plugin;\n * }\n * if (typeof line !== 'undefined' && typeof
column !== 'undefined') {\n * /**\n * @member {number} - Source line of the error.\n *\n *
@example\n * error.line //=> 2\n * error.input.line //=> 4\n * ^\n * this.line = line;\n * /**\n *
@member {number} - Source column of the error.\n *\n * @example\n * error.column //=> 1\n *
error.input.column //=> 4\n * ^\n * this.column = column;\n * }\n *\n * this.setMessage();\n *\n * if
(Error.captureStackTrace) {\n * Error.captureStackTrace(this, CssSyntaxError);\n * }\n *\n * }\n *\n * setMessage() {\n *
/**\n * @member {string} - Full error text in the GNU error format\n * with plugin, file, line and
column.\n *\n * @example\n * error.message //=> 'a.css:1:1: Unclosed block'\n * ^\n * this.message =
this.plugin ? `${this.plugin}: ` : `;\n * this.message += this.file ? this.file : '<css input>';\n * if (typeof this.line !==
'undefined') {\n * this.message += `:${this.line}:${this.column}`;\n * }\n * this.message += `:${this.reason}`;\n *
}\n *\n * /**\n * Returns a few lines of CSS source that caused the error.\n *\n * If the CSS has an input source map
without `sourceContent`,\n * this method will return an empty string.\n *\n * @param {boolean} [color] whether
arrow will be colored red by terminal\n * color codes. By default, PostCSS will detect\n *
color support by `process.stdout.isTTY`\n * and
`process.env.NODE_DISABLE_COLORS`.\n *\n * @example\n * error.showSourceCode() //=> `
 4 | }\n *
// 5 | a {\n *
// > 6 | bad\n *
// | ^\n *
// 7 |
}\n *
// 8 | b {\n *
@return {string} few lines of CSS source that caused the error\n * ^\n *
showSourceCode(color) {\n * if (!this.source) return `;\n *\n * let css = this.source;\n * if (typeof color ===
'undefined') color = supportsColor;\n * if (color) css = terminalHighlight(css);\n *\n * const lines =
css.split(/\r?\n/);\n * const start = Math.max(this.line - 3, 0);\n * const end = Math.min(this.line + 2,
lines.length);\n *\n * const maxWidth = String(end).length;\n *\n * return lines\n * .slice(start, end)\n * .map((line,
index) => {\n * const number = start + 1 + index;\n * const padded = ` ${number}`.slice(-maxWidth);\n *
const gutter = ` ${padded} | `;\n * if (number === this.line) {\n * const spacing =\n *
gutter.replace(/\d/g, ' ') + line.slice(0, this.column - 1).replace(/[\^\t]/g, ');\n * return `>${gutter}${line}\n *
${spacing}`;\n * } else {\n * return ` ${gutter}${line}`;\n * }\n * })\n * .join('\n');\n * }\n *\n * /**\n *
Returns error position, message and source code of the broken part.\n *\n * @example\n * error.toString() //=>
`CssSyntaxError: app.css:1:1: Unclosed block\n *
// > 1 | a {\n *
// | ^\n *
@return {string} error position, message and source code\n * ^\n * toString() {\n * let code =
this.showSourceCode();\n * if (code) {\n * code = `\\n\\n${code}\\n`;}\n * }\n * return `${this.name}:
${this.message}${code}`;\n * }\n *\n * get generated() {\n * warnOnce('CssSyntaxError#generated is deprecated. Use
input instead.);\n * return this.input;\n * }\n *\n * /**\n * @memberof CssSyntaxError#\n * @member {Input} input -
Input object with PostCSS internal information\n * about input file. If input has source map\n *
from previous tool, PostCSS will use origin\n * (for example, Sass) source. You can use
this\n * object to get PostCSS input source.\n *\n * @example\n * error.input.file //=> 'a.css'\n *
error.file //=> 'a.sass'\n * ^\n * }\n *\n * export default CssSyntaxError;\n * `,"" @flow\n * eslint-disable valid-jsdoc
*\n *\n * const defaultRaw = {\n * colon: ':',\n * indent: ' ',\n * beforeDecl: '\\n',\n * beforeRule: '\\n',\n * beforeOpen: ' ',\n *
beforeClose: '\\n',\n * beforeComment: '\\n',\n * after: '\\n',\n * emptyBody: '',\n * commentLeft: ' ',\n * commentRight: '
',\n * }\n *\n * function capitalize(str) {\n * return str[0].toUpperCase() + str.slice(1);\n * }\n *\n * class Stringifier {\n *
constructor(builder) {\n * this.builder = builder;\n * }\n *\n * stringify(node, semicolon) {\n * this[node.type](node,

```

```

semicolon);\n }\n\n root(node) {\n  this.body(node);\n  if (node.rows.after) this.builder(node.rows.after);\n }\n\n comment(node) {\n  const left = this.raw(node, 'left', 'commentLeft');\n  const right = this.raw(node, 'right', 'commentRight');\n  this.builder(`/*${left}${node.text}${right}*/`, node);\n }\n\n decl(node, semicolon) {\n  const between = this.raw(node, 'between', 'colon');\n  let string = node.prop + between + this.rawValue(node, 'value');\n\n  if (node.important) {\n    string += node.rows.important || ' !important';\n  }\n\n  if (semicolon) string += ';'\n  this.builder(string, node);\n }\n\n rule(node) {\n  this.block(node, this.rawValue(node, 'selector'));\n }\n\n atrule(node, semicolon) {\n  let name = `@${node.name}`;\n  const params = node.params ? this.rawValue(node, 'params') : '';\n\n  if (typeof node.rows.afterName !== 'undefined') {\n    name += node.rows.afterName;\n  } else if (params) {\n    name += ' ';\n  }\n\n  if (node.nodes) {\n    this.block(node, name + params);\n  } else {\n    const end = (node.rows.between || '') + (semicolon ? ';' : '');\n    this.builder(name + params + end, node);\n  }\n }\n\n body(node) {\n  let last = node.nodes.length - 1;\n  while (last > 0) {\n    if (node.nodes[last].type !== 'comment') break;\n    last -= 1;\n  }\n\n  const semicolon = this.raw(node, 'semicolon');\n  for (let i = 0; i < node.nodes.length; i++) {\n    const child = node.nodes[i];\n    const before = this.raw(child, 'before');\n    if (before) this.builder(before);\n    this.stringify(child, last !== i || semicolon);\n  }\n\n  block(node, start) {\n    const between = this.raw(node, 'between', 'beforeOpen');\n    this.builder(`${start + between}{`, node, 'start');\n\n    let after;\n    if (node.nodes && node.nodes.length) {\n      this.body(node);\n      after = this.raw(node, 'after');\n    } else {\n      after = this.raw(node, 'after', 'emptyBody');\n    }\n\n    if (after) this.builder(after);\n    this.builder('}', node, 'end');\n  }\n\n  raw(node, own, detect) {\n    let value;\n    if (!detect) detect = own;\n\n    // Already had\n    if (own) {\n      value = node.rows[own];\n      if (typeof value !== 'undefined') return value;\n    }\n\n    const parent = node.parent;\n\n    // Hack for first rule in CSS\n    if (detect === 'before') {\n      if (!parent || (parent.type === 'root' && parent.first === node)) {\n        return '';\n      }\n    }\n\n    // Floating child without parent\n    if (!parent) return defaultRaw[detect];\n\n    // Detect style by other nodes\n    const root = node.root();\n    if (!root.rawCache) root.rawCache = {};\n    if (typeof root.rawCache[detect] !== 'undefined') {\n      return root.rawCache[detect];\n    }\n\n    if (detect === 'before' || detect === 'after') {\n      return this.beforeAfter(node, detect);\n    } else {\n      const method = `raw${capitalize(detect)}`;\n      if (this[method]) {\n        value = this[method](root, node);\n      } else {\n        root.walk(i => {\n          value = i.rows[own];\n          if (typeof value !== 'undefined') return false;\n        });\n      }\n    }\n\n    if (typeof value === 'undefined') value = defaultRaw[detect];\n\n    root.rawCache[detect] = value;\n    return value;\n  }\n\n  rawSemicolon(root) {\n    let value;\n    root.walk(i => {\n      if (i.nodes && i.nodes.length && i.last.type === 'decl') {\n        value = i.rows.semicolon;\n        if (typeof value !== 'undefined') return false;\n      }\n    });\n    return value;\n  }\n\n  rawEmptyBody(root) {\n    let value;\n    root.walk(i => {\n      if (i.nodes && i.nodes.length === 0) {\n        value = i.rows.after;\n        if (typeof value !== 'undefined') return false;\n      }\n    });\n    return value;\n  }\n\n  rawIndent(root) {\n    if (root.rows.indent) return root.rows.indent;\n    let value;\n    root.walk(i => {\n      const p = i.parent;\n      if (p && p !== root && p.parent && p.parent === root) {\n        if (typeof i.rows.before !== 'undefined') {\n          const parts = i.rows.before.split("\\n");\n          value = parts[parts.length - 1];\n          value = value.replace(/^[\\s]/g, '');\n          return false;\n        }\n      }\n    });\n    return value;\n  }\n\n  rawBeforeComment(root, node) {\n    let value;\n    root.walkComments(i => {\n      if (typeof i.rows.before !== 'undefined') {\n        value = i.rows.before;\n        if (value.indexOf("\\n") !== -1) {\n          value = value.replace(/^[\\n]+$/, '');\n        }\n        return false;\n      }\n    });\n    if (typeof value === 'undefined') {\n      value = this.raw(node, null, 'beforeDecl');\n    }\n    return value;\n  }\n\n  rawBeforeDecl(root, node) {\n    let value;\n    root.walkDecls(i => {\n      if (typeof i.rows.before !== 'undefined') {\n        value = i.rows.before;\n        if (value.indexOf("\\n") !== -1) {\n          value = value.replace(/^[\\n]+$/, '');\n        }\n        return false;\n      }\n    });\n    if (typeof value === 'undefined') {\n      value = this.raw(node, null, 'beforeRule');\n    }\n    return value;\n  }\n\n  rawBeforeRule(root) {\n    let value;\n    root.walk(i => {\n      if (i.nodes && (i.parent !== root || root.first !== i)) {\n        if (typeof i.rows.before !== 'undefined') {\n          value = i.rows.before;\n          if (value.indexOf("\\n") !== -1) {\n            value = value.replace(/^[\\n]+$/, '');\n          }\n          return false;\n        }\n      }\n    });\n    return value;\n  }\n\n  rawBeforeClose(root) {\n    let value;\n    root.walk(i => {\n      if (i.nodes && i.nodes.length > 0) {\n        if (typeof i.rows.after !== 'undefined') {\n          value = i.rows.after;\n          if (value.indexOf("\\n") !== -1)

```

```

    value = value.replace(/^[^\\n]+$/, "");
    return false;
  }
  return value;
}

rawBeforeOpen(root) {
  let value;
  root.walk(i => {
    if (i.type !== 'decl') {
      value = i.raws.between;
      if (typeof value !== 'undefined') return false;
    }
  });
  return value;
}

rawColon(root) {
  let value;
  root.walkDecls(i => {
    if (typeof i.raws.between !== 'undefined') {
      value = i.raws.between.replace(/^[^\\s:]/g, "");
      return false;
    }
  });
  return value;
}

beforeAfter(node, detect) {
  let value;
  if (node.type === 'decl') {
    value = this.raw(node, null, 'beforeDecl');
  } else if (node.type === 'comment') {
    value = this.raw(node, null, 'beforeComment');
  } else if (detect === 'before') {
    value = this.raw(node, null, 'beforeRule');
  } else {
    value = this.raw(node, null, 'beforeClose');
  }
  let buf = node.parent;
  let depth = 0;
  while (buf && buf.type !== 'root') {
    depth += 1;
    buf = buf.parent;
  }
  if (value.indexOf('\\n') !== -1) {
    const indent = this.raw(node, null, 'indent');
    if (indent.length) {
      for (let step = 0; step < depth; step++) value += indent;
    }
  }
  return value;
}

rawValue(node, prop) {
  const value = node[prop];
  const raw = node.raws[prop];
  if (raw && raw.value === value) {
    return raw.raw;
  } else {
    return value;
  }
}

export default Stringifier;
"/ @flow
import Stringifier from './stringifier';
export default function stringify(node, builder) {
  const str = new Stringifier(builder);
  str.stringify(node);
}
"/ @flow
import CssSyntaxError from './css-syntax-error';
import Stringifier from './stringifier';
import stringify from './stringify';
import warnOnce from './warn-once';

/**
 * @typedef {object} position
 * @property {number} line - source line in file
 * @property {number} column - source column in file
 * @property {string} source
 * @property {Input} input - { @link Input } with input file
 * @property {position} start - The starting position of the node's source
 * @property {position} end - The ending position of the node's source
 */
const cloneNode = function(obj, parent) {
  const cloned = new obj.constructor();
  for (const i in obj) {
    if (!obj.hasOwnProperty(i)) continue;
    let value = obj[i];
    const type = typeof value;
    if (i === 'parent' && type === 'object') {
      if (parent) cloned[i] = parent;
    } else if (i === 'source') {
      cloned[i] = value;
    } else if (value instanceof Array) {
      cloned[i] = value.map(j => cloneNode(j, cloned));
    } else if (i !== 'before' && i !== 'after' && i !== 'between' && i !== 'semicolon') {
      if (type === 'object' && value !== null) value = cloneNode(value);
      cloned[i] = value;
    }
  }
  return cloned;
};

/**
 * All node classes inherit the following common methods.
 */
class Node {
  /**
   * @param {object} [defaults] - value for node properties
   */
  constructor(defaults = {}) {
    this.raws = {};
    for (const name in defaults) {
      this[name] = defaults[name];
    }
  }

  /**
   * Returns a CssSyntaxError instance containing the original position of the node in the source, showing line and column numbers and also a small excerpt to facilitate debugging.
   * If present, an input source map will be used to get the original position of the source, even from a previous compilation step (e.g., from Sass compilation).
   * This method produces very useful error messages.
   * @param {string} message - error description
   * @param {object} [opts] - options
   * @param {string} opts.plugin - plugin name that created this error.
   * PostCSS will set it automatically.
   * @param {string} opts.word - a word inside a node's string that should be highlighted as the source of the error
   * @param {number} opts.index - an index inside a node's string that should be highlighted as the source of the error
   * @return {CssSyntaxError} error object to throw it
   */
  @example
  if (!variables[name]) {
    throw decl.error('Unknown variable ' + name, { word: name });
  }
  // CssSyntaxError: postcss-vars:a.sass:4:3: Unknown variable $black
  // color: $black
  // a
  // background: white
  }
  error(message, opts = {}) {
    if (this.source) {
      const pos = this.positionBy(opts);
      return this.source.input.error(message, pos.line, pos.column, opts);
    } else {
      return new CssSyntaxError(message);
    }
  }

  /**
   * This method is provided as a convenience wrapper for { @link Result#warn }.
   * @param {Result} result - the { @link Result } instance
   * @param {string} text - warning message
   * @param {object} [opts] - options
   * @param {string} opts.plugin - plugin name that created this warning.
   * PostCSS will set it automatically.
   * @param {string} opts.word - a word inside a node's string that should be highlighted as the source of the warning
   * @param {number} opts.index - an index inside a node's string that should be highlighted as the

```





```

const next = comment.next();
 * if ( next ) {
 *   next.remove();
 * }
 * }
 * ^\n next() {
 *   const
index = this.parent.index(this);
 * return this.parent.nodes[index + 1];
 * }
 * }
 * /**
 * Returns the previous child
of the node's parent.
 * Returns `undefined` if the current node is the first child.
 * @return
{Node|undefined} previous node
 * @example
 * const annotation = decl.prev();
 * if ( annotation.type
=== 'comment' ) {
 *   readAnnotation(annotation.text);
 * }
 * ^\n prev() {
 *   const index =
this.parent.index(this);
 * return this.parent.nodes[index - 1];
 * }
 * }
 * toJSON() {
 *   const fixed = {};
 *   for
(const name in this) {
 *     if (!this.hasOwnProperty(name)) continue;
 *     if (name === 'parent') continue;
 *     const value = this[name];
 *     if (value instanceof Array) {
 *       fixed[name] = value.map(i => {
 *         if
(typeof i === 'object' && i.toJSON) {
 *           return i.toJSON();
 *         } else {
 *           return i;
 *         }
 *       });
 *     } else if (typeof value === 'object' && value.toJSON) {
 *       fixed[name] = value.toJSON();
 *     } else
{
 *       fixed[name] = value;
 *     }
 *   }
 *   return fixed;
 * }
 * }
 * /**
 * Returns a { @link Node#raws } value.
If the node is missing
 * the code style property (because the node was manually built or cloned),
 * PostCSS
will try to autodetect the code style property by looking
 * at other nodes in the tree.
 * @param {string}
prop - name of code style property
 * @param {string} [defaultType] - name of default value, it can be
missed
 * if the value is the same as prop
 * @example
 * const root =
postcss.parse('a { background: white }');
 * root.nodes[0].append({ prop: 'color', value: 'black' });
 * root.nodes[0].nodes[1].raws.before //=> undefined
 * root.nodes[0].nodes[1].raw('before') //=> '
 * @return {string} code style value
 * ^\n raw(prop, defaultType) {
 *   const str = new Stringifier();
 *   return
str.raw(this, prop, defaultType);
 * }
 * }
 * /**
 * Finds the Root instance of the node's tree.
 * @example
 * root.nodes[0].nodes[0].root() === root
 * @return {Root} root parent
 * ^\n root() {
 *   let result =
this;
 *   while (result.parent) result = result.parent;
 *   return result;
 * }
 * }
 * cleanRaws(keepBetween) {
 *   delete
this.raws.before;
 *   delete this.raws.after;
 *   if (!keepBetween) delete this.raws.between;
 * }
 * }
 * positionInside(index) {
 *   const string = this.toString();
 *   let column = this.source.start.column;
 *   let line =
this.source.start.line;
 *   for (let i = 0; i < index; i++) {
 *     if (string[i] === '\n') {
 *       column = 1;
 *       line
+= 1;
 *     } else {
 *       column += 1;
 *     }
 *   }
 *   return { line, column };
 * }
 * }
 * positionBy(opts) {
 *   let
pos = this.source.start;
 *   if (opts.index) {
 *     pos = this.positionInside(opts.index);
 *   } else if (opts.word) {
 *     const index = this.toString().indexOf(opts.word);
 *     if (index !== -1) pos = this.positionInside(index);
 *   }
 *   return pos;
 * }
 * }
 * removeSelf() {
 *   warnOnce('Node#removeSelf is deprecated. Use Node#remove.');
```

```

rule = postcss.rule({ selector: 'a', source: atrule.source });\n * atrule.parent.insertBefore(atrule, rule);\n * }\n *
```\n * \n * @example\n * decl.source.input.from //=> '/home/ai/a.sass'\n * decl.source.start //=> { line: 10,
column: 2 }\n * decl.source.end //=> { line: 10, column: 12 }\n * \n * /\n * @memberof Node#\n *
@member {object} raws - Information to generate byte-to-byte equal\n *
node string as it was in the origin input.\n * \n * Every parser saves its own properties,\n * but the default CSS parser uses:\n * \n * \n * \n * \n * `before`: the space symbols before the node. It also stores ` ` and ` ` symbols before the declaration (IE
hack).\n * \n * \n * \n * `after`: the space symbols after the last child of the node\n * to the end of the node.\n * \n * \n *
`between`: the symbols between the property and value\n * for declarations, selector and `{` for rules, or last
parameter\n * and `{` for at-rules.\n * \n * \n * `semicolon`: contains true if the last child has\n * an (optional)
semicolon.\n * \n * \n * `afterName`: the space between the at-rule name and its parameters.\n * \n * \n * `left`: the space
symbols between `/*` and the comment's text.\n * \n * \n * `right`: the space symbols between the comment's text\n *
and <code>*&#47;</code>.\n * \n * \n * `important`: the content of the important statement,\n * if it is not just
`!important`.\n * \n * \n * PostCSS cleans selectors, declaration values and at-rule parameters\n * from comments and
extra spaces, but it stores origin content in raws\n * properties. As such, if you don't change a declaration's
value,\n * PostCSS will use the raw value with comments.\n * \n * \n * @example\n * const root = postcss.parse('a
{\n color:black\n}')\n * root.first.first.raws //=> { before: '\n ', between: ':' }\n * \n * \n * \n * export default
Node;\n * \n * \n * // @flow\n * import warnOnce from './warn-once';\n * import Node from './node';\n * \n * \n * \n * Represents a CSS
declaration.\n * \n * \n * @extends Node\n * \n * @example\n * const root = postcss.parse('a { color: black }');\n * const
decl = root.first.first;\n * decl.type //=> 'decl'\n * decl.toString() //=> 'color: black'\n * \n * \n * \n * class Declaration
extends Node {\n * constructor(defaults) {\n * super(defaults);\n * this.type = 'decl';\n * }\n * \n * \n * get _value() {\n *
warnOnce('Node#_value was deprecated. Use Node#raws.value');\n * return this.raws.value;\n * }\n * \n * \n * set
_value(val) {\n * warnOnce('Node#_value was deprecated. Use Node#raws.value');\n * this.raws.value = val;\n * }\n * \n *
get _important() {\n * warnOnce('Node#_important was deprecated. Use Node#raws.important');\n * return
this.raws.important;\n * }\n * \n * \n * set _important(val) {\n * warnOnce('Node#_important was deprecated. Use
Node#raws.important');\n * this.raws.important = val;\n * }\n * \n * \n * \n * \n * @memberof Declaration#\n *
@member
{string} prop - the declaration's property name\n * \n * @example\n * const root = postcss.parse('a { color: black
}');\n * const decl = root.first.first;\n * decl.prop //=> 'color'\n * \n * \n * \n * @memberof Declaration#\n *
@member
{string} value - the declaration's value\n * \n * @example\n * const root = postcss.parse('a { color:
black }');\n * const decl = root.first.first;\n * decl.value //=> 'black'\n * \n * \n * \n * @memberof
Declaration#\n *
@member {boolean} important - `true` if the declaration\n *
has an
!important annotation.\n * \n * \n * @example\n * const root = postcss.parse('a { color: black !important; color: red
}');\n * root.first.first.important //=> true\n * root.first.last.important //=> undefined\n * \n * \n * \n *
@memberof Declaration#\n *
@member {object} raws - Information to generate byte-to-byte equal\n *
node string as it was in the origin input.\n * \n * \n * Every parser saves its own properties,\n * but the default
CSS parser uses:\n * \n * \n * \n * \n * `before`: the space symbols before the node. It also stores ` ` and ` ` symbols
before the declaration (IE hack).\n * \n * \n * \n * `between`: the symbols between the property and value\n * for
declarations, selector and `{` for rules, or last parameter\n * and `{` for at-rules.\n * \n * \n * \n * `important`: the content of
the important statement,\n * if it is not just `!important`.\n * \n * \n * PostCSS cleans declaration from comments
and extra spaces,\n * but it stores origin content in raws properties.\n * \n * \n * As such, if you don't change a
declaration's value,\n * PostCSS will use the raw value with comments.\n * \n * \n * @example\n * const root =
postcss.parse('a {\n color:black\n}')\n * root.first.first.raws //=> { before: '\n ', between: ':' }\n * \n * \n *
export default Declaration;\n * \n * \n * // @flow\n * import warnOnce from './warn-once';\n * import Node from './node';\n *
\n * \n * \n * Represents a comment between declarations or statements (rule and at-rules).\n * \n * \n * Comments inside selectors, at-
rule parameters, or declaration values\n * will be stored in the `raws` properties explained above.\n * \n * \n * @extends
Node\n * \n * \n * class Comment extends Node {\n * constructor(defaults) {\n * super(defaults);\n * this.type =
'comment';\n * }\n * \n * \n * get left() {\n * warnOnce('Comment#left was deprecated. Use Comment#raws.left');\n * return
this.raws.left;\n * }\n * \n * \n * set left(val) {\n * warnOnce('Comment#left was deprecated. Use Comment#raws.left');\n *
this.raws.left = val;\n * }\n * \n * \n * get right() {\n * warnOnce('Comment#right was deprecated. Use

```

```

Comment#raws.right');\n  return this.raws.right;\n }\n\n set right(val) {\n  warnOnce('Comment#right was
deprecated. Use Comment#raws.right');\n  this.raws.right = val;\n }\n\n /**\n * @memberof Comment#\n *
@member {string} text - the comment's text.\n */\n\n /**\n * @memberof Comment#\n * @member {object}
raws - Information to generate byte-to-byte equal\n * node string as it was in the origin input.\n */\n
* Every parser saves its own properties,\n * but the default CSS parser uses:\n * * `before`: the space
symbols before the node.\n * * `left`: the space symbols between `/*` and the comment's text.\n * * `right`: the
space symbols between the comment's text.\n */\n\n\nexport default Comment;\n", "// @flow\nimport Declaration
from './declaration';\nimport tokenizer from './tokenizer';\nimport Comment from './comment';\nimport AtRule from
'./at-rule';\nimport Root from './root';\nimport Rule from './rule';\n\nexport default class Parser {\n
constructor(input)\n {\n  this.input = input;\n\n  this.pos = 0;\n  this.root = new Root();\n  this.current = this.root;\n  this.spaces =
";\n  this.semicolon = false;\n\n  this.root.source = { input, start: { line: 1, column: 1 } };\n }\n\n tokenize() {\n
this.tokens = tokenizer(this.input);\n }\n\n loop() {\n  let token;\n  while (this.pos < this.tokens.length) {\n
token = this.tokens[this.pos];\n\n  switch (token[0]) {\n    case 'space':\n    case ';':\n      this.spaces +=
token[1];\n      break;\n\n    case '}':\n      this.end(token);\n      break;\n\n    case 'comment':\n
this.comment(token);\n      break;\n\n    case 'at-word':\n      this.atrule(token);\n      break;\n\n    case
'{' :\n      this.emptyRule(token);\n      break;\n\n    default:\n      this.other();\n      break;\n  }\n\n
this.pos += 1;\n }\n\n this.endFile();\n }\n\n comment(token) {\n  const node = new Comment();\n
this.init(node, token[2], token[3]);\n  node.source.end = { line: token[4], column: token[5] };\n\n  const text =
token[1].slice(2, -2);\n  if (/^\s*$/ .test(text)) {\n    node.text = ";\n    node.raws.left = text;\n    node.raws.right
= ";\n  } else {\n    const match = text.match(/^(\\s*)([^\s]*[^\s])(\\s*)$/);\n    node.text = match[2];\n
node.raws.left = match[1];\n    node.raws.right = match[3];\n  }\n }\n\n emptyRule(token) {\n  const node =
new Rule();\n  this.init(node, token[2], token[3]);\n  node.selector = ";\n  node.raws.between = ";\n  this.current
= node;\n }\n\n other() {\n  let token;\n  let end = false;\n  let type = null;\n  let colon = false;\n  let bracket =
null;\n  const brackets = [];\n  const start = this.pos;\n  while (this.pos < this.tokens.length) {\n    token =
this.tokens[this.pos];\n    type = token[0];\n\n    if (type === '(' || type === '[') {\n      if (!bracket) bracket =
token;\n      brackets.push(type === '(' ? ')' : ']');\n    } else if (brackets.length === 0) {\n      if (type === ';') {\n
if (colon) {\n        this.decl(this.tokens.slice(start, this.pos + 1));\n        return;\n      } else {\n
break;\n      }\n    } else if (type === '{') {\n      this.rule(this.tokens.slice(start, this.pos + 1));\n      return;\n
    } else if (type === '}') {\n      this.pos -= 1;\n      end = true;\n      break;\n    } else if (type === ':') {\n
colon = true;\n    }\n    } else if (type === brackets[brackets.length - 1]) {\n      brackets.pop();\n      if
(brackets.length === 0) bracket = null;\n    }\n\n    this.pos += 1;\n  }\n\n  if (this.pos === this.tokens.length) {\n
this.pos -= 1;\n  end = true;\n }\n\n  if (brackets.length > 0) this.unclosedBracket(bracket);\n\n  if (end &&
colon) {\n    while (this.pos > start) {\n      token = this.tokens[this.pos][0];\n      if (token !== 'space' && token
!== 'comment') break;\n      this.pos -= 1;\n    }\n    this.decl(this.tokens.slice(start, this.pos + 1));\n    return;\n
}\n\n  this.unknownWord(start);\n }\n\n rule(tokens) {\n  tokens.pop();\n\n  const node = new Rule();\n
this.init(node, tokens[0][2], tokens[0][3]);\n\n  node.raws.between = this.spacesFromEnd(tokens);\n
this.raw(node, 'selector', tokens);\n  this.current = node;\n }\n\n decl(tokens) {\n  const node = new
Declaration();\n  this.init(node);\n\n  const last = tokens[tokens.length - 1];\n  if (last[0] === ';') {\n
this.semicolon = true;\n  tokens.pop();\n }\n\n  if (last[4]) {\n    node.source.end = { line: last[4], column:
last[5] };\n  } else {\n    node.source.end = { line: last[2], column: last[3] };\n  }\n\n  while (tokens[0][0] !==
'word') {\n    node.raws.before += tokens.shift()[1];\n  }\n\n  node.source.start = { line: tokens[0][2], column:
tokens[0][3] };\n\n  node.prop = ";\n  while (tokens.length) {\n    const type = tokens[0][0];\n    if (type === ':' ||
type === 'space' || type === 'comment') {\n      break;\n    }\n\n    node.prop += tokens.shift()[1];\n  }\n\n
node.raws.between = ";\n\n  let token;\n  while (tokens.length) {\n    token = tokens.shift();\n\n    if (token[0]
=== ':') {\n      node.raws.between += token[1];\n      break;\n    } else {\n      node.raws.between += token[1];\n
    }\n  }\n\n  if (node.prop[0] === '_' || node.prop[0] === '*') {\n    node.raws.before += node.prop[0];\n
node.prop = node.prop.slice(1);\n  }\n\n  node.raws.between += this.spacesFromStart(tokens);\n
this.precheckMissedSemicolon(tokens);\n\n  for (let i = tokens.length - 1; i > 0; i--) {\n    token = tokens[i];\n

```

```

if (token[1] === 'important') {\n    node.important = true;\n    let string = this.stringFrom(tokens, i);\n    string = this.spacesFromEnd(tokens) + string;\n    if (string !== 'important') node.raws.important = string;\n    break;\n  } else if (token[1] === 'important') {\n    const cache = tokens.slice(0);\n    let str = ";\n    for (let j = i; j > 0; j--) {\n      const type = cache[j][0];\n      if (str.trim().indexOf('!') === 0 && type !== 'space') {\n        break;\n      }\n      str = cache.pop()[1] + str;\n    }\n    if (str.trim().indexOf('!') === 0) {\n      node.important = true;\n      node.raws.important = str;\n      tokens = cache;\n    }\n  }\n  if (token[0] !== 'space' && token[0] !== 'comment') {\n    break;\n  }\n  }\n  this.raw(node, 'value', tokens);\n  if (node.value.indexOf('.') !== -1) this.checkMissedSemicolon(tokens);\n  }\n  atrule(token) {\n    const node = new AtRule();\n    node.name = token[1].slice(1);\n    if (node.name === "") {\n      this.unnamedAtrule(node, token);\n    }\n    this.init(node, token[2], token[3]);\n    let last = false;\n    let open = false;\n    const params = [];\n    this.pos += 1;\n    while (this.pos < this.tokens.length) {\n      token = this.tokens[this.pos];\n      if (token[0] === ';') {\n        node.source.end = { line: token[2], column: token[3] };\n        this.semicolon = true;\n        break;\n      } else if (token[0] === '{') {\n        open = true;\n        break;\n      } else if (token[0] === '}') {\n        this.end(token);\n        break;\n      } else {\n        params.push(token);\n      }\n    }\n    this.pos += 1;\n    if (this.pos === this.tokens.length) {\n      last = true;\n    }\n    node.raws.between = this.spacesFromEnd(params);\n    if (params.length) {\n      node.raws.afterName = this.spacesFromStart(params);\n      this.raw(node, 'params', params);\n      if (last) {\n        token = params[params.length - 1];\n        node.source.end = { line: token[4], column: token[5] };\n        this.spaces = node.raws.between;\n        node.raws.between = ";\n      } else {\n        node.raws.afterName = ";\n        node.params = ";\n      }\n      if (open) {\n        node.nodes = [];\n        this.current = node;\n      }\n    }\n    end(token) {\n      if (this.current.nodes && this.current.nodes.length) {\n        this.current.raws.semicolon = this.semicolon;\n      }\n      this.semicolon = false;\n      this.current.raws.after = (this.current.raws.after || "") + this.spaces;\n      this.spaces = ";\n      if (this.current.parent) {\n        this.current.source.end = { line: token[2], column: token[3] };\n        this.current = this.current.parent;\n      } else {\n        this.unexpectedClose(token);\n      }\n    }\n    endFile() {\n      if (this.current.parent) this.unclosedBlock();\n      if (this.current.nodes && this.current.nodes.length) {\n        this.current.raws.semicolon = this.semicolon;\n      }\n      this.current.raws.after = (this.current.raws.after || "") + this.spaces;\n    }\n    // Helpers\n    init(node, line, column) {\n      this.current.push(node);\n      node.source = { start: { line, column }, input: this.input };\n      node.raws.before = this.spaces;\n      this.spaces = ";\n      if (node.type !== 'comment') this.semicolon = false;\n    }\n    raw(node, prop, tokens) {\n      let token, type;\n      const length = tokens.length;\n      let value = ";\n      let clean = true;\n      for (let i = 0; i < length; i += 1) {\n        token = tokens[i];\n        type = token[0];\n        if (type === 'comment' || (type === 'space' && i === length - 1)) {\n          clean = false;\n        } else {\n          value += token[1];\n        }\n      }\n      if (!clean) {\n        const raw = tokens.reduce((all, i) => all + i[1], ");\n        node.raws[prop] = { value, raw };\n      }\n      node[prop] = value;\n    }\n    spacesFromEnd(tokens) {\n      let lastTokenType;\n      let spaces = ";\n      while (tokens.length) {\n        lastTokenType = tokens[tokens.length - 1][0];\n        if (lastTokenType !== 'space' && lastTokenType !== 'comment') break;\n        spaces = tokens.pop()[1] + spaces;\n      }\n      return spaces;\n    }\n    spacesFromStart(tokens) {\n      let next;\n      let spaces = ";\n      while (tokens.length) {\n        next = tokens[0][0];\n        if (next !== 'space' && next !== 'comment') break;\n        spaces += tokens.shift()[1];\n      }\n      return spaces;\n    }\n    stringFrom(tokens, from) {\n      let result = ";\n      for (let i = from; i < tokens.length; i++) {\n        result += tokens[i][1];\n      }\n      tokens.splice(from, tokens.length - from);\n      return result;\n    }\n    colon(tokens) {\n      let brackets = 0;\n      let token, type, prev;\n      for (let i = 0; i < tokens.length; i++) {\n        token = tokens[i];\n        type = token[0];\n        if (type === '(') {\n          brackets += 1;\n        } else if (type === ')') {\n          brackets -= 1;\n        } else if (brackets === 0 && type === ':') {\n          if (!prev) {\n            this.doubleColon(token);\n          } else if (prev[0] === 'word' && prev[1] === 'progid') {\n            continue;\n          } else {\n            return i;\n          }\n        }\n        prev = token;\n      }\n      return false;\n    }\n    // Errors\n    unclosedBracket(bracket) {\n      throw this.input.error('Unclosed bracket', bracket[2], bracket[3]);\n    }\n    unknownWord(start) {\n      const token = this.tokens[start];\n      throw this.input.error('Unknown word', token[2], token[3]);\n    }\n    unexpectedClose(token) {\n      throw this.input.error('Unexpected ', token[2], token[3]);\n    }\n    unclosedBlock() {\n      const pos = this.current.source.start;\n      throw this.input.error('Unclosed block', pos.line, pos.column);\n    }\n  }\n}

```

```

doubleColon(token) {\n  throw this.input.error('Double colon', token[2], token[3]);\n }\n\n unnamedAtrule(node,
token) {\n  throw this.input.error('At-rule without name', token[2], token[3]);\n }\n\n
precheckMissedSemicolon(tokens) {\n  // Hook for Safe Parser\n  tokens;\n }\n\n
checkMissedSemicolon(tokens) {\n  const colon = this.colon(tokens);\n  if (colon === false) return;\n\n  let
founded = 0;\n  let token;\n  for (let j = colon - 1; j >= 0; j--) {\n    token = tokens[j];\n    if (token[0] !==
'space') {\n      founded += 1;\n      if (founded === 2) break;\n    }\n  }\n  throw this.input.error('Missed
semicolon', token[2], token[3]);\n }\n}\n", /* @flow\nimport Parser from './parser';\nimport Input from
'./input';\n\nexport default function parse(css, opts) {\n  if (opts && opts.safe) {\n    throw new Error('Option safe
was removed. ' + 'Use parser: require(\"postcss-safe-parser\");\n }\n\n  const input = new Input(css, opts);\n\n
const parser = new Parser(input);\n  try {\n    parser.tokenize();\n    parser.loop();\n  } catch (e) {\n    if (e.name ===
'CssSyntaxError' && opts && opts.from) {\n      if (/\\.scss$/i.test(opts.from)) {\n        e.message +=\n          '\nYou
tried to parse SCSS with '+\n          'the standard CSS parser; '+\n          'try again with the postcss-scss parser';\n
      }\n    } else if (/\\.less$/i.test(opts.from)) {\n      e.message +=\n          '\nYou tried to parse Less with '+\n
          'the standard CSS parser; '+\n          'try again with the postcss-less parser';\n    }\n  }\n  throw e;\n
}\n\n  return
parser.root;\n}\n", /* @flow\nimport parse from './parse';\nimport Root from './root';\nimport Rule from
'./rule';\nimport AtRule from './at-rule';\nimport Declaration from './declaration';\nimport warnOnce from './warn-
once';\nimport Comment from './comment';\nimport Node from './node';\n\nfunction cleanSource(nodes) {\n  return
nodes.map(i => {\n    if (i.nodes) i.nodes = cleanSource(i.nodes);\n    delete i.source;\n    return i;\n });\n}\n\n/**\n
* @callback childCondition\n * @param {Node} node - container child\n * @param {number} index - child
index\n * @param {Node[]} nodes - all container children\n * @return {boolean}\n * /\n\n**\n * @callback
childIterator\n * @param {Node} node - container child\n * @param {number} index - child index\n * @return
{false|undefined} returning `false` will break iteration\n * /\n\n**\n * The {@link Root}, {@link AtRule}, and
{@link Rule} container nodes\n * inherit some common methods to help work with their children.\n * Note that
all containers can store any content. If you write a rule inside\n * a rule, PostCSS will parse it.\n * \n * @extends
Node\n * @abstract\n * /\n\n**\n * class Container extends Node {\n  push(child) {\n    child.parent = this;\n
this.nodes.push(child);\n    return this;\n  }\n\n  /**\n   * Iterates through the container's immediate children,\n
   * calling `callback` for each child.\n   * \n   * Returning `false` in the callback will break iteration.\n   * \n
   * This method only iterates through the container's immediate children.\n   * \n   * If you need to recursively
iterate through all the container's descendant\n   * nodes, use {@link Container#walk}.\n   * \n   * Unlike the for
`{}`-cycle or `Array#forEach` this iterator is safe\n   * if you are mutating the array of child nodes during
iteration.\n   * \n   * PostCSS will adjust the current index to match the mutations.\n   * \n   * @param {childIterator}
callback - iterator receives each node and index\n   * \n   * @return {false|undefined} returns `false` if iteration
was broke\n   * \n   * @example\n   * const root = postcss.parse('a { color: black; z-index: 1 }');\n   * const
rule = root.first;\n   * \n   * for (let decl of rule.nodes) {\n   *   decl.cloneBefore({ prop: '-webkit-' + decl.prop
});\n   *   // Cycle will be infinite, because cloneBefore moves the current node\n   *   // to the next index\n   * }\n
   * \n   * rule.each(decl => {\n   *   decl.cloneBefore({ prop: '-webkit-' + decl.prop });\n   *   // Will be
executed only for color and z-index\n   * });\n   * \n   * /\n   * each(callback) {\n   *   if (!this.lastEach)
this.lastEach = 0;\n   *   if (!this.indexes) this.indexes = {};\n   * \n   *   this.lastEach += 1;\n   *   const
id = this.lastEach;\n   *   this.indexes[id] = 0;\n   *   if (!this.nodes) return undefined;\n   * \n   *   let
index, result;\n   *   while (this.indexes[id] < this.nodes.length) {\n   *     index = this.indexes[id];\n   *     result
= callback(this.nodes[index], index);\n   *     if (result === false) break;\n   *     this.indexes[id] += 1;\n   *
   *   }\n   * \n   *   delete this.indexes[id];\n   * \n   *   return result;\n   * }\n\n   * /\n   * Traverses
the container's descendant nodes, calling callback\n   * for each node.\n   * \n   * Like container.each(), this
method is safe to use\n   * if you are mutating arrays during iteration.\n   * \n   * If you only need to iterate
through the container's immediate children,\n   * use {@link Container#each}.\n   * \n   * @param {childIterator}
callback - iterator receives each node and index\n   * \n   * @return {false|undefined} returns `false` if iteration
was broke\n   * \n   * @example\n   * root.walk(node => {\n   *   // Traverses all descendant nodes.\n   * });\n
   * \n   * /\n   * walk(callback) {\n   *   return this.each((child, i) => {\n   *     let result =
callback(child, i);\n   *     if (result !== false && child.walk) {\n   *       result = child.walk(callback);\n   *
   *     }\n   *     return result;\n   * });\n   * }\n\n   * /\n   * Traverses the container's descendant nodes,
calling callback\n   * for each

```

```

declaration node.\n * \n * If you pass a filter, iteration will only happen over declarations\n * with matching
properties.\n * \n * Like {@link Container#each}, this method is safe\n * to use if you are mutating arrays during
iteration.\n * \n * @param {string|RegExp} [prop] - string or regular expression\n * to
filter declarations by property name\n * @param {childIterator} callback - iterator receives each node and index\n
*\n * @return {false|undefined} returns `false` if iteration was broke\n * \n * @example\n *
root.walkDecls(decl => {\n * checkPropertySupport(decl.prop);\n * });\n * \n * root.walkDecls('border-radius',
decl => {\n * decl.remove();\n * });\n * \n * root.walkDecls(/^background/, decl => {\n * decl.value =
takeFirstColorFromGradient(decl.value);\n * });\n * \n * walkDecls(prop, callback) {\n * if (!callback) {\n
callback = prop;\n * return this.walk((child, i) => {\n * if (child.type === 'decl') {\n * return callback(child,
i);\n * }\n * });\n * } else if (prop instanceof RegExp) {\n * return this.walk((child, i) => {\n * if (child.type
=== 'decl' && prop.test(child.prop)) {\n * return callback(child, i);\n * }\n * });\n * } else {\n * return
this.walk((child, i) => {\n * if (child.type === 'decl' && child.prop === prop) {\n * return callback(child, i);\n
*\n * });\n * }\n * }\n * }\n * \n * Traverses the container's descendant nodes, calling callback\n * for each rule
node.\n * \n * If you pass a filter, iteration will only happen over rules\n * with matching selectors.\n * \n *
Like {@link Container#each}, this method is safe\n * to use if you are mutating arrays during iteration.\n * \n *
@param {string|RegExp} [selector] - string or regular expression\n * to filter rules by
selector\n * @param {childIterator} callback - iterator receives each node and index\n * \n * @return
{false|undefined} returns `false` if iteration was broke\n * \n * @example\n * const selectors = [];\n *
root.walkRules(rule => {\n * selectors.push(rule.selector);\n * });\n * console.log(`Your CSS uses
${selectors.length} selectors`);\n * \n * walkRules(selector, callback) {\n * if (!callback) {\n * callback =
selector;\n * \n * return this.walk((child, i) => {\n * if (child.type === 'rule') {\n * return callback(child, i);\n
*\n * });\n * } else if (selector instanceof RegExp) {\n * return this.walk((child, i) => {\n * if (child.type ===
'rule' && selector.test(child.selector)) {\n * return callback(child, i);\n * }\n * });\n * } else {\n * return
this.walk((child, i) => {\n * if (child.type === 'rule' && child.selector === selector) {\n * return
callback(child, i);\n * }\n * });\n * }\n * }\n * }\n * \n * Traverses the container's descendant nodes, calling
callback\n * for each at-rule node.\n * \n * If you pass a filter, iteration will only happen over at-rules\n * that
have matching names.\n * \n * Like {@link Container#each}, this method is safe\n * to use if you are mutating
arrays during iteration.\n * \n * @param {string|RegExp} [name] - string or regular expression\n *
to filter at-rules by name\n * @param {childIterator} callback - iterator receives each node and index\n * \n *
@return {false|undefined} returns `false` if iteration was broke\n * \n * @example\n * root.walkAtRules(rule
=> {\n * if ( isOld(rule.name) ) rule.remove();\n * });\n * \n * let first = false;\n * root.walkAtRules('charset',
rule => {\n * if ( !first ) {\n * first = true;\n * } else {\n * rule.remove();\n * }\n * });\n * \n * walkAtRules(name, callback) {\n * if (!callback) {\n * callback = name;\n * return this.walk((child, i) => {\n
*\n * if (child.type === 'atrule') {\n * return callback(child, i);\n * }\n * });\n * } else if (name instanceof RegExp)
{\n * return this.walk((child, i) => {\n * if (child.type === 'atrule' && name.test(child.name)) {\n * return
callback(child, i);\n * }\n * });\n * } else {\n * return this.walk((child, i) => {\n * if (child.type === 'atrule'
&& child.name === name) {\n * return callback(child, i);\n * }\n * });\n * }\n * }\n * }\n * \n * Traverses the
container's descendant nodes, calling callback\n * for each comment node.\n * \n * Like {@link
Container#each}, this method is safe\n * to use if you are mutating arrays during iteration.\n * \n * @param
{childIterator} callback - iterator receives each node and index\n * \n * @return {false|undefined} returns `false` if
iteration was broke\n * \n * @example\n * root.walkComments(comment => {\n * comment.remove();\n *
});\n * \n * walkComments(callback) {\n * return this.walk((child, i) => {\n * if (child.type === 'comment') {\n
*\n * return callback(child, i);\n * }\n * });\n * }\n * }\n * \n * Inserts new nodes to the start of the container.\n * \n *
@param {...(Node|object|string|Node[])} children - new nodes\n * \n * @return {Node} this node for methods
chain\n * \n * @example\n * const decl1 = postcss.decl({ prop: 'color', value: 'black' });\n * const decl2 =
postcss.decl({ prop: 'background-color', value: 'white' });\n * rule.append(decl1, decl2);\n * \n * root.append({
name: 'charset', params: '"UTF-8"' }); // at-rule\n * root.append({ selector: 'a' }); // rule\n *
rule.append({ prop: 'color', value: 'black' }); // declaration\n * rule.append({ text: 'Comment' }) //

```

```

comment\n *\n * root.append('a {}');\n * root.first.append('color: black; z-index: 1');\n *\n append(...children)
{\n children.forEach(child => {\n const nodes = this.normalize(child, this.last);\n nodes.forEach(node =>
this.nodes.push(node));\n });\n return this;\n }\n\n /**\n * Inserts new nodes to the end of the container.\n *\n * @param {...(Node|object|string|Node[])} children - new nodes\n *\n * @return {Node} this node for methods
chain\n *\n * @example\n * const decl1 = postcss.decl({ prop: 'color', value: 'black' });\n * const decl2 =
postcss.decl({ prop: 'background-color', value: 'white' });\n * rule.prepend(decl1, decl2);\n *\n * root.append({
name: 'charset', params: '"UTF-8"' }); // at-rule\n * root.append({ selector: 'a' }); // rule\n *
rule.append({ prop: 'color', value: 'black' }); // declaration\n * rule.append({ text: 'Comment' }) //
comment\n *\n * root.append('a {}');\n * root.first.append('color: black; z-index: 1');\n *\n prepend(...children)
{\n children = children.reverse();\n children.forEach(child => {\n const nodes = this.normalize(child,
this.first, 'prepend').reverse();\n nodes.forEach(node => this.nodes.unshift(node));\n for (const id in
this.indexes) {\n this.indexes[id] = this.indexes[id] + nodes.length;\n }\n });\n return this;\n }\n\n
cleanRaws(keepBetween) {\n super.cleanRaws(keepBetween);\n if (this.nodes) {\n this.nodes.forEach(node
=> node.cleanRaws(keepBetween));\n }\n }\n\n /**\n * Insert new node before old node within the container.\n
*\n * @param {Node|number} exist - child or child's index.\n * @param {Node|object|string|Node[]} add
- new node\n *\n * @return {Node} this node for methods chain\n *\n * @example\n * rule.insertBefore(decl,
decl.clone({ prop: '-webkit-' + decl.prop }));\n *\n insertBefore(exist, add) {\n exist = this.index(exist);\n
const type = exist === 0 ? 'prepend' : false;\n const nodes = this.normalize(add, this.nodes[exist], type).reverse();\n
nodes.forEach(node => this.nodes.splice(exist, 0, node));\n\n let index;\n for (const id in this.indexes) {\n
index = this.indexes[id];\n if (exist <= index) {\n this.indexes[id] = index + nodes.length;\n }\n }\n\n
return this;\n }\n\n /**\n * Insert new node after old node within the container.\n *\n * @param {Node|number}
exist - child or child's index\n * @param {Node|object|string|Node[]} add - new node\n *\n * @return
{Node} this node for methods chain\n *\n insertAfter(exist, add) {\n exist = this.index(exist);\n\n const nodes
= this.normalize(add, this.nodes[exist]).reverse();\n nodes.forEach(node => this.nodes.splice(exist + 1, 0,
node));\n\n let index;\n for (const id in this.indexes) {\n index = this.indexes[id];\n if (exist < index) {\n
this.indexes[id] = index + nodes.length;\n }\n }\n\n return this;\n }\n\n remove(child) {\n if (typeof child
!== 'undefined') {\n warnOnce('Container#remove is deprecated. ' + 'Use Container#removeChild');\n
this.removeChild(child);\n } else {\n super.remove();\n }\n return this;\n }\n\n /**\n * Removes node
from the container and cleans the parent properties\n * from the node and its children.\n *\n * @param
{Node|number} child - child or child's index\n *\n * @return {Node} this node for methods chain\n *\n *
@example\n * rule.nodes.length //=> 5\n * rule.removeChild(decl);\n * rule.nodes.length //=> 4\n *
decl.parent //=> undefined\n *\n removeChild(child) {\n child = this.index(child);\n
this.nodes[child].parent = undefined;\n this.nodes.splice(child, 1);\n\n let index;\n for (const id in this.indexes)
{\n index = this.indexes[id];\n if (index >= child) {\n this.indexes[id] = index - 1;\n }\n }\n\n return
this;\n }\n\n /**\n * Removes all children from the container\n * and cleans their parent properties.\n *\n *
@return {Node} this node for methods chain\n *\n * @example\n * rule.removeAll();\n * rule.nodes.length
//=> 0\n *\n removeAll() {\n this.nodes.forEach(node => (node.parent = undefined));\n this.nodes = [];\n
return this;\n }\n\n /**\n * Passes all declaration values within the container that match pattern\n * through
callback, replacing those values with the returned result\n * of callback.\n *\n * This method is useful if you
are using a custom unit or function\n * and need to iterate through all values.\n *\n * @param
{string|RegExp} pattern - replace pattern\n * @param {object} opts - options to speed up the
search\n * @param {string|string[]} opts.props - an array of property names\n * @param {string} opts.fast
- string that's used\n * to narrow down values and speed up\n
the regexp search\n * @param {function|string} callback - string to replace pattern\n *
or callback that returns a new\n * value.\n * The callback will
receive\n * the same arguments as those\n * passed to a
function parameter\n * of `String#replace`.\n *\n * @return {Node} this node for
methods chain\n *\n * @example\n * root.replaceValues(/\\d+rem/, { fast: 'rem' }, string => {\n * return

```



```

15 * parseInt(string) + 'px';\n * });\n * ^\n replaceValues(pattern, opts, callback) {\n if (!callback) {\n
callback = opts;\n opts = {};\n }\n\n this.walkDecls(decl => {\n if (opts.props &&
opts.props.indexOf(decl.prop) === -1) return;\n if (opts.fast && decl.value.indexOf(opts.fast) === -1) return;\n\n
decl.value = decl.value.replace(pattern, callback);\n });\n\n return this;\n }\n\n /**\n * Returns `true` if
callback returns `true`\n * for all of the container's children.\n * @param {childCondition} condition -
iterator returns true or false.\n * @return {boolean} is every child pass condition\n * @example\n *
const noPrefixes = rule.every(i => i.prop[0] !== '-');\n * ^\n every(condition) {\n return
this.nodes.every(condition);\n }\n\n /**\n * Returns `true` if callback returns `true` for (at least) one\n * of the
container's children.\n * @param {childCondition} condition - iterator returns true or false.\n * @return {boolean} is some child pass condition\n * @example\n *
const hasPrefix = rule.some(i =>
i.prop[0] === '-');\n * ^\n some(condition) {\n return this.nodes.some(condition);\n }\n\n /**\n * Returns a
`child`'s index within the {@link Container#nodes} array.\n * @param {Node} child - child of the current
container.\n * @return {number} child index\n * @example\n *
rule.index( rule.nodes[2] ) //=> 2\n * ^\n index(child) {\n if (typeof child === 'number') {\n return child;\n } else {\n return
this.nodes.indexOf(child);\n }\n }\n\n /**\n * The container's first child.\n * @type {Node}\n * @example\n *
rule.first == rules.nodes[0];\n * ^\n get first() {\n if (!this.nodes) return undefined;\n return
this.nodes[0];\n }\n\n /**\n * The container's last child.\n * @type {Node}\n * @example\n *
rule.last == rule.nodes[rule.nodes.length - 1];\n * ^\n get last() {\n if (!this.nodes) return undefined;\n return
this.nodes[this.nodes.length - 1];\n }\n\n normalize(nodes, sample) {\n if (typeof nodes === 'string') {\n nodes
= cleanSource(parse(nodes).nodes);\n } else if (!Array.isArray(nodes)) {\n if (nodes.type === 'root') {\n
nodes = nodes.nodes;\n } else if (nodes.type) {\n nodes = [nodes];\n } else if (nodes.prop) {\n if
(typeof nodes.value === 'undefined') {\n throw new Error('Value field is missed in node creation');\n }
else if (typeof nodes.value !== 'string') {\n nodes.value = String(nodes.value);\n }\n nodes = [new
Declaration(nodes)];\n } else if (nodes.selector) {\n nodes = [new Rule(nodes)];\n } else if (nodes.name)
{\n nodes = [new AtRule(nodes)];\n } else if (nodes.text) {\n nodes = [new Comment(nodes)];\n }
else {\n throw new Error('Unknown node type in node creation');\n }\n }\n\n const processed =
nodes.map(i => {\n if (typeof i.raws === 'undefined') i = this.rebuild(i);\n if (i.parent) i = i.clone();\n if
(typeof i.raws.before === 'undefined') {\n if (sample && typeof sample.raws.before !== 'undefined') {\n
i.raws.before = sample.raws.before.replace(/^[\\s]/g, '');\n }\n }\n i.parent = this;\n return i;\n });\n\n
return processed;\n }\n\n rebuild(node, parent) {\n let fix;\n if (node.type === 'root') {\n fix = new Root();\n }
else if (node.type === 'atrul') {\n fix = new AtRule();\n } else if (node.type === 'rule') {\n fix = new
Rule();\n } else if (node.type === 'decl') {\n fix = new Declaration();\n } else if (node.type === 'comment')
{\n fix = new Comment();\n }\n\n for (const i in node) {\n if (i === 'nodes') {\n fix.nodes =
node.nodes.map(j => this.rebuild(j, fix));\n } else if (i === 'parent' && parent) {\n fix.parent = parent;\n }
else if (node.hasOwnProperty(i)) {\n fix[i] = node[i];\n }\n }\n\n return fix;\n }\n\n eachInside(callback)
{\n warnOnce('Container#eachInside is deprecated. ' + 'Use Container#walk instead.);\n return
this.walk(callback);\n }\n\n eachDecl(prop, callback) {\n warnOnce('Container#eachDecl is deprecated. ' + 'Use
Container#walkDecls instead.);\n return this.walkDecls(prop, callback);\n }\n\n eachRule(selector, callback) {\n
warnOnce('Container#eachRule is deprecated. ' + 'Use Container#walkRules instead.);\n return
this.walkRules(selector, callback);\n }\n\n eachAtRule(name, callback) {\n warnOnce('Container#eachAtRule is
deprecated. ' + 'Use Container#walkAtRules instead.);\n return this.walkAtRules(name, callback);\n }\n\n
eachComment(callback) {\n warnOnce('Container#eachComment is deprecated. ' + 'Use
Container#walkComments instead.);\n return this.walkComments(callback);\n }\n\n get semicolon() {\n
warnOnce('Node#semicolon is deprecated. Use Node#raws.semicolon');\n return this.raws.semicolon;\n }\n\n set
semicolon(val) {\n warnOnce('Node#semicolon is deprecated. Use Node#raws.semicolon');\n
this.raws.semicolon = val;\n }\n\n get after() {\n warnOnce('Node#after is deprecated. Use Node#raws.after');\n
return this.raws.after;\n }\n\n set after(val) {\n warnOnce('Node#after is deprecated. Use Node#raws.after');\n
this.raws.after = val;\n }\n\n /**\n * @memberof Container#\n * @member {Node[]} nodes - an array

```

```

containing the container's children\n * \n * @example\n * const root = postcss.parse('a { color: black }');\n *
root.nodes.length //=> 1\n * root.nodes[0].selector //=> 'a'\n * root.nodes[0].nodes[0].prop //=> 'color'\n
*\n}\n\nexport default Container;\n", "// @flow\nimport Container from './container';\nimport warnOnce from
 './warn-once';\n\n/**\n * Represents an at-rule.\n *\n * If it's followed in the CSS by a {} block, this node will
have\n * a nodes property representing its children.\n *\n * @extends Container\n *\n * @example\n * const root =
postcss.parse('@charset "UTF-8"; @media print {}');\n *\n * const charset = root.first;\n * charset.type //=>
'atrule'\n * charset.nodes //=> undefined\n *\n * const media = root.last;\n * media.nodes //=> []\n *\n * class AtRule
extends Container {\n  constructor(defaults) {\n    super(defaults);\n    this.type = 'atrule';\n  }\n\n  append(...children) {\n    if (!this.nodes) this.nodes = [];\n    return super.append(...children);\n  }\n\n  prepend(...children) {\n    if (!this.nodes) this.nodes = [];\n    return super.prepend(...children);\n  }\n\n  getName() {\n    warnOnce('AtRule#getName was deprecated. Use AtRule#raws.afterName');\n    return
this.raws.afterName;\n  }\n\n  set afterName(val) {\n    warnOnce('AtRule#afterName was deprecated. Use
AtRule#raws.afterName');\n    this.raws.afterName = val;\n  }\n\n  get _params() {\n    warnOnce('AtRule#_params
was deprecated. Use AtRule#raws.params');\n    return this.raws.params;\n  }\n\n  set _params(val) {\n
warnOnce('AtRule#_params was deprecated. Use AtRule#raws.params');\n    this.raws.params = val;\n  }\n\n  /**\n
 * @memberof AtRule#\n * @member {string} name - the at-rule's name immediately follows the `@`\n *\n *
@example\n * const root = postcss.parse('@media print {}');\n * media.name //=> 'media'\n * const media =
root.first;\n *\n * @memberof AtRule#\n * @member {string} params - the at-rule's parameters, the
values\n *\n * that follow the at-rule's name but precede\n *\n * any {} block\n *\n *
@example\n * const root = postcss.parse('@media print, screen {}');\n * const media = root.first;\n *\n *
media.params //=> 'print, screen'\n *\n * @memberof AtRule#\n * @member {object} raws -
Information to generate byte-to-byte equal\n *\n * node string as it was in the origin input.\n *\n *
Every parser saves its own properties,\n * but the default CSS parser uses:\n *\n * * `before`: the space symbols
before the node. It also stores `*\n * and `_` symbols before the declaration (IE hack).\n * * `after`: the space
symbols after the last child of the node\n * to the end of the node.\n * * `between`: the symbols between the
property and value\n * for declarations, selector and ` ` for rules, or last parameter\n * and `{` for at-rules.\n *
* `semicolon`: contains true if the last child has\n * an (optional) semicolon.\n * * `afterName`: the space
between the at-rule name and its parameters.\n *\n * PostCSS cleans at-rule parameters from comments and extra
spaces,\n * but it stores origin content in raws properties.\n * As such, if you don't change a declaration's value,\n
* PostCSS will use the raw value with comments.\n *\n * @example\n * const root = postcss.parse('
@media\nprint {\n}\n')\n * root.first.first.raws //=> { before: ' ',\n * // between: ' ',\n *
// afterName: '\n',\n * // after: '\n' }\n *\n * }\n\nexport default AtRule;\n", "// @flow\n\n/**\n
 * Contains helpers for safely splitting lists of CSS values,\n * preserving parentheses and quotes.\n *\n * @example\n
 * const list = postcss.list;\n *\n * @namespace list\n *\n * const list = {\n  split(string, separators, last) {\n    const
array = [];\n    let current = "";\n    let split = false;\n\n    let func = 0;\n    let quote = false;\n    let escape = false;\n\n    for (let i = 0; i < string.length; i++) {\n      const letter = string[i];\n\n      if (quote) {\n        if (escape) {\n
escape = false;\n        } else if (letter === '\\\\') {\n          escape = true;\n        } else if (letter === quote) {\n
quote = false;\n        }\n        } else if (letter === '"' || letter === "'"') {\n          quote = letter;\n        } else if (letter ===
'(') {\n          func += 1;\n        } else if (letter === ')') {\n          if (func > 0) func -= 1;\n        } else if (func === 0) {\n
if (separators.indexOf(letter) !== -1) split = true;\n        }\n\n        if (split) {\n          if (current !== "")
array.push(current.trim());\n          current = "";\n          split = false;\n        } else {\n          current += letter;\n        }\n
}\n\n        if (last || current !== "") array.push(current.trim());\n        return array;\n      },\n\n      /**\n
 * Safely splits space-separated values (such as those for `background`,\n * `border-radius`, and other shorthand properties).\n *\n *
@param {string} string - space-separated values\n *\n * @return {string[]} splitted values\n *\n * @example\n
 * postcss.list.space('1px calc(10% + 1px)') //=> ['1px', 'calc(10% + 1px)']\n *\n * space(string) {\n  const spaces =
[' ', '\n', '\t'];\n  return list.split(string, spaces);\n },\n\n      /**\n
 * Safely splits comma-separated values (such as
those for `transition-*\n * and `background` properties).\n *\n * @param {string} string - comma-separated
values\n *\n * @return {string[]} splitted values\n *\n * @example\n * postcss.list.comma('black, linear-

```

```

gradient(white, black)})\n * //=> ['black', 'linear-gradient(white, black)']\n * ^\n comma(string) {\n  const comma
= ',';\n  return list.split(string, [comma], true);\n },\n);\n\nexport default list;\n",\n"/\n @flow\n\nimport './at-rule'; //
break cyclical dependency deadlock - #87\n\nimport Container from './container';\nimport warnOnce from './warn-
once';\nimport list from './list';\n\n/**\n * Represents a CSS rule: a selector followed by a declaration block.\n *\n *
@extends Container\n *\n * @example\n * const root = postcss.parse('a {}');\n * const rule = root.first;\n * rule.type
//=> 'rule'\n * rule.toString() //=> 'a {}'\n *\n ^\n\nclass Rule extends Container {\n  constructor(defaults) {\n
super(defaults);\n  this.type = 'rule';\n  if (!this.nodes) this.nodes = [];\n } \n\n /**\n * An array containing the
rule's individual selectors.\n * Groups of selectors are split at commas.\n *\n * @type {string[]}\n *\n *
@example\n * const root = postcss.parse('a, b {}');\n * const rule = root.first;\n * rule.selector //=> 'a, b'\n
* rule.selectors //=> ['a', 'b']\n *\n * rule.selectors = ['a', 'strong'];\n * rule.selector //=> 'a, strong'\n *\n ^\n
get
selectors() {\n  return list.comma(this.selector);\n } \n\n set selectors(values) {\n  const match = this.selector ?
this.selector.match(/,\s*/) : null;\n  const sep = match ? match[0] : `,$${this.raw('between', 'beforeOpen')}`;\n
this.selector = values.join(sep);\n } \n\n get _selector() {\n  warnOnce('Rule#_selector is deprecated. Use
Rule#raw.selector');\n  return this.raws.selector;\n } \n\n set _selector(val) {\n  warnOnce('Rule#_selector is
deprecated. Use Rule#raw.selector');\n  this.raws.selector = val;\n } \n\n /**\n * @memberof Rule#\n *
@member {string} selector - the rule's full selector represented\n * as a string\n *\n *
@example\n * const root = postcss.parse('a, b {}');\n * const rule = root.first;\n * rule.selector //=> 'a, b'\n
* ^\n\n /**\n * @memberof Rule#\n * @member {object} raws - Information to generate byte-to-byte equal\n *
node string as it was in the origin input.\n *\n * Every parser saves its own properties,\n * but the
default CSS parser uses:\n *\n * * `before`: the space symbols before the node. It also stores `*\n * and `_\n
symbols before the declaration (IE hack).\n * * `after`: the space symbols after the last child of the node\n * to
the end of the node.\n * * `between`: the symbols between the property and value\n * for declarations, selector
and ` ` for rules, or last parameter\n * and ` ` for at-rules.\n * * `semicolon`: contains true if the last child has\n
* an (optional) semicolon.\n *\n * PostCSS cleans selectors from comments and extra spaces,\n * but it stores
origin content in raws properties.\n * As such, if you don't change a declaration's value,\n * PostCSS will use the
raw value with comments.\n *\n * @example\n * const root = postcss.parse('a {\n  color:black\n}'))\n *
root.first.first.raws //=> { before: '\n', between: '\n', after: '\n' }\n *\n ^\n\n\nexport default Rule;\n",\n"/\n @flow\n\n/**\n *
Represents a plugin's warning. It can be created using { @link Node#warn }.\n *\n * @example\n * if (
decl.important ) {\n  decl.warn(result, 'Avoid !important', { word: '!important' });\n }\n *\n ^\n\nclass Warning {\n
/**\n * @param {string} text - warning message\n * @param {Object} [opts] - warning options\n *
@param {Node} opts.node - CSS node that caused the warning\n * @param {string} opts.word - word in CSS
source that caused the warning\n * @param {number} opts.index - index in CSS node string that caused\n *
the warning\n * @param {string} opts.plugin - name of the plugin that created\n *
this warning. { @link Result#warn } fills\n * this property automatically.\n *\n ^\n
constructor(text, opts = {}) {\n  /**\n * @member {string} - Type to filter warnings from\n *
{ @link Result#messages }. Always equal\n * to `\"warning\"`.\n *\n * @example\n * const
nonWarning = result.messages.filter(i => i.type !== 'warning')\n * ^\n this.type = 'warning';\n /**\n *
@member {string} - The warning message.\n *\n * @example\n * warning.text //=> "Try to avoid
!important"\n * ^\n this.text = text;\n\n if (opts.node && opts.node.source) {\n  const pos =
opts.node.positionBy(opts);\n  /**\n * @member {number} - Line in the input file\n * with
this warning's source\n *\n * @example\n * warning.line //=> 5\n * ^\n this.line = pos.line;\n
/**\n * @member {number} - Column in the input file\n * with this warning's source.\n *\n *
@example\n * warning.column //=> 6\n * ^\n this.column = pos.column;\n } \n\n for (const opt in
opts) this[opt] = opts[opt];\n } \n\n /**\n * Returns a warning position and message.\n *\n * @example\n *
warning.toString() //=> 'postcss-lint:a.css:10:14: Avoid !important'\n *\n * @return {string} warning position and
message\n *\n ^\n toString() {\n  if (this.node) {\n  return this.node.error(this.text, {\n  plugin: this.plugin,\n
index: this.index,\n  word: this.word,\n  }).message;\n  } else if (this.plugin) {\n  return ` ${this.plugin}:
${this.text}`;\n  } else {\n  return this.text;\n  } \n\n } \n\n /**\n * @memberof Warning#\n * @member

```

```

{string} plugin - The name of the plugin that created\n * it will fill this property automatically.\n
*\n * this warning. When you call {@link Node#warn}\n *\n * @example\n * warning.plugin //=>
'postcss-important'\n *\n\n /**\n * @memberof Warning#\n * @member {Node} node - Contains the CSS node
that caused the warning.\n *\n * @example\n * warning.node.toString() //=> 'color: white !important'\n
*\n\n\nexport default Warning;\n", "/" @flow\nimport Warning from './warning';\n\n/**\n * @typedef {object}
Message\n * @property {string} type - message type\n * @property {string} plugin - source PostCSS plugin
name\n *\n\n /**\n * Provides the result of the PostCSS transformations.\n *\n * A Result instance is returned by
{@link LazyResult#then}\n * or {@link Root#toResult} methods.\n *\n * @example\n *
postcss([cssnext]).process(css).then(function (result) {\n * console.log(result.css);\n * });\n *\n * @example\n *
var result2 = postcss.parse(css).toResult();\n *\n\n class Result {\n *\n /**\n * @param {Processor} processor -
processor used for this transformation.\n * @param {Root} root - Root node after all transformations.\n *
@param {processOptions} opts - options from the {@link Processor#process}\n * or {@link
Root#toResult}\n *\n constructor(processor, root, opts) {\n *\n /**\n * @member {Processor} - The Processor
instance used\n * for this transformation.\n *\n * @example\n * for ( let plugin of
result.processor.plugins) {\n * if ( plugin.postcssPlugin === 'postcss-bad' ) {\n * throw 'postcss-good is
incompatible with postcss-bad';\n * }\n * });\n *\n\n this.processor = processor;\n *\n /**\n * @member
{Message[]} - Contains messages from plugins\n * (e.g., warnings or custom messages).\n *
Each message should have type\n * and plugin properties.\n *\n * @example\n *
postcss.plugin('postcss-min-browser', () => {\n * return (root, result) => {\n * var browsers =
detectMinBrowsersByCanIUse(root);\n * result.messages.push({\n * type: 'min-browser',\n *
plugin: 'postcss-min-browser',\n * browsers: browsers\n * });\n * });\n *\n\n this.messages = [];\n *\n /**\n * @member {Root} - Root node after all transformations.\n *\n * @example\n
* root.toResult().root == root;\n *\n\n this.root = root;\n *\n /**\n * @member {processOptions} - Options from
the {@link Processor#process}\n * or {@link Root#toResult} call\n * that
produced this Result instance.\n *\n * @example\n * root.toResult(opts).opts == opts;\n *\n\n this.opts =
opts;\n *\n /**\n * @member {string} - A CSS string representing of {@link Result#root}.\n *\n *
@example\n * postcss.parse('a{}').toResult().css //=> 'a{}'\n *\n\n this.css = undefined;\n *\n /**\n *
@member {SourceMapGenerator} - An instance of `SourceMapGenerator`\n * class from the
`source-map` library,\n * representing changes\n * to the {@link
Result#root} instance.\n *\n * @example\n * result.map.toJSON() //=> { version: 3, file: 'a.css', ... }\n *\n
*\n * @example\n * if ( result.map ) {\n * fs.writeFileSync(result.opts.to + '.map', result.map.toString());\n *
}\n *\n\n this.map = undefined;\n *}\n\n /**\n * Returns for @{@link Result#css} content.\n *\n * @example\n
* result + " === result.css\n *\n * @return {string} string representing of {@link Result#root}\n *\n\n toString()
{\n * return this.css;\n *}\n\n /**\n * Creates an instance of {@link Warning} and adds it\n * to {@link
Result#messages}.\n *\n * @param {string} text - warning message\n * @param {Object} [opts] -
warning options\n * @param {Node} opts.node - CSS node that caused the warning\n * @param {string}
opts.word - word in CSS source that caused the warning\n * @param {number} opts.index - index in CSS node
string that caused\n * the warning\n * @param {string} opts.plugin - name of the plugin that
created\n * this warning. {@link Result#warn} fills\n * this property
automatically.\n *\n * @return {Warning} created warning\n *\n\n warn(text, opts = {}) {\n * if (!opts.plugin)
{\n * if (this.lastPlugin && this.lastPlugin.postcssPlugin) {\n * opts.plugin = this.lastPlugin.postcssPlugin;\n
}\n * }\n\n const warning = new Warning(text, opts);\n * this.messages.push(warning);\n\n return warning;\n
}\n\n /**\n * Returns warnings from plugins. Filters {@link Warning} instances\n * from {@link
Result#messages}.\n *\n * @example\n * result.warnings().forEach(warn => {\n *
console.warn(warn.toString());\n * });\n *\n * @return {Warning[]} warnings from plugins\n *\n\n warnings()
{\n * return this.messages.filter(i => i.type === 'warning');\n *}\n\n /**\n * An alias for the {@link Result#css}
property.\n * Use it with syntaxes that generate non-CSS output.\n * @type {string}\n *\n * @example\n *
result.css === result.content;\n *\n\n getContent() {\n * return this.css;\n *}\n\n\n\nexport default Result;\n", "/"

```

```

@flow\nimport stringify from './stringify';\nimport warnOnce from './warn-once';\nimport Result from
'./result';\nimport parse from './parse';\n\nfunction isPromise(obj) {\n  return typeof obj === 'object' && typeof
obj.then === 'function';\n}\n\n/**\n * @callback onFulfilled\n * @param {Result} result\n */\n\n/**\n * @callback
onRejected\n * @param {Error} error\n */\n\n/**\n * A Promise proxy for the result of PostCSS transformations.\n
*\n * A `LazyResult` instance is returned by { @link Processor#process}.\n *\n * @example\n * const lazy =
postcss([cssnext]).process(css);\n *\n * @class LazyResult {\n *   constructor(processor, css, opts) {\n *     this.stringified =
false;\n *     this.processed = false;\n *     let root;\n *     if (typeof css === 'object' && css.type === 'root') {\n *       root =
css;\n *     } else if (css instanceof LazyResult || css instanceof Result) {\n *       root = css.root;\n *       if (css.map) {\n *
if (typeof opts.map === 'undefined') opts.map = {};\n *         if (!opts.map.inline) opts.map.inline = false;\n *         opts.map.prev =
css.map;\n *       }\n *     } else {\n *       let parser = parse;\n *       if (opts.syntax) parser =
opts.syntax.parse;\n *       if (opts.parser) parser = opts.parser;\n *       if (parser.parse) parser = parser.parse;\n *     }\n *     try
{\n *       root = parser(css, opts);\n *     } catch (error) {\n *       this.error = error;\n *     }\n *     this.result = new
Result(processor, root, opts);\n *   }\n *   /**\n *    * Returns a { @link Processor} instance, which will be used\n *    * for
CSS transformations.\n *    * @type {Processor}\n *    * ^\n *    * get processor() {\n *    *   return this.result.processor;\n *    * }\n *
*\n *    * Options from the { @link Processor#process} call.\n *    * @type {processOptions}\n *    * ^\n *    * get opts() {\n *
*\n *    * return this.result.opts;\n *    * }\n *    * Processes input CSS through synchronous plugins, converts `Root`\n *    * to a
CSS string and returns { @link Result#css}.\n *    * ^\n *    * This property will only work with synchronous plugins.\n *    * If the
processor contains any asynchronous plugins\n *    * it will throw an error. This is why this method is only\n *    * for debug
purpose, you should always use { @link LazyResult#then}.\n *    * ^\n *    * @type {string}\n *    * @see
Result#css\n *    * ^\n *    * get css() {\n *    *   return this.stringify().css;\n *    * }\n *    * ^\n *    * An alias for the `css`
property. Use it
with syntaxes\n *    * that generate non-CSS output.\n *    * ^\n *    * This property will only work with synchronous
plugins.\n *    * If the processor contains any asynchronous plugins\n *    * it will throw an error. This is why this method
is only\n *    * for debug purpose, you should always use { @link LazyResult#then}.\n *    * ^\n *    * @type {string}\n *
*\n *    * @see Result#content\n *    * ^\n *    * get content() {\n *    *   return this.stringify().content;\n *    * }\n *
*\n *    * Processes input CSS through synchronous plugins\n *    * and returns { @link Result#map}.\n *    * ^\n *    * This
property will only work
with synchronous plugins.\n *    * If the processor contains any asynchronous plugins\n *    * it will throw an error. This
is why this method is only\n *    * for debug purpose, you should always use { @link LazyResult#then}.\n *    * ^\n *    *
*\n *    * @see Result#map\n *    * ^\n *    * get map() {\n *    *   return this.stringify().map;\n *    * }\n *
*\n *    * Processes input CSS through synchronous plugins\n *    * and returns { @link Result#root}.\n *    * ^\n *    * This
property will only work with synchronous plugins. If the processor\n *    * contains any asynchronous plugins it will
throw an error.\n *    * ^\n *    * This is why this method is only for debug purpose,\n *    * you should always use { @link
LazyResult#then}.\n *    * ^\n *    * @type {Root}\n *    * @see Result#root\n *    * ^\n *    * get root() {\n *    *   return
this.sync().root;\n *    * }\n *
*\n *    * Processes input CSS through synchronous plugins\n *    * and returns { @link Result#messages}.\n *    * ^\n *
*\n *    * This property will only work with synchronous plugins. If the processor\n *    * contains any asynchronous plugins
it will throw an error.\n *    * ^\n *    * This is why this method is only for debug purpose,\n *    * you should always
use { @link LazyResult#then}.\n *    * ^\n *    * @type {Message[]}\n *    * @see Result#messages\n *    * ^\n *    * get
messages() {\n *    *   return this.sync().messages;\n *    * }\n *
*\n *    * Processes input CSS through synchronous plugins\n *    * and calls
{ @link Result#warnings}.\n *    * ^\n *    * @return {Warning[]} warnings from plugins\n *    * ^\n *    * warnings() {\n *
*\n *    * return this.sync().warnings();\n *    * }\n *
*\n *    * Alias for the { @link LazyResult#css} property.\n *    * ^\n *    * @example\n *
*\n *    * lazy + " === lazy.css;\n *    * ^\n *    * @return {string} output CSS\n *    * ^\n *    * toString() {\n *
*\n *    * return this.css;\n *    * }\n *
*\n *    * Processes input CSS through synchronous and asynchronous plugins\n *    * and calls `onFulfilled` with a Result
instance. If a plugin throws\n *    * an error, the `onRejected` callback will be executed.\n *    * ^\n *    * It implements
standard Promise API.\n *    * ^\n *    * @param {onFulfilled} onFulfilled - callback will be executed\n *
*\n *    * when all plugins will finish work\n *    * ^\n *    * @param {onRejected} onRejected - callback will be executed on any
error\n *    * ^\n *    * @return {Promise} Promise API to make queue\n *    * ^\n *    * @example\n *
*\n *    * postcss([cssnext]).process(css).then(result => {\n *    *   console.log(result.css);\n *    * });\n *
*\n *    * ^\n *    * then(onFulfilled,
onRejected) {\n *    *   return this.async().then(onFulfilled, onRejected);\n *    * }\n *
*\n *    * Processes input CSS through
synchronous and asynchronous plugins\n *    * and calls onRejected for each error thrown in any plugin.\n *    * ^\n *    * It

```



`maps`.  
`@property {parser} parser` - function to generate AST by string  
`@property {stringifier} stringifier` - class to generate string by AST  
`@property {syntax} syntax` - object with ``parse`` and ``stringify``  
`@property {object} map` - source map options  
`@property {boolean} map.inline` - does source map should be embedded in the output  
`CSS as a base64-encoded`  
`@property comment`  
`{string|object|false|function} map.prev` - source map content from a previous  
processing step  
(for example, Sass).  
`PostCSS will try to find`  
previous map  
automatically, so you could disable it by  
``false` value.`  
`@property {boolean} map.sourcesContent` - does PostCSS should set  
the origin content to map  
`@property {string|false} map.annotation` - does  
PostCSS should set  
annotation comment to map  
`@property {string} map.from` - override ``from`` in map's  
``sources``  
Contains plugins to process CSS. Create one ``Processor`` instance,  
initialize its plugins, and then use that instance on numerous CSS files.  
`@example` `const processor = postcss([autoprefixer, precss]);`  
`processor.process(css1).then(result => console.log(result.css));`  
`processor.process(css2).then(result => console.log(result.css));`  
`class Processor {`  
 `constructor(plugins = [])`  
 `plugins - PostCSS plugins. See Processor#use for plugin format.`  
 `version` - Current PostCSS version.  
`@example` `if (result.processor.version.split('.')[0] !== '5')`  
 `throw new Error('This plugin works only with PostCSS 5');`  
`this.version = '5.2.0';`  
 `plugins` - Plugins added to this processor.  
`@example` `const processor = postcss([autoprefixer, precss]);`  
`processor.plugins.length //> 2`  
`this.plugins = this.normalize(plugins);`  
 `} Adds a plugin to be used as a CSS processor.`  
PostCSS plugin can be in 4 formats:  
\*\* A plugin created by `postcss.plugin()` method.  
\*\* A function. PostCSS will pass the function a `Root` as the first argument and current `Result` instance as the second.  
\*\* An object with a ``postcss`` method. PostCSS will use that method as described in #2.  
\*\* Another `Processor` instance. PostCSS will copy plugins from that instance into this one.  
Plugins can also be added by passing them as arguments when creating a ``postcss`` instance (see `postcss(plugins)`).  
Asynchronous plugins should return a ``Promise`` instance.  
`@param {Plugin|pluginFunction|Processor} plugin` - PostCSS plugin or `Processor`  
with plugins  
`@example` `const processor = postcss().use(autoprefixer).use(precss);`  
`@return {Processes}` current processor to make methods chain  
`use(plugin)` `this.plugins = this.plugins.concat(this.normalize([plugin]));`  
`return this;`  
Parses source CSS and returns a `LazyResult` Promise proxy.  
Because some plugins can be asynchronous it doesn't make any transformations. Transformations will be applied in the `LazyResult` methods.  
`@param {string|toString|Result} css` - String with input CSS or any object with a ``toString`` method, like a `Buffer`.  
Optionally, send a `Result` instance and the processor will take the `Root` from it.  
`@param {processOptions} [opts]` - options  
`@return {LazyResult}` Promise proxy  
`@example` `processor.process(css, { from: 'a.css', to: 'a.out.css' })`  
`.then(result => console.log(result.css));`  
`process(css, opts = {})` `return new LazyResult(this, css, opts);`  
`normalize(plugins)` `let normalized = [];`  
`plugins.forEach(i => if (i.postcss) i = i.postcss;`  
`if (typeof i === 'object' && Array.isArray(i.plugins))`  
`normalized = normalized.concat(i.plugins);`  
`else if (typeof i === 'function')`  
`normalized.push(i);`  
`else`  
`throw new Error(`${i} is not a PostCSS plugin`);`  
`return normalized;`  
`export default Processor;`  
`import rule from './rule';`  
`import Container from './container';`  
`import LazyResult from './lazy-result';`  
`import Processor from './processor';`  
`import warnOnce from './warn-once';`  
`Represents a CSS file and contains all its parsed nodes.`  
`@extends Container`

```

@example\n * const root = postcss.parse('a{color:black} b{z-index:2}');\n * root.type //=> 'root'\n *
root.nodes.length //=> 2\n *\n\nclass Root extends Container {\n  constructor(defaults) {\n    super(defaults);\n    this.type = 'root';\n    if (!this.nodes) this.nodes = [];\n  }\n  removeChild(child) {\n    child = this.index(child);\n    if (child === 0 && this.nodes.length > 1) {\n      this.nodes[1].raws.before = this.nodes[child].raws.before;\n    }\n    return super.removeChild(child);\n  }\n  normalize(child, sample, type) {\n    const nodes =
super.normalize(child);\n    if (sample) {\n      if (type === 'prepend') {\n        if (this.nodes.length > 1) {\n          sample.raws.before = this.nodes[1].raws.before;\n        } else {\n          delete sample.raws.before;\n        }\n      }
else if (this.first !== sample) {\n        nodes.forEach(node => {\n          node.raws.before = sample.raws.before;\n        });\n      }\n    }\n    return nodes;\n  }\n  /**\n   * Returns a {@link Result} instance representing the root's
CSS.\n   *\n   * @param {processOptions} [opts] - options with only `to` and `map` keys\n   *\n   * @return
{Result} result with current root's CSS\n   *\n   * @example\n   * const root1 = postcss.parse(css1, { from: 'a.css'
});\n   * const root2 = postcss.parse(css2, { from: 'b.css' });\n   * root1.append(root2);\n   * const result =
root1.toResult({ to: 'all.css', map: true });\n   *\n   * toResult(opts = {}) {\n    const lazy = new LazyResult(new
Processor(), this, opts);\n    return lazy.stringify();\n  }\n  remove(child) {\n    warnOnce('Root#remove is
deprecated. Use Root#removeChild');\n    this.removeChild(child);\n  }\n  prevMap() {\n    warnOnce('Root#prevMap is deprecated. Use Root#source.input.map');\n    return this.source.input.map;\n  }\n  /**\n   * @memberof Root#\n   * @member {object} raws - Information to generate byte-to-byte equal\n   *
node string as it was in the origin input.\n   *\n   * Every parser saves its own properties,\n   * but the default
CSS parser uses:\n   *\n   * * `after`: the space symbols after the last child to the end of file.\n   * * `semicolon`: is
the last child has an (optional) semicolon.\n   *\n   * @example\n   * postcss.parse('a {}').raws //=> { after: '\n'
}\n   * postcss.parse('a {}').raws //=> { after: " }\n   *\n   * export default Root;\n   *", // @flow\n   * import
'.root'; //
break cyclical dependency deadlock - #87\n   * import CssSyntaxError from './css-syntax-error';\n   * import
PreviousMap from './previous-map';\n   * let sequence = 0;\n   * **\n   * @typedef {object} filePosition\n   *
@property {string} file - path to file\n   * @property {number} line - source line in file\n   * @property {number}
column - source column in file\n   * ^\n   * **\n   * Represents the source CSS.\n   *\n   * @example\n   * const root =
postcss.parse(css, { from: file });\n   * const input = root.source.input;\n   *\n   * class Input {\n   *   /**\n   *
@param {string} css - input CSS source\n   * @param {object} [opts] - {@link Processor#process} options\n   * ^\n   *
constructor(css, opts = {}) {\n   *   /**\n   * @member {string} - input CSS source\n   *   *\n   * @example\n   *
const input = postcss.parse('a', { from: file }).input;\n   * input.css //=> \"a{ }\";\n   * ^\n   * this.css =
css.toString();\n   * if (this.css[0] === \"\uFEFF\" || this.css[0] === \"\uFFFE\") {\n   *   this.css = this.css.slice(1);\n   *
}\n   * if (opts.from) {\n   *   if (/^\w+:\|\/\|.test(opts.from)) {\n   *     /**\n   * @member {string} - The absolute
path to the CSS source file\n   *     *\n   *     defined with the `from` option.\n   *     *\n   *     @example\n   *
const root = postcss.parse(css, { from: 'a.css' });\n   * root.source.input.file //=> '/home/ai/a.css'\n   * ^\n   *
this.file = opts.from;\n   * } else {\n   *   this.file = path.resolve(opts.from);\n   * }\n   * }\n   * let map =
new PreviousMap(this.css, opts);\n   * if ( map.text ) {\n   *   /**\n   * @member {PreviousMap} - The
input source map passed from\n   *   *\n   *   a compilation step before PostCSS\n   *   *\n   *   (for example, from Sass compiler).\n   *   *\n   *   @example\n   *
root.source.input.map.consumer().sources //=> ['a.sass']\n   * ^\n   * this.map = map;\n   * let file =
map.consumer().file;\n   * if ( !this.file && file ) this.file = this.mapResolve(file);\n   * }\n   * ^\n   * if (!this.file)
{\n   *   sequence += 1;\n   *   /**\n   * @member {string} - The unique ID of the CSS source. It will be\n   *
created if `from` option is not provided\n   *   *\n   *   (because PostCSS does not know the file path).\n   *   *\n   *   @example\n   * const root = postcss.parse(css);\n   * root.source.input.file //=> undefined\n   *
}\n   * root.source.input.id //=> \"<input css 1>\"\n   * ^\n   * this.id = `<input css ${sequence}>`;\n   * }\n   * if (this.map)
this.map.file = this.from;\n   * }\n   * error(message, line, column, opts = {}) {\n   * let result;\n   * const origin =
this.origin(line, column);\n   * if (origin) {\n   *   result = new CssSyntaxError(\n   *     message,\n   *     origin.line,\n   *     origin.column,\n   *     origin.source,\n   *     origin.file,\n   *     opts.plugin\n   *   );\n   * } else {\n   *   result = new
CssSyntaxError(message, line, column, this.css, this.file, opts.plugin);\n   * }\n   * result.input = { line, column,
source: this.css }; \n   * if (this.file) result.input.file = this.file;\n   * return result;\n   * }\n   * **\n   * Reads the input

```



```

source map and returns a symbol position in the input source (e.g., in a Sass file that was compiled to CSS before being passed to PostCSS).
@param {number} line - line in input CSS
@param {number} column - column in input CSS
@return {filePosition} position in input source
@example
root.source.input.origin(1, 1) // => { file: 'a.css', line: 3, column: 1 }
origin(line, column) {
  if (!this.map) return false;
  const consumer = this.map.consumer();
  const from = consumer.originalPositionFor({ line, column });
  if (!from.source) return false;
  const result = {
    file: this.map.resolve(from.source),
    line: from.line,
    column: from.column,
  };
  const source = consumer.sourceContentFor(from.source);
  if (source) result.source = source;
  return result;
}
mapResolve(file) {
  if (/^\w+:\w+\/.test(file)) {
    return file;
  } else {
    return path.resolve(this.map.consumer().sourceRoot || '.', file);
  }
}
/**
 * The CSS source identifier. Contains {@link Input#file} if the user set the `from` option, or {@link Input#id} if they did not.
 * @type {string}
 * @example
 * const root = postcss.parse(css, { from: 'a.css' });
 * root.source.input.from // => "/home/ai/a.css"
 * const root = postcss.parse(css);
 * root.source.input.from // => "<input css 1>"
 * get from() {
  return this.file || this.id;
}
}
export default Input;
/**
 * @flow
 * import tokenize from './postcss/tokenize';
 * import Comment from './postcss/comment';
 * import Parser from './postcss/parser';
 * export default class SafeParser extends Parser {
  tokenize() {
    this.tokens = tokenize(this.input, { ignoreErrors: true });
  }
  comment(token) {
    const node = new Comment();
    this.init(node, token[2], token[3]);
    node.source.end = { line: token[4], column: token[5] };
    let text = token[1].slice(2);
    if (text.slice(-2) === '*/') text = text.slice(0, -2);
    if (/^\/s*$/ .test(text)) {
      node.text = "";
      node.raws.left = text;
      node.raws.right = "";
    } else {
      const match = text.match(/^(\/s*)([^\s])(\/s*)$/);
      node.text = match[2];
      node.raws.left = match[1];
      node.raws.right = match[3];
    }
  }
  unclosedBracket() {
    unknownWord(start) {
      const buffer = this.tokens.slice(start, this.pos + 1);
      this.spaces += buffer.map(i => i[1]).join("");
    }
    unexpectedClose() {
      this.current.raws.after += ' ';
    }
    doubleColon() {
      unnamedAtrule(node) {
        node.name = "";
      }
      precheckMissedSemicolon(tokens) {
        const colon = this.colon(tokens);
        if (colon === false) return;
        let split;
        for (split = colon - 1; split >= 0; split--) {
          if (tokens[split][0] === 'word') break;
        }
        for (split = 1; split >= 0; split--) {
          if (tokens[split][0] !== 'space') {
            split += 1;
            break;
          }
        }
        const other = tokens.splice(split, tokens.length - split);
        this.decl(other);
      }
      checkMissedSemicolon() {}
      endFile() {
        if (this.current.nodes && this.current.nodes.length) {
          this.current.raws.semicolon = this.semicolon;
        }
        this.current.raws.after = (this.current.raws.after || "") + this.spaces;
        while (this.current.parent) {
          this.current = this.current.parent;
          this.current.raws.after = ";";
        }
      }
}
}
 * @flow
 * import Input from './postcss/input';
 * import SafeParser from './safe-parser';
 * export default function safeParse(css, opts) {
  const input = new Input(css, opts);
  const parser = new SafeParser(input);
  parser.tokenize();
  parser.loop();
  return parser.root;
}
 * @flow
 * /* eslint-disable import/no-unresolved */
 * import transformDeclPairs from 'css-to-react-native';
 * import generateComponentId from './utils/generateComponentId';
 * import type { RuleSet, StyleSheet } from './types';
 * import flatten from './utils/flatten';
 * // $FlowFixMe
 * import parse from './vendor/postcss-safe-parser/parse';
 * let generated = {};
 * export const resetStyleCache = () => {
  generated = {};
};
 * InlineStyle takes arbitrary CSS and generates a flat object
 * export default (styleSheet: StyleSheet) => {
  class InlineStyle {
    rules: RuleSet;
    constructor(rules: RuleSet) {
      this.rules = rules;
    }
    generateStyleObject(executionContext: Object) {
      const flatCSS = flatten(this.rules, executionContext).join("");
      const hash = generateComponentId(flatCSS);
      if (!generated[hash]) {
        const root = parse(flatCSS);
        const declPairs = [];
        root.each(node => {
          if (node.type === 'decl') {
            declPairs.push([node.prop, node.value]);
          } else if (process.env.NODE_ENV !== 'production' && node.type !== 'comment') {
            /* eslint-disable no-console */
            console.warn(`Node of type ${node.type} not supported as an inline style`);
          }
        });
        // RN currently does not support differing values for the corner radii of Image
        // components (but does for View). It is almost impossible to tell whether we'll have
        // support, so we'll just disable multiple values here.
        // https://github.com/styled-components/css-to-react-native/issues/11
        const styleObject = transformDeclPairs(declPairs, [
          'borderRadius',
          'borderWidth',
          'borderColor',
        ],

```

```

    'borderStyle',\n    ]);\n    const styles = styleSheet.create({\n      generated: styleObject,\n    });\n    generated[hash] = styles.generated;\n  }\n  return generated[hash];\n }\n }\n\n return InlineStyle;\n};\n\n",/*
eslint-disable */\n\n\n mixin-deep; https://github.com/jonschlinkert/mixin-deep\n Inlined such that it will be
consistently transpiled to an IE-compatible syntax.\n\n The MIT License (MIT)\n\n Copyright (c) 2014-present,
Jon Schlinkert.\n\n Permission is hereby granted, free of charge, to any person obtaining a copy\n of this software
and associated documentation files (the \"Software\"), to deal\n in the Software without restriction, including
without limitation the rights\n to use, copy, modify, merge, publish, distribute, sublicense, and/or sell\n copies of
the Software, and to permit persons to whom the Software is\n furnished to do so, subject to the following
conditions:\n\n The above copyright notice and this permission notice shall be included in\n all copies or
substantial portions of the Software.\n\n THE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT WARRANTY
OF ANY KIND, EXPRESS OR\n IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY,\n FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO
EVENT SHALL THE\n AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES
OR OTHER\n LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
FROM,\n OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS
IN\n THE SOFTWARE.\n\n\nconst isObject = val => {\n  return (\n    typeof val === 'function' || (typeof val ===
'object' && val !== null && !Array.isArray(val))\n  );\n};\n\nconst isValidKey = key => {\n  return key !==
'__proto__' && key !== 'constructor' && key !== 'prototype';\n};\n\nfunction mixin(target, val, key) {\n  const obj
= target[key];\n  if (isObject(val) && isObject(obj)) {\n    mixinDeep(obj, val);\n  } else {\n    target[key] = val;\n
}\n}\n\nexport default function mixinDeep(target, ...rest) {\n  for (const obj of rest) {\n    if (isObject(obj)) {\n    for
(const key in obj) {\n      if (isValidKey(key)) {\n        mixin(target, obj[key], key);\n      }\n    }\n  }\n}\n\n
return target;\n}\n\n",/* @flow\nimport { EMPTY_OBJECT } from './empties';\n\ntype Props = {\n  theme?:
any,\n};\n\nexport default (props: Props, providedTheme: any, defaultProps: any = EMPTY_OBJECT) => {\n  return
(props.theme !== defaultProps.theme && props.theme) || providedTheme || defaultProps.theme;\n};\n\n",/*
@flow\nimport type { IStyledComponent } from './types';\n\nexport default function isTag(target:
$PropertyType<IStyledComponent, 'target'>): boolean %checks {\n  return (\n    typeof target === 'string' &&\n
(process.env.NODE_ENV !== 'production'\n    ? target.charAt(0) === target.charAt(0).toLowerCase()\n    :
true)\n  );\n}\n\n",/* @flow\nimport type { IStyledComponent } from './types';\nimport getComponentName from
'./getComponentName';\nimport isTag from './isTag';\n\nexport default function generateDisplayName(\n  target:
$PropertyType<IStyledComponent, 'target'>): string {\n  return isTag(target) ? `styled.${target}` :
`Styled(${getComponentName(target)}`;\n}\n\n",/* @flow\nimport React, { useContext, useMemo, type Element,
type Context } from 'react';\nimport throwStyledError from './utils/error';\nimport isFunction from
'./utils/isFunction';\n\nexport type Theme = { [key: string]: mixed };\n\ntype ThemeArgument = Theme |
((outerTheme?: Theme) => Theme);\n\ntype Props = {\n  children?: Element<any>,\n  theme:
ThemeArgument,\n};\n\nexport const ThemeContext: Context<Theme | void> = React.createContext();\n\nexport
const ThemeConsumer = ThemeContext.Consumer;\n\nfunction mergeTheme(theme: ThemeArgument,
outerTheme?: Theme): Theme {\n  if (!theme) {\n    return throwStyledError(14);\n  }\n  if (isFunction(theme)) {\n
const mergedTheme = theme(outerTheme);\n\n  if (\n    process.env.NODE_ENV !== 'production' &&\n
(mergedTheme === null || Array.isArray(mergedTheme) || typeof mergedTheme !== 'object')\n  ) {\n    return
throwStyledError(7);\n  }\n  return mergedTheme;\n}\n\nif (Array.isArray(theme) || typeof theme !==
'object') {\n  return throwStyledError(8);\n}\n\nreturn outerTheme ? { ...outerTheme, ...theme } :
theme;\n}\n\n\n\n * Provide a theme to an entire react component tree via context\n\n\nexport default function
ThemeProvider(props: Props) {\n  const outerTheme = useContext(ThemeContext);\n  const themeContext =
useMemo(() => mergeTheme(props.theme, outerTheme), [\n    props.theme,\n    outerTheme,\n  ]);\n  if
(!props.children) {\n    return null;\n  }\n  return <ThemeContext.Provider
value={themeContext}>{props.children}</ThemeContext.Provider>;\n}\n\n",/* @flow\nimport React, {
createElement, Component } from 'react';\nimport hoist from 'hoist-non-react-statics';\nimport merge from
'./utils/mixinDeep';\nimport determineTheme from './utils/determineTheme';\nimport { EMPTY_ARRAY,

```

```

EMPTY_OBJECT } from './utils/empties';\nimport generateDisplayName from
 './utils/generateDisplayName';\nimport isFunction from './utils/isFunction';\nimport isTag from
 './utils/isTag';\nimport isStyledComponent from './utils/isStyledComponent';\nimport { ThemeConsumer } from
 './ThemeProvider';\nimport type { Theme } from './ThemeProvider';\nimport type { Attrs, RuleSet, Target } from
 './types';\n\n// NOTE: no hooks available for react-native yet;\n// if the user makes use of ThemeProvider or
 StyleSheetManager things will break.\n\n// Validator defaults to true if not in HTML/DOM env\nconst validAttr = ()
 => true;\n\nclass StyledNativeComponent extends Component<*, *> {\n  root: ?Object;\n\n  attrs = {};\n\n  render()
 {\n    return (\n      <ThemeConsumer>\n        {(theme?: Theme) => {\n          const {\n            $as:
 transientAsProp,\n            as: renderAs,\n            forwardedComponent,\n            forwardedAs,\n            forwardedRef,\n            testID,\n            style = [],\n            ...props\n          } = this.props;\n\n          const {
 defaultProps, target, shouldForwardProp } = forwardedComponent;\n          const elementToBeRendered =\n            this.attrs.$as || this.attrs.as || transientAsProp || renderAs || target;\n\n          const generatedStyles =
            this.generateAndInjectStyles(\n              determineTheme(this.props, theme, defaultProps) || EMPTY_OBJECT,\n              this.props\n            );\n\n          const isTargetTag = isTag(elementToBeRendered);\n          const computedProps =
            this.attrs !== props ? { ...props, ...this.attrs } : props;\n          const propFilterFn = shouldForwardProp || (isTargetTag
 && validAttr);\n          const propsForElement = {};\n          let key;\n          for (key in computedProps) {\n
            if (key[0] === '$' || key === 'as') continue;\n            else if (key === 'forwardedAs') {\n              propsForElement.as
 = props[key];\n            } else if (!propFilterFn || propFilterFn(key, validAttr)) {\n              // Don't pass through
 filtered tags through to native elements\n              propsForElement[key] = computedProps[key];\n            }\n          }\n\n          propsForElement.style = typeof style === 'function' ?\n            (state) => {\n              return
 [generatedStyles].concat(style(state))\n            } : [generatedStyles].concat(style);\n\n          propsForElement.testID = testID;\n          if (forwardedRef) propsForElement.ref = forwardedRef;\n          if
 (forwardedAs) propsForElement.as = forwardedAs;\n          return createElement(elementToBeRendered,\n            propsForElement);\n        }}\n      </ThemeConsumer>\n    );\n  }\n\n  buildExecutionContext(theme: ?Object, props:
 Object, attrs: Attrs) {\n    const context = { ...props, theme };\n    if (!attrs.length) return context;\n    this.attrs =
 {};\n    attrs.forEach(attrDef => {\n      let resolvedAttrDef = attrDef;\n      let attr;\n      let key;\n      if
 (isFunction(resolvedAttrDef)) {\n        resolvedAttrDef = resolvedAttrDef(context);\n      }\n      /* eslint-disable
 guard-for-in */\n      for (key in resolvedAttrDef) {\n        attr = resolvedAttrDef[key];\n        this.attrs[key] = attr;\n
        context[key] = attr;\n      }\n      /* eslint-enable */\n    });\n    return context;\n  }\n\n  generateAndInjectStyles(theme: any, props: any) {\n    const { inlineStyle } = props.forwardedComponent;\n\n    const executionContext = this.buildExecutionContext(\n      theme,\n      props,\n      props.forwardedComponent.attrs\n    );\n    return inlineStyle.generateStyleObject(executionContext);\n  }\n\n  setNativeProps(nativeProps: Object) {\n    if (this.root !== undefined) {\n      // $FlowFixMe\n      this.root.setNativeProps(nativeProps);\n    } else if (process.env.NODE_ENV !== 'production') {\n      // eslint-
disable-next-line no-console\n      console.warn(\n        'setNativeProps was called on a Styled Component wrapping
 a stateless functional component.'\n      );\n    }\n  }\n}\n\nexport default (InlineStyle: Function) => {\n  const
 createStyledNativeComponent = (target: Target, options: Object, rules: RuleSet) => {\n    const {\n      attrs =
 EMPTY_ARRAY,\n      displayName = generateDisplayName(target),\n      ParentComponent =
 StyledNativeComponent,\n    } = options;\n\n    const isClass = !isTag(target);\n    const isTargetStyledComp =
 isStyledComponent(target);\n\n    // $FlowFixMe\n    const WrappedStyledNativeComponent =
      React.forwardRef((props, ref) => (\n        <ParentComponent\n          {...props}\n
          forwardedComponent={WrappedStyledNativeComponent}\n          forwardedRef={ref}\n        />\n      ));\n\n    const
 finalAttrs =\n      // $FlowFixMe\n      isTargetStyledComp && target.attrs\n      ?
      Array.prototype.concat(target.attrs, attrs).filter(Boolean)\n      : attrs;\n\n    // eslint-disable-next-line prefer-
destructuring\n    let shouldForwardProp = options.shouldForwardProp;\n\n    // $FlowFixMe\n    if
 (isTargetStyledComp && target.shouldForwardProp) {\n      if (shouldForwardProp) {\n        // compose nested
 shouldForwardProp calls\n        shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n          //
 $FlowFixMe\n          target.shouldForwardProp(prop, filterFn, elementToBeCreated) &&\n

```

```

options.shouldForwardProp(prop, filterFn, elementToBeCreated);\n  } else {\n    // eslint-disable-next-line
prefer-destructuring\n    shouldForwardProp = target.shouldForwardProp;\n  }\n}\n\n/**\n * forwardRef
creates a new interim component, which we'll take advantage of\n * instead of extending ParentComponent to
create _another_ interim class\n *\n\n // $FlowFixMe\n WrappedStyledNativeComponent.attrs =
finalAttrs;\n\n WrappedStyledNativeComponent.displayName = displayName;\n\n // $FlowFixMe\n
WrappedStyledNativeComponent.shouldForwardProp = shouldForwardProp;\n\n // $FlowFixMe\n
WrappedStyledNativeComponent.inlineStyle = new InlineStyle(\n // $FlowFixMe\n isTargetStyledComp ?
target.inlineStyle.rules.concat(rules) : rules\n );\n\n // $FlowFixMe\n
WrappedStyledNativeComponent.styledComponentId = 'StyledNativeComponent';\n // $FlowFixMe\n
WrappedStyledNativeComponent.target = isTargetStyledComp\n ? // $FlowFixMe\n target.target\n :
target;\n // $FlowFixMe\n WrappedStyledNativeComponent.withComponent = function withComponent(tag:
Target) {\n  const { displayName: _, componentId: __, ...optionsToCopy } = options;\n  const newOptions =
{\n    ...optionsToCopy,\n    attrs: finalAttrs,\n    ParentComponent,\n  };\n\n  return
createStyledNativeComponent(tag, newOptions, rules);\n };;\n\n // $FlowFixMe\n
Object.defineProperty(WrappedStyledNativeComponent, 'defaultProps', {\n  get() {\n    return
this._foldedDefaultProps;\n  },\n  set(obj) {\n    // $FlowFixMe\n    this._foldedDefaultProps =
isTargetStyledComp ? merge({}, target.defaultProps, obj) : obj;\n    },\n  });\n\n if (isClass) {\n
hoist(WrappedStyledNativeComponent, (target: any), {\n // all SC-specific things should not be hoisted\n
attrs: true,\n  displayName: true,\n  shouldForwardProp: true,\n  inlineStyle: true,\n
styledComponentId: true,\n  target: true,\n  withComponent: true,\n  });\n }\n\n return
WrappedStyledNativeComponent;\n };\n\n return createStyledNativeComponent;\n};\n\n", "\n\n @flow\nimport type {
Interpolation } from './types';\n\nexport default (\n  strings: Array<string>,\n  interpolations:
Array<Interpolation>):\n  Array<Interpolation> => {\n    const result = [strings[0]];\n\n    for (let i = 0, len =
interpolations.length; i < len; i += 1) {\n      result.push(interpolations[i], strings[i + 1]);\n    }\n\n    return
result;\n  };\n\n", "\n\n @flow\nimport interleave from './utils/interleave';\nimport isPlainObject from
'./utils/isPlainObject';\nimport { EMPTY_ARRAY } from './utils/empties';\nimport isFunction from
'./utils/isFunction';\nimport flatten from './utils/flatten';\nimport type { Interpolation, RuleSet, Styles } from
'./types';\n\n/**\n * Used when flattening object styles to determine if we should\n * expand an array of styles.\n
*\n\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n
arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles: Styles, ...interpolations:
Array<Interpolation>):\n  RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return
addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n\n  if (interpolations.length === 0
&& styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n\n  //
$FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations)));\n}\n\n", "\n\n @flow\nimport {
isValidElementType } from 'react-is';\nimport css from './css';\nimport throwStyledError from './utils/error';\nimport
{ EMPTY_OBJECT } from './utils/empties';\n\nimport type { Target } from './types';\n\nexport default function
constructWithOptions(\n  componentConstructor: Function,\n  tag: Target,\n  options: Object =
EMPTY_OBJECT\n) {\n  if (!isValidElementType(tag)) {\n    return throwStyledError(1, String(tag));\n  }\n\n  /*
This is callable directly as a template function *\n // $FlowFixMe: Not typed to avoid destructuring arguments\n
const templateFunction = (...args) => componentConstructor(tag, options, css(...args));\n\n  /* If config methods are
called, wrap up a new template function and merge options *\n  templateFunction.withConfig = config =>\n
constructWithOptions(componentConstructor, tag, { ...options, ...config });\n\n  /* Modify/inject new props at
runtime *\n  templateFunction.attrs = attrs =>\n    constructWithOptions(componentConstructor, tag, {\n
...options,\n    attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n  });\n\n  return
templateFunction;\n}\n\n", "\n\n @flow\nimport React, { useContext, type AbstractComponent } from 'react';\nimport
hoistStatics from 'hoist-non-react-statics';\nimport { ThemeContext } from './models/ThemeProvider';\nimport
determineTheme from './utils/determineTheme';\nimport getComponentName from
'./utils/getComponentName';\n\n// NOTE: this would be the correct signature:\n// export default <Config: { theme?:

```

```

any }, Instance>(\n// Component: AbstractComponent<Config, Instance>\n// ): AbstractComponent<$Diff<Config,
{ theme?: any }> & { theme?: any }, Instance>\n/\n// but the old build system tooling doesn't support the
syntax\n\nexport default (Component: AbstractComponent<*, *>) => {\n // $FlowFixMe This should be
React.forwardRef<Config, Instance>\n const WithTheme = React.forwardRef((props, ref) => {\n const theme =
useContext(ThemeContext);\n // $FlowFixMe defaultProps isn't declared so it can be inferrable\n const {
defaultProps } = Component;\n const themeProp = determineTheme(props, theme, defaultProps);\n\n if
(process.env.NODE_ENV !== 'production' && themeProp === undefined) {\n // eslint-disable-next-line no-
console\n console.warn(\n `withTheme] You are not using a ThemeProvider nor passing a theme prop or a
theme in defaultProps in component class "${getComponentName(\n Component\n )}"\n );\n }\n\n
return <Component {...props} theme={themeProp} ref={ref} />;\n });\n\n hoistStatics(WithTheme,
Component);\n\n WithTheme.displayName = `WithTheme(${getComponentName(Component)})`; \n\n return
WithTheme;\n};\n", "\n// @flow\nimport { useContext } from 'react';\nimport { ThemeContext } from
'./models/ThemeProvider';\n\nconst useTheme = () => useContext(ThemeContext);\n\nexport default
useTheme;\n", "\n// @flow\n\n/* eslint-disable import/no-unresolved */\nimport reactPrimitives from 'react-
primitives';\nimport _InlineStyle from './models/InlineStyle';\nimport _StyledNativeComponent from
'./models/StyledNativeComponent';\nimport css from './constructors/css';\nimport constructWithOptions from
'./constructors/constructWithOptions';\nimport ThemeProvider, { ThemeConsumer, ThemeContext } from
'./models/ThemeProvider';\nimport withTheme from './hoc/withTheme';\nimport useTheme from
'./hooks/useTheme';\nimport isStyledComponent from './utils/isStyledComponent';\nimport type { Target } from
'./types';\n\nconst InlineStyle = _InlineStyle(reactPrimitives.StyleSheet);\nconst StyledNativeComponent =
_StyledNativeComponent(InlineStyle);\nconst styled = (tag: Target) =>
constructWithOptions(StyledNativeComponent, tag);\n\n/* React native lazy-requires each of these modules for
some reason, so let's\n * assume it's for a good reason and not eagerly load them all */\nconst aliases = 'Image Text
Touchable View';\n\n/* Define a getter for each alias which simply gets the reactNative component\n * and passes
it to styled */\naliases.split(/\\s+/m).forEach(alias =>\n Object.defineProperty(styled, alias, {\n enumerable:
true,\n configurable: false,\n get() {\n return styled(reactPrimitives[alias]);\n },\n });\n);\n\nexport { css,
isStyledComponent, ThemeProvider, ThemeConsumer, ThemeContext, withTheme, useTheme }; \n\nexport default
styled;\n"], "names":["AD_REPLACER_R", "charsLength", "getAlphabeticChar", "code", "String", "fromCharCode", "g
enerateAlphabeticName", "name", "x", "Math", "abs", "replace", "SEED", "phash", "h", "i", "length", "charCodeAt", "hash
", "str", "getComponentName", "target", "process", "env", "NODE_ENV", "displayName", "isFunction", "test", "isStateless
Function", "prototype", "isReactComponent", "toString", "Object", "call", "typeof", "isStyledComponent", "styledComp
onentId", "SC_ATTR", "REACT_APP_SC_ATTR", "SC_ATTR_ACTIVE", "SC_ATTR_VERSION", "SC_VERSIO
N", "__VERSION__", "SPLITTER", "IS_BROWSER", "window", "DISABLE_SPEEDY", "Boolean", "SC_DISABLE_
SPEEDY", "REACT_APP_SC_DISABLE_SPEEDY", "EMPTY_ARRAY", "freeze", "EMPTY_OBJECT", "ERRORS
", "errorMap", "format", "a", "b", "c", "len", "push", "forEach", "d", "throwStyledComponentsError", "interpolations", "Erro
r", "join", "trim", "makeGroupedTag", "tag", "DefaultGroupedTag", "BASE_SIZE", "groupSizes", "Uint32Array", "index
OfGroup", "group", "index", "insertRules", "rules", "oldBuffer", "oldSize", "newSize", "throwStyledError", "set", "ruleInd
ex", "l", "insertRule", "clearGroup", "startIndex", "endIndex", "deleteRule", "getGroup", "css", "getRule", "MAX_SMI", "g
roupIDRegister", "Map", "reverseRegister", "nextFreeGroup", "getGroupForId", "id", "has", "get", "getIdForGroup", "set
GroupForId", "SELECTOR", "MARKER_RE", "RegExp", "outputSheet", "sheet", "getTag", "undefined", "names", "size
", "selector", "content", "rehydrateNamesFromContent", "split", "registerName", "rehydrateSheetFromTag", "style", "part
s", "textContent", "part", "marker", "match", "parseInt", "rehydrateSheet", "nodes", "document", "querySelectorAll", "nod
e", "getAttribute", "parentNode", "removeChild", "getNonce", "__webpack_nonce__", "ELEMENT_TYPE", "findLastSt
yleTag", "childNodes", "child", "nodeType", "hasAttribute", "makeStyleTag", "head", "parent", "createElement", "prevSt
yle", "nextSibling", "setAttribute", "nonce", "insertBefore", "getSheet", "styleSheets", "ownerNode", "makeTag", "isServe
r", "useCSSOMInjection", "VirtualTag", "CSSOMTag", "TextTag", "element", "appendChild", "createTextNode", "rule",
"_error", "cssRules", "cssText", "refNode", "_target", "splice", "SHOULD_REHYDRATE", "defaultOptions", "StyleShe
et", "registerId", "options", "globalStyles", "gs", "server", "reconstructWithOptions", "withNames", "allocateGSInstance"

```

,"hasNameForId","groupNames","Set","add","clearNames","clear","clearRules","clearTag","delimiter","needle","toSheet","block","e","ruleSheet","context","selectors","parents","line","column","ns","depth","at","COMMENT\_REGEX","COMPLEX\_SELECTOR\_PREFIX","createStylisInstance","plugins","stylis","Stylis","parsingRules","returnRulesPlugin","parsedRules","parseRulesPlugin","insertRulePlugin","\_componentId","\_selector","\_selectorRegex","\_consecutiveSelfRefRegExp","selfReferenceReplacer","offset","string","indexOf","selfReferenceReplacementPlugin","\_","lastIndexOf","use","stringifyRules","prefix","componentId","flatCSS","cssStr","reduce","acc","plugin","StyleSheetContext","React","createContext","StyleSheetConsumer","Consumer","StylisContext","StylisConsumer","masterSheet","masterStylis","Keyframes","inject","styleSheet","stylisInstance","resolvedName","getName","uppercaseCheck","uppercasePattern","msPattern","prefixAndLowerCase","char","toLowerCase","hyphenateStyleName","addUnitIfNeeded","value","unitless","isFalsish","chunk","objToCssArray","obj","prevKey","key","hasOwnProperty","Array","isArray","isCss","hyphenate","isPlainObject","flatten","executionContext","ruleSet","result","isElement","console","warn","printed","warnOnce","message","SINGLE\_QUOTE","DOUBLE\_QUOTE","BACKSLASH","SLASH","NEWLINE","SPACE","FEED","TAB","CR","OPEN\_SQUARE","CLOSE\_SQUARE","OPEN\_PARENTHESES","CLOSE\_PARENTHESES","OPEN\_CURLY","CLOSE\_CURLY","SEMICOLON","ASTERISK","COLON","AT","RE\_AT\_END","RE\_WORD\_END","RE\_BAD\_BRACKET","tokenize","input","tokens","valueOf","ignore","ignoreErrors","next","quote","lines","last","escape","nextLine","nextOffset","escaped","escapePos","prev","n","pos","unclosed","what","error","slice","lastIndex","HIGHLIGHT\_THEME","brackets","comment","color","terminalHighlight","Input","token","map","CssSyntaxError","source","file","reason","setMessage","captureStackTrace","showSourceCode","supportsColor","start","max","end","min","maxWidth","number","padded","gutter","spacing","defaultRaw","colon","indent","beforeDecl","beforeRule","beforeOpen","beforeClose","beforeComment","after","emptyBody","commentLeft","commentRight","capitalize","toUpperCase","Stringifier","builder","stringify","semicolon","type","root","body","raws","left","raw","right","text","decl","between","prop","rawValue","important","atrul","params","afterName","before","own","detect","first","rawCache","beforeAfter","method","walk","rawSemicolon","rawEmptyBody","rawIndent","p","rawBeforeComment","walkComments","rawBeforeDecl","walkDecls","rawBeforeRule","rawBeforeClose","rawBeforeOpen","rawColon","buf","step","cloneNode","cloned","constructor","j","Node","defaults","opts","positionBy","data","remove","stringifier","clone","overrides","cloneBefore","cloneAfter","insertAfter","replaceWith","moveTo","newParent","cleanRaws","append","moveBefore","otherNode","moveAfter","toJSON","fixed","defaultType","keepBetween","positionInside","word","removeSelf","cleanStyles","val","Declaration","Comment","Parser","Root","current","spaces","tokenizer","loop","emptyRule","other","endFile","init","Rule","bracket","pop","unclosedBracket","unknownWord","spacesFromEnd","shift","spacesFromStart","precheckMissedSemicolon","stringFrom","cache","checkMissedSemicolon","AtRule","unnamedAtrule","open","unexpectedClose","unclosedBlock","clean","all","lastTokenType","from","doubleColon","founded","parse","safe","parser","cleanSource","Container","each","callback","lastEach","indexes","walkRules","walkAtRules","children","normalize","prepend","reverse","unshift","exist","removeAll","replaceValues","pattern","props","fast","every","condition","some","sample","processed","rebuild","fix","eachInside","eachDecl","eachRule","eachAtRule","eachComment","list","separators","array","func","letter","space","comma","values","sep","Warning","opt","Result","processor","messages","lastPlugin","postcssPlugin","warning","warnings","filter","isPromise","then","LazyResult","stringified","inline","syntax","sync","onFulfilled","onRejected","async","handleError","postcssVersion","pluginName","pluginVer","runtimeVer","version","err","asyncTick","resolve","reject","promise","run","Promise","processing","Processor","concat","normalized","postcss","toResult","lazy","prevMap","sequence","path","origin","consumer","originalPositionFor","mapResolve","sourceContentFor","sourceRoot","SafeParser","buffer","safeParse","generated","InlineStyle","generateStyleObject","generateComponentId","declPairs","styleObject","transformDeclPairs","styles","create","isObject","isValidKey","mixin","mixinDeep","rest","providedTheme","defaultProps","theme","isTag","charAt","generateDisplayName","ThemeContext","ThemeConsumer","mergeTheme","outerTheme","mergedTheme","ThemeProvider","useContext","themeContext","useMemo","validAttr","StyledNativeComponent","attrs","render","transientAsProp","\$as","renderAs","as","forwardedComponent","forwardedAs","forwardedRef","testID","shouldForwardProp","elementToBeRendered","generatedStyles","generateAndInjectStyles","determineTheme","isTargetTag","computedProps","propFilterFn","propsForElement","state","ref","buildExecutionContext","attrDef","resolvedAttrDef","attr","inlineStyle",

"setNativeProps","nativeProps","Component","createStyledNativeComponent","ParentComponent","isClass","isTargetStyledComp","WrappedStyledNativeComponent","forwardRef","finalAttrs","filterFn","elementToBeCreated","withComponent","\_\_","optionsToCopy","newOptions","defineProperty","\_foldedDefaultProps","merge","hoist","strings","addTag","arg","interleave","constructWithOptions","componentConstructor","isValidElementType","templateFunction","withConfig","config","WithTheme","themeProp","hoistStatics","useTheme","\_InlineStyle","reactPrimitives","\_StyledNativeComponent","styled","aliases","alias","enumerable","configurable"],"mappings":";;;;;;;;;;AAA A;;AACA;AAEA,IAAMA,aAAa,GAAG,UAAtB;AAEA;;;AAEA,IAAMC,WAAW,GAAG,EAAPB;AAEA;;AACA ,IAAMC,iBAAiB,GAAG,SAAPBA,iBAAoB,CAACC,IAAD;AAAA,SACxBC,MAAM,CAACC,YAAP,CAAoBF,IAAI,IAAIA,IAAI,GAAG,EAAP,GAAy,EA AZ,GAAiB,EAARb,CAAxB,CADwB;AAAA,CAA1B;AAGA;;;AACe, SAASG,sBAAT,CAAgCH,IAAhC,EAAsD;AACnE,MAAI,IAAI,GAAG,EAAX;AACa,MAAIC,CAAJ;AAEA;;A ACA,OAKA,CAAC,GAAGC,IAAI,CAACC,GAAL,CAASP,IAAT,CAAT,EAAYBK,CAAC,GAAGP,WAA7B,EA AO0CO,CAAC,GAAIA,CAAC,GAAGP,WAAL,GAAoB,CAAIE,EAaqE;AACnEM,IAAAA,IAAI,GAAGL,iBAA iB,CAACM,CAAC,GAAGP,WAAL,CAAjB,GAAqCM,IAA5C;AACD;;AAED,SAAO,CAACL,iBAAiB,CAACM, CAAC,GAAGP,WAAL,CAAjB,GAAqCM,IAAtC,EA4CI,OAA5C,CAAoDX,aAApD,EAAMe,OAAAnE,CAAP;A ACD;;ACxBD;;AACA;AAEA,AAAO,IAAMY,IAAI,GAAG,IAAb;AAGP;AACA;;AACA,AAAO,IAAMC,KAAK, GAAG,SAARA,KAAQ,CAACC,CAAD,EAAYN,CAAZ,EAakC;AACrD,MAAIO,CAAC,GAAGP,CAAC,CAAC Q,MAAV;;AAEA,SAAOD,CAAP,EA AU;AACRD,IAAAA,CAAC,GAAIA,CAAC,GAAG,EAAL,GAAWN,CAA C,CAACS,UAAF,CAAa,EA AEF,CAAf,CAAf;AACD;;AAED,SAAOD,CAAP;AACD,CARM;;AAWP,AAAO,IA AMI,IAAI,GAAG,SAAPA,IAAO,CAACV,CAAD,EA AuB;AACzC,SAAOK,KAAK,CAACD,IAAD,EA AOJ,CAA P,CAAZ;AACD,CAFm;;ACnBP;AKA,2BA Ae,UACW,GAAD,EA AyB;AACtC,SAAOb,sBAAsB,CAACY,IA AI,CAACC,GAAD,CAAJ,KAAc,CAAf,CAA7B;AACD,CAFD;;ACLA;AAGA,AA Ae,SAASC,gBAAT,CACbC,M ADa,EAEL;AACR,SACE,CAACC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GAAwC,OAAOH, MAAP,KAAkB,QAAIB,IAA8BA,MAAtE,GAA+E,KAAhF;AAEAA,EAAAA,MAAM,CAACI,WAFP;AAIAJ,EA AAA,MAAM,CAACd,IAJP,IAKA,WANF;AAQD;;ACdD;AACA,AA Ae,SAASmB,UAA T,CAAoBC,IAApB,EA A gD;AAC7D,SAAO,OAAOA,IAAP,KAAgB,UAAvB;AACD;;ACHD;AACA,AA Ae,SAASC,mBAAT,CAA6BD,IA A7B,EA AiD;AAC9D,SACE,OAAOA,IAAP,KAAgB,UAAhB,IACG,EACDA,IAAI,CAACE,SAAL,IACGF,IAAI, CAACE,SAAL,CAAeC,gBAFjB,CAFL;AAOD;;ACTD;AACA,AAEA,qBA Ae,UAACTb,CAAD;AAAA,SACbA,C AAC,KAAK,IAAN,IACA,OAAOA,CAAP,KAAa,QADb,IAEA,CAACA,CAAC,CAACuB,QAAF,GAAavB,CAA C,CAACuB,QAAF,EAAb,GAA4BC,MAAM,CAACH,SAAP,CAAiBE,QAAjB,CAA0BE,IAA1B,CAA+BzB,CAA /B,CAA7B,MAAoE,iBAFpE,IAGA,CAAC0B,MAAM,CAAC1B,CAAD,CAJM;AAAA,CAAf;;ACHA;AACA,AA Ae,SAAS2B,iBAAT,CAA2Bd,MAA3B,EA AyD;AACtE,SAAOA,MAAM,IAAI,OAAOA,MAAM,CAACe,iBAAd, KAAoC,QAArD;AACD;;;AACHD;AKA,AAAO,IAAMC,OAAO,GACjB,OA AOf,OAAP,KAAmB,WAA nB,KAAmCA,OAAO,CAACC,GAAR,CAAYe,iBAAZ,IAAiChB,OAAO,CAACC,GA AR,CAAYc,OAAhF,CAAD,IACA,aAFK;AAIP,AAAO,IAAME,cAAc,GAAG,QAAvB;AACP,AAAO,IAAMC,eA Ae,GAAG,qBA AxB;AACP,AAAO,IAAMC,UAAU,GAAGC,OAA nB;AACP,AAAO,IAAMC,QAAQ,GAAG,WA AjB;AAEP,AAAO,IAAMC,UAAU,GAAG,OAAOC,MAAP,KAAkB,WAAIB,IAAiC,iBAAiBA,MAArE;AAEP,A AAO,IAAMC,cAAc,GACzBC,OAAO,CAAC,OAAOC,iBAAP,KAA6B,SAA7B,GACJA,iBADI,GAEH,OAAO1B, OAAP,KAAmB,WAA nB,IAAkC,OAAOA,OAAO,CAACC,GAAR,CAAY0B,2BAAnB,KAAmD,WAArF,IAAoG 3B,OAAO,CAACC,GAAR,CAAY0B,2BAAZ,KAA4C,EA AhJ,GACC3B,OAAO,CAACC,GAAR,CAAY0B,2BA AZ,KAA4C,OAA5C,GAA sD,KAA tD,GAA8D3B,OAAO,CAACC,GAAR,CAAY0B,2BAD3E,GAEE,OAAO3B,O AAP,KAAmB,WAA nB,IAAkC,OAAOA,OAAO,CAACC,GAAR,CAAYyB,iBAAnB,KAAyC,WAA3E,IAA0F1B, OAAO,CAACC,GAAR,CAAYyB,iBAAZ,KAAkC,EA A5H,GACC1B,OAAO,CAACC,GAAR,CAAYyB,iBAAZ, KAAkC,OAAIC,GAA4C,KAA5C,GAAoD1B,OAAO,CAACC,GAAR,CAAYyB,iBADjE,GAEC1B,OAAO,CAAC C,GAAR,CAAYC,QAAZ,KAAyB,YAN1B,CADF;;AChBP;AACA,AAAO,IAAM0B,WAAW,GAAGIB,MAAM,C AACmB,MAAP,CAAc,EAAd,CAApB;AACP,AAAO,IAAMC,YAAY,GAAGpB,MAAM,CAACmB,MAAP,CAA c,EAAd,CAArB;;ACFP,eAAe;AAAC,OAAI,uDAAL;AAA6D,OAAI,+PAAjE;AAAI,uOAAI,qHAArU;AAA2b,O AAI,qMAA/b;AAAqoB,OAAI,iKAAzoB;AAA2yB,OAAI,2OAA/yB;AAA2hC,OAAI,sHAA/hC;AAAspC,OAAI,+ DAA1pC;AAA0tC,OAAI,+BAA9tC;AAA8vC,QAAK,gUAA nWc;AAAokD,QAAK,uNAAzkD;AAAiyD,QAAK,o

WAAtyD;AAA2oE,QAAK,wLAAhpE;AAAY0E,QAAK,gDAA90E;AAA+3E,QAAK,0ZAAP4E;AAA+xF,QAAK,sQAAPyF;AAA2iG,QAAK;AAAhjG,CAAF;:ACAA;AACA,AAEA,IAAME,MAAM,GAAG/B,OAAO,CAACC,G AAR,CAAYC,QAAZ,KAAyB,YAAzB,GAAwC8B,QAAxC,GAAmD,EAAIE;AAEA;;;:AAGA,SAASC,MAAT,G AAyB;AACvB,MAAIC,CAAC,mDAAL;AACA,MAAMC,CAAC,GAAG,EAHV;:AAEA,OAAK,IAAIC,CAAC,G AAG,CAAR,EAAWC,GAAG,GAAG,UAAK3C,MAA3B,EAAmC0C,CAAC,GAAGC,GAAvC,EAA4CD,CAAC,I AAI,CAAjD,EAAoD;AACIDD,IAAAA,CAAC,CAACG,IAAF,CAAYF,CAAZ,4BAAYA,CAAZ,yBAAYA,CAAZ ;AACD;:AAEDD,EAAAA,CAAC,CAACI,OAAF,CAAU,UAAAC,CAAC,EAAI;AACbN,IAAAA,CAAC,GAAG A,CAAC,CAAC7C,OAAF,CAAU,QAAV,EAAoBmD,CAApB,CAAJ;AACD,GAFD;AAIA,SAAON,CAAP;AAC D;AAED;:;:AAIA,AAAe,SAASO,0BAAT,CACb5D,IADa,EAGb;AAAA,oCADG6D,cACH;AADGA,IAAAA,cA CH;AAAA;:AACA,MAAIIC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAA7B,EAA2C;AACzC,UAAAM,I AAIyC,KAAJ,kDAC2C9D,IAD3C,+BAEF6D,cAAc,CAACHd,MAAf,GAAwB,CAAxB,eAAcSgD,cAAc,CAACE, IAAf,CAAoB,IAApB,CAAtC,GAAoE,EAFIE,EAAN;AAKD,GAND,MAMO;AACL,UAAAM,IAAID,KAAJ,CAAU V,MAAM,MAAN,UAAOF,MAAM,CAACID,IAAD,CAAb,SAAwB6D,cAAxB,GAAwCG,IAAxC,EAHV,CAAN; AACD;AACF;:ACxCD;AAOA;:AACA,AAAO,IAAMC,cAAc,GAAG,SAAjBA,cAAiB,CAACC,GAAD,EAA0B; AACtD,SAAO,IAAIC,iBAAJ,CAAsBD,GAAtB,CAAP;AACD,CAFm;AAIP,IAAME,SAAS,GAAG,KAAK,CAA vB;:IAEMD;AAOJ,6BAAYD,GAAZ,EAAsB;AACpB,SAAKG,UAAAL,GAakB,IAAIC,WAAJ,CAAgBF,SAAhB, CAAIB;AACA,SAAKvD,MAAL,GAACuD,SAAd;AACA,SAAKF,GAAL,GAAWA,GAAX;AACD;:;:SAEDK,eA AA,sBAAaC,KAAb,EAAoC;AACIC,QAAIC,KAAK,GAAG,CAAZ;:AACA,SAAK,IAAI7D,CAAC,GAAG,CAAb ,EAAgBA,CAAC,GAAG4D,KAApB,EAA2B5D,CAAC,EAA5B,EAAgC;AAC9B6D,MAAAA,KAAK,IAAI,KAA KJ,UAAAL,CAAgBzD,CAAhB,CAAT;AACD;:AAED,WAAO6D,KAAP;AACD;:SAEDC,cAAA,qBAAYF,KAAZ, EAA2BG,KAA3B,EAAkD;AACHd,QAAIH,KAAK,IAAI,KAAKH,UAAAL,CAAgBxD,MAA7B,EAAqC;AACnC, UAAM+D,SAAS,GAAG,KAAKP,UAAvB;AACA,UAAmQ,OAAO,GAAGD,SAAS,CAAC/D,MAA1B;AAEA,U AAIIE,OAAO,GAAGD,OAAAd;:AACA,aAAOL,KAAK,IAAIM,OAAhB,EAAYB;AACvBA,QAAAA,OAAO,KAA K,CAAZ;:AACA,YAAIA,OAAO,GAAG,CAAd,EAAiB;AACfC,UAAAA,0BAAgB,CAAC,EAAD,OAAQP,KAA R,CAAhB;AACD;AACF;:AAED,WAAKH,UAAAL,GAakB,IAAIC,WAAJ,CAAgBQ,OAAhB,CAAIB;AACA,WA AKT,UAAAL,CAAgBW,GAAhB,CAAoBJ,SAAPB;AACA,WAAK/D,MAAL,GAACIE,OAAAd;AAEA,WAAK,IAA IIE,CAAC,GAAGIE,OAAAb,EAAsBjE,CAAC,GAAGkE,OAA1B,EAAmCIE,CAAC,EAAPC,EAAWC;AACtC,aAA KyD,UAAAL,CAAgBzD,CAAhB,IAAqB,CAArB;AACD;AACF;:AAED,QAAIqE,SAAS,GAAG,KAAKV,YAAL,C AAkBC,KAAK,GAAG,CAA1B,CAAhB;:AACA,SAAK,IAAI5D,EAAC,GAAG,CAAR,EAAsE,CAAC,GAAGP ,KAAK,CAAC9D,MAA1B,EAAkCD,EAAC,GAAGsE,CAAtC,EAAyCtE,EAAC,EAA1C,EAA8C;AAC5C,UAAI, KAAKsD,GAAL,CAASiB,UAAT,CAAoBF,SAAPB,EAA+BN,KAAK,CAAC/D,EAAD,CAAPC,CAAJ,EAA8C;A AC5C,aAAKyD,UAAAL,CAAgBG,KAHhB;AACAS,QAAAA,SAAS;AACV;AACF;AACF;:SAEDG,aAAA,oBAA WZ,KAAAX,EAAGC;AAC9B,QAAIA,KAAK,GAAG,KAAK3D,MAAjB,EAAYB;AACvB,UAAAMA,MAAM,GAA G,KAAKwD,UAAAL,CAAgBG,KAHhB,CAAF;AACA,UAAmMa,UAAU,GAAG,KAAKd,YAAL,CAAKBC,KAAIB, CAAnB;AACA,UAAmMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;AAEA,WAAKwD,UAAAL,CAAgBG,KAHh B,IAAYB,CAAzB;:AAEA,WAAK,IAAI5D,CAAC,GAAGyE,UAAAb,EAAYBzE,CAAC,GAAG0E,QAA7B,EAAuC 1E,CAAC,EAAXC,EAA4C;AAC1C,aAAKsD,GAAL,CAASqB,UAAT,CAAoBF,UAAPB;AACD;AACF;AACF;:S AEDG,WAAA,kBAAShB,KAAT,EAAGC;AAC9B,QAAIiB,GAAG,GAAG,EAHV;:AACA,QAAIjB,KAAK,IAAI, KAAK3D,MAAd,IAAwB,KAAKwD,UAAAL,CAAgBG,KAHhB,MAA2B,CAAvD,EAA0D;AACxD,aAAOiB,GAA P;AACD;:AAED,QAAm5E,MAAM,GAAG,KAAKwD,UAAAL,CAAgBG,KAHhB,CAAF;AACA,QAAmMa,UAAU, GAAG,KAAKd,YAAL,CAAKBC,KAAIB,CAAnB;AACA,QAAmMc,QAAQ,GAAGD,UAAU,GAAGxE,MAA9B;: AAEA,SAAK,IAAID,CAAC,GAAGyE,UAAAb,EAAYBzE,CAAC,GAAG0E,QAA7B,EAAuC1E,CAAC,EAAXC,E AA4C;AAC1C6E,MAAAA,GAAG,SAAO,KAAKvB,GAAL,CAASwB,OAAT,CAAiB9E,CAAjB,CAAP,GAA6B 4B,QAAhC;AACD;:AAED,WAAOiD,GAAP;AACD;:;:AChGH;AAEA,AAEA,IAAME,OAAO,GAAG,KAAK,K AAK,CAA1B;AAEA,IAAIC,eAAe,GAAwB,IAAIC,GAAJ,EAA3C;AACA,IAAIC,eAAe,GAAwB,IAAID,GAAJ,E AA3C;AACA,IAAIE,aAAa,GAAG,CAAPB;AAEA,AAMO,IAAMC,aAAa,GAAG,SAAhBA,aAAGB,CAACC,EA AD,EAAwB;AACnD,MAAIL,eAAe,CAACM,GAAhB,CAAoBD,EAAPB,CAAJ,EAA6B;AAC3B,WAAQL,eAAe, CAACO,GAAhB,CAAoBF,EAAPB,CAAR;AACD;:AAED,SAAOH,eAAe,CAACI,GAAhB,CAAoBH,aAApB,CA



AP,EAA2C;AACzCA,IAAAA,aAAa;AACd;;AAED,MAAMvB,KAAK,GAAGuB,aAAa,EAA3B;;AAEA,MACE5  
E,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC,CAACmD,KAAK,GAAG,CAAT,IAAc,CAAD  
,IAAmBA,KAAK,GAAGmB,OAD5B,CADF,EAGE;AACAZ,IAAAA,0BAAgB,CAAC,EAAD,OAAQP,KAAR,C  
AAhB;AACD;;AAEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KAAxB;AACAsB,EAA  
AA,eAAe,CAACd,GAAhB,CAAoBR,KAApB,EAA2ByB,EAA3B;AACa,SAAOzB,KAAP;AACD,CARBM;AAuB  
P,AAAO,IAAM4B,aAAa,GAAG,SAAhBA,aAAgB,CAAC5B,KAAD,EAakC;AAC7D,SAAOsB,eAAe,CAACK,G  
AAhB,CAAoB3B,KAApB,CAAP;AACD,CAFm;AAIP,AAAO,IAAM6B,aAAa,GAAG,SAAhBA,aAAgB,CAACJ,  
EAAD,EAAzB,KAAb,EAA+B;AAC1D,MAAIA,KAAK,IAAIuB,aAAb,EAA4B;AAC1BA,IAAAA,aAAa,GAAG  
vB,KAAK,GAAG,CAAxB;AACD;;AAEDoB,EAAAA,eAAe,CAACZ,GAAhB,CAAoBiB,EAAPB,EAAwBzB,KA  
AxB;AACAsB,EAAAA,eAAe,CAACd,GAAhB,CAAoBR,KAApB,EAA2ByB,EAA3B;AACD,CAPM;;AC3CP;A  
AEA,AAIA,IAAMK,QAAQ,cAAYpE,OAAZ,UAAwBG,eAAxB,WAA4CC,UAA5C,QAAAd;AACa,IAAMiE,SAA  
S,GAAG,IAAIC,MAAJ,OAAeT,OAAf,sDAAlB;AAEA,AAAO,IAAMuE,WAAW,GAAG,SAAdA,WAAc,CAAC  
C,KAAD,EAakB;AAC3C,MAAMxC,GAAG,GAAGwC,KAAK,CAACC,MAAN,EAAZ;AAD2C,MAEnC9F,MA  
FmC,GAExBqD,GAfwB,CAEnCrD,MAFmC;AAI3C,MAAI4E,GAAG,GAAG,EAAV;;AACa,OAAK,IAAIjB,KA  
AK,GAAG,CAAjB,EAAoBA,KAAK,GAAG3D,MAA5B,EAAoC2D,KAAK,EAAzC,EAA6C;AAC3C,QAAMyB,  
EAAE,GAAGG,aAAa,CAAC5B,KAAD,CAAxB;AACa,QAAIyB,EAAE,KAAKW,SAAX,EAAsB;AAEtB,QAA  
MC,KAAK,GAAGH,KAAK,CAACG,KAAN,CAAYV,GAAZ,CAAGBF,EAAhB,CAAd;AACa,QAAMtB,KAAK,  
GAAGT,GAAG,CAACsB,QAAJ,CAAahB,KAAb,CAAd;AACa,QAAI,CAACqC,KAAD,IAAU,CAACIC,KAAx,  
IAAoB,CAACkC,KAAK,CAACC,IAA/B,EAAqC;AAErC,QAAMC,QAAQ,GAAM7E,OAAO,UAAkBsC,KAAlB,  
cAA+ByB,EAA/B,QAAAd;AAEA,QAAIe,OAAO,GAAG,EAAd;;AACa,QAAIH,KAAK,KAAKD,SAAd,EAAyB;  
AACvBC,MAAAA,KAAK,CAACnD,OAAO,CAAc,UAAAtD,IAAI,EAAl;AACpB,YAAIA,IAAI,CAACS,MAAL  
,GAAC,CAAlB,EAAqB;AACnBmG,UAAAA,OAAO,IAAO5G,IAAP,MAAP;AACD;AACF,OAJD;AAKD,KAJB0  
C;AAoB3C;;AACaQF,IAAAA,GAAG,SAAOd,KAAP,GAAeoC,QAAf,mBAaoCC,OAAPC,WAAgDxE,QAAAnD;  
AACD;;AAED,SAAOid,GAAP;AACD,CA9BM;;AAGCP,IAAMwB,yBAAYB,GAAG,SAA5BA,yBAA4B,CAAC  
P,KAAD,EAAeT,EAAf,EAA2Be,OAA3B,EAA+C;AAC/E,MAAMH,KAAK,GAAGG,OAAO,CAACE,KAAR,CA  
Ac,GAAd,CAAd;AACa,MAAI9G,IAAJ;;AAEA,OAAK,IAAIQ,CAAC,GAAG,CAAR,EAAWsE,CAAC,GAAG2  
B,KAAK,CAACHG,MAA1B,EAakCD,CAAC,GAAGsE,CAAtC,EAAYCtE,CAAC,EAA1C,EAA8C;AAC5C;AAC  
A,QAAKR,IAAI,GAAGyG,KAAK,CAACjG,CAAD,CAAjB,EAauB;AACrB8F,MAAAA,KAAK,CAACS,YAAN  
,CAAmBIB,EAAhB,EAAuB7F,IAAvB;AACD;AACF;AACF,CAVD;;AAYA,IAAMgH,qBAAqB,GAAG,SAAxB  
A,qBAAwB,CAACV,KAAD,EAAeW,KAAf,EAA2C;AACvE,MAAMC,KAAK,GAAG,CAACD,KAAK,CAACE,  
WAAN,IAAQB,EAAtB,EAA0BL,KAA1B,CAAGC1E,QAAhC,CAAd;AACa,MAAMmC,KAAK,GAAa,EAAxB;;  
AAEA,OAAK,IAAI/D,CAAC,GAAG,CAAR,EAAWsE,CAAC,GAAGoC,KAAK,CAACzG,MAA1B,EAakCD,C  
AAC,GAAGsE,CAAtC,EAAYCtE,CAAC,EAA1C,EAA8C;AAC5C,QAAM4G,IAAI,GAAGF,KAAK,CAAC1G,C  
AAD,CAAL,CAASoD,IAAT,EAAb;AACa,QAAI,CAACwD,IAAL,EAAW;AAEX,QAAMC,MAAM,GAAGD,IA  
AI,CAACE,KAAL,CAAWnB,SAAX,CAAF;;AAEA,QAAIkB,MAAJ,EAAY;AACV,UAAMjD,KAAK,GAAGmD,  
QAAQ,CAACF,MAAM,CAAC,CAAD,CAAP,EAAY,EAAZ,CAAR,GAA0B,CAAxC;AACa,UAAMxB,EAAE,G  
AAGwB,MAAM,CAAC,CAAD,CAAjB;;AAEA,UAAIjD,KAAK,KAAK,CAAd,EAAiB;AACf;AACa6B,QAAAA  
,aAAa,CAACJ,EAAD,EAakzB,KAAL,CAAAb,CAFe;AAIf;;AACaYc,QAAAA,yBAAyB,CAACP,KAAD,EAQ  
T,EAAR,EAAYwB,MAAM,CAAC,CAAD,CAAlB,CAAzB;AACAf,QAAAA,KAAK,CAACC,MAAN,GAAejC,  
WAAf,CAA2BF,KAA3B,EAakCG,KAAIC;AACD;;AAEDA,MAAAA,KAAK,CAAC9D,MAAN,GAAe,CAAF;A  
ACD,KAdD,MAcO;AACL8D,MAAAA,KAAK,CAACIB,IAAN,CAAW+D,IAAX;AACD;AACF;AACF,CA5BD;;  
AA8BA,AAAO,IAAMI,cAAc,GAAG,SAAJBA,cAAiB,CAACIB,KAAD,EAakB;AAC9C,MAAMmB,KAAK,GA  
AGC,QAAQ,CAACC,gBAAT,CAA0BzB,QAA1B,CAAd;;AAEA,OAAK,IAAI1F,CAAC,GAAG,CAAR,EAAWs  
E,CAAC,GAAG2C,KAAK,CAACHH,MAA1B,EAakCD,CAAC,GAAGsE,CAAtC,EAAYCtE,CAAC,EAA1C,EA  
A8C;AAC5C,QAAMoH,IAAI,GAAKH,KAAK,CAACjH,CAAD,CAAPB;;AACa,QAAIoH,IAAI,IAAIA,IAAI,CA  
ACC,YAAL,CAakB/F,OAAIB,MAA+BE,cAA3C,EAA2D;AACzDgF,MAAAA,qBAAqB,CAACV,KAAD,EAQ  
sB,IAAR,CAArB;;AAEA,UAAIA,IAAI,CAACE,UAAT,EAAqB;AACnBF,QAAAA,IAAI,CAACE,UAAL,CAAG  
BC,WAAhB,CAA4BH,IAA5B;AACD;AACF;AACF;AACF,CABM;;ACnFP;;AACa;AAIA,IAAMI,QAAQ,GAA

G,SAAXA,QAAW,GAAM;AAErB,SAAO,OAAO1F,MAAP,KAAkB,WAAIB,GACH,OAAOA,MAAM,CAAC2F, iBAAd,KAAoC,WAApC,GACE3F,MAAM,CAAC2F,iBADT,GAEE,IAHC,GAIH,IAJJ;AAKD,CAPD;;ACLA;AA EA,AAIA,IAAMC,YAAY,GAAG,CAArB;AAAwB;;AAExB;;ACA,IAAMC,gBAAgB,GAAG,SAAAnBA,gBAA mB,CAACrH,MAAD,EAakD;AAAA,MACjEsH,UADiE,GACIDtH,MADkD,CACjEsH,UADiE;;AAGzE,OAAK,I AAI5H,CAAC,GAAG4H,UAAU,CAAC3H,MAAxB,EAAgCD,CAAC,IAAI,CAArC,EAAwCA,CAAC,EAAzC,E AA6C;AAC3C,QAAM6H,KAAK,GAakD,UAAU,CAAC5H,CAAD,CAA1B;;ACA,QAAl6H,KAAK,IAAIA,K AAK,CAACC,QAAN,KAAmBJ,YAA5B,IAA4CG,KAAK,CAACE,YAAN,CAAmBzG,OAAAnB,CAAhD,EAA6E; AAC3E,aAASuG,KAAT;AACD;AACF;;AAED,SAAO7B,SAAP;AACD,CAXD;AAaA;;;ACA,AAAO,IAAMgC, YAAY,GAAG,SAAfA,YAAe,CAAC1H,MAAD,EAA4C;AACTe,MAAM2H,IAAI,GAakf,QAAQ,CAACe,IAAx B;ACA,MAAMC,MAAM,GAAG5H,MAAM,IAAI2H,IAAzB;ACA,MAAMxB,KAAK,GAAGS,QAAQ,CAAC iB,aAAT,CAAuB,OAAvB,CAAd;ACA,MAAMC,SAAS,GAAGT,gBAAgB,CAACO,MAAD,CAAlC;ACA,M AAMG,WAAW,GAAGD,SAAS,KAAKpC,SAAd,GAA0BoC,SAAS,CAACC,WAApC,GAakD,IAAtE;AAEA5B, EAAAA,KAAK,CAAC6B,YAAN,CAAmBhH,OAAAnB,EAA4BE,cAA5B;AACAI,EAATA,KAAK,CAAC6B,YA AN,CAAmB7G,eAAAnB,EAAoCC,UAApC;AAEA,MAAM6G,KAAK,GAAGf,QAAQ,EAAtB;AAEA,MAAIe,KA AJ,EAAW9B,KAAK,CAAC6B,YAAN,CAAmB,OAAAnB,EAA4BC,KAA5B;AAEXL,EAATA,MAAM,CAACM, YAAP,CAAoB/B,KAApB,EAA2B4B,WAA3B;AAEA,SAAO5B,KAAP;AACD,CAjBM;AAmBP;;ACA,AAAO, IAAMgC,QAAQ,GAAG,SAAXA,QAAW,CAACnF,GAAD,EAA0C;AAChE,MAAIA,GAAG,CAACwC,KAAR,E AAe;AACb,WAASxC,GAAG,CAACwC,KAAb;AACD,GAH+D;;AAAA,kBAMxCoB,QANwC;AAAA,MAMxD wB,WANwD,aAMxDA,WANwD;;AAOhE,OAAK,IAAI1I,CAAC,GAAG,CAAR,EAAWsE,CAAC,GAAGoE,WA AW,CAACzI,MAAhC,EAAwCD,CAAC,GAAGsE,CAA5C,EAA+CtE,CAAC,EAAhD,EAAoD;AACID,QAAM8F ,KAAK,GAAG4C,WAAW,CAAC1I,CAAD,CAAzB;;ACA,QAAl8F,KAAK,CAAC6C,SAAN,KAAoBrF,GAAx B,EAA6B;AAC3B,aAASwC,KAAT;AACD;AACF;;AAED3B,EAATA,0BAAgB,CAAC,EAAD,CAAhB;ACA,S AAQ6B,SAAR;AACD,CAhBM;;AC3CP;AAMA;;ACA,AAAO,IAAM4C,OAAO,GAAG,SAAVA,OAAU,OAAg E;AAAA,MAA7DC,QAA6D,QAA7DA,QAA6D;AAAA,MAAnDC,iBAAmD,QAAnDA,iBAAmD;AAAA,MAAh CxI,MAAgC,QAAhCA,MAAgC;;AACrF,MAAIuI,QAAl,EAAC;AACZ,WAAO,IAAIE,UAAJ,CAAezI,MAAf,CA AP;AACD,GAFD,MAEO,IAAIwI,iBAAl,EAAuB;AAC5B,WAAO,IAAIE,QAAl,CAAa1I,MAAb,CAAP;AACD, GAFM,MAEA;AACL,WAAO,IAAI2I,OAAJ,CAAY3I,MAAZ,CAAP;AACD;AACF,CARM;AAUP,IAAa0I,QAA b;AAOE,oBAAY1I,MAAZ,EAakC;AAChC,QAAM4I,OAAO,GAAl,KAAKA,OAAL,GAAelB,YAAY,CAAC1H, MAAD,CAA5C,CADgC;;AAIhC4I,IAAAA,OAAO,CAACC,WAAAR,CAAoBjC,QAAQ,CAACkC,cAAT,CAAwB, EAAxB,CAApB;AAEA,SAAKtD,KAAL,GAAa2C,QAAQ,CAACS,OAAD,CAArB;ACA,SAAKjJ,MAAL,GAA c,CAAd;AACD;;AAfH;;AAAA,SAiBEsE,UajBF,GAiBE,oBAAWV,KAAAX,EAA0BwF,IAA1B,EAAiD;AAC/C,Q AAI;AACF,WAAKvD,KAAL,CAAWvB,UAAAX,CAAsB8E,IAAtB,EAA4BxF,KAA5B;ACA,WAAK5D,MAAL; ACA,aAAO,IAAP;AACD,KAJD,CAIE,OAAOqJ,MAAP,EAAe;AACf,aAAO,KAAP;AACD;AACF,GAzBH;;A AAA,SA2BE3E,UA3BF,GA2BE,oBAAWd,KAAAX,EAAgC;AAC9B,SAAKiC,KAAL,CAAWnB,UAAAX,CAAsBd, KAAtB;ACA,SAAK5D,MAAL;AACD,GA9BH;;AAAA,SAGCE6E,OAChF,GAGCE,iBAAQjB,KAAR,EAA+B; AAC7B,QAAMwF,IAAI,GAAG,KAAKvD,KAAL,CAAWyD,QAAAX,CAAoB1F,KAAPB,CAAb,CAD6B;;AAG7 B,QAAlwF,IAAI,KAAKrD,SAAT,IAAsB,OAAOqD,IAAI,CAACG,OAAZ,KAAwB,QAAlD,EAA4D;AAC1D,aA AOH,IAAI,CAACG,OAAZ;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF,GAXCH;;AAAA;AAAA;A A2CA;;ACA,IAAaP,OAAb;AAOE,mBAAY3I,MAAZ,EAakC;AAChC,QAAM4I,OAAO,GAAl,KAAKA,OAAL, GAAelB,YAAY,CAAC1H,MAAD,CAA5C;ACA,SAAK2G,KAAL,GAAaiC,OAAO,CAACtB,UAArB;ACA, SAAK3H,MAAL,GAAc,CAAd;AACD;;AAXH;;AAAA,UAAEsE,UAbF,GAaE,oBAAWV,KAAAX,EAA0BwF,IAA 1B,EAAiD;AAC/C,QAAlxF,KAAK,IAAI,KAAK5D,MAAd,IAAWB4D,KAAK,IAAI,CAArC,EAAwC;AACtC,UA AMuD,IAAI,GAAGF,QAAQ,CAACkC,cAAT,CAAwBC,IAAxB,CAAb;ACA,UAAMI,OAAO,GAAG,KAAKxC ,KAAL,CAAWpD,KAAAX,CAAhB;ACA,WAAKqF,OAAL,CAAaV,YAAAb,CAA0BpB,IAA1B,EAAgCqC,OA A O,IAAI,IAA3C;ACA,WAAKxJ,MAAL;ACA,aAAO,IAAP;AACD,KAND,MAMO;AACL,aAAO,KAAP;AAC D;AACF,GAvBH;;AAAA,UAYBE0E,UAZBF,GAYBE,oBAAWd,KAAAX,EAAgC;AAC9B,SAAKqF,OAAL,CAAa 3B,WAAAb,CAAyB,KAAKN,KAAL,CAAWpD,KAAAX,CAAzB;ACA,SAAK5D,MAAL;AACD,GA5BH;;AAAA, UA8BE6E,OA9BF,GA8BE,iBAAQjB,KAAR,EAA+B;AAC7B,QAAlA,KAAK,GAAG,KAAK5D,MAAJB,EAAY

B;AACvB,aAAO,KAAKgH,KAAL,CAAWpD,KAAX,EAAkB8C,WAAzB;AACD,KAFD,MAEO;AACL,aAAO,E  
AAP;AACD;AACF,GApCH;::AAAA;AAAA;AAuCA;::ACA,IAAoC,UAb;AAKE,sBAAYW,OAAZ,EAAMC;  
AACjC,SAAK3F,KAAL,GAAa,EAAb;ACA,SAAK9D,MAAL,GAAC,CAAd;AACD;:AARH;:AAAA,UAUESE,  
UAVF,GAUE,oBAAWV,KAAX,EAA0BwF,IAA1B,EAAiD;AAC/C,QAAIxF,KAAK,IAAI,KAAK5D,MAAIB,EA  
A0B;AACxB,WAAK8D,KAAL,CAAW4F,MAAX,CAAKB9F,KAAIB,EAAYB,CAAzB,EAA4BwF,IAA5B;ACA  
,WAAKpJ,MAAL;ACA,aAAO,IAAP;AACD,KAJD,MAIO;AACL,aAAO,KAAP;AACD;AACF,GAIBH;:AAAA,  
UAoBE0E,UApBF,GAoBE,oBAAWd,KAAX,EAAgC;AAC9B,SAAKE,KAAL,CAAW4F,MAAX,CAAKB9F,KA  
AIB,EAAYB,CAAzB;ACA,SAAK5D,MAAL;AACD,GAVBH;:AAAA,UAYBE6E,OAZBF,GAYBE,iBAAQjB,KA  
AR,EAA+B;AAC7B,QAAIA,KAAK,GAAG,KAAK5D,MAAJB,EAAYB;AACvB,aAAO,KAAK8D,KAAL,CAAW  
F,KAAAX,CAAP;AACD,KAFD,MAEO;AACL,aAAO,EAAP;AACD;AACF,GA/BH;:AAAA;AAAA;:AC5FA,IAAI  
+F,gBAAgB,GAAG/H,UAAvB;AAWA,IAAMgI,cAAc,GAAiB;AACnChB,EAAAA,QAAQ,EAAE,CAACH,U  
DwB;AAEnCiH,EAAAA,iBAAiB,EAAE,CAAC/G;AAFe,CAArC;AAKA;:IACqB+H;AAWnB;aACOC,aAAP,oB  
AAkB1E,EAAIB,EAAc;AACpC,WAAOD,aAAa,CAACC,EAAD,CAAPB;AACD;:AAED,sBACE2E,OADF,EA  
EEC,YAFF,EAGEhE,KAHF,EAIE;AAAA,QAHA+D,OAGA;AAHAA,MAAAA,OAGA,GAHgC3H,YAGhC;AA  
AA;:AAAA,QAFA4H,YAEA;AAFAA,MAAAA,YAEA,GAFC2C,EAE3C;AAAA;:ACA,SAAKD,OAAL,gBACK  
H,cADL,MAEKg,OAFL;AAKA,SAAKE,EAAL,GAAUD,YAAV;ACA,SAAKhE,KAAL,GAAa,IAAIhB,GAJJ,  
CAAQgB,KAAR,CAAb;ACA,SAAKkE,MAAL,GAAC,CAAC,CAACH,OAAO,CAACnB,QAAxB,CARA;:AA  
WA,QAAI,CAAC,KAAKsB,MAAN,IAAgBiI,UAAhB,IAA8B+H,gBAAIC,EAAoD;AACIDA,MAAAA,gBAAgB,  
GAAG,KAAAnB;ACA5C,MAAAA,cAAc,CAAC,IAAD,CAAd;AACD;AACF;:::SAEDoD,yBAAA,gCAAuBJ,OA  
AvB,EAAsDK,SAAtD,EAAkF;AAAA,QAA5BA,SAA4B;AAA5BA,MAAAA,SAA4B,GAAN,IAAM;AAAA;:AA  
ChF,WAAO,IAAIP,UAAJ,cACA,KAAKE,OADL,MACiBA,OADjB,GAEL,KAAKE,EAFA,EAGJG,SAAS,IAAI,  
KAAKpE,KAAAnB,IAA6BD,SAHxB,CAAP;AAKD;:SAEDsE,qBAAA,4BAAmBjF,EAAnB,EAA+B;AAC7B,WA  
AQ,KAAK6E,EAAL,CAAQ7E,EAAR,IAAc,CAAC,KAAK6E,EAAL,CAAQ7E,EAAR,KAAe,CAAhB,IAAQB,C  
AA3C;AACD;AAED;:SACAU,SAAA,kBAAqB;AACnB,WAAO,KAAKzC,GAAL,KAAa,KAAKA,GAAL,GAA  
WD,cAAc,CAACuF,OAAO,CAAC,KAAKoB,OAAN,CAAR,CAATC,CAAP;AACD;AAED;:SACAO,eAAA,sBA  
AalF,EAAb,EAAYB7F,IAAzB,EAAGD;AAC9C,WAAO,KAAKyG,KAAL,CAAWX,GAAX,CAAeD,EAAf,KAAu  
B,KAAKY,KAAL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA0BC,GAA1B,CAA8B9F,IAA9B,CAA7B;AACD;  
AAED;:SACA+G,eAAA,sBAAalB,EAAb,EAAYB7F,IAAzB,EAACu;AACrC4F,IAAAA,aAAa,CAACC,EAAD,C  
AAb;:AAEA,QAAI,CAAC,KAAKY,KAAL,CAAWX,GAAX,CAAeD,EAAf,CAAL,EAAYB;AACvB,UAMmF,  
UAAU,GAAG,IAAIC,GAJJ,EAAnB;AACAD,MAAAA,UAAU,CAACE,GAAX,CAAeL,IAAf;ACA,WAAKY  
G,KAAL,CAAW7B,GAAX,CAAeiB,EAAf,EAAMBmF,UAAAnB;AACD,KAJD,MAIO;AACJ,WAAKvE,KAAL,C  
AAWV,GAAX,CAAeF,EAAf,CAAD,CAA0BqF,GAA1B,CAA8BIL,IAA9B;AACD;AACF;AAED;:SACAsE,cA  
AA,qBAAYuB,EAAs,EAAwB7F,IAAxB,EAAsCuE,KAATC,EAACuD;AACrD,SAAKwC,YAAL,CAAKBIB,EAAL  
B,EAAsB7F,IAATB;ACA,SAAKuG,MAAL,GAACjC,WAAAd,CAA0BsB,aAAa,CAACC,EAAD,CAAuC,EAAs6Ct  
B,KAA7C;AACD;AAED;:SACA4G,aAAA,oBAAWtF,EAAX,EAACuB;AACrB,QAAI,KAAKY,KAAL,CAAWX,  
GAAX,CAAeD,EAAf,CAAJ,EAAwB;AACrB,WAAKY,KAAL,CAAWV,GAAX,CAAeF,EAAf,CAAD,CAA0Bu  
F,KAA1B;AACD;AACF;AAED;:SACAC,aAAA,oBAAWxF,EAAX,EAACuB;AACrB,SAAKU,MAAL,GAACvB,  
UAAAd,CAAyBY,aAAa,CAACC,EAAD,CAATC;ACA,SAAKsF,UAAAL,CAAgBiF,EAHhB;AACD;AAED;:SAC  
AyF,WAAA,oBAAW;AACT;ACA;ACA,SAAKxH,GAAL,GAAW0C,SAAX;AACD;AAED;:SACAhF,WAA  
A,oBAAmB;AACjB,WAAO6E,WAAW,CAAC,IAAD,CAAIB;AACD;:AC/HH;:AAAAAAAAAAAAAAAA;AAoBA;AAEA,A  
AAE,2BAAStB,UAAT,EAAqB;AACIC,MAAMwG,SAAS,GAAG,OAAIB;ACA,MAAMC,MAAM,GAAMD,SA  
AN,MAAZ;:AAEA,WAASE,OAAT,CAAIcB,KAJJB,EAAwB;AACtB,QAAIA,KAJJ,EAAW;AACT,UAAI;AA  
CF3G,QAAAA,UAAU,CAAI2G,KAJJ,OAAV;AACD,OAFD,CAEE,OAAOC,CAAP,EAACU;AACb;AACF;:AAE  
D,SAAO,SAASC,SAAT,CACLC,OADK,EAELjF,OAFK,EAGLkF,SAHK,EAILC,OAJK,EAKLC,IALK,EAMLC,  
MANK,EAOLxL,MAPK,EAQLyL,EARK,EASLC,KATK,EAULC,EAVK,EAWL;ACA,YAAQP,OAAR;AAEE;  
ACA,WAAK,CAAL;AAEE;ACA,YAAIM,KAAK,KAAK,CAAV,IAAevF,OAAO,CAACIG,UAAAR,CAAmB,C  
AAAnB,MAA0B,EAA7C,EAAiD,OAAOqE,UAAU,CAAI6B,OAAJ,OAAV,EAA2B,EAAIC;AACjD;AACF;:ACA  
,WAAK,CAAL;AAEE,YAAIsF,EAAE,KAAK,CAAX,EAAc,OAAOtF,OAAO,GAAG2E,SAAJB;AACd;AACF;:A

ACA,WAAK,CAAL;AACE,gBAAQW,EAAR;AACE;AACa,eAAK,GAAL;AACa,eAAK,GAAL;AACE,mBAAO  
nH,UAAU,CAAC+G,SAAS,CAAC,CAAD,CAAT,GAAeIF,OAAhB,CAAV,EAAoC,EAA3C;;AACF;AACE,mBA  
AOA,OAAO,IAAIwF,EAAE,KAAK,CAAP,GAAWb,SAAX,GAAuB,EAA3B,CAAd;AANJ;;AAQF,WAAK,CAA  
C,CAAN;AAACE3E,QAAAA,OAAO,CAACE,KAAAR,CAAc0E,MAAd,EAAsBII,OAAtB,CAA8BmI,OAA9B;AAr  
BJ;AAuBD,GAnCD;AAoCD;;AC/DD,IAAMY,aAAa,GAAG,eAAtB;AACa,IAAMC,uBAAuB,GAAG,CAAC,GA  
AD,EAAM,GAAN,EAAW,GAAX,EAAGb,GAAhB,CAAhC;AAOA,AAAE,SAASC,oBAAT,QAGkC;AAAA,gCA  
AdIJ,YAAc;AAAA,0BAF/C2H,OAE+C;AAAA,MAF/CA,OAE+C,6BAFrC3H,YAEqC;AAAA,0BAD/C2J,OAC+  
C;AAAA,MAD/CA,OAC+C,6BADrC7J,WACqC;;AAC/C,MAAM8J,MAAM,GAAG,IAAIC,MAAJ,CAAWIC,OA  
AX,CAAf,CAD+C;AAI/C;AACa;;AAEA,MAAImC,YAAy,GAAG,EAAnB,CAP+C;;AAU/C,MAAMC,iBAAiB,  
GAAG,SAApBA,iBAAoB,CAAAf,OAAO,EAAl;AACnC,QAAIA,OAAO,KAAK,CAAC,CAAjB,EAAoB;AACIB,  
UAAMgB,WAAW,GAAGF,YAApB;AACAA,MAAAA,YAAy,GAAG,EAaf;AACa,aAAOE,WAAP;AACD;AA  
CF,GAND;;AAQA,MAAMC,gBAAgB,GAAGC,gBAAgB,CAAC,UAAAIID,IAAI,EAAl;AAChD8C,IAAAA,YAA  
Y,CAACtJ,IAAb,CAAkBwG,IAAIB;AACD,GAFwC,CAAzC;;AAIA,MAAImD,YAAJ;;AACa,MAAIC,SAAJ;;A  
ACA,MAAIC,eAAJ;;AACa,MAAIC,yBAAJ;;AAEA,MAAMC,qBAAqB,GAAG,SAAxBA,qBAAwB,CAAC9F,K  
AAD,EAAQ+F,MAAR,EAAGBC,MAAhB,EAA2B;AACvD;AAEE,KAACD,MAAM,KAAK,CAAX,GAAef,uBA  
AuB,CAACiB,OAAxB,CAAGCD,MAAM,CAACL,SAAS,CAACxM,MAAX,CAAtC,MAA8D,CAAC,CAA9E,GA  
AkF,IAAnF;AAEA,KAAc6M,MAAM,CAACgK,KAAP,CAAa6F,yBAAb,CAJH,EAKE;AACa,mBAAWH,YAA  
X;AACD;;AAED,WAAO1F,KAAP;AACD,GAXD;AAaA;;;;;;;;AAaA,MAAMkG,8BAA8B,GAAG,SAAjCA,  
8BAAiC,CAAC3B,OAAD,EAAU4B,CAAV,EAAa3B,SAAb,EAA2B;AAChE,QAAID,OAAO,KAAK,CAAZ,IAA  
iBC,SAAS,CAACrL,MAA3B,IAAqCqL,SAAS,CAAC,CAAD,CAAT,CAAa4B,WAAb,CAAyBT,SAAzB,IAAsC,  
CAA/E,EAakF;AAChF;AACAnB,MAAAA,SAAS,CAAC,CAAD,CAAT,GAAeA,SAAS,CAAC,CAAD,CAAT,C  
AAaIL,OAAb,CAAqB8M,eAArB,EAAcE,qBAAtC,CAAf;AACD;AACF,GALD;;AAOAX,EAAAA,MAAM,CA  
ACkB,GAAP,WAAenB,OAaf,GAAwBgB,8BAAxB,EAAwDV,gBAAxD,EAA0EF,iBAA1E;;AAEA,WAAsgB,c  
AAT,CAAwBvI,GAAxB,EAA6BsB,QAA7B,EAAuCkH,MAAvC,EAA+CC,WAA/C,EAA+E;AAAA,QAahCA,W  
AAgC;AAAhCA,MAAAA,WAAgC,GAAIB,GAakB;AAAA;;AAC7E,QAAMC,OAAO,GAAG1I,GAAG,CAACjF  
,OAAJ,CAAYiM,aAAZ,EAA2B,EAA3B,CAAhB;AACa,QAAM2B,MAAM,GAAGrH,QAAQ,IAAIkH,MAAZ,G  
AAwBA,MAAxB,SAAkCIH,QAAIC,WAAgDoH,OAAhD,UAA8DA,OAA7E,CAF6E;AAK7E;AACa;;AACAf,IA  
AAA,YAAy,GAAGc,WAAf;AACAb,IAAAA,SAAS,GAAGtG,QAAZ;AACAuG,IAAAA,eAAe,GAAG,IAAI9G,  
MAAJ,QAAgB6G,SAAhB,UAAgC,GAAhC,CAAIB;AACAE,IAAAA,yBAAyB,GAAG,IAAI/G,MAAJ,SAAiB6G,  
SAAjB,cAA5B;AAEA,WAAOR,MAAM,CAACoB,MAAM,IAAI,CAACIH,QAAAX,GAAsB,EAAtB,GAA2BA,QA  
A5B,EAAcQh,MAAtC,CAAb;AACD;;AAEDJ,EAAAA,cAAc,CAACjN,IAAf,GAAsB6L,OAAO,CAAC/L,MAA  
R,GACIB+L,OAAO,CACJyB,MADH,CACU,UAACC,GAAD,EAAMC,MAAN,EAaiB;AACvB,QAAI,CAACA,  
MAAM,CAACnO,IAAZ,EAakB;AAChB2E,MAAAA,0BAAgB,CAAC,EAAD,CAAhB;AACD;;AAED,WAAOrE  
,KAAK,CAAC4N,GAAD,EAAMC,MAAM,CAACnO,IAAb,CAAZ;AACD,GAPH,EAOKK,IAPL,EAQGmB,QAR  
H,EADkB,GAUIB,EAVJ;AAYA,SAAOoM,cAAP;AACD;;AC5GD;AACa,AAeO,IAAMQ,iBAAiB,GAA+BC,KA  
AK,CAACC,aAAN,EAAtD;AACp,AAAO,IAAMC,kBAakB,GAAGH,iBAAiB,CAACI,QAA7C;AACp,AAAO,IA  
AMC,aAAa,GAAGCJ,KAAK,CAACC,aAAN,EAAnD;AACp,AAAO,IAAMI,cAAc,GAAGD,aAAa,CAACD,QAA  
rC;AAEP,AAAO,IAAMG,WAAW,GAAe,IAAIrE,UAAJ,EAAhC;AACp,AAAO,IAAMsE,YAAy,GAAGBrC,oBA  
AoB,EAAtD;;ACtBP;AACa;IAKqBsC;AAOnB,qBAAy7O,IAAZ,EAA0BuE,KAA1B,EAAyC;AAAA;;AAAA,S  
AMzCuK,MANyC,GAMhC,UAACC,UAAD,EAAYBC,cAAzB,EAAwE;AAAA,UAA/CA,cAA+C;AAA/CA,QAA  
AA,cAA+C,GAAjBJ,YAAiB;AAAA;;AAC/E,UAAMK,YAAy,GAAG,KAAI,CAACjP,IAAL,GAAYgP,cAAc,CA  
ACrO,IAAhD;;AAEA,UAAI,CAACoO,UAAU,CAACHe,YAAx,CAAwB,KAAI,CAACIF,EAA7B,EAaiCoJ,YA  
AjC,CAAL,EAAqD;AACnDF,QAAAA,UAAU,CAACzK,WAAx,CACE,KAAI,CAACuB,EADP,EAEEoJ,YAFF,  
EAGED,cAAc,CAAC,KAAI,CAACzK,KAAN,EAAa0K,YAAb,EAA2B,YAA3B,CAHhB;AAKD;AACF,KAhBw  
C;;AAAA,SAkBzCzN,QAlByC,GakB9B,YAAM;AACf,aAAOmD,0BAAgB,CAAC,EAAD,EAak9E,MAAM,CA  
AC,KAAI,CAACG,IAAN,CAAX,CAAvB;AACD,KApBwC;;AACvC,SAAKA,IAAL,GAAYA,IAAZ;AACa,SA  
AK6F,EAAL,qBAA0B7F,IAA1B;AACa,SAAKuE,KAAI,GAaAa,KAAb;AACD;;;SAkBD2K,UAAA,iBAAQF,cA  
AR,EAAoD;AAAA,QAA5CA,cAA4C;AAA5CA,MAAAA,cAA4C,GAAdJ,YAAc;AAAA;;AACID,WAAO,KAA

K5O,IAAL,GAAYgP,cAAc,CAACrO,IAAIC;AACD;,,,,;ACrCH;;AAEA;,,,;AAKA,IAAMwO,cAAc,GAAG,SAAv  
B;AACa,IAAMC,gBAAgB,GAAG,UAAzB;AACa,IAAMC,SAAS,GAAG,MAAIB;;AACa,IAAMC,kBAaKB,G  
AAG,SAArBA,kBAaQb,CAACC,KAAD;AAAA,eAA8BA,KAAI,CAACC,WAAL,EAA9B;AAAA,CAA3B;AAE  
A;,,,,,;,,,,,;AAgBA,AAAE,SAASC,kBAAT,CAA4BnC,MAA5B,EAAoD;AACjE,SAAO6B,cAAc,CAAC/N,IA  
Af,CAAoBkM,MAApB,IACLA,MAAM,CACLIN,OADD,CACSGP,gBADT,EAC2BE,kBAD3B,EAECIP,OAFD,C  
AESiP,SAFT,EAEOB,MAFPB,CADK,GAIL/B,MAJF;AAKD;;ACICD;AACa;AAGA,AAAE,SAASoC,eAAT,CA  
AyB1P,IAAzB,EAAuC2P,KAAvC,EAAwD;AACrE;AACa;AACa,MAAIA,KAAK,IAAI,IAAT,IAAiB,OAAOA,  
KAAP,KAAiB,SAaIC,IAA+CA,KAAK,KAAK,EAA7D,EAAiE;AAC/D,WAAO,EAAP;AACD;;AAED,MAAI,O  
AAOA,KAAP,KAAiB,QAAjB,IAA6BA,KAAK,KAAK,CAAvC,IAA4C,EAAE3P,IAAI,IAAI4P,QAAV,CAAhD,  
EAAqE;AACnE,WAAUD,KAAV,QADmE;AAEpE;;AAED,SAAO9P,MAAM,CAAC8P,KAAD,CAAN,CAAc/L,I  
AAAd,EAAP;AACD;;AChBD;AACa,AAWA;,,,;AAGA,IAAMiM,SAAS,GAAG,SAAZA,SAAY,CAAAC,KAAK;A  
AAA,SAaIA,KAAK,KAAKtJ,SAAV,IAAuBsJ,KAAK,KAAK,IAAjC,IAAyCA,KAAK,KAAK,KAAAnD,IAA4DA,  
KAAK,KAAK,EAA1E;AAAA,CAAvB;;AAEA,AAAO,IAAMC,aAAa,GAAG,SAAhBA,aAAgB,CAACC,GAAD,  
EAAcC,OAAAd,EAA6D;AACxF,MAAM1L,KAAK,GAAG,EAAd;;AAEA,OAaK,IAAM2L,GAAX,IAAkBF,GAAL  
B,EAAuB;AACrB,QAAI,CAACA,GAAG,CAACG,cAAJ,CAAmBD,GAAnB,CAAD,IAA4BL,SAAS,CAACG,GA  
AG,CAACE,GAAD,CAAJ,CAAzC,EAAqD;;AAErD,QAAKE,KAAK,CAACC,OAAN,CAAcL,GAAG,CAACE,G  
AAD,CAAjB,KAA2BF,GAAG,CAACE,GAAD,CAAH,CAASI,KAArC,IAA+CnP,UAAU,CAAC6O,GAAG,CAA  
CE,GAAD,CAAJ,CAA7D,EAAyE;AACvE3L,MAAAA,KAAK,CAACIB,IAAN,CAAcN,kBAAS,CAACL,GAA  
D,CAAvB,QAAiCF,GAAG,CAACE,GAAD,CAApC,EAA2C,GAA3C;AACD,KAFD,MAEO,IAAIM,aAAa,CAA  
CR,GAAG,CAACE,GAAD,CAAJ,CAAjB,EAA6B;AACIC3L,MAAAA,KAAK,CAACIB,IAAN,OAAaKB,KAAK  
,EAASwL,aAAa,CAACC,GAAG,CAACE,GAAD,CAAJ,EAAWA,GAAX,CAATB,CAAL;AACD,KAFM,MAEA;  
AACL3L,MAAAA,KAAK,CAACIB,IAAN,CAAcN,kBAAS,CAACL,GAAD,CAAvB,UAAiCR,eAAe,CAACQ,  
GAAD,EAAMF,GAAG,CAACE,GAAD,CAAT,CAAhD;AACD;AACF;;AAED,SAAO,OAaO,IAAOA,OAAP,g  
BAAuB1L,KAAvB,GAA8B,GAA9B,KAAqCA,KAAAnD;AACD,CaHBM;AAkBP,AAAE,SAASkM,OAAT,CACb  
X,KADa,EAEBY,gBAFa,EAGb3B,UHa,EAIBc,cAJa,EAKR;AACL,MAAIoB,KAAK,CAACC,OAAN,CAAcP,K  
AAAd,CAAJ,EAA0B;AACxB,QAAmB,OAaO,GAAG,EAAbB;;AAEA,SAaK,IAAIInQ,CAAC,GAAG,CAAR,EAA  
W4C,GAAG,GAAG0M,KAAK,CAACrP,MAAvB,EAA+BmQ,MAApC,EAA4CpQ,CAAC,GAAG4C,GAAhD,EA  
AqD5C,CAAC,IAAI,CAA1D,EAA6D;AAC3DoQ,MAAAA,MAAM,GAAGH,OAaO,CAACX,KAAK,CAACtP,C  
AAD,CAAN,EAAWkQ,gBAAX,EAA6B3B,UAA7B,EAAyCC,cAAzC,CAAhB;AAEA,UAAI4B,MAAM,KAAK,  
EAAf,EAAMb,SAAnB,KACK,IAAIR,KAAK,CAACC,OAAN,CAAcO,MAAd,CAAJ,EAA2BD,OAaO,CAACtN,  
IAAR,OAAsN,OAaO,EAASC,MAAT,CAAP,CAA3B,KACAD,OAaO,CAACtN,IAAR,CAAauN,MAAb;AAC  
N;;AAED,WAAOD,OAAP;AACD;;AAED,MAAIId,SAAS,CAACC,KAAD,CAAb,EAASB;AACpB,WAAO,EAAP  
;AACD;AAED;;AACa,MAAIIO,iBAAiB,CAACKO,KAAD,CAArB,EAA8B;AAC5B,iBAAWA,KAAK,CAACjO  
,iBAAjB;AACD;AAED;;AACa,MAAIV,UAAU,CAAC2O,KAAD,CAAd,EAAuB;AACrB,QAAIzO,mBAAMb,C  
AACyO,KAAD,CAAnB,IAA8BY,gBAaIC,EAAoD;AACID,UAAAME,OAAM,GAAGd,KAAK,CAACY,gBAAD,  
CAApB;;AAEA,UAAI3P,OAaO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,IAAyC4P,SAAS,CAACD,OA  
AD,CAAtD,EAAgE;AAC9D;AACAE,QAAAA,OAaO,CAACC,IAAR,CACKIQ,gBAAgB,CACjBiP,KADiB,CA  
DrB;AAKD;;AAED,aAAOW,OAaO,CAACG,OAAD,EAASF,gBAAT,EAA2B3B,UAA3B,EAAuCC,cAAvC,CA  
Ad;AACD,KAbD,MAaO,OAaOc,KAAP;AACR;;AAED,MAAIA,KAAK,YAAyJb,SAArB,EAAGc;AAC9B,QAA  
IE,UAAJ,EAAGB;AACde,MAAAA,KAAK,CAACHb,MAAN,CAAaC,UAAb,EAAYBC,cAAzB;AACa,aAAOc,K  
AAK,CAACZ,OAAN,CAAcF,cAAAd,CAAP;AACD,KAHD,MAGO,OAaOc,KAAP;AACR;AAED;;AACa,SAAO  
U,aAAa,CAACV,KAAD,CAAb,GAAuBC,aAAa,CAACD,KAAD,CAApC,GAA8CA,KAAK,CAACtO,QAAN,EA  
ArD;AACD;;AC3FD;AACa,IAAMwP,OAaO,GAAG,EAAbB;AAEA,AAAE,SAASC,QAAT,CAAKBC,OAaIB,E  
AA2B;AACxC,MAAIF,OAaO,CAACE,OAAD,CAAX,EAASB;AACtBF,EAAAA,OAaO,CAACE,OAAD,CAAP,  
GAAMb,IAAnB;AAEA,MAAI,OAaOJ,OAAP,KAAMb,WAAAnB,IAAkCA,OAaO,CAACC,IAA9C,EAAoDD,O  
AAO,CAACC,IAAR,CAAaG,OAAb;AACrD;;ACRD;AACa,IAAMC,YAAy,GAAG,IAAIzQ,UAAJ,CAAe,CAAf  
,CAArB;AACa,IAAM0Q,YAAy,GAAG,IAAI1Q,UAAJ,CAAe,CAAf,CAArB;AACa,IAAM2Q,SAAS,GAAG,K  
AAK3Q,UAAAL,CAAgB,CAAhB,CAAIb;AACa,IAAM4Q,KAAK,GAAG,IAAI5Q,UAAJ,CAAe,CAAf,CAAd;AA

CA,IAAM6Q,OAAO,GAAG,KAAK7Q,UAAAL,CAAgB,CAAhB,CAAhB;AACa,IAAM8Q,KAAK,GAAG,IAAI9  
Q,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM+Q,IAAI,GAAG,KAAK/Q,UAAAL,CAAgB,CAAhB,CAAb;AACa,IA  
AMgR,GAAG,GAAG,KAAKhR,UAAAL,CAAgB,CAAhB,CAAZ;AACa,IAAMiR,EAAE,GAAG,KAAKjR,UAAAL,  
CAAgB,CAAhB,CAAX;AACa,IAAMkR,WAAW,GAAG,IAAIIR,UAAJ,CAAe,CAAf,CAApB;AACa,IAAMmR,  
YAAAY,GAAG,IAAIInR,UAAJ,CAAe,CAAf,CAArB;AACa,IAAMoR,gBAAGB,GAAG,IAAIpR,UAAJ,CAAe,CA  
Af,CAAzB;AACa,IAAMqR,iBAAiB,GAAG,IAAIrR,UAAJ,CAAe,CAAf,CAAIB;AACa,IAAMsR,UAAU,GAA  
G,IAAIrR,UAAJ,CAAe,CAAf,CAAnB;AACa,IAAMuR,WAAW,GAAG,IAAIvR,UAAJ,CAAe,CAAf,CAApB;A  
ACA,IAAMwR,SAAS,GAAG,IAAIxR,UAAJ,CAAe,CAAf,CAAIB;AACa,IAAMyR,QAAQ,GAAG,IAAIzR,UA  
AJ,CAAe,CAAf,CAAjB;AACa,IAAM0R,KAAK,GAAG,IAAI1R,UAAJ,CAAe,CAAf,CAAd;AACa,IAAM2R,E  
AAE,GAAG,IAAI3R,UAAJ,CAAe,CAAf,CAAX;AAEA,IAAM4R,SAAS,GAAG,+BAAIB;AACa,IAAMC,WAA  
W,GAAG,4CAApB;AACa,IAAMC,cAAc,GAAG,eAAvB;AAEA,AAAE,SAASC,QAAT,CAAKBC,KAAIB,EAAy  
BII,OAAzB,EAAuC;AAAA,MAAdA,OAAc;AAAdA,IAAAA,OAAc,GAAJ,EAAI;AAAA;;AACpD,MAAMmI,M  
AAM,GAAG,EAAf;AACa,MAAMtN,GAAG,GAAGqN,KAAK,CAACrN,GAAN,CAAUuN,OAAV,EAAZ;AAE  
A,MAAMC,MAAM,GAAGrI,OAAO,CAACsI,YAAvB;AAEA,MAAIIT,IAAJ,EACEmT,IADF,EAEEC,KAFF,EA  
GEC,KAHF,EAIEC,IAJF,EAKEtM,OALF,EAMEuM,MANF,EAOEC,QAPF,EAQEC,UARF,EASEC,OATF,EAU  
EC,SAVF,EAWEC,IXXF,EAYEC,CAZF;AAcA,MAAMhT,MAAM,GAAG4E,GAAG,CAAC5E,MAAnB;AACa,  
MAAI4M,MAAM,GAAG,CAAC,CAAd;AACa,MAAIrB,IAAI,GAAG,CAAX;AACa,MAAI0H,GAAG,GAAG,C  
AAV;;AAEA,WAASC,QAAT,CAAKBC,IAAIB,EAAwB;AAcTb,UAAmIB,KAAK,CAACmB,KAAAN,eAAwBD,I  
AAxB,EAAgC5H,IAAhC,EAAc0H,GAAG,GAAGrG,MAA5C,CAAN;AACD;;AAED,SAAOqG,GAAG,GAAGj  
T,MAAb,EAAqB;AACnBb,IAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAegT,GAAf,CAAP;;AAEA,QAA  
I9T,IAAI,KAAK2R,OAAT,IAAoB3R,IAAI,KAAK6R,IAA7B,IAAsC7R,IAAI,KAAK+R,EAAT,IAAetM,GAAG,  
CAAC3E,UAAJ,CAAegT,GAAG,GAAG,CAArB,MAA4BnC,OAArF,EAA+F;AAC7FIE,MAAAA,MAAM,GAA  
GqG,GAAT;AACa1H,MAAAA,IAAI,IAAI,CAAR;AACD;;AAED,YAAQpM,IAAR;AAcE,WAAK2R,OAAL;A  
ACA,WAAKC,KAAL;AACa,WAAKE,GAAL;AACa,WAAKC,EAAL;AACa,WAAKF,IAAL;AAcEsB,QAAA  
A,IAAI,GAAGW,GAAP;;AACa,WAAG;AACDX,UAAAA,IAAI,IAAI,CAAR;AACAnT,UAAAA,IAAI,GAAGy  
F,GAAG,CAAC3E,UAAJ,CAAeqS,IAAf,CAAP;;AACa,cAAInT,IAAI,KAAK2R,OAAb,EAAsB;AACpBIE,YAA  
AA,MAAM,GAAG0F,IAAT;AACa/G,YAAAA,IAAI,IAAI,CAAR;AACD;AACF,SAPD,QAQEpM,IAAI,KAAK4  
R,KAAT,IACA5R,IAAI,KAAK2R,OADT,IAEA3R,IAAI,KAAK8R,GAFT,IAGA9R,IAAI,KAAK+R,EAHT,IAIA/  
R,IAAI,KAAK6R,IAZX;;AAeAkB,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,OAAD,EAAUgC,GAAG,CA  
ACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAf,CAAV,CAAZ;AACAW,QAAAA,GAAG,GAAGX,IAAI,GAAG,CAA  
b;AACa;;AAEF,WAAKnB,WAAL;AAcEe,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAA  
N,EAAW2I,IAAX,EAAiB0H,GAAG,GAAGrG,MAAvB,CAAZ;AACa;;AAEF,WAAKwE,YAAL;AAcEc,QAAA  
A,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,GAAGrG,MA  
AvB,CAAZ;AACa;;AAEF,WAAK2E,UAAAL;AAcEW,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,E  
AAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,GAAGrG,MAAvB,CAAZ;AACa;;AAEF,WAAK4E,WAAL;AA  
CEU,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,G  
AAGrG,MAAvB,CAAZ;AACa;;AAEF,WAAK+E,KAAL;AAcEO,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAA  
C,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,GAAGrG,MAAvB,CAAZ;AACa;;AAEF,WAAK6E,  
SAAL;AAcES,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0  
H,GAAG,GAAGrG,MAAvB,CAAZ;AACa;;AAEF,WAAKyE,gBAAL;AAcE0B,QAAAA,IAAI,GAAGb,MAAM,  
CAACIS,MAAP,GAAGbKs,MAAM,CAACA,MAAM,CAACIS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAAIB,  
CAAhB,GAA+C,EAAtD;AACAgT,QAAAA,CAAC,GAAGpO,GAAG,CAAC3E,UAAJ,CAAegT,GAAG,GAAG,  
CAArB,CAAJ;;AACa,YACEF,IAAI,KAAK,KAAT,IACAC,CAAC,KAAKtC,YADN,IAEAsC,CAAC,KAAKtC,Y  
AFN,IAGAqC,CAAC,KAAKjC,KAHN,IAIAiC,CAAC,KAAKIC,OAjN,IAKaKc,CAAC,KAAK/B,GALN,IAMA  
+B,CAAC,KAAKhC,IANN,IAOAgC,CAAC,KAAK9B,EARR,EASE;AACa0B,UAAAA,IAAI,GAAGW,GAAP;;  
AACa,aAAG;AACDJ,YAAAA,OAAO,GAAG,KAAY;AACAP,YAAAA,IAAI,GAAGIN,GAAG,CAACKI,OAjJ,  
CAAY,GAAZ,EAAiBwF,IAAI,GAAG,CAAXB,CAAP;;AACa,gBAAIA,IAAI,KAAK,CAAC,CAAd,EAAiB;AAC  
f,kBAAIF,MAAJ,EAAy;AACVE,gBAAAA,IAAI,GAAGW,GAAP;AACa;AACD,eAHD,MAGO;AACLC,gBAA

AA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF;;AACDJ,YAAAA,SAAS,GAAGR,IAAZ;;ACA,mBAAO1N,GAAG,CAAC3E,UAAJ,CAAe6S,SAAS,GAAG,CAA3B,MAAkCIC,SAAzC,EAAoD;AACIDkC,cAAAA,SAAS,IAAI,CAAb;AACAD,cAAAA,OAAO,GAAG,CAACA,OAAX;AACD;AACF,WAhBD,QAgBSA,OAhBT;;AAkBAX,UAAAA,MAAM,CAACtP,IAAP,CAAY,CACV,UADU,EAevGc,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAFU,EAGV/G,IAHU,EAIV0H,GAAG,GAAGrG,MAJI,EAKVrB,IALU,EAMV+G,IAAI,GAAG1F,MANG,CAAZ;AAQAqG,UAAAA,GAAG,GAAGX,IAAN;AACD,SAtCD,MAACO;AACLA,UAAAA,IAAI,GAAG1N,GAAG,CAACKI,OAAJ,CAAY,GAAZ,EAAiBmG,GAAG,GAAG,CAAvB,CAAP;AACa9M,UAAAA,OAAO,GAAGvB,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAV;;AAEA,cAAIA,IAAI,KAAK,CAAC,CAAV,IAAeP,cAAc,CAACpR,IAAf,CAAoBwF,OAApB,CAAnB,EAAiD;AAC/C+L,YAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,GAAGrG,MAAvB,CAAZ;AACD,WAFD,MAEO;AACLsF,YAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,UAAD,EAAauD,OAAb,EAAsBoF,IAAtB,EAA4B0H,GAAG,GAAGrG,MAAIC,EAA0CrB,IAA1C,EAAgD+G,IAAI,GAAG1F,MAAvD,CAAZ;AACaQg,YAAAA,GAAG,GAAGX,IAAN;AACD;AACF;;AAED;;AAEF,WAAKhB,iBAAL;AACeY,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,GAAD,EAAM,GAAN,EAAW2I,IAAX,EAAiB0H,GAAG,GAAGrG,MAAvB,CAAZ;AACa;;AAEF,WAAK8D,YAAL;AACa,WAAKc,YAAL;AAce4B,QAAAA,KAAK,GAAGpT,IAAI,KAAKuR,YAAT,GAAwB,GAAXB,GAA8B,GAAtC;AACa4B,QAAAA,IAAI,GAAGW,GAAP;;AACaA,WAAg;AACDJ,UAAAA,OAAO,GAAG,KAAV;AACAP,UAAAA,IAAI,GAAG1N,GAAG,CAACKI,OAAJ,CAAYyF,KAAZ,EAAMBD,IAAI,GAAG,CAA1B,CAAP;;AACa,cAAIA,IAAI,KAAK,CAAC,CAAd,EAAiB;AACf,gBAAIF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAGW,GAAG,GAAG,CAAb;AACa;AACD,aAHD,MAGO;AACLC,cAAAA,QAAQ,CAAC,OAAD,CAAR;AACD;AACF;;AACDJ,UAAAA,SAAS,GAAGR,IAAZ;;ACA,iBAAO1N,GAAG,CAAC3E,UAAJ,CAAe6S,SAAS,GAAG,CAA3B,MAAkCIC,SAAzC,EAAoD;AACIDkC,YAAAA,SAAS,IAAI,CAAb;AACAD,YAAAA,OAAO,GAAG,CAACA,OAAX;AACD;AACF,SAhBD,QAgBSA,OAhBT;;AAkBA1M,QAAAA,OAAO,GAAGvB,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAV;AACAE,QAAAA,KAAK,GAAGrM,OAAO,CAACE,KAAAR,CAAc,IAAd,CAAR;AACaOM,QAAAA,IAAI,GAAGD,KAAK,CAACxS,MAAN,GA Ae,CAAtB;;AAEA,YAAIyS,IAAI,GAAG,CAAX,EAAC;AACZE,UAAAA,QA AQ,GAAGpH,IAAI,GAAGkH,IAAIB;AACAG,UAAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,CAAL,CAAYzS,MAAhC;AACD,SAHD,MAGO;AACL2S,UAAAA,QAAQ,GAAGpH,IAAX;AACaQH,UAAAA,UAAU,GAAGhG,MAAb;AACD;;AAEDsF,QAAAA,MAAM,CAACtP,IAAP,CAAY,CACV,QADU,EAevGc,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAFU,EAGV/G,IAHU,EAIV0H,GAAG,GAAGrG,MAJI,EAKV+F,QALU,EAMVL,IAAI,GAAGM,UANG,CAAZ;AASAhG,QAAAA,MAAM,GAAGgG,UAAAT;AACArH,QAAAA,IAAI,GAAGoH,QAAP;AACAM,QAAAA,GAAG,GAAGX,IAAN;AACa;;AAEF,WAAKV,E AAL;AACEC,QAAAA,SAAS,CAACyB,SAAV,GAAsBL,GAAG,GAAG,CAA5B;AACApB,QAAAA,SAAS,CAACIR,IAAV,CAAeiE,GA Af;;AACa,YAAIiN,SAAS,CAACyB,SAAV,KAAwB,CAA5B,EAA+B;AAC7BhB,UAAAA,IAAI,GAAG1N,GAAG,CAAC5E,MAAJ,GAAsB,CAApB;AACD,SAFD,MAEO;AACLsS,UAAAA,IAAI,GAAGT,SAAS,CAACyB,SAAV,GAAsB,CAA7B;AACD;;AACDpB,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,SAAD,EAAyGc,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAZ,EAAc/G,IAAtC,EA A4C0H,GAAG,GAAGrG,MAAID,EAA0DrB,IAA1D,EAAgE+G,IAAI,GAAG1F,MAAvE,CAAZ;AACaQg,QAAAA,GAAG,GAAGX,IAAN;AACa;;AAEF,WAAK1B,SAAL;AAce0B,QAAAA,IAAI,GAAGW,GAAP;AACAP,QAAAA,MAAM,GAAG,IAAT;;AACa,eAAO9N,GAAG,CAAC3E,UAAJ,CAAeqS,IAAI,GAAG,CAAtB,MAA6B1B,SAAPc,EAA+C;AAC7C0B,UAAAA,IAAI,IAAI,CAAR;AACAI,UAAAA,MAAM,GAAG,CAACA,MAAV;AACD;;AACDvT,QAAAA,IAAI,GAAGyF,GAAG,CAAC3E,UAAJ,CAAeqS,IAAI,GAAG,CAAtB,CAAP;;AACa,YACEI,MAAM,IACLvT,IAAI,KAAK0R,KAAT,IACC1R,IAAI,KAAK4R,KADV,IAEC5R,IAAI,KAAK2R,OA FV,IAGC3R,IAAI,KAAK8R,GAHV,IAIC9R,IAAI,KAAK+R,EAJV,IACR/R,IAAI,KAAK6R,IAPb,EAQE;AACAsB,UAAAA,IAAI,IAAI,CAAR;AACD;;AACDJ,QAAAA,MAAM,CAACtP,IAAP,CAAY,CAAC,MAAD,EAASgC,GAAG,CAACyO,KAAJ,CAAUJ,GAAV,EAAeX,IAAI,GAAG,CAAtB,CAAT,EAAMC/G,IAAnC,EAAyC0H,GAAG,GAAGrG,MAA/C,EAAuDrB,IAAvD,EAA6D+G,IAAI,GAAG1F,MAApE,CAAZ;AACaQg,QAAAA,GAAG,GAAGX,IAAN;AACa;;AAEF;AAce,YAAInT,IAAI,KAAK0R,KAAT,IAAkBjM,GAAG,CAAC3E,UAAJ,CAAegT,GAAG,GAAG,CAArB,MAA4BvB,QA AID,EAA4D;AAC1DY,UAAAA,IAAI,GAAG1N,GAAG,CAACKI,OA

AJ,CAAY,IAAZ,EAAkBmG,GAAG,GAAG,CAAxB,IAA6B,CAApC;;ACA,cAAIX,IAAI,KAAK,CAAb,EAAgB  
;AACd,gBAAIF,MAAJ,EAAY;AACVE,cAAAA,IAAI,GAAG1N,GAAG,CAAC5E,MAAX;AACD,aAFD,MAEO;  
AACLkT,cAAAA,QAAQ,CAAC,SAAD,CAAR;AACD;AACF;;AAED/M,UAAAA,OAAO,GAAGvB,GAAG,CA  
ACyO,KAAJ,CAAUJ,GAAY,EAAeX,IAAI,GAAG,CAAtB,CAAV;AACAE,UAAAA,KAAK,GAAGrM,OAAO,C  
AAACE,KAAAR,CAAC,IAAd,CAAR;AACAOm,UAAAA,IAAI,GAAGD,KAAK,CAACxS,MAAN,GAAe,CAAtB;;A  
AEA,cAAIyS,IAAI,GAAG,CAAX,EAAc;AACZE,YAAAA,QAAQ,GAAGpH,IAAI,GAAGkH,IAAI;AACAG,Y  
AAAA,UAAU,GAAGN,IAAI,GAAGE,KAAK,CAACC,IAAD,CAAL,CAAYzS,MAAhC;AACD,WAHD,MAGO;  
AACL2S,YAAAA,QAAQ,GAAGpH,IAAX;AACAQh,YAAAA,UAAU,GAAGhG,MAAb;AACD;;AAEDsF,UAA  
AA,MAAM,CAACtP,IAAP,CAAY,CAAC,SAAD,EAAyuD,OAAZ,EAAqBoF,IAArB,EAA2B0H,GAAG,GAAGr  
G,MAAJc,EAAyC+F,QAAzC,EAAmDL,IAAI,GAAGM,UAA1D,CAAZ;AAEAHg,UAAAA,MAAM,GAAGgG,U  
AAT;AACArH,UAAAA,IAAI,GAAGoH,QAAP;AACAM,UAAAA,GAAG,GAAGX,IAAN;AACD,SA3BD,MA2  
BO;AACLR,UAAAA,WAAW,CAACwB,SAAZ,GAAwBL,GAAG,GAAG,CAA9B;AACAnB,UAAAA,WAAW,C  
AACnR,IAAZ,CAAiBiE,GAAjB;;ACA,cAAIkN,WAAW,CAACwB,SAAZ,KAA0B,CAA9B,EAAiC;AAC/BhB,  
YAAAA,IAAI,GAAG1N,GAAG,CAAC5E,MAAJ,GAAa,CAApB;AACD,WAFD,MAEO;AACLsS,YAAAA,IAAI  
,GAAGR,WAAW,CAACwB,SAAZ,GAAwB,CAA/B;AACD;;AAEDpB,UAAAA,MAAM,CAACtP,IAAP,CAAY,  
CAAC,MAAD,EAASgC,GAAG,CAACyO,KAAJ,CAAUJ,GAAY,EAAeX,IAAI,GAAG,CAAtB,CAAT,EAAmC/  
G,IAAnC,EAAyC0H,GAAG,GAAGrG,MAA/C,EAAuDrB,IAAvD,EAA6D+G,IAAI,GAAG1F,MAApE,CAAZ;A  
ACAqG,UAAAA,GAAG,GAAGX,IAAN;AACD;;AAED;AAzOJ;;AA40AW,IAAAA,GAAG;AACJ;;AAED,SAA  
Of,MAAP;AACD;;AC9SD;ACA,AAGA,IAAMqB,eAAe,GAAG;AACtBC,EAAAA,QAAQ,EAAE,CAAC,EAA  
D,EAAK,EAAL,CADY;AACF;AACpB3G,EAAAA,MAAM,EAAE,CAAC,EAAD,EAAK,EAAL,CAFc;AAEJ;AA  
CIB,aAAW,CAAC,EAAD,EAAK,EAAL,CAHW;AAGD;AACrB4G,EAAAA,OAAO,EAAE,CAAC,EAAD,EAAK  
,EAAL,CAJa;AAIH;AACnB,OAAK,CAAC,EAAD,EAAK,EAAL,CALiB;AAKP;AACf,OAAK,CAAC,EAAD,EA  
AK,EAAL,CANiB;AAMP;AACf,OAAK,CAAC,CAAD,EAAI,EAAJ,CAPiB;AAOR;AACd,OAAK,CAAC,CAAD,  
EAAI,EAAJ,CARiB;AAQR;AACd,OAAK,CAAC,CAAD,EAAI,EAAJ,CATiB;AASR;AACd,OAAK,CAAC,CAA  
D,EAAI,EAAJ,CAViB;;AAAA,CAAxB;;AAaA,SAAStU,IAAT,CAACuU,KAAd,EAAqB;AACnB,mBAAiBA,KA  
AjB;AACD;;AAED,SAASC,iBAAT,CAA2B/O,GAA3B,EAAgC;AAC9B,MAAMsN,MAAM,GAAGF,QAAQ,CA  
AC,IAAI4B,KAAJ,CAAUhP,GAAY,CAAD,EAAiB;AAAEyN,IAAAA,YAAY,EAAE;AAAhB,GAAjB,CAAvB;A  
ACA,MAAMIC,MAAM,GAAG,EAAf;ACA+B,EAAAA,MAAM,CAACrP,OAAp,CAAe,UAAAgR,KAAK,EAA  
I;AACtB,QAAMH,KAAK,GAAGH,eAAe,CAACM,KAAK,CAAC,CAAD,CAAN,CAA7B;;ACA,QAAlH,KAAJ  
,EAAW;AACTvD,MAAAA,MAAM,CAACvN,IAAP,CACEiR,KAAK,CAAC,CAAD,CAAL,CACGxN,KADH,C  
ACS,OADT,EAEGyN,GAFH,CAEO,UAAA/T,CAAC;AAAA,eAAIZ,IAAI,CAACuU,KAAK,CAAC,CAAD,CAA  
N,CAAJ,GAAiB3T,CAAjB,GAAqBZ,IAAI,CAACuU,KAAK,CAAC,CAAD,CAAN,CAA7B;AAAA,OAFR,EAG  
GxQ,IAHH,CAGQ,IAHR,CADF;AAMD,KAPD,MAOO;AACLiN,MAAAA,MAAM,CAACvN,IAAP,CAAYiR,K  
AAK,CAAC,CAAD,CAAjB;AACD;AACF,GAZD;AAaA,SAAO1D,MAAM,CAACjN,IAAP,CAAY,EAAZ,CAAP  
;AACD;;AChCD;IA2BM6Q;AACJ;AAQA,0BAAytD,OAAZ,EAAqBIF,IAArB,EAA2BC,  
MAA3B,EAAmCwI,MAAnC,EAA2CC,IAA3C,EAAiDvG,MAAjD,EAAyD;AACvD;AAYA,SAAKnO,IA  
AL,GAAY,gBAAZ;ACA;AAMA,SAAK2U,MAAL,GAACzD,OAAAd;AAEA,QAAlwD,IAAJ,EAAU;AACR;  
;AAOA,WAAKA,IAAL,GAAYA,IAAZ;AACD;AACD,QAAlD,MAAJ,EAAY;AACV;AAOA,WAAKA,  
MAAL,GAACa,MAAd;AACD;AACD,QAAlG,MAAJ,EAAY;AACV;AAMA,WAAKA,MAAL,GAACa,MA  
Ad;AACD;AACD,QAAlOAAOnC,IAAP,KAAgB,WAAhB,IAA+B,OAAOC,MAAP,KAAkB,WAArD,EAAkE;A  
AChE;AAOA,WAAKD,IAAL,GAAYA,IAAZ;ACA;AAOA,WAAKC,MAAL,GAACa,MAAd;AACD;  
AAED,SAAK2I,UAAAL;AAEA,QAAlIR,KAAK,CAACmR,iBAAV,EAA6B;AAC3BnR,MAAAA,KAAK,CAACm  
R,iBAAN,CAAwB,IAAxB,EAA8BL,cAA9B;AACD;AACF;SAEDI,aAAA,sBAAa;AACX;AAOA,SAAK1D  
,OAAAL,GAAe,KAAK/C,MAAL,GAAiB,KAAKA,MAAtB,UAAmC,EAAID;ACA,SAAK+C,OAAAL,IAAgB,KA  
AKwD,IAAL,GAAY,KAAKA,IAAjB,GAAwB,aAAxC;ACA,QAAlOAAO,KAAK1I,IAAZ,KAAqB,WAAzB,E  
AAcS;AACpC,WAAKkF,OAAAL,UAAoB,KAAKIF,IAAZB,SAAiC,KAAKC,MAAtC;AACD;AACD,SAAKiF,OA  
AL,WAAqB,KAAKyD,MAA1B;AACD;AAED;SAqBAG,iBAAA,wBAAeX,KAAf,EAAcB;AAAA  
;AACpB,QAAl,CAAC,KAAKM,MAAV,EAAkB,OAAO,EAAP;AAEIB,QAAlpP,GAAG,GAAG,KAAKoP,MAA



f;AACa,QAaI,OAaON,KAAP,KAAiB,WAArB,EAakCA,KAAK,GAAGY,aAAR;AACIC,QAaIZ,KAAJ,EAaW  
90,GAAG,GAAG+O,iBAaIb,CAAC/O,GAAD,CAAvB;AAEX,QAAM4N,KAAK,GAAG5N,GAAG,CAACyB,K  
AAJ,CAAU,OAaV,CAAd;AACa,QAAMkO,KAAK,GAAG9U,IAAI,CAAC+U,GAAL,CAAS,KAAKjJ,IAAL,G  
AAy,CAArB,EAawB,CAAxB,CAAd;AACa,QAAMkJ,GAAG,GAAGhV,IAAI,CAACiV,GAAL,CAAS,KAAKjJ  
,IAAL,GAAY,CAArB,EAawBiH,KAAK,CAACxS,MAA9B,CAAZ;AAEA,QAAM2U,QAAQ,GAAGvV,MAAM,  
CAACqV,GAAD,CAAN,CAAYzU,MAA7B;AAEA,WAAOwS,KAAK,CACTa,KADI,CACEkB,KADF,EACSE,G  
ADT,EAEXJ,GAFI,CAEA,UAAcVi,IAAD,EAAO3H,KAAP,EAAiB;AACpB,UAMgR,MAAM,GAAGL,KAAK,  
GAAG,CAAR,GAAY3Q,KAA3B;AACa,UAMiR,MAAM,GAAG,OAaID,MAAJ,EAaavB,KAAb,CAAMb,CA  
ACsB,QAAPb,CAAf;AACa,UAMG,MAAM,SAAOD,MAAP,QAaZ;;AACa,UAAID,MAAM,KAAK,KAAI,C  
AACrJ,IAAPb,EAa0B;AACxB,YAAMwJ,OAaO,GACXD,MAAM,CAACnV,OAAP,CAAE,KAAf,EAAsB,GAAt  
B,IAA6B4L,IAAI,CAAC8H,KAAL,CAAW,CAAX,EAAC,KAAI,CAAC7H,MAAL,GAAC,CAA5B,EAa+B7L,OA  
A/B,CAAUc,QAaVc,EAaiD,GAajD,CAD/B;AAEA,qBAAWmV,MAAX,GAAoBvJ,IAAPb,WAA8BwJ,OAa9B  
;AACD,OAJD,MAIO;AACL,qBAAWD,MAAX,GAAoBvJ,IAAPb;AACD;AACF,KAbI,EAcJrI,IAaI,CAcC,IAaD,  
CAAP;AAED;AAED;::::::::::;SAUAnC,WAAA,oBAAW;AACT,QAaI5B,IAAI,GAAG,KAAKv,cAAL,EAAX;;  
AACa,QAaIIV,IAAJ,EAaU;AACRA,MAAAA,IAAI,YAAUA,IAAV,OAaJ;AACD;;AACD,WAAU,KAAKI,IA  
Af,UAAwB,KAAKkR,OAa7B,GAAuCrI,IAAvC;AACD;;;wBAEe;AACdqR,MAAAA,QAAQ,CAAC,4DAAD,C  
AAR;AACa,aAAO,KAAKyB,KAAZ;AACD;AAED;::::::::::;ACjNF;;AACa;AAEA,IAAM+C,UAAU,GAAG;  
AACjBC,EAAAA,KAAK,EAAE,IADU;AAEjBC,EAAAA,MAAM,EAAE,MAFS;AAGjBC,EAAAA,UAAU,EA  
E,IAHK;AAIjBC,EAAAA,UAAU,EAAE,IAJK;AAKjBC,EAAAA,UAAU,EAAE,GALK;AAMjBC,EAAAA,WAA  
W,EAAE,IANI;AAOjBC,EAAAA,aAAa,EAAE,IAPE;AAQjBC,EAAAA,KAAK,EAAE,IARU;AASjBC,EAAAA,  
SAAS,EAAE,EATM;AAUjBC,EAAAA,WAAW,EAAE,GAVI;AAWjBC,EAAAA,YAAy,EAAE;AAXG,CAANb;  
;AAcA,SAASC,UAAAT,CAAOBzV,GAAPb,EAAYb;AACvB,SAAOA,GAAG,CAAC,CAAD,CAAH,CAAO0V,W  
AAP,KAAuB1V,GAAG,CAACkT,KAAJ,CAAU,CAAV,CAA9B;AACD;;IAEKyC;AACJ,uBAAYC,OAaZ,EAaQ  
B;AACnB,SAAKA,OAAL,GAAeA,OAaf;AACD;;;SAEDC,YAAA,mBAAU7O,IAAV,EAAGB8O,SAAhB,EAa2  
B;AACzB,SAAK9O,IAAI,CAAC+O,IAAV,EAAGB/O,IAAhB,EAAsB8O,SAAtB;AACD;;SAEDE,OAAA,cAAKh  
P,IAAL,EAaW;AACT,SAAKiP,IAAL,CAAUjP,IAAV;AACa,QAaIA,IAAI,CAACKP,IAAL,CAAUb,KAAa,EA  
AqB,KAAKO,OAAL,CAaA5O,IAAI,CAACKP,IAAL,CAAUb,KAAvB;AACTB;;SAED/B,UAAA,iBAAQtm,IAA  
R,EAAC;AACZ,QAAMmP,IAAI,GAAG,KAAKC,GAAL,CAASpP,IAAT,EAaE,MAAf,EAaUa,aAAvB,CAAb;A  
ACA,QAAMqP,KAAK,GAAG,KAAKD,GAAL,CAASpP,IAAT,EAaE,OAaf,EAawB,cAAxB,CAAd;AACa,SA  
AK4O,OAAL,QAaKBO,IAAlB,GAAYbNp,IAAI,CAACsP,IAA9B,GAAqCD,KAArC,SAAgDrP,IAAhD;AACD;;S  
AEDuP,OAAA,cAAKvP,IAAL,EAaW8O,SAAX,EAAsB;AACpB,QAAMU,OAaO,GAAG,KAAKJ,GAAL,CAA  
SpP,IAAT,EAaE,SAaf,EAa0B,OAa1B,CAAhB;AACa,QAaI0F,MAAM,GAAG1F,IAAI,CAACyP,IAAL,GA  
YD,OAaZ,GAAsB,KAAKE,QAAL,CAAc1P,IAAd,EAaOB,OAAPb,CAANc;;AAEA,QAaIA,IAAI,CAAC2P,SA  
AT,EAaOB;AACIBjK,MAAAA,MAAM,IAAI1F,IAAI,CAACKP,IAAL,CAAUS,SAAV,IAAuB,aAAjC;AACD;;A  
AED,QAaIb,SAAJ,EAaepJ,MAAM,IAAI,GAAV;AACf,SAAKkI,OAAL,CAaAlJ,MAAb,EAaQb1F,IAArB;AAC  
D;;SAEDiC,OAAA,cAAKjC,IAAL,EAaW;AACT,SAAK8D,KAAL,CAAW9D,IAAX,EAaiB,KAAK0P,QAAL,C  
AAc1P,IAAd,EAaOB,UAApB,CAAjB;AACD;;SAED4P,SAAA,gBAaO5P,IAAP,EAaA8O,SAAb,EAawB;AACT  
B,QAaI1W,IAAI,SAAO4H,IAAI,CAAC5H,IAAPb;AACa,QAAMyX,MAAM,GAAG7P,IAAI,CAAC6P,MAAL,  
GAAC,KAAKH,QAAL,CAAc1P,IAAd,EAaOB,QAAPb,CAAd,GAA8C,EAa7D;;AAEA,QAaI,OAaOA,IAAI,C  
AACKP,IAAL,CAAUy,SAaJB,KAA+B,WAAnc,EAAGD;AAC9C1X,MAAAA,IAAI,IAAI4H,IAAI,CAACKP,IA  
AL,CAAUy,SAaIB;AACD,KAFD,MAEO,IAAID,MAAJ,EAAY;AACjBzX,MAAAA,IAAI,IAAI,GAAR;AACD;;  
AAED,QAaI4H,IAAI,CAACH,KAAT,EAAGb;AACd,WAAKiE,KAAL,CAAW9D,IAAX,EAaiB5H,IAAI,GAAG  
yX,MAAxB;AACD,KAFD,MAEO;AACL,UAMvC,GAAG,GAAG,CAACtN,IAAI,CAACKP,IAAL,CAAUM,OA  
AV,IAAQb,EAAtB,KAA6BV,SAAS,GAAG,GAaH,GAAS,EAa/C,CAAZ;AACa,WAAKF,OAAL,CAAaxW,IAA  
I,GAAGyX,MAAP,GAAGbVc,GAA7B,EAACtN,IAAIC;AACD;AACF;;SAEDiP,OAAA,cAAKjP,IAAL,EAaW;  
AACT,QAaIsL,IAAI,GAAGtL,IAAI,CAACH,KAAL,CAAWHh,MAAX,GAAOB,CAA/B;;AACa,WAAOyS,IAA  
I,GAAG,CAAd,EAaiB;AACf,UAAItL,IAAI,CAACH,KAAL,CAAWyL,IAAX,EAaiByD,IAAjB,KAA0B,SAA9B  
,EAAYc;AACzCzD,MAAAA,IAAI,IAAI,CAAR;AACD;;AAED,QAAMwD,SAAS,GAAG,KAAKM,GAAL,CAA

SpP,IAAT,EAAe,WAAf,CAAIB;;AACa,SAAK,IAAIpH,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAGoH,IAAI,CAACH,KAAL,CAAWhH,MAA/B,EAAuCD,CAAC,EAAxC,EAA4C;AAC1C,UAM6H,KAAK,GAAGT,IAAI,CAACH,KAAL,CAAWjH,CAAX,CAAd;AACa,UAMmX,MAAM,GAAG,KAAKX,GAAL,CAAS3O,KAAT,EAAgB,QAAb,CAAf;AACa,UAAIsP,MAAJ,EAAy,KAAKnB,OAAL,CAAmb,MAAb;AACZ,WAAKIB,SAAL,CAAepO,KAAf,EAAsb6K,IAAI,KAAK1S,CAAT,IAAckW,SAAPc;AACD;AACF;;SAEDhL,QAAA,eAAM9D,IAAN,EAAyOn,KAAZ,EAAmB;AACjB,QAAMoC,OOAO,GAAG,KAAKJ,GAAL,CAASpP,IAAT,EAAe,SAAf,EAA0B,YAA1B,CAAhB;AACa,SAAK4O,OAAL,CAAgBxB,KAAK,GAAGoC,OAAXB,QAAoCxP,IAApC,EAA0C,OAAlC;AAEA,QAAIqO,KAAJ;;AACa,QAAIrO,IAAI,CAACH,KAAL,IAAcG,IAAI,CAACH,KAAL,CAAWhH,MAA7B,EAAqC;AACnC,WAAKoW,IAAL,CAAUjP,IAAV;AACaQO,MAAAA,KAAK,GAAG,KAAKe,GAAAL,CAASpP,IAAT,EAAe,OAaf,CAAR;AACD,KAHD,MAGO;AACLqO,MAAAA,KAAK,GAAG,KAAKe,GAAL,CAASpP,IAAT,EAAe,OAaf,EAAwB,WAAxB,CAAR;AACD;;AAED,QAAIqO,KAAJ,EAAW,KAAKO,OAAL,CAAaP,KAAb;AACX,SAAKO,OAAL,CAAa,GAAb,EAAk5O,IAAIB,EAAwB,KAAxB;AACD;;SAEDoP,MAAAA,aAAIpP,IAAJ,EAAUgQ,GAAV,EAAeC,MAAf,EAAuB;AACrB,QAAIII,KAAJ;AACa,QAAI,CAACKI,MAAL,EAAaA,MAAM,GAAGD,GAAT,CAFQ;;AAKrB,QAAIA,GAAJ,EAA;AACpJI,MAAAA,KAAK,GAAG/H,IAAI,CAACKp,IAAL,CAAUc,GAAV,CAAR;AACa,UAAI,OAaOjI,KAAP,KAAiB,WAArB,EAAkC,OAaOA,KAAP;AACnC;;AAED,QAAMjH,MAAM,GAAGd,IAAI,CAACc,MAApB,CAVqB;;AAarB,QAAImP,MAAM,KAAK,QAaf,EAAyB;AACvB,UAAI,CAACnP,MAAD,IAAYa,MAAM,CAACiO,IAAP,KAAgB,MAAhB,IAA0BjO,MAAM,CAACoP,KAAP,KAAiBIQ,IAA3D,EAAkE;AAChE,eAAO,EAAp;AACD;AACF,KAjBoB;;AAoBrB,QAAI,CAACc,MAAL,EAAa,OAaO+M,UAAU,CAACoC,MAAD,CAAjB,CAPBQ;;AAuBrB,QAAMjB,IAAI,GAAGhP,IAAI,CAACgP,IAAL,EAAb;AACa,QAAI,CAACA,IAAI,CAACmB,QAaV,EAAoBnB,IAAI,CAACmB,QAAL,GAAGB,EAAhB;;AACpB,QAAI,OAaOnB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP,KAAiC,WAArC,EAAkD;AAChD,aAAOjB,IAAI,CAACmB,QAAL,CAAcF,MAAd,CAAP;AACD;;AAED,QAAIA,MAAM,KAAK,QAAX,IAAuBA,MAAM,KAAK,OAAtC,EAA+C;AAC7C,aAAO,KAAKG,WAAAL,CAAiBpQ,IAAjB,EAAuBiQ,MAAvB,CAAP;AACD,KAFD,MAEO;AACL,UAAmI,MAAM,WAA5B,UAAU,CAACwB,MAAD,CAA/B;;AACa,UAAI,KAAKI,MAAL,CAAJ,EAAkB;AAChBI,QAAAA,KAAK,GAAG,KAAKsI,MAAL,EAAarB,IAAb,EAAmBhP,IAAnB,CAAR;AACD,OAfD,MAEO;AACLgP,QAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA1X,CAAC,EAAI;AACbmP,UAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOc,GAAP,CAAR;AACa,cAAI,OAaOjI,KAAP,KAAiB,WAArB,EAAkC,OAaO,KAAP;AACnC,SAHD;AAID;AACF;;AAED,QAAI,OAaOA,KAAP,KAAiB,WAArB,EAAkCA,KAAK,GAAG8F,UAAU,CAACoC,MAAD,CAAIB;AAEICjB,IAAAA,IAAI,CAACmB,QAAL,CAAcF,MAAd,IAAwBII,KAAxB;AACa,WAAOA,KAAP;AACD;;SAEDwI,eAAA,sBAAavB,IAAb,EAAmB;AACjB,QAAIjH,KAAJ;AACaiH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA1X,CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAf,IAAWjH,CAAC,CAACiH,KAAf,CAAQhH,MAAnB,IAA6BD,CAAC,CAAC0S,IAAF,CAA0yD,IAAP,KAAgB,MAAjD,EAAyD;AACvDhH,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOJ,SAAf;AACa,YAAI,OAaO/G,KAAP,KAAiB,WAArB,EAAkC,OAaO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAAP;AACD;;SAEDyI,eAAA,sBAAaxB,IAAb,EAAmB;AACjB,QAAIjH,KAAJ;AACaiH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA1X,CAAC,EAAI;AACb,UAAIA,CAAC,CAACiH,KAAf,IAAWjH,CAAC,CAACiH,KAAf,CAAQhH,MAAR,KAAmB,CAAIC,EAAqC;AACnCkP,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOb,KAAf;AACa,YAAI,OAaO/G,KAAP,KAAiB,WAArB,EAAkC,OAaO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,KAAP;AACD;;SAED0I,YAAA,mBAAUzB,IAAV,EAAgB;AACd,QAAIA,IAAI,CAACE,IAAL,CAAUnB,MAAd,EAAsb,OAaOiB,IAAI,CAACE,IAAL,CAAUnB,MAAjB;AACTb,QAAIhG,KAAJ;AACaiH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAA1X,CAAC,EAAI;AACb,UAAm8X,CAAC,GAAG9X,CAAC,CAACKI,MAAZ;;AACa,UAAI4P,CAAC,IAAIA,CAAC,KAAK1B,IAAX,IAAmB0B,CAAC,CAAC5P,MAArB,IAA+B4P,CAAC,CAAC5P,MAAF,KAAakO,IAAhD,EAAsd;AACpD,YAAI,OAaOpW,CAAC,CAACsW,IAAF,CAA0a,MAAd,KAAyB,WAA7B,EAA0C;AACxC,cAAMzQ,KAAK,GAAG1G,CAAC,CAACsW,IAAF,CAA0a,MAAP,CAAc7Q,KAAAd,CAAoB,IAApB,CAAd;AACa6I,UAAAA,KAAK,GAAGzI,KAAK,CAACA,KAAK,CAACzG,MAAN,GAAe,CAAhB,CAAb;AACAKP,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,QAAd,EAAwB,EAAxB,CAAR;AACa,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAED4I,mBAAA,0BAAiB3B,IAAjB,EAAuBhP,IAAvB,EAA6B;AAC3B,QAAI+H,KAAJ;AACaiH,IAAAA,IAAI,CAAC4B,YAAL,CAAK

B,UAAAhY,CAAC,EAAl;AACrB,UAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EA  
A0C;AACxChI,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOa,MAAf;;ACA,YAAIhI,KAAK,CAA  
CpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACv  
P,OAAN,CAAc,SAAd,EAAYB,EAazB,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAl  
,OAAOuP,KAAP,KAAiB,WAArB,EAakC;AACHCA,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,  
EAAe,IAAf,EAaqB,YAArB,CAAR;AACD;;AACD,WAAO+H,KAAP;AACD;;SAED8I,gBAAA,uBAAc7B,IAAd  
,EAAoBhP,IAApB,EAA0B;AACxB,QAAl+H,KAAJ;AACAIH,IAAAA,IAAI,CAAC8B,SAAL,CAAe,UAAAIY,C  
AAC,EAAl;AACIB,UAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxChI,  
QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOa,MAAf;;ACA,YAAIhI,KAAK,CAACpC,OAAN,CA  
Ac,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,UAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN,CAAc,  
SAAd,EAAYB,EAazB,CAAR;AACD;;AACD,eAAO,KAAP;AACD;AACF,KARD;;AASA,QAAl,OAAOuP,KAA  
P,KAAiB,WAArB,EAakC;AACHCA,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,EAAe,IAAf,EA  
AqB,YAArB,CAAR;AACD;;AACD,WAAO+H,KAAP;AACD;;SAEDgJ,gBAAA,uBAAc/B,IAAd,EAAoB;AACIB  
,QAAljH,KAAJ;AACAIH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAAIX,CAAC,EAAl;AACb,UAAIA,CAAC,C  
AACiH,KAAF,KAAyJH,CAAC,CAACKI,MAAF,KAAakO,IAAb,IAAqBA,IAAI,CAACKB,KAAAL,KAAetX,CAA  
hD,CAAJ,EAawD;AACTd,YAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;A  
ACxChI,UAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOa,MAAf;;ACA,cAAIhI,KAAK,CAACpC,OA  
AN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,YAAAA,KAAK,GAAGA,KAAK,CAACvP,OAAN  
,CAAc,SAAd,EAAYB,EAazB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD;AACF;AACF,KAVD;AAWA,WAA  
OuP,KAAP;AACD;;SAEDIJ,iBAAA,wBAAhC,IAAf,EAaqB;AACnB,QAAljH,KAAJ;AACAIH,IAAAA,IAAI,C  
AACsB,IAAL,CAAU,UAAAIX,CAAC,EAAl;AACb,UAAIA,CAAC,CAACiH,KAAF,IAAWjH,CAAC,CAACiH,  
KAAF,CAAQhH,MAAR,GAaiB,CAAhC,EAAMc;AACjC,YAAI,OAAOD,CAAC,CAACsW,IAAF,CAAOb,KA  
Ad,KAAwB,WAA5B,EAAYC;AACvCtG,UAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOb,KAAf;;AA  
CA,cAAItG,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAGC;AAC9BoC,YAAAA,KAAK,  
GAAGA,KAAK,CAACvP,OAAN,CAAc,SAAd,EAAYB,EAazB,CAAR;AACD;;AACD,iBAAO,KAAP;AACD;A  
ACF;AACF,KAVD;AAWA,WAAOuP,KAAP;AACD;;SAEDkJ,gBAAA,uBAAcjC,IAAd,EAAoB;AACIB,QAAlj  
H,KAAJ;AACAIH,IAAAA,IAAI,CAACsB,IAAL,CAAU,UAAAIX,CAAC,EAAl;AACb,UAAIA,CAAC,CAACm  
W,IAAF,KAAW,MAAf,EAAuB;AACrBhH,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOM,OAAf;A  
ACA,YAAI,OAAOzH,KAAP,KAAiB,WAArB,EAakC,OAAO,KAAP;AACnC;AACF,KALD;AAMA,WAAOA,K  
AAP;AACD;;SAEDmJ,WAAA,kBAASIC,IAAT,EAAe;AACb,QAAljH,KAAJ;AACAIH,IAAAA,IAAI,CAAC8B,  
SAAL,CAAe,UAAAIY,CAAC,EAAl;AACIB,UAAI,OAAOA,CAAC,CAACsW,IAAF,CAAOM,OAAAd,KAA0B,  
WAA9B,EAA2C;AACzCzH,QAAAA,KAAK,GAAGnP,CAAC,CAACsW,IAAF,CAAOM,OAAp,CAAehX,OAAf  
,CAAuB,SAAvB,EAakC,EAAlC,CAAR;ACA,eAAO,KAAP;AACD;AACF,KALD;AAMA,WAAOuP,KAAP;A  
ACD;;SAEDqI,cAAA,qBAAyPQ,IAAZ,EAakBiQ,MAAIb,EAA0B;AACxB,QAAlI,KAAJ;;ACA,QAAl/H,IAA  
I,CAAC+O,IAAL,KAAc,MAAIb,EAA0B;AACxBhH,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,  
EAAe,IAAf,EAaqB,YAArB,CAAR;AACD,KAFD,MAEO,IAAIA,IAAI,CAAC+O,IAAL,KAAc,SAAlB,EAA6B;  
AACiChH,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAASpP,IAAT,EAAe,IAAf,EAaqB,eAArB,CAAR;AACD,  
KAFM,MAEA,IAAlIq,MAAM,KAAK,QAaf,EAAYB;AAC9BIl,MAAAA,KAAK,GAAG,KAAKqH,GAAL,CAA  
SpP,IAAT,EAAe,IAAf,EAaqB,YAArB,CAAR;AACD,KAFM,MAEA;AACL+H,MAAAA,KAAK,GAAG,KAAK  
qH,GAAL,CAASpP,IAAT,EAAe,IAAf,EAaqB,aAArB,CAAR;AACD;;AAED,QAAlmR,GAAG,GAAGnR,IAAI,  
CAACc,MAAf;ACA,QAAlYd,KAAK,GAAG,CAAZ;;ACA,WAAO4M,GAAG,IAAIA,GAAG,CAACpC,IAAJ  
,KAAa,MAA3B,EAAMc;AACjCkK,MAAAA,KAAK,IAAI,CAAT;AAC4M,MAAAA,GAAG,GAAGA,GAAG,  
CAACrQ,MAAV;AACD;;AAED,QAAlIh,KAAK,CAACpC,OAAN,CAAc,IAAd,MAAwB,CAAC,CAA7B,EAAG  
C;AAC9B,UAAmOl,MAAM,GAAG,KAAKqB,GAAL,CAASpP,IAAT,EAAe,IAAf,EAaqB,QAARb,CAAF;;AAC  
A,UAAI+N,MAAM,CAACIV,MAAX,EAAMb;AACjB,aAAK,IAAIuY,IAAI,GAAG,CAAhB,EAAMBA,IAAI,GA  
AG7M,KAA1B,EAAiC6M,IAAI,EAARc;AAAYCrJ,UAAAA,KAAK,IAAIgG,MAAT;AAAZc;AACD;AACF;;AA  
ED,WAAOhG,KAAP;AACD;;SAED2H,WAAA,kBAAS1P,IAAT,EAAeyP,IAAf,EAaqB;AACnB,QAAM1H,KA  
AK,GAAG/H,IAAI,CAACyP,IAAD,CAAIB;ACA,QAAML,GAAG,GAAGpP,IAAI,CAACKP,IAAL,CAAUO,IA

AV,CAAZ;;AACA,QAAIL,GAAG,IAAIA,GAAG,CAACrH,KAAJ,KAAcA,KAAzB,EAAGC;AAC9B,aAAOqH,G  
AAG,CAACA,GAAX;AACD,KAFD,MAEO;AACL,aAAOrH,KAAP;AACD;AACF;,,,,;AChUH;AACA,AAEe,SA  
AS8G,SAAT,CAAmB7O,IAAnB,EAAYB4O,OAAzB,EAakC;AAC/C,MAAM5V,GAAG,GAAG,IAAI2V,WAAJ,  
CAAGBC,OAAhB,CAAZ;AACA5V,EAAAA,GAAG,CAAC6V,SAAJ,CAAc7O,IAAd;AACD;;ACAD;,,,,;AAMA;  
,,,,;AAOA,IAAMqR,SAAS,GAAG,SAAZA,SAAY,CAASjJ,GAAT,EAActH,MAAd,EAAsB;AACtC,MAAMwQ,  
MAAM,GAAG,IAAIJ,GAAG,CAACmJ,WAAR,EAaf;;AAEA,OAAK,IAAM3Y,CAAX,IAAgBwP,GAAhB,EA  
qB;AACnB,QAAL,CAACA,GAAG,CAACG,cAAJ,CAAmB3P,CAAnB,CAAL,EAA4B;AAC5B,QAAlmP,KAAK,  
GAAGK,GAAG,CAACxP,CAAD,CAAf;AACA,QAAMmW,IAAI,GAAG,OAAOhH,KAApB;;AAEA,QAAlnP,C  
AAC,KAAK,QAAN,IAAkBmW,IAAI,KAAK,QAA/B,EAAYC;AACvC,UAAIjO,MAAJ,EAAYwQ,MAAM,CAA  
C1Y,CAAD,CAAN,GAAYki,MAAZ;AACb,KAFD,MAEO,IAAIII,CAAC,KAAK,QAAV,EAAoB;AACzB0Y,MA  
AAA,MAAM,CAAC1Y,CAAD,CAAN,GAAYmP,KAAZ;AACD,KAFM,MAEA,IAAIA,KAAK,YAAYS,KAArB,  
EAA4B;AACjC8I,MAAAA,MAAM,CAAC1Y,CAAD,CAAN,GAAYmP,KAAK,CAAC4E,GAAN,CAAU,UAAA  
6E,CAAC;AAAA,eAAIH,SAAS,CAACG,CAAD,EAAIF,MAAJ,CAAb;AAAA,OAAX,CAAZ;AACD,KAFM,MA  
EA,IAAIIY,CAAC,KAAK,QAAN,IAAkBA,CAAC,KAAK,OAAxB,IAAmCA,CAAC,KAAK,SAAzC,IAAsDA,C  
AAC,KAAK,WAAhE,EAA6E;AACIF,UAAImW,IAAI,KAAK,QAAT,IAAqBhH,KAAK,KAAK,IAAnC,EAAYCA  
,KAAK,GAAGsJ,SAAS,CAACtJ,KAAD,CAAjB;AACzCuJ,MAAAA,MAAM,CAAC1Y,CAAD,CAAN,GAAYmP  
,KAAZ;AACD;AACF;;AAED,SAAOuJ,MAAP;AACD,CARBD;AAuBA,,,,;IAKMG;AACJ;;AAGA,gBAAyC,Q  
AAZ,EAA2B;AAAA,QAafA,QAae;AAafA,MAAAA,QAae,GAAJ,EAAl;AAAA;;AACzB,SAAKxC,IAAL,GA  
AY,EAAZ;;AACA,SAAK,IAAM9W,IAAX,IAAmBsZ,QAAnB,EAA6B;AAC3B,WAAKtZ,IAAL,IAAsZ,QAQ,  
CAACtZ,IAAD,CAArB;AACD;AACF;AAED;,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,SAGCA6T,QAAA,eAAM3C,OAAN,EAAe  
qI,IAAf,EAA0B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAAl;AAAA;;AACxB,QAAL,KAAK9  
E,MAAT,EAAiB;AACf,UAMf,GAAG,GAAG,KAAK8F,UAAAL,CAAAGBD,IAAhB,CAAZ;AACA,aAAO,KAAK  
9E,MAAL,CAAY/B,KAAZ,CAAkBmB,KAAIB,CAAwB3C,OAAxB,EAAiCwC,GAAG,CAAC1H,IAArC,EAA2C  
0H,GAAG,CAACzH,MAA/C,EAAuDsN,IAAvD,CAAP;AACD,KAHD,MAGO;AACL,aAAO,IAAI/E,cAAJ,CAA  
mBtD,OAAnB,CAAP;AACD;AACF;AAED;,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,SAyBAH,OAAA,cAAKH,MAAL,EAAAsG,IAAb,E  
AAmBqC,IAAnB,EAAYB;AACvB,QAAME,IAAI,GAAG;AAAE7R,MAAAA,IAAL,EAAE;AAAR,KAAb;;AACA  
,SAAK,IAAMpH,CAAX,IAAgB+Y,IAAhB;AAAsBE,MAAAA,IAAI,CAACjZ,CAAD,CAAJ,GAAU+Y,IAAI,CA  
AC/Y,CAAD,CAAd;AAAtB;;AACA,WAAOoQ,MAAM,CAACG,IAAP,CAAYmG,IAAZ,EAakBuC,IAAlB,CAA  
P;AACD;AAED;,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,SAWAC,SAAA,kBAASmY,WAAT,EAakC;AAAA,QAazBA,WAAyB;AAAzBA,MAAAA,W  
AAyB,GAAXID,SAAW;AAAA;;AACHc,QAAlkD,WAAW,CAACID,SAAhB,EAA2BkD,WAAW,GAAGA,WAA  
W,CAACID,SAA1B;AAC3B,QAAl7F,MAAM,GAAG,EAAb;AACA+I,IAAAA,WAAW,CAAC,IAAD,EAAO,UA  
AAnZ,CAAC,EAAl;AACrBoQ,MAAAA,MAAM,IAAIpQ,CAAV;AACD,KAFU,CAAX;AAGA,WAAOoQ,MAA  
P;AACD;AAED;,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,SAGBAgJ,QAAA,eAAMC,SAAN,EAAsB;AAAA,QAAhBA,SAAGB;AAAhBA,MAA  
AA,SAAGB,GAAJ,EAAl;AAAA;;AACpB,QAAMX,MAAM,GAAGD,SAAS,CAAC,IAAD,CAAxB;;AACA,SA  
K,IAAMjZ,IAAX,IAAmB6Z,SAAnB,EAA8B;AAC5BX,MAAAA,MAAM,CAACIZ,IAAD,CAAN,GA Ae6Z,SA  
S,CAAC7Z,IAAD,CAAxB;AACD;;AACD,WAAOkZ,MAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,,,,,,SAWAY,cAAA,qBAAyD,S  
AAZ,EAA4B;AAAA,QAAhBA,SAAGB;AAAhBA,MAAAA,SAAGB,GAAJ,EAAl;AAAA;;AAC1B,QAAMX,MA  
AM,GAAG,KAAKU,KAAL,CAAWC,SAAX,CAAf;AACA,SAAKnR,MAAL,CAAYM,YAAZ,CAAYB,IAAZB,E  
AA+BkQ,MAA/B;AACA,WAAOA,MAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,,,,,,SAQAa,aAAA,oBAAWF,SAAX,EAA2B;AAAA  
,QAAhBA,SAAGB;AAAhBA,MAAAA,SAAGB,GAAJ,EAAl;AAAA;;AACzB,QAAMX,MAAM,GAAG,KAAKU,  
KAAL,CAAWC,SAAX,CAAf;AACA,SAAKnR,MAAL,CAAYsR,WAAZ,CAAwB,IAAxB,EAA8Bd,MAA9B;AA  
CA,WAAOA,MAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,,,,,,SAYAe,cAAA,uBAAsB;AAAA;;AACpB,QAAL,KAAKvR,MAAT,E  
AAiB;AAAA,wCADJjB,KACI;AADJA,QAAAA,KACI;AAAA;;AACfA,MAAAA,KAAK,CAACnE,OAAN,CAA  
c,UAAAsE,IAAL,EAAl;AACpB,QAAA,KAAI,CAACc,MAAL,CAAYM,YAAZ,CAAYB,KAAzB,EAA+BpB,IAA/  
B;AACD,OAFD;AAIA,WAAK8R,MAAL;AACD;;AAED,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,,,,,,,,,,,,,,SAiBAQ,SA  
AA,gBAAOC,SAAP,EAakB;AACHB,SAAKC,SAAL,CAAE,KAAKxD,IAAL,OAAGBuD,SAAS,CAACvD,IAAV,

EAA/B;AACa,SAAK8C,MAAL;AACAS,IAAAA,SAAS,CAACE,MAAV,CAAIb,IAAjB;AACa,WAAO,IAAP;A  
ACD;AAED;,,,,,,,,,,,,;SAWAC,aAAA,oBAAWC,SAAX,EAAsB;AACpB,SAAKH,SAAL,CAAE,KAAKxD,IAAL,  
OAAgB2D,SAAS,CAAC3D,IAAV,EAA/B;AACa,SAAK8C,MAAL;AACa,IAAAA,SAAS,CAAC7R,MAAV,C  
AAiBM,YAAjB,CAA8BuR,SAA9B,EAAYC,IAAZC;AACa,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,;SAWAC,YAA  
A,mBAAUD,SAAV,EAAqB;AACnB,SAAKH,SAAL,CAAE,KAAKxD,IAAL,OAAgB2D,SAAS,CAAC3D,IAAV,  
EAA/B;AACa,SAAK8C,MAAL;AACa,IAAAA,SAAS,CAAC7R,MAAV,CAAIbS,WAajB,CAA6BO,SAA7B,  
EAAwC,IAAxC;AACa,WAAO,IAAP;AACD;AAED;,,,,,,,,,,,,;SACxH,OAAA,gBAAO;AACL,QAAM1O,KAA  
K,GAAG,KAAKqE,MAAL,CAAYrE,KAAZ,CAAKb,IAAlB,CAAd;AACa,WAAO,KAAKqE,MAAL,CAAYjB,K  
AAZ,CAAKbP,D,KAAK,GAAG,CAA1B,CAAP;AACD;AAED;,,,,,,,,,,,,;SAYAmP,OAAA,gBAAO;AACL,QAAM  
nP,KAAK,GAAG,KAAKqE,MAAL,CAAYrE,KAAZ,CAAKb,IAAlB,CAAd;AACa,WAAO,KAAKqE,MAAL,CA  
AYjB,KAAZ,CAAKbP,D,KAAK,GAAG,CAA1B,CAAP;AACD;SAEDoW,SAAA,kBAAS;AACp,QAAMC,KAA  
K,GAAG,EAAd;AAEA,SAAK,IAAM1a,IAAX,IAAmB,IAAnB,EAAYB;AACvB,UAAI,CAAC,KAAKmq,cAAL,  
CAAoBnQ,IAApB,CAAL,EAAGC;AACChC,UAAIA,IAAI,KAAK,QAAb,EAAB;AACvB,UAAAM2P,KAAK,GAA  
G,KAAK3P,IAAL,CAAd;AAEA,UAAI2P,KAAK,YAAYS,KAArB,EAAB4B;AAC1BsK,QAAAA,KAAK,CAAC1  
a,IAAD,CAAL,GAAC2P,KAAK,CAAC4E,GAAN,CAAU,UAAA/T,CAAC,EAAl;AAC3B,cAAI,OAAOA,CAAP,  
KAAa,QAAb,IAAYBA,CAAC,CAACia,MAA/B,EAACu;AACrC,mBAAOja,CAAC,CAACia,MAAF,EAAP;AAC  
D,WAFD,MAEO;AACL,mBAAOja,CAAP;AACD;AACF,SANa,CAAd;AAOD,OARD,MAQO,IAAI,OAAOmP,K  
AAP,KAAiB,QAajB,IAA6BA,KAAK,CAAC8K,MAAvC,EAA+C;AACpDC,QAAAA,KAAK,CAAC1a,IAAD,C  
AAL,GAAC2P,KAAK,CAAC8K,MAAN,EAAd;AACD,OAFM,MAEA;AACLC,QAAAA,KAAK,CAAC1a,IAAD,  
CAAL,GAAC2P,KAAd;AACD;AACF;AAED,WAAO+K,KAAP;AACD;AAED;,,,,,,,,,,,,;SakBA1D,MAAA,a  
AAIK,IAAJ,EAAUsD,WAAV,EAAB;AACrB,QAAM/Z,GAAG,GAAG,IAAI2V,WAAJ,EAJZ;AACa,WAAO3  
V,GAAG,CAACoW,GAAJ,CAAQ,IAAR,EAACk,IAAd,EAABsD,WAApB,CAAP;AACD;AAED;,,,,,,,,,,,,;SAQA/  
D,OAAA,gBAAO;AACL,QAAlhG,MAAM,GAAG,IAAb;AACa,WAAOA,MAAM,CAACII,MAAd;AAAsBkI,M  
AAAA,MAAM,GAAGA,MAAM,CAACII,MAAhB;AAAtB;AACa,WAAOkI,MAAP;AACD;SAEDwJ,YAAA,m  
BAAUQ,WAAV,EAAB;AACrB,WAAO,KAAK9D,IAAL,CAAUa,MAAjB;AACa,WAAO,KAAKb,IAAL,CAA  
Ub,KAAjB;AACa,QAAl,CAAC2E,WAAAL,EAABk,OAAO,KAAK9D,IAAL,CAAUM,OAAjB;AACnB;SAEDyD  
,iBAAA,wBAAEW,KAAf,EAAsB;AACpB,QAAMiJ,MAAM,GAAG,KAAK9L,QAAL,EAaf;AACa,QAAlYk,M  
AAM,GAAG,KAAKwI,MAAL,CAAYO,KAAZ,CAAKb/I,MAA/B;AACa,QAAlD,IAAI,GAAG,KAAKyI,MAAL  
,CAAYO,KAAZ,CAAKbhJ,IAA7B;AAEA,SAAK,IAAIxL,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAG6D,KA  
ApB,EAAB2B7D,CAAC,EAAB5B,EAAGC;AAC9B,UAAI8M,MAAM,CAAC9M,CAAD,CAAN,KAAc,IAAlB,EA  
wB;AACtByL,QAAAA,MAAM,GAAG,CAAT;AACAD,QAAAA,IAAI,IAAI,CAAR;AACD,OAHD,MAGO;AAC  
LC,QAAAA,MAAM,IAAI,CAAV;AACD;AACF;AAED,WAAO;AAAED,MAAAA,IAAI,EAAlJA,IAAF;AAAQC  
,MAAAA,MAAM,EAANA;AAAR,KAAP;AACD;SAEDuN,aAAA,oBAAWD,IAAX,EAAlB;AACf,QAAl7F,GA  
AG,GAAG,KAAKe,MAAL,CAAYO,KAAtB;AACa,QAAluE,IAAI,CAACIV,KAAT,EAAGB;AACdqP,MAAAA  
,GAAG,GAAG,KAAKmH,cAAL,CAAoBtB,IAAI,CAACIV,KAAzB,CAAN;AACD,KAFD,MAEO,IAAlkV,IAAI,  
CAACuB,IAAT,EAAB;AACpB,UAAmzW,KAAK,GAAG,KAAK7C,QAAL,GAAGB+L,OAAbB,CAAwBgM,IAA  
I,CAACuB,IAA7B,CAAd;AACa,UAAIzW,KAAK,KAAK,CAAC,CAAF,EAABqP,GAAG,GAAG,KAAKmH,cA  
AL,CAAoBxW,KAAPB,CAAN;AACnB;AACD,WAAOqP,GAAP;AACD;SAEDqH,aAAA,sBAAa;AACX9J,IA  
AAA,QAAQ,CAAC,iDAAD,CAAR;AACa,WAAO,KAAKyI,MAAL,EAAP;AACD;SAEDtZ,UAAA,iBAAQqH,  
KAAR,EAAB;AACbwJ,IAAAA,QAAQ,CAAC,kDAAD,CAAR;AACa,WAAO,KAAKgJ,WAAAL,CAAIbXs,KAAj  
B,CAAP;AACD;SAEDR,QAAA,eAAM2Q,GAAN,EAAWC,MAAX,EAAMb;AACjB5G,IAAAA,QAAQ,CAAC,  
4CAAD,CAAR;AACa,WAAO,KAAK+F,GAAL,CAASY,GAAT,EAACc,MAAd,CAAP;AACD;SAEDmD,cAA  
A,qBAAYJ,WAAZ,EAAYB;AACvB3J,IAAAA,QAAQ,CAAC,wDAAD,CAAR;AACa,WAAO,KAAKmJ,SAAL,  
CAAEQ,WAAf,CAAP;AACD;wBAEY;AACX3J,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,aAAO,KAAK  
6F,IAAL,CAAUa,MAAjB;AACD;sBAEUd,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;AACa,W  
AAK6F,IAAL,CAAUa,MAAV,GAAMBsD,GAAnB;AACD;wBAEa;AACZhK,MAAAA,QAAQ,CAAC,mDAAD  
,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUM,OAAjB;AACD;sBAEW6D,KAAK;AACfhK,MAAAA,QAAQ,C  
AAC,mDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUM,OAAV,GAAB6D,GAAPB;AACD;AAED;,,,,,,,,,,,,;AAUA

.....AAQA.....AAqCA.....ACphBF.....IAWMC;;;AACJ,uBAA  
Y5B,QAAZ,EAAsB;AAAA;;AACpB,6BAAMA,QAAN;ACA,UAAK3C,IAAL,GAAY,MAAZ;AAFoB;AAGrB;;  
;wBAEY;AACX1F,MAAAA,QAAQ,CAAC,iDAAD,CAAR;ACA,aAAO,KAAK6F,IAAL,CAAUnH,KAAjB;A  
ACD;sBAEUsl,KAAK;AACdhK,MAAAA,QAAQ,CAAC,iDAAD,CAAR;ACA,WAAK6F,IAAL,CAAUnH,KA  
AV,GAakBsL,GAAIB;AACD;;;wBAEgB;AACfhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;ACA,aAAO,KAA  
K6F,IAAL,CAAUS,SAAjB;AACD;sBAEc0D,KAAK;AACIBhK,MAAAA,QAAQ,CAAC,yDAAD,CAAR;ACA,  
WAAK6F,IAAL,CAAUS,SAAV,GAAsB0D,GAAiB;AACD;AAED;.....AAUA;.....AAUA;.....AAWA;.....  
.....;EAzDwB5B;;ACX1B;.....IAQM8B;;AACJ,mBAAY7B,QAAZ,EAAsB;AAAA;;AACpB,6BAA  
MA,QAAN;ACA,UAAK3C,IAAL,GAAY,SAAZ;AAFoB;AAGrB;;;wBAEU;AACT1F,MAAAA,QAAQ,CAAC,  
oDAAD,CAAR;ACA,aAAO,KAAK6F,IAAL,CAAUC,IAAjB;AACD;sBAEQkE,KAAK;AACZhK,MAAAA,QA  
AQ,CAAC,oDAAD,CAAR;ACA,WAAK6F,IAAL,CAAUC,IAAV,GAaiBkE,GAAjB;AACD;;;wBAEW;AACV  
hK,MAAAA,QAAQ,CAAC,sDAAD,CAAR;ACA,aAAO,KAAK6F,IAAL,CAAUG,KAAjB;AACD;sBAESgE,K  
AAK;AACbhK,MAAAA,QAAQ,CAAC,sDAAD,CAAR;ACA,WAAK6F,IAAL,CAAUG,KAAV,GAakBgE,GA  
AlB;AACD;AAED;.....AAKA;.....;EA/BoB5B;;ACZtB;ACA;IAOqB+B;AACnB,kBAAYII,KAAZ,EAAM  
B;AACjB,SAAKA,KAAAL,GAAaA,KAAb;AAEA,SAAKgB,GAAL,GAAW,CAAX;ACA,SAAKkD,IAAL,GAA  
Y,IAAIyE,IAAJ,EAZ;ACA,SAAKC,OAAL,GAAe,KAAK1E,IAApB;ACA,SAAK2E,MAAL,GAAc,EAAd;A  
ACA,SAAK7E,SAAL,GAAiB,KAAjB;AAEA,SAAKE,IAAL,CAAUnC,MAAV,GAAMB;AAAE/B,MAAAA,KA  
AK,EAALA,KAAF;AAASsC,MAAAA,KAAK,EAAE;AAAEhJ,QAAAA,IAAI,EAAE,CAAR;AAAWC,QAAAA,  
MAAM,EAAE;AAAnB;AAAhB,KAAAnB;AACD;;;SAEDwG,WAAA,sBAAW;AACT,SAAKE,MAAL,GAAC6I,Q  
AAS,CAAC,KAAK9I,KAAAN,CAAvB;AACD;;SAED+I,OAAA,gBAAO;AACL,QAAInH,KAAJ;;ACA,WAAO,  
KAAKZ,GAAL,GAAW,KAAKf,MAAL,CAAYIS,MAA9B,EAAsC;AACpC6T,MAAAA,KAAK,GAAG,KAAK3  
B,MAAL,CAAY,KAAKe,GAAjB,CAAR;;AAEA,cAAQY,KAAK,CAAC,CAAD,CAAb;AAACE,aAAK,OAAL;AA  
CA,aAAK,GAAL;AAACE,eAAKiH,MAAL,IAAejH,KAAK,CAAC,CAAD,CAApB;ACA;;AAEF,aAAK,GAAL;AA  
ACE,eAAKY,GAAL,CAASZ,KAAAT;ACA;;AAEF,aAAK,SAAL;AAACE,eAAKJ,OAAL,CAAaI,KAAb;ACA;;  
AAEF,aAAK,SAAL;AAACE,eAAKkD,MAAL,CAAYID,KAAZ;ACA;;AAEF,aAAK,GAAL;AAACE,eAAKoH,SA  
AL,CAAepH,KAAf;ACA;;AAEF;AAACE,eAAKqH,KAAAL;ACA;AAxBJ;;AA2BA,WAAKjI,GAAL,IAAY,CA  
AZ;AACD;;AACD,SAAKkI,OAAL;AACD;;SAED1H,UAAA,iBAAQI,KAAAR,EAAsC;AACb,QAAM1M,IAAI,GA  
AG,IAAIuT,OAAl,EAAb;ACA,SAAKU,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,CAArB,EA  
A0BA,KAAK,CAAC,CAAD,CAA/B;ACA1M,IAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,  
MAAAA,IAAI,EAAsE,I,KAAK,CAAC,CAAD,CAAb;AAAKBrI,MAAAA,MAAM,EAAEqI,KAAK,CAAC,CAAD  
;AAA/B,KAAIB;AAEA,QAAM4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAAT,CAAe,CAAf,E  
AAkB,CAAC,CAAnB,CAAb;;ACA,QAAl,QAAQ1S,IAAR,CAAa8V,IAAb,CAAJ,EAAbW;AACTbTP,MAAAA,  
IAAI,CAACsP,IAAL,GAAY,EAZ;AACAtP,MAAAA,IAAI,CAACKP,IAAL,CAAUC,IAAV,GAaiBG,IAAjB;A  
ACAtP,MAAAA,IAAI,CAACKP,IAAL,CAAUG,KAAV,GAakB,EAAlB;AACD,KAJD,MAIO;AACL,UAAAM3P,  
KAAK,GAAG4P,IAAI,CAAC5P,KAAAL,CAAW,yBAAX,CAAd;AACAM,MAAAA,IAAI,CAACsP,IAAL,GAAY  
5P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAAI,CAACKP,IAAL,CAAUC,IAAV,GAaiBzP,KAAK,CA  
AC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACKP,IAAL,CAAUG,KAAV,GAakB3P,KAAK,CAAC,CAAD,C  
AAvB;AACD;AACF;;SAEDoU,YAAA,mBAAUph,KAAV,EAaiB;AACf,QAAM1M,IAAI,GAAG,IAAIkU,IAAJ  
,EAAb;ACA,SAAKD,IAAL,CAAUjU,IAAV,EAAGB0M,KAAK,CAAC,CAAD,CAArB,EA0BA,KAAK,CAA  
C,CAAD,CAA/B;ACA1M,IAAAA,IAAI,CAACjB,QAAL,GAAGB,EAAhB;AACAiB,IAAAA,IAAI,CAACKP,IA  
AL,CAAUM,OAAl,GAAb,EAAPB;ACA,SAAKkE,OAAL,GAae1T,IAAf;AACD;;SAED+T,QAAA,iBAAQ;  
AACN,QAAlrH,KAAJ;ACA,QAAlY,GAAG,GAAG,KAAV;ACA,QAAlYB,IAAI,GAAG,IAAX;ACA,QAAl  
jB,KAAK,GAAG,KAAZ;ACA,QAAlqG,OAAl,GAAG,IAAd;ACA,QAAM9H,QAAQ,GAAG,EAajB;AAEA,  
QAAMe,KAAK,GAAG,KAAKtB,GAAnB;;ACA,WAAO,KAAKA,GAAL,GAAW,KAAKf,MAAL,CAAYIS,M  
AA9B,EAAsC;AACpC6T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,CAAR;AACAiD,M  
AAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAAK,GAAT,IAAgBA,IAAI,KAAK  
,GAA7B,EAakC;AAChC,YAAI,CAACoF,OAAL,EAACa,OAAl,GAAGzH,KAAV;AACdL,QAAAA,QAAQ,CA  
AC5Q,IAAT,CAAcS,T,IAAI,KAAK,GAAT,GAae,GAaf,GAaqB,GAAnC;AACD,OAHD,MAGO,IAAI1C,QAAQ

,CAACxT,MAAT,KAAoB,CAAxB,EAA2B;AACHC,YAAIkW,IAAI,KAAK,GAAb,EAakB;AACHb,cAAIjB,KA  
AJ,EAAW;AACT,iBAAKyB,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAakBkB,KAAIB,EAAyB,KAA  
KtB,GAAL,GAAW,CAApC,CAAV;AACa;AACD,WAHD,MAGO;AACL;AACD;AACF,SAPD,MAOO,IAAIiD,I  
AAI,KAAK,GAAb,EAakB;AACvB,eAAK9M,IAAL,CAAU,KAAK8I,MAAL,CAAYmB,KAAZ,CAakBkB,KAA  
IB,EAAyB,KAAKtB,GAAL,GAAW,CAApC,CAAV;AACa;AACD,SAHM,MAGA,IAAIiD,IAAI,KAAK,GAAb,E  
AAkB;AACvB,eAAKjD,GAAL,IAAY,CAAZ;AACAwB,UAAAA,GAAG,GAAG,IAAN;AACa;AACD,SAJM,M  
AIA,IAAIyB,IAAI,KAAK,GAAb,EAakB;AACvBjB,UAAAA,KAAK,GAAG,IAAR;AACD;AACF,OAIBM,MAK  
BA,IAAIiB,IAAI,KAAK1C,QAAQ,CAACA,QAAQ,CAACxT,MAAT,GAakB,CAAnB,CAArB,EAA4C;AACjDw  
T,QAAAA,QAAQ,CAAC+H,GAAT;AACa,YAAI/H,QAAQ,CAACxT,MAAT,KAAoB,CAAxB,EAA2Bsb,OAA  
O,GAAG,IAAV;AAC5B;;AAED,WAAKfI,GAAL,IAAY,CAAZ;AACD;;AACD,QAAI,KAAKA,GAAL,KAAa,K  
AAKf,MAAL,CAAYIS,MAA7B,EAAqC;AACnC,WAAKiT,GAAL,IAAY,CAAZ;AACAwB,MAAAA,GAAG,GA  
AG,IAAN;AACD;;AAED,QAAIjB,QAAQ,CAACxT,MAAT,GAakB,CAAtB,EAAyB,KAAKwb,eAAL,CAAqBF,  
OAArB;;AAEzB,QAAI7G,GAAG,IAAIQ,KAAK,EAakB;AACHb,aAAO,KAAKhC,GAAL,GAAWsB,KAAIB,EA  
AyB;AACvBV,QAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,EAAsB,CAAtB,CAAR;AACa  
,YAAIY,KAAK,KAAK,OAaV,IAAqBA,KAAK,KAAK,SAAnC,EAA8C;AAC9C,aAAKZ,GAAL,IAAY,CAAZ;A  
ACD;;AACD,WAAKyD,IAAL,CAAU,KAAKxE,MAAL,CAAYmB,KAAZ,CAakBkB,KAAIB,EAAyB,KAAKtB,  
GAAL,GAAW,CAApC,CAAV;AACa;AACD;;AAED,SAAKwI,WAAL,CAAiBIH,KAAjB;AACD;;SAEDnL,OA  
AA,cAAK8I,MAAL,EAAa;AACXA,IAAAA,MAAM,CAACqJ,GAAP;AAEA,QAAmpU,IAAI,GAAG,IAAIkU,IA  
AJ,EAAb;AACa,SAAKD,IAAL,CAAUjU,IAAV,EAAGB+K,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAh  
B,EAA8BA,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAA9B;AAEA/K,IAAAA,IAAI,CAACKP,IAAL,CAA  
UM,OAaV,GAAoB,KAAK+E,aAAL,CAAmBxJ,MAAnB,CAApB;AACa,SAAKqE,GAAL,CAASpP,IAAT,EA  
e,UAAf,EAA2B+K,MAA3B;AACa,SAAK2I,OAAL,GAAe1T,IAAf;AACD;;SAEDuP,OAAA,cAAKxE,MAAL,E  
AAa;AACX,QAAm/K,IAAI,GAAG,IAAIst,WAAJ,EAAb;AACa,SAAKW,IAAL,CAAUjU,IAAV;AAEA,QAA  
MsL,IAAI,GAAGP,MAAM,CAACA,MAAM,CAACIS,MAAP,GAAGB,CAAjB,CAAnB;;AACa,QAAIyS,IAAI,C  
AAC,CAAD,CAAJ,KAAy,GAAhB,EAAqB;AACnB,WAAKwD,SAAL,GAAiB,IAAjB;AACa/D,MAAAA,MAA  
M,CAACqJ,GAAP;AACD;;AACD,QAAI9I,IAAI,CAAC,CAAD,CAAR,EAAa;AACXtL,MAAAA,IAAI,CAAC6  
M,MAAL,CAAYS,GAAG,GAakB;AAAEIJ,QAAAA,IAAI,EAAEKH,IAAI,CAAC,CAAD,CAAZ;AAAIbJH,QAA  
AA,MAAM,EAAEiH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD,KAFD,MAEO;AACLlL,MAAAA,IAAI,CAA  
C6M,MAAL,CAAYS,GAAG,GAakB;AAAEIJ,QAAAA,IAAI,EAAEKH,IAAI,CAAC,CAAD,CAAZ;AAAIbJH,Q  
AAAA,MAAM,EAAEiH,IAAI,CAAC,CAAD;AAA7B,OAAIB;AACD;;AAED,WAAOP,MAAM,CAAC,CAAD,C  
AAN,CAAU,CAAV,MAAiB,MAAxB,EAAGC;AAC9B/K,MAAAA,IAAI,CAACKP,IAAL,CAAUa,MAAV,IAAoB  
hF,MAAM,CAACyJ,KAAP,GAAe,CAAf,CAApB;AACD;;AACDxU,IAAAA,IAAI,CAAC6M,MAAL,CAAYO,K  
AAZ,GAAoB;AAAEHJ,MAAAA,IAAI,EAAE2G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAR;AAAsB1G  
,MAAAA,MAAM,EAAE0G,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV;AAA9B,KAApB;AAEA/K,IAAAA,IA  
AI,CAACyP,IAAL,GAAY,EAAG;AACa,WAAO1E,MAAM,CAACIS,MAAd,EAAsB;AACpB,UAAmkW,IAAI,  
GAAGhE,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAb;;AACa,UAAIge,IAAI,KAAK,GAAT,IAAGBA,IA  
AI,KAAK,OAazB,IAAoCA,IAAI,KAAK,SAAjD,EAA4D;AAC1D;AACD;;AACD/O,MAAAA,IAAI,CAACyP,IA  
AL,IAAa1E,MAAM,CAACyJ,KAAP,GAAe,CAAf,CAAb;AACD;;AAEDxU,IAAAA,IAAI,CAACKP,IAAL,CAA  
UM,OAaV,GAAoB,EAAPB;AAEA,QAAI9C,KAAJ;;AACa,WAAO3B,MAAM,CAACIS,MAAd,EAAsB;AACp  
B6T,MAAAA,KAAK,GAAG3B,MAAM,CAACyJ,KAAP,EAAR;;AAEA,UAAI9H,KAAK,CAAC,CAAD,CAAL,  
KAAa,GAAjB,EAAsB;AACpB1M,QAAAA,IAAI,CAACKP,IAAL,CAAUM,OAaV,IAAqB9C,KAAK,CAAC,CA  
AD,CAA1B;AACa;AACD,OAHD,MAGO;AACL1M,QAAAA,IAAI,CAACKP,IAAL,CAAUM,OAaV,IAAqB9C,  
KAAK,CAAC,CAAD,CAA1B;AACD;AACF;;AAED,QAAI1M,IAAI,CAACyP,IAAL,CAAU,CAAV,MAAiB,GA  
AjB,IAAwBzP,IAAI,CAACyP,IAAL,CAAU,CAAV,MAAiB,GAA7C,EAakD;AACHDzP,MAAAA,IAAI,CAACK  
P,IAAL,CAAUa,MAAV,IAAoB/P,IAAI,CAACyP,IAAL,CAAU,CAAV,CAApB;AACAzP,MAAAA,IAAI,CAAC  
yP,IAAL,GAAYzP,IAAI,CAACyP,IAAL,CAAUvD,KAAV,CAAGB,CAAhB,CAAZ;AACD;;AACDIM,IAAAA,I  
AAI,CAACKP,IAAL,CAAUM,OAaV,IAAqB,KAAKiF,eAAL,CAAqB1J,MAArB,CAArB;AACa,SAAK2J,uBAA  
L,CAA6B3J,MAA7B;;AAEA,SAAK,IAAIInS,CAAC,GAAGmS,MAAM,CAACIS,MAAP,GAAGB,CAA7B,EAAG

CD,CAAC,GAAG,CAApC,EAAuCA,CAAC,EAAxC,EAA4C;AAC1C8T,MAAAA,KAAK,GAAG3B,MAAM,CAACnS,CAAD,CAAD;AACa,UAAI8T,KAAK,CAAC,CAAD,CAAL,KAAa,YAAjB,EAA+B;AAC7B1M,QAAAA,IAAI,CAAC2P,SAAL,GAAiB,IAAjB;AACa,YAAIjK,MAAM,GAAG,KAAKiP,UAAAL,CAAxB5J,MAAhB,EAAwBnS,CAAxB,CAAb;AACa8M,QAAAA,MAAM,GAAG,KAAK6O,aAAL,CAAmBxJ,MAAnB,IAA6BrF,MAAtC;AACa,YAAIA,MAAM,KAAK,aAAf,EAA8B1F,IAAI,CAACkP,IAAL,CAAUS,SAAV,GAAsBjK,MAAtB;AAC9B;AACD,OAND,MAMO,IAAIgH,KAAK,CAAC,CAAD,CAAL,KAAa,WAAjB,EAA8B;AACnC,YAAMkI,KAAK,GAAG7J,MAAM,CAACmB,KAAP,CAAa,CAAb,CAAD;AACa,YAAIT,GAAG,GAAG,EAAV;AACa,aAAK,IAAIwY,CAAC,GAAG5Y,CAAb,EAAgB4Y,CAAC,GAAG,CAApB,EAAuBA,CAAC,EAAxB,EAA4B;AAC1B,cAAMzC,KAAI,GAAG6F,KAAK,CAACpD,CAAD,CAAL,CAAS,CAAT,CAAb;AACa,cAAIxY,GAAG,CAACgD,IAAJ,GAAW2J,OAAx,CAAmB,GAAnB,MAA4B,CAA5B,IAAIcOj,KAAI,KAAK,OAA9C,EAAuD;AACrD;AACD;AACD/V,UAAAA,GAAG,GAAG4b,KAAK,CAACR,GAAN,GAAY,CAAZ,IAAIbPb,GAAvB;AACD;AACD,YAAIA,GAAG,CAACgD,IAAJ,GAAW2J,OAAx,CAAmB,GAAnB,MAA4B,CAAhC,EAAmC;AACjC3F,UAAAA,IAAI,CAAC2P,SAAL,GAAiB,IAAjB;AACa3P,UAAAA,IAAI,CAACkP,IAAL,CAAUS,SAAV,GAAsB3W,GAAtB;AACa+R,UAAAA,MAAM,GAAG6J,KAAT;AACD;AACF;AAED,UAAIII,KAAK,CAAC,CAAD,CAAL,KAAa,OAAb,IAAwBA,KAAK,CAAC,CAAD,CAAL,KAAa,SAAzC,EAAoD;AACID;AACD;AACF;AAED,SAAK0C,GAAL,CAASpP,IAAT,EAAe,OAAf,EAAwB+K,MAAxB;AAEA,QAAI/K,IAAI,CAAC+H,KAAL,CAAWpC,OAAx,CAAmB,GAAnB,MAA4B,CAAC,CAAjC,EAAoC,KAAKkP,oBAAL,CAA0B9J,MAA1B;AACrC;SAED6E,SAAA,gBAAOID,KAAP,EAAc;AACZ,QAAM1M,IAAI,GAAG,IAAI8U,MAAJ,EAAb;AACa9U,IAAAA,IAAI,CAAC5H,IAAL,GAAYsU,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAAe,CAAf,CAAZ;AACa,QAAIIM,IAAI,CAAC5H,IAAL,KAAc,EAAIB,EAAsB;AACpB,WAAK2c,aAAL,CAAmB/U,IAAnB,EAAyB0M,KAAzB;AACD;AACD,SAAKuH,IAAL,CAAUjU,IAAV,EAAgB0M,KAAK,CAAC,CAAD,CAArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;AAEA,QAAIpB,IAAI,GAAG,KAAx;AACa,QAAI0J,IAAI,GAAG,KAAx;AACa,QAAMnF,MAAM,GAAG,EAAf;AAEA,SAAK/D,GAAL,IAAY,CAAZ;AACa,WAAO,KAAKA,GAAL,GAAW,KAAKf,MAAL,CAAYIS,MAA9B,EAAc;AACpC6T,MAAAA,KAAK,GAAG,KAAK3B,MAAL,CAAY,KAAKe,GAAjB,CAAR;AAEA,UAAIY,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAsB;AACpB1M,QAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,UAAAA,IAAI,EAAEsI,KAAK,CAAC,CAAD,CAAb;AAAKBrI,UAAA,MAAM,EAAEqI,KAAK,CAAC,CAAD;AAA/B,SAAIb;AACa,aAAKoC,SAAL,GAAiB,IAAjB;AACa;AACD,OAJD,MAIO,IAAIpC,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAc;AAC3BsI,QAAAA,IAAI,GAAG,IAAP;AACa;AACD,OAHM,MAGA,IAAIhI,KAAK,CAAC,CAAD,CAAL,KAAa,GAAjB,EAAc;AAC3B,aAAKY,GAAL,CAASZ,KAAT;AACa;AACD,OAHM,MAGA;AACLmD,QAAAA,MAAM,CAACpU,IAAP,CAAYiR,KAAZ;AACD;AAED,WAAKZ,GAAL,IAAY,CAAZ;AACD;AACD,QAAI,KAAKA,GAAL,KAAa,KAAKf,MAAL,CAAYIS,MAA7B,EAAqC;AACnCyS,MAAAA,IAAI,GAAG,IAAP;AACD;AAEDtL,IAAAA,IAAI,CAACkP,IAAL,CAAUM,OAAV,GA AoB,KAAK+E,aAAL,CAAmB1E,MAAnB,CAApB;AACa,QAAIA,MAAM,CAACHX,MAAX,EAAmB;AACjBmH,MAAAA,IAAI,CAACkP,IAAL,CAAUY,SAAV,GAAsB,KAAK2E,eAAL,CAAqB5E,MAArB,CAAtB;AACa,WAAKT,GAAL,CAASpP,IAAT,EAAe,QAAf,EAAyB6P,MAAzB;AACa,UAAIvE,IAAJ,EAAU;AACRoB,QAAAA,KAAK,GAAGmD,MAAM,CAACA,MAAM,CAACHX,MAAP,GAAGB,CAAjB,CAAd;AACAmH,QAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAZ,GAakB;AAAEIJ,UAAAA,IAAI,EAAEsI,KAAK,CAAC,CAAD,CAAb;AAAKBrI,UAAAA,MAAM,EAAEqI,KAAK,CAAC,CAAD;AAA/B,SAAIb;AACa,aAAKiH,MAAL,GAAC3T,IAAI,CAACkP,IAAL,CAAUM,OAAxB;AACAxP,QAAAA,IAAI,CAACkP,IAAL,CAAUM,OAAV,GA AoB,EAApB;AACD;AACF,KATD,MASO;AACLxP,MAAAA,IAAI,CAACkP,IAAL,CAAUY,SAAV,GAAsB,EAAtB;AACa9P,MAAAA,IAAI,CAAC6P,MAAL,GAAC,EAAAd;AACD;AAED,QAAImF,IAAJ,EAAU;AACRhV,MAAAA,IAAI,CAACH,KAAL,GA Aa,EAAb;AACa,WAAK6T,OAAL,GA Ae1T,IAAf;AACD;AACF;SAEDsN,MAAA,aAAIZ,KAAJ,EAAW;AACT,QAAI,KAAKgH,OAAL,CAAa7T,KAAb,IAAsB,KAAK6T,OAAL,CAAa7T,KAAb,CAAmBhH,MAA7C,EAAqD;AACnD,WAAK6a,OAAL,CAAaxE,IAAb,CAAKBJ,SAAIb,GA A8B,KAAKA,SAAnC;AACD;AACD,SAAKA,SAAL,GAAiB,KAAjB;AAEA,SAAK4E,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,GA A0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF,MAAjE;AACa,SAAKA,MAAL,GAAC,EAAAd;AAEA,QAAI,KAAKD,OAAL,CAAa5S,MAAjB,EAAyB;AACvB,WAAK4S,OAAL,CAAa7G,MAAb,CAAoBS,GAAPB,GA A0B;AAAEIJ,QAAAA,IAAI,EAAEsI,KAAK,CAAC,C



AAD,CAAb;AAkBrI,QAAAA,MAAM,EAAEqI,KAAK,CAAC,CAAD;AAA/B,OAA1B;AACA,WAAKgH,OAA  
L,GAAe,KAAKA,OAAL,CAAa5S,MAA5B;AACD,KAHD,MAGO;AACL,WAAKmU,eAAL,CAAqBvI,KAArB;  
AACD;AACF;;SAEDsH,UAAA,mBAAU;AACR,QAAI,KAAKN,OAAL,CAAa5S,MAAjB,EAAyB,KAAKoU,aA  
AL;;AACzB,QAAI,KAAKxB,OAAL,CAAa7T,KAAb,IAAsB,KAAK6T,OAAL,CAAa7T,KAAb,CAAmBhH,MA  
A7C,EAAqD;AACnD,WAAK6a,OAAL,CAAaxE,IAAb,CAAKBJ,SAIIB,GAA8B,KAAKA,SAAnC;AACD;;AAC  
D,SAAK4E,OAAL,CAAaxE,IAAb,CAAKBb,KAAIB,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKBb,  
KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF,MAAjE;AACD;;;SAIDM,OAAA,cAAKjU,IAAL,EAAWoE,IAAX,EAA  
iBC,MAAjB,EAAyB;AACvB,SAAKqP,OAAL,CAAajY,IAAb,CAAKBuE,IAAIB;AAEAA,IAAAA,IAAI,CAAC6  
M,MAAL,GAAc;AAAE,O,MAAAA,KAAK,EAAE;AAAEhJ,QAAAA,IAAI,EAAJA,IAAF;AAAQC,QAAAA,MA  
AM,EAANA;AAAR,OAAT;AAA2ByG,MAAAA,KAAK,EAAE,KAAKA;AAAvc,KAAd;AACa9K,IAAAA,IAA  
I,CAACkP,IAAL,CAAUa,MAAV,GAAMb,KAAK4D,MAAxB;AACA,SAAKA,MAAL,GAAc,EAAd;AACA,QA  
AI3T,IAAI,CAAC+O,IAAL,KAAc,SAIIB,EAA6B,KAAKD,SAAL,GAAiB,KAAjB;AAC9B;;SAEDM,MAAA,aA  
AIpP,IAAJ,EAAUyP,IAAV,EAAGb1E,MAAhB,EAawB;AACtB,QAAI2B,KAAJ,EAAWqC,IAAX;AACA,QAA  
MIW,MAAM,GAAGkS,MAAM,CAACIS,MAAtB;AACA,QAAIkP,KAAK,GAAG,EAaz;AACA,QAAIoN,KAA  
K,GAAG,IAAZ;;AACA,SAAK,IAAIvc,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAGC,MAApB,EAA4BD,CAA  
C,IAAI,CAAjC,EAAoC;AACIC8T,MAAAA,KAAK,GAAG3B,MAAM,CAACnS,CAAD,CAAd;AACAmW,MAA  
AA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AACA,UAAIqC,IAAI,KAAK,SAAT,IAAuBA,IAAI,KAAK,O  
AAT,IAAoBnW,CAAC,KAAKC,MAAM,GAAG,CAA9D,EAAkE;AACHEsc,QAAAA,KAAK,GAAG,KAAR;AA  
CD,OAFD,MAEO;AACLpN,QAAAA,KAAK,IAAI2E,KAAK,CAAC,CAAD,CAAd;AACD;AACF;;AACD,QAAI  
,CAACyI,KAAL,EAAy;AACV,UAAM/F,GAAG,GAAGrE,MAAM,CAAC1E,MAAP,CAAc,UAAC+O,GAAD,E  
AAMxc,CAAN;AAAA,eAAywc,GAAG,GAAGxc,CAAC,CAAC,CAAD,CAAnB;AAAA,OAAd,EAAsC,EAAtC,  
CAAZ;AACaOH,MAAAA,IAAI,CAACkP,IAAL,CAAUO,IAAV,IAAkB;AAAE1H,QAAAA,KAAK,EAALA,KA  
AF;AAASqH,QAAAA,GAAG,EAaha;AAAT,OAAIB;AACD;;AACDpP,IAAAA,IAAI,CAACyP,IAAD,CAAJ,G  
AAa1H,KAAb;AACD;;SAEDwM,gBAAA,uBAAcxJ,MAAd,EAAsB;AACpB,QAAIsK,aAAJ;AACA,QAAIB,M  
AAM,GAAG,EAAb;;AACA,WAAO5I,MAAM,CAACIS,MAAd,EAAsB;AACpBwc,MAAAA,aAAa,GAAGtK,M  
AAM,CAACA,MAAM,CAACIS,MAAP,GAAGb,CAAjB,CAAN,CAA0B,CAA1B,CAAhB;AACA,UAAIwc,aAAa  
,KAAK,OAAIB,IAA6BA,aAAa,KAAK,SAAnD,EAA8D;AAC9D1B,MAAAA,MAAM,GAAG5I,MAAM,CAACqJ  
,GAAP,GAAa,CAAb,IAAkBT,MAA3B;AACD;;AACD,WAAOA,MAAP;AACD;;SAEDc,kBAAA,yBAAGb1J,M  
AAhB,EAawB;AACtB,QAAII,IAAJ;AACA,QAAIwI,MAAM,GAAG,EAAb;;AACA,WAAO5I,MAAM,CAACIS,  
MAAd,EAAsB;AACpBsS,MAAAA,IAAI,GAAGJ,MAAM,CAAC,CAAD,CAAN,CAAU,CAAV,CAAP;AACA,U  
AAII,IAAI,KAAK,OAAT,IAAoBA,IAAI,KAAK,SAAjC,EAA4C;AAC5CwI,MAAAA,MAAM,IAAI5I,MAAM,C  
AACyJ,KAAP,GAAe,CAAf,CAAV;AACD;;AACD,WAAOb,MAAP;AACD;;SAEDgB,aAAA,oBAAW5J,MAAX,  
EAAMbuK,IAAnB,EAAyB;AACvB,QAAItM,MAAM,GAAG,EAAb;;AACA,SAAK,IAAIpQ,CAAC,GAAG0c,IA  
Ab,EAAMb1c,CAAC,GAAGmS,MAAM,CAACIS,MAA9B,EAAsCD,CAAC,EAAvC,EAA2C;AACzCoQ,MAAA  
A,MAAM,IAAI+B,MAAM,CAACnS,CAAD,CAAN,CAAU,CAAV,CAAV;AACD;;AACDmS,IAAAA,MAAM,C  
AACxI,MAAP,CAAc+S,IAAd,EAAoBvK,MAAM,CAACIS,MAAP,GAAGByc,IAApC;AACA,WAAOtM,MAAP;  
AACD;;SAED8E,QAAA,eAAM/C,MAAN,EAAC;AACZ,QAAIsB,QAAQ,GAAG,CAAf;AACA,QAAIK,KAAJ,E  
AAWqC,IAAX,EAAiBnD,IAAjB;;AACA,SAAK,IAAIhT,CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAGmS,MA  
AM,CAACIS,MAA3B,EAAMCD,CAAC,EAAPC,EAawC;AACtC8T,MAAAA,KAAK,GAAG3B,MAAM,CAAC  
nS,CAAD,CAAd;AACAmW,MAAAA,IAAI,GAAGrC,KAAK,CAAC,CAAD,CAAZ;;AAEA,UAAIqC,IAAI,KAA  
K,GAAb,EAAb;AACHb1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFD,MAEO,IAAI0C,IAAI,KAAK,GAAb,E  
AAkB;AACvB1C,QAAAA,QAAQ,IAAI,CAAZ;AACD,OAFM,MAEA,IAAIA,QAAQ,KAAK,CAAb,IAAkB0C,I  
AAI,KAAK,GAA/B,EAAoC;AACzC,YAAI,CAACnD,IAAL,EAaw;AACT,eAAK2J,WAAL,CAAiB7I,KAAjB;A  
ACD,SAFD,MAEO,IAAIId,IAAI,CAAC,CAAD,CAAJ,KAAy,MAAZ,IAAsBA,IAAI,CAAC,CAAD,CAAJ,KAAy  
,QAAtC,EAAGD;AACrD;AACD,SAFM,MAEA;AACL,iBAAOhT,CAAP;AACD;AACF;;AAEDgT,MAAAA,IAA  
I,GAAGc,KAAP;AACD;;AACD,WAAO,KAAP;AACD;;;SAID2H,kBAAA,yBAAGBF,OAAhB,EAAyB;AACvB,  
UAAM,KAAKrJ,KAAL,CAAWmB,KAAx,CAAiB,kBAAjB,EAAqCkI,OOAO,CAAC,CAAD,CAA5C,EAAiDA,  
OOAO,CAAC,CAAD,CAAxD,CAAN;AACD;;SAEDG,cAAA,qBAAyIH,KAAZ,EAAMb;AACjB,QAAMV,KAA

K,GAAG,KAAK3B,MAAL,CAAYqC,KAAZ,CAAd;AACa,UAAM,KAAKtC,KAAL,CAAWmB,KAAx,CAAiB,cAAjB,EAAiCS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDuI,kBAAA,yBAAgBvI,KAAhB,EAAuB;AACrB,UAAM,KAAK5B,KAAL,CAAWmB,KAAx,CAAiB,cAAjB,EAAiCS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDwI,gBAAA,yBAAgB;AACd,QAAMpJ,GAAG,GAAG,KAAK4H,OAAL,CAAa7G,MAAb,CAAoBO,KAAhC;AACa,UAAM,KAAKtC,KAAL,CAAWmB,KAAx,CAAiB,gBAAjB,EAAmCH,GAAG,CAAC1H,IAAvC,EAA6C0H,GAAG,CAACzH,MAAjD,CAAN;AACD;;SAEDkR,cAAA,qBAAy7I,KAAZ,EAAmB;AACjB,UAAM,KAAK5B,KAAL,CAAWmB,KAAx,CAAiB,cAAjB,EAAiCS,KAAK,CAAC,CAAD,CAAtC,EAA2CA,KAAK,CAAC,CAAD,CAAhD,CAAN;AACD;;SAEDqI,gBAAA,uBAAc/U,IAAd,EAAoB0M,KAApB,EAA2B;AACzB,UAAM,KAAK5B,KAAL,CAAWmB,KAAx,CAAiB,sBAAjB,EAAyCS,KAAK,CAAC,CAAD,CAA9C,EAAmDA,KAAK,CAAC,CAAD,CAAxD,CAAN;AACD;;SAEDgI,0BAAA,iCAAwB3J,MAAxB,EAAgC;AAC9B,AAED;;SAED8J,uBAAA,8BAAqB9J,MAArB,EAA6B;AAC3B,QAAM+C,KAAK,GAAG,KAAKA,KAAL,CAAW/C,MAAX,CAAd;AACa,QAAl+C,KAAK,KAAK,KAAd,EAAqB;AAErB,QAAl0H,OOAO,GAAG,CAAd;AACa,QAAl9I,KAAlJ;AACa,SAAK,IAAl8E,CAAC,GAAG1D,KAAK,GAAG,CAArB,EAAwB0D,CAAC,IAAl,CAA7B,EAAgCA,CAAC,EAAjC,EAAqC;AAcNc9E,MAAAA,KAAK,GAAG3B,MAAM,CAACyG,CAAD,CAAd;;AACa,UAAI9E,KAAK,CAAC,CAAD,CAAL,KAAa,OAAlJ,EAA0B;AACxB8I,QAAAA,OOAO,IAAl,CAAX;AACa,YAAIA,OOAO,KAAK,CAAhB,EAAmB;AACpB;AACF;;AACD,UAAM,KAAK1K,KAAL,CAAWmB,KAAx,CAAiB,kBAAjB,EAAqCS,KAAK,CAAC,CAAD,CAAIC,EAA+CA,KAAK,CAAC,CAAD,CAApD,CAAN;AACD;;;AC/cH;AACa,AAGe,SAAS+I,KAAT,CAAehY,GAaf,EAAoBkU,IAApB,EAA0B;AACvC,MAAIA,IAAl,IAAIA,IAAl,CAAC+D,IAAlJ,EAAuB;AACrB,UAAM,IAAl5Z,KAAJ,CAAU,8BAA8B,4CAAxC,CAAN;AACD;;AAED,MAAMgP,KAAK,GAAG,IAAl2B,KAAJ,CAAUhP,GAAV,EAAekU,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAlnC,MAAJ,CAAW1I,KAAx,CAAF;;AACa,MAAI;AACF6K,IAAAA,MAAM,CAAC9K,QAAP;AACa8K,IAAAA,MAAM,CAAC9B,IAAP;AACD,GAHD,CAGE,OOAO9P,CAAP,EAAU;AACV,QAAlA,CAAC,CAAC3L,IAAF,KAAW,gBAAx,IAA+Buz,IAA/B,IAAuCA,IAAl,CAAC2D,IAAhD,EAAoS;AACpD,UAAI,WAAW9b,IAAX,CAAgBmY,IAAl,CAAC2D,IAArB,CAAJ,EAAgC;AAC9BvR,QAAAA,CAAC,CAACuF,OOAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID,OOALD,MAKO,IAAl,WAAW9P,IAAX,CAAgBmY,IAAl,CAAC2D,IAArB,CAAJ,EAAgC;AACrCvR,QAAAA,CAAC,CAACuF,OOAF,IACE,oCACA,2BADA,GAEA,wCAHF;AAID;AACF;;AACD,UAAMvF,CAAN;AACD;;AAED,SAAO4R,MAAM,CAAC3G,IAAd;AACD;;ACvBD,SAAS4G,WAAAT,CAAqB/V,KAArB,EAA4B;AAC1B,SAAOA,KAAK,CAAC8M,GAAN,CAAU,UAAA/T,CAAC,EAAI;AACpB,QAAlA,CAAC,CAACiH,KAAAN,EAAajH,CAAC,CAACiH,KAAF,GAAU+V,WAAW,CAACHd,CAAC,CAACiH,KAAH,CAArB;AACb,WAAOjH,CAAC,CAACiU,MAAT;AACa,WAAOjU,CAAP;AACD,GAJM,CAAP;AAKD;AAED;;;AAQA;;;AAOA;;;IAUMid;;;SACJpa,OOAA,cAAKGF,KAAL,EAAy;AACVA,IAAAA,KAAK,CAACK,MAAN,GAae,IAAf;AACa,SAAKjB,KAAL,CAAWpE,IAAX,CAAgBgF,KAAhB;AACa,WAAO,IAAP;AACD;AAED;;;SAiCAqV,OOAA,cAAKC,QAAL,EAAe;AACb,QAAl,CAAC,KAAKC,QAAlV,EAAoB,KAAKA,QAAL,GAAGb,CAAhB;AACpB,QAAl,CAAC,KAAKC,OOAV,EAAmB,KAAKA,OOAL,GAae,EAAf;AAEnB,SAAKD,QAAL,IAAiB,CAAjB;AACa,QAAM/X,EAAE,GAAG,KAAK+X,QAAhB;AACa,SAAKC,OOAL,CAAahY,EAAb,IAAmB,CAAnB;AAEA,QAAl,CAAC,KAAK4B,KAAV,EAAiB,OOAOjB,SAAP;AAEjB,QAAlnC,KAAJ,EAAWuM,MAAX;;AACa,WAAO,KAAKiN,OOAL,CAAahY,EAAb,IAAmB,KAAK4B,KAAL,CAAWHh,MAArC,EAA6C;AAC3C4D,MAAAA,KAAK,GAAG,KAAKwZ,OOAL,CAAahY,EAAb,CAAR;AACa+K,MAAAA,MAAM,GAAG+M,QAAlQ,CAAC,KAAKIW,KAAL,CAAWpD,KAAx,CAAD,EAAoBA,KAApB,CAAjB;AACa,UAAIuM,MAAM,KAAK,KAAf,EAAoS;AAEtB,WAAKiN,OOAL,CAAahY,EAAb,KAAoB,CAApB;AACD;;AAED,WAAO,KAAKgY,OOAL,CAAahY,EAAb,CAAP;AAEA,WAAO+K,MAAP;AACD;AAED;;;SAmBASh,OOAA,cAAKyF,QAAL,EAAe;AACb,WAAO,KAAKD,IAAL,CAAU,UAAcRv,KAAD,EAAQ7H,CAAR,EAAc;AAC7B,UAAIoQ,MAAM,GAAG+M,QAAlQ,CAACtV,KAAD,EAAQ7H,CAAR,CAArB;;AACa,UAAIoQ,MAAM,KAAK,KAAx,IAAoBvI,KAAK,CAAC6P,IAA9B,EAAoC;AACiCtH,QAAAA,MAAM,GAAGvI,KAAK,CAAC6P,IAAN,CAAWyF,QAAX,CAAT;AACD;;AACD,aAAO/M,MAAP;AACD,KANM,CAAP;AAOD;AAED;;;SA6BA8H,YAAA,mBAAUrB,IAAV,EAAgBsG,QAAhB,EAA0B;AACxB,QAAl,CAACA,QAAL,EAAe;AACbA,MAAAA,QAAlQ,GAAGtG,IAAX;AACa,aAAO,KAAKa,IAAL,CAAU,UAAc7P,KAAD,EAAQ7H,CAAR,

EAAC;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,MAAnB,EAA2B;AACzB,iBAAOgH,QAAQ,CAACtV,K  
AAD,EAAQ7H,CAAR,CAAF;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAI6W,IAAI,YAAYjR,MAA  
pB,EAA4B;AACjC,aAAO,KAAK8R,IAAL,CAAU,UAC7P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6H,K  
AAK,CAACsO,IAAN,KAAe,MAAf,IAAyBU,IAAI,CAACjW,IAAL,CAAUiH,KAAK,CAACgP,IAAhB,CAA7B,  
EAAoD;AACID,iBAAOsG,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAF;AACD;AACF,OAJM,CAAP;AAKD,  
KANM,MAMA;AACL,aAAO,KAAK0X,IAAL,CAAU,UAC7P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6  
H,KAAK,CAACsO,IAAN,KAAe,MAAf,IAAyBtO,KAAK,CAACgP,IAAN,KAAeA,IAA5C,EAaKd;AAChD,iBA  
AOsG,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAF;AACD;AACF,OAJM,CAAP;AAKD;AACF;AAED;,,,,,  
,,,,,;SAuBAsd,YAAA,mBAAUnX,QAAV,EAAoBgX,QAApB,EAA8B;AAC5B,QAAI,CAACA,QAAL,EA  
e;AACbA,MAAAA,QAAQ,GAAGhX,QAAx;AAEA,aAAO,KAAKuR,IAAL,CAAU,UAC7P,KAAD,EAAQ7H,  
CAAR,EAAC;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,MAAnB,EAA2B;AACzB,iBAAOgH,QAAQ,CAA  
CtV,KAAD,EAAQ7H,CAAR,CAAF;AACD;AACF,OAJM,CAAP;AAKD,KARD,MAQO,IAAIImG,QAAQ,YAAY  
P,MAAxB,EAAgC;AACrC,aAAO,KAAK8R,IAAL,CAAU,UAC7P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YA  
AI6H,KAAK,CAACsO,IAAN,KAAe,MAAf,IAAyBhQ,QAAQ,CAACvF,IAAT,CAACiH,KAAK,CAAC1B,QAAp  
B,CAA7B,EAA4D;AAC1D,iBAAOgX,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAF;AACD;AACF,OAJM,C  
AAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK0X,IAAL,CAAU,UAC7P,KAAD,EAAQ7H,CAAR,EAAC;A  
AC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,MAAf,IAAyBtO,KAAK,CAAC1B,QAAN,KAAmBA,QAAd,EA  
A0D;AACxD,iBAAOgX,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAF;AACD;AACF,OAJM,CAAP;AAKD;A  
ACF;AAED;,,,,,;SA8BAud,cAAA,qBAAY/d,IAAZ,EAaKb2d,QAAIB,EAA4B;AAC1B,QAAI,C  
AACa,QAAL,EAe;AACbA,MAAAA,QAAQ,GAAG3d,IAAX;AACa,aAAO,KAAKkY,IAAL,CAAU,UAC7P,  
KAAD,EAAQ7H,CAAR,EAAC;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,QAAnB,EAA6B;AAC3B,iBAA  
OgH,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAF;AACD;AACF,OAJM,CAAP;AAKD,KAPD,MAOO,IAAIR  
,IAAI,YAAYoG,MAApB,EAA4B;AACjC,aAAO,KAAK8R,IAAL,CAAU,UAC7P,KAAD,EAAQ7H,CAAR,EA  
Ac;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,QAaf,IAA2B3W,IAAI,CAACoB,IAAL,CAAUiH,KAAK,C  
AACrI,IAAhB,CAA/B,EAAsD;AACpD,iBAAO2d,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAF;AACD;AAC  
F,OAJM,CAAP;AAKD,KANM,MAMA;AACL,aAAO,KAAK0X,IAAL,CAAU,UAC7P,KAAD,EAAQ7H,CAA  
R,EAAC;AAC7B,YAAI6H,KAAK,CAACsO,IAAN,KAAe,QAaf,IAA2BtO,KAAK,CAACrI,IAAN,KAAeA,IAA9  
C,EAAoD;AACID,iBAAO2d,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAF;AACD;AACF,OAJM,CAAP;AAK  
D;AACF;AAED;,,,,,;SAgBAgY,eAAA,sBAAamF,QAAb,EAAb;AACrB,WAAO,KAAKzF,IAAL,CAAU,  
UAC7P,KAAD,EAAQ7H,CAAR,EAAC;AAC7B,UAAI6H,KAAK,CAACsO,IAAN,KAAe,SAAnB,EAA8B;AAC  
5B,eAAOgH,QAAQ,CAACtV,KAAD,EAAQ7H,CAAR,CAAF;AACD;AACF,KAJM,CAAP;AAKD;AAED;,,,,,  
,,,,,;SAoBA6Z,SAAA,kBAAoB;AAAA;AAAA,sCAA2D,QAAU;AAVA,MAAAA,QAAU;AAAA;AACIB  
A,IAAAA,QAAQ,CAAC1a,OAAT,CAAIb,UAAA+E,KAAK,EAAl;AACxB,UAAMZ,KAAK,GAAG,KAAI,CAA  
CwW,SAAL,CAAE5V,KAAf,EAAsB,KAAI,CAAC6K,IAA3B,CAAd;AACAZL,MAAAA,KAAK,CAACnE,OA  
AN,CAAc,UAAAsE,IAAI;AAAA,eAAI,KAAI,CAACH,KAAL,CAAWpE,IAAX,CAAgBuE,IAAhB,CAAJ;AAAA,  
OAAIB;AACD,KAHD;AAIA,WAAO,IAAP;AACD;AAED;,,,,,;SAoBAsW,UAAA,mBAAqB;AAAA;A  
AAA,uCAAVF,QAAU;AAVA,MAAAA,QAAU;AAAA;AACnBA,IAAAA,QAAQ,GAAGA,QAAQ,CAACG,O  
AAT,EAAX;AACAH,IAAAA,QAAQ,CAAC1a,OAAT,CAAIb,UAAA+E,KAAK,EAAl;AACxB,UAAMZ,KAAK,  
GAAG,MAAI,CAACwW,SAAL,CAAE5V,KAAf,EAAsB,MAAI,CAACyP,KAA3B,EAaKc,SAaIC,EAA6CqG,O  
AA7C,EAAd;AACAIW,MAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI;AAAA,eAAI,MAAI,CAACH,  
KAAL,CAAW2W,OAAX,CAAmBxW,IAAnB,CAAJ;AAAA,OAAIB;AACa,WAAK,IAAM/B,EAAX,IAAIb,M  
AAI,CAACgY,OAAtB,EAA+B;AAC7B,QAAA,MAAI,CAACA,OAAL,CAAahY,EAAb,IAAmB,MAAI,CAACgY  
,OAAL,CAAahY,EAAb,IAAmB4B,KAAK,CAACHH,MAA5C;AACD;AACF,KAND;AAOA,WAAO,IAAP;AAC  
D;SAED2Z,YAAA,mBAAUQ,WAAV,EAAb;AACrB,oBAAMR,SAAN,YAAGbQ,WAAhB;AACa,QAAI,KA  
AKnT,KAAT,EAAGb;AACd,WAAKA,KAAL,CAAWnE,OAAX,CAAmB,UAAAsE,IAAI;AAAA,eAAIA,IAAI,C  
AACwS,SAAL,CAAEQ,WAAf,CAAJ;AAAA,OAAvB;AACD;AACF;AAED;,,,,,;SAWA5R,eAAA,sBAAaqV,  
KAAb,EAAoBnT,GAAPB,EAAYB;AAAA;AACvBmT,IAAAA,KAAK,GAAG,KAAKha,KAAL,CAAWga,KAA  
X,CAAR;AAEA,QAAM1H,IAAI,GAAG0H,KAAK,KAAK,CAAV,GAAC,SAAd,GAA0B,KAAvC;AACa,QAAM

5W,KAAK,GAAG,KAAKwW,SAAL,CAAe/S,GAaf,EAAoB,KAAKzD,KAAL,CAAW4W,KAAX,CAApB,EAAu  
C1H,IAAvC,EAA6CwH,OAA7C,EAAd;AACAIW,IAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI;AAA  
A,aAAI,MAAI,CAACH,KAAL,CAAW0C,MAAX,CAAkBkU,KAAIB,EAAyB,CAAzB,EAA4BzW,IAA5B,CAAJ  
;AAAA,KAAIB;AAEA,QAAIvD,KAAJ;;ACA,SAAK,IAAMwB,EAAx,IAAiB,KAAKgy,OAAtB,EAA+B;AAC  
7BxZ,MAAAA,KAAK,GAAG,KAAKwZ,OAAL,CAAahY,EAAb,CAAR;;ACA,UAAIwY,KAAK,IAAIha,KAA  
b,EAAoB;AACIB,aAAKwZ,OAAL,CAAahY,EAAb,IAAmBxB,KAAK,GAAGoD,KAAK,CAACHH,MAAJc;AA  
CD;AACF;;AAED,WAAO,IAAP;AACD;AAED;,,,,,;SAQAuZ,cAAA,qBAAYqE,KAAZ,EAAmBnT,GAAAnB,E  
AAwB;AAAA;;AACTbMT,IAAAA,KAAK,GAAG,KAAKha,KAAL,CAAWga,KAAX,CAAR;AAEA,QAAm5W,  
KAAK,GAAG,KAAKwW,SAAL,CAAe/S,GAaf,EAAoB,KAAKzD,KAAL,CAAW4W,KAAX,CAApB,EAAuCF,  
OAAvC,EAAd;AACAIW,IAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI;AAAA,aAAI,MAAI,CAACH,  
KAAL,CAAW0C,MAAX,CAAkBkU,KAAK,GAAG,CAA1B,EAA6B,CAA7B,EAAgCzW,IAAhC,CAAJ;AAAA,  
KAAIB;AAEA,QAAIvD,KAAJ;;ACA,SAAK,IAAMwB,EAAx,IAAiB,KAAKgy,OAAtB,EAA+B;AAC7BxZ,M  
AAAA,KAAK,GAAG,KAAKwZ,OAAL,CAAahY,EAAb,CAAR;;ACA,UAAIwY,KAAK,GAAGha,KAAZ,EAA  
mB;AACjB,aAAKwZ,OAAL,CAAahY,EAAb,IAAmBxB,KAAK,GAAGoD,KAAK,CAACHH,MAAJc;AACD;AA  
CF;;AAED,WAAO,IAAP;AACD;;SAEDiZ,SAAA,gBAAOrR,KAAP,EAAC;AACZ,QAAI,OAAOA,KAAP,KAAi  
B,WAArB,EAAC;AACCh4I,MAAAA,QAAQ,CAAC,qCAAqC,2BAAtC,CAAR;ACA,WAAKIJ,WAAAL,CAAi  
BM,KAAjB;AACD,KAHD,MAGO;AACL,sBAAMqR,MAAN;AACD;;AACD,WAAO,IAAP;AACD;AAED;,,,,,  
;,,,,;SACa3R,cAAA,qBAAYM,KAAZ,EAAmB;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,K  
AAX,CAAR;ACA,SAAKZ,KAAL,CAAWY,KAAX,EAakBK,MAAIB,GAA2BIC,SAA3B;ACA,SAAKiB,KA  
AL,CAAW0C,MAAX,CAAkB9B,KAAIB,EAAyB,CAAzB;AAEA,QAAIhE,KAAJ;;ACA,SAAK,IAAMwB,EA  
AX,IAAiB,KAAKgy,OAAtB,EAA+B;AAC7BxZ,MAAAA,KAAK,GAAG,KAAKwZ,OAAL,CAAahY,EAAb,CA  
AR;;ACA,UAAIxB,KAAK,IAAIgE,KAAb,EAAoB;AACIB,aAAKwV,OAAL,CAAahY,EAAb,IAAmBxB,KAA  
K,GAAG,CAA3B;AACD;AACF;;AAED,WAAO,IAAP;AACD;AAED;,,,,,;SAUAia,YAAA,qBAAY;AACV,S  
AAK7W,KAAL,CAAWnE,OAAX,CAAmB,UAAAsE,IAAI;AAAA,aAAKA,IAAI,CAACc,MAAL,GAACc,SAA  
nB;AAAA,KAAvB;ACA,SAAKiB,KAAL,GAAa,EAAb;ACA,WAAO,IAAP;AACD;AAED;,,,,,;,,,,,  
;;SA6BA8W,gBAAA,uBAACc,OAAd,EAAuBjF,IAAvB,EAA6BoE,QAA7B,EAAuC;AACrC,QAAI,CAACA,QA  
AL,EAAe;AACbA,MAAAA,QAAQ,GAAGpE,IAAX;AACAA,MAAAA,IAAI,GAAG,EAAP;AACD;;AAED,SAA  
Kb,SAAL,CAAe,UAAAvB,IAAI,EAAI;AACrB,UAAIoC,IAAI,CAACKf,KAAL,IAAcF,IAAI,CAACKf,KAAL,C  
AAWIR,OAAX,CAAmB4J,IAAI,CAACE,IAAxB,MAAkC,CAAC,CAArD,EAAwD;AACxD,UAAIkC,IAAI,CAA  
CmF,IAAL,IAAavH,IAAI,CAACxH,KAAL,CAAWpC,OAAX,CAAmBgM,IAAI,CAACmF,IAAxB,MAAkC,CA  
AC,CAApD,EAAuD;AAEvDvH,MAAAA,IAAI,CAACxH,KAAL,GAAawH,IAAI,CAACxH,KAAL,CAAWvP,O  
AAX,CAAmBoe,OAAnB,EAA4Bb,QAA5B,CAAAb;AACD,KALD;AAOA,WAAO,IAAP;AACD;AAED;,,,,,;S  
AWAgB,QAAA,eAAMC,SAAN,EAaiB;AACf,WAAO,KAAKnX,KAAL,CAAWkX,KAAX,CAAiBC,SAAjB,CA  
AP;AACD;AAED;,,,,,;SAWAC,OAAA,cAAKD,SAAL,EAAgB;AACd,WAAO,KAAKnX,KAAL,CAAWoX,I  
AAX,CAAgBD,SAAhB,CAAP;AACD;AAED;,,,,,;SAUAvA,QAAA,eAAMgE,KAAAN,EAaA;AACX,QAAI,OA  
AOA,KAAP,KAAiB,QAArB,EAA+B;AAC7B,aAAOA,KAAP;AACD,KAFD,MAEO;AACL,aAAO,KAAKZ,KA  
AL,CAAW8F,OAAX,CAAmBIF,KAAnB,CAAP;AACD;AACF;AAED;,,,,,;SA0BA4V,YAAA,mBAAUxW,KA  
AV,EAAiBqX,MAAjB,EAAyB;AAAA;;AACvB,QAAI,OAAOrX,KAAP,KAAiB,QAArB,EAA+B;AAC7BA,MA  
AAA,KAAK,GAAG+V,WAAW,CAACH,KAAK,CAAC5V,KAAD,CAAL,CAAaA,KAAd,CAAnB;AACD,KAFD  
,MAEO,IAAI,CAAC2I,KAAK,CAACC,OAAN,CAAc5I,KAAd,CAAL,EAA2B;AACChC,UAAIA,KAAK,CAACKP  
,IAAN,KAAe,MAAnB,EAA2B;AACzBIP,QAAAA,KAAK,GAAGA,KAAK,CAACA,KAAd;AACD,OAFD,MAE  
O,IAAIA,KAAK,CAACKP,IAAV,EAAgB;AACrBIP,QAAAA,KAAK,GAAG,CAACA,KAAD,CAAR;AACD,OA  
FM,MAEA,IAAIA,KAAK,CAAC4P,IAAV,EAAgB;AACrB,YAAI,OAAO5P,KAAK,CAACKI,KAAb,KAAuB,W  
AA3B,EAAwC;AACtC,gBAAM,IAAIjM,KAAJ,CAAU,wCAAV,CAAN;AACD,SAFD,MAEO,IAAI,OAAO+D,K  
AAK,CAACKI,KAAb,KAAuB,QAA3B,EAAqC;AAC1CII,UAAAA,KAAK,CAACKI,KAAAN,GAAC9P,MAAM,CA  
AC4H,KAAK,CAACKI,KAAP,CAApB;AACD;;AACDII,QAAAA,KAAK,GAAG,CAAC,IAAIyT,WAAJ,CAAgB  
zT,KAAhB,CAAD,CAAR;AACD,OAPM,MAOA,IAAIA,KAAK,CAACd,QAAV,EAAoB;AACzBc,QAAAA,KA  
AK,GAAG,CAAC,IAAIqU,IAAJ,CAASrU,KAAT,CAAD,CAAR;AACD,OAFM,MAEA,IAAIA,KAAK,CAACzH

,IAAV,EAAgB;AACrByH,QAAAA,KAAK,GAAG,CAAC,IAAIiV,MAAJ,CAAWjV,KAAX,CAAD,CAAR;AAC  
D,OAFM,MAEA,IAAIA,KAAK,CAACyP,IAAV,EAAgB;AACrBzP,QAAAA,KAAK,GAAG,CAAC,IAAI0T,OA  
AJ,CAAY1T,KAAZ,CAAD,CAAR;AACD,OAFM,MAEA;AACL,cAAM,IAAI/D,KAAJ,CAAU,oCAAV,CAAN;  
AACD;AACF;;AAED,QAAMqb,SAAS,GAAGtX,KAAK,CAAC8M,GAAN,CAAU,UAAA/T,CAAC,EAAI;AAC/  
B,UAAI,OAAOA,CAAC,CAACsW,IAAT,KAAkB,WAAtB,EAAmCtW,CAAC,GAAG,MAAI,CAACwe,OAAL,C  
AAaxe,CAAb,CAAJ;AAEnC,UAAIA,CAAC,CAACkI,MAAN,EAAClI,CAAC,GAAGA,CAAC,CAACoZ,KAAF,  
EAAJ;;AACd,UAAI,OAAOpZ,CAAC,CAACsW,IAAF,CAAOa,MAAd,KAAyB,WAA7B,EAA0C;AACxC,YAAI  
mH,MAAM,IAAI,OAAOA,MAAM,CAACChI,IAAP,CAAYa,MAAnB,KAA8B,WAA5C,EAAyD;AACvDnX,UAA  
AA,CAAC,CAACsW,IAAF,CAAOa,MAAP,GAAGBmH,MAAM,CAACChI,IAAP,CAAYa,MAAZ,CAAmBvX,OA  
AnB,CAA2B,QAA3B,EAAqC,EAARc,CAAhB;AACD;AACF;;AACDI,MAAAA,CAAC,CAACkI,MAAF,GAAW,  
MAAX;AACa,aAAOI,CAAP;AACD,KAXiB,CAAIB;AAaA,WAAOue,SAAP;AACD;;SAEDC,UAAA,iBAAQp  
X,IAAR,EAAcc,MAAd,EAAsB;AAAA;;AACpB,QAAIuW,GAAJ;;AACa,QAAIrX,IAAI,CAAC+O,IAAL,KAAc,  
MAAIB,EAA0B;AACxBsI,MAAAA,GAAG,GAAG,IAAI5D,IAAJ,EAAN;AACD,KAFD,MAEO,IAAIzT,IAAI,C  
AAC+O,IAAL,KAAc,QAAIB,EAA4B;AACjCsI,MAAAA,GAAG,GAAG,IAAIvC,MAAJ,EAAN;AACD,KAFM,  
MAEA,IAAI9U,IAAI,CAAC+O,IAAL,KAAc,MAAIB,EAA0B;AAC/BsI,MAAAA,GAAG,GAAG,IAAIInD,IAAJ,  
EAAN;AACD,KAFM,MAEA,IAAIU,IAAI,CAAC+O,IAAL,KAAc,MAAIB,EAA0B;AAC/BsI,MAAAA,GAAG,  
GAAG,IAAI/D,WAAJ,EAAN;AACD,KAFM,MAEA,IAAIrT,IAAI,CAAC+O,IAAL,KAAc,SAAIB,EAA6B;AACI  
CsI,MAAAA,GAAG,GAAG,IAAI9D,OAAJ,EAAN;AACD;;AAED,SAAK,IAAM3a,CAAX,IAAgBoH,IAAhB,EA  
AsB;AACpB,UAAIpH,CAAC,KAAK,OAAV,EAAmB;AACjBye,QAAAA,GAAG,CAACxX,KAAJ,GAAYG,IAA  
I,CAACH,KAAL,CAAW8M,GAAX,CAAe,UAAA6E,CAAC;AAAA,iBAAI,MAAI,CAAC4F,OAAL,CAAA5F,CA  
Ab,EAAgB6F,GAAhB,CAAJ;AAAA,SAAhB,CAAZ;AACD,OAFD,MAEO,IAAIze,CAAC,KAAK,QAAN,IAAkB  
kI,MAAtB,EAA8B;AACnCuW,QAAAA,GAAG,CAACvW,MAAJ,GAAaA,MAAb;AACD,OAFM,MAEA,IAAIId,  
IAAI,CAACuI,cAAL,CAAoB3P,CAApB,CAAJ,EAA4B;AACjCye,QAAAA,GAAG,CAACze,CAAD,CAAH,GA  
ASoH,IAAI,CAACpH,CAAD,CAAb;AACD;AACF;;AAED,WAAOye,GAAP;AACD;;SAEDC,aAAA,oBAAWvB,  
QAAX,EAAqB;AACnB1M,IAAAA,QAAQ,CAAC,yCAAyC,6BAA1C,CAAR;AACa,WAAO,KAAKiH,IAAL,C  
AAUyF,QAAV,CAAP;AACD;;SAEDwB,WAAA,kBAAS9H,IAAT,EAAesG,QAAf,EAAyB;AACvB1M,IAAAA,  
QAAQ,CAAC,uCAAuC,kCAAxC,CAAR;AACa,WAAO,KAAKyH,SAAL,CAAerB,IAAf,EAAqBsG,QAArB,CA  
AP;AACD;;SAEDyB,WAAA,kBAASzY,QAAT,EAAmBgX,QAAAnB,EAA6B;AAC3B1M,IAAAA,QAAQ,CAAC,  
uCAAuC,kCAAxC,CAAR;AACa,WAAO,KAAK6M,SAAL,CAAenX,QAAf,EAAyBgX,QAAzB,CAAP;AACD;;  
SAED0B,aAAA,oBAAWrf,IAAX,EAAiB2d,QAAjB,EAA2B;AACzB1M,IAAAA,QAAQ,CAAC,yCAAyC,oCAA  
1C,CAAR;AACa,WAAO,KAAK8M,WAAL,CAAiB/d,IAAjB,EAAuB2d,QAAvB,CAAP;AACD;;SAED2B,cAAA  
,qBAAy3B,QAAZ,EAAsB;AACpB1M,IAAAA,QAAQ,CAAC,0CAA0C,qCAA3C,CAAR;AACa,WAAO,KAAK  
uH,YAAL,CAAKBmF,QAAIB,CAAP;AACD;;;wBA9GW;AACV,UAAI,CAAC,KAAKIW,KAAV,EAAiB,OAAO  
jB,SAAP;AACjB,aAAO,KAAKiB,KAAL,CAAW,CAAX,CAAP;AACD;AAED;,,,,,;wBAQW;AACT,UAAI,CA  
AC,KAAKA,KAAV,EAAiB,OAAOjB,SAAP;AACjB,aAAO,KAAKiB,KAAL,CAAW,KAAKA,KAAL,CAAWHh,  
MAAX,GAAoB,CAA/B,CAAP;AACD;;;wBAgGe;AACdwQ,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aA  
AO,KAAK6F,IAAL,CAAUJ,SAAjB;AACD;sBAEauE,KAAK;AACjBhK,MAAAA,QAAQ,CAAC,uDAAD,CAA  
R;AACa,WAAK6F,IAAL,CAAUJ,SAAV,GAAsBuE,GAAtB;AACD;;;wBAEW;AACVhK,MAAAA,QAAQ,CAA  
C,+CAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUb,KAAjB;AACD;sBAESgF,KAAK;AACbhK,MAAAA,Q  
AAQ,CAAC,+CAAD,CAAR;AACa,WAAK6F,IAAL,CAAUb,KAAV,GAAkBgF,GAAIB;AACD;AAED;,,,,,;  
;EAvqBsB5B;;ACvCxB;,,,,,;IAkBMqD;;;AACJ,kBAAYpD,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,Q  
AAN;AACa,UAAK3C,IAAL,GAAY,QAAZ;AAFoB;AAGrB;;;SAED0D,SAAA,kBAAoB;AAAA;;AACIB,QAAI  
,CAAC,KAAK5S,KAAV,EAAiB,KAAKA,KAAL,GAAa,EAAb;;AADc,sCAAVuW,QAAU;AAVA,MAAAA,Q  
AAU;AAAA;;AAEIB,yDAAa3D,MAAb,kDAAUb2D,QAAvB;AACD;;SAEDE,UAAA,mBAAqB;AAAA;;AACnB  
,QAAI,CAAC,KAAKzW,KAAV,EAAiB,KAAKA,KAAL,GAAa,EAAb;;AADE,uCAAVuW,QAAU;AAVA,MA  
AAA,QAAU;AAAA;;AAEnB,0DAAaE,OAAb,mDAAwBF,QAAxB;AACD;;;wBAEe;AACd/M,MAAAA,QAAQ,  
CAAC,4DAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUY,SAAjB;AACD;sBAEauD,KAAK;AACjBhK,MA  
AAA,QAAQ,CAAC,4DAAD,CAAR;AACa,WAAK6F,IAAL,CAAUY,SAAV,GAAsBuD,GAAtB;AACD;;;wBAE

a;AACZhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUW,MAAjB;AACD;sB  
AEWwD,KAAK;AACfhK,MAAAA,QAAQ,CAAC,uDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUW,MAAV,G  
AAmBwD,GAAnB;AACD;AAED;,,,,,,,,,AAUA;,,,,,,,,,AAYA;,,,,,,,,,EA1DmBwC;;ACtBrB;;A  
ACA;,,,,,,,,,AASA,IAAM8B,IAAI,GAAG;AACXzY,EAAAA,KADW,iBACLwG,MADK,EACGkS,UADH,EACet  
M,IADf,EACqB;AAC9B,QAAMuM,KAAK,GAAG,EAAd;AACa,QAAInE,OAAO,GAAG,EAAd;AACa,QAAIx  
U,KAAK,GAAG,KAAZ;AAEA,QAAI4Y,IAAI,GAAG,CAAX;AACa,QAAIIM,KAAK,GAAG,KAAZ;AACa,Q  
AAIG,MAAM,GAAG,KAAb;;AAEA,SAAK,IAAI3S,CAAC,GAAG,CAAb,EAAGBA,CAAC,GAAG8M,MAAM,  
CAAC7M,MAA3B,EAAMCD,CAAC,EAAPC,EAawC;AACtC,UAMmf,MAAM,GAAGrS,MAAM,CAAC9M,C  
AAD,CAArB;;AAEA,UAAIwS,KAAJ,EAaw;AACT,YAAIG,MAAJ,EAAY;AACVA,UAAAA,MAAM,GAAG,K  
AAT;AACD,SAFD,MAEO,IAAIwM,MAAM,KAAK,IAAf,EAaqB;AAC1BxM,UAAAA,MAAM,GAAG,IAAT;A  
ACD,SAFM,MAEA,IAAIwM,MAAM,KAAK3M,KAAf,EAAsB;AAC3BA,UAAAA,KAAK,GAAG,KAAR;AAC  
D;AACF,OARD,MAQO,IAAI2M,MAAM,KAAK,GAAX,IAAkBA,MAAM,KAAK,GAAjC,EAAsC;AAC3C3M,Q  
AAAA,KAAK,GAAG2M,MAAR;AACD,OAFM,MAEA,IAAIA,MAAM,KAAK,GAaf,EAaoB;AACzBD,QAAA  
A,IAAI,IAAI,CAAR;AACD,OAFM,MAEA,IAAIC,MAAM,KAAK,GAaf,EAaoB;AACzB,YAAID,IAAI,GAAG,  
CAAX,EAacA,IAAI,IAAI,CAAR;AACf,OAFM,MAEA,IAAIA,IAAI,KAAK,CAAb,EAAGB;AACrB,YAAIF,UA  
AU,CAACjS,OAAx,CAAmBoS,MAAnB,MAA+B,CAAC,CAAPC,EAAC7Y,KAAK,GAAG,IAAR;AACxC;;AA  
ED,UAAIA,KAAJ,EAaw;AACT,YAAIwU,OAAO,KAAK,EAahB,EAaoBmE,KAAK,CAACpc,IAAN,CAAWi  
Y,OAAO,CAAC1X,IAAR,EAAX;AACpB0X,QAAAA,OAAO,GAAG,EAaV;AACAxU,QAAAA,KAAK,GAAG,  
KAAR;AACD,OAJD,MAIO;AACLwU,QAAAA,OAAO,IAAIqE,MAAX;AACD;AACF;;AAED,QAAIzM,IAAI,I  
AAIoI,OAAO,KAAK,EAaxB,EAA4BmE,KAAK,CAACpc,IAAN,CAAWiY,OAAO,CAAC1X,IAAR,EAAX;AA  
C5B,WAAO6b,KAAP;AACD,GA1CU;;AA4CX;,,,,,,,,,AAWAG,EAAAA,KAvDW,iBAuDLtS,MAvDK,EAuDG;  
AACZ,QAAMiO,MAAM,GAAG,CAAC,GAAD,EAAM,IAAN,EAAY,IAAZ,CAaf;AACa,WAAOgE,IAAI,CAA  
CzY,KAAL,CAAWwG,MAAX,EAAMBiO,MAAnB,CAAP;AACD,GA1DU;;AA4DX;,,,,,,,,,AAYAsE,EAAAA,  
KAXEW,iBAwELvS,MAxEK,EAwEG;AACZ,QAAMuS,KAAK,GAAG,GAAd;AACa,WAAON,IAAI,CAACzY,  
KAAL,CAAWwG,MAAX,EAAMb,CAACuS,KAAD,CAAnB,EAA4B,IAA5B,CAAP;AACD;AA3EU,CAAb;;AC  
HA;,,,,,,,,,IAWM/D;;AACJ,gBAAYxC,QAAZ,EAAsB;AAAA;;AACpB,kCAAMA,QAAN;AACa,UAAK3C,IA  
AL,GAAY,MAAZ;AACa,QAAI,CAAC,MAAKIP,KAaV,EAaiB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;  
AAED;,,,,,,,,,wBAGBgB;AACd,aAAO8X,IAAI,CAACM,KAAL,CAAW,KAAKIZ,QAahB,CAAP;AACD;s  
BAEmZ,QAAQ;AACpB,UAMxY,KAAK,GAAG,KAAKX,QAAL,GAAGb,KAAKA,QAAL,CAAcW,KAAAd,C  
AAoB,MAAPB,CAAhB,GAA8C,IAA5D;AACa,UAMyY,GAAG,GAAGzY,KAAK,GAAGA,KAAK,CAAC,CA  
AD,CAAR,SAAKb,KAAK0P,GAAL,CAAS,SAAT,EAaoB,YAaPb,CAAnC;AACa,WAAKrQ,QAAL,GAAGbM  
Z,MAAM,CAACnc,IAAP,CAAYoc,GAAZ,CAAhB;AACD;;wBAEe;AACd9O,MAAAA,QAAQ,CAAC,sDAAD,  
CAAR;AACa,aAAO,KAAK6F,IAAL,CAAUnQ,QAAjB;AACD;sBAEasU,KAAK;AACjBhK,MAAAA,QAAQ,C  
AAC,sDAAD,CAAR;AACa,WAAK6F,IAAL,CAAUnQ,QAAV,GAAqBsU,GAARb;AACD;AAED;,,,,,,,,,AAWA  
,,,,,,,,,EAtdiBwC;;ACiBnB;;AACa;,,,,,,,,,IAQMuc;AACJ;,,,,,,,,,AAWA,mBAAY9I,IAAZ,EAakB  
qC,IAAIb,EAA6B;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAAJ,EAai;AAAA;;AAC3B;,,,,,,,,,AAQA,  
SAAK5C,IAAL,GAAY,SAAZ;AACa;,,,,,,,,,AAMA,SAAKO,IAAL,GAAYA,IAAZ;;AAEA,QAAIqC,IAAI,CAAC3  
R,IAAL,IAAa2R,IAAI,CAAC3R,IAAL,CAAU6M,MAA3B,EAAMc;AACjC,UAMmf,GAAG,GAAG6F,IAAI,CA  
AC3R,IAAL,CAAU4R,UAAV,CAAqBD,IAArB,CAAZ;AACa;,,,,,,,,,AAOA,WAAKvN,IAAL,GAAY0H,GAAG,C  
AAC1H,IAAhB;AACa;,,,,,,,,,AAOA,WAAKC,MAAL,GAacyH,GAAG,CAACzH,MAAIb;AACD;;AAED,SAAK,  
IAAMgU,GAAX,IAAkB1G,IAAIb;AAAwB,WAAK0G,GAAL,IAAY1G,IAAI,CAAC0G,GAAD,CAAhB;AAAxB  
;AACD;AAED;,,,,,,,,,SAQAZe,WAAA,oBAAW;AACT,QAAI,KAAK0G,IAAT,EAae;AACb,aAAO,KAAKA,IA  
AL,CAAUiM,KAaV,CAAGb,KAAKqD,IAArB,EAA2B;AACHc/I,QAAAA,MAAM,EAae,KAAKA,MADmB;A  
AEhC9J,QAAAA,KAAK,EAae,KAAKA,KAFoB;AAGhCyW,QAAAA,IAAI,EAae,KAAKA;AAHqB,OAA3B,E  
AIJ5J,OAJH;AAKD,KAND,MAMO,IAAI,KAAK/C,MAAT,EAaiB;AACtB,aAAU,KAAKA,MAAf,UAA0B,KAA  
K+I,IAA/B;AACD,KAFM,MAEA;AACL,aAAO,KAAKA,IAAZ;AACD;AACF;AAED;,,,,,,,,,AAUA;,,,,,,,,,AC3  
FF;,,,,,,,,,AAMA;,,,,,,,,,IAcMgJ;AACJ;,,,,,,,,,AAMA,kBAAYC,SAAZ,EAABvJ,IAAvB,EAA6B2C,IAA7B,EAAM  
C;AACjC;,,,,,,,,,AAWA,SAAK4G,SAAL,GAaiBA,SAAjB;AACa;,,,,,,,,,AAkBA,SAAKC,QAAL,GAAGb,

EAhB;AACA;,,,,,,;AAMA,SAAKxJ,IAAL,GAAYA,IAAZ;AACA;,,,,,,;AAQA,SAAK2C,IAAL,GAAYA,IAAZ;  
AACA;,,,,,,;AAMA,SAAKIU,GAAL,GAAWmB,SAAX;AACA;,,,,,,;AAcA,SAAK+N,GAAL,GAAW/N,SA  
X;AACD;AAED;,,,,,,;SAQAhF,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAZ;AACD;AAED;,,,,,,;S  
AgBA0L,OAAA,cAAKmG,IAAL,EAAWqC,IAAX,EAAsB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,G  
AAJ,EAAI;AAAA;;AACpB,QAAI,CAACA,IAAI,CAACpL,MAAV,EAakB;AACHb,UAAI,KAAKkS,UAAI,IAA  
mB,KAAKA,UAAI,CAAgBC,aAAvC,EAAsD;AACpD/G,QAAAA,IAAI,CAACpL,MAAL,GAAC,KAAKkS,UA  
AL,CAAgBC,aAA9B;AACD;AACF;;AAED,QAAMC,OAAO,GAAG,IAAIP,OAAJ,CAAY9I,IAAZ,EAakBqC,IA  
AlB,CAAhB;AACA,SAAK6G,QAAL,CAAc/c,IAAd,CAAmBkd,OAAmB;AAEA,WAAOA,OAAp;AACD;AAED;  
,,,,,,;SAWAC,WAAA,oBAAW;AACT,WAAO,KAAKJ,QAAL,CAAcK,MAAd,CAAqB,UAAAjgB,CAAC;AA  
AA,aAAIA,CAAC,CAACmW,IAAF,KAAW,SAAf;AAAA,KAAIb,CAAP;AACD;AAED;,,,,,,;wBAQc;AACZ,  
aAAO,KAAKtR,GAZ;AACD;,,,,;ACIKH,SAASqb,SAAT,CAAmB1Q,GAAnB,EAawB;AACTb,SAAO,OAAOA  
,GAAP,KAAe,QAaf,IAA2B,OAAOA,GAAG,CAAC2Q,IAAX,KAAoB,UAAId;AACD;AAED;,,,,;AACA;,,,,;AAK  
A;,,,,,,;IAQMC;AACJ,sBAAYT,SAAZ,EAauB9a,GAavB,EA4BkU,IAA5B,EAakC;AACHc,SAAKsH,WAA  
L,GAAmB,KAAmB;AACA,SAAK9B,SAAL,GAaiB,KAAjB;AAEA,QAAInI,IAAJ;;AACA,QAAI,OAAOvR,GA  
AP,KAAe,QAaf,IAA2BA,GAAG,CAACsR,IAAJ,KAAa,MAA5C,EAaoD;AACIDC,MAAAA,IAAI,GAAGvR,GA  
AP;AACD,KAFD,MAEO,IAAIA,GAAG,YAAyub,UAAf,IAA6Bvb,GAAG,YAAy6a,MAAhD,EAawD;AAC7Dt  
J,MAAAA,IAAI,GAAGvR,GAAG,CAACuR,IAAX;;AACA,UAAIvR,GAAG,CAACKP,GAAR,EAaA;AACX,YA  
AI,OAAOgF,IAAI,CAACHf,GAZ,KAAoB,WAAxB,EAaqCgF,IAAI,CAACHf,GAAL,GAAW,EAAX;AACrC,  
YAAI,CAACgF,IAAI,CAACHf,GAAL,CAASuM,MAAd,EAAsBvH,IAAI,CAACHf,GAAL,CAASuM,MAAT,GA  
AkB,KAAIB;AACTbVh,QAAAA,IAAI,CAACHf,GAAL,CAASf,IAAT,GAAGbNo,GAAG,CAACKP,GAAPb;AA  
CD;AACF,KAPM,MAOA;AACL,UAAIjJ,MAAM,GAAGF,KAAb;AACA,UAAI9D,IAAI,CAACwH,MAAT,EA  
AiBxD,MAAM,GAAGhE,IAAI,CAACwH,MAAL,CAAY1D,KAArB;AACjB,UAAI9D,IAAI,CAACgE,MAAT,E  
AAiBA,MAAM,GAAGhE,IAAI,CAACgE,MAAd;AACjB,UAAIA,MAAM,CAACF,KAAAX,EAakBE,MAAM,GA  
AGA,MAAM,CAACF,KAAhB;;AAEIB,UAAI;AACFzG,QAAAA,IAAI,GAAG2G,MAAM,CAACIY,GAAD,EA  
MkU,IAAN,CAAb;AACD,OAFD,CAEE,OAAO1F,KAAP,EAAC;AACd,aAKA,KAAAL,GAaA,KAAb;AACD;A  
ACF;;AAED,SAAKjD,MAAL,GAAC,IAAIsP,MAAJ,CAAWC,SAAX,EAAsBvJ,IAAtB,EA4B2C,IAA5B,CAAd;  
AACD;AAED;,,,,,,;AAmGA;,,,,;SAMAiH,WAAA,oBAAW;AACT,WAAO,KAAKQ,IAAL,GAAYR,QAaz,EA  
P;AACD;AAED;,,,,,,;SAQAhf,WAAA,oBAAW;AACT,WAAO,KAAK6D,GAZ;AACD;AAED;,,,,,,;S  
AkBAsb,OAAA,cAAKM,WAAL,EAakBC,UAAIB,EA8B;AAC5B,WAAO,KAAKC,KAAAL,GAaR,IAAb,CAA  
kBM,WAAIB,EA+BC,UAA/B,CAAP;AACD;AAED;,,,,,,;oBAiBA,gBAAMA,UAAI,EAakB;AACHb,  
WAAO,KAAKC,KAAAL,YAAmBD,UAAmB,CAAP;AACD;;SAEDE,cAAA,qBAAYvN,KAAZ,EAAMb1F,MAAn  
B,EA2B;AACzB,QAAI;AACF,WAAK0F,KAAAL,GAaA,KAAb;;AACA,UAAIA,KAAK,CAAC7T,IAAN,KAA  
e,gBAAf,IAAmC,CAAC6T,KAAK,CAAC1F,MAA9C,EAAsD;AACpD0F,QAAAA,KAAK,CAAC1F,MAAN,GA  
AeA,MAAM,CAACmS,aAAtB;AACzM,QAAAA,KAAK,CAACe,UAAI;AACD,OAHd,MAGO,IAAIzG,MAA  
M,CAACKT,cAAX,EA2B;AACHc,YAAMC,UAAU,GAAGnT,MAAM,CAACmS,aAA1B;AACA,YAAMIb,SA  
AS,GAAGpT,MAAM,CAACKT,cAAzB;AACA,YAAMG,UAAU,GAAG,KAAK5Q,MAAL,CAAYuP,SAAZ,CAA  
sBsB,OAAzC;AACA,YAAMxe,CAAC,GAAGse,SAAS,CAACza,KAAV,CAAgB,GAAhB,CAAV;AACA,YAAM  
5D,CAAC,GAAGse,UAAU,CAAC1a,KAAAX,CAAiB,GAajB,CAAV;;AAEA,YAAI7D,CAAC,CAAC,CAAD,CA  
AD,KAAASC,CAAC,CAAC,CAAD,CAAV,IAAiBqE,QAAQ,CAACTE,CAAC,CAAC,CAAD,CAAF,CAAR,GA  
AiBsE,QAAQ,CAACrE,CAAC,CAAC,CAAD,CAAF,CAA9C,EAAsD;AACpD+N,UAAAA,QAAQ,CACN,MAAG,k  
CAAKC,KAArC,IAA6CuQ,UAA7C,cAAgEF,UAAhE,oBACUC,SADV,2DADM,CAAR;AAKD;AACF;AACF,KA  
pBD,CAoBE,OAAOG,GAAP,EAAY;AACZ,UAAI5Q,OAAO,IAAIA,OAAO,CAAC+C,KAAvB,EA8B/C,OAA  
O,CAAC+C,KAAAR,CAAc6N,GAAd;AAC/B;AACF;;SAEDC,YAAA,mBAAUC,OAAV,EAAMBC,MAAnB,EA  
2B;AAAA;;AACzB,QAAI,KAAK1T,MAAL,IAAe,KAAKgS,SAAL,CAAE3T,OAAf,CAAuB/L,MAA1C,EAakD;  
AACHd,WAAKse,SAAL,GAaiB,IAAjB;AACA,aAAO6C,OAAO,EAAd;AACD;;AAED,QAAI;AACF,UAAmZT,  
MAAM,GAAG,KAAKgS,SAAL,CAAE3T,OAAf,CAAuB,KAAK2B,MAA5B,CAAF;AACA,UAAm2T,OAAO,GA  
AG,KAAKC,GAAL,CAAS5T,MAAT,CAAhB;AACA,WAAKA,MAAL,IAAe,CAAF;;AAEA,UAAIuS,SAAS,CA  
ACoB,OAAO,CAAb,EAawB;AACTbA,QAAAA,OAAO,CACJnB,IADH,CACQ,YAAM;AACV,UAAA,KAAI,C

AACgB,SAAL,CAAeC,OAaf,EAawBC,MAAxB;AACD,SAHH,WAIS,UAAAhO,KAAK,EAAI;AACd,UAAA,K  
AAI,CAACuN,WAAL,CAAiBvN,KAAjB,EAawB1F,MAAxB;;AACA,UAAA,KAAI,CAAC4Q,SAAL,GAAiB,IA  
AjB;ACA8C,UAAAA,MAAM,CAACHO,KAAD,CAAN;AACD,SARH;AASD,OA VD,MAUO;AACL,aAAK8N,  
SAAL,CAAeC,OAaf,EAawBC,MAAxB;AACD;AACF,KAIBD,CAkBE,OAAOhO,KAAP,EAAC;AACd,WAAKk  
L,SAAL,GAAiB,IAAjB;ACA8C,MAAAA,MAAM,CAACHO,KAAD,CAAN;AACD;AACF;;SAEDsN,QAAA,iB  
AAQ;AAAA;;AACN,QAAI,KAAKpC,SAAT,EAaoB;AACIB,aAAO,IAAIiD,OAAJ,CAAY,UAAcJ,OAAD,EAA  
UC,MAAV,EAaqB;AACtC,YAAI,MAAI,CAACHO,KAAT,EAagB;AACdgO,UAAAA,MAAM,CAAC,MAAI,C  
AACHO,KAAN,CAAN;AACD,SAFD,MAEO;AACL+N,UAAAA,OAAO,CAAC,MAAI,CAACnL,SAAL,EAAD,  
CAAP;AACD;AACF,OANM,CAAP;AAOD;;AACD,QAAI,KAAKwL,UAAAT,EAaqB;AACnB,aAAO,KAAKA,U  
AAZ;AACD;;AAED,SAAKA,UAAAL,GAakB,IAAID,OAAJ,CAAY,UAAcJ,OAAD,EAAUC,MAAV,EAaqB;AA  
CjD,UAAI,MAAI,CAACHO,KAAT,EAagB,OAAOgO,MAAM,CAAC,MAAI,CAACHO,KAAN,CAAAb;AAChB,  
MAAA,MAAI,CAAC1F,MAAL,GAAC,CAAd;;AACA,MAAA,MAAI,CAACwT,SAAL,CAAeC,OAaf,EAawBC,  
MAAxB;AACD,KAJiB,EAIflB,IAJe,CAIV,YAAM;AACZ,MAAA,MAAI,CAAC5B,SAAL,GAAiB,IAAjB;ACA  
,aAAO,MAAI,CAACtI,SAAL,EAAP;AACD,KAPiB,CAAIb;AASA,WAAO,KAAKwL,UAAZ;AACD;;SAEDjB,  
OAAA,gBAAO;AAAA;;AACL,QAAI,KAAKjC,SAAT,EAaoB,OAAO,KAAKnO,MAAZ;AACpB,SAAKmO,SA  
AL,GAAiB,IAAjB;;AAEA,QAAI,KAAKkD,UAAAT,EAaqB;AACnB,YAAM,IAAIve,KAAJ,CAAU,sDAAV,CAA  
N;AACD;;AAED,QAAI,KAAKmQ,KAAT,EAagB,MAAM,KAAKA,KAAX;AAEhB,SAAKjD,MAAL,CAAYuP,  
SAAZ,CAAsB3T,OAAAtB,CAA8BIJ,OAA9B,CAAsC,UAAA6K,MAAM,EAAI;AAC9C,UAAAM2T,OAAO,GAAG,  
MAAI,CAACC,GAAL,CAAS5T,MAAT,CAAhB;;AACA,UAAIuS,SAAS,CAACoB,OAAD,CAAAb,EAawB;AACt  
B,cAAM,IAAIpe,KAAJ,CAAU,sDAAV,CAAN;AACD;AACF,KALD;AAOA,WAAO,KAAKkN,MAAZ;AACD;;  
SAEDmR,MAAA,aAAI5T,MAAJ,EAAY;AACV,SAAKyC,MAAL,CAAYyP,UAAZ,GAAyBIS,MAAZB;;AAEA,  
QAAI;AACF,aAAOA,MAAM,CAAC,KAAKyC,MAAL,CAAYgG,IAAb,EAAMb,KAAKhG,MAAxB,CAAAb;AA  
CD,KAFD,CAEE,OAAOiD,KAAP,EAAC;AACd,WAAKuN,WAAL,CAAiBvN,KAAjB,EAawB1F,MAAxB;AAC  
A,YAAM0F,KAAN;AACD;AACF;;SAED4C,YAAA,uBAAY;AACV,QAAI,KAAKoK,WAAT,EAAsB,OAAO,K  
AAKjQ,MAAZ;AACtB,SAAKiQ,WAAL,GAAMb,IAAnB;AAEA,SAAKG,IAAL;AAEA,QAAMzH,IAAI,GAAG,  
KAAK3I,MAAL,CAAY2I,IAAzB;AACA,QAAI3Y,GAAG,GAAG6V,SAAV;AACA,QAAI8C,IAAI,CAACwH,M  
AAT,EAaiBngB,GAAG,GAAG2Y,IAAI,CAACwH,MAAL,CAAYtK,SAAIb;AACjB,QAAI8C,IAAI,CAACI,WA  
AT,EAAsB/Y,GAAG,GAAG2Y,IAAI,CAACI,WAAX;AACtB,QAAI/Y,GAAG,CAAC6V,SAAR,EAAMb7V,GA  
AG,GAAGA,GAAG,CAAC6V,SAAV;AAEnB,QAAI7F,MAAM,GAAG,EAAb;AACAhQ,IAAAA,GAAG,CAAC,  
KAAKgW,IAAN,EAAY,UAAApW,CAAC,EAAI;AACIBoQ,MAAAA,MAAM,IAAIpQ,CAAV;AACD,KAFE,CA  
AH;AAGA,SAAKoQ,MAAL,CAAYvL,GAAG,GAakBuL,MAAIb;AAEA,WAAO,KAAKA,MAAZ;AACD;;;wB  
AnSe;AACd,aAAO,KAAKA,MAAL,CAAYuP,SAAnB;AACD;AAED;;;;;;wBAIW;AACT,aAAO,KAAKvP,MAA  
L,CAAY2I,IAAnB;AACD;AAED;;;;;;wBAYU;AACR,aAAO,KAAK9C,SAAL,GAAiBpR,GAAXB;AACD;  
AAED;;;;;;wBAYc;AACZ,aAAO,KAAKoR,SAAL,GAAiB7P,OAAxB;AACD;AAED;;;;;;wBAYU;A  
ACR,aAAO,KAAK6P,SAAL,GAAiBIC,GAAXB;AACD;AAED;;;;;;wBAaW;AACT,aAAO,KAAKyM,IAA  
L,GAAYpK,IAAnB;AACD;AAED;;;;;;wBAae;AACb,aAAO,KAAKoK,IAAL,GAAYZ,QAAAnB;AACD;;;;  
AC5JH;AACA,AAEA;;;;;AAOA;;;;;AAUA;;;;;AAUA;;;;;AAMA;;;;;AKA;;;;;AAMA;;;;;AKA;;;;;  
;;;;;AAkCA;;;;;IASM8B;AACJ;;;AAIA,qBAAy1V,OAAZ,EAa0B;AAAA,QAAAdA,OAAc;AAAd  
A,MAAAA,OAAc,GAAJ,EAAI;AAAA;;AACxB;;;;;AAQA,SAAKiV,OAAL,GAAe,OAaf;AACA;;;;;AAOA,  
SAAKjV,OAAL,GAAe,KAAKyR,SAAL,CAAezR,OAaf,CAAF;AACD;AAED;;;;;SA6BAmB,  
MAAA,aAAIQ,MAAJ,EAAY;AACV,SAAK3B,OAAL,GAAe,KAAKA,OAAL,CAAa2V,MAAb,CAAoB,KAAKI  
E,SAAL,CAAe,CAAC9P,MAAD,CAAF,CAAPB,CAAF;AACA,WAAO,IAAP;AACD;AAED;;;;;SAs  
BAPn,UAAA,iBAAQsE,GAAR,EAaakU,IAAb,EAawB;AAAA,QAAXA,IAAW;AAAXA,MAAAA,IAAW,GAA  
J,EAAI;AAAA;;AACTB,WAAO,IAAIqH,UAAJ,CAAe,IAAf,EAaqBvb,GAARb,EAa0BkU,IAA1B,CAAP;AACD;  
;SAED0E,YAAA,mBAAUzR,OAAY,EAAMb;AACjB,QAAI4V,UAAU,GAAG,EAajB;ACA5V,IAAAA,OAAO  
,CAACIJ,OAAR,CAAgB,UAAA9C,CAAC,EAAI;AACnB,UAAIA,CAAC,CAAC6hB,OAAN,EAae7hB,CAAC,G  
AAGA,CAAC,CAAC6hB,OAAN;;AAEf,UAAI,OAAO7hB,CAAP,KAAa,QAAAb,IAAYb4P,KAAK,CAACC,OAA  
N,CAAc7P,CAAC,CAACgM,OAAhB,CAA7B,EAauD;AACrD4V,QAAAA,UAAU,GAAGA,UAAU,CAACD,M



AAX,CAAkB3hB,CAAC,CAACgM,OAApB,CAAb;AACD,OAFD,MAEO,IAAI,OAAOhM,CAAP,KAAa,UAAjB ,EAA6B;AACIC4hB,QAAAA,UAAU,CAAC/e,IAAX,CAAgB7C,CAAhB;AACD,OAFM,MAEA;AACL,cAAM,I AAIkD,KAAJ,CAAaID,CAAb,8BAAN;AACD;AACF,KAVD;AAWA,WAAO4hB,UAAP;AACD;,,,,;AC1LH;,,,,; ;,IAUM/G;,,;AACJ,gBAAY/B,QAAZ,EAAsB;AAAA;AACpB,kCAAMA,QAAN;AACa,UAAK3C,IAAL,GAAY ,MAAZ;AACa,QAAl,CAAC,MAAKIP,KAAV,EAAiB,MAAKA,KAAL,GAAa,EAAb;AAHG;AAIrB;,,,;SAEDM, cAAA,qBAAYM,KAAZ,EAAMb;AACjBA,IAAAA,KAAK,GAAG,KAAKhE,KAAL,CAAWgE,KAAx,CAAR;A AEA,QAAlA,KAAK,KAAK,CAAV,IAAe,KAAKZ,KAAL,CAAWHh,MAAX,GAAoB,CAAvC,EAA0C;AACxC, WAAKgH,KAAL,CAAW,CAAX,EAACqP,IAAd,CAAMbA,MAAnB,GAA4B,KAAKIQ,KAAL,CAAWY,KAAx, EAAkByO,IAAlB,CAAuBa,MAAnD;AACD;AAED,gCAAa5P,WAAb,YAAyBM,KAAzB;AACD;SAED4V,YA AA,mBAAU5V,KAAV,EAAiByW,MAAjB,EAAYbNI,IAAZB,EAA+B;AAC7B,QAAMIP,KAAK,wBAASwW,SA AT,YAAmB5V,KAAAnB,CAAX;AAEA,QAAlYw,MAAJ,EAAY;AACV,UAAInI,IAAI,KAAK,SAAb,EAAwB;A ACtB,YAAI,KAAKIP,KAAL,CAAWHh,MAAX,GAAoB,CAAxB,EAA2B;AACzBqe,UAAAA,MAAM,CAACHi,I AAP,CAAYa,MAAZ,GAAqB,KAAKIQ,KAAL,CAAW,CAAX,EAACqP,IAAd,CAAMbA,MAAxC;AACD,SAFD, MAEO;AACL,iBAAOmH,MAAM,CAACHi,IAAP,CAAYa,MAAnB;AACD;AACF,OAND,MAMO,IAAI,KAAK G,KAAL,KAAegH,MAAnB,EAA2B;AACHCrX,QAAAA,KAAK,CAACnE,OAAN,CAAc,UAAAsE,IAAI,EAAl; AACpBA,UAAAA,IAAI,CAACkP,IAAL,CAAUa,MAAV,GAAMbMh,MAAM,CAACHi,IAAP,CAAYa,MAA/B; AACD,SAFD;AAGD;AACF;AAED,WAAOIQ,KAAP;AACD;AAED;,,,,,;SAA6a,WAAA,kBAAS/I,IAAT, EAAoB;AAAA,QAAxA,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAl;AAAA;AACIB,QAAMgJ,IAAI,GAAG,I AAI3B,UAAJ,CAAe,IAAIbS,SAAJ,EAaf,EAAGc,IAAhC,EAAsC3I,IAAtC,CAAb;AACa,WAAOgJ,IAAI,CAAC 9L,SAAL,EAAP;AACD;SAEDiD,SAAA,gBAAOrR,KAAP,EAAC;AACZ4I,IAAAA,QAAQ,CAAC,iDAAD,CAA R;AACa,SAAKIJ,WAAL,CAAiBM,KAAjB;AACD;SAEDma,UAAA,mBAAU;AACRvR,IAAAA,QAAQ,CAAC ,uDAAD,CAAR;AACa,WAAO,KAAKwD,MAAL,CAAy/B,KAAZ,CAAKB6B,GAAzB;AACD;AAED;,,,,,; ;,EAjEiBkJ;ACZnB,IAAIgF,QAAQ,GAAG,CAAF;AAEA;,,,,,;AAOA;,,,,,;IAOMpO;AACJ;,,,;AAIA,iBAAYhP,G AAZ,EAAiBkU,IAAjB,EAA4B;AAAA,QAAxA,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAl;AAAA;AAC1B; ;,,,;AAOA,SAAKIU,GAAL,GAAWA,GAAG,CAAC7D,QAAJ,EAAX;AAEA,QAAl,KAAK6D,GAAL,CAAS,C AAT,MAAgB,QAAhB,IAA4B,KAAKA,GAAL,CAAS,CAAT,MAAgB,QAAhD,EAA0D;AACxD,WAAKA,GAA L,GAAW,KAAKA,GAAL,CAASyO,KAAT,CAAe,CAAF,CAAX;AACD;AAED,QAAlYf,IAAI,CAAC2D,IAAT, EAAe;AACb,UAAI,YAAy9b,IAAZ,CAAiBmY,IAAI,CAAC2D,IAAtB,CAAJ,EAAiC;AAC/B;,,,,,;AAQA,aAAK xI,IAAL,GAAY6E,IAAI,CAAC2D,IAAjB;AACD,OAVD,MAUO;AACL,aAAKxI,IAAL,GAAYgO,IAAI,CAACd, OAAAL,CAAaI,IAAI,CAAC2D,IAAlB,CAAZ;AACD;AACF;AAED;,,,,,;AAiBA,QAAl,CAAC,KAAKxI,I AAV,EAAGb;AACd+N,MAAAA,QAAQ,IAAI,CAAZ;AACa;,,,,,;AAUA,WAAK5c,EAAL,mBAAwB4c,QAA xB;AACD;AACD,QAAl,KAAKIO,GAAT,EAAC,KAAKA,GAAL,CAASG,IAAT,GAAgB,KAAKwI,IAArB;AAC f;,,,;SAEDrJ,QAAA,eAAM3C,OAAN,EAAlf,IAAf,EAAGqBC,MAArB,EAA6BsN,IAA7B,EAAwC;AAAA,QAAx A,IAAW;AAAXA,MAAAA,IAAW,GAAG,EAAl;AAAA;AACtC,QAAl3I,MAAJ;AACa,QAAM+R,MAAM,GA AG,KAAKA,MAAL,CAAy3W,IAAZ,EAAGBC,MAAlB,CAAF;AACa,QAAl0W,MAAJ,EAAY;AACV/R,MAA AA,MAAM,GAAG,IAAI4D,cAAJ,CACPtD,OADO,EAEPyR,MAAM,CAAC3W,IAFA,EAGP2W,MAAM,CAAC 1W,MAHA,EAIP0W,MAAM,CAACIO,MAJA,EAKPkO,MAAM,CAACjO,IALA,EAMP6E,IAAI,CAACpL,MAN E,CAAT;AAQD,KATD,MASO;AACLyC,MAAAA,MAAM,GAAG,IAAI4D,cAAJ,CAAMbT,OAAnB,EAA4BIF, IAA5B,EAAGCC,MAAlC,EAA0C,KAAK5G,GAA/C,EAAdD,KAAKqP,IAAZD,EAA+D6E,IAAI,CAACpL,MAA pE,CAAT;AACD;AAEDyC,IAAAA,MAAM,CAAC8B,KAAP,GAAe;AAAE1G,MAAAA,IAAI,EAAlJA,IAAF;A AAQC,MAAAA,MAAM,EAANA,MAAR;AAAgBwI,MAAAA,MAAM,EAAlE,KAAKpP;AAA7B,KAAf;AACa, QAAl,KAAKqP,IAAT,EAAe9D,MAAM,CAAC8B,KAAP,CAAAGc,IAAb,GAAoB,KAAKA,IAAZB;AAEf,WAA O9D,MAAP;AACD;AAED;,,,,,;SAA+R,SAAA,gBAAO3W,IAAP,EAAaC,MAAb,EAAGqB;AACnB,QAAl, CAAC,KAAKsI,GAAV,EAAe,OAAlO,KAAP;AACf,QAAMqO,QAAQ,GAAG,KAAKrO,GAAL,CAASqO,QAAT, EAAjB;AAEA,QAAM1F,IAAI,GAAG0F,QAAQ,CAACC,mBAAT,CAA6B;AAAE7W,MAAAA,IAAI,EAAlJA,IA AF;AAAQC,MAAAA,MAAM,EAANA;AAAR,KAA7B,CAAb;AACa,QAAl,CAACiR,IAAI,CAACzI,MAAV,E AAKB,OAAlO,KAAP;AAEIB,QAAM7D,MAAM,GAAG;AACb8D,MAAAA,IAAI,EAAlE,KAAKoO,UAAAL,CAAG B5F,IAAI,CAACzI,MAArB,CADO;AAEbZ,MAAAA,IAAI,EAAlEKR,IAAI,CAACiR,IAFE;AAGbC,MAAAA,M

AAM,EAAEiR,IAAI,CAACjR;AAHA,KAAf;AAMA,QAAMwI,MAAM,GAAGmO,QAAQ,CAACG,gBAAT,CA  
A0B7F,IAAI,CAACzI,MAA/B,CAAf;AACa,QAAlA,MAAJ,EAAY7D,MAAM,CAAC6D,MAAP,GAAGBA,MA  
AhB;AAEZ,WAAO7D,MAAP;AACD;;SAEDkS,aAAA,oBAAWpO,IAAX,EAAiB;AAcf,QAAl,YAAYtT,IAAZ,  
CAAiBsT,IAAjB,CAAJ,EAA4B;AAC1B,aAAOA,IAAP;AACD,KAFD,MAEO;AACL,aAAOgO,IAAI,CAACd,O  
AAL,CAAa,KAAKrN,GAAL,CAASqO,QAAT,GAAoBI,UAApB,IAAkC,GAA/C,EAAoDtO,IAApD,CAAP;AAC  
D;AACF;AAED;,,,,,,,,,,,,,,,,wBAYW;AACT,aAAO,KAAKA,IAAL,IAAa,KAAK7O,EAazB;AACD;,,,,;ICIKkBod;  
,,,,,,,,;SACnBxQ,WAAA,sBAAW;AACT,SAAKE,MAAL,GAACf,QAAQ,CAAC,KAAKC,KAAAN,EAAa;AAAEI,  
MAAAA,YAAY,EAAE;AAAhB,KAAb,CAAtB;AACD;;SAEDoB,UAAA,iBAAQI,KAAAR,EAAe;AACb,QAAM1  
M,IAAI,GAAG,IAAIuT,OAAJ,EAAb;AACa,SAAKU,IAAL,CAAUjU,IAAV,EAAgB0M,KAAK,CAAC,CAAD,C  
AArB,EAA0BA,KAAK,CAAC,CAAD,CAA/B;AACa1M,IAAAA,IAAI,CAAC6M,MAAL,CAAYS,GAAG,GAak  
B;AAAEIJ,MAAAA,IAAI,EAAEsI,KAAK,CAAC,CAAD,CAAb;AAAKBrI,MAAAA,MAAM,EAAEqI,KAAK,C  
AAC,CAAD;AAA/B,KAAIB;AAEA,QAAl4C,IAAI,GAAG5C,KAAK,CAAC,CAAD,CAAL,CAASR,KAAT,CAA  
e,CAAf,CAAX;AACa,QAAlOd,IAAI,CAACpD,KAAL,CAAW,CAAC,CAAZ,MAAmB,IAAvB,EAA6BoD,IAAI,  
GAAGA,IAAI,CAACpD,KAAL,CAAW,CAAX,EAAC,CAAC,CAAf,CAAP;;AAE7B,QAAl,QAAQ1S,IAAR,CAA  
a8V,IAAb,CAAJ,EAAwB;AACtBtP,MAAAA,IAAI,CAACsP,IAAL,GAAY,EAAZ;AACAtP,MAAAA,IAAI,CAA  
CkP,IAAL,CAAUC,IAAV,GAAiBG,IAAjB;AACAtP,MAAAA,IAAI,CAACKP,IAAL,CAAUG,KAAV,GAakB,E  
AAIB;AACD,KAJD,MAIO;AACL,UAAAM3P,KAAK,GAAG4P,IAAI,CAAC5P,KAAL,CAAW,yBAAX,CAAd;A  
ACAM,MAAAA,IAAI,CAACsP,IAAL,GAAY5P,KAAK,CAAC,CAAD,CAAjB;AACAM,MAAAA,IAAI,CAACK  
P,IAAL,CAAUC,IAAV,GAAiBzP,KAAK,CAAC,CAAD,CAAtB;AACAM,MAAAA,IAAI,CAACKP,IAAL,CAA  
UG,KAAV,GAakB3P,KAAK,CAAC,CAAD,CAAvB;AACD;AACF;;SAED2U,kBAAA,2BAakB;;SAEIBC,cAA  
A,qBAAYIH,KAAZ,EAAMb;AACjB,QAAMkO,MAAM,GAAG,KAAKvQ,MAAL,CAAYmB,KAAZ,CAAKbB,  
KAAIB,EAAyB,KAAKtB,GAAL,GAAW,CAApC,CAAf;AACa,SAAK6H,MAAL,IAAe2H,MAAM,CAAC3O,G  
AAP,CAAW,UAAA/T,CAAC;AAAA,aAAIA,CAAC,CAAC,CAAD,CAAL;AAAA,KAAZ,EAAsBmD,IAAtB,CA  
A2B,EAA3B,CAAf;AACD;;SAEDkZ,kBAAA,2BAakB;AAChB,SAAKvB,OAAL,CAAaxE,IAAb,CAAKbB,KAA  
IB,IAA2B,GAA3B;AACD;;SAEDkH,cAAA,uBAAC;;SAEdR,gBAAA,uBAAC/U,IAAd,EAAoB;AACIBA,IAAAA,  
IAAI,CAAC5H,IAAL,GAAY,EAAZ;AACD;;SAEDsc,0BAAA,iCAAwB3J,MAAxB,EAAgC;AAC9B,QAAM+C,  
KAAK,GAAG,KAAKA,KAAL,CAAW/C,MAAX,CAAd;AACa,QAAl+C,KAAK,KAAK,KAAd,EAAqB;AAErB,  
QAAl5O,KAAJ;;AACa,SAAKA,KAAK,GAAG4O,KAAK,GAAG,CAArB,EAAwB5O,KAAK,IAAI,CAAjC,EAA  
oCA,KAAK,EAAzC,EAA6C;AAC3C,UAAI6L,MAAM,CAAC7L,KAAD,CAAN,CAAc,CAAd,MAAqB,MAAzB,  
EAAiC;AACIC;;AACD,SAAKA,KAAK,IAAI,CAAd,EAAiBA,KAAK,IAAI,CAA1B,EAA6BA,KAAK,EAAIC,E  
AAsC;AACpC,UAAI6L,MAAM,CAAC7L,KAAD,CAAN,CAAc,CAAd,MAAqB,OAazB,EAAkC;AAChCA,QA  
AAA,KAAK,IAAI,CAAT;AACa;AACD;AACF;;AACD,QAAM6U,KAAK,GAAGhJ,MAAM,CAACxI,MAAP,C  
AAcrD,KAAd,EAAqB6L,MAAM,CAACIS,MAAP,GAAGbqG,KAArC,CAAd;AACa,SAAKqQ,IAAL,CAAUwE,  
KAAV;AACD;;SAEDc,uBAAA,gCAAuB;;SAEvBb,UAAA,mBAAU;AACR,QAAl,KAAKN,OAAL,CAAa7T,KA  
Ab,IAAsB,KAAK6T,OAAL,CAAa7T,KAAb,CAAmBhH,MAA7C,EAAqD;AACnD,WAAK6a,OAAL,CAAaxE,I  
AAb,CAAKBJ,SAAlB,GAA8B,KAAKA,SAAnC;AACD;;AACD,SAAK4E,OAAL,CAAaxE,IAAb,CAAKbB,KAAI  
B,GAA0B,CAAC,KAAKqF,OAAL,CAAaxE,IAAb,CAAKbB,KAAIB,IAA2B,EAA5B,IAAkC,KAAKsF,MAAjE;;  
AAEA,WAAO,KAAKD,OAAL,CAAa5S,MAApB,EAA4B;AAC1B,WAAK4S,OAAL,GAAG,KAAKA,OAAL,CA  
Aa5S,MAA5B;AACa,WAAK4S,OAAL,CAAaxE,IAAb,CAAKbB,KAAIB,GAA0B,EAA1B;AACD;AACF;;EAxE  
qCmF;;ACLxC;AACa,AAIe,SAAS+H,SAAT,CAAmB9d,GAAnB,EAAwBkU,IAAxB,EAA8B;AAC3C,MAAM7  
G,KAAK,GAAG,IAAI2B,KAAJ,CAAUhP,GAAV,EAAekU,IAAf,CAAd;AAEA,MAAMgE,MAAM,GAAG,IAAI  
0F,UAAJ,CAAevQ,KAaf,CAAf;AACa6K,EAAAA,MAAM,CAAC9K,QAAP;AACa8K,EAAAA,MAAM,CAAC  
9B,IAAP;AAEA,SAAO8B,MAAM,CAAC3G,IAAd;AACD;;ACbD;AAUA,IAAIwM,SAAS,GAAG,EAAhB;AAE  
A,AAIA;;;AAGA,oBAAE,UAAcrU,UAAD,EAA4B;AAAA,MACnCsU,WADmC;AAIvC,yBAAY9e,KAAZ,EAA  
4B;AAC1B,WAAKA,KAAL,GAAGa,KAAb;AACD;;AANsC;;AAAA,WAQvC+e,mBARuC,GAQvC,6BAAoB5S,  
gBAApB,EAA8C;AAC5C,UAAAM3C,OAAO,GAAG0C,OAAO,CAAC,KAAKIM,KAAAN,EAAamM,gBAAb,CAA  
P,CAAsC/M,IAAtC,CAA2C,EAA3C,CAAhB;AAEA,UAAmhd,IAAI,GAAG4iB,mBAAMb,CAACxV,OAAD,CA  
AhC;;AACa,UAAI,CAACqV,SAAS,CAACziB,IAAD,CAAd,EAAsB;AACpB,YAAMiW,IAAI,GAAGyG,SAAK,

CAACtP,OAAD,CAAIB;AACA,YAAMyV,SAAS,GAAG,EAAIB;AACA5M,QAAAA,IAAI,CAAC8G,IAAL,CA  
AU,UAAA9V,IAAI,EAAI;AACHB,cAAIA,IAAI,CAAC+O,IAAL,KAAc,MAAIB,EAA0B;AACxB6M,YAAAA,S  
AAS,CAACngB,IAAV,CAAe,CAACuE,IAAI,CAACyP,IAAN,EAAYzP,IAAI,CAAC+H,KAAjB,CAAF;AACD,W  
AFD,MAEO,IAAI5O,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,IAAyC2G,IAAI,CAAC+O,IAAL,  
KAAc,SAA3D,EAAe;AAC3E;AACA7F,YAAAA,OAAO,CAACC,IAAR,mBAA6BnJ,IAAI,CAAC+O,IAAIC;A  
ACD;AACF,SAPD,EAHoB;AAyPb;AACA;AACA;;AACA,YAAM8M,WAAW,GAAGC,kBAakB,CAACF,SAA  
D,EAAY,CACHD,cADgD,EAehD,aAFgD,EAGhD,aAHgD,EAihD,aAJgD,CAAZ,CAAtC;AAMA,YAAMG,MAA  
M,GAAG5U,UAAU,CAAC6U,MAAX,CAAKB;AAC/BR,UAAAA,SAAS,EAAEK;AADoB,SAAIB,CAAF;AAGA  
L,QAAAA,SAAS,CAACziB,IAAD,CAAT,GAakBgjB,MAAM,CAACP,SAAzB;AACD;;AACD,aAAOA,SAAS,C  
AACziB,IAAD,CAAhB;AACD,KAvCsC;;AAAA;AAAA;;AA0CzC,SAAO0iB,WAAP;AACD,CA3CD;;ACnBA;;  
AACA;,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,AA2BA,IAAMQ,QAAQ,GAAG,SAAXA,QAAW,CAA5I,GAAG,EAAI;AACtB,SACE,  
OAAOA,GAAP,KAAe,UAAf,IAA8B,OAAOA,GAAP,KAAe,QAAf,IAA2BA,GAAG,KAAK,IAAnC,IAA2C,CAA  
C7K,KAAK,CAACC,OAAN,CAAc4K,GAAd,CAD5E;AAGD,CAJD;;AAMA,IAAM6I,UAAU,GAAG,SAAbA,U  
AAa,CAA5T,GAAG,EAAI;AACxB,SAAOA,GAAG,KAAK,WAAR,IAAuBA,GAAG,KAAK,aAA/B,IAAgDA,  
GAAG,KAAK,WAA/D;AACD,CAFD;;AAIA,SAAS6T,KAAT,CAAEjjB,MAAf,EAABma,GAAvB,EAA4B/K,G  
AA5B,EAAiC;AAC/B,MAAMF,GAAG,GAAGIP,MAAM,CAACoP,GAAD,CAAlB;;AACA,MAAI2T,QAAQ,CA  
AC5I,GAAD,CAAR,IAAiB4I,QAAQ,CAAC7T,GAAD,CAA7B,EAAoC;AAClCgU,IAAAA,SAAS,CAACHU,GA  
AD,EAAMiL,GAAN,CAAT;AACD,GAFD,MAEO;AACLnA,IAAAA,MAAM,CAACoP,GAAD,CAAN,GAAC+K,  
GAAd;AACD;AACF;;AAED,AAAe,SAAS+I,SAAT,CAAmBljB,MAAnB,EAAoC;AAAA,oCAANmjB,IAAM;A  
AANA,IAAAA,IAAM;AAAA;;AACjD,2BAakBA,IAAIB,2BAAwB;AAAnB,QAAMjU,GAAG,YAAT;;AACH,Q  
AAI6T,QAAQ,CAAC7T,GAAD,CAAZ,EAAMb;AACjB,WAAK,IAAME,GAAX,IAakBF,GAAlB,EAAB;AACr  
B,YAAI8T,UAAU,CAAC5T,GAAD,CAAd,EAAqB;AACnB6T,UAAAA,KAAK,CAACjjB,MAAD,EAASKP,GA  
AG,CAACE,GAAD,CAAZ,EAAMBA,GAAnB,CAAL;AACD;AACF;AACF;AACF;;AAED,SAAOpP,MAAP;AA  
CD;;AC3DD;AACA,AAMA,sBA Ae,UAAc2d,KAAD,EAeyf,aAAf,EAAMCC,YAAnC,EAAwE;AAAA,MAArC  
A,YAAqC;AAArCA,IAAAA,YAAqC,GAAjBthB,YAAiB;AAAA;;AACrF,SAAQ4b,KAAK,CAAC2F,KAAK,KA  
AgBD,YAAy,CAACC,KAA7B,IAAsC3F,KAAK,CAAC2F,KAA7C,IAAuDF,aAAvD,IAAwEC,YAAy,CAACC,  
KAA5F;AACD,CAFD;;ACPA;AAGA,AAAe,SAASC,KAAT,CAAEvjB,MAAf,EAAMF;AACHG,SACE,OAAOA,  
MAAP,KAAkB,QAAlB,KACCC,OAAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,GACGH,MAAM,CA  
ACwjB,MAAP,CAAc,CAAd,MAAqBxjB,MAAM,CAACwjB,MAAP,CAAc,CAAd,EAAB9U,WAAjB,EADxB,G  
AEG,IAHJ,CADF;AAMD;;ACVD;AAEA,AAGe,SAAS+U,mBAAT,CACbzjB,MADa,EAEL;AACR,SAAOujB,K  
AAK,CAACvjB,MAAD,CAAL,eAA0BA,MAA1B,eAA+CD,gBAAGB,CAACC,MAAD,CAA/D,MAAP;AACD;;I  
CKY0jB,YAAy,GAA0BnW,KAAK,CAACC,aAAN,EAA5C;AAEP,IAAamW,aAAa,GAAGD,YAAy,CAACHW,  
QAAnC;;AAEP,SAASkW,UAAT,CAAoBN,KAApB,EAA0CO,UAA1C,EAAqE;AACnE,MAAI,CAACP,KAAL,E  
AAy;AACV,WAAOzf,0BAAGB,CAAC,EAAD,CAAvB;AACD;;AAED,MAAIxD,UAAU,CAACijB,KAAD,CAA  
d,EAAB;AACrB,QAAMQ,WAAW,GAAGR,KAAK,CAACO,UAAD,CAAzB;;AAEA,QACE5jB,OAAO,CAAC  
C,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,KACC2jB,WAAW,KAAK,IAAhB,IAAwBxU,KAAK,CAACC,OAAN  
,CAAcuU,WAAAd,CAAxB,IAAsD,OAAOA,WAAP,KAAuB,QAD9E,CADF,EAGE;AACA,aAAOjgB,0BAAGB,C  
AAC,CAAD,CAAvB;AACD;;AAED,WAAOigB,WAAP;AACD;;AAED,MAAIxU,KAAK,CAACC,OAAN,CAAc  
+T,KAAAd,KAAwB,OAAOA,KAAP,KAAiB,QAA7C,EAAuD;AACrD,WAAOzf,0BAAGB,CAAC,CAAD,CAAvB;  
AACD;;AAED,SAAOggB,UAAU,gBAAQA,UAR,MAAuBP,KAAvB,IAAiCA,KAAID;AACD;AAED;AAGA  
,AAAe,SAASS,aAAT,CAAuBpG,KAAvB,EAAqC;AACID,MAAMkG,UAAU,GAAGG,UAAU,CAACN,YAAD,  
CAA7B;AACA,MAAMO,YAAy,GAAGC,OAAO,CAAC;AAAA,WAAMN,UAAU,CAACjG,KAAK,CAAC2F,K  
AAP,EAACo,UAAAd,CAAhB;AAAA,GAAD,EAA4C,CACtEIG,KAAK,CAAC2F,KADgE,EAEtEO,UAFsE,CAA5  
C,CAA5B;;AAKA,MAAI,CAACIG,KAAK,CAACT,QAAAX,EAAqB;AACnB,WAAO,IAAP;AACD;;AAED,sBAA  
O,oBAAC,YAAD,CAAc,QAAd;AAAU,IAAA,KAAK,EAAE+G;AAA9B,KAA6CtG,KAAK,CAACT,QAAnD,C  
AAP;AACD;;AC1CD;AAEA;;AACA,IAAMiH,SAAS,GAAG,SAAZA,SAAy;AAAA,SAAM,IAAN;AAAA,CAAI  
B;;IAEMC;,,,,,,,,,,,,,,,,UAGJC,QAAQ;,,,,,SAERC,SAAA,kBAAS;AAAA;;AACP,wBACE,oBAAC,aAAD,QACG,UA  
ACHB,KAAD,EAAMb;AAAA,yBAUd,MAAI,CAAC3F,KAVS;AAAA,UAEX4G,eAFW,gBAEhBC,GAfGB;AAA

A,UAGZC,QAHY,gBAGhBC,EAHgB;AAAA,UAlhBC,kBAJgB,gBAIhBA,kBAJgB;AAAA,UAKhBC,WALgB,g  
BAKhBA,WALgB;AAAA,UAMhBC,YANgB,gBAMhBA,YANgB;AAAA,UAOhBC,MAPgB,gBAOhBA,MAPgB  
;AAAA,4CAQhB3e,KARgB;AAAA,UAQhBA,KARgB,mCAQR,EARQ;AAAA,UASbwX,KATa;;AAAA,UAYV0  
F,YAZU,GAYkCsB,kBAZIC,CAYVtB,YAZU;AAAA,UAYIrjB,MAZJ,GAYkC2kB,kBAZIC,CAYI3kB,MAZJ;A  
AAA,UAYY+kB,iBAZZ,GAYkCJ,kBAZIC,CAYYI,iBAZZ;AAaI,UAAMC,mBAAmB,GACvB,MAAI,CAACX,  
KAAL,CAAWG,GAAX,IAAkB,MAAI,CAACH,KAAL,CAAWK,EAA7B,IAAmCH,eAAAnC,IAAsDE,QAAtD,IA  
AkEzKB,MADpE;;AAGA,UAMiIb,eAAe,GAAG,MAAI,CAACC,uBAAL,CACtBC,cAAc,CAAC,MAAI,CAAC  
xH,KAAN,EAAa2F,KAAb,EAAoBD,YAApB,CAAd,IAAmDthB,YAD7B,EAETB,MAAI,CAAC4b,KAFiB,CAAx  
B;;AAKA,UAMyH,WAAW,GAAG7B,KAAK,CAACyB,mBAAD,CAAzB;ACA,UAMK,aAAa,GAAG,MAA  
I,CAACHB,KAAL,KAAe1G,KAAf,gBAA4BA,KAA5B,MAAsC,MAAI,CAAC0G,KAA3C,IAAqD1G,KAA3E;A  
ACA,UAM2H,YAAy,GAAGP,iBAAiB,IAAKK,WAAW,IAAIjB,SAA1D;ACA,UAMoB,eAAe,GAAG,EAA  
xB;ACA,UAAInW,GAAJ;;AAEA,WAAKA,GAAL,IAAYiW,aAAZ,EAA2B;AACzB,YAAIjW,GAAG,CAAC,C  
AAD,CAAH,KAAW,GAAX,IAAkBA,GAAG,KAAK,IAA9B,EAAoC,SAApC,KACK,IAAIA,GAAG,KAAK,aAA  
Z,EAA2B;AAC9BmW,UAAAA,eAAe,CAACb,EAAhB,GAAqB/G,KAAK,CAACvO,GAAD,CAA1B;AACD,SAF  
I,MAEE,IAAI,CAACKW,YAAD,IAAiBA,YAAy,CAACiW,GAAD,EAAM+U,SAAN,CAAjC,EAAMd;AACxD;A  
ACAoB,UAAAA,eAAe,CAACnW,GAAD,CAAf,GAAuBiW,aAAa,CAACjW,GAAD,CAApC;AACD;AACF;;AA  
EDmW,MAAAA,eAAe,CAACpf,KAAhB,GAAwB,OAAOA,KAAP,KAAiB,UAAjB,GACxB,UACqf,KAAD,EA  
AW;AACT,eAAO,CAACP,eAAD,EAAkB5D,MAAIB,CAAyBlb,KAAK,CAACqf,KAAD,CAA9B,CAAP;AACD,  
OAHuB,GAItB,CAACP,eAAD,EAAkB5D,MAAIB,CAAyBlb,KAAzB,CAJF;AAKAof,MAAAA,eAAe,CAACT,M  
AAhB,GAAyBA,MAAzB;AAEA,UAAID,YAAJ,EAAkBU,eAAe,CAACE,GAAhB,GAAsBZ,YAAtB;AACIB,UA  
AID,WAAJ,EAAiBW,eAAe,CAACb,EAAhB,GAAqBE,WAArB;AAEjB,aAAO/c,aAAa,CAACmd,mBAAD,EAAs  
BO,eAAAtB,CAApB;AACD,KAjDH,CADF;AAqDD;;SAEDG,wBAAA,+BAAsBpC,KAAAtB,EAAsC3F,KAAAtC,EA  
AqD0G,KAArD,EAAMe;AAAA;;AACjE,QAAMtZ,OAAO,gBAAQ4S,KAAAR;AAAE2F,MAAAA,KAAK,EAAL  
A;AAAf,MAAb;;AAEA,QAAl,CAACe,KAAK,CAAC1kB,MAAX,EAAMb,OAAOoL,OAAP;AAEnB,SAAKsZ,K  
AAL,GAAa,EAAb;AAEAA,IAAAA,KAAK,CAAC7hB,OAAN,CAAc,UAAAmjB,OAAO,EAAl;AACvB,UAAIC,  
eAAe,GAAGD,OAAtB;ACA,UAAIE,IAAJ;ACA,UAAIzW,GAAJ;;AAEA,UAAI/O,UAAU,CAACulB,eAAD,  
CAAd,EAAiC;AAC/BA,QAAAA,eAAe,GAAGA,eAAe,CAAC7a,OAAD,CAAjC;AACD;AAED;;;ACA,WAAK  
qE,GAAL,IAAYwW,eAAZ,EAA6B;AAC3BC,QAAAA,IAAI,GAAGD,eAAe,CAACxW,GAAD,CAAtB;ACA,Q  
AAA,MAAI,CAACiV,KAAL,CAAWjV,GAAX,IAAkByW,IAAIB;ACA9a,QAAAA,OAAO,CAACqE,GAAD,C  
AAP,GAAeyW,IAAf;AACD;AACD;;AACD,KAhBD;AAkBA,WAAO9a,OAAP;AACD;;SAEDma,0BAAA,iCAA  
wB5B,KAAxB,EAAoC3F,KAApC,EAAGD;AAAA,QACtCmI,WADsC,GACtBnI,KAAK,CAACgH,kBADgB,CA  
CtCmB,WADsC;AAG9C,QAAMIW,gBAAgB,GAAG,KAAK8V,qBAAL,CACvBpC,KADuB,EAEvB3F,KAFuB,  
EAGvBA,KAAK,CAACgH,kBAAN,CAAyBN,KAHF,CAAzB;AAMA,WAAOyB,WAAW,CAACtD,mBAAZ,CA  
AgC5S,gBAAhC,CAAP;AACD;;SAEDmW,iBAAA,wBAAeC,WAAf,EAAoC;AACIC,QAAl,KAAKIq,IAAL,KA  
AcpQ,SAAlB,EAA6B;AAC3B;ACA,WAAKoQ,IAAL,CAAUiQ,cAAV,CAAyBC,WAAzB;AACD,KAHD,MAG  
O,IAAI/IB,OAAO,CAACC,GAAR,CAAYC,QAAs,KAAyB,YAA7B,EAA2C;AAChD;ACA6P,MAAAA,OAAO  
,CAACC,IAAR,CACE,4FADF;AAGD;AACF;;;EA/GiCgW;;AAkHpC,8BAAE,UAAc1D,WAAD,EAA2B;AACxC  
,MAAM2D,2BAA2B,GAAG,SAA9BA,2BAA8B,CAAClmB,MAAD,EAAiB0J,OAajB,EAakCjG,KAAIC,EAaq  
D;AAAA,yBAKnFiG,OALmF,CAErF2a,KAFqF;AAAA,QAerFA,KAFqF,+BAE7ExiB,WAF6E;AAAA,+BAKnF  
6H,OALmF,CAGrFtJ,WAHqF;AAAA,QAGrFA,WAHqF,qCAGvEqjB,mBAAmB,CAACzjB,MAAD,CAHoD;AA  
AA,gCAKnF0J,OALmF,CAIrFyc,eAJqF;AAAA,QAIRFA,eAJqF,sCAInE/B,qBAJmE;AAOVF,QAAMgC,OAAO,G  
AAG,CAAC7C,KAAK,CAACvjB,MAAD,CAAtB;ACA,QAAMqmB,kBAAkB,GAAGvIB,iBAAiB,CAACd,MA  
AD,CAA5C,CARuF;;AAWvF,QAAMsmB,4BAA4B,GAAG/Y,KAAK,CAACgZ,UAAN,CAAiB,UAAc5I,KAAD,  
EAAQ8H,GAAR;AAAA,0BACpD,oBAAC,eAAD,eACM9H,KADN;AAEE,QAAA,kBAAkB,EAAE2I,4BAFtB;A  
AGE,QAAA,YAAy,EAAEb;AAHhB,SADoD;AAAA,KAAjB,CAArC;AAQA,QAAMe,UAAU;AAEdH,IAAAA,k  
BAAkB,IAAIrmB,MAAM,CAACqkB,KAA7B,GACI/U,KAAK,CAAC9O,SAAN,CAAgB6g,MAAhB,CAAUBrh  
B,MAAM,CAACqkB,KAA9B,EAAqCA,KAArC,EAA4C1E,MAA5C,CAAMdJe,OAAnD,CADJ,GAEl2iB,KAJN,  
CAnBuF;;AA0BvF,QAAlU,iBAAiB,GAAGrb,OAAO,CAACqb,iBAAhC,CA1BuF;;AA6BvF,QAAlSb,kBAAkB,I

AAIrmB,MAAM,CAAC+kB,iBAAjC,EAAoD;AACID,UAAIA,iBAAJ,EAAuB;AACrB;AACAA,QAAAA,iBAAi  
B,GAAG,2BAACxO,IAAD,EAAOkQ,QAAP,EAAiBC,kBAAjB;AAAA;AAEIBImB,YAAAA,MAAM,CAAC+kB  
,iBAAP,CAAyBxO,IAAZB,EAA+BkQ,QAA/B,EAAyCC,kBAAzC,KACAhd,OAAO,CAACqb,iBAAR,CAA0BxO  
,IAA1B,EAAgCkQ,QAAhC,EAA0CC,kBAA1C;AAHkB;AAAA,SAApB;AAID,OAND,MAMO;AACL;AACAA3B,  
QAAAA,iBAAiB,GAAG/kB,MAAM,CAAC+kB,iBAA3B;AACD;AACF;AAED;;;AAKA;;;AACAuB,IAAAA,4B  
AA4B,CAACjC,KAA7B,GAAqCmC,UAArC;AAEAF,IAAAA,4BAA4B,CAAClmB,WAA7B,GAA2CA,WAA3C,  
CAIDuF;;AAqDvFkmB,IAAAA,4BAA4B,CAACvB,iBAA7B,GAAiDA,iBAAjD,CARduF;;AAwDvFuB,IAAAA,4  
BAA4B,CAACR,WAA7B,GAA2C,IAAIvD,WAAJ;AAEzC8D,IAAAA,kBAAkB,GAAGrmB,MAAM,CAAC8IB,  
WAAP,CAAmBriB,KAAAnB,CAAyB4d,MAAzB,CAAgC5d,KAAhC,CAAH,GAA4CA,KAFrB,CAA3C,CAXduF;;  
AA8DvF6iB,IAAAA,4BAA4B,CAACvB,iBAA7B,GAAiD,uBAAjD,CA9DuF;;AAgEvFulB,IAAAA,4BAA4B,C  
AACtmB,MAA7B,GAAcCqmB,kBAAkB;AAEpDrmB,IAAAA,MAAM,CAACA,MAF6C,GAGpDA,MAHJ,CAHe  
uF;;AAqEvFsmB,IAAAA,4BAA4B,CAACK,aAA7B,GAA6C,SAASA,aAAT,CAAU3jB,GAAvB,EAAoC;AAAA  
,UAC1D2J,CAD0D,GACjBjD,OADiB,CACvEtJ,WADuE;AAAA,UAC1CwmB,EAD0C,GACjBld,OADiB,CACv  
DsD,WADuD;AAAA,UACn6Z,aADmC,iCACjBnd,OADiB;;AAE/E,UAMMod,UAAU,gBACXD,aADW;AAEdx  
C,QAAAA,KAAK,EAAEmC,UAF0;AAGdL,QAAAA,eAAe,EAAfA;AAHc,QAAbB;;AAMA,aAAOD,2BAA2B,  
CAACljb,GAAD,EAAM8jB,UAAAN,EAAbRjB,KAAIB,CAAIC;AACD,KATD,CARuF;;AAiFvF9C,IAAAA,MA  
AM,CAAComB,cAAP,CAAsBT,4BAAtB,EAAoD,cAApD,EAAoE;AACIErhB,MAAAA,GADkE,iBAC5D;AACJ,  
eAAO,KAAK+hB,mBAAZ;AACD,OAHIE;AAKIEljb,MAAAA,GALkE,eAK9DoL,GAL8D,EAKzD;AACPC;AAC  
A,aAAK8X,mBAAL,GAA2BX,kBAAkB,GAAGY,SAAK,CAAC,EAAD,EAAKjnB,MAAM,CAACqjB,YAAZ,E  
AA0BnU,GAA1B,CAAR,GAAyCA,GAATf;AACD;AARIE,KAApE;;AAWA,QAAlkX,OAAJ,EAAa;AACXc,MA  
AAA,KAAK,CAACZ,4BAAD,EAAGctmB,MAAhC,EAA8C;AACjD;AACaqkB,QAAAA,KAAK,EAAE,IAF0C;  
AAGjDjkB,QAAAA,WAAW,EAAE,IAHoC;AAIjD2kB,QAAAA,iBAAiB,EAAE,IAJ8B;AAKjDe,QAAAA,WAA  
W,EAAE,IALoC;AAMjD/kB,QAAAA,iBAAiB,EAAE,IAN8B;AAOjDf,QAAAA,MAAM,EAAE,IAPyC;AAQjD2  
mB,QAAAA,aAAa,EAAE;AARKC,OAA9C,CAAL;AAUD;;AAED,WAAOL,4BAAP;AACD,GA1GD;;AA4GA,S  
AAOJ,2BAAP;AACD,CA9GD;;ACvIA;AAGA,kBAAE,UACbiB,OADa,EAEBxkB,cAFa,EAGY;AACzB,MAAM  
mN,MAAM,GAAG,CAACqX,OAAO,CAAC,CAAD,CAAR,CAAF;;AAEA,OAAK,IAAIznB,CAAC,GAAG,CAA  
R,EAAW4C,GAAG,GAAGK,cAAc,CAACHD,MAArC,EAA6CD,CAAC,GAAG4C,GAAjD,EAAsD5C,CAAC,IA  
AI,CAA3D,EAA8D;AAC5DoQ,IAAAA,MAAM,CAACvN,IAAP,CAAyI,cAAc,CAACjD,CAAD,CAA1B,EAA+  
BynB,OAAO,CAACznB,CAAC,GAAG,CAAL,CAAtC;AACD;;AAED,SAAOoQ,MAAP;AACD,CAXD;;ACHA;  
AACAA,AAOA;;;;AAIA,IAAMsX,MAAM,GAAG,SAATA,MAAS,CAAAC,GAAG,EAAI;AACpB,MAAI/X,KAA  
K,CAACC,OAAAN,CAAc8X,GAAd,CAAJ,EAAwB;AACTb;AACAA,IAAAA,GAAG,CAAC7X,KAAJ,GAAY,IA  
AZ;AACD;;AACD,SAAO6X,GAAP;AACD,CAND;;AAQA,AAAE,SAAS9iB,GAAT,CAAase,MAAb,EAA+E;AA  
AA,oCAA/ClgB,cAA+C;AAA/CA,IAAAA,cAA+C;AAAA;;AAC5F,MAAIc,UAAU,CAACwiB,MAAD,CAAV,I  
AAsBnT,aAAa,CAACmT,MAAD,CAAvC,EAAiD;AAC/C;AACAA,WAAOuE,MAAM,CAACzX,OAAO,CAAC2X  
,UAAU,CAACzIB,WAAD,GAAeGHb,MAAf,SAA0BlgB,cAA1B,EAAX,CAAR,CAAb;AACD;;AAED,MAAIA,c  
AAc,CAACHD,MAAf,KAA0B,CAA1B,IAA+BkjB,MAAM,CAACljb,MAAP,KAAkB,CAAjD,IAAsD,OAAOkjB,  
MAAM,CAAC,CAAD,CAAb,KAAqB,QAA/E,EAAyF;AACvF;AACAA,WAAOA,MAAP;AACD,GAT2F;;AAy5F  
,SAAOuE,MAAM,CAACzX,OAAO,CAAC2X,UAAU,CAACzE,MAAD,EAASlgB,cAAT,CAAX,CAAR,CAAb;A  
ACD;;ACzBc,SAAS4kB,oBAAT,CACbC,oBADa,EAEBxkB,GAFA,EAGb0G,OAHa,EAlb;AAAA,MADAA,OAC  
A;AADAA,IAAAA,OACA,GADk3H,YACIB;AAAA;;AACAA,MAAI,CAAC0IB,kBAAkB,CAACzkB,GAAD,CA  
AvB,EAA8B;AAC5B,WAAOa,0BAAgB,CAAC,CAAD,EAAI9E,MAAM,CAACiE,GAAD,CAAV,CAAvB;AAC  
D;AAED;AACAA;;AACAA,MAAM0kB,gBAAgB,GAAG,SAANBA,gBAAmB;AAAA,WAAaF,oBAAoB,CAACxk  
B,GAAD,EAAM0G,OAAAN,EAAenF,GAAG,MAAH,mBAAf,CAAjC;AAAA,GAAZB;AAEA;;AACAmjB,EAAA  
A,gBAAgB,CAACC,UAAjB,GAA8B,UAAAC,MAAM;AAAA,WACICL,oBAAoB,CAACC,oBAAD,EAAuBxBB,  
GAAvB,eAAiC0G,OAAjC,MAA6Cke,MAA7C,EADc;AAAA,GAAPc;AAGA;;AACAF,EAAAA,gBAAgB,CAA  
CrD,KAAjB,GAAYB,UAAAA,KAAK;AAAA,WAC5BkD,oBAAoB,CAACC,oBAAD,EAAuBxBB,GAAvB,eACf0  
G,OADe;AAEIB2a,MAAAA,KAAK,EAAE/U,KAAK,CAAC9O,SAAN,CAAgB6gB,MAAhB,CAAuB3X,OAAO,  
CAAC2a,KAA/B,EAAsCA,KAAtC,EAA6C1E,MAA7C,CAAoDje,OAAPD;AAFW,OADQ;AAAA,GAA9B;;AA

MA,SAAOgmB,gBAAP;AACD;;ACzBD;AACa;AACa;AACa;AACa;;AAEA,iBAaE,UAAcZB,SAAD,EAAwC  
;AACrD;AACa,MAAM4B,SAAS,GAAGta,KAaK,CAACgZ,UAAAN,CAAIb,UAAc5I,KAAD,EAAQ8H,GAAR,  
EAAgB;AACjD,QAAMnC,KAaK,GAAGU,UAAU,CAACN,YAAD,CAAxB,CADiD;;AAAA,QAGzCL,YAHyC,  
GAGxB4C,SAHwB,CAGzC5C,YAHyC;AAIjD,QAAMyE,SAAS,GAAG3C,cAAc,CAACxH,KAAD,EAAQ2F,KA  
AR,EAAeD,YAAf,CAAhC;;AAEA,QAAIpb,OOAO,CAACC,GAAR,CAAYC,QAAZ,KAAyB,YAAzB,IAAyC2n  
B,SAAS,KAaKpiB,SAA3D,EAAeE;AACpE;AACAsK,MAAAA,OOAO,CAACC,IAAR,6HAC2HIQ,gBAAgB,C  
ACvIkMB,SADuI,CAD3I;AAKD;;AAED,wBAAO,oBAAC,SAAD,eAAeI,KAAf;AAAsB,MAAA,KAaK,EAAE  
mK,SAA7B;AAAwC,MAAA,GAAG,EAAErC;AAA7C,OOAP;AACD,GAhBiB,CAAIb;AAkBaS,C,EAAAA,KAA  
Y,CAACF,SAAD,EAAy5B,SAAZ,CAAZ;AAEA4B,EAAAA,SAAS,CAACznB,WAAV,kBAAqCL,gBAAgB,CA  
ACkMB,SAAD,CAArD;AAEA,SAAO4B,SAAP;AACD,CAzBD;;ACdA;AACa;AAGA,IAAMG,QAAQ,GAAG,S  
AAXA,QAAW;AAAA,SAAMhE,UAAU,CAACN,YAAD,CAAhB;AAAA,CAAJB;;ACJA;;AAiBA,IAAMnB,WA  
AW,GAAG0F,YAAy,CAACC,eAAe,CAACIe,UAAjB,CAAhC;;AACa,IAAM4a,uBAAqB,GAAG+D,sBAAsB,C  
AAC5F,WAAD,CAApD;;AACa,IAAM6F,MAAM,GAAG,SAATA,MAAS,CAACpIb,GAAD;AAAA,SAAiBukB,  
oBAAoB,CAACnD,uBAAD,EAAwBphB,GAAXB,CAArC;AAAA,CAAf;AAEA;;;AAEA,IAAMqIb,OOAO,GAA  
G,4BAAhB;AAEA;;;AAEAA,OOAO,CAACriB,KAAR,CAAc,MAAd,EAA8BxD,OOAtB,CAA8B,UAAA8Ib,KA  
AK;AAAA,SACjC3nB,MAAM,CAACoMB,cAAP,CAAsBqB,MAAtB,EAA8BE,KAA9B,EAAqC;AACnCC,IAAA  
A,UAAU,EAAE,IADuB;AAEnCC,IAAAA,YAAy,EAAE,KAFqB;AAGnCVjB,IAAAA,GAHmC,iBAG7B;AACJ,a  
AAOmjB,MAAM,CAACF,eAAe,CAACI,KAAD,CAAhB,CAAb;AACD;AALkC,GAArC,CADiC;AAAA,CAAnC;  
;;;"}

Found in path(s):

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/primitives/dist/styled-components-primitives.esm.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"styled-components.js","sources":["../src/utils/isStyledComponent.js","../src/utils/interleave.js","../src/utils/isPlainObject.js","../src/utils/empties.js","../src/utils/isFunction.js","../src/utils/getComponentName.js","../src/constants.js","../src/utils/error.js","../src/utils/errors.js","../src/sheet/GroupedTag.js","../src/sheet/GroupIDAllocator.js","../src/sheet/Rehydration.js","../src/utils/nonce.js","../src/sheet/dom.js","../src/sheet/Tag.js","../src/sheet/Sheet.js","../src/utils/generateAlphabeticName.js","../src/utils/hash.js","../src/models/ComponentStyle.js","../node_modules/@emotion/stylis/dist/stylis.esm.js","../src/utils/stylis.js","../src/utils/stylisPluginInsertRule.js","../src/models/StyleSheetManager.js","../node_modules/shallowequal/index.js","../src/models/Keyframes.js","../src/utils/hyphenateStyleName.js","../node_modules/@emotion/unitless/dist/unitless.esm.js","../src/utils/flatten.js","../src/utils/isStatelessFunction.js","../src/utils/addUnitIfNeeded.js","../src/constructors/css.js","../src/models/GlobalStyle.js","../src/utils/isStaticRules.js","../src/models/ThemeProvider.js","../src/utils/checkDynamicCreation.js","../src/utils/determineTheme.js","../src/utils/generateComponentId.js","../src/models/ServerStyleSheet.js","../node_modules/hoist-non-react-statics/dist/hoist-non-react-statics.cjs.js","../src/secretInternals.js","../src/base.js","../src/constructors/createGlobalStyle.js","../src/constructors/keyframes.js","../src/hooks/useTheme.js","../src/hoc/withTheme.js","../node_modules/@emotion/memoize/dist/emotion-memoize.esm.js","../node_modules/@emotion/is-prop-valid/dist/emotion-is-prop-valid.esm.js","../src/utils/escape.js","../src/utils/isTag.js","../src/utils/mixinDeep.js","../src/models/StyledComponent.js","../src/utils/generateDisplayName.js","../src/utils/joinStrings.js","../src/utils/createWarnTooManyClasses.js","../src/constructors/styled.js","../src/constructors/constructWithOptions.js","../src/index-standalone.js","../src/utils/domElements.js"],"sourcesContent":["// @flow\nexport default function isStyledComponent(target: any): boolean %checks {\n  return target && typeof target.styledComponentId === 'string';\n}\n\n// @flow\nimport type { Interpolation } from './types';\nexport default (\n  strings: Array<string>,\n  interpolations: Array<Interpolation>\n): Array<Interpolation> => {\n  const result =
```

```

[strings[0]];
\n\n for (let i = 0, len = interpolations.length; i < len; i += 1) {\n  result.push(interpolations[i], strings[i
+ 1]);\n }\n\n return result;\n};\n", "// @flow\nimport { typeOf } from 'react-is';\n\nexport default (x: any): boolean
=>\n x !== null &&\n typeof x === 'object' &&\n (x.toString ? x.toString() : Object.prototype.toString.call(x))
=== '[object Object]' &&\n !typeOf(x);\n", "// @flow\nexport const EMPTY_ARRAY = Object.freeze([]);\nexport
const EMPTY_OBJECT = Object.freeze({});\n", "// @flow\nexport default function isFunction(test: any): boolean
%checks {\n return typeof test === 'function';\n}\n", "// @flow\nimport type { IStyledComponent } from
'./types';\n\nexport default function getComponentName(\n target: $PropertyType<IStyledComponent, 'target'>)\n:
string {\n return (\n (process.env.NODE_ENV !== 'production' ? typeOf target === 'string' && target : false) ||\n
// $FlowFixMe\n target.displayName ||\n // $FlowFixMe\n target.name ||\n 'Component'\n );\n}\n", "//
@flow\nndeclare var SC_DISABLE_SPEEDY: ?boolean;\ndeclare var __VERSION__: string;\n\nexport const
SC_ATTR: string =\n (typeof process !== 'undefined' && (process.env.REACT_APP_SC_ATTR ||
process.env.SC_ATTR)) ||\n 'data-styled';\n\nexport const SC_ATTR_ACTIVE = 'active';\n\nexport const
SC_ATTR_VERSION = 'data-styled-version';\n\nexport const SC_VERSION = __VERSION__;\n\nexport const
SPLITTER = '/*!sc*^\\n';\n\nexport const IS_BROWSER = typeof window !== 'undefined' && 'HTMLElement' in
window;\n\nexport const DISABLE_SPEEDY =\n Boolean(typeof SC_DISABLE_SPEEDY === 'boolean'\n ?
SC_DISABLE_SPEEDY\n : (typeof process !== 'undefined' && typeOf
process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined' &&
process.env.REACT_APP_SC_DISABLE_SPEEDY !== "\n\n ?
process.env.REACT_APP_SC_DISABLE_SPEEDY === 'false' ? false :
process.env.REACT_APP_SC_DISABLE_SPEEDY\n : (typeof process !== 'undefined' && typeOf
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== "\n\n\n ?
process.env.SC_DISABLE_SPEEDY === 'false' ? false : process.env.SC_DISABLE_SPEEDY\n\n\n :
process.env.NODE_ENV !== 'production'\n\n\n ));\n\n// Shared empty execution context when generating static
styles\n\nexport const STATIC_EXECUTION_CONTEXT = {};\n", "// @flow\nimport errorMap from
'./errors';\n\nconst ERRORS = process.env.NODE_ENV !== 'production' ? errorMap : {};\n\n/**\n * super basic
version of sprintf\n */\nfunction format(...args) {\n let a = args[0];\n const b = [];\n\n for (let c = 1, len =
args.length; c < len; c += 1) {\n b.push(args[c]);\n }\n\n b.forEach(d => {\n a = a.replace(/%[a-z]/, d);\n });\n\n
return a;\n}\n\n/**\n * Create an error file out of errors.md for development and a simple web link to the full
errors\n * in production mode.\n */\nexport default function throwStyledComponentsError(\n code: string |
number,\n ...interpolations: Array<any>)\n {\n if (process.env.NODE_ENV === 'production') {\n throw new
Error(\n `An error occurred. See https://git.io/JUIaE#${code} for more information.${\n
interpolations.length > 0 ? ` Args: ${interpolations.join(', ')} ` : "\n\n\n`);\n } else {\n throw new
Error(format(ERRORS[code], ...interpolations).trim());\n }\n}\n", "export default {\n  "1": "Cannot create styled-
component for component: %s.\n\n",\n  "2": "Can't collect styles once you've consumed a `ServerStyleSheet`'s
styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.\n\n- Are you trying to reuse it
across renders?\n- Are you accidentally calling collectStyles twice?\n\n",\n  "3": "Streaming SSR is only supported
in a Node.js environment; Please do not try to call this method in the browser.\n\n",\n  "4": "The
`StyleSheetManager` expects a valid target or sheet prop!\n\n- Does this error occur on the client and is your target
falsy?\n- Does this error occur on the server and is the sheet falsy?\n\n",\n  "5": "The clone method cannot be used
on the client!\n\n- Are you running in a client-like environment on the server?\n- Are you trying to run SSR on the
client?\n\n",\n  "6": "Trying to insert a new style tag, but the given Node is unmounted!\n\n- Are you using a
custom target that isn't mounted?\n- Does your document not have a valid head element?\n- Have you accidentally
removed a style tag manually?\n\n",\n  "7": "ThemeProvider: Please return an object from your `theme` prop
function, e.g.\n\n``js\ntheme={ () => ({}) }\n\n",\n  "8": "ThemeProvider: Please make your `theme`
prop an object.\n\n",\n  "9": "Missing document <head>\n\n",\n  "10": "Cannot find a StyleSheet instance. Usually
this happens if there are multiple copies of styled-components loaded at once. Check out this issue for how to
troubleshoot and fix the common cases where this situation can happen: https://github.com/styled-
components/styled-components/issues/1941#issuecomment-417862021\n\n",\n  "11": "_This error was replaced

```

with a dev-time warning, it will be deleted for v4 final. `[createGlobalStyle]` received children which will not be rendered. Please use the component without passing children elements.

"It seems you are interpolating a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer supported in v4 as keyframes are now injected on-demand. Please wrap your string in the `css`` helper which ensures the styles are injected correctly. See <https://www.styled-components.com/docs/api#css> is not a styled component and cannot be referred to via component selector. See <https://www.styled-components.com/docs/advanced#referring-to-other-components> for more details.

"ThemeProvider: `theme` prop is required.

"A stylis plugin has been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between different stylis configurations within the same app. Before you pass your plugin to `<StyleSheetManager stylisPlugins={[]}>`, please make sure each plugin is uniquely-named, e.g. `jsObject.defineProperty(importedPlugin, 'name', { value: 'some-unique-name' });`

"Reached the limit of how many styled components may be created at group %s. You may only create up to 1,073,741,824 components. If you're creating components dynamically, as for instance in your render method then you may be running into this limitation.

"CSSStyleSheet could not be found on HTMLStyleElement.

Has styled-components' style tag been unmounted or altered by another script?

```

//
@flow
/* eslint-disable no-use-before-define */
import type { GroupedTag, Tag } from './types';
import { SPLITTER } from './constants';
import throwError from './utils/error';

/** Create a GroupedTag with an underlying Tag implementation */
export const makeGroupedTag = (tag: Tag): GroupedTag => {
  return new DefaultGroupedTag(tag);
}

const BASE_SIZE = 1 << 9;
class DefaultGroupedTag implements GroupedTag {
  groupSizes: Uint32Array;
  length: number;
  tag: Tag;

  constructor(tag: Tag) {
    this.groupSizes = new Uint32Array(BASE_SIZE);
    this.length = BASE_SIZE;
    this.tag = tag;
  }

  indexOfGroup(group: number): number {
    let index = 0;
    for (let i = 0; i < group; i++) {
      index += this.groupSizes[i];
    }
    return index;
  }

  insertRules(group: number, rules: string[]): void {
    if (group >= this.groupSizes.length) {
      const oldBuffer = this.groupSizes;
      const oldSize = oldBuffer.length;
      let newSize = oldSize;
      while (group >= newSize) {
        newSize <<= 1;
        if (newSize < 0) {
          throwError(16, `${group}`);
        }
        this.groupSizes = new Uint32Array(newSize);
        this.groupSizes.set(oldBuffer);
        this.length = newSize;
        for (let i = oldSize; i < newSize; i++) {
          this.groupSizes[i] = 0;
        }
        let ruleIndex = this.indexOfGroup(group + 1);
        for (let i = 0, l = rules.length; i < l; i++) {
          if (this.tag.insertRule(ruleIndex, rules[i])) {
            this.groupSizes[group]++;
            ruleIndex++;
          }
        }
        clearGroup(group: number): void {
          if (group < this.length) {
            const length = this.groupSizes[group];
            const startIndex = this.indexOfGroup(group);
            const endIndex = startIndex + length;
            this.groupSizes[group] = 0;
            for (let i = startIndex; i < endIndex; i++) {
              this.tag.deleteRule(startIndex);
            }
          }
        }

        getGroup(group: number): string {
          let css = "";
          if (group >= this.length || this.groupSizes[group] === 0) {
            return css;
          }
          const length = this.groupSizes[group];
          const startIndex = this.indexOfGroup(group);
          const endIndex = startIndex + length;
          for (let i = startIndex; i < endIndex; i++) {
            css += `${this.tag.getRule(i)}${SPLITTER}`;
          }
          return css;
        }
      }

      @flow
      import throwError from './utils/error';
      const MAX_SMI = 1 << 31 - 1;
      let groupIDRegister: Map<string, number> = new Map();
      let reverseRegister: Map<number, string> = new Map();
      let nextFreeGroup = 1;
      export const resetGroupIds = () => {
        groupIDRegister = new Map();
        reverseRegister = new Map();
        nextFreeGroup = 1;
      }
      export const getGroupForId = (id: string): number => {
        if (groupIDRegister.has(id)) {
          return groupIDRegister.get(id);
        }
        while (reverseRegister.has(nextFreeGroup)) {
          nextFreeGroup++;
        }
        const group = nextFreeGroup++;
        if ((process.env.NODE_ENV !== 'production' && ((group | 0) < 0 || group > MAX_SMI)) {
          throwError(16, `${group}`);
        }
        groupIDRegister.set(id, group);
        reverseRegister.set(group, id);
        return group;
      }
      export const getIdForGroup = (group: number): void | string => {
        return reverseRegister.get(group);
      }
      export const setGroupForId = (id: string, group: number) => {
        if (group >= nextFreeGroup) {
          nextFreeGroup = group + 1;
        }
        groupIDRegister.set(id, group);
        reverseRegister.set(group, id);
      }
    } from './constants';
    import
  
```



```

{ getIdForGroup, setGroupForId } from './GroupIDAllocator';\nimport type { Sheet } from './types';\n\nconst
SELECTOR = `style[${SC_ATTR}][${SC_ATTR_VERSION}]=${SC_VERSION}`;\n\nconst MARKER_RE =
new RegExp(`^${SC_ATTR}\\\\.g(\\\\d+)\\\\[id=\\'(\\\\w\\\\d-)+\\'\\\\\\\\.\\\\.*?\\'([\\^\\']*)`);\n\nexport const outputSheet =
(sheet: Sheet) => {\n  const tag = sheet.getTag();\n  const { length } = tag;\n  let css = "";\n  for (let group = 0;\n  group < length; group++) {\n    const id = getIdForGroup(group);\n    if (id === undefined) continue;\n    const\n  names = sheet.names.get(id);\n    const rules = tag.getGroup(group);\n    if (!names || !rules || !names.size)\n  continue;\n    const selector = `${SC_ATTR}.g${group}[id=${id}];`\n    let content = "";\n    if (names !==\n  undefined) {\n      names.forEach(name => {\n        if (name.length > 0) {\n          content += `${name},`;\n        }\n      });\n    }\n    // NOTE: It's easier to collect rules and have the marker\n    // after the actual rules to simplify the\n  rehydration\n    css += `${rules}${selector}{content: "${content}"}${SPLITTER}`;\n  }\n  return\n  css;\n};\n\nconst rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n  const names =\n  content.split(',');\n  let name;\n  for (let i = 0, l = names.length; i < l; i++) {\n    // eslint-disable-next-line\n    if\n  ((name = names[i])) {\n      sheet.registerName(id, name);\n    }\n  }\n};\n\nconst rehydrateSheetFromTag = (sheet:\n  Sheet, style: HTMLStyleElement) => {\n  const parts = (style.textContent || "").split(SPLITTER);\n  const rules:\n  string[] = [];\n  for (let i = 0, l = parts.length; i < l; i++) {\n    const part = parts[i].trim();\n    if (!part) continue;\n    const\n  marker = part.match(MARKER_RE);\n    if (marker) {\n      const group = parseInt(marker[1], 10) | 0;\n      const id = marker[2];\n      if (group !== 0) {\n        // Rehydrate componentId to group index mapping\n        setGroupForId(id, group);\n        // Rehydrate names and rules\n        // looks like: data-\n      styled.g11[id="idA"]{content:"nameA,"}\n      rehydrateNamesFromContent(sheet, id, marker[3]);\n      sheet.getTag().insertRules(group, rules);\n    }\n    rules.length = 0;\n  } else {\n    rules.push(part);\n  }\n  }\n};\n\nexport const rehydrateSheet = (sheet: Sheet) => {\n  const nodes =\n  document.querySelectorAll(SELECTOR);\n  for (let i = 0, l = nodes.length; i < l; i++) {\n    const node =\n  ((nodes[i]: any): HTMLStyleElement);\n    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)\n  {\n      rehydrateSheetFromTag(sheet, node);\n      if (node.parentNode) {\n        node.parentNode.removeChild(node);\n      }\n    }\n  }\n};\n\n/** @flow\n* eslint-disable camelcase, no-undef\n*\ndeclare var window: { __webpack_nonce__: string };\n\nconst getNonce = () => {\n  return typeof window\n  !== 'undefined'\n  ? typeof window.__webpack_nonce__ !== 'undefined'\n  ? window.__webpack_nonce__\n  : null\n  : null;\n};\n\nexport default getNonce;\n\n/** @flow\n\nimport { SC_ATTR, SC_ATTR_ACTIVE,\n  SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport getNonce from './utils/nonce';\nimport\n  throwStyledError from './utils/error';\n\nconst ELEMENT_TYPE = 1; /* Node.ELEMENT_TYPE */\n\n/** Find\n  last style element if any inside target */\nconst findLastStyleTag = (target: HTMLElement): void |\n  HTMLStyleElement => {\n  const { childNodes } = target;\n  for (let i = childNodes.length; i >= 0; i--) {\n    const\n  child = ((childNodes[i]: any): ?HTMLElement);\n    if (child && child.nodeType === ELEMENT_TYPE &&\n  child.hasAttribute(SC_ATTR)) {\n      return ((child: any): HTMLStyleElement);\n    }\n  }\n  return\n  undefined;\n};\n\n/** Create a style element inside `target` or <head> after the last */\nexport const makeStyleTag =\n  (target?: HTMLElement): HTMLStyleElement => {\n  const head = ((document.head: any): HTMLElement);\n  const parent = target || head;\n  const style = document.createElement('style');\n  const prevStyle =\n  findLastStyleTag(parent);\n  const nextSibling = prevStyle !== undefined ? prevStyle.nextSibling : null;\n  style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n  style.setAttribute(SC_ATTR_VERSION,\n  SC_VERSION);\n  const nonce = getNonce();\n  if (nonce) style.setAttribute('nonce', nonce);\n  parent.insertBefore(style, nextSibling);\n  return style;\n};\n\n/** Get the CSSStyleSheet instance for a given style\n  element */\nexport const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n  if (tag.sheet) {\n    return\n  ((tag.sheet: any): CSSStyleSheet);\n  }\n  // Avoid Firefox quirk where the style element might not have a sheet\n  property\n  const { styleSheets } = document;\n  for (let i = 0, l = styleSheets.length; i < l; i++) {\n    const sheet =\n  styleSheets[i];\n    if (sheet.ownerNode === tag) {\n      return ((sheet: any): CSSStyleSheet);\n    }\n  }\n  throwStyledError(17);\n  return (undefined: any);\n};\n\n/** @flow\n* eslint-disable no-use-before-define\n*\nimport { makeStyleTag, getSheet } from './dom';\nimport type { SheetOptions, Tag } from './types';\n\n/**\n  Create a CSSStyleSheet-like tag depending on the environment */\nexport const makeTag = ({ isServer,

```

```

useCSSOMInjection, target }: SheetOptions): Tag => {\n if (isServer) {\n return new VirtualTag(target);\n } else
if (useCSSOMInjection) {\n return new CSSOMTag(target);\n } else {\n return new TextTag(target);\n
}\n};\n\nexport class CSSOMTag implements Tag {\n element: HTMLStyleElement;\n\n sheet:
CSSStyleSheet;\n\n length: number;\n\n constructor(target?: HTMLElement) {\n const element = (this.element =
makeStyleTag(target));\n\n // Avoid Edge bug where empty style elements don't create sheets\n
element.appendChild(document.createTextNode("")); \n\n this.sheet = getSheet(element);\n this.length = 0;\n
}\n\n insertRule(index: number, rule: string): boolean {\n try {\n this.sheet.insertRule(rule, index);\n
this.length++;\n return true;\n } catch (_error) {\n return false;\n }\n }\n\n deleteRule(index: number):
void {\n this.sheet.deleteRule(index);\n this.length--;\n }\n\n getRule(index: number): string {\n const rule =
this.sheet.cssRules[index];\n // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n if (rule
!== undefined && typeof rule.cssText === 'string') {\n return rule.cssText;\n } else {\n return ";\n }\n
}\n}\n\n/** A Tag that emulates the CSSStyleSheet API but uses text nodes */\n\nexport class TextTag implements
Tag {\n element: HTMLStyleElement;\n\n nodes: NodeList<Node>;\n\n length: number;\n\n constructor(target?:
HTMLElement) {\n const element = (this.element = makeStyleTag(target));\n this.nodes =
element.childNodes;\n this.length = 0;\n }\n\n insertRule(index: number, rule: string): boolean {\n if (index <=
this.length && index >= 0) {\n const node = document.createTextNode(rule);\n const refNode =
this.nodes[index];\n this.element.insertBefore(node, refNode || null);\n this.length++;\n return true;\n }
else {\n return false;\n }\n }\n\n deleteRule(index: number): void {\n
this.element.removeChild(this.nodes[index]);\n this.length--;\n }\n\n getRule(index: number): string {\n if
(index < this.length) {\n return this.nodes[index].textContent;\n } else {\n return ";\n }\n }\n}\n\n/** A
completely virtual (server-side) Tag that doesn't manipulate the DOM */\n\nexport class VirtualTag implements Tag
{\n rules: string[];\n\n length: number;\n\n constructor(_target?: HTMLElement) {\n this.rules = [];\n
this.length = 0;\n }\n\n insertRule(index: number, rule: string): boolean {\n if (index <= this.length) {\n
this.rules.splice(index, 0, rule);\n this.length++;\n return true;\n } else {\n return false;\n }\n }\n\n
deleteRule(index: number): void {\n this.rules.splice(index, 1);\n this.length--;\n }\n\n getRule(index: number):
string {\n if (index < this.length) {\n return this.rules[index];\n } else {\n return ";\n }\n }\n}\n\n"/
@flow\nimport { DISABLE_SPEEDY, IS_BROWSER } from './constants';\nimport { EMPTY_OBJECT } from
'./utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport { getGroupForId } from
'./GroupIDAllocator';\nimport { outputSheet, rehydrateSheet } from './Rehydration';\nimport { makeTag } from
'./Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from './types';\n\nlet SHOULD_REHYDRATE =
IS_BROWSER;\n\ntype SheetConstructorArgs = {\n isServer?: boolean,\n useCSSOMInjection?: boolean,\n
target?: HTMLElement,\n};\n\ntype GlobalStylesAllocationMap = { [key: string]: number }; \ntype
NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions: SheetOptions = {\n isServer:
!IS_BROWSER,\n useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains the main stylesheet logic for
stringification and caching */\n\nexport default class StyleSheet implements Sheet {\n gs:
GlobalStylesAllocationMap;\n\n names: NamesAllocationMap;\n\n options: SheetOptions;\n\n server:
boolean;\n\n tag: void | GroupedTag;\n\n /** Register a group ID to give it an index */\n\n static registerId(id:
string): number {\n return getGroupForId(id);\n }\n\n constructor(\n options: SheetConstructorArgs =
EMPTY_OBJECT,\n globalStyles?: GlobalStylesAllocationMap = {},\n names?: NamesAllocationMap\n ) {\n
this.options = {\n ...defaultOptions,\n ...options,\n }; \n\n this.gs = globalStyles;\n this.names = new
Map(names);\n this.server = !options.isServer;\n\n // We rehydrate only once and use the sheet that is created
first\n if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n SHOULD_REHYDRATE =
false;\n rehydrateSheet(this);\n }\n }\n\n reconstructWithOptions(options: SheetConstructorArgs,
withNames?: boolean = true) {\n return new StyleSheet(\n { ...this.options, ...options },\n this.gs,\n
(withNames && this.names) || undefined\n );\n }\n\n allocateGSInstance(id: string) {\n return (this.gs[id] =
(this.gs[id] || 0) + 1);\n }\n\n /** Lazily initialises a GroupedTag for when it's actually needed */\n\n getTag():
GroupedTag {\n return this.tag || (this.tag = makeGroupedTag(makeTag(this.options))); \n }\n\n /** Check
whether a name is known for caching */\n\n hasNameForId(id: string, name: string): boolean {\n return

```

```

this.names.has(id) && (this.names.get(id): any).has(name);\n }\n\n /** Mark a group's name as known for caching
*\n registerName(id: string, name: string) {\n  getGroupForId(id);\n\n  if (!this.names.has(id)) {\n    const
groupNames = new Set();\n    groupNames.add(name);\n    this.names.set(id, groupNames);\n  } else {\n
(this.names.get(id): any).add(name);\n  }\n }\n\n /** Insert new rules which also marks the name as known *\n
insertRules(id: string, name: string, rules: string[]) {\n  this.registerName(id, name);\n
this.getTag().insertRules(getGroupForId(id), rules);\n }\n\n /** Clears all cached names for a given group ID *\n
clearNames(id: string) {\n  if (this.names.has(id)) {\n    (this.names.get(id): any).clear();\n  }\n }\n\n /** Clears
all rules for a given group ID *\n
clearRules(id: string) {\n  this.getTag().clearGroup(getGroupForId(id));\n
this.clearNames(id);\n }\n\n /** Clears the entire tag which deletes all rules but not its names *\n
clearTag() {\n
// NOTE: This does not clear the names, since it's only used during SSR\n // so that we can continuously output
only new rules\n  this.tag = undefined;\n }\n\n /** Outputs the current sheet as a CSS string with markers for SSR
*\n
toString(): string {\n  return outputSheet(this);\n }\n}\n", "// @flow\n/* eslint-disable no-bitwise *\n\nconst
AD_REPLACER_R = /(a)(d)/gi;\n\n/* This is the "capacity" of our alphabet i.e. 2x26 for all letters plus their
capitalised\n * counterparts *\n\nconst charsLength = 52;\n\n/* start at 75 for 'a' until 'z' (25) and then start at 65 for
capitalised letters *\n\nconst getAlphabeticChar = (code: number): string =>\n  String.fromCharCode(code + (code >
25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to base-52 *\n\nexport default function
generateAlphabeticName(code: number): string {\n  let name = "";\n  let x;\n\n  /* get a char and divide by alphabet-
length *\n  for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {\n    name = getAlphabeticChar(x
% charsLength) + name;\n  }\n\n  return (getAlphabeticChar(x % charsLength) +
name).replace(AD_REPLACER_R, '$1-$2');\n}\n", "// @flow\n\n/* eslint-disable *\n\nexport const SEED =
5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we pretend that
we're still looping over\n// the same string\n\nexport const phash = (h: number, x: string): number => {\n  let i =
x.length;\n\n  while (i) {\n    h = (h * 33) ^ x.charCodeAt(--i);\n  }\n\n  return h;\n};\n\n// This is a djb2 hashing
function\n\nexport const hash = (x: string): number => {\n  return phash(SEED, x);\n};\n", "// @flow\n\nimport {
SC_VERSION } from './constants';\nimport StyleSheet from './sheet';\nimport type { RuleSet, Stringifier } from
'./types';\nimport flatten from './utils/flatten';\nimport generateName from
'./utils/generateAlphabeticName';\nimport { hash, phash } from './utils/hash';\nimport isStaticRules from
'./utils/isStaticRules';\n\nconst SEED = hash(SC_VERSION);\n\n/**\n * ComponentStyle is all the CSS-specific
stuff, not the React-specific stuff.\n *\nexport default class ComponentStyle {\n  baseHash: number;\n\n  baseStyle:
?ComponentStyle;\n\n  componentId: string;\n\n  isStatic: boolean;\n\n  rules: RuleSet;\n\n  staticRulesId: string;\n\n
constructor(rules: RuleSet, componentId: string, baseStyle?: ComponentStyle) {\n  this.rules = rules;\n
this.staticRulesId = "";\n  this.isStatic = process.env.NODE_ENV === 'production' &&\n    (baseStyle ===
undefined || baseStyle.isStatic) &&\n    isStaticRules(rules);\n  this.componentId = componentId;\n\n  //
SC_VERSION gives us isolation between multiple runtimes on the page at once\n // this is improved further with
use of the babel plugin "namespace" feature\n  this.baseHash = phash(SEED, componentId);\n\n  this.baseStyle =
baseStyle;\n\n  // NOTE: This registers the componentId, which ensures a consistent order\n // for this
component's styles compared to others\n  StyleSheet.registerId(componentId);\n }\n\n /* *\n * Flattens a rule set
into valid CSS\n * Hashes it, wraps the whole chunk in a .hash1234 { }\n * Returns the hash to be injected on
render()\n * *\n generateAndInjectStyles(executionContext: Object, styleSheet: StyleSheet, stylis: Stringifier) {\n
const { componentId } = this;\n\n  const names = [];\n\n  if (this.baseStyle) {\n
names.push(this.baseStyle.generateAndInjectStyles(executionContext, styleSheet, stylis));\n  }\n\n  // force
dynamic classnames if user-supplied stylis plugins are in use\n  if (this.isStatic && !stylis.hash) {\n    if
(this.staticRulesId && styleSheet.hasNameForId(componentId, this.staticRulesId)) {\n
names.push(this.staticRulesId);\n  } else {\n    const cssStatic = flatten(this.rules, executionContext, styleSheet,
stylis).join("");\n    const name = generateName(phash(this.baseHash, cssStatic) >>> 0);\n\n    if
(!styleSheet.hasNameForId(componentId, name)) {\n      const cssStaticFormatted = stylis(cssStatic, `.${name}`,
undefined, componentId);\n      styleSheet.insertRules(componentId, name, cssStaticFormatted);\n    }\n\n
names.push(name);\n    this.staticRulesId = name;\n  }\n } else {\n  const { length } = this.rules;\n  let

```

```

dynamicHash = phash(this.baseHash, stylis.hash);\n    let css = '';\n    for (let i = 0; i < length; i++) {\n        const
partRule = this.rules[i];\n        if (typeof partRule === 'string') {\n            css += partRule;\n            if
(process.env.NODE_ENV !== 'production') dynamicHash = phash(dynamicHash, partRule + i);\n        } else if
(partRule) {\n            const partChunk = flatten(partRule, executionContext, styleSheet, stylis);\n            const
partString = Array.isArray(partChunk) ? partChunk.join('') : partChunk;\n            dynamicHash =
phas(dynamicHash, partString + i);\n            css += partString;\n        }\n    }\n    if (css) {\n        const name =
generateName(dynamicHash >>> 0);\n        if (!styleSheet.hasNameForId(componentId, name)) {\n            const
cssFormatted = stylis(css, `.${name}`, undefined, componentId);\n            styleSheet.insertRules(componentId, name,
cssFormatted);\n        }\n        names.push(name);\n    }\n    return names.join('');\n}\n}\n", "function
stylis_min (W) {\n    function M(d, c, e, h, a) {\n        for (var m = 0, b = 0, v = 0, n = 0, q, g, x = 0, K = 0, k, u = k = q =
0, l = 0, r = 0, I = 0, t = 0, B = e.length, J = B - 1, y, f = '', p = '', F = '', G = '', C; l < B;) {\n            g = e.charCodeAt(l);\n            l === J && 0 !== b + n + v + m && (0 !== b && (g = 47 === b ? 10 : 47), n = v = m = 0, B++, J++);\n            if (0
=== b + n + v + m) {\n                if (l === J && (0 < r && (f = f.replace(N, '')), 0 < f.trim().length)) {\n                    switch (g)
{\n                        case 32:\n                            case 9:\n                                case 59:\n                                    case 13:\n  case 10:\n  break;\n                                default:\n                                    f += e.charAt(l);\n                                }\n                                g = 59;\n                                }\n                                switch (g) {\n                                    case 123:\n  f = f.trim();\n  q = f.charCodeAt(0);\n  k = 1;\n  for (t = ++l; l < B;) {\n  switch (g =
e.charCodeAt(l)) {\n  case 123:\n  k++;\n  break;\n  case 125:\n  k--
;\n  break;\n  case 47:\n  switch (g = e.charCodeAt(l + 1)) {\n  case 42:\n  case 47:\n  a: {\n  for (u = l + 1; u < J; ++u) {\n  switch
(e.charCodeAt(u)) {\n  case 47:\n  if (42 === g && 42 === e.charCodeAt(u - 1)
&& l + 2 !== u) {\n  l = u + 1;\n  break a;\n  }\n  break;\n  case 10:\n  if (47 === g) {\n  l = u + 1;\n  break a;\n  }\n  }\n  }\n  break;\n  case 91:\n  g++;\n  case 40:\n  g--;\n  case 34:\n  case 39:\n  for (; l++ < J && e.charCodeAt(l) !== g;) {\n  }\n  }\n  if (0 === k) break;\n  l++;\n  }\n  k = e.substring(t, l);\n  0
=== q && (q = (f = f.replace(ca, '').trim()).charCodeAt(0));\n  switch (q) {\n  case 64:\n  0 <
r && (f = f.replace(N, ''));\n  g = f.charCodeAt(1);\n  switch (g) {\n  case 100:\n  case 109:\n  case 115:\n  case 45:\n  r = c;\n  break;\n  default:\n  r = O;\n  }\n  k = M(c, r, g, a + 1);\n  t = k.length;\n  0
< A && (r = X(O, f, I), C = H(3, k, r, c, D, z, t, g, a, h), f = r.join(''), void 0 !== C && 0 === (t = (k =
C.trim()).length) && (g = 0, k = ''));\n  if (0 < t) switch (g) {\n  case 115:\n  f =
f.replace(da, ea);\n  case 100:\n  case 109:\n  case 45:\n  k = f + '{' + k +
'}';\n  break;\n  case 107:\n  f = f.replace(fa, '$1 $2');\n  k = f + '{' + k +
'}';\n  k = 1 === w || 2 === w && L('@' + k, 3) ? '@-webkit-' + k + '@' + k : '@' + k;\n  break;\n  default:\n  k = f + k, 112 === h && (k = (p += k, ''));\n  } else k = '';\n  break;\n  default:\n  k = M(c, X(c, f, I), k, h, a + 1);\n  }\n  F += k;\n  k = I
= r = u = q = 0;\n  f = '';\n  g = e.charCodeAt(++l);\n  break;\n  case 125:\n  case 59:\n  f = (0 < r ? f.replace(N, '') : f.trim());\n  if (l < (t = f.length)) switch (0 === u && (q = f.charCodeAt(0),
45 === q || 96 < q && 123 > q) && (t = (f = f.replace(' ', ':')).length), 0 < A && void 0 !== (C = H(1, f, c, d, D, z,
p.length, h, a, h)) && 0 === (t = (f = C.trim()).length) && (f = '\\x00\\x00'), q = f.charCodeAt(0), g =
f.charCodeAt(1), q) {\n  case 0:\n  break;\n  case 64:\n  if (105 === g || 99 === g)
{\n  G += f + e.charAt(l);\n  break;\n  }\n  default:\n  58 !==
f.charCodeAt(t - 1) && (p += P(f, q, g, f.charCodeAt(2)));\n  }\n  I = r = u = q = 0;\n  f = '';\n  g = e.charCodeAt(++l);\n  }\n  }\n  switch (g) {\n  case 13:\n  case 10:\n  47 === b ? b = 0 :
0 === 1 + q && 107 !== h && 0 < f.length && (r = 1, f += '\\x00');\n  0 < A * Y && H(0, f, c, d, D, z,
p.length, h, a, h);\n  z = 1;\n  D++;\n  break;\n  case 59:\n  case 125:\n  if (0 === b + n
+ v + m) {\n  z++;\n  break;\n  }\n  default:\n  z++;\n  y = e.charAt(l);\n  \n

```

```

switch (g) {\n      case 9:\n      case 32:\n      if (0 === n + m + b) switch (x) {\n      case 44:\n      case 58:\n      case 9:\n      case 32:\n      y = ";\n      break;\n      default:\n      32 !== g && (y = ');\n      }\n      break;\n      case 0:\n      y = '\\0';\n      break;\n      case 12:\n      y = '\\f';\n      break;\n      case 11:\n      y = '\\v';\n      break;\n      case 38:\n      0 === n + b + m && (r = I = 1, y = '\\f + y);\n      break;\n      case 108:\n      if (0\n      === n + b + m + E && 0 < u) switch (l - u) {\n      case 2:\n      112 === x && 58 === e.charCodeAt(l\n      - 3) && (E = x);\n      case 8:\n      111 === K && (E = K);\n      }\n      break;\n      case 58:\n      0 === n + b + m && (u = 1);\n      break;\n      case 44:\n      0 === b + v + n + m\n      && (r = 1, y += '\\r);\n      break;\n      case 34:\n      case 39:\n      0 === b && (n = n === g ? 0 :\n      0 === n ? g : n);\n      break;\n      case 91:\n      0 === n + b + v && m++;\n      break;\n      case 93:\n      0 === n + b + v && m--;\n      break;\n      case 41:\n      0 === n + b + m && v--\n      ;\n      break;\n      case 40:\n      if (0 === n + b + m) {\n      if (0 === q) switch (2 * x + 3 * K)\n      {\n      case 533:\n      break;\n      default:\n      q = 1;\n      }\n      v++;\n      }\n      break;\n      case 64:\n      0 === b + v + n + m + u + k && (k = 1);\n      break;\n      case 42:\n      case 47:\n      if (!(0 < n + m + v)) switch (b) {\n      case 0:\n      switch (2 * g + 3 * e.charCodeAt(l + 1)) {\n      case 235:\n      b = 47;\n      break;\n      case 220:\n      t = l, b = 42;\n      }\n      break;\n      case 42:\n      47 === g && 42 === x && t + 2 !== l && (33 === e.charCodeAt(t + 2) && (p += e.substring(t, l + 1)), y = ", b =\n      0);\n      }\n      }\n      0 === b && (f += y);\n      }\n      K = x;\n      x = g;\n      l++; }\n      t =\n      p.length;\n      if (0 < t) {\n      r = c;\n      if (0 < A && (C = H(2, p, r, d, D, z, t, h, a, h), void 0 !== C && 0 === (p\n      = C).length)) return G + p + F;\n      p = r.join(',') + '{ + p + '};\n      if (0 !== w * E) {\n      2 !== w || L(p, 2) || (E\n      = 0);\n      switch (E) {\n      case 111:\n      p = p.replace(ha, '-moz-$1') + p;\n      break;\n      case\n      112:\n      p = p.replace(Q, ':-webkit-input-$1') + p.replace(Q, ':-moz-$1') + p.replace(Q, '-ms-input-$1') + p;\n      }\n      E = 0;\n      }\n      }\n      return G + p + F;\n      }\n      function X(d, c, e) {\n      var h = c.trim().split(ia);\n      c = h;\n      var a = h.length,\n      m = d.length;\n      switch (m) {\n      case 0:\n      case 1:\n      var b = 0;\n      for (d = 0 === m ? " : d[0] + ' '; b < a; ++b) {\n      c[b] = Z(d, c[b], e).trim();\n      }\n      break;\n      default:\n      var v = b = 0;\n      for (c = []; b < a; ++b) {\n      for (var n = 0; n < m; ++n) {\n      c[v++] =\n      Z(d[n] + ' ', h[b], e).trim();\n      }\n      }\n      }\n      return c;\n      }\n      function Z(d, c, e) {\n      var h =\n      c.charCodeAt(0);\n      33 > h && (h = (c = c.trim()).charCodeAt(0));\n      switch (h) {\n      case 38:\n      return\n      c.replace(F, '$1' + d.trim());\n      case 58:\n      return d.trim() + c.replace(F, '$1' + d.trim());\n      default:\n      if (0 < 1 * e && 0 < c.indexOf('\\f')) return c.replace(F, (58 === d.charCodeAt(0) ? " : '$1') + d.trim());\n      }\n      return d + c;\n      }\n      function P(d, c, e, h) {\n      var a = d + ';\n      m = 2 * c + 3 * e + 4 * h;\n      if (944 === m)\n      {\n      d = a.indexOf(':', 9) + 1;\n      var b = a.substring(d, a.length - 1).trim();\n      b = a.substring(0, d).trim() + b +\n      ';\n      return 1 === w || 2 === w && L(b, 1) ? '-webkit-' + b + b : b;\n      }\n      if (0 === w || 2 === w && !L(a,\n      1)) return a;\n      switch (m) {\n      case 1015:\n      return 97 === a.charCodeAt(10) ? '-webkit-' + a + a : a;\n      case 951:\n      return 116 === a.charCodeAt(3) ? '-webkit-' + a + a : a;\n      case 963:\n      return 110 ===\n      a.charCodeAt(5) ? '-webkit-' + a + a : a;\n      case 1009:\n      if (100 !== a.charCodeAt(4)) break;\n      case\n      969:\n      case 942:\n      return '-webkit-' + a + a;\n      case 978:\n      return '-webkit-' + a + '-moz-' + a + a;\n      case 1019:\n      case 983:\n      return '-webkit-' + a + '-moz-' + a + '-ms-' + a + a;\n      case 883:\n      if (45\n      === a.charCodeAt(8)) return '-webkit-' + a + a;\n      if (0 < a.indexOf('image-set(', 11)) return a.replace(ja, '$1-\n      webkit-$2') + a;\n      break;\n      case 932:\n      if (45 === a.charCodeAt(4)) switch (a.charCodeAt(5)) {\n      case 103:\n      return '-webkit-box-' + a.replace('-grow', ") + '-webkit-' + a + '-ms-' + a.replace('grow', 'positive')\n      + a;\n      case 115:\n      return '-webkit-' + a + '-ms-' + a.replace('shrink', 'negative') + a;\n      case 98:\n      return '-webkit-' + a + '-ms-' + a.replace('basis', 'preferred-size') + a;\n      }\n      return '-webkit-' + a + '-ms-' + a + a;\n      case 964:\n      return '-webkit-' + a + '-ms-flex-' + a + a;\n      case 1023:\n      if (99 !==\n      a.charCodeAt(8)) break;\n      b = a.substring(a.indexOf(':', 15)).replace('flex-', ").replace('space-between',\n      'justify');\n      return '-webkit-box-pack' + b + '-webkit-' + a + '-ms-flex-pack' + b + a;\n      case 1005:\n      return ka.test(a) ? a.replace(aa, '-webkit-') + a.replace(aa, '-moz-') + a : a;\n      case 1e3:\n      b =

```

```

a.substring(13).trim();\n      c = b.indexOf('.') + 1;\n\n      switch (b.charCodeAt(0) + b.charCodeAt(c)) {\n
case 226:\n      b = a.replace(G, 'tb');\n      break;\n\n      case 232:\n      b = a.replace(G, 'tb-rl');\n
break;\n\n      case 220:\n      b = a.replace(G, 'lr');\n      break;\n\n      default:\n      return a;\n
}\n\n      return '-webkit-' + a + '-ms-' + b + a;\n\n      case 1017:\n      if (-1 === a.indexOf('sticky', 9)) break;\n\n
case 975:\n      c = (a = d).length - 10;\n      b = (33 === a.charCodeAt(c) ? a.substring(0, c) :
a).substring(d.indexOf(':', 7) + 1).trim();\n\n      switch (m = b.charCodeAt(0) + (b.charCodeAt(7) | 0)) {\n
case 203:\n      if (111 > b.charCodeAt(8)) break;\n\n\n      case 115:\n      a = a.replace(b, '-webkit-' + b) +
';'\n      + a;\n      break;\n\n\n      case 207:\n      case 102:\n      a = a.replace(b, '-webkit-' + (102 < m ? 'inline-' :
)'\n      + 'box') + ';'\n      + a.replace(b, '-webkit-' + b) + ';'\n      + a.replace(b, '-ms-' + b + 'box') +
';'\n      + a;\n      }\n\n      return a +
';';\n\n      case 938:\n      if (45 === a.charCodeAt(5)) switch (a.charCodeAt(6)) {\n      case 105:\n      return
b = a.replace('-items', ''), '-webkit-' + a + '-webkit-box-' + b + '-ms-flex-' + b + a;\n\n\n      case 115:\n      return
'-webkit-' + a + '-ms-flex-item-' + a.replace(ba, '') + a;\n\n\n      default:\n      return '-webkit-' + a + '-ms-flex-line
pack' + a.replace('align-content', '').replace(ba, '') + a;\n      }\n      break;\n\n\n      case 973:\n      case 989:\n      if
(45 !== a.charCodeAt(3) || 122 === a.charCodeAt(4)) break;\n\n\n      case 931:\n      case 953:\n      if (!0 ===
la.test(d)) return 115 === (b = d.substring(d.indexOf('.') + 1)).charCodeAt(0) ? P(d.replace('stretch', 'fill-available'),
c, e, h).replace(':fill-available', 'stretch') : a.replace(b, '-webkit-' + b) + a.replace(b, '-moz-' + b.replace('fill-',
)) +
a;\n      break;\n\n\n      case 962:\n      if (a = '-webkit-' + a + (102 === a.charCodeAt(5) ? '-ms-' + a :
) + a, 211
=== e + h && 105 === a.charCodeAt(13) && 0 < a.indexOf('transform', 10)) return a.substring(0, a.indexOf(':', 27)
+ 1).replace(ma, '$1-webkit-$2') + a;\n      }\n\n      return a;\n      }\n\n      function L(d, c) {\n      var e = d.indexOf(1 === c ?
':': '{');\n      h = d.substring(0, 3 !== c ? e : 10);\n      e = d.substring(e + 1, d.length - 1);\n      return R(2 !== c ? h :
h.replace(na, '$1'), e, c);\n      }\n\n      function ea(d, c) {\n      var e = P(c, c.charCodeAt(0), c.charCodeAt(1),
c.charCodeAt(2));\n      return e !== c + '?' ? e.replace(oa, ' or ($1)').substring(4) : '(' + c + ')';\n      }\n\n      function H(d, c,
e, h, a, m, b, v, n, q) {\n      for (var g = 0, x = c, w; g < A; ++g) {\n      switch (w = S[g].call(B, d, x, e, h, a, m, b, v, n,
q)) {\n      case void 0:\n      case !1:\n      case !0:\n      case null:\n      break;\n\n      default:\n      x = w;\n
}\n      }\n\n      if (x !== c) return x;\n      }\n\n      function T(d) {\n      switch (d) {\n      case void 0:\n      case null:\n
A = S.length = 0;\n      break;\n\n      default:\n      if ('function' === typeof d) S[A++] = d;else if ('object' ===
typeof d) for (var c = 0, e = d.length; c < e; ++c) {\n      T(d[c]);\n      } else Y = !!d | 0;\n      }\n\n      return T;\n
}\n\n      function U(d) {\n      d = d.prefix;\n      void 0 !== d && (R = null, d ? 'function' !== typeof d ? w = 1 : (w = 2, R
= d) : w = 0);\n      return U;\n      }\n\n      function B(d, c) {\n      var e = d;\n      33 > e.charCodeAt(0) && (e = e.trim());\n
V = e;\n      e = [V];\n\n      if (0 < A) {\n      var h = H(-1, c, e, e, D, z, 0, 0, 0, 0);\n      void 0 !== h && 'string' ===
typeof h && (c = h);\n      }\n\n      var a = M(O, e, c, 0, 0);\n      0 < A && (h = H(-2, a, e, e, D, z, a.length, 0, 0, 0),
void 0 !== h && (a = h));\n      V = '';\n      E = 0;\n      z = D = 1;\n      return a;\n      }\n\n      var ca = /\\0+/, N =
/\\0\\0\\r\\f/g,\n      aa = /:/g,\n      ka = /zoo|gra/, ma = /([: ])(transform)/g,\n      ia = /,\\r+?/g,\n      F =
/([\\t|\\r|\\n])*\\?&/g,\n      fa = /@([k|w+]|\\s*(\\S*))\\s*/,\n      Q = /::(place)/g,\n      ha = /:(read-only)/g,\n      G =
/[svh]\\w+[-tblr]{2}/,\n      da = /\\(\\s*(.*)\\s*)/g,\n      oa = /([\\s|\\S]*)/g,\n      ba = /-selfflex-/g,\n      na =
/[^]*?([rp][el][\\w-]+)[^]*/, la = /stretch|\\s*\\w+\\-(?:cont|avail)/,\n      ja = /([^-])(image-set\\()/,\n      z =
1,\n      D = 1,\n      E = 0,\n      w = 1,\n      O = [],\n      S = [],\n      A = 0,\n      R = null,\n      Y = 0,\n      V = '';\n
B.use = T;\n      B.set = U;\n      void 0 !== W && U(W);\n      return B;\n      }\n\n      export default stylis_min;\n      import Stylis
from '@emotion/stylis';\n      import { type Stringifier } from './types';\n      import { EMPTY_ARRAY, EMPTY_OBJECT
} from './empties';\n      import throwError from './error';\n      import { phash, SEED } from './hash';\n      import
insertRulePlugin from './stylisPluginInsertRule';\n      const COMMENT_REGEX = /^\\s*\\|\\|\\.\\s*/gm;\n      const
COMPLEX_SELECTOR_PREFIX = [':', '[', '!', '#'];\n      type StylisInstanceConstructorArgs = {\n      options?:
Object,\n      plugins?: Array<Function>,\n      }\n      export default function createStylisInstance({\n      options =
EMPTY_OBJECT,\n      plugins = EMPTY_ARRAY,\n      }: StylisInstanceConstructorArgs = EMPTY_OBJECT) {\n      const stylis = new Stylis(options);\n\n      // Wrap `insertRulePlugin` to build a list of rules,\n      // and then make our own
plugin to return the rules. This\n      // makes it easier to hook into the existing SSR architecture\n      let parsingRules =
[];\n\n      // eslint-disable-next-line consistent-return\n      const returnRulesPlugin = context => {\n      if (context === -2)\n      {\n      const parsedRules = parsingRules;\n      parsingRules = [];\n      return parsedRules;\n      }\n      };\n      const

```

```

parseRulesPlugin = insertRulePlugin(rule => {\n  parsingRules.push(rule);\n });\n\n let _componentId: string;\n let _selector: string;\n let _selectorRegex: RegExp;\n let _consecutiveSelfRefRegExp: RegExp;\n\n const\n selfReferenceReplacer = (match, offset, string) => {\n  if (\n    // do not replace the first occurrence if it is\n    complex (has a modifier)\n    (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length])\n    === -1 : true) &&\n    // no consecutive self refs (.b.b); that is a precedence boost and treated differently\n    !string.match(_consecutiveSelfRefRegExp)\n  ) {\n    return `.${_componentId}`;\n  }\n  return match;\n};\n\n /**\n * When writing a style like\n * & + & {\n *   color: red;\n * }\n * The second\n ampersand should be a reference to the static component class. stylis\n * has no knowledge of static class so we\n have to intelligently replace the base selector.\n *\n * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <-\n more info about the context phase values\n * \"2\" means this plugin is taking effect at the very end after all other\n processing is complete\n *\n const selfReferenceReplacementPlugin = (context, _, selectors) => {\n  if (context\n    === 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n    // eslint-disable-next-line no-param-reassign\n    selectors[0] = selectors[0].replace(_selectorRegex, selfReferenceReplacer);\n  }\n};\n\n stylis.use([...plugins, selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);\n\n function\n stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {\n  const flatCSS =\n css.replace(COMMENT_REGEX, '');\n  const cssStr = selector && prefix ? `${prefix} ${selector} { ${flatCSS}\n }\n` : flatCSS;\n\n  // stylis has no concept of state to be passed to plugins\n  // but since JS is single-threaded, we\n can rely on that to ensure\n  // these properties stay in sync with the current stylis run\n  _componentId =\n componentId;\n  _selector = selector;\n  _selectorRegex = new RegExp(`\\|\\|\\|\\|${_selector}\\|\\|\\|\\|b`, 'g');\n  _consecutiveSelfRefRegExp = new RegExp(`(\\|\\|\\|\\|${_selector}\\|\\|\\|\\|b){2,}`);\n\n  return stylis(prefix || !selector ? "\n selector, cssStr);\n }\n\n stringifyRules.hash = plugins.length\n ? plugins\n   .reduce((acc, plugin) => {\n   if (!plugin.name) {\n     throw StyledError(15);\n   }\n   return phash(acc, plugin.name);\n },\n SEED)\n   .toString()\n   : "";\n\n return stringifyRules;\n}\n\n", /**\n * MIT License\n *\n * Copyright (c) 2016\n Sultan Tarimo\n *\n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this\n software and associated documentation files (the \"Software\"),\n * to deal in the Software without restriction,\n including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell\n copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following\n conditions:\n *\n * The above copyright notice and this permission notice shall be included in all\n * copies or\n substantial portions of the Software.\n *\n * THE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT\n WARRANTY OF ANY KIND, EXPRESS\n * OR IMPLIED INCLUDING BUT NOT LIMITED TO THE\n WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND\n NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE\n FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n * WHETHER IN AN ACTION OF CONTRACT,\n TORT OR OTHERWISE, ARISING FROM, OUT OF OR\n * IN CONNECTION WITH THE SOFTWARE OR\n THE USE OR OTHER DEALINGS IN THE SOFTWARE.\n *\n\n * eslint-disable *\n\n\nexport default\n function(insertRule) {\n  const delimiter = '/**/';\n  const needle = `${delimiter}`;\n\n  function toSheet(block) {\n    if (block) {\n      try {\n        insertRule(`${block}`);\n      } catch (e) {\n      }\n\n      return function ruleSheet(\n        context,\n        content,\n        selectors,\n        parents,\n        line,\n        column,\n        length,\n        ns,\n        depth,\n        at\n      ) {\n        switch (context) {\n          // property\n          case 1:\n            // @import\n            if (depth === 0 && content.charCodeAt(0)\n            === 64) return insertRule(`${content}`); break;\n            // selector\n            case 2:\n              if (ns === 0) return\n              content + delimiter;\n              break;\n            // at-rule\n            case 3:\n              switch (ns) {\n                // @font-face, @page\n                case 102:\n                  case 112:\n                    return insertRule(selectors[0] + content), ";";\n                  default:\n                    return\n                    content + (at === 0 ? delimiter : " ");\n                }\n              case -2:\n                content.split(needle).forEach(toSheet);\n              }\n            }\n          }\n\n        },\n        /**\n * @flow\n\nimport React, { type Context, type Node, useContext, useEffect, useMemo, useState } from\n 'react';\n\nimport shallowequal from 'shallowequal';\nimport StyleSheet from './sheet';\nimport type { Stringifier }\n from './types';\nimport createStylisInstance from './utils/stylis';\n\nntype Props = {\n  children?: Node,\n  disableCSSOMInjection?: boolean,\n  disableVendorPrefixes?: boolean,\n  sheet?: StyleSheet,\n  stylisPlugins?:\n Array<Function>,\n  target?: HTMLElement,\n};\n\n\nexport const StyleSheetContext: Context<StyleSheet | void> =

```

```

React.createContext();\nexport const StyleSheetConsumer = StyleSheetContext.Consumer;\nexport const
StylisContext: Context<Stringifier | void> = React.createContext();\nexport const StylisConsumer =
StylisContext.Consumer;\n\nexport const masterSheet: StyleSheet = new StyleSheet();\nexport const masterStylis:
Stringifier = createStylisInstance();\n\nexport function useStyleSheet(): StyleSheet {\n  return
useContext(StyleSheetContext) || masterSheet;\n}\n\nexport function useStylis(): Stringifier {\n  return
useContext(StylisContext) || masterStylis;\n}\n\nexport default function StyleSheetManager(props: Props) {\n  const
[plugins, setPlugins] = useState(props.stylisPlugins);\n  const contextStyleSheet = useStyleSheet();\n\n  const
styleSheet = useMemo(() => {\n    let sheet = contextStyleSheet;\n\n    if (props.sheet) {\n      // eslint-disable-next-
line prefer-destructuring\n      sheet = props.sheet;\n    } else if (props.target) {\n      sheet =
sheet.reconstructWithOptions({ target: props.target }, false);\n    }\n\n    if (props.disableCSSOMInjection) {\n      sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });\n    }\n\n    return sheet;\n  },
[props.disableCSSOMInjection, props.sheet, props.target]);\n\n  const stylis = useMemo(\n    () =>\n    createStylisInstance({\n      options: { prefix: !props.disableVendorPrefixes },\n      plugins,\n    }),\n    [props.disableVendorPrefixes, plugins]\n  );\n\n  useEffect(() => {\n    if (!shallowEqual(plugins,
props.stylisPlugins)) setPlugins(props.stylisPlugins);\n  }, [props.stylisPlugins]);\n\n  return (\n    <StyleSheetContext.Provider value={styleSheet}>\n      <StylisContext.Provider value={stylis}>\n        {process.env.NODE_ENV !== 'production'\n          ? React.Children.only(props.children)\n          : props.children}\n      </StylisContext.Provider>\n    </StyleSheetContext.Provider>\n  );\n}\n", "\n\nmodule.exports = function
shallowEqual(objA, objB, compare, compareContext) {\n  var ret = compare ? compare.call(compareContext, objA,
objB) : void 0;\n\n  if (ret !== void 0) {\n    return !!ret;\n  }\n\n  if (objA === objB) {\n    return true;\n  }\n\n  if
(typeof objA !== 'object' || !objA || typeof objB !== 'object' || !objB) {\n    return false;\n  }\n\n  var keysA =
Object.keys(objA);\n  var keysB = Object.keys(objB);\n\n  if (keysA.length !== keysB.length) {\n    return false;\n  }\n\n  var bHasOwnProperty = Object.prototype.hasOwnProperty.bind(objB);\n\n  // Test for A's keys different from
B.\n  for (var idx = 0; idx < keysA.length; idx++) {\n    var key = keysA[idx];\n\n    if (!bHasOwnProperty(key)) {\n      return false;\n    }\n\n    var valueA = objA[key];\n    var valueB = objB[key];\n\n    ret = compare ?
compare.call(compareContext, valueA, valueB, key) : void 0;\n\n    if (ret === false || (ret === void 0 && valueA
!== valueB)) {\n      return false;\n    }\n  }\n\n  return true;\n};\n", "\n\n@flow\nimport StyleSheet from
'./sheet';\nimport { type Stringifier } from './types';\nimport throwStyledError from './utils/error';\nimport {
masterStylis } from './StyleSheetManager';\n\nexport default class Keyframes {\n  id: string;\n  name: string;\n  rules: string;\n\n  constructor(name: string, rules: string) {\n    this.name = name;\n    this.id = `sc-keyframes-
${name}`;\n    this.rules = rules;\n  }\n\n  inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis)
=> {\n    const resolvedName = this.name + stylisInstance.hash;\n\n    if (!styleSheet.hasNameForId(this.id,
resolvedName)) {\n      styleSheet.insertRules(\n        this.id,\n        resolvedName,\n        stylisInstance(this.rules,
resolvedName, '@keyframes')\n      );\n    }\n  };\n\n  toString = () => {\n    return throwStyledError(12,
String(this.name));\n  };\n\n  getName(stylisInstance: Stringifier = masterStylis) {\n    return this.name +
stylisInstance.hash;\n  }\n}\n", "\n\n@flow\n\n * inlined version of\n *
https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n * \n\nconst
uppercaseCheck = /([A-Z]);\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-;\nconst
prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n * Hyphenates a camelcased
CSS property name, for example:\n * \n * > hyphenateStyleName('backgroundColor')\n * < \"background-
color\"\n * > hyphenateStyleName('MozTransition')\n * < \"-moz-transition\"\n * >
hyphenateStyleName('msTransition')\n * < \"-ms-transition\"\n * \n * As Modernizr suggests
(http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `-ms-`.\n * \n * @param {string} string\n *
@return {string}\n * \n\nexport default function hyphenateStyleName(string: string): string {\n  return
uppercaseCheck.test(string)\n    ? string\n    .replace(uppercasePattern, prefixAndLowerCase)\n    .replace(msPattern,
'-ms-')\n  : string;\n}\n", "\n\nvar unitlessKeys = {\n  animationIterationCount: 1,\n  backgroundImageOutset: 1,\n
borderImageSlice: 1,\n  borderImageWidth: 1,\n  boxFlex: 1,\n  boxFlexGroup: 1,\n  boxOrdinalGroup: 1,\n
columnCount: 1,\n  columns: 1,\n  flex: 1,\n  flexGrow: 1,\n  flexPositive: 1,\n  flexShrink: 1,\n  flexNegative: 1,\n

```



```

flexOrder: 1,\n gridRow: 1,\n gridRowEnd: 1,\n gridRowSpan: 1,\n gridRowStart: 1,\n gridColumn: 1,\n
gridColumnEnd: 1,\n gridColumnSpan: 1,\n gridColumnStart: 1,\n msGridRow: 1,\n msGridRowSpan: 1,\n
msGridColumn: 1,\n msGridColumnSpan: 1,\n fontWeight: 1,\n lineHeight: 1,\n opacity: 1,\n order: 1,\n
orphans: 1,\n tabSize: 1,\n widows: 1,\n zIndex: 1,\n zoom: 1,\n WebkitLineClamp: 1,\n // SVG-related
properties\n fillOpacity: 1,\n floodOpacity: 1,\n stopOpacity: 1,\n strokeDasharray: 1,\n strokeDashoffset: 1,\n
strokeMiterlimit: 1,\n strokeOpacity: 1,\n strokeWidth: 1\n};\n\nexport default unitlessKeys;\n", "// @flow\nimport
{ isElement } from 'react-is';\nimport componentName from './getComponentName';\nimport isFunction from
 './isFunction';\nimport isStatelessFunction from './isStatelessFunction';\nimport isPlainObject from
 './isPlainObject';\nimport isStyledComponent from './isStyledComponent';\nimport Keyframes from
 './models/Keyframes';\nimport hyphenate from './hyphenateStyleName';\nimport addUnitIfNeeded from
 './addUnitIfNeeded';\nimport { type Stringifier } from './types';\n\n/**\n * It's falsish not falsy because 0 is
allowed.\n *\nconst isFalsish = chunk => chunk === undefined || chunk === null || chunk === false || chunk ===
";\n\nexport const objToCssArray = (obj: Object, prevKey?: string): Array<string | Function> => {\n  const rules =
[];\n\n  for (const key in obj) {\n    if (!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n    if
((Array.isArray(obj[key]) && obj[key].isCss || isFunction(obj[key]))) {\n      rules.push(`${hyphenate(key)}:`,
obj[key], `);\n    } else if (isPlainObject(obj[key])) {\n      rules.push(...objToCssArray(obj[key], key));\n    } else
{\n      rules.push(`${hyphenate(key)}: ${addUnitIfNeeded(key, obj[key])};`);\n    }\n  }\n\n  return prevKey ?
[`${prevKey} {`, ...rules, `}`] : rules;\n};\n\nexport default function flatten(\n  chunk: any,\n  executionContext:
?Object,\n  styleSheet: ?Object,\n  stylisInstance: ?Stringifier\n): any {\n  if (Array.isArray(chunk)) {\n    const
ruleSet = [];\n\n    for (let i = 0, len = chunk.length, result; i < len; i += 1) {\n      result = flatten(chunk[i],
executionContext, styleSheet, stylisInstance);\n\n      if (result === "") continue;\n      else if (Array.isArray(result))
ruleSet.push(...result);\n      else ruleSet.push(result);\n    }\n\n    return ruleSet;\n  }\n\n  if (isFalsish(chunk)) {\n
return "";\n  }\n\n  /* Handle other components */\n  if (isStyledComponent(chunk)) {\n    return
`${chunk.styledComponentId}`;\n  }\n\n  /* Either execute or defer the function */\n  if (isFunction(chunk)) {\n    if
(isStatelessFunction(chunk) && executionContext) {\n      const result = chunk(executionContext);\n\n      if
(process.env.NODE_ENV !== 'production' && isElement(result)) {\n        // eslint-disable-next-line no-console\n
console.warn(\n          `${getComponentName(\n            chunk\n          )} is not a styled component and cannot be
referred to via component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components
for more details.\n        );\n      }\n\n      return flatten(result, executionContext, styleSheet,
stylisInstance);\n    } else return chunk;\n  }\n\n  if (chunk instanceof Keyframes) {\n    if (styleSheet) {\n
chunk.inject(styleSheet, stylisInstance);\n    return chunk.getName(stylisInstance);\n  } else return chunk;\n  }\n\n
/* Handle objects */\n  return isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString();\n}\n", "//
@flow\nexport default function isStatelessFunction(test: any): boolean {\n  return (\n    typeof test === 'function'\n    && !(\n      test.prototype\n      && test.prototype.isReactComponent\n    )\n  );\n}\n", "// @flow\nimport unitless
from '@emotion/unitless';\n\n// Taken from
https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-dom/src/shared/dangerousStyleValue.js\nexport default function addUnitIfNeeded(name: string, value: any): any {\n
// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n if (value == null ||
typeof value === 'boolean' || value === "") {\n  return "";\n }\n\n if (typeof value === 'number' && value !== 0 &&
!(name in unitless)) {\n  return `${value}px`; // Presumes implicit 'px' suffix for unitless numbers\n }\n\n return
String(value).trim();\n}\n", "// @flow\nimport interleave from './utils/interleave';\nimport isPlainObject from
 './utils/isPlainObject';\nimport { EMPTY_ARRAY } from './utils/empties';\nimport isFunction from
 './utils/isFunction';\nimport flatten from './utils/flatten';\nimport type { Interpolation, RuleSet, Styles } from
 './types';\n\n/**\n * Used when flattening object styles to determine if we should\n * expand an array of styles.\n
*\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n
arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles: Styles, ...interpolations:
Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return
addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n\n  if (interpolations.length === 0

```

```

&& styles.length === 1 && typeof styles[0] === 'string') {\n // $FlowFixMe\n return styles;\n }\n\n //
$FlowFixMe\n return addTag(flatten(interleave(styles, interpolations)));;\n\n", "// @flow\nimport StyleSheet from
'./sheet';\nimport type { RuleSet, Stringifier } from './types';\nimport flatten from './utils/flatten';\nimport
isStaticRules from './utils/isStaticRules';\n\nexport default class GlobalStyle {\n componentId: string;\n\n isStatic:
boolean;\n\n rules: RuleSet;\n\n constructor(rules: RuleSet, componentId: string) {\n this.rules = rules;\n
this.componentId = componentId;\n this.isStatic = isStaticRules(rules);\n // pre-register the first instance to
ensure global styles\n // load before component ones\n StyleSheet.registerId(this.componentId + 1);\n }\n\n
createStyles(\n instance: number,\n executionContext: Object,\n styleSheet: StyleSheet,\n stylis: Stringifier\n)
{\n const flatCSS = flatten(this.rules, executionContext, styleSheet, stylis);\n const css = stylis(flatCSS.join(""),
");\n const id = this.componentId + instance;\n // NOTE: We use the id as a name as well, since these rules
never change\n styleSheet.insertRules(id, id, css);\n }\n\n removeStyles(instance: number, styleSheet:
StyleSheet) {\n styleSheet.clearRules(this.componentId + instance);\n }\n\n renderStyles(\n instance: number,\n
executionContext: Object,\n styleSheet: StyleSheet,\n stylis: Stringifier\n) {\n if (instance > 2)
StyleSheet.registerId(this.componentId + instance);\n // NOTE: Remove old styles, then inject the new ones\n
this.removeStyles(instance, styleSheet);\n this.createStyles(instance, executionContext, styleSheet, stylis);\n
}\n\n", "// @flow\nimport isFunction from './isFunction';\nimport isStyledComponent from
'./isStyledComponent';\nimport type { RuleSet } from './types';\n\nexport default function isStaticRules(rules:
RuleSet): boolean {\n for (let i = 0; i < rules.length; i += 1) {\n const rule = rules[i];\n if (isFunction(rule) &&
!isStyledComponent(rule)) {\n // functions are allowed to be static if they're just being\n // used to get the
classname of a nested styled component\n return false;\n }\n }\n return true;\n }\n\n", "// @flow\nimport React,
{ useContext, useMemo, type Element, type Context } from 'react';\nimport throwStyledError from
'./utils/error';\nimport isFunction from './utils/isFunction';\n\nexport type Theme = { [key: string]: mixed };
\n\n type ThemeArgument = Theme | ((outerTheme?: Theme) => Theme);\n\n type Props = {\n children?: Element<any>,\n
theme: ThemeArgument,\n};\n\nexport const ThemeContext: Context<Theme | void> =
React.createContext();\n\nexport const ThemeConsumer = ThemeContext.Consumer;\n\nfunction
mergeTheme(theme: ThemeArgument, outerTheme?: Theme): Theme {\n if (!theme) {\n return
throwStyledError(14);\n }\n\n if (isFunction(theme)) {\n const mergedTheme = theme(outerTheme);\n\n if (\n
process.env.NODE_ENV !== 'production' &&\n (mergedTheme === null || Array.isArray(mergedTheme) ||
typeof mergedTheme !== 'object')\n ) {\n return throwStyledError(7);\n }\n\n return mergedTheme;\n }\n\n
if (Array.isArray(theme) || typeof theme !== 'object') {\n return throwStyledError(8);\n }\n\n return outerTheme ?
{ ...outerTheme, ...theme } : theme;\n\n\n**\n * Provide a theme to an entire react component tree via context\n
*\n\nexport default function ThemeProvider(props: Props) {\n const outerTheme = useContext(ThemeContext);\n
const themeContext = useMemo(() => mergeTheme(props.theme, outerTheme), [\n props.theme,\n
outerTheme,\n]);\n\n if (!props.children) {\n return null;\n }\n\n return <ThemeContext.Provider
value={themeContext}>{props.children}</ThemeContext.Provider>;\n\n", "// @flow\n\nimport { useRef } from
'react';\n\nconst invalidHookCallRe = /invalid hook call/i;\n\nconst seen = new Set();\n\nexport const
checkDynamicCreation = (displayName: string, componentId?: string) => {\n if (process.env.NODE_ENV !==
'production') {\n const parsedIdString = componentId ? `with the id of "${componentId}"` : "";
const message
=\n `The component ${displayName}${parsedIdString} has been created dynamically.\n` +\n `You may see
this warning because you've called styled inside another component.\n` +\n `To resolve this only create new
StyledComponents outside of any render method and function component.`;\n\n // If a hook is called outside of a
component:\n // React 17 and earlier throw an error\n // React 18 and above use console.error\n\n const
originalConsoleError = console.error // eslint-disable-line no-console\n try {\n let didNotCallInvalidHook =
true\n /* $FlowIgnore[cannot-write] */\n console.error = (consoleErrorMessage, ...consoleErrorArgs) => { //
eslint-disable-line no-console\n // The error here is expected, since we're expecting anything that uses
`checkDynamicCreation` to\n // be called outside of a React component.\n if
(invalidHookCallRe.test(consoleErrorMessage)) {\n didNotCallInvalidHook = false\n // This shouldn't
happen, but resets `warningSeen` if we had this error happen intermittently\n seen.delete(message);\n }

```

```

else {\n      originalConsoleError(consoleErrorMessage, ...consoleErrorArgs);\n    }\n  }\n  // We purposefully call `useRef` outside of a component and expect it to throw\n  // If it doesn't, then we're inside another component.\n  // eslint-disable-next-line react-hooks/rules-of-hooks\n  useRef();\n  if (didNotCallInvalidHook && !seen.has(message)) {\n    // eslint-disable-next-line no-console\n    console.warn(message);\n    seen.add(message);\n  }\n} catch (error) {\n  // The error here is expected, since we're expecting anything that uses `checkDynamicCreation` to\n  // be called outside of a React component.\n  if (invalidHookCallRe.test(error.message)) {\n    // This shouldn't happen, but resets `warningSeen` if we had this error happen intermittently\n    seen.delete(message);\n  }\n}\n} finally {\n  /* $FlowIgnore[cannot-write] *\n  console.error = originalConsoleError; // eslint-disable-line no-console\n}\n};\n", "\n @flow\nimport { EMPTY_OBJECT } from './empties';\n\n type Props = {\n  theme?: any,\n};\n\n export default (props: Props, providedTheme: any, defaultProps: any = EMPTY_OBJECT) => {\n  return (props.theme !== defaultProps.theme && props.theme) || providedTheme || defaultProps.theme;\n};\n", "\n @flow\n/* eslint-disable *\nimport generateAlphabeticName from './generateAlphabeticName';\nimport { hash } from './hash';\n\n export default (str: string): string => {\n  return generateAlphabeticName(hash(str) >>> 0);\n};\n", "\n @flow\n/* eslint-disable no-underscore-dangle *\nimport React from 'react';\nimport { IS_BROWSER, SC_ATTR, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport throwStyledError from './utils/error';\nimport getNonce from './utils/nonce';\nimport StyleSheet from './sheet';\nimport StyleSheetManager from './StyleSheetManager';\n\n declare var __SERVER__: boolean;\n\n const CLOSING_TAG_R = /^\\s*<\\[a-z]/i;\n\n export default class ServerStyleSheet {\n  isStreaming: boolean;\n\n  instance: StyleSheet;\n\n  sealed: boolean;\n\n  constructor() {\n    this.instance = new StyleSheet({ isServer: true });\n    this.sealed = false;\n  }\n\n  _emitSheetCSS = (): string => {\n    const css = this.instance.toString();\n    if (!css) return "";\n\n    const nonce = getNonce();\n    const attrs = [nonce && `nonce=${"$ {nonce} `", `${SC_ATTR}=${"true"}`, `${SC_ATTR_VERSION}=${"$ {SC_VERSION} `"];\n    const htmlAttr = attrs.filter(Boolean).join(' '); \n\n    return `<style ${htmlAttr}>${css}</style>`; \n  }; \n\n  collectStyles(children: any) {\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n\n    return <StyleSheetManager sheet={this.instance}>{children}</StyleSheetManager>; \n  }\n\n  getStyleTags = (): string => {\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n\n    return this._emitSheetCSS(); \n  }; \n\n  getStyleElement = () => {\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n\n    const props = {\n      [SC_ATTR]: "", \n      [SC_ATTR_VERSION]: SC_VERSION, \n      dangerouslySetInnerHTML: {\n        __html: this.instance.toString(), \n      }, \n    }; \n\n    const nonce = getNonce(); \n    if (nonce) {\n      (props: any).nonce = nonce;\n    }\n\n    // v4 returned an array for this fn, so we'll do the same for v5 for backward compat\n    return [<style {...props} key="sc-0-0" />]; \n  }; \n\n  // eslint-disable-next-line consistent-return\n  interleaveWithNodeStream(input: any) {\n    if (!__SERVER__ || IS_BROWSER) {\n      return throwStyledError(3);\n    }\n    else if (this.sealed) {\n      return throwStyledError(2);\n    }\n\n    if (__SERVER__) {\n      this.seal(); \n\n      // eslint-disable-next-line global-require\n      const { Readable, Transform } = require('stream'); \n\n      const readableStream: Readable = input;\n      const { instance: sheet, _emitSheetCSS } = this;\n\n      const transformer = new Transform({\n        transform: function appendStyleChunks(chunk, /* encoding */ _, callback) {\n          // Get the chunk and retrieve the sheet's CSS as an HTML chunk,\n          // then reset its rules so we get only new ones for the next chunk\n          const renderedHtml = chunk.toString();\n          const html = _emitSheetCSS();\n          sheet.clearTag(); \n\n          // prepend style html to chunk, unless the start of the chunk is a\n          // closing tag in which case append right after that\n          if (CLOSING_TAG_R.test(renderedHtml)) {\n            const endOfClosingTag = renderedHtml.indexOf('>') + 1;\n            const before = renderedHtml.slice(0, endOfClosingTag);\n            const after = renderedHtml.slice(endOfClosingTag);\n            this.push(before + html + after);\n          } else {\n            this.push(html + renderedHtml);\n          }\n\n          callback(); \n        }, \n      }); \n\n      readableStream.on('error', err => {\n        // forward the error to the transform stream\n        transformer.emit('error', err);\n      }); \n\n      return readableStream.pipe(transformer);\n    }\n  }\n\n  seal = () => {\n    this.sealed = true;\n  }; \n}\n", "\n use strict"; \n\n var reactIs = require('react-is'); \n\n /**\n * Copyright 2015, Yahoo!\n * Copyrights licensed under the New BSD License. See the accompanying LICENSE file for terms.\n */\n
```

```

REACT_STATICS = {\n  childContextTypes: true,\n  contextType: true,\n  contextTypes: true,\n  defaultProps:
true,\n  displayName: true,\n  getDefaultProps: true,\n  getDerivedStateFromError: true,\n
getDerivedStateFromProps: true,\n  mixins: true,\n  propTypes: true,\n  type: true\n};\nvar KNOWN_STATICS =
{\n  name: true,\n  length: true,\n  prototype: true,\n  caller: true,\n  callee: true,\n  arguments: true,\n  arity:
true\n};\nvar FORWARD_REF_STATICS = {\n  '$$typeof': true,\n  render: true,\n  defaultProps: true,\n
displayName: true,\n  propTypes: true\n};\nvar MEMO_STATICS = {\n  '$$typeof': true,\n  compare: true,\n
defaultProps: true,\n  displayName: true,\n  propTypes: true,\n  type: true\n};\nvar TYPE_STATICS =
{};\nTYPE_STATICS[reactIs.ForwardRef] = FORWARD_REF_STATICS;\nTYPE_STATICS[reactIs.Memo] =
MEMO_STATICS;\n\nfunction getStatics(component) {\n  // React v16.11 and below\n  if
(reactIs.isMemo(component)) {\n    return MEMO_STATICS;\n  } // React v16.12 and above\n\n  return
TYPE_STATICS[component['$$typeof']] || REACT_STATICS;\n}\n\nvar defineProperty =
Object.defineProperty;\nvar getOwnPropertyNames = Object.getOwnPropertyNames;\nvar
getOwnPropertySymbols = Object.getOwnPropertySymbols;\nvar getOwnPropertyDescriptor =
Object.getOwnPropertyDescriptor;\nvar getPrototypeOf = Object.getPrototypeOf;\nvar objectPrototype =
Object.prototype;\n\nfunction hoistNonReactStatics(targetComponent, sourceComponent, blacklist) {\n  if (typeof
sourceComponent !== 'string') {\n    // don't hoist over string (html) components\n    if (objectPrototype) {\n      var
inheritedComponent = getPrototypeOf(sourceComponent);\n\n      if (inheritedComponent && inheritedComponent
!== objectPrototype) {\n        hoistNonReactStatics(targetComponent, inheritedComponent, blacklist);\n      }\n
}\n\n      var keys = getOwnPropertyNames(sourceComponent);\n\n      if (getOwnPropertySymbols) {\n        keys =
keys.concat(getOwnPropertySymbols(sourceComponent));\n      }\n\n      var targetStatics =
getStatics(targetComponent);\n      var sourceStatics = getStatics(sourceComponent);\n\n      for (var i = 0; i <
keys.length; ++i) {\n        var key = keys[i];\n\n        if (!KNOWN_STATICS[key] && !(blacklist && blacklist[key])
&& !(sourceStatics && sourceStatics[key]) && !(targetStatics && targetStatics[key])) {\n          var descriptor =
getOwnPropertyDescriptor(sourceComponent, key);\n\n          try {\n            // Avoid failures from read-only
properties\n            defineProperty(targetComponent, key, descriptor);\n          } catch (e) {}\n        }\n      }\n\n      return targetComponent;\n    }\n\n    module.exports = hoistNonReactStatics;\n  } // @flow\n  /* eslint-disable *\n  \n  import
StyleSheet from './sheet';\n  import { masterSheet } from './models/StyleSheetManager';\n  \n  export const
__PRIVATE__ = {\n    StyleSheet,\n    masterSheet,\n  }; // @flow\n  /* Import singletons *\n  \n  import
isStyledComponent from './utils/isStyledComponent';\n  import css from './constructors/css';\n  import
createGlobalStyle from './constructors/createGlobalStyle';\n  import keyframes from
'./constructors/keyframes';\n  import ServerStyleSheet from './models/ServerStyleSheet';\n  import { SC_VERSION }
from './constants';\n  \n  import StyleSheetManager, { StyleSheetContext, StyleSheetConsumer, } from
'./models/StyleSheetManager';\n  \n  /* Import components *\n  \n  import ThemeProvider, { ThemeContext,
ThemeConsumer } from './models/ThemeProvider';\n  \n  /* Import Higher Order Components *\n  \n  import withTheme
from './hoc/withTheme';\n  \n  /* Import hooks *\n  \n  import useTheme from './hooks/useTheme';\n  \n  declare var
__SERVER__: boolean;\n  \n  /* Warning if you've imported this file on React Native *\n  \n  if (\n
process.env.NODE_ENV !== 'production' &&\n    typeof navigator !== 'undefined' &&\n    navigator.product ===
'ReactNative'\n  ) {\n    // eslint-disable-next-line no-console\n    console.warn(\n      \"It looks like you've imported
'styled-components' on React Native.\\n\" +\n      \"Perhaps you're looking to import 'styled-components/native'?\\n\"
+\n      \"Read more about this at https://www.styled-components.com/docs/basics#react-native\\n \");\n  }\n  \n  /*
Warning if there are several instances of styled-components *\n  \n  if (process.env.NODE_ENV !== 'production' &&
process.env.NODE_ENV !== 'test' && typeof window !== 'undefined') {\n    window['__styled-components-init__']
= window['__styled-components-init__'] || 0;\n    if (window['__styled-components-init__'] === 1) {\n      //
eslint-disable-next-line no-console\n      console.warn(\n        \"It looks like there are several instances of 'styled-components'
initialized in this application. \\n\" +\n        \"This may cause dynamic styles to not render properly, errors during the
rehydration process, \" +\n        \"a missing theme prop, and makes your application bigger without good reason.\\n\\n\"
+\n        \"See https://s-c.sh/2BAXzed for more info.\" +\n      );\n    }\n    window['__styled-components-init__'] +=
1;\n  }\n  \n  /* Export everything *\n  \n  export * from './secretInternals';\n  \n  export {\n    createGlobalStyle,\n    css,\n

```

```

isStyledComponent,\n keyframes,\n ServerStyleSheet,\n StyleSheetConsumer,\n StyleSheetContext,\n
StyleSheetManager,\n ThemeConsumer,\n ThemeContext,\n ThemeProvider,\n useTheme,\n SC_VERSION as
version,\n withTheme,\n};\n", "// @flow\nimport React, { useContext, useLayoutEffect, useRef } from
'react';\nimport { STATIC_EXECUTION_CONTEXT } from './constants';\nimport GlobalStyle from
'./models/GlobalStyle';\nimport { useStyleSheet, useStylis } from './models/StyleSheetManager';\nimport {
ThemeContext } from './models/ThemeProvider';\nimport type { Interpolation } from './types';\nimport {
checkDynamicCreation } from './utils/checkDynamicCreation';\nimport determineTheme from
'./utils/determineTheme';\nimport generateComponentId from './utils/generateComponentId';\nimport css from
'./css';\n\ndeclare var __SERVER__: boolean;\n\ntype GlobalStyleComponentPropsType = Object;\n\nexport
default function createGlobalStyle(\n  strings: Array<string>,\n  ...interpolations: Array<Interpolation>)\n {\n  const
rules = css(strings, ...interpolations);\n  const styledComponentId = `sc-global-
${generateComponentId(JSON.stringify(rules))}`;\n  const globalStyle = new GlobalStyle(rules,
styledComponentId);\n  \n  if (process.env.NODE_ENV !== 'production') {\n
checkDynamicCreation(styledComponentId);\n  }\n  \n  function GlobalStyleComponent(props:
GlobalStyleComponentPropsType) {\n    const styleSheet = useStyleSheet();\n    const stylis = useStylis();\n    const
theme = useContext(ThemeContext);\n    const instanceRef =
useRef(styleSheet.allocateGSInstance(styledComponentId));\n    \n    const instance = instanceRef.current;\n    \n    if
(process.env.NODE_ENV !== 'production' && React.Children.count(props.children)) {\n      // eslint-disable-next-
line no-console\n      console.warn(\n        `The global style component ${styledComponentId} was given child JSX.
createGlobalStyle does not render children.`\n      );\n    }\n    \n    if (\n      process.env.NODE_ENV !== 'production'
&&\n      rules.some(rule => typeof rule === 'string' && rule.indexOf('@import') !== -1)\n    ) {\n      // eslint-
disable-next-line no-console\n      console.warn(\n        `Please do not use @import CSS syntax in createGlobalStyle
at this time, as the CSSOM APIs we use in production do not handle it well. Instead, we recommend using a library
such as react-helmet to inject a typical <link> meta tag to the stylesheet, or simply embedding it manually in your
index.html <head> section for a simpler app.`\n      );\n    }\n    \n    if (styleSheet.server) {\n      renderStyles(instance,
props, styleSheet, theme, stylis);\n    }\n    \n    if (!__SERVER__) {\n      // this conditional is fine because it is
compiled away for the relevant builds during minification,\n      // resulting in a single unguarded hook call\n      //
eslint-disable-next-line react-hooks/rules-of-hooks\n      useLayoutEffect(() => {\n        if (!styleSheet.server) {\n
renderStyles(instance, props, styleSheet, theme, stylis);\n        return () => globalStyle.removeStyles(instance,
styleSheet);\n        }\n      }, [instance, props, styleSheet, theme, stylis]);\n    }\n    \n    return null;\n  }\n  \n  function
renderStyles(instance, props, styleSheet, theme, stylis) {\n    if (globalStyle.isStatic) {\n
globalStyle.renderStyles(instance, STATIC_EXECUTION_CONTEXT, styleSheet, stylis);\n    } else {\n      const
context = {\n        ...props,\n        theme: determineTheme(props, theme, GlobalStyleComponent.defaultProps),\n
      };\n      \n      globalStyle.renderStyles(instance, context, styleSheet, stylis);\n    }\n  }\n  \n  // $FlowFixMe\n  return
React.memo(GlobalStyleComponent);\n}\n", "// @flow\nimport css from './css';\nimport generateComponentId
from './utils/generateComponentId';\nimport Keyframes from './models/Keyframes';\nimport type { Interpolation,
Styles } from './types';\n\nexport default function keyframes(\n  strings: Styles,\n  ...interpolations:
Array<Interpolation>): Keyframes {\n  /* Warning if you've used keyframes on React Native */\n  if (\n
process.env.NODE_ENV !== 'production' &&\n    typeof navigator !== 'undefined' &&\n    navigator.product ===
'ReactNative'\n  ) {\n    // eslint-disable-next-line no-console\n    console.warn(\n      `keyframes` cannot be used on
ReactNative, only on the web. To do animation in ReactNative please use Animated.`\n    );\n  }\n  \n  const rules =
css(strings, ...interpolations).join("");\n  const name = generateComponentId(rules);\n  return new Keyframes(name,
rules);\n}\n", "// @flow\nimport { useContext } from 'react';\nimport { ThemeContext } from
'./models/ThemeProvider';\n\nconst useTheme = () => useContext(ThemeContext);\n\nexport default
useTheme;\n", "// @flow\nimport React, { useContext, type AbstractComponent } from 'react';\nimport hoistStatics
from 'hoist-non-react-statics';\nimport { ThemeContext } from './models/ThemeProvider';\nimport determineTheme
from './utils/determineTheme';\nimport getComponentName from './utils/getComponentName';\n\n// NOTE: this
would be the correct signature:\n// export default <Config: { theme?: any }, Instance>(\n//   Component:

```



```

kHref|xlinkRole|xlinkShow|xlinkTitle|xlinkType|xmlBase|xmlNs|xmlNsXlink|xmlLang|xmlSpace|y|y1|y2|yChannelS
elector|z|zoomAndPan|for|class|autofocus)|((([Dd][Aa][Tt][Aa][Aa][Rr][Ii][Aa]x-.*))$); //
https://esbench.com/bench/5bfee68a4cd7e6009ef61d23\n\nvar isPropValid = /* #__PURE__ */memoize(function
(prop) {\n  return reactPropsRegex.test(prop) || prop.charCodeAt(0) === 111\n  /* o */\n  && prop.charCodeAt(1)
=== 110\n  /* n */\n  && prop.charCodeAt(2) < 91;\n\n  /* Z+1 */\n});\n\nexport default isPropValid;\n", "//
@flow\n\n// Source: https://www.w3.org/TR/cssom-1/#serialize-an-identifier\n\nControl characters and non-letter
first symbols are not supported\n\nconst escapeRegex = /[\!\"#$%&'()*+,-./:;<=>?@[\\|\]{}^`{|}~]+/g;\n\nconst
dashesAtEnds = /(^-|-$)/g;\n\n/**\n * TODO: Explore using CSS.escape when it becomes more available\n * in
evergreen browsers.\n */\n\nexport default function escape(str: string): string {\n  return (\n    str\n    // Replace all
possible CSS selectors\n    .replace(escapeRegex, '-')\n    // Remove extraneous hyphens at the start and end\n
.replace(dashesAtEnds, "")\n  );\n};\n", "// @flow\n\nimport type { IStyledComponent } from './types';\n\nexport default
function isTag(target: $PropertyType<IStyledComponent, 'target>): boolean %checks {\n  return (\n    typeof target
=== 'string' &&\n    (process.env.NODE_ENV !== 'production'\n      ? target.charAt(0) ===
target.charAt(0).toLowerCase()\n      : true)\n  );\n};\n", "/* eslint-disable */\n\n/**\n * mixin-deep;
https://github.com/jonschlinkert/mixin-deep\n\nInlined such that it will be consistently transpiled to an IE-
compatible syntax.\n\nThe MIT License (MIT)\n\nCopyright (c) 2014-present, Jon Schlinkert.\n\nPermission is
hereby granted, free of charge, to any person obtaining a copy\nof this software and associated documentation files
(the "Software"), to deal\nin the Software without restriction, including without limitation the rights\n to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell\n copies of the Software, and to permit persons to
whom the Software is\nfurnished to do so, subject to the following conditions:\n\nThe above copyright notice and
this permission notice shall be included in\nall copies or substantial portions of the Software.\n\nTHE
SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR\nIMPLIED, INCLUDING BUT NOT LIMITED TO
THE WARRANTIES OF MERCHANTABILITY,\nFITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE\n
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER\nLIABILITY, WHETHER IN AN ACTION OF
CONTRACT, TORT OR OTHERWISE, ARISING FROM,\nOUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
DEALINGS IN\nTHE SOFTWARE.\n\n*/\n\nconst isObject = val => {\n  return (\n    typeof val === 'function' ||
(typeof val === 'object'
&& val !== null && !Array.isArray(val))\n  );\n};\n\nconst isValidKey = key => {\n  return key !== '__proto__'
&& key !== 'constructor' && key !== 'prototype';\n};\n\nfunction mixin(target, val, key) {\n  const obj =
target[key];\n  if (isObject(val) && isObject(obj)) {\n    mixinDeep(obj, val);\n  } else {\n    target[key] = val;\n
  }\n}\n\nexport default function mixinDeep(target, ...rest) {\n  for (const obj of rest) {\n    if (isObject(obj)) {\n
for (const key in obj) {\n      if (isValidKey(key)) {\n        mixin(target, obj[key], key);\n      }\n    }\n  }\n
}\n\nreturn target;\n};\n", "// @flow\n\nimport validAttr from '@emotion/is-prop-valid';\n\nimport hoist from
'hoist-non-react-statics';\n\nimport React, { createElement, type Ref, useContext, useDebugValue } from 'react';\n
import { SC_VERSION } from './constants';\n\nimport type {\n  Attrs,\n  IStyledComponent,\n  IStyledStatics,\n  RuleSet,\n
ShouldForwardProp,\n  Target,\n} from './types';\n\nimport { checkDynamicCreation } from
'./utils/checkDynamicCreation';\n\nimport createWarnTooManyClasses from
'./utils/createWarnTooManyClasses';\n\nimport determineTheme from './utils/determineTheme';\n\nimport {
EMPTY_ARRAY, EMPTY_OBJECT } from './utils/empties';\n\nimport escape from './utils/escape';\n\nimport
generateComponentId from './utils/generateComponentId';\n\nimport generateDisplayName from
'./utils/generateDisplayName';\n\nimport getComponentName from './utils/getComponentName';\n\nimport isFunction
from './utils/isFunction';\n\nimport isStyledComponent from './utils/isStyledComponent';\n\nimport isTag from
'./utils/isTag';\n\nimport joinStrings from './utils/joinStrings';\n\nimport merge from './utils/mixinDeep';\n\nimport
ComponentStyle from './ComponentStyle';\n\nimport { useStyleSheet, useStylis } from
'./StyleSheetManager';\n\nimport { ThemeContext } from './ThemeProvider';\n\nconst identifiers = {};\n\n/* We
depend on components having unique IDs */\n\nfunction generateId(displayName?: string, parentComponentId?:
string) {\n  const name = typeof displayName !== 'string' ? 'sc' : escape(displayName);\n  // Ensure that no

```

```

displayName can lead to duplicate componentIds\n  identifiers[name] = (identifiers[name] || 0) + 1;\n\n  const
componentId = `${name}-${generateComponentId(\n  // SC_VERSION gives us isolation between multiple
runtimes on the page at once\n  // this is improved further with use of the babel plugin \"namespace\" feature\n
SC_VERSION + name + identifiers[name]\n  )}`;\n\n  return parentComponentId ? `${parentComponentId}-
${componentId}` : componentId;\n\n\nfunction useResolvedAttrs<Config>(theme: any = EMPTY_OBJECT,
props: Config, attrs: Attrs) {\n  // NOTE: can't memoize this\n  // returns [context, resolvedAttrs]\n  // where
resolvedAttrs is only the things injected by the attrs themselves\n  const context = { ...props, theme };\n  const
resolvedAttrs = {};\n\n  attrs.forEach(attrDef => {\n    let resolvedAttrDef = attrDef;\n    let key;\n\n    if
(isFunction(resolvedAttrDef)) {\n      resolvedAttrDef = resolvedAttrDef(context);\n    }\n\n    /* eslint-disable
guard-for-in */\n    for (key in resolvedAttrDef) {\n      context[key] = resolvedAttrs[key] =\n        key ===
'className'\n        ? joinStrings(resolvedAttrs[key], resolvedAttrDef[key])\n          : resolvedAttrDef[key];\n    }\n
/* eslint-enable guard-for-in */\n  });\n\n  return [context, resolvedAttrs];\n\n\nfunction useInjectedStyle<T>(\n
componentStyle: ComponentStyle,\n isStatic: boolean,\n resolvedAttrs: T,\n warnTooManyClasses?: $Call<typeof
createWarnTooManyClasses, string, string>)\n {\n  const styleSheet = useStyleSheet();\n  const stylis =
useStylis();\n\n  const className = isStatic\n    ? componentStyle.generateAndInjectStyles(EMPTY_OBJECT,
styleSheet, stylis)\n    : componentStyle.generateAndInjectStyles(resolvedAttrs, styleSheet, stylis);\n\n  // eslint-
disable-next-line react-hooks/rules-of-hooks\n  if (process.env.NODE_ENV !== 'production')\n    useDebugValue(className);\n\n  if (process.env.NODE_ENV !== 'production' && !isStatic &&
warnTooManyClasses) {\n    warnTooManyClasses(className);\n  }\n\n  return className;\n\n\nfunction
useStyledComponentImpl(\n forwardedComponent: IStyledComponent,\n props: Object,\n forwardedRef:
Ref<any>,\n isStatic: boolean)\n {\n  const {\n    attrs: componentAttrs,\n    componentStyle,\n    defaultProps,\n
foldedComponentIds,\n    shouldForwardProp,\n    styledComponentId,\n    target,\n  } = forwardedComponent;\n\n  // eslint-disable-next-line react-hooks/rules-of-hooks\n  if (process.env.NODE_ENV !== 'production')\n    useDebugValue(styledComponentId);\n\n  // NOTE: the non-hooks version only subscribes to this when
!componentStyle.isStatic,\n  // but that'd be against the rules-of-hooks. We could be naughty and do it anyway as it\n
// should be an immutable value, but behave for now.\n  const theme = determineTheme(props,
useContext(ThemeContext), defaultProps);\n\n  const [context, attrs] = useResolvedAttrs(theme ||
EMPTY_OBJECT, props, componentAttrs);\n\n  const generatedClassName = useInjectedStyle(\n
componentStyle,\n isStatic,\n context,\n process.env.NODE_ENV !== 'production' ?
forwardedComponent.warnTooManyClasses : undefined\n );\n\n  const refToForward = forwardedRef;\n\n  const
elementToBeCreated: Target = attrs.$as || props.$as || attrs.as || props.as || target;\n\n  const isTargetTag =
isTag(elementToBeCreated);\n  const computedProps = attrs !== props ? { ...props, ...attrs } : props;\n  const
propsForElement = {};\n\n  // eslint-disable-next-line guard-for-in\n  for (const key in computedProps) {\n    if
(key[0] === '$' || key === 'as') continue;\n    else if (key === 'forwardedAs') {\n      propsForElement.as =
computedProps[key];\n    } else if (\n      shouldForwardProp\n        ? shouldForwardProp(key, validAttr,
elementToBeCreated)\n        : isTargetTag\n          ? validAttr(key)\n            : true\n    ) {\n      // Don't pass through non
HTML tags through to HTML elements\n      propsForElement[key] = computedProps[key];\n    }\n  }\n\n  if
(props.style && attrs.style !== props.style) {\n    propsForElement.style = { ...props.style, ...attrs.style };\n  }\n\n  propsForElement.className = Array.prototype\n    .concat(\n      foldedComponentIds,\n      styledComponentId,\n      generatedClassName !== styledComponentId ? generatedClassName : null,\n      props.className,\n      attrs.className\n    )\n    .filter(Boolean)\n    .join(' ');\n\n  propsForElement.ref = refToForward;\n\n  return
createElement(elementToBeCreated, propsForElement);\n\n\nexport default function createStyledComponent(\n
target: $PropertyType<IStyledComponent, 'target'>,\n options: {\n  attrs?: Attrs,\n  componentId: string,\n
displayName?: string,\n  parentComponentId?: string,\n  shouldForwardProp?: ShouldForwardProp,\n },\n rules:
RuleSet)\n {\n  const isTargetStyledComp = isStyledComponent(target);\n  const isCompositeComponent =
!isTag(target);\n\n  const {\n    attrs = EMPTY_ARRAY,\n    componentId = generateId(options.displayName,
options.parentComponentId),\n    displayName = generateDisplayName(target),\n  } = options;\n\n  const
styledComponentId =\n    options.displayName && options.componentId\n    ? `${escape(options.displayName)}-

```



```

    ${options.componentId}`\n    : options.componentId || componentId;\n\n // fold the underlying StyledComponent
attrs up (implicit extend)\n    const finalAttrs =\n      isTargetStyledComp && ((target: any): IStyledComponent).attrs\n      ? Array.prototype.concat(((target: any): IStyledComponent).attrs, attrs).filter(Boolean)\n      : attrs;\n\n // eslint-disable-next-line prefer-destructuring\n    let shouldForwardProp = options.shouldForwardProp;\n\n    if (isTargetStyledComp && target.shouldForwardProp) {\n      if (options.shouldForwardProp) {\n        // compose nested shouldForwardProp calls\n        shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n          (((target: any): IStyledComponent).shouldForwardProp: any): ShouldForwardProp)(\n            prop,\n            filterFn,\n            elementToBeCreated\n          ) &&\n            ((options.shouldForwardProp: any): ShouldForwardProp)(prop, filterFn, elementToBeCreated);\n      } else {\n        // eslint-disable-next-line prefer-destructuring\n        shouldForwardProp = ((target: any): IStyledComponent).shouldForwardProp;\n      }\n    }\n\n    const componentStyle = new ComponentStyle(\n      rules,\n      styledComponentId,\n      isTargetStyledComp ? ((target: Object).componentStyle: ComponentStyle) : undefined\n    );\n\n    // statically styled-components don't need to build an execution context object,\n    // and shouldn't be increasing the number of class names\n    const isStatic = componentStyle.isStatic && attrs.length === 0;\n\n    /**\n     * forwardRef creates a new interim component, which we'll take advantage of\n     * instead of extending ParentComponent to create _another_ interim class\n     */\n    let WrappedStyledComponent: IStyledComponent;\n\n    const forwardRef = (props, ref) =>\n      // eslint-disable-next-line\n      useStyledComponentImpl(WrappedStyledComponent, props, ref, isStatic);\n\n    forwardRef.displayName = displayName;\n\n    WrappedStyledComponent = ((React.forwardRef(forwardRef): any): IStyledComponent);\n\n    WrappedStyledComponent.attrs = finalAttrs;\n    WrappedStyledComponent.componentStyle = componentStyle;\n    WrappedStyledComponent.displayName = displayName;\n    WrappedStyledComponent.shouldForwardProp = shouldForwardProp;\n\n    // this static is used to preserve the cascade of static classes for component selector\n    // purposes; this is especially important with usage of the css prop\n    WrappedStyledComponent.foldedComponentIds = isTargetStyledComp\n      ? Array.prototype.concat(\n          ((target: any): IStyledComponent).foldedComponentIds,\n          ((target: any): IStyledComponent).styledComponentId\n        )\n      : EMPTY_ARRAY;\n\n    WrappedStyledComponent.styledComponentId = styledComponentId;\n\n    // fold the underlying StyledComponent target up since we folded the styles\n    WrappedStyledComponent.target = isTargetStyledComp\n      ? ((target: any): IStyledComponent).target\n      : target;\n\n    WrappedStyledComponent.withComponent = function withComponent(tag: Target) {\n      const { componentId: previousComponentId, ...optionsToCopy } = options;\n\n      const newComponentId =\n        previousComponentId &&\n        `${previousComponentId}-${isTag(tag) ? tag : escape(getComponentName(tag))}`;\n\n      const newOptions = {\n        ...optionsToCopy,\n        attrs: finalAttrs,\n        componentId: newComponentId,\n      };\n\n      return createStyledComponent(tag, newOptions, rules);\n    };\n\n    Object.defineProperty(WrappedStyledComponent, 'defaultProps', {\n      get() {\n        return this._foldedDefaultProps;\n      },\n      set(obj) {\n        this._foldedDefaultProps = isTargetStyledComp\n          ? merge({}, ((target: any): IStyledComponent).defaultProps, obj)\n          : obj;\n      },\n    });\n\n    if (process.env.NODE_ENV !== 'production') {\n      checkDynamicCreation(displayName, styledComponentId);\n\n      WrappedStyledComponent.warnTooManyClasses = createWarnTooManyClasses(\n        displayName,\n        styledComponentId\n      );\n    }\n\n    WrappedStyledComponent.toString = () => `${WrappedStyledComponent.styledComponentId}`;\n\n    if (isCompositeComponent) {\n      hoist<\n        IStyledStatics,\n        $PropertyType<IStyledComponent, 'target'>,\n        {\n          [key: $Keys<IStyledStatics>]: true\n        }\n      >(WrappedStyledComponent, ((target: any): $PropertyType<IStyledComponent, 'target'>), {\n        // all SC-specific things should not be hoisted\n        attrs: true,\n        componentStyle: true,\n        displayName: true,\n        foldedComponentIds: true,\n        shouldForwardProp: true,\n        styledComponentId: true,\n        target: true,\n        withComponent: true,\n      });\n    }\n\n    return WrappedStyledComponent;\n  }\n\n  /**\n   * @flow\n   * @import type { IStyledComponent } from './types';\n   * @import componentName from './getComponentName';\n   * @import isTag from './isTag';\n   * @next export default function generateDisplayName(\n    target: $PropertyType<IStyledComponent, 'target'>:\n  ): string {\n    return isTag(target) ? `styled.${target}` : `Styled(${getComponentName(target)})`;\n  }\n\n  /**\n   * Convenience function for joining strings to form className chains\n   */\n  @next export default function joinStrings(a: ?String, b: ?String): ?String {\n    return

```

```

a && b ? `${a} ${b}` : a || b;`" // @flow\n\nexport const LIMIT = 200;\n\nexport default (displayName: string,
componentId: string) => {\n  let generatedClasses = {};\n  let warningSeen = false;\n\n  return (className: string)
=> {\n    if (!warningSeen) {\n      generatedClasses[className] = true;\n      if
(Object.keys(generatedClasses).length >= LIMIT) {\n        // Unable to find latestRule in test environment.\n        /*
eslint-disable no-console, prefer-template */\n        const parsedIdString = componentId ? ` with the id of
`${componentId}` : "";\n\n        console.warn(\n          `Over ${LIMIT} classes were generated for component
${displayName}${parsedIdString}.\\n` +\n          `Consider using the attrs method, together with a style object for
frequently changed styles.\\n` +\n          `Example:\\n` +\n          ` const Component = styled.div.attrs(props =>
({\n            style: {\n              background: props.background,\n            },\n            width: 100%;\n          })` +\n          ` <Component />` +\n          `);\n          warningSeen = true;\n          generatedClasses =
{};\n        }\n      }\n    }\n  };\n}";` // @flow\n\nimport constructWithOptions from './constructWithOptions';\nimport
StyledComponent from './models/StyledComponent';\nimport domElements from './utils/domElements';\n\nimport
type { Target } from './types';\n\nconst styled = (tag: Target) => constructWithOptions(StyledComponent,
tag);\n\n// Shorthands for all valid HTML Elements\nconst domElements = domElements.forEach(domElement => {\n
styled[domElement] = styled(domElement);\n});\n\nexport default styled;\n}";` // @flow\n\nimport {
isValidElementType } from 'react-is';\nimport css from './css';\nimport throwStyledError from './utils/error';\nimport
{ EMPTY_OBJECT } from './utils/empties';\nimport type { Target } from './types';\n\nexport default function
constructWithOptions(\n  componentConstructor: Function,\n  tag: Target,\n  options: Object =
EMPTY_OBJECT\n) {\n  if (!isValidElementType(tag)) {\n    return throwStyledError(1, String(tag));\n  }\n\n  /*
This is callable directly as a template function */\n  // $FlowFixMe: Not typed to avoid destructuring arguments\n
const templateFunction = (...args) => componentConstructor(tag, options, css(...args));\n\n  /* If config methods are
called, wrap up a new template function and merge options */\n  templateFunction.withConfig = config => {\n
constructWithOptions(componentConstructor, tag, { ...options, ...config });\n\n  /* Modify/inject new props at
runtime */\n  templateFunction.attrs = attrs => {\n    constructWithOptions(componentConstructor, tag, {\n
...options,\n    attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n  });\n\n  return
templateFunction;\n}\n}";` // @flow\n\nimport * as secondary from './base';\n\n/* Import singleton constructors
*/\nimport styled from './constructors/styled';\n\n/**\n * eliminates the need to do styled.default since the other
APIs\n * are directly assigned as properties to the main function\n */\n\n// eslint-disable-next-line guard-for-in\nfor
(const key in secondary) {\n  styled[key] = secondary[key];\n}\n\nexport default styled;\n}";` // @flow\n\n// Thanks to
ReactDOMFactories for this handy list!\n\nexport default [\n  'a',\n  'abbr',\n  'address',\n  'area',\n  'article',\n
  'aside',\n  'audio',\n  'b',\n  'base',\n  'bdi',\n  'bdo',\n  'big',\n  'blockquote',\n  'body',\n  'br',\n  'button',\n
  'canvas',\n  'caption',\n  'cite',\n  'code',\n  'col',\n  'colgroup',\n  'data',\n  'datalist',\n  'dd',\n  'del',\n
  'details',\n  'dfn',\n  'dialog',\n  'div',\n  'dl',\n  'dt',\n  'em',\n  'embed',\n  'fieldset',\n  'figcaption',\n
  'figure',\n  'footer',\n  'form',\n  'h1',\n  'h2',\n  'h3',\n  'h4',\n  'h5',\n  'h6',\n  'head',\n  'header',\n
  'hgroup',\n  'hr',\n  'html',\n  'i',\n  'iframe',\n  'img',\n  'input',\n  'ins',\n  'kbd',\n  'keygen',\n  'label',\n
  'legend',\n  'li',\n  'link',\n  'main',\n  'map',\n  'mark',\n  'marquee',\n  'menu',\n  'menuitem',\n  'meta',\n
  'meter',\n  'nav',\n  'noscript',\n  'object',\n  'ol',\n  'optgroup',\n  'option',\n  'output',\n  'p',\n  'param',\n
  'picture',\n  'pre',\n  'progress',\n  'q',\n  'rp',\n  'rt',\n  'ruby',\n  's',\n  'samp',\n  'script',\n  'section',\n
  'select',\n  'small',\n  'source',\n  'span',\n  'strong',\n  'style',\n  'sub',\n  'summary',\n  'sup',\n  'table',\n
  'tbody',\n  'td',\n  'textarea',\n  'tfoot',\n  'th',\n  'thead',\n  'time',\n  'title',\n  'tr',\n  'track',\n  'u',\n
  'ul',\n  'var',\n  'video',\n  'wbr',\n\n  // SVG\n  'circle',\n  'clipPath',\n  'defs',\n  'ellipse',\n  'foreignObject',\n
  'g',\n  'image',\n  'line',\n  'linearGradient',\n  'marker',\n  'mask',\n  'path',\n  'pattern',\n  'polygon',\n  'polyline',\n
  'radialGradient',\n  'rect',\n  'stop',\n  'svg',\n  'text',\n  'textPath',\n  'tspan',\n];\n}";`,"names":["isStyledComponent","target","styledComponentId","strings","interpolations","result","i","I
en","length","push","x","toString","Object","prototype","call","typeof","EMPTY_ARRAY","freeze","EMPTY_OB
JECT","isFunction","test","getComponentName","displayName","name","SC_ATTR","process","env","REACT_A
PP_SC_ATTR","IS_BROWSER","window","DISABLE_SPEEDY","Boolean","SC_DISABLE_SPEEDY","REAC
T_APP_SC_DISABLE_SPEEDY","STATIC_EXECUTION_CONTEXT","ERRORS","format","a","b","c","argum
ents","forEach","d","replace","throwStyledComponentsError","code","Error","trim","DefaultGroupedTag","tag","gr

```

oupSizes","Uint32Array","indexOfGroup","group","index","this","insertRules","rules","oldBuffer","oldSize","newSize","throwStyledError","set","ruleIndex","l","insertRule","clearGroup","startIndex","endIndex","deleteRule","getGroup","css","getRule","groupIDRegister","Map","reverseRegister","nextFreeGroup","getGroupForId","id","has","get","getIdForGroup","setGroupForId","SELECTOR","MARKER\_RE","RegExp","rehydrateNamesFromContent","sheet","content","names","split","registerName","rehydrateSheetFromTag","style","parts","textContent","part","marker","match","parseInt","getTag","getNonce","\_\_webpack\_nonce\_\_","makeStyleTag","head","document","parent","createElement","prevStyle","childNodes","child","nodeType","hasAttribute","findLastStyleTag","nextSibling","undefined","setAttribute","\_\_VERSION\_\_","nonce","insertBefore","CSSOMTag","element","appendChild","createTextNode","styleSheets","ownerNode","getSheet","rule","\_error","cssRules","cssText","TextTag","nodes","node","refNode","removeChild","VirtualTag","\_target","splice","SHOULD\_REHYDRATE","defaultOptions","isServer","useCSSOMInjection","StyleSheet","options","globalStyles","gs","server","querySelectorAll","getAttribute","parentNode","rehydrateSheet","registerId","reconstructWithOptions","withNames","allocateGSInstance","hasNameForId","add","groupNames","Set","clearNames","clear","clearRules","clearTag","size","selector","outputSheet","AD\_REPLACE\_R\_R","getAlphabeticChar","String","fromCharCode","generateAlphabeticName","Math","abs","phash","h","charCodeAtAt","hash","SEED","ComponentStyle","componentId","baseStyle","staticRulesId","isStatic","baseHash","generateAndInjectStyles","executionContext","styleSheet","stylis","cssStatic","flatten","join","generateName","cssStaticFormatted","dynamicHash","partRule","partChunk","partString","Array","isArray","cssFormatted","stylis\_min","W","X","e","ia","m","Z","v","n","F","indexOf","P","substring","w","L","ja","ka","aa","G","ba","la","ma","R","na","ea","oa","H","q","g","A","S","B","U","prefix","D","z","M","k","y","C","K","u","r","I","t","J","f","p","N","charAt","ca","O","da","fa","Y","E","ha","Q","use","T","COMMENT\_REGEX","COMPLEX\_SELECTOR\_PREFIX","createStylisInstance","\_componentId","\_selector","\_selectorRegexp","\_consecutiveSelfRefRegExp","plugins","Stylis","parsingRules","parseRulesPlugin","toSheet","block","context","selectors","parents","line","column","ns","depth","at","delimiter","insertRulePlugin","selfReferenceReplacer","offset","string","stringifyRules","flatCSS","cssStr","\_","lastIndexOf","parsedRules","reduce","acc","plugin","StyleSheetContext","React","createContext","StyleSheetConsumer","Consumer","StylisContext","masterSheet","masterStylis","useStyleSheet","useContext","useStylis","StyleSheetManager","props","useState","stylisPlugins","setPlugins","contextStyleSheet","useMemo","disableCSSOMInjection","disableVendorPrefixes","useEffect","objA","objB","compare","compareContext","ret","keysA","keys","keysB","bHasOwnProperty","hasOwnProperty","bind","idx","key","valueA","valueB","shallowequal","Provider","value","Children","only","children","Keyframes","inject","stylisInstance","resolvedName","\_this","getName","uppercaseCheck","uppercasePattern","msPattern","prefixAndLowerCase","char","toLowerCase","hyphenateStyleName","unitlessKeys","animationIterationCount","borderImageOutset","borderImageSlice","borderImageWidth","boxFlex","boxFlexGroup","boxOrdinalGroup","columnCount","columns","flex","flexGrow","flexPositive","flexShrink","flexNegative","flexOrder","gridRow","gridRowEnd","gridRowSpan","gridRowStart","gridColumn","gridColumnEnd","gridColumnSpan","gridColumnStart","msGridRow","msGridRowSpan","msGridColumn","msGridColumnSpan","fontWeight","lineHeight","opacity","order","orphans","tabSize","widows","zIndex","zoom","WebkitLineClamp","fillOpacity","floodOpacity","stopOpacity","strokeDasharray","strokeDashoffset","strokeMiterlimit","strokeOpacity","strokeWidth","isFalsish","chunk","ruleSet","isReactComponent","isElement","console","warn","isPlainObject","objToCssArray","obj","prevKey","isCss","hyphenate","unitless","addTag","arg","styles","interleave","GlobalStyle","isStaticRules","createStyles","instance","removeStyles","renderStyles","ThemeContext","ThemeConsumer","invalidHookCallRe","seen","checkDynamicCreation","message","originalConsoleError","error","didNotCallInvalidHook","consoleErrorMessage","consoleErrorArgs","useRef","providedTheme","defaultProps","theme","str","ServerStyleSheet","\_emitSheetCSS","SC\_ATTR\_VERSION","filter","getStyleTags","sealed","getStyleElement","dangerouslySetInnerHTML","\_\_html","seal","collectStyles","interleaveWithNodeStream","input","REACT\_STATICS","childContextTypes","contextType","contextTypes","getDefaultProps","getDerivedStateFromError","getDerivedStateFromProps","mixins","propTypes","type","KNOWN\_STATICS","caller","callee","arity","MEMO\_STATICS","\$\$typeof","TYPE\_STATICS","getStatics","component","reactIs","isMemo","ForwardRef","render","Memo","defineProperty","getOwnPropertyNames","getOwnPropertySymbols","getOwnPropertyDescriptor","getPrototypeOf","objectPrototype","hostNonReactStatics","targetComponent","sourceComponent","blacklist","inheritedComponent","concat","targetStatic

s","sourceStatics","descriptor","\_\_PRIVATE\_\_","navigator","product","generateComponentId","JSON","stringify",  
"globalStyle","GlobalStyleComponent","current","count","some","useLayoutEffect","determineTheme","memo","o  
uterTheme","themeContext","mergedTheme","mergeTheme","Component","WithTheme","forwardRef","ref","them  
eProp","hoistStatics","memoize","fn","cache","create","reactPropsRegex","isPropValid","prop","escapeRegex","das  
hesAtEnds","escape","isTag","isObject","val","isValidKey","mixin","mixinDeep","rest","identifiers","createStyled  
Component","isTargetStyledComp","isCompositeComponent","attrs","parentComponentId","generateId","generate  
DisplayName","finalAttrs","shouldForwardProp","filterFn","elementToBeCreated","WrappedStyledComponent","c  
omponentStyle","forwardedComponent","forwardedRef","componentAttrs","foldedComponentIds","resolvedAttrs",  
"attrDef","resolvedAttrDef","useResolvedAttrs","generatedClassName","warnTooManyClasses","className","useI  
njectedStyle","refToForward","\$as","as","isTargetTag","computedProps","propsForElement","validAttr","withCom  
ponent","previousComponentId","optionsToCopy","newComponentId","\_foldedDefaultProps","merge","generated  
Classes","warningSeen","parsedIdString","createWarnTooManyClasses","hoist","styled","constructWithOptions","c  
omponentConstructor","isValidElementType","templateFunction","withConfig","config","StyledComponent","dom  
Element","secondary"],"mappings": "sUACe,SAASA,EAaKBC,UACjCA,GAA8C,iBAA7BA,EAAOC,iCCE/BC,E  
ACAC,WAEMC,EAAS,CAACF,EAAQ,IAEfG,EAAI,EAAGC,EAAMH,EAAeI,OAAQF,EAAIC,EAAKD,GAAK,  
EACzDD,EAAOI,KAAKL,EAAeE,GAAIH,EAAQG,EAAI,WAGtCD,cCVOK,UACR,OAANA,GACa,iBAANA,G  
AC6D,qBAAnEA,EAAEC,SAAWD,EAAEC,WAAaC,OAAOC,UAAUF,SAASG,KAAKJ,MAC3DK,SA AOL,ICN  
GM,EAAcJ,OAAOK,OAAO,IAC5BC,EAAeN,OAAOK,OAAO,ICD3B,SAASE,EAAWC,SACV,mBAATA,ECC  
D,SAASC,EACtBpB,SAG6D,iBAAXA,GAAuBA,GAEvEA,EAAOqB,aAEPrB,EAAOsB,MACP,2NCPG,IAAMC,  
EACS,oBAAZC,UAA4BA,QAAQC,IAAIC,mBAAqBF,QAAQC,IAAIF,UACjF,cAOWI,EAA+B,oBAAXC,QAAO  
B,gBAAiBA,OAE/DC,EACXC,QAAqC,kBAAAtBC,kBACXA,kBACoB,oBAAZP,cAA8E,IAA5CA,QAAQC,IAAI  
O,6BAA2F,KAA5CR,QAAQC,IAAIO,4BACnE,UAA5CR,QAAQC,IAAIO,6BAAkDR,QAAQC,IAAIO,4BACtD,  
oBAAZR,cAAoE,IAAICA,QAAQC,IAAIM,mBAAuE,KAAICP,QAAQC,IAAIM,mBACnE,UAAICP,QAAQC,IA  
AIM,mBAAwCP,QAAQC,IAAIM,mBAM7DE,EAA2B,GCzBICC,ECHS,GA AK,0DAA4D,kQAAoQ,wHAA0H,w  
MAA0M,oKAAaK,8OAAgP,uHAA2H,gEAAoE,mCAAqC,oUAAsU,2NAA6N,wWAA0W,4LAA8L,kDAAsD,8Z  
AAga,0QAA4Q,0IDQ/jG,SAASC,YACHC,0CACEC,EAAI,GAEDC,EAAI,EAAGhC,EAAMiC,UAAKhC,OAAQ  
+B,EAAIhC,EAAGkC,GA AK,EAC/CD,EAAE7B,KAAU8B,uBAAAA,mBAAAA,WAGdD,EAAEG,SAAQ,SAA  
AC,GACRL,EAAIA,EAAEM,QAAQ,SAAUD,MAGnBL,EAOM,SAASO,EACtBC,8BACGzC,mCAAAA,0BASK  
,IAAI0C,MAAMV,gBAAOD,EAAOU,WAAUzC,IAAgB2C,QE9BrD,IAMDC,wBAOQC,QACLC,WAAa,IAAIC,  
YAVR,UAWT3C,OAXS,SAYTyC,IAAMA,6BAGbG,aAAA,SAAaC,WACPC,EAAQ,EACHhD,EAAI,EAAGA,E  
AAI+C,EAAO/C,IACzBgD,GAASC,KAAKL,WAAW5C,UAGpBgD,KAGTE,YAAA,SAAYH,EAAeI,MACrBJ,G  
AASE,KAAKL,WAAW1C,OAAQ,SAC7BkD,EAAYH,KAAKL,WACjBS,EAAUD,EAAUID,OAETBoD,EAAUD,  
EACPN,GAASO,IACdA,IAAY,GACE,GACZC,EAaiB,MAAOR,QAIvBH,WAAa,IAAIC,YAAYS,QAC7BV,WA  
AWY,IAAIJ,QACfID,OAASoD,MAET,IAAItd,EAAIqD,EAASrD,EAAIsD,EAAsTd,SAC5B4C,WAAW5C,GAA  
K,UAIrByD,EAAyR,KAAKH,aAAaC,EAAQ,GACjC/C,EAAI,EAAG0D,EAAIP,EAAMjD,OAAQF,EAAI0D,EA  
AG1D,IACnCiD,KAAKN,IAAIgB,WAAWF,EAAWN,EAAMnD,WAClC4C,WAAWG,KACHBU,QAKNG,WAA  
A,SAAWb,MACLA,EAAQE,KAAK/C,OAAQ,KACjBA,EAAS+C,KAAKL,WAAWG,GACzBc,EAAaZ,KAAKH,  
aAAaC,GAC/Be,EAAWD,EAAa3D,OAezB0C,WAAWG,GAAS,MAEpB,IAAI/C,EAAI6D,EAAY7D,EAAI8D,E  
AAU9D,SACH2C,IAAIoB,WAAWF,OAK1BG,SAASjB,OACHkB,EAAM,MACNIB,GAASE,KAAK/C,  
QAAqC,IAA3B+C,KAAKL,WAAWG,UACnCb,UAGH/D,EAAS+C,KAAKL,WAAWG,GACzBc,EAAaZ,KAA  
KH,aAAaC,GAC/Be,EAAWD,EAAa3D,EAERBF,EAAI6D,EAAY7D,EAAI8D,EAAU9D,IACrCiE,GAAUhB,KA  
AKN,IAAIuB,QAAQIE,GHhFT,mBGmFbiE,QCzFPE,EAAuC,IAAIC,IAC3CC,EAAuC,IAAID,IAC3CE,EAAGb,  
EAQPC,EAAGB,SAACC,MACxBL,EAAGBM,IAAID,UACdL,EAAGBO,IAAIF,QAGvBH,EAAGBI,IAAIH,IACz  
BA,QAGIvB,EAAQuB,YAIF,EAARvB,GAAa,GAACA,EAzBR,GA AK,KA2BjBQ,EAaiB,MAAOR,GAG1BoB,  
EAAGBX,IAAIgB,EAaiZB,GACxBsB,EAAGBb,IAAIT,EAAOyB,GACpBzB,GAGI4B,EAAGB,SAAC5B,UACrB  
sB,EAAGBK,IAAI3B,IAGhB6B,EAAGB,SAACJ,EAAYzB,GACpCA,GAASuB,IACXA,EAAGBvB,EAAQ,GAG1  
BoB,EAAGBX,IAAIgB,EAaiZB,GACxBsB,EAAGBb,IAAIT,EAAOyB,IC3CvBK,WAAoB3D,mCACpB4D,EA  
Y,IAAIC,WAAW7D,kDAkC3B8D,EAA4B,SAACC,EAAcT,EAAYU,WAEvDjE,EADEkE,EAAQD,EAAQE,MA

AM,KAGnBpF,EAAl,EAAG0D,EAAlYb,EAAMjF,OAAQF,EAAl0D,EAAG1D,KAElCIB,EAAOkE,EAAMnF,K  
AChBiF,EAAMI,aAAAb,EAAlvD,IAKvBqE,EAawB,SAACL,EAACM,WACrCC,GAASD,EAAME,aAAe,IAAIL,  
ML1CIB,aK2ChBjC,EAakB,GAefnD,EAAl,EAAG0D,EAAl8B,EAAMtF,OAAQF,EAAl0D,EAAG1D,IAAK,KA  
CtC0F,EAAOF,EAAMxF,GAAGyC,UACjBiD,OAEC,EAASD,EAAKE,MAAMd,MAEtBa,EAAQ,KACJ5C,EA  
AkC,EAAlB8C,SAASF,EAAl,GAAl,IAC5BnB,EAAMmB,EAAl,GAEl,IAAV5C,IAEF6B,EAACj,EAAlzB,GA  
GIBiC,EAAl0BC,EAAlOT,EAAlmB,EAAl,IAAC5CV,EAAMa,SAAS5C,YAAyH,EAAlO,IAAGpCA,EAAMjD,OAA  
S,OAefiD,EAAMhD,KAAKuF,MCzEXK,EAAW,iBAEU,oBAAXxE,aAC0B,IAA7BA,OAAOyE,kBACZzE,OAA  
OyE,kBAET,MCYOC,EAAl,SAACtG,OACrBuG,EAASC,SAASD,KACIBE,EAASzG,GAAUuG,EACnBX,EA  
QY,SAASE,cAAc,SAC/BC,EAIBiB,SAAC3G,WACbB4G,EAAl5G,EAAlf4G,WAEcVg,EAAluG,EAAWrG,OAA  
QF,GAAC,EAAGA,IAAK,KACrCwG,EAAlUD,EAAWvG,MACvBwG,GARa,IAQJA,EAAMC,UAA6BD,EAAM  
E,aAAaxF,UACxDsF,GAYKG,CAAIbP,GAC7BQ,OAA4BC,IAAdP,EAAl0BA,EAAlUM,YAAc,KAElErB,EAAM  
uB,aAAa5F,EPrBS,UOsB5BqE,EAAMuB,aPrBuB,sBACLc,aOsBIBC,EAAQjB,WAEViB,GAAOzB,EAAMuB,a  
AAa,QAASE,GAEvCZ,EAAlOa,aAAa1B,EAAlOqB,GAEPBrB,GCtBI2B,wBAOCvH,OACJwH,EAAlWIE,KAAKk  
E,QAAUIB,EAAlatG,GAG7CwH,EAAlQC,YAAyJb,SAASKb,eAAe,UAEvCpC,MDae,SAACtC,MACnBA,EAAlS  
C,aACGtC,EAAlS,cAlPqC,EAAlgBnB,SAAhBmB,YACCtH,EAAl,EAAG0D,EAAl4D,EAAlYpH,OAAQF,EAAl  
0D,EAAG1D,IAAK,KAC5CiF,EAAlQqC,EAAlYtH,MACtBiF,EAAMsC,YAAc5E,SACbsC,EAAlb1B,EAAlb,IC3B  
FiE,CAASL,QACjBjH,OAAS,6BAGhByD,WAAA,SAAWX,EAAlEY,mbAEjBxC,MAAMtB,WAAW8D,EAAMz  
E,QACvB9C,UACE,EACP,MAAlOwH,UACA,MAIX3D,WAAA,SAAWf,QACJiC,MAAMIB,WAAWf,QACjB9C,  
YAGPgE,QAAA,SAAQIB,OACAyE,EAAlOxE,KAAKgc,MAAM0C,SAAS3E,eAEpB6D,IAATY,GAA8C,iBAAj  
BA,EAAKG,QAC7BH,EAAKG,QAEL,SAMAC,wBAOCII,OACJwH,EAAlWIE,KAAKkE,QAAUIB,EAAlatG,QA  
CxcmI,MAAQX,EAAlQZ,gBACbBrG,OAAS,6BAGhByD,WAAA,SAAWX,EAAlEY,MACpBzE,GAASC,KAAK  
/C,QAAU8C,GAAS,EAAG,KACbC+E,EAAlO5B,SAASKb,eAAeI,GAC/BO,EAAlU/E,KAAK6E,MAAM9E,eACt  
BmE,QAAQF,aAAac,EAAMC,GAAW,WACtC9H,UACE,SAEA,KAlX6D,WAAA,SAAWf,QACJmE,QAAQc,Y  
AAyHf,KAAK6E,MAAM9E,SAC/B9C,YAGPgE,QAAA,SAAQIB,UACFA,EAAlQC,KAAK/C,OACR+C,KAAK  
6E,MAAM9E,GAAOyC,YAEIB,SAMAYc,wBAKCC,QACLhF,MAAQ,QACRjD,OAAS,6BAGhByD,WAAA,SA  
AWX,EAAlEY,UACpBzE,GAASC,KAAK/C,cACXiD,MAAlMf,OAAOpF,EAAl,EAAGyE,QACvBvH,UACE,  
MAMX6D,WAAA,SAAWf,QACJG,MAAlMf,OAAOpF,EAAl,QACpB9C,YAGPgE,QAAA,SAAQIB,UACFA,E  
AAQC,KAAK/C,OACR+C,KAAKE,MAAMH,GAEX,SCzHTqF,EAAlmB/G,EAWjBgH,EAAl+B,CACnCC,UAA  
WjH,EACXkH,mBAAlBhH,GAIDiH,wBAiBjBC,EACAC,EACAxD,YAFauD,IAAAA,EAAlgC9H,YACbC+H,IA  
AAA,EAAl2C,SAGtCD,aCAJ,KACAI,QAGAE,GAAKD,OACLxD,MAAQ,IAAlf,IAAlE,QACb0D,SAAWH,E  
AAQH,UAGnBtF,KAAK4F,QAAUvH,GAAl+G,IACbCA,GAAlmB,EJyBK,SAACpD,WACvB6C,EAAlQ3B,SA  
S2C,iBAAlBjE,GAEl/B7E,EAAl,EAAG0D,EAAlOe,EAAM5H,OAAQF,EAAl0D,EAAG1D,IAAK,KACtC+H,EA  
ASD,EAAM9H,GACjB+H,GL/EsB,WK+EdA,EAAlKgb,aAAa7H,KAC5BoE,EAAsBL,EAAlO8C,GAElzBA,EA  
KiB,YACPjB,EAAlKiB,WAAWf,YAAyF,KJjC9BkB,CAAehG,SArBziG,WAAP,SAAKB1E,UACTD,EAAlcC,+B  
AwBvB2E,uBAAA,SAAuBT,EAAl+BU,mBAAAA,IAAAA,GAAsB,GACnE,IAAlX,OACJxF,KAAKyF,WAAyA,  
GACtBzF,KAAK2F,GACJQ,GAAAnG,KAAKkC,YAAU0B,MAIjCwC,mBAAA,SAAlmB7E,UACTvB,KAAK2F,  
GAAGpE,IAAlOvB,KAAK2F,GAAGpE,IAAlO,GAAC,KAl7CsB,OAAA,kBACS7C,KAAKN,MAAlQM,KAAKN,  
KDtEH4F,KCsEgCtF,KAAKyF,SDtErCH,SAAlUC,IAAAA,kBAAlmB7I,IAAAA,OLCxBgD,EKAZB4F,EACK,IA  
AIL,EAAlwvI,GACb6I,EACF,IAAltB,EAAlsvH,GAEl,IAAlkI,EAAlQII,GLJd,IAAl+C,EAAlkBC,KADD,IAACA,I  
KDL4F,EAAlUC,EAAlmB7I,KC0ErD2J,aAAA,SAAla9E,EAAlYvD,UACbBgC,KAAKkC,MAAlMV,IAAlID,IAAlQv  
B,KAAKkC,MAAlMT,IAAlIF,GAAUC,IAAlxD,MAI7DoE,aAAA,SAAlab,EAAlYvD,MACvBsD,EAAlcC,GAElTvB,  
KAAKkC,MAAlMV,IAAlID,QAKZW,MAAlMT,IAAlIF,GAAU+E,IAAlItI,OALP,KACjBuI,EAAla,IAAlIC,IAAlvBD,  
EAAlWD,IAAlItI,QACVKE,MAAlM3B,IAAlIgB,EAAlIgF,OAAlOvBtG,YAAA,SAAlYsB,EAAlYvD,EAAlcC,QAC/Bk  
C,aAAAb,EAAlvD,QACjB6E,SAAS5C,YAAyqB,EAAlcC,GAAlKrB,MAI/CuG,WAAA,SAAlWIF,GACLvB,KAA  
KkC,MAAlMV,IAAlID,SACXW,MAAlMT,IAAlIF,GAAUmF,WAK9BC,WAAA,SAAlWpF,QACJsB,SAAlSIC,WAA  
WW,EAAlcC,SACICKF,WAAWIF,MAIlBqF,SAAla,gBAGOIH,SAAlmKE,KAlbxG,SAAla,kBJpHyB,SAAlC4E,WAA  
CpBtC,EAAlMsC,EAAlMa,SACV5F,EAAlWyC,EAAlXzC,OAElJ+D,EAAlM,GACDIB,EAAlQ,EAAGA,EAAlQ7C,E  
AAQ6C,IAAS,KACrCyB,EAAlKG,EAAlc5B,WACd8D,IAAlPrC,OAElEW,EAAlQF,EAAlME,MAAlMT,IAAlIF,GAC

xBrB,EAAQR,EAAIqB,SAASjB,MACTBoC,GAAUhC,GAAUgC,EAAM2E,UAEzBC,EAAC7I,OAAY6B,UAAay  
B,OAEzCU,EAAU,QACA2B,IAAV1B,GACFA,EAAMhD,SAAQ,SAAAIb,GACRA,EAAKf,OAAS,IACHBgF,G  
AAcJE,UAOpBgD,MAAUd,EAAQ4G,eAAqB7E,yBAGICjB,ElwFE+F,CAAY/G,YC3HjBgH,EAAGB,WAOhBC,  
EAAoB,SAAC3H,UACzB4H,OAAOC,aAAa7H,GAAQA,EAAO,GAAK,GAAK,MAGhC,SAAS8H,EAAuB9H,O  
AEzCnC,EADAa,EAAO,OAINb,EAAIkK,KAAKC,IAAIhI,GAAOnC,EAZP,GAYwBA,EAACA,EAZ7B,GAYgD,  
EACHeA,EAAOIj,EAAB9J,EAbT,IAa4Ba,SAGtCiJ,EAAB9J,EAhBR,IAgB2Ba,GAAMoB,QAAQ4H,EAAe,SC  
pBrE,IAKMO,EAAQ,SAACC,EAAWrK,WAC3BJ,EAAIL,EAAEF,OAEHF,GACLyK,EAAS,GAAJA,EAAUrK,E  
AAEsK,aAAa1K,UAGzByK,GAIII,EAAO,SAACvK,UACZoK,EAjBW,KAiBCpK,ICXfwK,EAAOD,EZEa5D,S  
YGL8D,wBAaPIH,EAAGB2H,EAAGqBC,QAC1C5H,MAAQA,OACR6H,cAAgB,QACHBC,UAAW9J,OAGX2J,Y  
AAcA,OAIdI,SAAWV,EAAMI,EAAME,QAeVBC,UAAyA,EAijBtC,EAAWS,WAAW4B,sBAQxBK,wBAAA,S  
AAwBC,EAA0BC,EAawBC,OACHER,EAAGB7H,KAAhB6H,YAEF3F,EAAQ,MAEVIC,KAAK8H,WACP5F,E  
AAMhF,KAAK8C,KAAK8H,UAAUI,wBAAwBC,EAakBC,EAAYC,IAI9ErI,KAAKGI,WAAaK,EAAOX,QACv  
B1H,KAAK+H,eAAiBK,EAaw/B,aAAawB,EAAa7H,KAAK+H,eACIE7F,EAAMhF,KAAK8C,KAAK+H,mBAC  
X,KACCO,EAAyC,GAAQvI,KAAKE,MAAOiI,EAakBC,EAAyC,GAAQG,KAAK,IAC3ExK,EAAOyK,EAAal  
B,EAAMvH,KAAKiI,SAAUk,KAAe,OAEzDF,EAaw/B,aAAawB,EAAa7J,GAO,KACzC0K,EAAGqBL,EAAO  
C,MAAetK,OAAQ4F,EAawIE,GAEPeO,EAawNI,YAAy4H,EAAa7J,EAAM0K,GAG5CxG,EAAMhF,KAAKc,  
QACN+J,cAAgB/J,MAEIB,SACGf,EAaw+C,KAAKE,MAAhBjD,OACJ0L,EAACP,B,EAAMvH,KAAKiI,SAUI  
,EAAOX,MAC1C1G,EAAM,GAEDjE,EAAL,EAAGA,EAALIE,EAAQF,IAAK,KACzB6L,EAaw5I,KAAKE,MAA  
MnD,MAEJ,iBAAb6L,EACT5H,GAO04H,EAEOCD,EAACP,B,EAAMoB,EAAaC,EAaw7L,QACIF,GAAL6L,EA  
AU,KACbC,EAAYN,GAAQK,EAAUT,EAakBC,EAAYC,GAC5DS,EAAaC,MAAMC,QAAQH,GAAaA,EAU  
L,KAAK,IAAMK,EACnEF,EAACP,B,EAAMoB,EAAaG,EAAa/L,GAC9CiE,GAO08H,MAIP9H,EAAK,KACDhD  
,EAAOyK,EAAaE,IAAGB,OAERCP,EAaw/B,aAAawB,EAAa7J,GAO,KACzCiL,EAaEz,EAAOrH,MAAShD,O  
AAQ4F,EAawIE,GACxDO,EAawNI,YAAy4H,EAAa7J,EAAMiL,GAG5C/G,EAAMhF,KAAKc,WAIRkE,EA  
MsG,KAAK,WC7GtB,SAASU,EAAyC,GakUnB,SAASC,EAAEjK,EAAGH,EAAGqK,GACf,IAAI7B,EAALxI,E  
AAEQ,OAAO2C,MAAMmH,GACvBtK,EAALwI,EACJ,IAAI1I,EAAL0I,EAALeV,K,OACNsM,EAALpK,EAALeIC,O  
AEV,OAAQsM,GACN,KAAK,EACL,KAAK,EACH,IAALxK,EAAL,EAER,IAAKI,EAAL,IAAMoK,EAAL,GAAK  
pK,EAAL,GAAK,IAAKJ,EAAL,IAAKC,EAC3CC,EAAED,GAAYkK,EAALrK,EAAGH,EAAL,GAALsK,GA  
AG7J,OAGvB,MAEF,QACE,IAALiK,EAAL1K,EAAL,EAEZ,IAAKC,EAAL,GAALID,EAALID,IAAKC,EACP,B,IAA  
K,IAAL2K,EAAL,EAAGA,EAALIH,IAAKG,EACvB1K,EAALeYK,KAAOD,EAALrK,EAALeUk,GAAK,IAAKIC,EA  
ALeZl,GAALsK,GAAG7J,OAMxK,OAAOR,EAGT,SAASwK,EAALrK,EAAGH,EAAGqK,GACf,IAAI7B,EAALxI,  
EAALeYl,WAAW,GAGrB,OFA,GAAKD,IAAMA,GAAKxI,EAAL,EAALeQ,QAAQiI,WAAW,IAEjCD,GACN,  
KAAK,GACH,OAAOXI,EAAL,EAALeI,QAAQuK,EAAG,KAAOXK,EAALeK,QAEB,KAAK,GACH,OAAOL,EAALeK,O  
AASR,EAALeI,QAAQuK,EAAG,KAAOXK,EAALeK,QAEB,QACE,GAAL,EAAL,EAAL6J,GAAK,EAALrK,EAALe  
4K,QAAQ,MAAO,OAAO5K,EAALeI,QAAQuK,GAAL,KAAOXK,EAALeS,WAAW,GAAK,GAAK,MAAQtl,EAAL  
EK,QAGvG,OAAOL,EAALIH,EAGb,SAAS6K,EAALe1K,EAAGH,EAAGqK,EAAG7B,GACIB,IAAL1I,EAAL,EA  
AL,IAACRoK,EAAL,EAALvK,EAAL,EAALiQK,EAAL,EAAL17B,EAALe5B,GAAL,MAAQ+B,EAAG,CACbP,K,EAAL,EA  
ALe8K,QAAQ,IAAK,GAAK,EACxB,IAAL17K,EAALID,EAALeGL,UAAU3K,EAAGL,EAALe7B,OAAS,GAAGuC,  
OAERc,OADAT,EAALID,EAALeGL,UAAU,EAAG3K,GAAGK,OAAS,EAAL,IAAC5B,IAAMgI,GAAK,IAAMA,G  
AAK,EAALeJL,EAAG,GAAK,WAAaA,EAAL,EAAL,EAAG9D,GAAL,IAAMgI,GAAK,IAAMA,IAAMC,EAAL  
EIL,EAAG,GAAL,OAAOA,EALe3C,OAAQyK,GACN,KAAK,KACH,OAAO,KAAOzK,EAALe2I,WAAW,IAAM,  
WAAa3I,EAAL,EAAL,EAAL,EAExD,KAAK,IACH,OAAO,MAAQA,EAALe2I,WAAW,GAAK,WAAa3I,EAAL,EA  
AL,EAExD,KAAK,IACH,OAAO,MAAQA,EAALe2I,WAAW,GAAK,WAAa3I,EAAL,EAAL,EAAL,EAExD,KAAK,  
KACH,GAAL,MAAQA,EAALe2I,WAAW,GAAL,MAE/B,KAAK,IACL,KAAK,IACH,MAAO,WAAa3I,EAAL,EA  
ALe1B,KAAK,IACH,MAAO,WAAaA,EAAL,QAAUA,EAAL,EAExC,KAAK,KACL,KAAK,IACH,MAAO,WAA  
aA,EAAL,QAAUA,EAAL,OAASA,EAAL,EAERD,KAAK,IACH,GAAL,KAAOA,EAALe2I,WAAW,GAAL,MAAO,  
WAAa3I,EAAL,EAAL,EAAL,EAALe8K,QAAQ,aAAc,IAAK,OAAO9K,EAALeM,QAAQ6K,EAAL,GBA  
AkBnL,EALe5E,MAEF,KAAK,IACH,GAAL,KAAOA,EAALe2I,WAAW,GAAL,OAAQ3I,EAALe2I,WAAW,IAC/C,  
KAAK,IACH,MAAO,eAAiB3I,EAALeM,QAAQ,QAAS,IAAM,WAAaN,EAAL,OAASA,EAALeM,QAAQ,OAAQ,

YAAcN,EAE7G,KAAK,IACH,MAAO,WAAaA,EAAI,OAASA,EAAEM,QAAQ,SAAU,YAAcN,EAER,E,KAAK,G  
ACH,MAAO,WAAaA,EAAI,OAASA,EAAEM,QAAQ,QAAS,kBAaBN,EAE5E,MAAO,WAAaA,EAAI,OAAS  
A,EAAIA,EAEvC,KAAK,IACH,MAAO,WAAaA,EAAI,YAAcA,EAAIA,EAE5C,KAAK,KACH,GAAI,KAAOA,  
EAAE2I,WAAW,GAAI,MAE5B,MAAO,oBADP1I,EAAID,EAAEgL,UAAUhL,EAAE8K,QAAQ,IAAK,KAAKx  
K,QAAQ,QAAS,IAAIA,QAAQ,gBAaIB,YACID,WAAaN,EAAI,gBAaKBC,EAAID,EAEzE,KAAK,KACH,OAA  
OoL,EAAGrM,KAAKiB,GAAKA,EAAEM,QAAQ+K,EAAI,aAAerL,EAAEM,QAAQ+K,EAAI,UAAyRl,EAAIA  
,EAEjF,KAAK,IAIH,OAFaE,GADAD,EAAID,EAAEgL,UAAU,IAAIItK,QACdoK,QAAQ,KAAO,EAEB7K,EAA  
E0I,WAAW,GAAK1I,EAAE0I,WAAWzI,IACrC,KAAK,IACHD,EAAID,EAAEM,QAAQgL,EAAG,MACjB,MA  
EF,KAAK,IACHrL,EAAID,EAAEM,QAAQgL,EAAG,SACjB,MAEF,KAAK,IACHrL,EAAID,EAAEM,QAAQgL  
,EAAG,MACjB,MAEF,QACE,OAAOtL,EAGX,MAAO,WAAaA,EAAI,OAASC,EAAID,EAEvC,KAAK,KACH,I  
AAK,IAAMA,EAAE8K,QAAQ,SAAU,GAAI,MAErC,KAAK,IAIH,OHA5K,GAAKF,EAAIK,GAAGiC,OAAS,  
GAGbsM,GAFrxK,GAAK,KAAOD,EAAE2I,WAAWzI,GAAKF,EAAEgL,UAAU,EAAG9K,GAAKF,GAAGgL,  
UAAU3K,EAAEyK,QAAQ,IAAK,GAAK,GAAGpK,QAExEiI,WAAW,IAAwB,EAAIB1I,EAAE0I,WAAW,KAC  
1C,KAAK,IACH,GAAI,IAAM1I,EAAE0I,WAAW,GAAI,MAE7B,KAAK,IACH3I,EAAIA,EAAEM,QAAQL,EA  
AG,WAAaA,GAAK,IAAMD,EACzC,MAEF,KAAK,IACL,KAAK,IACHA,EAAIA,EAAEM,QAAQL,EAAG,YA  
Ac,IAAMwK,EAAI,UAAy,IAAM,OAAS,IAAMzK,EAAEM,QAAQL,EAAG,WAAaA,GAAK,IAAMD,EAAEM,  
QAAQL,EAAG,OAASA,EAAI,OAAS,IAAMD,EAG5J,OAAOA,EAAI,IAEb,KAAK,IACH,GAAI,KAAOA,EAA  
E2I,WAAW,GAAI,OAQ3I,EAAE2I,WAAW,IAC/C,KAAK,IACH,OAAO1I,EAAID,EAAEM,QAAQ,SAAU,IA  
AK,WAAaN,EAAI,eAAiBC,EAAI,YAAcA,EAAID,EAE9F,KAAK,IACH,MAAO,WAAaA,EAAI,iBAaMBA,EA  
AEM,QAAQiL,EAAI,IAAMvL,EAEjE,QACE,MAAO,WAAaA,EAAI,qBAaUBA,EAAEM,QAAQ,gBAaIB,IAAI  
A,QAAQiL,EAAI,IAAMvL,EAEpG,MAEF,KAAK,IACL,KAAK,IACH,GAAI,KAAOA,EAAE2I,WAAW,IAAM,  
MAAQ3I,EAAE2I,WAAW,GAAI,MAEzD,KAAK,IACL,KAAK,IACH,IAAI,IAAO6C,EAAGzM,KAAKsB,GAAI  
,OAAO,OAASJ,EAAI,EAAE2K,UAAU3K,EAAEyK,QAAQ,KAAO,IAAIInC,WAAW,GAAKoC,EAAE1K,EAA  
EC,QAAQ,UAAW,kBAaMbj,EAAGqK,EAAG7B,GAAGpI,QAAQ,kBAaMB,YAAcN,EAAEM,QAAQL,EAAG,  
WAAaA,GAAKD,EAAEM,QAAQL,EAAG,QAUA,EAAEK,QAAQ,QAAS,KAAON,EACxQ,MAEF,KAAK,IA  
CH,GAIA,EAAI,WAAaA,GAAK,MAAQA,EAAE2I,WAAW,GAAK,OAAS3I,EAAI,IAAMA,EAAG,MAAQkK  
,EAAI7B,GAAK,MAAQ1I,EAAE2I,WAAW,KAAO,EAAI3I,EAAE8K,QAAQ,YAAa,IAAK,OAAO9K,EAAEgL,  
UAAU,EAAGhL,EAAE8K,QAAQ,IAAK,IAAM,GAAGxK,QAAQmL,EAAI,gBAaKbZL,EAGvO,OAAOA,EAG  
T,SAASKL,EAAE7K,EAAGH,GACZ,IAAIqK,EAAIK,EAAEyK,QAAQ,IAAM5K,EAAI,IAAM,KAC9BwI,EAAI  
rI,EAAE2K,UAAU,EAAG,IAAM9K,EAAIqK,EAAI,IAErC,OADAA,EAAIK,EAAE2K,UAAUT,EAAI,EAAGIK  
,EAAEIC,OAAS,GAC3BuN,EAAE,IAAMxL,EAAIwI,EAAIA,EAAEpI,QAAQqL,EAAI,MAAOpB,EAAGrK,GA  
GjD,SAAS0L,EAAGvL,EAAGH,GACb,IAAIqK,EAAIQ,EAAE7K,EAAGA,EAAEyI,WAAW,GAAIzI,EAAEyI,  
WAAW,GAAIzI,EAAEyI,WAAW,IAC5D,OAAO4B,IAAMrK,EAAI,IAAMqK,EAAEjK,QAAQuL,EAAI,YAAy  
b,UAAU,GAAK,IAAM9K,EAAI,IAG5E,SAAS4L,EAAEzL,EAAGH,EAAGqK,EAAG7B,EAAG1I,EAAGyK,EA  
AGxK,EAAG0K,EAAGC,EAAGmB,GACpC,IAAK,IAAkBd,EAAdE,EAAI,EAAG3N,EAAI6B,EAAM8L,EAAIC  
,IAAKD,EACjC,OAAQf,EAAIiB,EAAEF,GAAGvN,KAAK0N,EAAG9L,EAAGhC,EAAGkM,EAAG7B,EAAG1I  
,EAAGyK,EAAGxK,EAAG0K,EAAGC,EAAGmB,IACID,UAAK,EACL,KAAK,EACL,KAAK,EACL,KAAK,KA  
CH,MAEF,QACE1N,EAAI4M,EAIv,GAAI5M,IAAM6B,EAAG,OAAO7B,EAmBtB,SAAS+N,EAAE/L,GAGT,Y  
ADA,KADAA,EAAIA,EAAEgM,UACWX,EAAI,KAAmRl,EAAI,mBAAsBA,EAAI4K,EAAI,GAAKA,EAAI,EA  
AGS,EAAIrL,GAAK4K,EAAI,GAC/EmB,EAGT,SAASD,EAAE9L,EAAGH,GACZ,IAAIqK,EAAIK,EAKR,GAJ  
A,GAAKkK,EAAE5B,WAAW,KAAO4B,EAAIA,EAAE7J,QAEB6J,EAAI,CADAA,GAGA,EAAI0B,EAAG,CA  
CT,IAAIvD,EAAIoD,GAAG,EAAG5L,EAAGqK,EAAGA,EAAG+B,EAAGC,EAAG,EAAG,EAAG,EAAG,QACt  
C,IAAW7D,GAAK,iBAaBa,IAAMxI,EAAIwI,GAGhD,IAAI1I,EA5jBN,SAASwM,EAAEnM,EAAGH,EAAGq  
K,EAAG7B,EAAG1I,GACrB,IAAK,IAAgC+L,EAAGC,EAAiBS,EAauEC,EAAMCC,EAA1JIC,EAAI,EAAGxK,  
EAAI,EAAG0K,EAAI,EAAGC,EAAI,EAASvM,EAAI,EAAGuO,EAAI,EAAMC,EAAIJ,EAAIV,EAAI,EAAGpK,  
EAAI,EAAGmL,EAAI,EAAGC,EAAI,EAAGC,EAAI,EAAGb,EAAI5B,EAAEpM,OAAQ8O,EAAId,EAAI,EA  
Me,EAAI,GAaIC,EAAI,GAaItC,EAAI,GAaIS,EAAI,GAaO3J,EAAIwK,GAAI,CAI5K,GAHAH,EAAIzB,EA  
E5B,WAAWhH,GACjBA,IAAMsL,GAAK,IAAMhN,EAAI2K,EAAID,EAAIF,IAAM,IAAMxK,IAAM+L,EAAI,

KAAO/L,EAAl,GAak,IAAK2K,EAAlD,EAAlF,EAAl,EAAG0B,IAAKc,KAExF,IAAMhN,EAAl2K,EAAlD,EAAlF,EAAG,CACvB,GAAl9I,IAAMsL,IAAM,EAAlH,IAAMI,EAAlA,EAAlE5M,QAAQ8M,EAAG,KAAM,EAAlF,EAAlExM,OAAOvC,QAAS,CACrE,OAAQ6N,GACN,KAak,GACL,KAak,EAcl,KAak,GACL,KAak,GACL,KAak,GACH,MAEF,QACEkB,GAak3C,EAAlE8C,OAAO1L,GAGIBqK,EAAl,GAGN,OAAQA,GACN,KAak,IAKH,IAHAD,GADAmB,EAAlA,EAAlExM,QACAI,WAaw,GACjB8D,EAAl,EAECO,IAAMrL,EAAGA,EAAlwK,GAAl,CACpB,OAAQH,EAAlzB,EAAlE5B,WAawWhH,IACvB,KAak,IACH8K,IACA,MAEF,KAak,IACHA,IACA,MAEF,KAak,GACH,OAAQT,EAAlzB,EAAlE5B,WAawWhH,EAAl,IAC3B,KAak,GACL,KAak,GACH3B,EAAG,CACD,IAAK6M,EAAlIL,EAAl,EAAGkL,EAAlI,IAAKJ,EACvB,OAAQtC,EAAlE5B,WAawWkE,IAcNB,KAak,GACH,GAAl,KAAOb,GAak,KAAOzB,EAAlE5B,WAawWkE,EAAl,IAAMIL,EAAl,IAAMkL,EAAG,CACzDIL,EAAlkL,EAAl,EACR,MAAM7M,EAGR,MAEF,KAak,GACH,GAAl,KAAOgM,EAAG,CACzrK,EAAlkL,EAAl,EACR,MAAM7M,GAMd2B,EAAlkL,GAKV,MAEF,KAak,GACHb,IAEF,KAak,GACHA,IAEF,KAak,GACL,KAak,GACH,KAAOrK,IAAMsL,GAak1C,EAAlE5B,WAawWhH,KAAOqK,KAK1C,GAAl,IAAMS,EAAG,MACb9K,IAMF,OAHA8K,EAAlIc,EAAlES,UAAUgC,EAAGrL,GACNB,IAAMoK,IAAMA,GAakmB,EAAlA,EAAlE5M,QAAQgN,EAAl,IAAl5M,QAAQiI,WAaw,IAElDoD,GACN,KAak,GAIH,OAHA,EAAlE,IAAMI,EAAlA,EAAlE5M,QAAQ8M,EAAG,KAC3BpB,EAAlkB,EAAlEvE,WAaw,IAGf,KAak,IAcl,KAak,IACL,KAak,IACL,KAak,GACHmE,EAAl5M,EACJ,MAEF,QACE4M,EAAlIS,EAMR,GAFAP,GADAP,EAAlD,EAAlEtM,EAAG4M,EAAGL,EAAGT,EAAGhM,EAAl,IACb7B,OACN,EAAl8N,IAAsBU,EAAlb,EAAlE,EAAGW,EAazBK,EAAlxC,EAAlEiD,EAAGL,EAAGH,GAAMb7M,EAAGoM,EAAGC,EAAGS,EAAGhB,EAAGhM,EAAGOI,GAAlwE,EAAlI,EAAlEpD,KAak,SAak,IAAWiD,GAak,KAAOK,GAakP,EAAlE,EAAlEjM,QAAQvC,UAAy6N,EAAl,EAAGS,EAAl,KAC5I,EAAlIO,EAAG,OAAQHb,GACjB,KAak,IACHkB,EAAlA,EAAlE5M,QAaqkN,EAAl5B,GAEPb,KAak,IACL,KAak,IACL,KAak,GACHa,EAAlIS,EAAl,IAAMT,EAAl,IACIB,MAEF,KAak,IAEHA,GADAS,EAAlA,EAAlE5M,QAAQmN,EAAl,UACV,IAAMhB,EAAl,IACIBA,EAAl,IAAMxB,GAak,IAAMA,GAakC,EAAlE,IAAMuB,EAAG,GAak,YAAcA,EAAl,IAAMA,EAAl,IAAMA,EAC5E,MAEF,QACEA,EAAlIS,EAAlIT,EAAG,MAAQ/D,IAAWyE,GAakV,EAAlVA,EAAlAa,SACnCA,EAAl,GACX,MAEF,QACEA,EAAlD,EAAlEtM,EAAGoK,EAAlEpK,EAAGgN,EAAGH,GAAlN,EAAG/D,EAAG1I,EAAl,GAGn6K,GAak4B,EACLA,EAAlM,EAAlD,EAAlD,EAAlD,EAAl,EACpBmB,EAAl,GACJIB,EAAlzB,EAAlE5B,aAAAhH,GACNB,MAEF,KAak,IACL,KAak,GAEH,GAAl,GAakqL,GADTE,GAak,EAAlI,EAAlI,EAAlE5M,QAAQ8M,EAAG,IAAMF,GAAGxM,QACpBvC,QAAS,OAAQ,IAAM0O,IAAMd,EAAlmB,EAAlEvE,WAaw,GAAl,KAAOoD,GAak,GAakA,GAak,IAAMA,KAAOiB,GAakE,EAAlA,EAAlE5M,QAAQ,IAak,MAAMnC,QAAS,EAAl8N,QAak,KAAYU,EAAlb,EAAlE,EAAGoB,EAAGhN,EAAGG,EAAGiM,EAAGC,EAAGY,EAAlEhP,OAAQuK,EAAG1I,EAAGOI,KAAO,KAAOsE,GAakE,EAAlP,EAAlEjM,QAAQvC,UAAy+O,EAAl,QAAAnB,EAAlmB,EAAlEvE,WAaw,GAAlqD,EAAlkB,EAAlEvE,WAaw,GAAlOD,GAC9S,KAak,EACH,MAEF,KAak,GACH,GAAl,MAAQc,GAak,KAAOA,EAAG,CACzBV,GAak4B,EAAl3C,EAAlE8C,OAAO1L,GACIB,MAGJ,QACE,KAAOuL,EAAlEvE,WAawqE,EAAl,KAAOG,GAakpC,EAAlEmC,EAAGnB,EAAGC,EAAGkB,EAAlEvE,WAaw,KAAlEhE,EAAlD,EAAlD,EAAlD,EAAl,EACbBmB,EAAl,GACJIB,EAAlzB,EAAlE5B,aAAAhH,IAIzB,OAAQqK,GACN,KAak,GACL,KAak,GACH,KAAO/L,EAAlA,EAAl,EAAl,IAAM,EAAl8L,GAak,MAAQrD,GAak,EAAlwE,EAAlE/O,SAAW2O,EAAl,EAAGI,GAak,MAC5E,EAAljB,EAAlYB,GAak5B,EAAlE,EAAGoB,EAAGhN,EAAGG,EAAGiM,EAAGC,EAAGY,EAAlEhP,OAAQuK,EAAG1I,EAAGOI,GACjD6D,EAAl,EACJD,IACA,MAEF,KAak,GACL,KAak,IACH,GAAl,IAAMrM,EAAl2K,EAAlD,EAAlF,EAAG,CACvB8B,IACA,MAGJ,QAIE,OAHA,IAACAG,EAAlnC,EAAlE8C,OAAO1L,GAELqK,GACN,KAak,EAcl,KAak,GACH,GAAl,IAAMpB,EAAlIH,EAAlxK,EAAG,OAAQ5B,GAC3B,KAak,GACL,KAak,GACL,KAak,EAcl,KAak,GACHqO,EAAl,GACJ,MAEF,QACE,KAAOV,IAAMU,EAAl,KAerB,MAEF,KAak,EACHA,EAAl,MACJ,MAEF,KAak,GACHA,EAAl,MACJ,MAEF,KAak,GACHA,EAAl,MACJ,MAEF,KAak,GACH,IAAM9B,EAAl3K,EAAlwK,IAAMqC,EAAlc,EAAl,EAAGL,EAAl,KAAOA,GAC1C,MAEF,KAak,IACH,GAAl,IAAM9B,EAAl3K,EAAlwK,EAAlkD,GAAK,EAAlD,EAAG,OAAQIL,EAAlkL,GAC5C,KAak,EACH,MAAQxO,GAak,KAAOkM,EAAlE5B,WAawWhH,EAAl,KAAOgM,EAAltP,GAElD,KAak,EACH,MAAQuO,IAAMe,EAAlf,GAElT,MAEF,KAak,GACH,IAAMhC,EAAl3K,EAAlwK,IAAMoC,EAAlIL,GACxB,MAEF,KAak,GACH,IAAM1B,EAAl0K,EAAlc,EAAlH,IAAMqC,EAAl,EAAGJ,GAak,MACpC,MAEF,KAak,GACL,KAak,GACH,IAAMzM,IAAM2K,EAAlA,IAAMo



B,EAAl,EAAl,IAAMpB,EAAlOB,EAAlpB,GAC5C,MAEF,KAAK,GACH,IAAMA,EAAl3K,EAAl0K,GAAKF,IA CnB,MAEF,KAAK,GACH,IAAMG,EAAl3K,EAAl0K,GAAKF,IACnB,MAEF,KAAK,GACH,IAAMG,EAAl3K, EAAlwK,GAAKE,IACnB,MAEF,KAAK,GACH,GAAl,IAAMC,EAAl3K,EAAlwK,EAAG,CACnB,GAAl,IAAMs B,EAAG,OAAQ,EAAlIN,EAAl,EAAluO,GAC/B,KAAK,IACH,MAEF,QACEb,EAAl,EAERpB,IAGF,MAEF,KA AK,GACH,IAAM1K,EAAl0K,EAAlC,EAAlH,EAAlOC,EAAlJ,IAAMA,EAAl,GACpC,MAEF,KAAK,GACL,KA AK,GACH,KAAM,EAAl7B,EAAlH,EAAlE,GAAl,OAAQ1K,GAC5B,KAAK,EACH,OAAQ,EAAl+L,EAAl,EA AlzB,EAAE5B,WAAWhH,EAAl,IACnC,KAAK,IACH1B,EAAl,GACJ,MAEF,KAAK,IACH+M,EAAlrL,EAAG1 B,EAAl,GAGf,MAEF,KAAK,GACH,KAAO+L,GAAK,KAAO3N,GAAK2O,EAAl,IAAMrL,IAAM,KAAO4I,EA AE5B,WAAWqE,EAAl,KAAOG,GAAK5C,EAAES,UAAUgC,EAAGrL,EAAl,IAAK+K,EAAl,GAAlzM,EAAl,I AlxH,IAAMA,IAAMiN,GAAKR,GAGrBE,EAAlvO,EACJA,EAAl2N,EACJrK,IAKF,GAAl,GAfJqL,EAAlG,EA AEhP,QAeK,CAET,GADA2O,EAAl5M,EACA,EAAl+L,QAA2C,KAArCU,EAAlb,EAAE,EAAGqB,EAAGL,EA AGzM,EAAGiM,EAAGC,EAAGS,EAAGtE,EAAG1I,EAAG0I,KAAoB,KAAOyE,EAAlR,GAAGxO,OAAAS,OAA OmN,EAAl6B,EAAltC,EAGzG,GAFAsC,EAAlL,EAAEpD,KAAK,KAAO,IAAMyD,EAAl,IAExB,GAAMIC,EA Al0C,EAAG,CAGf,OAFa,IAAM1C,GAAKC,EAAEiC,EAAG,KAAOQ,EAAl,GAEnBA,GACN,KAAK,IACHR, EAAlA,EAAE7M,QAAQsN,EAAl,YAAcT,EAChC,MAEF,KAAK,IACHA,EAAlA,EAAE7M,QAAQuN,EAAG,s BAAwBV,EAAE7M,QAAQuN,EAAG,aAAeV,EAAE7M,QAAQuN,EAAG,iBAAmBV,EAGzGQ,EAAl,GAIR,O AAOrc,EAAl6B,EAAltC,EA8PP2B,CAAEe,EAAGhD,EAAGrK,EAAG,EAAG,GAKtB,OAJA,EAAl+L,QAAmD ,KAA7CvD,EAAlOD,GAAG,EAAG9L,EAAGuK,EAAGA,EAAG+B,EAAGC,EAAGvM,EAAE7B,OAAQ,EAAG ,EAAG,MAAQb6B,EAAl0I,GAE5EiF,EAAl,EACJpB,EAAlD,EAAl,EACDtM,EAGT,IAAlS,EAAK,QACLF,EA Al,YACJ/B,EAAK,OACLD,EAAK,UACLK,EAAK,sBACLjB,EAAK,SACLK,EAAl,oBACJ4C,EAAK,qBACLI,E AAl,aACJD,EAAK,gBACLtC,EAAl,qBACJkC,EAAK,kBACL3B,EAAK,eACLN,EAAK,eACLI,EAAK,8BACLH ,EAAK,mCACLL,EAAK,sBACLoB,EAAl,EACJD,EAAl,EACJqB,EAAl,EACJ1C,EAAl,EACJsC,EAAl,GACJrB, EAAl,GACJD,EAAl,EACJP,EAAl,KACJgC,EAAl,EAKR,OAHAvB,EAAE2B,IApEF,SAASC,EAAE1N,GACT,O AAQA,GACN,UAAK,EACL,KAAK,KACH4L,EAAlC,EAAE/N,OAAAS,EACf,MAEF,QACE,GAAl,mBAAsBkC, EAAG6L,EAAED,KAAO5L,OAAO,GAAl,iBAAoBA,EAAG,IAAK,IAAlH,EAAl,EAAGqK,EAAlIK,EAAEIC,O AAQ+B,EAAlqK,IAAKrK,EAC7G6N,EAAE1N,EAAEH,SACCwN,EAAlU,IAAJrN,EAGjB,OAAO0N,GAwDT5 B,EAAE1K,IAAM2K,OACR,IAAW/B,GAAK+B,EAAE/B,GACX8B,EC51BT,IAAM6B,EAAGb,gBACHBC,EAA 0B,CAAC,IAAK,IAAK,IAAK,KAOjC,SAASC,SAYBIBC,EACAC,EACAC,EACAC,eAzB6BzP,QAFjC8H,QAAA A,aAAU9H,QACV0P,QAAAA,aAAU5P,IAEJ4K,EAAS,IAAlf,EAAO7H,GAMtB8H,EAAe,GAWbC,ECdO,SA AS9M,YAlb+M,EAAQC,MACXA,MAEhN,EAAcgN,OACd,MAAOre,YAlN,SACLSE,EACA1L,EACA2L,EAC AC,EACAC,EACAC,EACA9Q,EACA+Q,EACAC,EACAC,UAEQP,QAED,KAEW,IAAVM,GAAYC,KAA1BhM, EAAQwF,WAAW,GAAW,OAAO/G,EAAcuB,OAAa,cAGhF,KACQ,IAAP+L,EAAlU,OAAO/L,EA/BT,mBAKCT, SACK+L,QAED,SACA,WACItN,EAAWkN,EAAlU,GAAK3L,GAAlU,kBAEpCA,GAAkB,IAAPiM,EAZCV,QAY CiC,SAEzC,EACJjM,EAAQE,MA3CIgM,UA2CUjP,QAAQuO,KD/BXW,EAAlB,SAAA5J,GACxC+I,EAAlrQ,K AAKsH,MAQd6J,EAawB,SAAC1L,EAAO2L,EAAQC,UAG9B,IAAXD,IAA8E,IAA/DvB,EAawBnD,QAAQ2E, EAAOrB,EAAlUjQ,UAEhEsR,EAAO5L,MAAMyK,GAKTzK,MAHMsK,YA4BNuB,EAAlxN,EAAK8F,EAAlUq E,EAAlQtD,YAAAA,IAAAA,EAAlc,SACrD4G,EAAlUzN,EAAl5B,QAAQ0N,EAAlE,IACrC4B,EAAS5H,GAAYqE ,EAAYA,MAAUrE,QAAC2H,OAAcA,SAK7ExB,EAAlEpF,EACfQF,EAAlYpG,EACZqG,EAAlkB,IAAlrL,YAAyo L,QAAgB,KACIDE,EAA4B,IAAltL,aAAoL,cAEtC7E,EAAO8C,IAAWrE,EAAlW,GAAKA,EAAlU4H,UAdrDrG, EAAOuE,cAAQS,GAPwB,SAACM,EAASgB,EAAGf,GACIC,IAAZD,GAAlBC,EAAlU3Q,EAAlU2Q,EAAlU,GA AGgB,YAAy1B,GAAla,IAE7EU,EAAlU,GAAKA,EAAlU,GAAGxO,QAAQ+N,EAAlBkB,KAlDdB,EAID9B,SAAA G,OACP,IAAbA,EAAGb,KACZkB,EAAltB,SACpBA,EAAlE,GACRsB,OA+DXL,EAAE9G,KAAO2F,EAAlQpQ, OAC1BoQ,EACGyB,QAAO,SAACC,EAAlKC,UACPA,EAAOhR,MACVsC,EAAlB,IAGZiH,EAAMwH,EAAlKC, EAAOhR,QHnGf,MGqGXZ,WACH,GAEGoR,EE3FF,IAAMS,EAAGDC,EAAMC,gBACtDC,EAAlqBH,EAAlkB, SACvCC,EAAl6CJ,EAAMC,gBAGnDI,GAfIBD,EAAlcD,SAEL,IAAl7J,GAC9BgK,EAAl4BxC,IAEIC,SAASyC,Y ACPC,aAAWT,IAAsBM,EAGnC,SAASI,YACPD,aAAWJ,IAAlkB,EAGvB,SAASI,GAAlBC,SACVC,WAASD, EAAME,eAAtC1C,OAAAS2C,OACVC,EAAlBR,KAEPBrH,EAAla8H,WAAQ,eACrBIO,EAAlQiO,SAERJ,EAAM7 N,MAERA,EAAlQ6N,EAAM7N,MACL6N,EAAMnT,SACfsF,EAAlQA,EAAMkE,uBAAuB,CAAlExJ,OAAQmT,E

AAMnT,SAAU,IAG7DmT,EAAMM,wBACRnO,EAAQA,EAAMkE,uBAAuB,CAAEX,mBAAmB,KAGrDvD,IA  
CN,CAAC6N,EAAMM,sBAAuBN,EAAM7N,MAAO6N,EAAMnT,SAE9C2L,EAAS6H,WACb,kBACEID,EAQ  
B,CACnBvH,QAAS,CAAE0F,QAAS0E,EAAMO,uBAC1B/C,QAAAA,MAEJ,CAACwC,EAAMO,sBAAuB/C,W  
AGhCgD,aAAU,YC5DK,SAAsBC,EAAMC,EAAMC,EAASC,GAC1D,IAAIC,OAA2D,EAE/D,QAAY,IAARA,E  
ACF,QAASA,EAGX,GAAIJ,IAASC,EACX,OAAO,EAGT,GAAoB,iBAATD,IAAsBA,GAAwB,iBAATC,IAAsB  
A,EACpE,OAAO,EAGT,IAAII,EAAQrT,OAAOuT,KAAKN,GACpBO,EAAQxT,OAAOuT,KAAKL,GAExB,GA  
AII,EAAM1T,SAAW4T,EAAM5T,OACzB,OAAO,EAMT,IAHA,IAAI6T,EAakBzT,OAAOC,UAAUyT,eAAeC,  
KAAKT,GAGIDU,EAAM,EAAGA,EAAMN,EAAM1T,OAAQgU,IAAO,CAC3C,IAAIC,EAAMP,EAAMM,GAE  
hB,IAAKH,EAAGBI,GACnB,OAAO,EAGT,IAAIC,EAASb,EAAY,EAAY,EAAY,EAAY,EAAY,EAAY,EAAY,  
KAFZR,OAAoE,SAEtC,IAARA,GAakBS,IAAWC,EACjD,OAAO,EAIX,OAAO,GDmBAC,CAAahE,EAASwC,EA  
AME,gBAAgBC,EAASH,EAAME,iBACjE,CAACF,EAAME,gBAGRb,gBAACD,EAakBqC,UAAASC,MAAOnJ,  
GACjC8G,gBAACI,EAACgC,UAAASC,MAAOIJ,GAEB6G,EAAMsC,SAASC,KAAK5B,EAAM6B,gBEhEjBC,y  
BAOP3T,EAACKC,mBAM1B0R,OAAS,SAACxJ,EAawByJ,YAAAA,IAAAA,EAAS8BrC,OACxDsC,EAACe,EA  
AK/T,KAAO6T,EAaenK,KAE3CU,EAaw/B,aAAa0L,EAakXq,GAAIuQ,IACpC1J,EAawNl,YACT8R,EAakX  
Q,GACLuQ,EACAD,EAACeE,EAak7R,MAAO4R,EAAC,qBAK/C1U,SAAW,kBACfkd,EAaiB,GAAI4G,OAAO  
6K,EAak/T,aAlBnCA,KAAOA,OACpuD,mBAAqBvD,OACrBkC,MAAQA,qBAmBf8R,QAAA,SAAQH,mBAA  
AA,IAAAA,EAAS8BrC,GAC7BxP,KAAKhC,KAAO6T,EAaenK,WC7BhCuK,GAAiB,UACjBC,GAAMb,WACn  
BC,GAAy,OACZC,GAAqB,SAACC,aAA6BA,EAakC,eAkB/C,SAASC,GAAMbH,EACIC0D,GAAepU,KAAK  
0Q,GACzBA,EACcNp,QAAQ8S,GAakBE,IAC1BhT,QAAQ+S,GAAW,QACpB5D,ECjCJ,IAAIIE,GAAE,CACjB  
C,wBAAyB,EACzBC,kBAAMb,EACnBC,iBAakB,EACIBC,iBAakB,EACIBC,QAAS,EACTC,aAAc,EACdC,gB  
AAiB,EACjBC,YAAa,EACbC,QAAS,EACTC,KAAM,EACNC,SAAU,EACVC,aAAc,EACdC,WAAy,EACZC,a  
AAc,EACdC,UAAW,EACXC,QAAS,EACTC,WAAy,EACZC,YAAa,EACbC,aAAc,EACdC,WAAy,EACZC,cA  
Ae,EACfC,eAAgB,EACHbC,gBAAiB,EACjBC,UAAW,EACXC,cAAe,EACfC,aAAc,EACdC,iBAakB,EACIBC,  
WAAy,EACZC,WAAy,EACZC,QAAS,EACTC,MAAO,EACPC,QAAS,EACTC,QAAS,EACTC,OAAQ,EACRC,  
OAAQ,EACRC,KAAM,EACNC,gBAAiB,EAejBC,YAAa,EACbC,aAAc,EACdC,YAAa,EACbC,gBAAiB,EACjB  
C,iBAakB,EACIBC,iBAakB,EACIBC,cAAe,EACfC,YAAa,GC/BTC,GAAy,SAAAC,UAAAS,MAAAA,IAAmD  
,IAAVA,GAA6B,KAAVA,GAoBxE,SAAShN,GACtBgN,EACApN,EACAC,EACAyJ,MAEI9I,MAAMC,QAAQu  
M,GAAQ,SAGyZy,EAf9B0Y,EAau,GAEPzY,EAAL,EAAGC,EAAMuY,EAAMtY,OAAgBF,EAaic,EAakD,  
GAAK,EAGzC,MAFfD,EAASyL,GAAQgN,EAAMxY,GAAIoL,EAakBC,EAAYyJ,MAGhD9I,MAAMC,QAAQI  
M,GAAS0Y,EAQrY,WAARsY,EAAGB1Y,GAC3C0Y,EAQrY,KAAKJ,WAGb0Y,KAGLF,GAAUC,SACL,M  
AIL9Y,EAakB8Y,aACTA,EAAM5Y,qBAIfiB,EAaw2X,GAAQ,IC9DL,mBAFwB1X,EDiEhB0X,IC7DtB1X,EA  
AKP,WACFO,EAakP,UAAUmY,mBD4DctN,EAa3B,OAAOoN,MAZnzY,EAASyY,EAAMpN,UAEwBuN,YA  
AU5Y,IAErD6Y,QAAQC,KACH9X,EACDyX,uLAKChN,GAAQzL,EAQqL,EAakBC,EAAYyJ,GC7E5C,IAA6  
BhU,SDiFtC0X,aAAiB5D,GACfvJ,GACFmN,EAAM3D,OAAOxJ,EAAYyJ,GACIB0D,EAAMvD,QAAQH,IACT  
0D,EAITM,EAACn,GAzEM,SAAhBO,EAaiBC,EAaAc,OEbHhY,EAACuT,EFc9CrR,EAQ,OAET,IAAMgR,K  
AAO6E,EACXA,EAAlHf,eAAeG,KAAQoE,GAAUS,EAAl7E,MAEzCnI,MAAMC,QAAQ+M,EAAl7E,KAAS6E  
,EAAl7E,GAak+E,OAAUrY,EAawmY,EAAl7E,IACHEhR,EAAMhD,KAAQgZ,GAAUHF,OAAS6E,EAAl7E,G  
AAM,KACIC2E,EAACe,EAAl7E,IAC3BhR,EAAMhD,WAANGD,EAAC4V,EAAC,EAAl7E,GAAMA,IAEtChR,  
EAAMhD,KAAQgZ,GAAUHF,SExBUIT,EFwBekT,EErBxC,OAHuCK,EFwBMwE,EAAl7E,KErBxB,kBAAVK,  
GAAiC,KAAVA,EAC1C,GAGY,iBAAVA,GAAgC,IAAVA,GAAiBvT,KAAQmY,GAlnDjP,OAAOqK,GAAO/R,  
OAHT+R,qBFoBlyE,GAACa,eAAgB9V,GAAO,MAAOA,EA0DrB4V,CAACp,GAASA,EAAMnY,WG9E7D,IA  
AMgZ,GAAS,SAAAC,UACTtN,MAAMC,QAAQqN,KAehBA,EAAl7E,OAAQ,GAEPi,GAGM,SAASrV,GAAlSv,  
8BAAMbZz,mCAAAA,2BACzCe,EAaw0Y,IAAWT,EAACs,GAE/BF,GAAO7N,GAAQgO,EAaw9Y,GAAC6Y,  
UAAWzZ,MAG9B,IAA1BA,EAaeI,QAakC,IAAlBqZ,EAOrZ,QAAqC,iBAAdqZ,EAao,GAE/DA,EAiff,GA  
AO7N,GAAQgO,EAawD,EAQzZ,SC1BtB2Z,yBAOPtW,EAAGB2H,QACrB3H,MAAQA,OACR2H,YAAcA,O  
ACdG,SCXM,SAAuB9H,OAC/B,IAAlnD,EAAl,EAAGA,EAAlmD,EAAMjD,OAAQF,GAak,EAAG,KACICyH,  
EAAl7E,EAAMnD,MAEfa,EAaw4G,KAAU/H,EAakB+H,UAGIC,SAIJ,EDAWiS,CAAcwW,GAl9BsF,EAAS  
,WAAWjG,KAAK6H,YAAc,8BAG3C6O,aAAA,SACEC,EACaxO,EACAC,EACAC,OAGMrH,EAAMqH,EADI

E,GAAQvI,KAAKE,MAAOiI,EAakBC,EAAYC,GACvCG,KAAK,IAAK,IAC/BjH,EAakvB,KAAK6H,YAAc8O ,EAG9BvO,EAAWnI,YAAySb,EAAIA,EAAIP,MAGjC4V,aAAA,SAAaD,EAakBvO,GAC7BA,EAawzB,WAA W3G,KAAK6H,YAAc8O,MAG3CE,aAAA,SACEF,EACAxO,EACAC,EACAC,GAElS,O,EAaw,GAAGnR,EAA WS,WAAWjG,KAAK6H,YAAc8O,QAGtDC,aAAaD,EAUvO,QACvBsO,aAAaC,EAUxO,EAakBC,EAAYC, SErCjDyO,GAAsC5H,EAAMC,gBAE5C4H,GAAgBD,GAAazH,SCZpC2H,GAAoB,qBACpBC,GAAO,IAAIzQ,I AEJ0Q,GAAuB,SAACnZ,EAaqB8J,OAGhdSp,EACJ,iBAaiBpZ,GAfI8J,sBAakCA,MAAiB,6NAUpEuP,EAau BzB,QAAQ0B,cAE/BC,GAAwB,EAe5B3B,QAAQ0B,MAAQ,SAACE,MAGXP,GAakBnZ,KAAK0Z,GACzBD, GAAwB,EAExBL,UAAyE,OACP,4BAPgCK,mCAAAA,oBAQrCJ,gBAaqBG,UAAwBC,MAMjDC,WAEIH,IA A0BL,GAAKzV,IAAI2V,KAerCxB,QAAQC,KAAKuB,GACbF,GAAK3Q,IAAI6Q,IAEX,MAAOE,GAGHL,GA AkBnZ,KAAKwZ,EAAMF,UAE/BF,UAAyE,WAIdxB,QAAQ0B,MAAQD,gBC9CNvH,EAac6H,EAaBC,mBA AAA,IAAAA,EAaBha,GAC5DkS,EAAM+H,QAAUD,EAaC,OAAS/H,EAAM+H,OAAUF,GAAiBC,EAaC, mBCH9EC,UACPzQ,EAauBM,EAAMQ,KAAAS,ICOzBC,2CAYnBC,cAAgB,eACR/W,EAAM+Q,EAak4E,SA ASvZ,eACrB4D,EAak,MAAO,OAEX+C,EAQjB,oBACA,CAACiB,aAAmBA,MAAa9F,YAAqB+Z,+BAC7CC ,OAAOzZ,SAASgK,KAAK,SAefxH,mBAW/BkX,aAAe,kBACTnG,EAakOG,OACA7X,EAaiB,GAGnByR,EAa KgG,sBAGdK,gBAakB,oBACZrG,EAakOG,cACA7X,EAaiB,OAGpBuP,UACH5R,GAAU,K/BhDc,uBACL6F, U+BiDpBuU,wBAayB,CACvBC,OAAQvG,EAak4E,SAASvZ,eAlpB2G,EAQjB,WACvIB,IACD8L,EAAY9L, MAAQA,GAIhB,CAACmL,6BAAWW,GAAQb,IAAI,mBAsDhCqH,KAAO,WACLxG,EAakOG,QAAS,QAzG TxB,SAAW,IAAIInR,EAaw,CAAef,UAAU,SACtC6S,QAAS,6BAchBK,cAAA,SAac9G,UACR1R,KAAKmY,O ACA7X,EAaiB,GAGnB4O,gBAACU,IAakB5N,MAAOhC,KAAK2W,UAAWjF,MAkCnD+G,yBAAA,SAayBC, UAEdpY,EAaiB,ScRE1BqY,GAAgB,CAClBC,mBAAmB,EACnBC,aAAa,EACbC,cAAc,EACdnB,cAAc,EACd5 Z,aAAa,EACbgb,iBAaiB,EACjBC,0BAA0B,EAC1BC,0BAA0B,EAC1BC,QAAQ,EACRC,WAAW,EACXC,MA AM,GAeJC,GAAgB,CAClBrb,MAAM,EACnf,QAAQ,EACRK,WAAW,EACXgc,QAAQ,EACRC,QAAQ,EACRt a,WAAW,EACXua,OAAO,GASLC,GAAe,CACjBC,UAAy,EACZIJ,SAAS,EACTmH,cAAc,EACd5Z,aAAa,EAC bob,WAAW,EACXC,MAAM,GAeJO,GAAe,GAIInB,SAASC,GAAWC,GAeIB,OAAIC,EAQc,OAAOF,GACVJ ,GAIFE,GAAaE,EAaOB,WAAMIB,GAVhDgB,GAAaG,EAQe,YAhBK,CACxBN,UAAy,EACZO,QAAQ,EAC RtC,cAAc,EACd5Z,aAAa,EACbob,WAAW,GAYbQ,GAAaG,EAQI,MAAQT,GAY7B,IAAIU,GAaiB9c,OAAO 8c,eACxBC,GAAsB/c,OAAO+c,oBAC7BC,GAAwBhd,OAAOgd,sBAC/BC,GAA2Bjd,OAAOid,yBACICC,GAAi Bld,OAAOkd,eACxBC,GAakBnd,OAAOC,aAC7B,SAASmd,EAaqBC,EAaiBC,EAaiBC,GAC9D,GAA+B,iBA ApBD,EAa8B,CAEvC,GAaiH,GAaiB,CACnB,IAAIK,EAaqBN,GAAel,GAepCE,GAAsBA,IAAuBL,IAC/CC, EAaqBC,EAaiBG,EAaOBd,GAI9D,IAAIhK,EAaOwJ,GAAoBO,GAe3BN,KACfzJ,EAaOA,EAakkk,OAAO T,GAAsBM,KAM3C,IAHA,IAAI,EAagBnB,GAAWc,GAC3BM,EAagBpB,GAAWe,GAetB5d,EAai,EAAGA, EAai6T,EAak3T,SAaUF,EAAG,CACpC,IAAIImU,EAAMN,EAak7T,GAef,KAAKsc,GAacnI,IAAU0J,GAAa A,EAau1J,IAAW8J,GAaiBA,EAac9J,IAAW6J,GAaiBA,EAac7J,IAAO,CAC7I,IAAI+J,EAaAX,GAayBK,EA AiBzJ,GAe3D,IAEEIJ,GAAeO,EAaiBxJ,EAak+J,GACrC,MAAO5R,OAKf,OAAOqR,GC7FIQ,GAac,CACzB1 V,WAAAA,EACA+J,YAAAA,GCoBqB,oBAAd4L,WACe,gBAAtBA,UAAUC,SAGVzF,QAAQC,KACN,wNAO 8F,oBAAXtX,SACrFA,OAAO,8BAAGCA,OAAO,+BAaiC,EAeIC,IAAZCA,OAAO,+BAETqX,QAAQC,KACN,4 TAOJtX,OAAO,+BAaiC,0DCrC3B,SACb1B,8BACGC,mCAAAA,wBAEGqD,EAQc,iBAaiPE,UAAyC,IACx BF,eAAiC0e,GAAoBC,KAAKC,UAAUrb,IACpEsb,EAac,IAAIhF,GAAyTW,EAaOvD,YAMIC8e,EAaqB5L,OA CtBzH,EAaqH,KACbPH,EAASh,KACTiI,EAQII,aAAWoH,IAGnBH,EAfCC,SAAOrP,EAWhC,mBAAmBz J,IAE5B+e,eAegBxM,EAAMsC,SAASmK,MAAM9L,EAAM6B,WAetEiE,QAAQC,mCACwBjZ,uEAMhCuD,E AAM0b,MAAK,SAAPx,SAawB,iBAATA,IAakD,IAA7BA,EAakoF,QAAQ,eAG5D+L,QAAQC,qVAKNxN, EAawxC,QACbiR,EAaAF,EAau9G,EAaoZH,EAAYwP,EAaOvP,GAOjDwT,mBAAGB,eACTzT,EAawxC,cA CdiR,EAaAF,EAau9G,EAaoZH,EAAYwP,EAaOvP,GAC1C,kBAAMmT,EAAY5E,aAAaD,EAUvO,MAEjD, CAACuO,EAau9G,EAaoZH,EAAYwP,EAaOvP,IAGnC,cAGawO,EAaAF,EAau9G,EAaoZH,EAAYwP,EAa OvP,MACpDmT,EAAYxT,SACdwT,EAAY3E,aAAAF,EAUHy,EAa0ByJ,EAAYC,OACpE,KACCsF,OACDkC, GACH+H,MAAOke,GAAejM,EAaO+H,EAaO6D,EAaqB9D,gBAG3D6D,EAAY3E,aAAAF,EAUHy,EAASvF, EAAYC,WaxD1D6O,GAAqBva,GA6DhBuS,EAAM6M,KAAKN,yCC9EL,SACb7e,GAMuB,oBAAdue,WACe,g BAAtBA,UAAUC,SAGVzF,QAAQC,KACN,8IAVD/Y,mCAAAA,wBAcGqD,EAQc,iBAaiPE,UAAyC,IAAgB

2L, KAAK, IAC7CxK, EAAOqd, GAAoBnb, UAC1B, IAAIyR, GAAU3T, EAAMkC, qIToBd, SAAuB2P, OAC9BmM, EAAatM, aAAWoH, IACxBmF, EAAe/L, WAAQ, kBA9B/B, SAAoB0H, EAAsBoE, OACnCPe, SACItX, EAAiB, OAGtB1C, EAAWga, GAAQ, KACfsE, EAActE, EAAMoE, UAIP, OAAhBE, GAAwBnT, MAAMC, QAAQkT, IAAuC, iBAAhBA, EAEvD5b, EAAiB, GAGnB4b, SAGLnT, MAAMC, QAAQ4O, IAA2B, iBAAVA, EAC1BtX, EAAiB, GAGnB0b, OAAkBA, KAAepE, GAAUA, EAQfuE, CAAWtM, EAAM+H, MAAOoE, KAAa, CACtEnM, EAAM+H, MACNoE, WAGGnM, EAAM6B, SAIJxC, gBAAC4H, GAAaxF, UAASC, MAAO0K, GAAepM, EAAM6B, UAHjD, eUIDM, kBAAMhC, aAAWoH, arCORhT, 2BsCGVsY, OAERC, EAAyNn, EAAMoN, YAAW, SAACzM, EAAO0M, OACnC3E, EAQII, aAAWoH, IAEjBa, EAAiByE, EAAjBzE, aACF6E, EAAYV, GAAejM, EAAO+H, EAAOD, eAEY/T, IAA4Y, GAEE3C7G, QAAQC, 8HACmH9X, EACvHse, QAKCIN, gBAACkN, OAAcvM, GAAO+H, MAAO4E, EAAWD, IAAKA, eAGtDE, GAAaJ, EAAWD, GAExBC, EAAUte, yBAA2BD, EAAiBse, OAE/CC, oBCtCT, SAASK, GAAQC, GACf, IA AIC, EAAQvf, OAAOwf, OAAO, MAC1B, OAAO, SAAUxG, GAef, YADmBzS, IAAfgZ, EAAMvG, KAAoBuG, EAA MvG, GAAOsG, EAAGtG, IACvCuG, EAAMvG, ICFjB, IAAIyG, GAAkB, s7HAEIBC, GAA6BL, IAAQ, SAAUM, GA CjD, OAAOF, GAAgBjf, KAAKmf, IAAgC, MAAvBA, EAAKvV, WAAW, IAE3B, MAAvBuV, EAAKvV, WAAW, IA EhBuV, EAAKvV, WAAW, GAAK, MCLpBwV, GAAc, wCAEdC, GAAe, WAMN, SAASC, GAAOtF, UAE3BA, EAE GzY, QAAQ6d, GAAa, KAGrB7d, QAAQ8d, GAAc, IChBd, SAASE, GAAM1gB, SAER, iBAAXA, GAHA, EAAOyP, OAAO, KAAOzP, EAAOyP, OAAO, GAAgMg, cCqB9C, IAAM+K, GAAW, SAAAC, SAEE, mBAARA, GAAsC, iBA ARA, GAA4B, OAARA, IAAiBvU, MAAMC, QAAQsU, IAItFC, GAAa, SAAArM, SACF, cAARA, GAA+B, gBAARA, GAAiC, cAARA, GAGzD, SAASsM, GAAM9gB, EAAQ4gB, EAAKpM, OACpB6E, EAAMrZ, EAAOwU, GACfmM, GAASC, IAAQD, GAASiH, GAC5B0H, GAAU1H, EAAKuH, GAef5gB, EAAOwU, GAAOoM, EAIH, SAASG, GAAU /gB, 8BAAWghB, mCAAAA, kCACzBA, iBAAM, KAAb3H, UACLsH, GAAStH, OACN, IAAM7E, KAAO6E, EACZ wH, GAAWrM, IACbsM, GAAM9gB, EAAQqZ, EAAI7E, GAAMA, UAMzBxU, EC5BT, IAAMihB, GAAc, GAKJL, S AASC, GACtBlhB, EACA+I, EAOAvF, OAEM2d, EAAqBphB, EAAkBC, GACvCohB, GAAwBV, GAAM1gB, KAMh C+I, EAHFsY, MAAAA, aAAQtgB, MAGnGI, EAFFoC, YAAAA, aA/JJ, SAAoB9J, EAAsBigB, OACiChgB, EAA8B, i BAAhBD, EAA2B, KAAOof, GAAOpf, GAe7D4f, GAAy3f, IAAS2f, GAAy3f, IAAS, GAAK, MAEzC6J, EAAiB7J, M AAQqd, G5C3BPvX, Q4C8BT9F, EAAO2f, GAAy3f, WAG3BggB, EAAuBA, MAAqBnW, EAAGBA, EAoJnDoW, C AAwxY, EAAQ1H, YAAa0H, EAAQuY, uBAEpDvY, EADF1H, YAAAA, aC5LW, SACbrB, UAEO0gB, GAAM1gB, a AAoBa, YAAqBoB, EAAiBpB, ODyLvDwhB, CAAoBxhB, KAG9BC, EACJ8I, EAAQ1H, aAAe0H, EAAQoC, YACx BsV, GAAO1X, EAAQ1H, iBAAGB0H, EAAQoC, YAC1CpC, EAAQoC, aAAeA, EAGvBsW, EACJN, GAAwBnhB, E AAgCqhB, MACpDhV, MAAMzL, UAAUwd, OAASpe, EAAGCqhB, MAAOA, GAAO9F, OAAOzZ, SAC9Euf, EAGF K, EAAoB3Y, EAAQ2Y, kBAE5BP, GAAsBnhB, EAAO0hB, oBAG7BA, EAFE3Y, EAAQ2Y, kBAEU, SAACPb, EA AMqB, EAAUC, UAC/B5hB, EAAGC0hB, kBACiCpB, EACAqB, EACAC, IAEA7Y, EAAQ2Y, kBAA4CpB, EAAMq B, EAAUC, IAGID5hB, EAAGC0hB, uBAkbtDG, EAdEC, EAAiB, IAAI5W, EACzB1H, EACAvD, EACakhB, EAAuB nhB, EAAGB8hB, oBAAkC5a, GAKrEoE, EAAWwW, EAAexW, UAA6B, IAAjB+V, EAAM9gB, OAQ5Cqf, EAAa, SA ACzM, EAAO0M, UAHj7B, SACEkC, EACA5O, EACA6O, EACA1W, OAGS2W, EAOLF, EAPFV, MACAS, EAMEC, EANFD, eACA7G, EAKE8G, EALF9G, aACaiH, EAIEH, EAJFG, mBACAR, EAGEK, EAHFL, kBACAZhB, EAEE8h B, EAFF9hB, kBACAD, EACE+hB, EADF/hB, uBAIuDC, SAPE3D, SAAkCib, EAA2B/H, EAAekO, YAA1CnG, IAAA A, EAAaja, OAIvCgQ, OAAekC, GAAO+H, MAAAA, IACtBiH, EAAGB, UAEtBd, EAAM7e, SAAQ, SAAA4f, OAER5 N, EErD4BpS, EAAyC, EFoDxCggB, EAakBD, MAQjB5N, KALDtT, EAAWmhB, KACbA, EAakBA, EAAGBpR, IAI xBoR, EACVpR, EAAQuD, GAAO2N, EAAC3N, GACnB, cAARA, GE9D4BpS, EF+DZ+f, EAAC3N, GE/DUnS, EF+DJ ggB, EAAGB7N, GE9DnDpS, GAAKC, EAAOD, MAAKC, EAAMD, GAAKC, GF+DzBggB, EAAGB7N, MAKnB, CA ACvD, EAASKr, GAKDQG, CAFXID, GAAejM, EAAOH, aAAWoH, IAaea, IAEXha, EAACKS, EAAO8O, GAAjEhR, OAAsoQ, OAEVkb, EAjDR, SACET, EACAxW, EACA6W, EACAK, OAEM9W, EAAaqH, KACbPh, EAASsH, KAE TwP, EAAyNnX, EACdwW, EAAetW, wBAAwBvK, EAACyK, EAAyC, GACjEmW, EAAetW, wBAAwB2W, EAAez W, EAAyC, OBAGb8W, IAEXnX, GAAyKX, GACxDA, EAAMBC, GAGdA, EA6BoBC, CACzBZ, EACAxW, EACA2 F, EACwC8Q, EAAMBS, oBAGvDG, EAAX, EAefJ, EAA6BP, EAAMuB, KAAOzP, EAAMyP, KAAOvB, EAAMwB , IAAM1P, EAAM0P, IAAM7iB, EAE/E8iB, EAACPc, GAAMkB, GACpBmB, EAAGB1B, IAAUIO, OAAaA, KAAUk O, GAAUIO, EAC3D6P, EAakB, OAGnB, IAAMxO, KAAOuO, EACD, MAAXvO, EAAI, IAAsB, OAARA, IACL, gBA ARA, EACPwO, EAAGBH, GAAKE, EAACvO, IAEnCkN, EACIA, EAakBIN, EAakYo, GAAWrB, IACICKB, GACA

G,GAAUzO,MAIdwO,EAAGBxO,GAAOuO,EAACvO,YAIrCrB,EAAMvN,OAASyb,EAAMzb,QAAUuN,EAAMvN,QACvCod,EAAGBpd,WAAauN,EAAMvN,SAAUyb,EAAMzb,QAGrDod,EAAGBP,UAAyPw,MAAMzL,UAC/Bwd,OACC8D,EACAjiB,EACAsiB,IAAuBtiB,EAAoBsiB,EAaqB,KACChEpP,EAAMsP,UACNpB,EAAMoB,WA EPIH,OAAOzZ,SACPgK,KAAK,KAERkX,EAAGBnD,IAAM8C,EAefjc,gBAAckb,EAAoBoB,IAuEhBnB,EAaw B1O,EAAO0M,EAakvU,WAE7DsU,EAawve,YAAcA,GAezBwgB,EAa2BrP,EAAMoN,WAAWA,IACrByB, MAAQI,EAC/BI,EAauBC,eAAiBA,EACxCD,EAauBxgB,YAAcA,EACrCwgB,EAauBH,kBAaOBA,EAI3CG,E AAuBK,mBAAqBf,EACx9U,MAAMzL,UAAUwd,OACZpe,EAAGCkiB,mBACChliB,EAAGCC,mBAEpCc,EAE J8gB,EAauB5hB,kBAaOBA,EAG3C4hB,EAauB7hB,OAAsmhB,EAC1BnhB,EAAGCA,OACICA,EAEJ6hB,EA AuBqB,cAAGB,SAAuBlgB,OACvCmgB,EAA0Cpa,EAavDoC,YAAqCiY,uIAAkBra,mBAEzDsa,EACJF,GACG A,OAAuBzC,GAAM1d,GAAOA,EAAMyd,GAAOrf,EAaiB4B,YAQhEke,GAAsBle,OALxBogB,GACH/B,MAA OI,EACPtW,YAAakY,IAG+B7f,IAGhD7C,OAAO8c,eAAeoE,EAawB,eAAGB,CAC5D9c,sBACsZB,KAAKggB, qBAGdzf,aAAIwV,QACGiK,oBAAsBnC,EACvBoC,GAAM,GAAMvjB,EAAGCib,aAAc5B,GAC1DA,KAKNmB, GAAqBnZ,EAaapB,GAELC4hB,EAauBW,4BGzSXnhB,EAaqB8J,OAC/BqY,EAAMb,GACnBC,GAAC,SAEX,S AACHB,OACDgB,IACHD,EAaiBf,IAAa,EAC1B9hB,OAAOuT,KAAKsP,GAABjB,QAtnB,KASoC,KAG3Cmj B,EAaiBvY,sBAaCA,MAAiB,GAEL1E8N,QAAQC,KACN,iDAAsD7X,EAACqib,oQAuTED,GAAC,EACdD,EA AMB,KHirqBG,CAC1CtiB,EACApB,GAIJ4hB,EAauBnhB,SAAW,qBAAUmhB,EAauB5hB,mBAE/DmhB,GA CFwC,GAIE/B,EAA0B7hB,EAA0D,CAEpFqhB,OAAO,EACPS,gBAAGB,EACHBzgB,aAAa,EACb6gB,oBAAoB, EACpBR,mBAAMb,EACnBzhB,mBAAMb,EACnBD,QAAQ,EACRkjB,eAAe,IAIZrB,MihUHgC,GAAS,SAAC7 gB,UCCD,SAAS8gB,EACtBC,EACA/gB,EACA+F,eAAAA,IAAAA,EAakB9H,IAEb+iB,qBAAMbhhB,UACfY, EAAiB,EAAG4G,OAAOxH,QAK9BihB,EAAMb,kBAaAf,EAaqB/gB,EAak+F,EAASzE,oCAGzE2f,EAaiBC, WAAa,SAAAC,UAC5BL,EAaqBC,EAAsB/gB,OAAU+F,KAAyob,KAGnEF,EAaiB5C,MAAQ,SAAAA,UACv ByC,EAaqBC,EAAsB/gB,OACtC+F,GACHsY,MAAOHV,MAAMzL,UAAUwd,OAAOrV,EAAsY,MAAOA,G AAO9F,OAAOzZ,aAGxDmiB,EDzBuBH,CAAqBM,GAaiBphB,IEItE,IAAK,IAAMwR,KCRI,CACb,IACA,OAC A,UACA,OACA,UACA,QACA,QACA,IACA,OACA,MACA,MACA,MACA,aACA,OACA,KACA,SACA,SACA, UACA,OACA,OACA,MACA,WACA,OACA,WACA,KACA,MACA,UACA,MACA,SACA,MACA,KACA,KAC A,KACA,QACA,WACA,aACA,SACA,SACA,OACA,KACA,KACA,KACA,KACA,KACA,KACA,OACA,SACA, SACA,KACA,OACA,IACA,SACA,MACA,QACA,MACA,MACA,SACA,QACA,SACA,KACA,OACA,OACA,M ACA,OACA,UACA,OACA,WACA,OACA,QACA,MACA,WACA,SACA,KACA,WACA,SACA,SACA,IACA,Q ACA,UACA,MACA,WACA,IACA,KACA,KACA,OACA,IACA,OACA,SACA,UACA,SACA,QACA,SACA,OAC A,SACA,QACA,MACA,UACA,MACA,QACA,QACA,KACA,WACA,QACA,KACA,QACA,OACA,QACA,KAC A,QACA,IACA,KACA,MACA,QACA,MAGA,SACA,WACA,OACA,UACA,gBACA,IACA,QACA,OACA,iBAC A,SACA,OACA,OACA,UACA,UACA,WACA,iBACA,OACA,OACA,MACA,OACA,WACA,SHnIUhS,SAAQ,S AAA6hB,GACIBR,GAAOQ,GAACr,GAAOQ,MEAZC,GACHBT,GAAOrP,IAAO8P,GAAU9P"} }

Found in path(s):

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/dist/styled-components.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version": 3, "file": "styled-components.cjs.js", "sources": [ "../src/utls/interleave.js", "../src/utls/isPlainObject.js", "../src/utls/empties.js", "../src/utls/isFunction.js", "../src/utls/getComponentName.js", "../src/utls/isStyledComponent.js", "../src/constants.js", "../src/utls/error.js", "../src/utls/errors.js", "../src/sheet/GroupedTag.js", "../src/sheet/GroupIDAllocator.js", "../src/sheet/Rehydration.js", "../src/utls/nonce.js", "../src/sheet/dom.js", "../src/sheet/Tag.js", "../src/sheet/Sheet.js", "../src/utls/generateAlphabeticName.js", "../src/utls/hash.js", "../src/utls/isStaticRules.js", "../src/models/ComponentStyle.js", "../src/utls/stylis.js", "../src/utls/stylisPluginInsertRule.js", "../src/models/StyleSheetManager.js", "../src/models/Keyframes.js", "../src/utls/hyphenateStyleName.js", "../src/utls/flatten.js", "../src/utls/isStatelessFunction.js", "../src/utls/addUnitIfNeeded.js", "../src/constructors/css.js", "../src/utls/checkDynamicCreation.js", "../src/utls/determineTheme.js", "../src/utls/es
```

```

cape.js", "../src/utls/generateComponentId.js", "../src/utls/isTag.js", "../src/utls/mixinDeep.js", "../src/models/ThemeProvider.js", "../src/models/StyledComponent.js", "../src/utls/generateDisplayName.js", "../src/utls/joinStrings.js", "../src/utls/createWarnTooManyClasses.js", "../src/utls/domElements.js", "../src/constructors/styled.js", "../src/constructors/constructWithOptions.js", "../src/models/GlobalStyle.js", "../src/models/ServerStyleSheet.js", "../src/secretInternals.js", "../src/base.js", "../src/constructors/createGlobalStyle.js", "../src/constructors/keyframes.js", "../src/hooks/useTheme.js", "../src/hoc/withTheme.js"], "sourcesContent": [
  "/// @flow\nimport type { Interpolation } from './types';\n\nexport default (\n  strings: Array<string>,\n  interpolations: Array<Interpolation>)\n): Array<Interpolation> => {\n  const result = [strings[0]];\n  for (let i = 0, len = interpolations.length; i < len; i += 1) {\n    result.push(interpolations[i], strings[i + 1]);\n  }\n  return result;\n};\n",
  "/// @flow\nimport { typeOf } from 'react-is';\n\nexport default (x: any): boolean =>\n  x !== null &&\n  typeof x === 'object' &&\n  (x.toString ? x.toString() : Object.prototype.toString.call(x)) === '[object Object]' &&\n  !typeOf(x);\n",
  "/// @flow\nexport const EMPTY_ARRAY = Object.freeze([]);\n\nexport const EMPTY_OBJECT = Object.freeze({});\n",
  "/// @flow\nexport default function isFunction(test: any): boolean %checks {\n  return typeof test === 'function';\n}\n",
  "/// @flow\nimport type { IStyledComponent } from './types';\n\nexport default function getComponentName(\n  target: $PropertyType<IStyledComponent, 'target'>)\n): string {\n  return (\n    (process.env.NODE_ENV !== 'production' ?\n      typeof target === 'string' && target : false) ||\n    // $FlowFixMe\n    target.displayName ||\n    // $FlowFixMe\n    target.name ||\n    'Component'\n  );\n}\n",
  "/// @flow\nexport default function isStyledComponent(target: any): boolean %checks {\n  return target && typeOf target.styledComponentId === 'string';\n}\n",
  "/// @flow\n\ndeclare var SC_DISABLE_SPEEDY: ?boolean;\n\ndeclare var __VERSION__: string;\n\nexport const SC_ATTR: string =\n  (typeof process !== 'undefined' && (process.env.REACT_APP_SC_ATTR || process.env.SC_ATTR)) ||\n  'data-styled';\n\nexport const SC_ATTR_ACTIVE = 'active';\n\nexport const SC_ATTR_VERSION = 'data-styled-version';\n\nexport const SC_VERSION = __VERSION__;\n\nexport const SPLITTER = '!*!sc*/';\n\nexport const IS_BROWSER =\n  typeof window !== 'undefined' && 'HTMLElement' in window;\n\nexport const DISABLE_SPEEDY =\n  Boolean(\n    typeof SC_DISABLE_SPEEDY === 'boolean'\n      ? SC_DISABLE_SPEEDY\n      : (typeof process !== 'undefined' && typeof process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined' && process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'false' ?\n        process.env.REACT_APP_SC_DISABLE_SPEEDY\n        : (typeof process !== 'undefined' && typeof process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== 'false' ?\n          process.env.SC_DISABLE_SPEEDY\n          : process.env.SC_DISABLE_SPEEDY\n        : process.env.SC_DISABLE_SPEEDY\n        : process.env.NODE_ENV !== 'production'\n          ?\n            // Shared empty execution context when generating static styles\n            export const STATIC_EXECUTION_CONTEXT = {};\n          :\n            // @flow\n            import errorMap from './errors';\n            const ERRORS = process.env.NODE_ENV !== 'production' ? errorMap : {};\n            // super basic version of sprintf\n            function format(...args) {\n              let a = args[0];\n              const b = [];\n              for (let c = 1, len = args.length; c < len; c += 1) {\n                b.push(args[c]);\n              }\n              b.forEach(d => {\n                a = a.replace(/%[a-z]/, d);\n              });\n              return a;\n            }\n            // Create an error file out of errors.md for development and a simple web link to the full errors\n            // in production mode.\n            export default function throwStyledComponentsError(\n              code: string | number,\n              ...interpolations: Array<any>)\n            {\n              if (process.env.NODE_ENV === 'production') {\n                throw new Error(\n                  `An error occurred. See https://git.io/JUIaE#${code} for more information.`\n                );\n              } else {\n                throw new Error(\n                  format(\n                    ERRORS[code],\n                    ...interpolations\n                  ).trim()\n                );\n              }\n            }\n            export default {\n              "1": "Cannot create styled-component for component: %s.",\n              "2": "Can't collect styles once you've consumed a `ServerStyleSheet`'s styles! `ServerStyleSheet` is a one off instance for each server-side render cycle.",\n              "3": "Streaming SSR is only supported in a Node.js environment; Please do not try to call this method in the browser.",\n              "4": "The `StyleSheetManager` expects a valid target or sheet prop!",\n              "5": "The clone method cannot be used"

```

on the client!\n\n- Are you running in a client-like environment on the server?\n- Are you trying to run SSR on the client?\n\n", "6": "Trying to insert a new style tag, but the given Node is unmounted!\n\n- Are you using a custom target that isn't mounted?\n- Does your document not have a valid head element?\n- Have you accidentally removed a style tag manually?\n\n", "7": "ThemeProvider: Please return an object from your \"\"theme\"\" prop function, e.g.\n\n```\njs\ntheme={ () => ({}) }\n```\n\n", "8": "ThemeProvider: Please make your \"\"theme\"\" prop an object.\n\n", "9": "Missing document `<head>`\n\n", "10": "Cannot find a StyleSheet instance. Usually this happens if there are multiple copies of styled-components loaded at once. Check out this issue for how to troubleshoot and fix the common cases where this situation can happen: <https://github.com/styled-components/styled-components/issues/1941#issuecomment-417862021>\n\n", "11": "\_ This error was replaced with a dev-time warning, it will be deleted for v4 final. \_ [createGlobalStyle] received children which will not be rendered. Please use the component without passing children elements.\n\n", "12": "It seems you are interpolating a keyframe declaration (%s) into an untagged string. This was supported in styled-components v3, but is not longer supported in v4 as keyframes are now injected on-demand. Please wrap your string in the `css`...`` helper which ensures the styles are injected correctly. See <https://www.styled-components.com/docs/api#css>\n\n", "13": "%s is not a styled component and cannot be referred to via component selector. See <https://www.styled-components.com/docs/advanced#referring-to-other-components> for more details.\n\n", "14": "ThemeProvider: \"\"theme\"\" prop is required.\n\n", "15": "A stylis plugin has been supplied that is not named. We need a name for each plugin to be able to prevent styling collisions between different stylis configurations within the same app. Before you pass your plugin to `<StyleSheetManager stylisPlugins={[]}>`, please make sure each plugin is uniquely-named, e.g.\n\n```\njs\nObject.defineProperty(importedPlugin, 'name', { value: 'some-unique-name' });\n```\n\n", "16": "Reached the limit of how many styled components may be created at group %s.\n\nYou may only create up to 1,073,741,824 components. If you're creating components dynamically,\n\nas for instance in your render method then you may be running into this limitation.\n\n", "17": "CSSStyleSheet could not be found on HTMLStyleElement.\n\nHas styled-components' style tag been unmounted or altered by another script?";\n\n//\n\n@flow\n/\* eslint-disable no-use-before-define \*\n\nimport type { GroupedTag, Tag } from './types';\nimport { SPLITTER } from './constants';\nimport throwError from './utils/error';\n\n/\*\* Create a GroupedTag with an underlying Tag implementation \*/\nexport const makeGroupedTag = (tag: Tag): GroupedTag => {\n return new DefaultGroupedTag(tag);\n};\n\nconst BASE\_SIZE = 1 << 9;\n\nclass DefaultGroupedTag implements GroupedTag {\n groupSizes: Uint32Array;\n\n length: number;\n\n tag: Tag;\n\n constructor(tag: Tag) {\n this.groupSizes = new Uint32Array(BASE\_SIZE);\n this.length = BASE\_SIZE;\n this.tag = tag;\n }\n\n indexOfGroup(group: number): number {\n let index = 0;\n for (let i = 0; i < group; i++) {\n index += this.groupSizes[i];\n }\n\n return index;\n }\n\n insertRules(group: number, rules: string[]): void {\n if (group >= this.groupSizes.length) {\n const oldBuffer = this.groupSizes;\n const oldSize = oldBuffer.length;\n let newSize = oldSize;\n while (group >= newSize) {\n newSize <<= 1;\n if (newSize < 0) {\n throwError(16, `\${group}`);\n }\n this.groupSizes = new Uint32Array(newSize);\n this.groupSizes.set(oldBuffer);\n this.length = newSize;\n\n for (let i = oldSize; i < newSize; i++) {\n this.groupSizes[i] = 0;\n }\n\n let ruleIndex = this.indexOfGroup(group + 1);\n for (let i = 0, l = rules.length; i < l; i++) {\n if (this.tag.insertRule(ruleIndex, rules[i])) {\n this.groupSizes[group]++;;\n ruleIndex++;;\n }\n }\n\n clearGroup(group: number): void {\n if (group < this.length) {\n const length = this.groupSizes[group];\n const startIndex = this.indexOfGroup(group);\n const endIndex = startIndex + length;\n\n this.groupSizes[group] = 0;\n\n for (let i = startIndex; i < endIndex; i++) {\n this.tag.deleteRule(startIndex);\n }\n }\n\n getGroup(group: number): string {\n let css = "";\n if (group >= this.length || this.groupSizes[group] === 0) {\n return css;\n }\n const length = this.groupSizes[group];\n const startIndex = this.indexOfGroup(group);\n const endIndex = startIndex + length;\n\n for (let i = startIndex; i < endIndex; i++) {\n css += `\${this.tag.getRule(i)}\${SPLITTER}`;\n }\n\n return css;\n }\n\n};\n\n@flow\nimport throwError from './utils/error';\n\nconst MAX\_SMI = 1 << 31 - 1;\n\nlet groupIDRegister: Map<string, number> = new Map();\nlet reverseRegister: Map<number, string> = new Map();\nlet nextFreeGroup = 1;\n\nexport const resetGroupIds = () => {\n groupIDRegister = new Map();\n reverseRegister = new Map();\n};\n

```

nextFreeGroup = 1;\n};\n\nexport const getGroupForId = (id: string): number => {\n  if (groupIDRegister.has(id))\n  {\n    return (groupIDRegister.get(id): any);\n  }\n  while (reverseRegister.has(nextFreeGroup)) {\n    nextFreeGroup++;\n  }\n  const group = nextFreeGroup++;\n  if (\n    process.env.NODE_ENV !== 'production'\n    &&\n    ((group | 0) < 0 || group > MAX_SMI)\n  ) {\n    throwStyledError(16, `${group}`);\n  }\n  groupIDRegister.set(id, group);\n  reverseRegister.set(group, id);\n  return group;\n};\n\nexport const\n  getIdForGroup = (group: number): void | string => {\n    return reverseRegister.get(group);\n  };\n\nexport const\n  setGroupForId = (id: string, group: number) => {\n    if (group >= nextFreeGroup) {\n      nextFreeGroup = group +\n      1;\n    }\n    groupIDRegister.set(id, group);\n    reverseRegister.set(group, id);\n  };}\n\n// @flow\n\nimport {\n  SPLITTER, SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport {\n  getIdForGroup, setGroupForId } from './GroupIDAllocator';\nimport type { Sheet } from './types';\n\nconst\n  SELECTOR = `style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`;\n\nconst\n  MARKER_RE =\n  new RegExp(`^${SC_ATTR}\\\\.g(\\\\\\\\d+)\\\\\\\\[id=\\\"(\\\\\\\\w\\\\\\\\d-)+\\\"\\\\\\\\].*?\\\"(\\\"\\\"*)`);\n\nexport const\n  outputSheet =\n  (sheet: Sheet) => {\n    const\n      tag = sheet.getTag();\n    const\n      { length } = tag;\n    let\n      css = \"\";\n    for (let\n      group = 0;\n      group < length;\n      group++) {\n      const\n        id = getIdForGroup(group);\n      if (id === undefined) continue;\n      const\n        names = sheet.names.get(id);\n      const\n        rules = tag.getGroup(group);\n      if (!names || !rules || !names.size) continue;\n      const\n        selector = `${SC_ATTR}.g${group}[id=\\\"${id}\\\"]`;\n      let\n        content = \"\";\n      if (names !==\n        undefined) {\n        names.forEach(name => {\n          if (name.length > 0) {\n            content += `${name},`;\n          }\n        });\n      }\n      // NOTE: It's easier to collect rules and have the marker\n      // after the actual rules to simplify the\n      rehydration\n      css += `${rules}${selector}{content:\\\"${content}\\\"}${SPLITTER}`;\n    }\n    return\n      css;\n  };\n\nconst\n  rehydrateNamesFromContent =\n  (sheet: Sheet, id: string, content: string) => {\n    const\n      names =\n      content.split(',')\n    let\n      name;\n    for (let\n      i = 0, l = names.length;\n      i < l;\n      i++) {\n      // eslint-disable-next-line\n      if\n        ((name = names[i])) {\n        sheet.registerName(id, name);\n      }\n    }\n  };\n\nconst\n  rehydrateSheetFromTag =\n  (sheet:\n  Sheet, style: HTMLStyleElement) => {\n    const\n      parts = (style.textContent ||\n      '').split(SPLITTER);\n    const\n      rules:\n      string[] = [];\n    for (let\n      i = 0, l = parts.length;\n      i < l;\n      i++) {\n      const\n        part = parts[i].trim();\n      if (!part) continue;\n      const\n        marker = part.match(MARKER_RE);\n      if (marker) {\n        const\n          group = parseInt(marker[1], 10) | 0;\n        const\n          id = marker[2];\n        if (group !== 0) {\n          // Rehydrate componentId to group index mapping\n          setGroupForId(id, group);\n          // Rehydrate names and rules\n          // looks like: data-\n          styled.g11[id=\\\"idA\\\"]{content:\\\"nameA,\\\"}\n          rehydrateNamesFromContent(sheet, id, marker[3]);\n        }\n        sheet.getTag().insertRules(group, rules);\n      }\n      rules.length = 0;\n    } else {\n      rules.push(part);\n    }\n  };\n\nexport const\n  rehydrateSheet =\n  (sheet: Sheet) => {\n    const\n      nodes =\n      document.querySelectorAll(SELECTOR);\n    for (let\n      i = 0, l = nodes.length;\n      i < l;\n      i++) {\n      const\n        node =\n        ((nodes[i]: any): HTMLStyleElement);\n      if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE)\n      {\n        rehydrateSheetFromTag(sheet, node);\n        if (node.parentNode) {\n          node.parentNode.removeChild(node);\n        }\n      }\n    }\n  };\n\n// @flow\n\n/* eslint-disable camelcase, no-undef\n*/\n\ndeclare\n  var\n    window: { __webpack_nonce__: string };\n\nconst\n  getNonce = () => {\n    return\n      typeof\n        window\n        !== 'undefined'\n        ?\n        typeof\n          window.__webpack_nonce__\n          !== 'undefined'\n          ?\n          window.__webpack_nonce__\n          :\n          null\n        :\n        null;\n  };\n\nexport\n  default\n  getNonce;\n\n// @flow\n\nimport {\n  SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport\n  getNonce\n  from './utils/nonce';\nimport\n  throwStyledError\n  from './utils/error';\n\nconst\n  ELEMENT_TYPE = 1; /* Node.ELEMENT_TYPE */\n\n/**\n  Find last style element if any inside target\n  */\n\nconst\n  findLastStyleTag =\n  (target: HTMLInputElement): void | HTMLStyleElement => {\n    const\n      { childNodes } = target;\n    for (let\n      i = childNodes.length;\n      i >= 0;\n      i--) {\n      const\n        child =\n        ((childNodes[i]: any): ?HTMLInputElement);\n      if (child && child.nodeType === ELEMENT_TYPE &&\n        child.hasAttribute(SC_ATTR)) {\n        return\n          ((child: any): HTMLStyleElement);\n      }\n    }\n    return\n      undefined;\n  };\n\n/**\n  Create a style element inside `target` or <head> after the last\n  */\n\nexport\n  const\n  makeStyleTag =\n  (target?: HTMLInputElement): HTMLStyleElement => {\n    const\n      head =\n      ((document.head: any): HTMLInputElement);\n    const\n      parent =\n      target || head;\n    const\n      style =\n      document.createElement('style');\n    const\n      prevStyle =\n      findLastStyleTag(parent);\n    const\n      nextSibling =\n      prevStyle !== undefined\n      ?\n      prevStyle.nextSibling\n      :\n      null;\n    style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n    style.setAttribute(SC_ATTR_VERSION,\n
```



```

SC_VERSION);
const nonce = getNonce();
if (nonce) style.setAttribute('nonce', nonce);
parent.insertBefore(style, nextSibling);
return style;
}
/** Get the CSSStyleSheet instance for a given style
element */
export const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {
  if (tag.sheet) {
    return (tag.sheet: any): CSSStyleSheet;
  }
  // Avoid Firefox quirk where the style element might not have a sheet
  property
  const { styleSheets } = document;
  for (let i = 0, l = styleSheets.length; i < l; i++) {
    const sheet = styleSheets[i];
    if (sheet.ownerNode === tag) {
      return ((sheet: any): CSSStyleSheet);
    }
  }
  throw StyledError(17);
  return (undefined: any);
};
/** @flow
eslint-disable no-use-before-define
*/
import { makeStyleTag, getSheet } from './dom';
import type { SheetOptions, Tag } from './types';
/**
Create a CSSStyleSheet-like tag depending on the environment
*/
export const makeTag = ({ isServer,
useCSSOMInjection, target }: SheetOptions): Tag => {
  if (isServer) {
    return new VirtualTag(target);
  } else if (useCSSOMInjection) {
    return new CSSOMTag(target);
  } else {
    return new TextTag(target);
  }
};
export class CSSOMTag implements Tag {
  element: HTMLStyleElement;
  sheet: CSSStyleSheet;
  length: number;
  constructor(target?: HTMLStyleElement) {
    const element = (this.element = makeStyleTag(target));
    // Avoid Edge bug where empty style elements don't create sheets
    element.appendChild(document.createTextNode(''));
    this.sheet = getSheet(element);
    this.length = 0;
  }
  insertRule(index: number, rule: string): boolean {
    try {
      this.sheet.insertRule(rule, index);
      this.length++;
      return true;
    } catch (_error) {
      return false;
    }
  }
  deleteRule(index: number): void {
    this.sheet.deleteRule(index);
    this.length--;
  }
  getRule(index: number): string {
    const rule = this.sheet.cssRules[index];
    // Avoid IE11 quirk where cssText is inaccessible on some invalid rules
    if (rule !== undefined && typeof rule.cssText === 'string') {
      return rule.cssText;
    } else {
      return '';
    }
  }
}
/** A Tag that emulates the CSSStyleSheet API but uses text nodes
*/
export class TextTag implements Tag {
  element: HTMLStyleElement;
  nodes: NodeList<Node>;
  length: number;
  constructor(target?: HTMLStyleElement) {
    const element = (this.element = makeStyleTag(target));
    this.nodes = element.childNodes;
    this.length = 0;
  }
  insertRule(index: number, rule: string): boolean {
    if (index <= this.length && index >= 0) {
      const node = document.createTextNode(rule);
      const refNode = this.nodes[index];
      this.element.insertBefore(node, refNode || null);
      this.length++;
      return true;
    } else {
      return false;
    }
  }
  deleteRule(index: number): void {
    this.element.removeChild(this.nodes[index]);
    this.length--;
  }
  getRule(index: number): string {
    if (index < this.length) {
      return this.nodes[index].textContent;
    } else {
      return '';
    }
  }
}
/** A completely virtual (server-side) Tag that doesn't manipulate the DOM
*/
export class VirtualTag implements Tag {
  rules: string[];
  length: number;
  constructor(_target?: HTMLStyleElement) {
    this.rules = [];
    this.length = 0;
  }
  insertRule(index: number, rule: string): boolean {
    if (index <= this.length) {
      this.rules.splice(index, 0, rule);
      this.length++;
      return true;
    } else {
      return false;
    }
  }
  deleteRule(index: number): void {
    this.rules.splice(index, 1);
    this.length--;
  }
  getRule(index: number): string {
    if (index < this.length) {
      return this.rules[index];
    } else {
      return '';
    }
  }
}
/** @flow
import { DISABLE_SPEEDY, IS_BROWSER } from './constants';
import { EMPTY_OBJECT } from './utils/empties';
import { makeGroupedTag } from './GroupedTag';
import { getGroupForId } from './GroupIDAllocator';
import { outputSheet, rehydrateSheet } from './Rehydration';
import { makeTag } from './Tag';
import type { GroupedTag, Sheet, SheetOptions } from './types';
let SHOULD_REHYDRATE = IS_BROWSER;
type SheetConstructorArgs = {
  isServer?: boolean,
  useCSSOMInjection?: boolean,
  target?: HTMLStyleElement,
};
type GlobalStylesAllocationMap = { [key: string]: number };
type NamesAllocationMap = Map<string, Set<string>>;
const defaultOptions: SheetOptions = {
  isServer: !IS_BROWSER,
  useCSSOMInjection: !DISABLE_SPEEDY,
};
/** Contains the main stylesheet logic for stringification and caching
*/
export default class StyleSheet implements Sheet {
  gs: GlobalStylesAllocationMap;
  names: NamesAllocationMap;
  options: SheetOptions;
  server: boolean;
  tag: void | GroupedTag;
  /** Register a group ID to give it an index
*/
  static registerId(id: string): number {
    return getGroupForId(id);
  }
  constructor(
    options: SheetConstructorArgs = EMPTY_OBJECT,
    globalStyles?: GlobalStylesAllocationMap = {},
    names?: NamesAllocationMap
  ) {

```

```

this.options = {\n  ...defaultOptions,\n  ...options,\n };;\n\n this.gs = globalStyles;\n this.names = new\n Map(names);\n this.server = !!options.isServer;\n\n // We rehydrate only once and use the sheet that is created\n first\n if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n  SHOULD_REHYDRATE =\n  false;\n  rehydrateSheet(this);\n }\n }\n\n reconstructWithOptions(options: SheetConstructorArgs,\n withNames?: boolean = true) {\n  return new StyleSheet(\n    { ...this.options, ...options },\n    this.gs,\n    (withNames && this.names) || undefined\n  );\n }\n\n allocateGSInstance(id: string) {\n  return (this.gs[id] =\n    (this.gs[id] || 0) + 1);\n }\n\n /** Lazily initialises a GroupedTag for when it's actually needed */\n getTag():\n GroupedTag {\n  return this.tag || (this.tag = makeGroupedTag(makeTag(this.options)));\n }\n\n /** Check\n whether a name is known for caching */\n hasNameForId(id: string, name: string): boolean {\n  return\n this.names.has(id) && (this.names.get(id): any).has(name);\n }\n\n /** Mark a group's name as known for caching\n */\n registerName(id: string, name: string) {\n  getGroupForId(id);\n\n if (!this.names.has(id)) {\n  const\n groupNames = new Set();\n  groupNames.add(name);\n  this.names.set(id, groupNames);\n } else {\n (this.names.get(id): any).add(name);\n }\n }\n\n /** Insert new rules which also marks the name as known */\n insertRules(id: string, name: string, rules: string[]) {\n  this.registerName(id, name);\n\n this.getTag().insertRules(getGroupForId(id), rules);\n }\n\n /** Clears all cached names for a given group ID */\n clearNames(id: string) {\n  if (this.names.has(id)) {\n (this.names.get(id): any).clear();\n }\n }\n\n /** Clears\n all rules for a given group ID */\n clearRules(id: string) {\n  this.getTag().clearGroup(getGroupForId(id));\n\n this.clearNames(id);\n }\n\n /** Clears the entire tag which deletes all rules but not its names */\n clearTag() {\n // NOTE: This does not clear the names, since it's only used during SSR\n // so that we can continuously output\n only new rules\n this.tag = undefined;\n }\n\n /** Outputs the current sheet as a CSS string with markers for SSR\n */\n toString(): string {\n  return outputSheet(this);\n }\n\n",\n // @flow\n/* eslint-disable no-bitwise */\n\nconst\n AD_REPLACER_R = /(a)(d)(g)(i);;\n\n/* This is the "capacity" of our alphabet i.e. 2x26 for all letters plus their\n capitalised\n * counterparts */\n\nconst charsLength = 52;\n\n/* start at 75 for 'a' until 'z' (25) and then start at 65 for\n capitalised letters */\n\nconst getAlphabeticChar = (code: number): string =>\n String.fromCharCode(code + (code >\n 25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to base-52 */\n\nexport default function\n generateAlphabeticName(code: number): string {\n  let name = "";\n  let x;\n\n /* get a char and divide by alphabet-\n length */\n for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {\n  name = getAlphabeticChar(x\n % charsLength) + name;\n }\n\n return (getAlphabeticChar(x % charsLength) +\n name).replace(AD_REPLACER_R, '$1-$2');\n }\n\n",\n // @flow\n/* eslint-disable */\n\nexport const SEED =\n 5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we pretend that\n we're still looping over\n// the same string\n\nexport const phash = (h: number, x: string): number => {\n  let i =\n x.length;\n\n while (i) {\n  h = (h * 33) ^ x.charCodeAt(--i);\n }\n\n return h;\n};\n\n// This is a djb2 hashing\n function\n\nexport const hash = (x: string): number => {\n  return phash(SEED, x);\n};\n\n",\n // @flow\n\nimport\n isFunction from './isFunction';\n\nimport\n isStyledComponent from './isStyledComponent';\n\nimport\n type { RuleSet }\n from './types';\n\nexport default function\n isStaticRules(rules: RuleSet): boolean {\n  for (let i = 0; i < rules.length; i\n += 1) {\n  const rule = rules[i];\n\n if (isFunction(rule) && !isStyledComponent(rule)) {\n // functions are\n allowed to be static if they're just being\n // used to get the classname of a nested styled component\n return\n false;\n }\n }\n\n return true;\n }\n\n",\n // @flow\n\nimport { SC_VERSION } from './constants';\n\nimport\n StyleSheet\n from './sheet';\n\nimport\n type { RuleSet, Stringifier }\n from './types';\n\nimport\n flatten\n from './utils/flatten';\n\nimport\n generateName\n from './utils/generateAlphabeticName';\n\nimport { hash, phash } from './utils/hash';\n\nimport\n isStaticRules\n from './utils/isStaticRules';\n\nconst\n SEED = hash(SC_VERSION);\n\n/**\n * ComponentStyle is all\n the CSS-specific stuff, not the React-specific stuff.\n */\n\nexport default class\n ComponentStyle {\n  baseHash:\n number;\n\n  baseStyle: ?ComponentStyle;\n\n  componentId: string;\n\n  isStatic: boolean;\n\n  rules: RuleSet;\n\n  staticRulesId: string;\n\n  constructor(rules: RuleSet, componentId: string, baseStyle?: ComponentStyle) {\n\n this.rules = rules;\n  this.staticRulesId = "";\n  this.isStatic = process.env.NODE_ENV === 'production' &&\n (baseStyle === undefined || baseStyle.isStatic) &&\n isStaticRules(rules);\n  this.componentId =\n componentId;\n\n // SC_VERSION gives us isolation between multiple runtimes on the page at once\n // this is\n improved further with use of the babel plugin "namespace" feature\n  this.baseHash = phash(SEED,\n
```

```

componentId);\n\n  this.baseStyle = baseStyle);\n\n  // NOTE: This registers the componentId, which ensures a
consistent order\n  // for this component's styles compared to others\n  StyleSheet.registerId(componentId);\n
}\n\n /*\n * Flattens a rule set into valid CSS\n * Hashes it, wraps the whole chunk in a .hash1234 { }\n *
Returns the hash to be injected on render()\n * */\n generateAndInjectStyles(executionContext: Object, styleSheet:
StyleSheet, stylis: Stringifier) {\n  const { componentId } = this;\n\n  const names = [];\n\n  if (this.baseStyle)
{\n    names.push(this.baseStyle.generateAndInjectStyles(executionContext, styleSheet, stylis));\n  }\n\n  // force
dynamic classnames if user-supplied stylis plugins are in use\n  if (this.isStatic && !stylis.hash) {\n    if
(this.staticRulesId && styleSheet.hasNameForId(componentId, this.staticRulesId)) {\n
names.push(this.staticRulesId);\n    } else {\n      const cssStatic = flatten(this.rules, executionContext, styleSheet,
stylis).join(");\n      const name = generateName(phash(this.baseHash, cssStatic) >>> 0);\n      if
(!styleSheet.hasNameForId(componentId, name)) {\n        const cssStaticFormatted = stylis(cssStatic, `.${name}`,
undefined, componentId);\n\n        styleSheet.insertRules(componentId, name, cssStaticFormatted);\n      }\n\n
names.push(name);\n      this.staticRulesId = name;\n    }\n  } else {\n    const { length } = this.rules;\n    let
dynamicHash = phash(this.baseHash, stylis.hash);\n    let css = ";\n\n    for (let i = 0; i < length; i++) {\n      const
partRule = this.rules[i];\n\n      if (typeof partRule === 'string') {\n        css += partRule;\n\n        if
(process.env.NODE_ENV !== 'production') dynamicHash = phash(dynamicHash, partRule + i);\n      } else if
(partRule) {\n        const partChunk = flatten(partRule, executionContext, styleSheet, stylis);\n        const
partString = Array.isArray(partChunk) ? partChunk.join(") : partChunk;\n        dynamicHash =
phash(dynamicHash, partString + i);\n        css += partString;\n      }\n    }\n\n    if (css) {\n      const name =
generateName(dynamicHash >>> 0);\n\n      if (!styleSheet.hasNameForId(componentId, name)) {\n        const
cssFormatted = stylis(css, `.${name}`, undefined, componentId);\n\n        styleSheet.insertRules(componentId, name,
cssFormatted);\n      }\n\n      names.push(name);\n    }\n  }\n\n  return names.join(' '); }\n\n\n", "import Stylis
from '@emotion/stylis';\n\nimport { type Stringifier } from './types';\n\nimport { EMPTY_ARRAY, EMPTY_OBJECT
} from './empties';\n\nimport throwError from './error';\n\nimport { phash, SEED } from './hash';\n\nimport
insertRulePlugin from './stylisPluginInsertRule';\n\nconst COMMENT_REGEX = /^\\s*\\|\\|\\.\\*$/gm;\n\nconst
COMPLEX_SELECTOR_PREFIX = [':', '[', '.', '#'];\n\nconst type StylisInstanceConstructorArgs = {\n  options?:
Object,\n  plugins?: Array<Function>,\n};\n\nexport default function createStylisInstance({\n  options =
EMPTY_OBJECT,\n  plugins = EMPTY_ARRAY,\n}: StylisInstanceConstructorArgs = EMPTY_OBJECT) {\n  const stylis = new Stylis(options);\n\n  // Wrap `insertRulePlugin` to build a list of rules,\n  // and then make our own
plugin to return the rules. This\n  // makes it easier to hook into the existing SSR architecture\n\n  let parsingRules =
[];\n\n  // eslint-disable-next-line consistent-return\n  const returnRulesPlugin = context => {\n    if (context === -2)
{\n      const parsedRules = parsingRules;\n      parsingRules = [];\n      return parsedRules;\n    }\n  }; \n\n  const
parseRulesPlugin = insertRulePlugin(rule => {\n    parsingRules.push(rule);\n  });\n\n  let _componentId: string;\n  let
_selector: string;\n  let _selectorRegexp: RegExp;\n  let _consecutiveSelfRefRegexp: RegExp;\n\n  const
selfReferenceReplacer = (match, offset, string) => {\n    if (\n      // do not replace the first occurrence if it is
complex (has a modifier)\n      (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length])
=== -1 : true) &&\n      // no consecutive self refs (.b.b); that is a precedence boost and treated differently\n
!string.match(_consecutiveSelfRefRegexp)\n    ) {\n      return `.${_componentId}`;\n    }\n\n    return match;\n  }; \n\n  /**\n   * When writing a style like\n   * *\n   * & + & {\n   *   color: red;\n   * }\n   * *\n   * The second
ampersand should be a reference to the static component class. stylis\n   * has no knowledge of static class so we
have to intelligently replace the base selector.\n   * *\n   * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <-
more info about the context phase values\n   * "\n2" means this plugin is taking effect at the very end after all other
processing is complete\n   * *\n   const selfReferenceReplacementPlugin = (context, __, selectors) => {\n    if (context
=== 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n      // eslint-disable-next-line no-param-
reassign\n      selectors[0] = selectors[0].replace(_selectorRegexp, selfReferenceReplacer);\n    }\n  }; \n\n  stylis.use([...plugins, selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);\n\n  function
stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {\n    const flatCSS =
css.replace(COMMENT_REGEX, ");\n    const cssStr = selector && prefix ? `.${prefix} ${selector} { ${flatCSS}

```

```

} : flatCSS;\n\n // stylis has no concept of state to be passed to plugins\n // but since JS is single-threaded, we
can rely on that to ensure\n // these properties stay in sync with the current stylis run\n _componentId =
componentId;\n _selector = selector;\n _selectorRegex = new RegExp(`\\${_selector}`);
_consecutiveSelfRefRegex = new RegExp(`\\${_selector}`{2,});\n\n return stylis(prefix || !selector ? " :
selector, cssStr);\n }\n\n stringifyRules.hash = plugins.length\n ? plugins\n .reduce((acc, plugin) => {\n
if (!plugin.name) {\n throwStyledError(15);\n }\n\n return phash(acc, plugin.name);\n },
SEED)\n .toString()\n : ";\n\n return stringifyRules;\n }\n\n", /*\n * MIT License\n * Copyright (c) 2016
Sultan Tarimo\n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this
software and associated documentation files (the "Software"),\n * to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell
copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following
conditions:\n * The above copyright notice and this permission notice shall be included in all\n * copies or
substantial portions of the Software.\n * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT
WARRANTY OF ANY KIND, EXPRESS\n * OR IMPLIED INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n * WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR\n * IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.\n */\n\n * eslint-disable *\n\n\nexport default
function(insertRule) {\n const delimiter = '/*';\n const needle = `${delimiter}`;\n\n function toSheet(block) {\n
if (block) {\n try {\n insertRule(`${block}`);\n } catch (e) {\n }\n }\n\n return function ruleSheet(\n
context,\n content,\n selectors,\n parents,\n line,\n column,\n length,\n ns,\n depth,\n at\n ) {\n
switch (context) {\n // property\n case 1:\n // @import\n if (depth === 0 && content.charCodeAt(0)
=== 64) return insertRule(`${content};`), "\n break;\n // selector\n case 2:\n if (ns === 0) return
content + delimiter;\n break;\n // at-rule\n case 3:\n switch (ns) {\n // @font-face, @page\n
case 102:\n case 112:\n return insertRule(selectors[0] + content), "\n default:\n return
content + (at === 0 ? delimiter : ");\n }\n case -2:\n content.split(needle).forEach(toSheet);\n }\n
};\n }\n\n", /*\n @flow\n\nimport React, { type Context, type Node, useContext, useEffect, useMemo, useState } from
'react';\nimport shallowequal from 'shallowequal';\nimport StyleSheet from './sheet';\nimport type { Stringifier }
from './types';\nimport createStylisInstance from './utils/stylis';\n\ntype Props = {\n children?: Node,\n
disableCSSOMInjection?: boolean,\n disableVendorPrefixes?: boolean,\n sheet?: StyleSheet,\n stylisPlugins?:
Array<Function>,\n target?: HTMLElement,\n};\n\nexport const StyleSheetContext: Context<StyleSheet | void> =
React.createContext();\nexport const StyleSheetConsumer = StyleSheetContext.Consumer;\nexport const
StylisContext: Context<Stringifier | void> = React.createContext();\nexport const StylisConsumer =
StylisContext.Consumer;\n\nexport const masterSheet: StyleSheet = new StyleSheet();\nexport const masterStylis:
Stringifier = createStylisInstance();\n\nexport function useStyleSheet(): StyleSheet {\n return
useContext(StyleSheetContext) || masterSheet;\n}\n\nexport function useStylis(): Stringifier {\n return
useContext(StylisContext) || masterStylis;\n}\n\nexport default function StyleSheetManager(props: Props) {\n const
[plugins, setPlugins] = useState(props.stylisPlugins);\n const contextStyleSheet = useStyleSheet();\n\n const
styleSheet = useMemo(() => {\n let sheet = contextStyleSheet;\n\n if (props.sheet) {\n // eslint-disable-next-
line prefer-destructuring\n sheet = props.sheet;\n } else if (props.target) {\n sheet =
sheet.reconstructWithOptions({ target: props.target }, false);\n }\n\n if (props.disableCSSOMInjection) {\n
sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });\n }\n\n return sheet;\n },
[props.disableCSSOMInjection, props.sheet, props.target]);\n\n const stylis = useMemo(\n () =>\n
createStylisInstance({\n options: { prefix: !props.disableVendorPrefixes },\n plugins,\n }),\n
[props.disableVendorPrefixes, plugins]);\n\n useEffect(() => {\n if (!shallowequal(plugins,\n
props.stylisPlugins)) setPlugins(props.stylisPlugins);\n }, [props.stylisPlugins]);\n\n return (\n
<StyleSheetContext.Provider value={styleSheet}>\n <StylisContext.Provider value={stylis}>\n

```

```

{process.env.NODE_ENV !== 'production'\n      ? React.Children.only(props.children)\n      : props.children}\n    </StyleContext.Provider>\n    </StyleSheetContext.Provider>\n  );\n}\n", "// @flow\nimport StyleSheet from\n'./sheet';\nimport { type Stringifier } from './types';\nimport throwStyledError from './utils/error';\nimport {\n  masterStylis } from './StyleSheetManager';\n\nexport default class Keyframes {\n  id: string;\n  name: string;\n  rules: string;\n\n  constructor(name: string, rules: string) {\n    this.name = name;\n    this.id = `sc-keyframes-\n${name}`;\n    this.rules = rules;\n  }\n\n  inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis)\n=> {\n  const resolvedName = this.name + stylisInstance.hash;\n  if (!styleSheet.hasNameForId(this.id,\nresolvedName)) {\n    styleSheet.insertRules(\n      this.id,\n      resolvedName,\n      stylisInstance(this.rules,\nresolvedName, '@keyframes')\n    );\n  }\n};\n\n  toString = () => {\n    return throwStyledError(12,\nString(this.name));\n  };\n\n  getName(stylisInstance: Stringifier = masterStylis) {\n    return this.name +\nstylisInstance.hash;\n  }\n}\n", "// @flow\n\n/*\n * inlined version of\n * https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n */\n\nconst\nuppercaseCheck = /([A-Z])/;\nconst uppercasePattern = /([A-Z])/g;\nconst msPattern = /^ms-/;\nconst\nprefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/*\n * Hyphenates a camelcased\n * CSS property name, for example:\n * > hyphenateStyleName('backgroundColor')\n * < \"background-\n * color\"\n * > hyphenateStyleName('MozTransition')\n * < \"-moz-transition\"\n * >\n * hyphenateStyleName('msTransition')\n * < \"-ms-transition\"\n * As Modernizr suggests\n * (http://modernizr.com/docs/#prefixed), an `ms` prefix\n * is converted to `-ms-`.\n */\n\n@param {string} string\n * @return {string}\n */\nexport default function hyphenateStyleName(string: string): string {\n  return\nuppercaseCheck.test(string)\n ? string\n .replace(uppercasePattern, prefixAndLowerCase)\n .replace(msPattern,\n'-ms-')\n : string;\n}\n", "// @flow\nimport { isElement } from 'react-is';\nimport getComponentName from\n'./getComponentName';\nimport isFunction from './isFunction';\nimport isStatelessFunction from\n'./isStatelessFunction';\nimport isPlainObject from './isPlainObject';\nimport isStyledComponent from\n'./isStyledComponent';\nimport Keyframes from './models/Keyframes';\nimport hyphenate from\n'./hyphenateStyleName';\nimport addUnitIfNeeded from './addUnitIfNeeded';\nimport { type Stringifier } from\n'./types';\n\n/*\n * It's falsish not falsy because 0 is allowed.\n */\nconst isFalsish = chunk => chunk ===\nundefined || chunk === null || chunk === false || chunk === "";\n\nexport const objToCssArray = (obj: Object,\nprevKey?: string): Array<string | Function> => {\n  const rules = [];\n\n  for (const key in obj) {\n    if\n(!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n    if ((Array.isArray(obj[key]) && obj[key].isCss) ||\nisFunction(obj[key])) {\n      rules.push(`${hyphenate(key)}`, obj[key], `:`);\n    } else if (isPlainObject(obj[key])) {\n      rules.push(...objToCssArray(obj[key], key));\n    } else {\n      rules.push(`${hyphenate(key)}:\n${addUnitIfNeeded(key, obj[key])}`);\n    }\n  }\n\n  return prevKey ? [`${prevKey} {`, ...rules, `}`]:\nrules;\n};\n\nexport default function flatten(\n  chunk: any,\n  executionContext: ?Object,\n  styleSheet: ?Object,\n  stylisInstance: ?Stringifier\n): any {\n  if (Array.isArray(chunk)) {\n    const ruleSet = [];\n\n    for (let i = 0, len =\nchunk.length, result; i < len; i += 1) {\n      result = flatten(chunk[i], executionContext, styleSheet,\nstylisInstance);\n\n      if (result === "") continue;\n      else if (Array.isArray(result)) ruleSet.push(...result);\n      else\nruleSet.push(result);\n    }\n\n    return ruleSet;\n  }\n\n  if (isFalsish(chunk)) {\n    return "";\n  }\n\n  /* Handle other\n * components */\n  if (isStyledComponent(chunk)) {\n    return `.${chunk.styledComponentId}`;\n  }\n\n  /* Either\n * execute or defer the function */\n  if (isFunction(chunk)) {\n    if (isStatelessFunction(chunk) && executionContext)\n{\n      const result = chunk(executionContext);\n\n      if (process.env.NODE_ENV !== 'production' &&\nisElement(result)) {\n        // eslint-disable-next-line no-console\n        console.warn(\n\n`${getComponentName(\n      chunk\n    )} is not a styled component and cannot be referred to via\ncomponent selector. See https://www.styled-components.com/docs/advanced#referring-to-other-components for\nmore details.`\n      );\n    }\n\n    return flatten(result, executionContext, styleSheet, stylisInstance);\n  } else\nreturn chunk;\n}\n\n  if (chunk instanceof Keyframes) {\n    if (styleSheet) {\n      chunk.inject(styleSheet,\nstylisInstance);\n      return chunk.getName(stylisInstance);\n    } else\nreturn chunk;\n  }\n\n  /* Handle objects */\n  if (isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString());\n}\n", "// @flow\n\nexport default function\nisStatelessFunction(test: any): boolean {\n  return (\n    typeof test === 'function'\n    && !(\n      test.prototype\n
```

```

&& test.prototype.isReactComponent\n  )\n );\n}\n", "// @flow\nimport unitless from '@emotion/unitless';\n\n//  

Taken from https://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-  

dom/src/shared/dangerousStyleValue.js\nexport default function addUnitIfNeeded(name: string, value: any): any {\n  

// https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n // $FlowFixMe\n if (value === null ||  

typeof value === 'boolean' || value === '') {\n  return "";\n }\n\n if (typeof value === 'number' && value !== 0 &&  

!(name in unitless)) {\n  return `${value}px`; // Presumes implicit 'px' suffix for unitless numbers\n }\n\n return  

String(value).trim();\n}\n", "// @flow\nimport Interleave from './utils/interleave';\nimport isPlainObject from  

'./utils/isPlainObject';\nimport { EMPTY_ARRAY } from './utils/empties';\nimport isFunction from  

'./utils/isFunction';\nimport flatten from './utils/flatten';\nimport type { Interpolation, RuleSet, Styles } from  

'./types';\n\n/**\n * Used when flattening object styles to determine if we should\n * expand an array of styles.\n */\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles: Styles, ...interpolations:  

Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return  

addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n\n  if (interpolations.length === 0  

&& styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n\n  //  

$FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations)));\n}\n", "// @flow\nimport { useRef } from  

'react';\n\nconst invalidHookCallRe = /invalid hook call/i;\nconst seen = new Set();\n\nexport const  

checkDynamicCreation = (displayName: string, componentId?: string) => {\n  if (process.env.NODE_ENV !==  

'production') {\n    const parsedIdString = componentId ? ` with the id of \"${componentId}\"` : "";\n    const message  

= \n    `The component ${displayName}${parsedIdString} has been created dynamically.\n` + \n    `\"You may see  

this warning because you've called styled inside another component.\n` + \n    `To resolve this only create new  

StyledComponents outside of any render method and function component.`;\n\n    // If a hook is called outside of a  

component:\n    // React 17 and earlier throw an error\n    // React 18 and above use console.error\n\n    const  

originalConsoleError = console.error // eslint-disable-line no-console\n    try {\n      let didNotCallInvalidHook =  

true\n      /* $FlowIgnore[cannot-write] */\n      console.error = (consoleErrorMessage, ...consoleErrorArgs) => { //  

eslint-disable-line no-console\n      // The error here is expected, since we're expecting anything that uses  

`checkDynamicCreation` to\n      // be called outside of a React component.\n      if  

(invalidHookCallRe.test(consoleErrorMessage)) {\n        didNotCallInvalidHook = false\n        // This shouldn't  

happen, but resets `warningSeen` if we had this error happen intermittently\n        seen.delete(message);\n      }  

else {\n        originalConsoleError(consoleErrorMessage, ...consoleErrorArgs);\n      }\n    } // We  

purposefully call `useRef` outside of a component and expect it to throw\n    // If it doesn't, then we're inside  

another component.\n    // eslint-disable-next-line react-hooks/rules-of-hooks\n    useRef();\n\n    if  

(didNotCallInvalidHook && !seen.has(message)) {\n      // eslint-disable-next-line no-console\n      console.warn(message);\n      seen.add(message);\n    }\n  } catch (error) {\n    // The error here is expected,  

since we're expecting anything that uses `checkDynamicCreation` to\n    // be called outside of a React  

component.\n    if (invalidHookCallRe.test(error.message)) {\n      // This shouldn't happen, but resets  

`warningSeen` if we had this error happen intermittently\n      seen.delete(message);\n    }\n  } finally {\n    /*  

$FlowIgnore[cannot-write] */\n    console.error = originalConsoleError; // eslint-disable-line no-console\n  }\n}\n};\n", "// @flow\nimport { EMPTY_OBJECT } from './empties';\n\nexport type Props = {\n  theme?: any;\n};\n\nexport  

default (props: Props, providedTheme: any, defaultProps: any = EMPTY_OBJECT) => {\n  return (props.theme !==  

defaultProps.theme && props.theme) || providedTheme || defaultProps.theme;\n};\n", "// @flow\n\n// Source:  

https://www.w3.org/TR/cssom-1/#serialize-an-identifier\n// Control characters and non-letter first symbols are not  

supported\nconst escapeRegex = /[!\"#$%&'()*+,-./:;<=>?@[\\\\\\]`^{}~]+/g;\n\nconst dashesAtEnds = /^(^-|  

$)/g;\n\n/**\n * TODO: Explore using CSS.escape when it becomes more available\n * in evergreen browsers.\n */\n\nexport default function escape(str: string): string {\n  return (\n    str\n    // Replace all possible CSS selectors\n    .replace(escapeRegex, '-')\n    // Remove extraneous hyphens at the start and end\n    .replace(dashesAtEnds,  

"")\n  );\n}\n", "// @flow\n\n/* eslint-disable */\nimport generateAlphabeticName from  

'./generateAlphabeticName';\nimport { hash } from './hash';\n\nexport default (str: string): string => {\n  return

```

```

generateAlphabeticName(hash(str) >>> 0);\n};\n", "// @flow\nimport type { IStyledComponent } from
'../types';\n\nexport default function isTag(target: $PropertyType<IStyledComponent, 'target'>): boolean %checks
{\n  return (\n    typeof target === 'string' &&\n      (process.env.NODE_ENV !== 'production'\n        ? target.charAt(0)
=== target.charAt(0).toLowerCase()\n          : true)\n      );\n};\n", /* eslint-disable */\n  mixin-deep;
https://github.com/jonschlinkert/mixin-deep\n  Inlined such that it will be consistently transpiled to an IE-
compatible syntax.\n\n  The MIT License (MIT)\n\n  Copyright (c) 2014-present, Jon Schlinkert.\n\n  Permission is
hereby granted, free of charge, to any person obtaining a copy\n  of this software and associated documentation files
(the \"Software\"), to deal\n  in the Software without restriction, including without limitation the rights\n  to use,
copy, modify, merge, publish, distribute, sublicense, and/or sell\n  copies of the Software, and to permit persons to
whom the Software is\n  furnished to do so, subject to the following conditions:\n\n  The above copyright notice and
this permission notice shall be included in\n  all copies or substantial portions of the Software.\n\n  THE
SOFTWARE IS PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR\n  IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,\n  FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE\n  AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER\n  LIABILITY, WHETHER
IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,\n  OUT OF OR IN
CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN\n  THE
SOFTWARE.\n\nconst isObject = val => {\n  return (\n    typeof val === 'function' || (typeof val === 'object'
&& val !== null && !Array.isArray(val))\n  );\n};\n\nconst isValidKey = key => {\n  return key !== '__proto__'
&& key !== 'constructor' && key !== 'prototype';\n};\n\nfunction mixin(target, val, key) {\n  const obj =
target[key];\n  if (isObject(val) && isObject(obj)) {\n    mixinDeep(obj, val);\n  } else {\n    target[key] = val;\n
  }\n}\n\nexport default function mixinDeep(target, ...rest) {\n  for (const obj of rest) {\n    if (isObject(obj)) {\n
for (const key in obj) {\n      if (isValidKey(key)) {\n        mixin(target, obj[key], key);\n      }\n    }\n  }\n
  return target;\n}\n", // @flow\nimport React, { useContext, useMemo, type Element, type Context } from
'react';\nimport throwStyledError from '../utils/error';\nimport isFunction from '../utils/isFunction';\n\nexport type
Theme = { [key: string]: mixed }; \n\nexport type ThemeArgument = Theme | ((outerTheme?: Theme) => Theme);\n\nexport
Props = {\n  children?: Element<any>,\n  theme: ThemeArgument,\n};\n\nexport const ThemeContext:
Context<Theme | void> = React.createContext();\n\nexport const ThemeConsumer =
ThemeContext.Consumer;\n\nfunction mergeTheme(theme: ThemeArgument, outerTheme?: Theme): Theme {\n  if
(!theme) {\n    return throwStyledError(14);\n  }\n  if (isFunction(theme)) {\n    const mergedTheme =
theme(outerTheme);\n\n    if (\n      process.env.NODE_ENV !== 'production' &&\n        (mergedTheme === null ||
Array.isArray(mergedTheme) || typeof mergedTheme !== 'object')\n    ) {\n      return throwStyledError(7);\n    }\n
    return mergedTheme;\n  }\n  if (Array.isArray(theme) || typeof theme !== 'object') {\n    return
throwStyledError(8);\n  }\n  return outerTheme ? { ...outerTheme, ...theme } : theme;\n}\n\n/* * Provide a
theme to an entire react component tree via context\n\nexport default function ThemeProvider(props: Props) {\n
const outerTheme = useContext(ThemeContext);\n  const themeContext = useMemo(() =>
mergeTheme(props.theme, outerTheme), [\n    props.theme,\n    outerTheme,\n  ]);\n  if (!props.children) {\n
return null;\n  }\n  return <ThemeContext.Provider
value={themeContext}>{props.children}</ThemeContext.Provider>;\n}\n", // @flow\nimport validAttr from
'@emotion/is-prop-valid';\nimport hoist from 'hoist-non-react-statics';\nimport React, { createElement, type Ref,
useContext, useDebugValue } from 'react';\nimport { SC_VERSION } from '../constants';\nimport type {\n  Attrs,\n  IStyledComponent,\n  IStyledStatics,\n  RuleSet,\n  ShouldForwardProp,\n  Target,\n} from '../types';\nimport {
checkDynamicCreation } from '../utils/checkDynamicCreation';\nimport createWarnTooManyClasses from
'../utils/createWarnTooManyClasses';\nimport determineTheme from '../utils/determineTheme';\nimport {
EMPTY_ARRAY, EMPTY_OBJECT } from '../utils/empties';\nimport escape from '../utils/escape';\nimport
generateComponentId from '../utils/generateComponentId';\nimport generateDisplayName from
'../utils/generateDisplayName';\nimport getComponentName from '../utils/getComponentName';\nimport isFunction
from '../utils/isFunction';\nimport isStyledComponent from '../utils/isStyledComponent';\nimport isTag from

```

```

./utils/isTag';\nimport joinStrings from './utils/joinStrings';\nimport merge from './utils/mixinDeep';\nimport
ComponentStyle from './ComponentStyle';\nimport { useStyleSheet, useStylis } from
./StyleSheetManager';\nimport { ThemeContext } from './ThemeProvider';\n\nconst identifiers = {};\n\n/* We
depend on components having unique IDs */\nfunction generateId(displayName?: string, parentComponentId?:
string) {\n  const name = typeof displayName !== 'string' ? 'sc' : escape(displayName);\n  // Ensure that no
displayName can lead to duplicate componentIds\n  identifiers[name] = (identifiers[name] || 0) + 1;\n\n  const
componentId = `${name}-${generateComponentId(\n    // SC_VERSION gives us isolation between multiple
runtimes on the page at once\n    // this is improved further with use of the babel plugin "namespace" feature\n
SC_VERSION + name + identifiers[name]\n  )}`;\n\n  return parentComponentId ? `${parentComponentId}-${
componentId}` : componentId;\n}\n\nfunction useResolvedAttrs<Config>(theme: any = EMPTY_OBJECT,
props: Config, attrs: Attrs) {\n  // NOTE: can't memoize this\n  // returns [context, resolvedAttrs]\n  // where
resolvedAttrs is only the things injected by the attrs themselves\n  const context = { ...props, theme };
const resolvedAttrs = {};\n\n  attrs.forEach(attrDef => {\n    let resolvedAttrDef = attrDef;\n    let key;\n    if
(isFunction(resolvedAttrDef)) {\n      resolvedAttrDef = resolvedAttrDef(context);\n    }\n\n    /* eslint-disable
guard-for-in */\n    for (key in resolvedAttrDef) {\n      context[key] = resolvedAttrs[key] =\n        key ===
'className'\n          ? joinStrings(resolvedAttrs[key], resolvedAttrDef[key])\n          : resolvedAttrDef[key];\n    }\n
/* eslint-enable guard-for-in */\n  });\n\n  return [context, resolvedAttrs];\n}\n\nfunction useInjectedStyle<T>(\n
componentStyle: ComponentStyle,\n isStatic: boolean,\n resolvedAttrs: T,\n warnTooManyClasses?: $Call<typeof
createWarnTooManyClasses, string, string>)\n {\n  const styleSheet = useStyleSheet();\n  const stylis =
useStylis();\n\n  const className = isStatic\n    ? componentStyle.generateAndInjectStyles(EMPTY_OBJECT,
styleSheet, stylis)\n    : componentStyle.generateAndInjectStyles(resolvedAttrs, styleSheet, stylis);\n\n  // eslint-
disable-next-line react-hooks/rules-of-hooks\n  if (process.env.NODE_ENV !== 'production')\n    useDebugValue(className);\n\n  if (process.env.NODE_ENV !== 'production' && !isStatic &&
warnTooManyClasses) {\n    warnTooManyClasses(className);\n  }\n\n  return className;\n}\n\nfunction
useStyledComponentImpl(\n forwardedComponent: IStyledComponent,\n props: Object,\n forwardedRef:
Ref<any>,\n isStatic: boolean)\n {\n  const {\n    attrs: componentAttrs,\n    componentStyle,\n    defaultProps,\n
foldedComponentIds,\n    shouldForwardProp,\n    styledComponentId,\n    target,\n  } = forwardedComponent;\n\n  //
eslint-disable-next-line react-hooks/rules-of-hooks\n  if (process.env.NODE_ENV !== 'production')\n    useDebugValue(styledComponentId);\n\n  // NOTE: the non-hooks version only subscribes to this when
!componentStyle.isStatic,\n  // but that'd be against the rules-of-hooks. We could be naughty and do it anyway as it\n
// should be an immutable value, but behave for now.\n  const theme = determineTheme(props,
useContext(ThemeContext), defaultProps);\n\n  const [context, attrs] = useResolvedAttrs(theme ||
EMPTY_OBJECT, props, componentAttrs);\n\n  const generatedClassName = useInjectedStyle(\n
componentStyle,\n isStatic,\n context,\n process.env.NODE_ENV !== 'production' ?
forwardedComponent.warnTooManyClasses : undefined\n );\n\n  const refToForward = forwardedRef;\n\n  const
elementToBeCreated: Target = attrs.$as || props.$as || attrs.as || props.as || target;\n\n  const isTargetTag =
isTag(elementToBeCreated);\n  const computedProps = attrs !== props ? { ...props, ...attrs } : props;\n  const
propsForElement = {};\n\n  // eslint-disable-next-line guard-for-in\n  for (const key in computedProps) {\n    if
(key[0] === '$' || key === 'as') continue;\n    else if (key === 'forwardedAs') {\n      propsForElement.as =
computedProps[key];\n    } else if (\n      shouldForwardProp\n        ? shouldForwardProp(key, validAttr,
elementToBeCreated)\n        : isTargetTag\n          ? validAttr(key)\n          : true\n    ) {\n      // Don't pass through non
HTML tags through to HTML elements\n      propsForElement[key] = computedProps[key];\n    }\n  }\n\n  if
(props.style && attrs.style !== props.style) {\n    propsForElement.style = { ...props.style, ...attrs.style };
\n  }\n\n  propsForElement.className = Array.prototype\n    .concat(\n      foldedComponentIds,\n      styledComponentId,\n
generatedClassName !== styledComponentId ? generatedClassName : null,\n      props.className,\n
attrs.className\n    )\n    .filter(Boolean)\n    .join('');\n\n  propsForElement.ref = refToForward;\n\n  return
createElement(elementToBeCreated, propsForElement);\n}\n\nexport default function createStyledComponent(\n
target: $PropertyType<IStyledComponent, 'target'>,\n options: {\n  attrs?: Attrs,\n  componentId: string,\n

```



```

displayName?: string,\n  parentComponentId?: string,\n  shouldForwardProp?: ShouldForwardProp,\n  },\n  rules:
RuleSet(\n) {\n  const isTargetStyledComp = isStyledComponent(target);\n  const isCompositeComponent =
!isTag(target);\n\n  const {\n    attrs = EMPTY_ARRAY,\n    componentId = generateId(options.displayName,
options.parentComponentId),\n    displayName = generateDisplayName(target),\n  } = options;\n\n  const
styledComponentId =\n    options.displayName && options.componentId\n    ? `${escape(options.displayName)}-
${options.componentId}`\n    : options.componentId || componentId;\n\n  // fold the underlying StyledComponent
attrs up (implicit extend)\n  const finalAttrs =\n    isTargetStyledComp && ((target: any): IStyledComponent).attrs\n
    ? Array.prototype.concat(((target: any): IStyledComponent).attrs, attrs).filter(Boolean)\n    : attrs;\n\n  // eslint-
disable-next-line prefer-destructuring\n  let shouldForwardProp = options.shouldForwardProp;\n\n  if
(isTargetStyledComp && target.shouldForwardProp) {\n    if (options.shouldForwardProp) {\n      // compose
nested shouldForwardProp calls\n      shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n
      (((target: any): IStyledComponent).shouldForwardProp: any): ShouldForwardProp)(\n        prop,\n
      filterFn,\n        elementToBeCreated\n      ) &&\n      ((options.shouldForwardProp: any):
ShouldForwardProp)(prop, filterFn, elementToBeCreated);\n    } else {\n      // eslint-disable-next-line prefer-
destructuring\n      shouldForwardProp = ((target: any): IStyledComponent).shouldForwardProp;\n    }\n  }\n\n  const componentStyle = new ComponentStyle(\n    rules,\n    styledComponentId,\n    isTargetStyledComp ?
((target: Object).componentStyle: ComponentStyle) : undefined\n  );\n\n  // statically styled-components don't need
to build an execution context object,\n  // and shouldn't be increasing the number of class names\n  const isStatic =
componentStyle.isStatic && attrs.length === 0;\n\n  /**\n   * forwardRef creates a new interim component, which
we'll take advantage of\n   * instead of extending ParentComponent to create _another_ interim class\n   */\n  let
WrappedStyledComponent: IStyledComponent;\n\n  const forwardRef = (props, ref) =>\n    // eslint-disable-next-
line\n    useStyledComponentImpl(WrappedStyledComponent, props, ref, isStatic);\n\n  forwardRef.displayName =
displayName;\n\n  WrappedStyledComponent = ((React.forwardRef(forwardRef): any): IStyledComponent);\n
  WrappedStyledComponent.attrs = finalAttrs;\n  WrappedStyledComponent.componentStyle = componentStyle;\n
  WrappedStyledComponent.displayName = displayName;\n  WrappedStyledComponent.shouldForwardProp =
shouldForwardProp;\n\n  // this static is used to preserve the cascade of static classes for component selector\n
// purposes; this is especially important with usage of the css prop\n  WrappedStyledComponent.foldedComponentIds
= isTargetStyledComp\n    ? Array.prototype.concat(\n      ((target: any):
IStyledComponent).foldedComponentIds,\n      ((target: any): IStyledComponent).styledComponentId\n    )\n    :
EMPTY_ARRAY;\n\n  WrappedStyledComponent.styledComponentId = styledComponentId;\n\n  // fold the
underlying StyledComponent target up since we folded the styles\n  WrappedStyledComponent.target =
isTargetStyledComp\n    ? ((target: any): IStyledComponent).target\n    : target;\n\n  WrappedStyledComponent.withComponent = function withComponent(tag: Target) {\n    const { componentId:
previousComponentId, ...optionsToCopy } = options;\n\n    const newComponentId =\n      previousComponentId
&&\n      `${previousComponentId}-${isTag(tag) ? tag : escape(getComponentName(tag))}`;\n\n    const
newOptions = {\n      ...optionsToCopy,\n      attrs: finalAttrs,\n      componentId: newComponentId,\n    };\n\n    return createStyledComponent(tag, newOptions, rules);\n  };\n\n  Object.defineProperty(WrappedStyledComponent,
'defaultProps', {\n    get() {\n      return this._foldedDefaultProps;\n    },\n    set(obj) {\n
this._foldedDefaultProps = isTargetStyledComp\n      ? merge({}, ((target: any): IStyledComponent).defaultProps,
obj)\n      : obj;\n    },\n  });\n\n  if (process.env.NODE_ENV !== 'production') {\n
checkDynamicCreation(displayName, styledComponentId);\n\n  WrappedStyledComponent.warnTooManyClasses
= createWarnTooManyClasses(\n    displayName,\n    styledComponentId\n  );\n}\n\n  WrappedStyledComponent.toString = () => `.${styledComponentId}`;\n\n  if
(isCompositeComponent) {\n    hoist<\n      IStyledStatics,\n      $PropertyType<IStyledComponent, 'target'>,\n    {\n      [key: $Keys<IStyledStatics>]: true\n    }>(WrappedStyledComponent, ((target: any):
$PropertyType<IStyledComponent, 'target'>), {\n      // all SC-specific things should not be hoisted\n      attrs: true,\n
      componentStyle: true,\n      displayName: true,\n      foldedComponentIds: true,\n      shouldForwardProp: true,\n
      styledComponentId: true,\n      target: true,\n      withComponent: true,\n    });\n  }\n\n  return

```

```

WrappedStyledComponent;\n}\n", "// @flow\nimport type { IStyledComponent } from './types';\nimport
getComponentName from './getComponentName';\nimport isTag from './isTag';\n\nexport default function
generateDisplayName(\n target: $PropertyType<IStyledComponent, 'target'>:\n) : string {\n return isTag(target) ?
`styled.${target}` : `Styled(${getComponentName(target)})`;}\n}\n", /**\n * Convenience function for joining
strings to form className chains\n */\nexport default function joinStrings(a: ?String, b: ?String): ?String {\n return
a && b ? `${a} ${b}` : a || b;\n}\n", // @flow\n\nexport const LIMIT = 200;\n\nexport default (displayName: string,
componentId: string) => {\n let generatedClasses = {};\n let warningSeen = false;\n\n return (className: string)
=> {\n if (!warningSeen) {\n generatedClasses[className] = true;\n if
(Object.keys(generatedClasses).length >= LIMIT) {\n // Unable to find latestRule in test environment.\n /*
eslint-disable no-console, prefer-template */\n const parsedIdString = componentId ? `with the id of
`${componentId}`` : `;\n\n console.warn(\n `Over ${LIMIT} classes were generated for component
${displayName}${parsedIdString}`.\n ` +\n `Consider using the attrs method, together with a style object for
frequently changed styles.`\n +\n `Example:\n ` +\n `const Component = styled.div.attrs(props =>
({\n +\n `style: {\n +\n `background: props.background,\n +\n `},\n +\n `
}))`width: 100%;`\n\n +\n `<Component />\n `);\n warningSeen = true;\n generatedClasses =
{};\n } }\n }\n};\n}\n", // @flow\n\n// Thanks to ReactDOMFactories for this handy list!\n\nexport default [\n
'a',\n 'abbr',\n 'address',\n 'area',\n 'article',\n 'aside',\n 'audio',\n 'b',\n 'base',\n 'bdi',\n 'bdo',\n 'big',\n
'blockquote',\n 'body',\n 'br',\n 'button',\n 'canvas',\n 'caption',\n 'cite',\n 'code',\n 'col',\n 'colgroup',\n 'data',\n
'datalist',\n 'dd',\n 'del',\n 'details',\n 'dfn',\n 'dialog',\n 'div',\n 'dl',\n 'dt',\n 'em',\n 'embed',\n 'fieldset',\n
'figcaption',\n 'figure',\n 'footer',\n 'form',\n 'h1',\n 'h2',\n 'h3',\n 'h4',\n 'h5',\n 'h6',\n 'head',\n 'header',\n
'hgroup',\n 'hr',\n 'html',\n 'i',\n 'iframe',\n 'img',\n 'input',\n 'ins',\n 'kbd',\n 'keygen',\n 'label',\n 'legend',\n 'li',\n
'link',\n 'main',\n 'map',\n 'mark',\n 'marquee',\n 'menu',\n 'menuitem',\n 'meta',\n 'meter',\n 'nav',\n 'noscript',\n
'object',\n 'ol',\n 'optgroup',\n 'option',\n 'output',\n 'p',\n 'param',\n 'picture',\n 'pre',\n 'progress',\n 'q',\n 'rp',\n
'rt',\n 'ruby',\n 's',\n 'samp',\n 'script',\n 'section',\n 'select',\n 'small',\n 'source',\n 'span',\n 'strong',\n 'style',\n
'sub',\n 'summary',\n 'sup',\n 'table',\n 'tbody',\n 'td',\n 'textarea',\n 'tfoot',\n 'th',\n 'thead',\n 'time',\n 'title',\n
'tr',\n 'track',\n 'u',\n 'ul',\n 'var',\n 'video',\n 'wbr',\n\n // SVG\n 'circle',\n 'clipPath',\n 'defs',\n 'ellipse',\n
'foreignObject',\n 'g',\n 'image',\n 'line',\n 'linearGradient',\n 'marker',\n 'mask',\n 'path',\n 'pattern',\n
'polygon',\n 'polyline',\n 'radialGradient',\n 'rect',\n 'stop',\n 'svg',\n 'text',\n 'textPath',\n 'tspan',\n];\n}\n", //
@flow\n\nimport constructWithOptions from './constructWithOptions';\nimport StyledComponent from
'./models/StyledComponent';\nimport domElements from './utils/domElements';\nimport type { Target } from
'./types';\n\nconst styled = (tag: Target) => constructWithOptions(StyledComponent, tag);\n\n// Shorthands for all
valid HTML Elements\n\nconst domElements.forEach(domElement => {\n styled[domElement] =
styled(domElement);\n});\n\nexport default styled;\n}\n", // @flow\n\nimport { isValidElementType } from 'react-
is';\nimport css from './css';\nimport throwStyledError from './utils/error';\nimport { EMPTY_OBJECT } from
'./utils/empties';\nimport type { Target } from './types';\n\nexport default function constructWithOptions(\n
componentConstructor: Function,\n tag: Target,\n options: Object = EMPTY_OBJECT)\n) {\n if
(!isValidElementType(tag)) {\n return throwStyledError(1, String(tag));\n }\n\n /* This is callable directly as a
template function */\n // $FlowFixMe: Not typed to avoid destructuring arguments\n const templateFunction =
(...args) => componentConstructor(tag, options, css(...args));\n\n /* If config methods are called, wrap up a new
template function and merge options */\n templateFunction.withConfig = config =>\n
constructWithOptions(componentConstructor, tag, { ...options, ...config });\n\n /* Modify/inject new props at
runtime */\n templateFunction.attrs = attrs =>\n constructWithOptions(componentConstructor, tag, {\n
...options,\n attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n });\n\n return
templateFunction;\n}\n}\n", // @flow\n\nimport StyleSheet from './sheet';\nimport type { RuleSet, Stringifier } from
'./types';\nimport flatten from './utils/flatten';\nimport isStaticRules from './utils/isStaticRules';\n\nexport default
class GlobalStyle {\n componentId: string;\n\n isStatic: boolean;\n\n rules: RuleSet;\n\n constructor(rules:
RuleSet, componentId: string) {\n this.rules = rules;\n this.componentId = componentId;\n this.isStatic =
isStaticRules(rules);\n\n // pre-register the first instance to ensure global styles\n // load before component ones\n

```

```

StyleSheet.registerId(this.componentId + 1);\n }\n\n createStyles(\n  instance: number,\n  executionContext: Object,\n  styleSheet: StyleSheet,\n  stylis: Stringifier\n ) {\n  const flatCSS = flatten(this.rules,\n  executionContext, styleSheet, stylis);\n  const css = stylis(flatCSS.join(", "));\n  const id = this.componentId +\n  instance;\n  // NOTE: We use the id as a name as well, since these rules never change\n  styleSheet.insertRules(id, id, css);\n }\n\n removeStyles(instance: number, styleSheet: StyleSheet) {\n  styleSheet.clearRules(this.componentId + instance);\n }\n\n renderStyles(\n  instance: number,\n  executionContext: Object,\n  styleSheet: StyleSheet,\n  stylis: Stringifier\n ) {\n  if (instance > 2)\n  StyleSheet.registerId(this.componentId + instance);\n  // NOTE: Remove old styles, then inject the new ones\n  this.removeStyles(instance, styleSheet);\n  this.createStyles(instance, executionContext, styleSheet, stylis);\n }\n}\n", "/* @flow\n/* eslint-disable no-underscore-dangle */\n\nimport React from 'react';\nimport { IS_BROWSER,\n  SC_ATTR, SC_ATTR_VERSION, SC_VERSION } from './constants';\nimport throwStyledError from\n  './utils/error';\nimport getNonce from './utils/nonce';\nimport StyleSheet from './sheet';\nimport StyleSheetManager\n  from './StyleSheetManager';\n\ndeclare var __SERVER__: boolean;\n\nconst CLOSING_TAG_R = /^\\s*<\\/[a-z]/i;\n\nexport default class ServerStyleSheet {\n  isStreaming: boolean;\n\n  instance: StyleSheet;\n\n  sealed:\n  boolean;\n\n  constructor() {\n    this.instance = new StyleSheet({ isServer: true });\n    this.sealed = false;\n  }\n\n  _emitSheetCSS = (): string => {\n    const css = this.instance.toString();\n    if (!css) return "";\n    const nonce =\n    getNonce();\n    const attrs = [nonce && `nonce=\"${nonce}\"`, `${SC_ATTR}=\"true\"`,\n    `${SC_ATTR_VERSION}=\"${SC_VERSION}\"`];\n    const htmlAttr = attrs.filter(Boolean).join(' ');\n    return\n    `<style ${htmlAttr}>${css}</style>`;\n  };\n\n  collectStyles(children: any) {\n    if (this.sealed) {\n      return\n      throwStyledError(2);\n    }\n    return <StyleSheetManager\n    sheet={this.instance}>{children}</StyleSheetManager>;\n  }\n\n  getStyleTags = (): string => {\n    if (this.sealed)\n    {\n      return throwStyledError(2);\n    }\n    return this._emitSheetCSS();\n  };\n\n  getStyleElement = () => {\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n    const props = {\n      [SC_ATTR]: "",\n      [SC_ATTR_VERSION]: SC_VERSION,\n      dangerouslySetInnerHTML: {\n        __html:\n        this.instance.toString(),\n      },\n    };\n    const nonce = getNonce();\n    if (nonce) {\n      (props: any).nonce =\n      nonce;\n    }\n    // v4 returned an array for this fn, so we'll do the same for v5 for backward compat\n    return\n    [<style {...props} key=\"sc-0-0\" />];\n  };\n\n  // eslint-disable-next-line consistent-return\n  interleaveWithNodeStream(input: any) {\n    if (!__SERVER__ || IS_BROWSER) {\n      return\n      throwStyledError(3);\n    }\n    else if (this.sealed) {\n      return throwStyledError(2);\n    }\n    if (__SERVER__) {\n      this.seal();\n      // eslint-disable-next-line global-require\n      const { Readable, Transform } =\n      require('stream');\n      const readableStream: Readable = input;\n      const { instance: sheet, _emitSheetCSS } =\n      this;\n      const transformer = new Transform({\n        transform: function appendStyleChunks(chunk, /* encoding\n        */ _, callback) {\n          // Get the chunk and retrieve the sheet's CSS as an HTML chunk,\n          // then reset its\n          rules so we get only new ones for the next chunk\n          const renderedHtml = chunk.toString();\n          const html\n          = _emitSheetCSS();\n          sheet.clearTag();\n          // prepend style html to chunk, unless the start of the chunk\n          is a\n          // closing tag in which case append right after that\n          if (CLOSING_TAG_R.test(renderedHtml))\n          {\n            const endOfClosingTag = renderedHtml.indexOf('>') + 1;\n            const before = renderedHtml.slice(0,\n            endOfClosingTag);\n            const after = renderedHtml.slice(endOfClosingTag);\n            this.push(before + html\n            + after);\n          }\n          else {\n            this.push(html + renderedHtml);\n          }\n          callback();\n        },\n      });\n      readableStream.on('error', err => {\n        // forward the error to the transform stream\n        transformer.emit('error', err);\n      });\n      return readableStream.pipe(transformer);\n    }\n  }\n\n  seal = () => {\n    this.sealed = true;\n  };\n}\n", "/* @flow\n/* eslint-disable */\n\nimport StyleSheet from './sheet';\nimport {\n  masterSheet } from './models/StyleSheetManager';\n\nexport const __PRIVATE__ = {\n  StyleSheet,\n  masterSheet,\n};\n", "/* @flow\n/* Import singletons */\nimport isStyledComponent from\n  './utils/isStyledComponent';\nimport css from './constructors/css';\nimport createGlobalStyle from\n  './constructors/createGlobalStyle';\nimport keyframes from './constructors/keyframes';\nimport ServerStyleSheet\n  from './models/ServerStyleSheet';\nimport { SC_VERSION } from './constants';\nimport StyleSheetManager, {\n  StyleSheetContext,\n  StyleSheetConsumer,\n} from './models/StyleSheetManager';\n\n/* Import components

```

```

*/\nimport ThemeProvider, { ThemeContext, ThemeConsumer } from './models/ThemeProvider';\n\n/* Import
Higher Order Components */\nimport withTheme from './hoc/withTheme';\n\n/* Import hooks */\nimport useTheme
from './hooks/useTheme';\n\n\ndeclare var __SERVER__: boolean;\n\n/* Warning if you've imported this file on
React Native */\nif (\n  process.env.NODE_ENV !== 'production' &&\n  typeof navigator !== 'undefined' &&\n  navigator.product === 'ReactNative'\n) {\n  // eslint-disable-next-line no-console\n  console.warn(\n    `It looks like
you've imported 'styled-components' on React Native.\n` +\n    `Perhaps you're looking to import 'styled-
components/native'?\n` +\n    `Read more about this at https://www.styled-components.com/docs/basics#react-
native\n`);\n}\n\n/* Warning if there are several instances of styled-components */\nif (process.env.NODE_ENV
!== 'production' && process.env.NODE_ENV !== 'test' && typeof window !== 'undefined') {\n  window['__styled-
components-init__'] = window['__styled-components-init__'] || 0;\n  if (window['__styled-components-init__']
=== 1) {\n    // eslint-disable-next-line no-console\n    console.warn(\n      `It looks like there are several
instances
of 'styled-components' initialized in this application. \n` +\n      `This may cause dynamic styles to not render
properly, errors during the rehydration process, '\n      `a missing theme prop, and makes your application bigger
without good reason.\n\n` +\n      `See https://s-c.sh/2BAXzed for more info.\n`);\n  }\n  window['__styled-
components-init__'] += 1;\n}\n\n/* Export everything */\nexport * from './secretInternals';\nexport {\n
createGlobalStyle,\n  css,\n  isStyledComponent,\n  keyframes,\n  ServerStyleSheet,\n  StyleSheetConsumer,\n
StyleSheetContext,\n  StyleSheetManager,\n  ThemeConsumer,\n  ThemeContext,\n  ThemeProvider,\n
useTheme,\n  SC_VERSION as version,\n  withTheme,\n};\n\n// @flow\nimport React, { useContext,
useLayoutEffect, useRef } from 'react';\nimport { STATIC_EXECUTION_CONTEXT } from './constants';\nimport
GlobalStyle from './models/GlobalStyle';\nimport { useStyles, useStylis } from
 './models/StyleSheetManager';\nimport { ThemeContext } from './models/ThemeProvider';\nimport type {
Interpolation } from './types';\nimport { checkDynamicCreation } from './utils/checkDynamicCreation';\nimport
determineTheme from './utils/determineTheme';\nimport generateComponentId from
 './utils/generateComponentId';\nimport css from './css';\n\n\ndeclare var __SERVER__: boolean;\n\n\ntype
GlobalStyleComponentPropsType = Object;\n\n\nexport default function createGlobalStyle(\n  strings:
Array<string>,\n  ...interpolations: Array<Interpolation>)\n) {\n  const rules = css(strings, ...interpolations);\n  const
styledComponentId = `sc-global-${generateComponentId(JSON.stringify(rules))}`;\n  const globalStyle = new
GlobalStyle(rules, styledComponentId);\n\n  if (process.env.NODE_ENV !== 'production') {\n\n    checkDynamicCreation(styledComponentId);\n  }\n\n  function GlobalStyleComponent(props:
GlobalStyleComponentPropsType) {\n    const styleSheet = useStyles();\n    const stylis = useStylis();\n    const
theme = useContext(ThemeContext);\n    const instanceRef =
useRef(styleSheet.allocateGSInstance(styledComponentId));\n\n    const instance = instanceRef.current;\n\n    if
(process.env.NODE_ENV !== 'production' && React.Children.count(props.children)) {\n      // eslint-disable-next-
line no-console\n      console.warn(\n        `The global style component ${styledComponentId} was given child JSX.
createGlobalStyle does not render children.\n`);\n    }\n\n    if (\n      process.env.NODE_ENV !== 'production'
&&\n      rules.some(rule => typeof rule === 'string' && rule.indexOf('@import') !== -1)\n    ) {\n      // eslint-
disable-next-line no-console\n      console.warn(\n        `Please do not use @import CSS syntax in createGlobalStyle
at this time, as the CSSOM APIs we use in production do not handle it well. Instead, we recommend using a library
such as react-helmet to inject a typical <link> meta tag to the stylesheet, or simply embedding it manually in your
index.html <head> section for a simpler app.\n`);\n    }\n\n    if (styleSheet.server) {\n      renderStyles(instance,
props, styleSheet, theme, stylis);\n    }\n\n    if (!__SERVER__) {\n      // this conditional is fine because it is
compiled away for the relevant builds during minification,\n      // resulting in a single unguarded hook call\n      //
eslint-disable-next-line react-hooks/rules-of-hooks\n      useLayoutEffect(() => {\n        if (!styleSheet.server) {\n
          renderStyles(instance, props, styleSheet, theme, stylis);\n        }\n        return () => globalStyle.removeStyles(instance,
styleSheet);\n      }, [instance, props, styleSheet, theme, stylis]);\n    }\n\n    return null;\n  }\n\n  function
renderStyles(instance, props, styleSheet, theme, stylis) {\n    if (globalStyle.isStatic) {\n      globalStyle.renderStyles(instance, STATIC_EXECUTION_CONTEXT, styleSheet, stylis);\n    } else {\n      const
context = {\n        ...props,\n        theme: determineTheme(props, theme, GlobalStyleComponent.defaultProps),\n

```

```

};\n\n  globalStyle.renderStyles(instance, context, styleSheet, stylis);\n  }\n }\n\n // $FlowFixMe\n return\n React.memo(GlobalStyleComponent);\n}\n", "// @flow\n\nimport css from './css';\nimport generateComponentId\n from './utils/generateComponentId';\nimport Keyframes from './models/Keyframes';\nimport type { Interpolation,\n Styles } from './types';\n\nexport default function keyframes(\n  strings: Styles,\n  ...interpolations:\n  Array<Interpolation>)\n): Keyframes {\n  /* Warning if you've used keyframes on React Native *\n  if (\n  process.env.NODE_ENV !== 'production' &&\n  typeof navigator !== 'undefined' &&\n  navigator.product ===\n  'ReactNative'\n ) {\n  // eslint-disable-next-line no-console\n  console.warn(\n    `keyframes` cannot be used on\n  ReactNative, only on the web. To do animation in ReactNative please use Animated.\n  );\n }\n\n const rules =\n css(strings, ...interpolations).join("");\n const name = generateComponentId(rules);\n return new Keyframes(name,\n rules);\n}\n", "// @flow\n\nimport { useContext } from 'react';\nimport { ThemeContext } from\n './models/ThemeProvider';\n\nconst useTheme = () => useContext(ThemeContext);\n\nexport default\n useTheme;\n", "// @flow\n\nimport React, { useContext, type AbstractComponent } from 'react';\nimport hoistStatics\n from 'hoist-non-react-statics';\nimport { ThemeContext } from './models/ThemeProvider';\nimport determineTheme\n from './utils/determineTheme';\nimport getComponentName from './utils/getComponentName';\n\n// NOTE: this\n would be the correct signature:\n// export default <Config: { theme?: any }, Instance>(\n// Component:\n AbstractComponent<Config, Instance>\n): AbstractComponent<$Diff<Config, { theme?: any } & { theme?: any\n }, Instance>\n\n// but the old build system tooling doesn't support the syntax\n\nexport default (Component:\n AbstractComponent<*, *>) => {\n  // $FlowFixMe This should be React.forwardRef<Config, Instance>\n  const\n  WithTheme = React.forwardRef((props, ref) => {\n    const theme = useTheme();\n    // $FlowFixMe\n    defaultProps isn't declared so it can be inferred\n    const { defaultProps } = Component;\n    const themeProp =\n    determineTheme(props, theme, defaultProps);\n\n    if (process.env.NODE_ENV !== 'production' && themeProp\n    === undefined) {\n      // eslint-disable-next-line no-console\n      console.warn(\n        `[withTheme] You are not\n        using a ThemeProvider nor passing a theme prop or a theme in defaultProps in component class\n        `);\n    }\n\n    return <Component {...props}\n    theme={themeProp} ref={ref} />;\n  });\n\n  hoistStatics(WithTheme, Component);\n\n  WithTheme.displayName =\n  `WithTheme(${getComponentName(Component)})`;\n\n  return\n  WithTheme;\n};\n", "names":["strings", "interpolations", "result", "i", "len", "length", "push", "x", "toString", "Object", "p\n rototype", "call", "typeof", "EMPTY_ARRAY", "freeze", "EMPTY_OBJECT", "isFunction", "test", "getComponentNa\n me", "target", "process", "env", "NODE_ENV", "displayName", "name", "isStyledComponent", "styledComponentId", "S\n C_ATTR", "REACT_APP_SC_ATTR", "IS_BROWSER", "window", "DISABLE_SPEEDY", "Boolean", "SC_DISAB\n LE_SPEEDY", "REACT_APP_SC_DISABLE_SPEEDY", "STATIC_EXECUTION_CONTEXT", "ERRORS", "for\n mat", "a", "b", "c", "arguments", "forEach", "d", "replace", "throwStyledComponentsError", "code", "Error", "join", "trim", "\n DefaultGroupedTag", "tag", "groupSizes", "Uint32Array", "indexOfGroup", "group", "index", "this", "insertRules", "rules\n ", "oldBuffer", "oldSize", "newSize", "throwStyledError", "set", "ruleIndex", "l", "insertRule", "clearGroup", "startIndex",\n "endIndex", "deleteRule", "getGroup", "css", "getRule", "groupIDRegister", "Map", "reverseRegister", "nextFreeGroup",\n "getGroupForId", "id", "has", "get", "getIdForGroup", "setGroupForId", "SELECTOR", "MARKER_RE", "RegExp", "re\n hydrateNamesFromContent", "sheet", "content", "names", "split", "registerName", "rehydrateSheetFromTag", "style", "p\n arts", "textContent", "part", "marker", "match", "parseInt", "getTag", "getNonce", "__webpack_nonce__", "makeStyleTag\n ", "head", "document", "parent", "createElement", "prevStyle", "childNodes", "child", "nodeType", "hasAttribute", "findLa\n stStyleTag", "nextSibling", "undefined", "setAttribute", "__VERSION__", "nonce", "insertBefore", "CSSOMTag", "elem\n ent", "appendChild", "createTextNode", "styleSheets", "ownerNode", "getSheet", "rule", "_error", "cssRules", "cssText", "\n TextTag", "nodes", "node", "refNode", "removeChild", "VirtualTag", "_target", "splice", "SHOULD_REHYDRATE", "d\n efaultOptions", "isServer", "useCSSOMInjection", "StyleSheet", "options", "globalStyles", "gs", "server", "querySelector\n All", "getAttribute", "parentNode", "rehydrateSheet", "registerId", "reconstructWithOptions", "withNames", "allocateGS\n Instance", "hasNameForId", "add", "groupNames", "Set", "clearNames", "clear", "clearRules", "clearTag", "size", "selecto\n r", "outputSheet", "AD_REPLACER_R", "getAlphabeticChar", "String", "fromCharCode", "generateAlphabeticName",\n "Math", "abs", "phash", "h", "charCodeAt", "hash", "isStaticRules", "SEED", "ComponentStyle", "componentId", "baseSt\n yle", "staticRulesId", "isStatic", "baseHash", "generateAndInjectStyles", "executionContext", "styleSheet", "stylis", "cssS

```

tatic", "flatten", "generateName", "cssStaticFormatted", "dynamicHash", "partRule", "partChunk", "partString", "Array", "isArray", "cssFormatted", "COMMENT\_REGEX", "COMPLEX\_SELECTOR\_PREFIX", "createStylisInstance", "\_componentId", "\_selector", "\_selectorRegexp", "\_consecutiveSelfRefRegExp", "plugins", "Stylis", "parsingRules", "parseRulesPlugin", "toSheet", "block", "e", "context", "selectors", "parents", "line", "column", "ns", "depth", "at", "delimiter", "insertRulePlugin", "selfReferenceReplacer", "offset", "string", "indexOf", "stringifyRules", "prefix", "flatCSS", "cssStr", "use", "\_", "lastIndexOf", "parsedRules", "reduce", "acc", "plugin", "StyleSheetContext", "React", "createContext", "StyleSheetConsumer", "Consumer", "StylisContext", "masterSheet", "masterStylis", "useStyleSheet", "useContext", "useStylis", "StyleSheetManager", "props", "useState", "stylisPlugins", "setPlugins", "contextStyleSheet", "useMemo", "disableCSSOMInjection", "disableVendorPrefixes", "useEffect", "shallowequal", "Provider", "value", "Children", "only", "children", "Keyframes", "inject", "stylisInstance", "resolvedName", "\_this", "getName", "uppercaseCheck", "uppercasePattern", "msPattern", "prefixAndLowerCase", "char", "toLowerCase", "hyphenateStyleName", "isFalsish", "chunk", "ruleSet", "isReactComponent", "isElement", "console", "warn", "isPlainObject", "objToCssArray", "obj", "prevKey", "key", "hasOwnProperty", "isCss", "hyphenate", "unitless", "addTag", "arg", "styles", "interleave", "invalidHookCallRe", "seen", "checkDynamicCreation", "message", "originalConsoleError", "error", "didNotCallInvalidHook", "consoleErrorMessage", "consoleErrorArgs", "useRef", "providedTheme", "defaultProps", "theme", "escapeRegex", "dashesAtEnds", "escape", "str", "isTag", "charAt", "isObject", "val", "isValidKey", "mixin", "mixinDeep", "rest", "ThemeContext", "ThemeConsumer", "identifiers", "createStyledComponent", "isTargetStyledComp", "isCompositeComponent", "attrs", "parentComponentId", "generateComponentId", "generateId", "generateDisplayName", "finalAttrs", "concat", "filter", "shouldForwardProp", "prop", "filterFn", "elementToBeCreated", "WrappedStyledComponent", "componentStyle", "forwardRef", "ref", "forwardedComponent", "forwardedRef", "componentAttrs", "foldedComponentIds", "useDebugValue", "resolvedAttrs", "attrDef", "resolvedAttrDef", "useResolvedAttrs", "determineTheme", "generatedClassName", "warnTooManyClasses", "className", "useInjectedStyle", "refToForward", "\$as", "as", "isTargetTag", "computedProps", "propsForElement", "validAttr", "withComponent", "previousComponentId", "optionsToCopy", "newComponentId", "defineProperty", "\_foldedDefaultProps", "merge", "generatedClasses", "warningSeen", "keys", "parsedIdString", "createWarnTooManyClasses", "hoist", "styled", "constructWithOptions", "componentConstructor", "isValidElementType", "templateFunction", "withConfig", "config", "StyledComponent", "domElement", "GlobalStyle", "createStyles", "instance", "removeStyles", "renderStyles", "CLOSING\_TAG\_R", "ServerStyleSheet", "\_emitSheetCSS", "SC\_ATTR\_VERSION", "getStyleTags", "sealed", "getStyleElement", "dangerouslySetInnerHTML", "\_\_html", "seal", "collectStyles", "interleaveWithNodeStream", "input", "require", "Transform", "Readable", "readableStream", "transformer", "transform", "callback", "renderedHtml", "html", "endOfClosingTag", "before", "slice", "after", "on", "err", "emit", "pipe", "\_\_PRIVATE\_\_", "navigator", "product", "outerTheme", "themeContext", "mergedTheme", "mergeTheme", "JSON", "stringify", "globalStyle", "GlobalStyleComponent", "current", "count", "some", "memo", "Component", "WithTheme", "themeProp", "hoistStatics", "mappings": "2jBAGA,eACEA,EACAC,WAEMC,EAAS,CAACF,EAAQ,IAEfG,EAAI,EAAGC,EAAMH,EAAeI,OAAQF,EAAIC,EAAKD,GAACK,EACzDD,EAAOI,KAAKL,EAAeE,GAAIH,EAAQG,EAAI,WAGtCD,cCVOK,UACR,OAANA,GACa,iBAA NA,GAC6D,qBAAnEA,EAAEC,SAAWD,EAAEC,WAAaC,OAAOC,UAAUF,SAASG,KAAKJ,MAC3DK,SAO L,ICNGM,EAAcJ,OAAOK,OAAO,IAC5BC,EAAeN,OAAOK,OAAO,ICD3B,SAASE,EAAWC,SACV,mBAATA, ECCD,SAASC,EACtBC,SAG4B,eAAzBC,QAAQC,IAAIC,UAA8C,iBAAXH,GAAuBA,GAEvEA,EAAOI,aAEPJ ,EAAOK,MACP,YCXW,SAASC,EAAkBN,UACjCA,GAA8C,iBAA7BA,EAAOO,kBCGjC,IAAaC,EACS,oBAA ZP,UAA4BA,QAAQC,IAAIO,mBAAqBR,QAAQC,IAAIM,UACjF,cAOWE,EAA+B,oBAAXC,QAA0B.gBAAiB A,OAE/DC,EACXC,QAAqC,kBAAtBC,kBACXA,kBACoB,oBAAZb,cAA8E,IAA5CA,QAAQC,IAAIa,6BAA2F, KAA5Cd,QAAQC,IAAIa,4BACnE,UAA5Cd,QAAQC,IAAIa,6BAAkDd,QAAQC,IAAIa,4BACiD,oBAAZd,cAAo E,IAAICA,QAAQC,IAAIY,mBAAuE,KAAICb,QAAQC,IAAIY,kBACnE,UAAICb,QAAQC,IAAIY,mBAAwCb, QAAQC,IAAIY,kBACvC,eAAzBb,QAAQC,IAAIC,UAKTa,EAA2B,GCzBICC,EAAkC,eAAzBhB,QAAQC,IAAI C,SCHZ,GAACK,0DAA4D,kQAAoQ,wHAA0H,wMAA0M,oKAAsK,8OAAgP,uHAA2H,gEAAoE,mCAAqC,oUA AsU,2NAA6N,wWAA0W,4LAA8L,kDAAsD,8ZAAga,0QAA4Q,0IDG7/F,GAKIE,SAASe,YACHC,0CACEC,EA AI,GAEDC,EAAI,EAAGpC,EAAMqC,UAAKpC,OAAQmC,EAAIpC,EAAKcC,GAACK,EAC/CD,EAAEjC,KAA UkC,uBAAAA,mBAAAA,WAGdD,EAAEG,SAAQ,SAAAC,GACRL,EAAIA,EAAEM,QAAQ,SAAUD,MAGnB L,EAOM,SAASO,EACtBC,8BACG7C,mCAAAA,yBAE0B,eAAzBmB,QAAQC,IAAIC,SACR,IAAIyB,qDACuC

D,4BAC7C7C,EAAeI,OAAS,YAAcJ,EAAe+C,KAAK,MAAU,KAIIE,IAAID,MAAMV,gBAAOD,EAAOU,WAAU7C,IAAgBgD,QE9BrD,IAMDC,wBAOQC,QACLC,WAAa,IAAIC,YAVR,UAWThD,OAXS,SAYT8C,IAAMA,6BAGbG,aAAA,SAAaC,WACPC,EAAQ,EACHrD,EAAL,EAAGA,EAAIoD,EAAOpD,IACzBqD,GAASC,KAAKL,WAAWjD,UAGpBqD,KAGTE,YAAA,SAAYH,EAAeI,MACrBJ,GAASE,KAAKL,WAAW/C,OAAQ,SAC7BuD,EAAyH,KAAKL,WACjBS,EAAUD,EAAUvD,OAETByD,EAAUD,EACPN,GAASO,IACdA,IAAY,GACE,GACZC,EAAiB,MAAOR,QAIvBH,WAAa,IAAIC,YAAYS,QAC7BV,WAAWY,IAAIJ,QACfvD,OAAySd,MAET,IAAI3D,EAAIoD,EAAS1D,EAAI2D,EAAS3D,SAC5BiD,WAAWjD,GAAK,UAIrB8D,EAAYR,KAAKH,aAAaC,EAAQ,GACjCpD,EAAL,EAAG+D,EAAIP,EAAMtD,OAAQF,EAAI+D,EAAG/D,IACnCsD,KAAKN,IAAIgB,WAAWF,EAAWN,EAAMxD,WACiCiD,WAAWG,KACHBU,QAKNG,WAAA,SAAWb,MACLA,EAAQE,KAAKpD,OAAQ,KACjBA,EAASoD,KAAKL,WAAWG,GACzBc,EAAaZ,KAAKH,aAAaC,GAC/Be,EAAWD,EAAAhE,OAEB+C,WAAWG,GAAS,MAEpB,IAAIpD,EAAIkE,EAAYIE,EAAImE,EAAUnE,SACHCgD,IAAIoB,WAAWF,OKAK1BG,SAAA,SAASjB,OACHkB,EAAM,MACNIB,GAASE,KAAKpD,QAAqC,IAA3BoD,KAAKL,WAAWG,UACnCb,UAGHpE,EAASoD,KAAKL,WAAWG,GACzBc,EAAaZ,KAAKH,aAAaC,GAC/Be,EAAWD,EAAAhE,EAERBF,EAAIkE,EAAYIE,EAAImE,EAAUnE,IACrCsE,GAAUhB,KAAKN,IAAIuB,QAAQvE,GHfHt,mBGmFbsE,QCzFPE,EAAuC,IAAIC,IAC3CC,EAAuC,IAAID,IAC3CE,EAAgB,EAQPC,EAAgB,SAACC,MACxBL,EAAgBM,IAAID,UACdL,EAAgBO,IAAIF,QAGvBH,EAAGBI,IAAIH,IACzBA,QAGIvB,EAAQuB,UAGa,eAAzB1D,QAAQC,IAAIC,YACF,EAARiC,GAAa,GAACA,EAzBR,GAAK,KA2BjBQ,EAAiB,MAAOR,GAG1BoB,EAAgBX,IAAIgB,EAAIzB,GACxBsB,EAAgBb,IAAIT,EAAOyB,GACpBzB,GAGI4B,EAAgB,SAAC5B,UACrBsB,EAAgBK,IAAI3B,IAGhB6B,EAAgB,SAACJ,EAAYzB,GACpCA,GAASuB,IACXA,EAAgBvB,EAAQ,GAG1BoB,EAAgBX,IAAIgB,EAAIzB,GACxBsB,EAAgBb,IAAIT,EAAOyB,IC3CvBK,WAAoB1D,mCACpB2D,EAAY,IAAIC,WAAW5D,kDAkC3B6D,EAA4B,SAACC,EAAcT,EAAYU,WAEvDIE,EADEmE,EAAQD,EAAQE,MAAM,KAGnBzF,EAAI,EAAG+D,EAAIyB,EAAMtF,OAAQF,EAAI+D,EAAG/D,KAELCqB,EAAOmE,EAAMxF,KACHBsF,EAAMI,aAAab,EAAIxD,IAKvBsE,EAAwB,SAACL,EAAcM,WACrCC,GAASD,EAAME,aAAe,IAAIL,ML1CIB,aK2ChBjC,EAAkB,GAefxD,EAAI,EAAG+D,EAAI8B,EAAM3F,OAAQF,EAAI+D,EAAG/D,IAAK,KACtC+F,EAEOF,EAAM7F,GAAG8C,UACjBiD,OAECCE,EAASD,EAAKE,MAAMd,MAETBa,EAAQ,KACJ5C,EAAkC,EA1B8C,SAASF,EAAO,GAAL,IAC5BnB,EAAKmB,EAAO,GAEL,IAAV5C,IAEF6B,EAAcJ,EAAIzB,GAGIBiC,EAAB0C,EAAOT,EAAImB,EAAO,IAC5CV,EAAMa,SAAS5C,YAAYH,EAAOI,IAGpCA,EAAMtD,OAAS,OAefsD,EAAMrD,KAAK4F,MCzEXK,EAAW,iBAEU,oBAAXzE,aAC0B,IAA7BA,OAAO0E,kBACZ1E,OAAO0E,kBAET,MCYOC,EAAe,SAACtF,OACrBuF,EAASC,SAASD,KACIBE,EAASzF,GAAUuF,EACnBX,EAAQY,SAASE,cAAc,SAC/BC,EAIBiB,SAAC3F,WACHb4F,EAAe5F,EAAf4F,WAEC5G,EAAI4G,EAAW1G,OAAQF,GAAK,EAAGA,IAAK,KACrC6G,EAAUD,EAAW5G,MACvB6G,GARa,IAQJA,EAAMC,UAA6BD,EAAME,aAAavF,UACxDqF,GAYKG,CAAIbP,GAC7BQ,OAA4BC,IAADp,EAA0BA,EAAUM,YAAc,KAETErB,EAAMuB,aAAa3F,EPrBS,UOsB5BoE,EAAMuB,aPrBuB,sBACLc,aOsBIBC,EAAQjB,WAEvIB,GAAOzB,EAAMuB,aAAa,QAASE,GAEvCZ,EAAOa,aAAa1B,EAAOqB,GAEPBrB,GCTBI2B,wBAOCvG,OACJwG,EAAWIE,KAAKkE,QAAUIB,EAAtF,GAG7CwG,EAAQC,YAAyJb,SAASkB,eAAe,UAEvCpC,MDae,SAACtC,MACnBA,EAALsC,aACGtC,EAALsC,cAIPqC,EAAgBnB,SAAhBmB,YACC3H,EAAI,EAAG+D,EAAI4D,EAAYzH,OAAQF,EAAI+D,EAAG/D,IAAK,KAC5CsF,EAAQqC,EAAY3H,MACTbSf,EAAMsC,YAAc5E,SACbsC,EAIb1B,EAAiB,IC3BFiE,CAASL,QACjBtH,OAAS,6BAGhB8D,WAAA,SAAWX,EAAYeE,mBAEjBxC,MAAMtB,WAAW8D,EAAMzE,QACvBnD,UACE,EACP,MAAO6H,UACA,MAIX3D,WAAA,SAAWf,QACJiC,MAAMIB,WAAWf,QACjBnD,YAGPqE,QAAA,SAAQIB,OACAyE,EAAOxE,KAAKgC,MAAM0C,SAAS3E,eAEPB6D,IAATY,GAA8C,iBAAjBA,EAACKG,QAC7BH,EAACKG,QAEL,SAMAC,wBAOCIH,OACJwG,EAAWIE,KAAKkE,QAAUIB,EAAtF,QACxCmH,MAAQX,EAAQZ,gBACHb1G,OAAS,6BAGhB8D,WAAA,SAAWX,EAAYeE,MACpBzE,GAASC,KAAKpD,QAAUmD,GAAS,EAAG,KACHc+E,EAAO5B,SAASkB,eAAeI,GAC/BO,EAAU/E,KAAK6E,MAAM9E,eACTmE,QAQF,aAAac,EAAMC,GAAW,WACtCnI,UACE,SAEA,KAIXKE,WAAA,SAAWf,QACJmE,QAAQc,YAAyHf,KAAK6E,MAAM9E,SAC/BnD,YAGPqE,QAAA,SAAQIB,UACFA,EAAQC,KAAKpD,OACRoD,KAAK6E,MAAM9E,GAAOyC,YAEIB,SAMAYC,wBAKCC,QACLhF,MAAQ,QACrID,OAAS,6BAGhB8D,WAAA,SAAWX,EAAYeE,UACpBzE,GAASC,KAAKpD,cACXsD,MAAMiF,OAAOpF,EAAO,EAAGyE,QACvB5H,UACE,MAMXkE,WAAA,SAAWf,QACJG,MAAMiF,OAAOpF,EAAO,QACpBnD,YAGPqE,QAAA,SAAQIB,UACFA,EAAQC,KA

AKpD,OACRoD,KAAKE,MAAMH,GAEX,SCzHTqF,EAAmBhH,EAWjBiH,EAA+B,CACnCC,UAAWIH,EACX  
mH,mBAAoBjH,GAIDkH,wBAiBjBC,EACAC,EACAxD,YAFaUD,IAAAA,EAAgCnI,YACChCoI,IAAAA,EAA2  
C,SAGtCD,aACAJ,KACAI,QAGAE,GAAKD,OACLxD,MAAQ,IAAIf,IAAIf,QACHB0D,SAAWH,EAAQH,UAG  
nBtF,KAAK4F,QAAUxH,GAACgH,IACChCA,GAAMb,EJyBK,SAACpD,WACvB6C,EAAQ3B,SAAS2C,iBAAiBj  
E,GAE/BIF,EAAI,EAAG+D,EAAIoE,EAAMjI,OAAQF,EAAI+D,EAAG/D,IAAK,KACtCoI,EAASD,EAAMnI,G  
ACjBoI,GL/EsB,WK+EdA,EAAGkG,aAAa5H,KAC5BmE,EAAsBL,EAAO8C,GAezBA,EAAGKiB,YACPjB,EAA  
KiB,WAAWf,YAAyF,KIjC9BkB,CAAehG,SArBZiG,WAAP,SAAkB1E,UACTD,EAACc,+BAwBvB2E,uBAAA,  
SAAuBT,EAA+BU,mBAAAA,IAAAA,GAAsB,GACnE,IAAIX,OACJxF,KAAKyF,WAAyA,GACtBzF,KAAK2F  
,GACJQ,GAAanG,KAAKkC,YAAU0B,MAIjCwC,mBAAA,SAAMb7E,UACTvB,KAAK2F,GAAGpE,IAAOvB,  
KAAK2F,GAAGpE,IAAO,GAAG,KAI7CsB,OAAA,kBACS7C,KAAKN,MAAQM,KAAKN,KDtEH4F,KCsEgCt  
F,KAAKyF,SDtErCH,SAAUC,IAAAA,kBAAMb7H,IAAAA,OLCxBgC,EKAzB4F,EACK,IAAIL,EAAWvH,GA  
Cb6H,EACF,IAAIb,EAASvG,GAEB,IAAIkH,EAAQIH,GLJd,IAAI+B,EAAGkC,KADD,IAACA,IKDL4F,EAAU  
C,EAAMb7H,KC0ErD2I,aAAA,SAa9E,EAAyxD,UACbIC,KAAKkC,MAAMV,IAAID,IAAQvB,KAAKkC,M  
AAMT,IAAIF,GAAUC,IAAIzD,MAI7DqE,aAAA,SAaab,EAAyxD,MACvBuD,EAACc,GAETvB,KAAKkC,MA  
AMV,IAAID,QAKZW,MAAMT,IAAIF,GAAU+e,IAAIvI,OALP,KACjBwI,EAAa,IAAIC,IACvBD,EAAWD,IAA  
IvI,QACVME,MAAM3B,IAAIgB,EAAIgF,OAovBtG,YAAA,SAAYsB,EAAyxD,EAACmC,QAC/BkC,aAAab,E  
AAIxD,QACjB8E,SAAS5C,YAAyqB,EAACc,GAAGrB,MAI/CuG,WAAA,SAAWIF,GACLvB,KAAKkC,MAA  
MV,IAAID,SACXW,MAAMT,IAAIF,GAAUmF,WAK9BC,WAAA,SAAWpF,QACJsB,SAASIC,WAAWW,EAA  
cC,SACICKf,WAAWIF,MAIIBqF,SAAA,gBAGOIH,SAAMkE,KAIb7G,SAAA,kBJpHyB,SAACiF,WACpBtC,EA  
AMsC,EAAMa,SACVjG,EAAW8C,EAAX9C,OAEOE,EAAM,GACDIB,EAAQ,EAAGA,EAAQID,EAAQkD,IA  
AS,KACrCyB,EAAGK,EAAC5B,WACd8D,IAAPrC,OAEEW,EAAQF,EAAME,MAAMT,IAAIF,GACxBrB,EAA  
QR,EAAIqB,SAASjB,MACtBoC,GAAUhC,GAAUgC,EAAM2E,UAEzBC,EAAC5I,OAAY4B,UAAayB,OAezCU  
,EAAU,QACA2B,IAAV1B,GACFA,EAAMjD,SAAQ,SAaAIB,GACRA,EAAGnB,OAAS,IACbqF,GAACIE,UA  
OpBiD,MAAUd,EAAQ4G,eAAqB7E,yBAGICjB,ElwFE+F,CAAY/G,YC3HjBgH,EAAGB,WAOhBC,EAAoB,SA  
AC5H,UACzB6H,OAaOC,aAAa9H,GAAQA,EAAO,GAAG,GAAG,MAGhC,SAAS+H,EAAuB/H,OAezCvC,EA  
DAiB,EAAO,OAInjB,EAAIuK,KAAKc,IAAIjI,GAAOvC,EAZP,GAYwBA,EAAGA,EAZ7B,GAYgD,EACHeiB,  
EAAOkJ,EAAGkC,EAAbT,IAA4BiB,SAGtCkI,EAAGkC,EAhBR,IAAGB2BiB,GAAMoB,QAAQ6H,EAAe,SCpBr  
E,IAKMO,EAAQ,SAACC,EAAW1K,WAC3BJ,EAAII,EAAEF,OAEEF,GACL8K,EAAS,GAAGA,EAAU1K,EAA  
E2K,aAAa/K,UAGzB8K,GAIE,EAAO,SAAC5K,UACZyK,EAjBW,KAIbczK,ICfN,SAAS6K,EAACzH,OAC/B,I  
AAIxD,EAAI,EAAGA,EAAIwD,EAAMtD,OAAQF,GAAG,EAAG,KACIC8H,EAAOtE,EAAMxD,MAEfa,EAA  
WiH,KAAUxG,EAAGkC,UAGIC,SAIJ,ECPT,IAAMoD,EAAOF,EbEa5D,SaGL+D,wBAaP3H,EAAGB4H,EAA  
qBC,QAC1C7H,MAAQA,OACR8H,cAAGB,QACHBC,SAAoC,eAAzBtK,QAAQC,IAAIC,gBACX+F,IAAdmE,G  
AA2BA,EAAUE,WACtCN,EAACzH,QACX4H,YAAcA,OAIdI,SAAWX,EAAMK,EAAME,QAevBC,UAAyA,E  
AIjvC,EAAWS,WAAW6B,sBAQxBK,wBAAA,SAAwBC,EAA0BC,EAAwBC,OACHER,EAAGB9H,KAAhB8H  
,YAEF5F,EAAQ,MAEVIC,KAAK+H,WACP7F,EAAMrF,KAAKMD,KAAK+H,UAAUI,wBAAwBC,EAAGkC,E  
AAyC,IAI9EtI,KAAKiI,WAAAK,EAAOZ,QACvB1H,KAAKGI,eAAiBK,EAAWHc,aAAayB,EAAa9H,KAAKGI,e  
ACIE9F,EAAMrF,KAAKMD,KAAKGI,mBACX,KACCO,EAAyC,GAAQxI,KAAKE,MAAOKI,EAAGkC,EAAy  
C,GAAQ/I,KAAK,IAC3ExB,EAAO0K,EAAaB,EAAMvH,KAAKkI,SAAUk,KAAe,OAezDF,EAAWHc,aAAay  
B,EAAa/J,GAAO,KACzC2K,EAAqBJ,EAAOC,MAAexK,OAAQ6F,EAAWkE,GAEPeO,EAAWpI,YAAy6H,EA  
Aa/J,EAAM2K,GAG5CxG,EAAMrF,KAAKkB,QACNiK,cAAGBjK,MAEIB,SACGnB,EAAWoD,KAAKE,MAAh  
BtD,OACJ+L,EAACpB,EAAMvH,KAAKkI,SAAU,EAaOZ,MAC1C1G,EAAM,GAEDtE,EAAI,EAAGA,EAAIE,  
EAAQF,IAAK,KACzBkM,EAAW5I,KAAKE,MAAMxD,MAEJ,iBAAbkM,EACT5H,GAAO4H,EAESB,eAAzBjL  
,QAAQC,IAAIC,WAA2B8K,EAACpB,EAAMoB,EAAaC,EAAWIM,SACIF,GAAGkM,EAAU,KACbC,EAAyL,G  
AAQI,EAAUR,EAAGkC,EAAyC,GAC5DQ,EAAaC,MAAMC,QAAQH,GAAaA,EAAUtI,KAAK,IAAMsJ,EACn  
EF,EAACpB,EAAMoB,EAAaG,EAApM,GAC9CsE,GAAO8H,MAIP9H,EAAG,KACDjD,EAAO0K,EAAaE,IAA  
gB,OAERCN,EAAWHc,aAAayB,EAAa/J,GAAO,KACzCkL,EAAeX,EAAOtH,MAASjD,OAAQ6F,EAAWkE,GA  
CxDO,EAAWpI,YAAy6H,EAAa/J,EAAMkL,GAG5C/G,EAAMrF,KAAKkB,WAIRmE,EAAM3C,KAAK,WCTG  
hB2J,EAAGB,gBACHBC,EAA0B,CAAC,IAAK,IAAK,IAAK,KAOjC,SAASC,SAYBIBC,EACAC,EACAC,EACA



C,eAzB6BIM,QAFjCmI,QAAAA,aAAUnI,QACVmM,QAAAA,aAAUrM,IAEJkL,EAAS,IAAIoB,EAAOjE,GAMt  
BkE,EAAe,GAWbC,ECdR,SAAwBIJ,YAIbmJ,EAAQC,MACXA,MAEApJ,EAACOJ,OACd,MAAOC,YAIN,SAC  
LC,EACA/H,EACAgI,EACAC,EACAC,EACAC,EACAxN,EACAYN,EACAC,EACAC,UAEQP,QAED,KAEW,I  
AAVM,GAAyC,KAAIBrI,EAAQwF,WAAW,GAAW,OAAO/G,EAACuB,OAAa,cAGhF,KACQ,IAAPoI,EAAU,O  
AAOpI,EA/BT,mBAkCT,SACKoI,QAED,SACA,WACI3J,EAAWuJ,EAAU,GAAKhI,GAAU,kBAEpCA,GAakB,  
IAAPsI,EAzCV,QAyCiC,SAEzC,EACJtI,EAAQE,MA3CIqI,U22CUvL,QAAQ4K,KD/BXY,EAaIB,SAAajG,GA  
CxcmF,EAa9M,KAAK2H,MAQdkG,EAawB,SAAC/H,EAAOgI,EAAQC,UAG9B,IAAXD,IAA8E,IAA/DxB,E  
AAwB0B,QAAQD,EAAOtB,EAAU1M,UAEhEgO,EAAOjI,MAAM6G,GAKT7G,MAHM0G,YA4BNyB,EAa9J,  
EAAK8F,EAAUjE,EAAQjD,YAAAA,IAAAA,EAAC,SACrDkD,EAAUhK,EAAI7B,QAAQ+J,EAaE,IACrC+B,E  
AASnE,GAAyIE,EAAYA,MAAUjE,QAackE,OAACa,SAK7E3B,EAaevB,EACfWb,EAAYxC,EACZyC,EAakB  
,IAAIzH,YAAyW,H,QAAGb,KACIDE,EA4B,IAAIH,AAAwH,cAEtChB,EAAOyC,IAAWjE,EAAW,GAACA,  
EAAUmE,UAdR3C,EAAO4C,cAAQzB,GAPwB,SAACO,EAASmB,EAAGIB,GACIC,IAAZD,GAaIBc,EAAUr  
N,QAAUqN,EAAU,GAAGmB,YAAy9B,GAAa,IAE7EW,EAAU,GAACA,EAAU,GAAG9K,QAAQoK,EAaIBm  
B,KAIDd,EAID9B,SAAAI,OACP,IAAbA,EAAGb,KACZqB,EAAC1B,SACpBA,EAaE,GACR0B,OA+DXP,EAaE  
pD,KAAO+B,EAAQ7M,OAC1B6M,EACG6B,QAAO,SAACC,EAAKC,UACPA,EAAOzN,MACVuC,EAaIB,IA  
GZiH,EAAMgE,EAAKC,EAAOzN,QHnGf,MGqGXhB,WACH,GAEG+N,ME3FIW,GAAGDC,EAAMC,gBACtD  
C,GAaqBH,GAakBI,SACvCC,GAA6CJ,EAAMC,gBAGnDI,IAFiBD,GAACD,SAEL,IAAIrG,GAC9BwG,GAA4  
B5C,IAEzC,SAAGb6C,YACPC,aAAWT,KAAaBM,GAG1C,SAAGBI,YACPD,aAAWJ,KAAkBE,GAGvB,SAASI,  
GAakBC,SACVC,WAASD,EAAME,eAAAtC9C,OAAS+C,OACVC,EAaBR,KAEP5D,EAaAQE,WAAQ,eACrB  
1K,EAAQyK,SAERJ,EAAMrK,MAERA,EAAQqK,EAAMrK,MACLqK,EAAM3O,SACfsE,EAQA,EAAMkE,u  
BAAuB,CAAExi,OAAQ2O,EAAM3O,SAAU,IAG7D2O,EAAMM,wBACR3K,EAQA,EAAMkE,uBAAuB,CAA  
EX,mBAAmB,KAGrDvD,IACN,CAACqK,EAAMM,sBAAuBN,EAAMrK,MAAOqK,EAAM3O,SAE9C4K,EA  
SoE,WACb,kBACEtD,EAaqB,CACnB3D,QAAS,CAAEsF,QAASsB,EAAMO,uBAC1BnD,QAAAA,MAEJ,CAA  
C4C,EAAMO,sBAAuBnD,WAGhCoD,aAAU,WACH,EAARd,EAAS4C,EAAME,gBAAGBC,EAAWH,EAAM  
E,iBACjE,CAACF,EAAME,gBAGRb,gBAACD,GAakBsB,UAASC,MAAO3E,GACjCqD,gBAACI,GAACiB,UA  
ASC,MAAO1E,GACH,eAAzB3K,QAAQC,IAAIC,SACT6N,EAAMuB,SAASC,KAAkB,EAAMc,UAC1Bd,EA  
Mc,eCjEGC,yBAOPrP,EAACmC,mBAM1BmN,OAAS,SAACHf,EAawBiF,YAAAA,IAAAA,EAa8BtB,QACxDu  
B,EAaEC,EAAKzP,KAAOuP,EAaE5F,KAEC3CW,EAAWHC,aAAAmH,EAAKjM,GAAIgm,IAcPcIF,EAAWpI,Y  
ACTuN,EAAKjM,GACLgM,EACAD,EAaE,EAAKtN,MAAOqN,EAAC,qBAK/CxQ,SAAW,kBACFuD,EAaIB,  
GAAI4G,OAAsG,EAAKzP,aAlBnCA,KAAOA,OACPwD,mBAAQbxD,OACrBmC,MAAQA,qBAmBfuN,QAA  
A,SAAQH,mBAAAA,IAAAA,EAa8BtB,IAC7BhM,KAAKjC,KAAOuP,EAaE5F,WC7BhCgG,GAaIB,UACjBC,  
GAAMb,WACnBC,GAAY,OACZC,GAaqB,SAACC,aAA6BA,EAAKC,eAkB/C,SAASC,GAAMbP,D,UACIC8C,  
GAaElQ,KAAKoN,GACzBA,EACCzL,QAAQwO,GAakBE,IAC1B1O,QAAQyO,GAAW,QACpBhD,ECIBJ,IAA  
MqD,GAAY,SAAAC,UAASA,MAAAA,IAAmD,IAAVA,GAA6B,KAAVA,GAObVf,SAawB1F,GACtB0F,EAC  
A9F,EACAC,EACaIF,MAEIVe,MAAMC,QAAQkF,GAAQ,SAGYzR,EAF9B0R,EAAU,GAEPzR,EAAl,EAAGC,  
EAAMuR,EAAMtR,OAAGBF,EAaIC,EAAKD,GAAK,EAGzC,MAFFD,EAAS+L,GAAQ0F,EAAMxR,GAAI0L,E  
AAkBC,EAAYiF,MAGhDvE,MAAMC,QAAQvM,GAAS0R,EAQtr,WAARsR,EAAGB1R,GAC3C0R,EAQtr,  
KAAKJ,WAGb0R,KAGLF,GAAUC,SACL,MAILIQ,EAakBkQ,aACTA,EAAMjQ,qBAIfV,EAaw2Q,GAAQ,IC9  
DL,mBAFwB1Q,EDiEhB0Q,IC7DtB1Q,EAAPK,WACFO,EAAPK,UAAUmR,mBD4DchG,EAa3B,OAAO8F,MA  
ZNzR,EAASyR,EAAM9F,SAEQ,eAAzBzK,QAAQC,IAAIC,UAA6BwQ,YAAU5R,IAErD6R,QAAQC,KACH9Q,  
EACDyQ,uLAKC1F,GAAQ/L,EAQ2L,EAakBC,EAAYiF,GC7E5C,IAA6B9P,SDiFtC0Q,aAAiBd,GACf/E,GA  
CF6F,EAAMb,OAAOhF,EAAYiF,GACIBY,EAAMT,QAAQH,IACTY,EAITM,EAACn,GazEM,SAAhBO,EAai  
BC,EAAC,OEbH5Q,EAACiP,EFc9C9M,EAQ,OAET,IAAM0O,KAAOF,EACXA,EAaIG,eAAEd,KAAQX,GA  
AUS,EAaIE,MAEzC7F,MAAMC,QAAQ0F,EAaIE,KAASF,EAaIE,GAAKE,OAAUvR,EAawmR,EAaIE,IAC  
E1O,EAAMrD,KAAQkS,GAAUH,OAASF,EAaIE,GAAM,KACICJ,EAACe,EAaIE,IAC3B1O,EAAMrD,WAAN  
qD,EAACuO,EAAC,EAaIE,GAAMA,IAEtC1O,EAAMrD,KAAQkS,GAAUH,SExBU7Q,EFwBe6Q,EErBxC,OA  
HuC5B,EFwBM0B,EAaIE,KErBxB,kBAAV5B,GAAiC,KAAVA,EAC1C,GAGY,iBAAVA,GAAGc,IAAVA,GA  
AiBjP,KAAQiR,EAInD9H,OAAO8F,GAAOXN,OAHTwN,qBFoBL2B,GAACa,eAAgBzO,GAAO,MAAOA,EA0

DrBuO,CAAcP,GAASA,EAAMnR,WG9E7D,IAAMkS,GAAS,SAAAC,UACTnG,MAAMC,QAAQkG,KAehBA,EAAlI,OAAQ,GAEPi,GAGM,SAASIO,GAAImO,8BAAmB3S,mCAAAA,2BACzCe,EAaw4R,IAAWX,EAacW,GAE/BF,GAAOzG,GAAQ4G,EAWhS,GAac+R,UAAW3S,MAG9B,IAA1BA,EAaeI,QAAkC,IAAlBuS,EAaoV,S,QAAqC,iBAAduS,EAao,GAE/DA,EAIFF,GAAOzG,GAAQ4G,EAawD,EAaQ3S,KC5B3C,IAAM6S,GAAoB,qBACpBC,GAao,IAAI9I,IAEJ+I,GAauB,SAACzR,EAaqBgK,MAC3B,eAAzBnK,QAAQC,IAAIC,SAA2B,KAEnC2R,EACJ,iBAAiB1R,GAFIgK,sBAakCA,MAAiB,6NAUpE2H,EAauBnB,QAAQoB,cAE/BC,GAawB,EA5BrB,QAAQoB,MAAQ,SAACE,MAGXP,GAakB7R,KAAKoS,GACzBD,GAawB,EAExBL,UAYE,OACP,4BAPgCK,mCAAAA,oBAQrCJ,gBAaqBG,UAAwBC,MAMjDC,WAEIH,IAA0BL,GAak9N,IAAIgO,KAerCIB,QAAQC,KAAKiB,GACbF,GAakhJ,IAAIkI,IAEX,MAAOE,GAGHL,GAakB7R,KAAKkS,EAAMF,UAE/BF,UAYE,WAIIdB,QAAQoB,MAAQD,iBC9CNpD,EAac0D,EAaoBC,mBAAAA,IAAAA,EAaoB1S,GAC5D+O,EAAM4D,QAAUD,EAaaC,OAAS5D,EAAM4D,OAAUF,GAaiBC,EAaaC,OCJxFC,GAac,wCAEdC,GAae,WAMN,SAASC,GAAOC,UAE3BA,EAEGIR,QAAQ+Q,GAaa,KAGrB/Q,QAAQgR,GAac,ICd7B,gBAagBE,UACPjJ,EAauBM,EAak2I,KAAS,ICH/B,SAASC,GAAM5S,SAER,iBAAXA,IACmB,eAAzBC,QAAQC,IAAIC,UACTH,EAao6S,OAao,KAAo7S,EAao6S,OAao,GAAGxC,eCqB9C,IAAMyC,GAaw,SAAAC,SAEE,mBAARA,GAAsC,iBAARA,GAA4B,OAARA,IAAiB1H,MAAMC,QAAQyH,IAItFC,GAaa,SAAA9B,SACF,cAARA,GAA+B,gBAARA,GAaiC,cAARA,GAGzD,SAAS+B,GAAMjT,EAaq+S,EAak7B,OACpBF,EAAMhR,EAaokR,GACf4B,GAASC,IAAQD,GAAS9B,GAC5BkC,GAAUIC,EAak+B,GAef/S,EAaokR,GAAO6B,EAIH,SAASG,GAAUIT,8BAAWmT,mCAAAA,kCACzBA,iBAAM,KAAbnC,UACL8B,GAAS9B,OACN,IAAME,KAAOF,EACZgC,GAAW9B,IACb+B,GAAMjT,EAaqgR,EAaIE,GAAMA,UAMzBIR,MC5CIoT,GAAsCpF,EAAMC,gBAE5CoF,GAagBD,GAaajF,SCcpCmF,GAac,GakJpB,SAawBC,GACtBvT,EACA+H,EAoAvF,OAEMgR,EAaqBIT,EAakBN,GACvCyT,GAawBb,GAAM5S,KAMhC+H,EAHF2L,MAAAA,aAAQhU,MAGNqI,EAFFqC,YAAAA,aA/JJ,SAAoBhK,EAAsBuT,OACICtT,EAa8B,iBAAhBD,EAa2B,KAAoS,S,GAaoTs,GAE7DkT,GAAYjT,IAASiT,GAAyJt,IAAS,GAak,MAEzC+J,EAaiB/J,MAAQut,G9B3BPxN,Q8B8BT/F,EAaoiT,GAAYjT,WAG3BsT,EAauBA,MAAQbvJ,EAagBA,EAoJnDyJ,CAAW9L,EAaq3H,YAAa2H,EAaq4L,uBAEpD5L,EADF3H,YAAAA,aC5LW,SACbJ,UAEo4S,GAAM5S,aAAoBA,YAAqBD,EAaiBC,ODyLvD8T,CAAoB9T,KAG9BO,EACJwH,EAaq3H,aAAe2H,EAaqqC,YACxBsI,GAAO3K,EAaq3H,iBAagB2H,EAaqqC,YAC1CrC,EAaqqC,aAAeA,EAgvB2J,EACJP,GAawBxT,EAagC0T,MACpDrI,MAAM9L,UAAUyU,OAAShU,EAagC0T,MAAOA,GAaoO,OAaoP,T,SAC9E6S,EAGFQ,EAaoBnM,EAaqmM,kBAE5BV,GAAsBxT,EAaokU,oBAG7BA,EAFEnM,EAaqmM,kBAEU,SAACC,EAAMC,EAaUC,UAC/BrU,EAagCkU,kBACICC,EACAC,EACAC,IAEAtM,EAaqmM,kBAA4CC,EAAMC,EAaUC,IAGIDrU,EAagCkU,uBAkBTdI,EAdeC,EAaiB,IAAIpK,EACzB3H,EACAjC,EACaiT,EAauBxT,EAagBuU,oBAakCrO,GAKrEqE,EAawgK,EAaehK,UAA6B,IAAjBmJ,EAAMxU,OAQ5CsV,EAaa,SAAC7F,EAao8F,UAhJ7B,SACEC,EACA/F,EACAgG,EACApK,OAGSqK,EAOLF,EAPFhB,MACAA,EAMEG,EANFH,eACAjC,EAKEoC,EALFpC,aACAuC,EAIEH,EAJFG,mBACAX,EAGEQ,EAHFR,kBACA3T,EAEEuU,EAFFnU,kBACAP,EACE0U,EADF1U,OAI2B,eAAzBC,QAAQC,IAAIC,UAA2B2U,gBAacvU,SApE3D,SAakCgS,EAa2B5D,EAae+E,YAA1CnB,IAAAA,EAaa3S,OAIvC0M,OAaeqC,GAAO4D,MAAAA,IACtBwC,EAagB,UAEtBrB,EAAMnS,SAAQ,SAAAYt,OAER9D,EErD4B/P,EAAYC,EFoDxC6T,EAakBD,MAQjB9D,KALDrR,EAAWoV,KACbA,EAakBA,EAagB3I,IAIx2I,EACV3I,EAaq4E,GAAO6D,EAac7D,GACnB,cAARA,GE9D4B/P,EF+DZ4T,EAac7D,GE/DU9P,EF+DJ6T,EAagB/D,GE9DnD/P,GAakC,EAaOD,MAakC,EAAMD,GAakC,GF+DzB6T,EAagB/D,MAKnB,CAAC5E,EAASyI,GakDQG,CAFXC,GAaexG,EAaOH,aAAW4E,IAAed,IAEX1S,EAac+O,EAaoiG,GAajEtI,OAASoH,OAeV0B,EAjDR,SACEb,EACAhK,EACAwK,EACAM,OAEM1K,EAaa4D,KACb3D,EAAS6D,KAET6G,EAAY/K,EACdgK,EAae9J,wBAawB7K,EAac+K,EAAYC,GACjE2J,EAae9J,wBAawBsK,EAaepK,EAAYC,SAGzC,eAAzB3K,QAAQC,IAAIC,UAA2B2U,gBAacQ,GAe5B,eAAzBrV,QAAQC,IAAIC,WAA8BoK,GAAY8K,GACxDA,EAAMBC,GAGdA,EA6BoBC,CACzBhB,EACAhK,EACA+B,EACyB,eAAzBrM,QAAQC,IAAIC,SAA4BuU,EAAMBW,wBAaqBnP,GAG5EsP,EAaeb,EAefN,EAa6BX,EAAM+B,KAAO9G,EAAM8G,KAAO/B,EAAMgC,IAAM/G,EAAM+G,IAAM1V,EAE/E2V,EAac/C,GAAMyB,GACpBuB,EAagBIC,IAAU/E,OAaaA,KAAU+E,GAUU/E,EAC3DkH,EAakB,OAGnB,IAAM3E,KAAO0E,EACD,MAAX1E,EAAl,IAASB,OAARA,IACL,gBAARA,EACP2E,EAagBH,GAake,EAac1E,IAEnCgD,EACIA,EAakBhD,EAak4E,EAawzB,IACICsB,GACAG,EAau5E,MAId2E,EAagB3E,GAAO0E,EAac1E,YAIrCvC,EAAM/J,OAAS

8O,EAAM9O,QAAU+J,EAAM/J,QACvCiR,EAAGBjR,WAAa+J,EAAM/J,SAAU8O,EAAM9O,QAGrDiR,EAAG  
BP,UAAyJK,MAAM9L,UAC/ByU,OACCa,EACAtU,EACA6U,IAAuB7U,EAaOb6U,EAaqB,KACHeZG,EAAM  
2G,UACN5B,EAAM4B,WAEPbB,OAAOpT,SACPgB,KAAK,KAERgU,EAAGBpB,IAAMe,EAef9P,gBAAc2O,E  
AAoBwB,IAuEhBvB,EAawB3F,EAaO8F,EAaKIK,WAE7DiK,EAawpU,YAAcA,GAeZBkU,EAa2BtG,EAAM  
wG,WAAWA,IACrBd,MAAQK,EAC/BO,EAauBC,eAAiBA,EACxCD,EAauBIU,YAAcA,EACrCkU,EAauBJ,k  
BAaObA,EAi3CI,EAauBO,mBAaqBrB,EACxCnI,MAAM9L,UAAUyU,OACZHU,EAAGC6U,mBACHC7U,EA  
gCO,mBAEpCb,EAeJ4U,EAauB/T,kBAaObA,EAG3C+T,EAauBTU,OAASwT,EAC1BxT,EAAGCA,OACICA,E  
AEJSU,EAauByB,cAAgB,SAauB/T,OACvCgU,EAa0CjO,EAavDqC,YAAqC6L,uIAAkBIO,mBAEzDmO,EACJ  
F,GACGA,OAauBpD,GAAM5Q,GAAOA,EAAM0Q,GAAO3S,EAaiBiC,YAQhEuR,GAAsBvR,OALxBiU,GAC  
HvC,MAAOK,EACP3J,YAAa8L,IAG+B1T,IAGhDID,OAAO6W,eAAe7B,EAawB,eAAgB,CAC5DvQ,sBACSzB  
,KAAK8T,qBAGdvT,aAAImO,QACGoF,oBAAsB5C,EACvB6C,GAAM,GAAMrW,EAAGCsS,aAActB,GAC1DA  
,KAIqB,eAAzB/Q,QAAQC,IAAIC,WACd0R,GAaqBzR,EAaAG,GAEIC+T,EAauBe,4BgZSXjV,EAaqBgK,OA  
C/BkM,EAAMB,GACnBC,GAAC,SAEX,SAACjB,OACDiB,IACHD,EAaiBhB,IAAa,EAC1BhW,OAaOkX,KAA  
KF,GAakBpX,QATnB,KASoC,KAG3CuX,EAaiBrM,sBAakCA,MAAiB,GAElEwG,QAAQC,KACN,iDAAsDz  
Q,EAacqW,oQAUtEF,GAAC,EACdD,EAAMB,KHiRqBI,CAC1CtW,EACAG,IAIJ+T,EAauBjV,SAAW,qBAaU  
iV,EAauB/T,mBAE/DkT,GACfkD,EAIErC,EAa0BtU,EAa0D,CAEpF0T,OAAO,EACPg,BAAGB,EACHbNU,aA  
Aa,EACbyU,oBAaOb,EACpBX,mBAAMB,EACnB3T,mBAAMB,EACnBP,QAAQ,EACR+V,eAAe,IAIZzB,ElpU  
T,ICIMsC,GAAS,SAAC5U,mBCCQ6U,EACtBC,EACA9U,EACA+F,eAAAA,IAAAA,EAakBnI,IAEbMx,qBAa  
mB/U,UACfY,EAaiB,EAAG4G,OAaOxH,QAK9BgV,EAAMB,kBAaAf,EAaqB9U,EAak+F,EAASzE,oCAGz  
E0T,EAaiBC,WAAa,SAAC,UAC5BL,EAaqBC,EAAsB9U,OAaU+F,KAAymP,KAGnEF,EAaiBtD,MAAQ,S  
AAAA,UACvBmD,EAaqBC,EAAsB9U,OACtC+F,GACH2L,MAAOri,MAAM9L,UAAUyU,OAaOjM,EAaQ2L  
,MAAOA,GAAOO,OAAOpT,aAGxDMW,EDzBuBH,CAaqBM,GAaiBnV,IDJvD,CACb,IACA,OACA,UACA,O  
ACA,UACA,QACA,QACA,IACA,OACA,MACA,MACA,MACA,aACA,OACA,KACA,SACA,SACA,UACA,OA  
CA,OACA,MACA,WACA,OACA,WACA,KACA,MACA,UACA,MACA,SACA,MACA,KACA,KACA,KACA,Q  
ACA,WACA,aACA,SACA,SACA,OACA,KACA,KACA,KACA,KACA,KACA,KACA,OACA,SACA,SACA,KA  
CA,OACA,IACA,SACA,MACA,QACA,MACA,MACA,SACA,QACA,SACA,KACA,OACA,OACA,MACA,OAC  
A,UACA,OACA,WACA,OACA,QACA,MACA,WACA,SACA,KACA,WACA,SACA,SACA,IACA,QACA,UAC  
A,MACA,WACA,IACA,KACA,KACA,OACA,IACA,OACA,SACA,UACA,SACA,QACA,SACA,OACA,SACA,  
QACA,MACA,UACA,MACA,QACA,QACA,KACA,WACA,QACA,KACA,QACA,OACA,QACA,KACA,QACA  
,IACA,KACA,MACA,QACA,MAGA,SACA,WACA,OACA,UACA,gBACA,IACA,QACA,OACA,iBACA,SACA,  
OACA,OACA,UACA,UACA,WACA,iBACA,OACA,OACA,MACA,OACA,WACA,SCnIUT,SAAQ,SAaA6V,G  
ACIBR,GAAOQ,GAACr,GAAOQ,UELTC,yBAOP7U,EAAGB4H,QACrB5H,MAAQA,OACR4H,YAAcA,OACd  
G,SAAWN,EAaczH,GAI9BsF,EAAWS,WAAWjG,KAAK8H,YAAc,8BAG3CkN,aAAA,SACEC,EACA7M,EAC  
AC,EACAC,OAGMtH,EAAMsH,EADIE,GAAQxI,KAAKE,MAAOKI,EAakBC,EAAYC,GACvC/I,KAAK,IAAK  
,IAC/BgC,EAakvB,KAAK8H,YAAcmN,EAG9B5M,EAawpI,YAAysB,EAaIA,EAaIP,MAGjCkU,aAAA,SA  
aD,EAakB5M,GAC7BA,EAaw1B,WAAW3G,KAAK8H,YAAcmN,MAG3CE,aAAA,SACEF,EACA7M,EACA  
C,EACAC,GAEl2M,EAaw,GAAGzP,EAaws,WAAWjG,KAAK8H,YAAcmN,QAGtDC,aAAaD,EAaU5M,QA  
CvB2M,aAAAc,EAaU7M,EAakBC,EAAYC,SCxCxD8M,GAAGB,gBAEDC,2CAyNbc,cAAgB,eACRtU,EAAM  
wM,EAakYH,SAASiy,eACrBiE,EAak,MAAO,OAEX+C,EAaqjB,oBACA,CAACiB,aAAmBA,MAAa7F,YAA  
qBqX,+BAC7C5D,OAAOpT,SAASgB,KAAK,SAefyB,mBAW/BwU,aAAe,kBACThI,EAakIi,OACAnV,EAaiB,  
GAGnBkN,EAak8H,sBAGdI,gBAakB,oBACZII,EAakIi,cACAnV,EAaiB,OAGpB+L,UACHnO,GAAU,KtChD  
c,uBACL4F,UsCiDpB6R,wBAayB,CACvBC,OAAQpI,EAakYH,SAASiy,eAIpBgH,EAaqjB,WACViB,IACDsI,  
EAAYiI,MAAQA,GAIhB,CAAC2H,6BAAWW,GAAOuC,IAAI,mBAsDhCiH,KAAO,WACLrI,EAakIi,QAAS,Q  
AzGTR,SAAW,IAALzP,EAaw,CAAEF,UAAU,SACtCmQ,QAAS,6BAchBK,cAAA,SAAC3I,UACRnN,KAAKyV  
,OACAnV,EAaiB,GAGnBoL,gBAACU,IAAkBpK,MAAOHC,KAAKiV,UAAW9H,MAkCnD4I,yBAAA,SAAYB  
C,MACJ5X,SACVkc,EAaiB,GACnB,GAAIN,KAAKyV,cACPnV,EAaiB,QAIInBuV,aAG2BI,QAAQ,UAAtBC,  
KAAVC,WAAUD,WAEZE,EAa2BJ,EACfhU,EAAYBhC,KAAnciV,SAaiBK,EAakBtV,KAAIBsV,cAEnBe,EA  
Ac,IAAIH,EAaU,CACHCI,UAAW,SAa2BpI,EAAsB/C,EAAGoL,OAGvDC,EAaEtI,EAAMnR,WACrB0Z,EA

OnB,OAEbtT,EAAM4E,WAlFwO,GAAC5X,KAAKgz,GAAe,KAC9BE,EAakBF,EAAa3L,QAAQ,KAAO,EAC9  
C8L,EAASH,EAaAI,MAAM,EAAGF,GAC/BG,EAaQL,EAaAI,MAAMF,QAE5B7Z,KAAK8Z,EAASF,EAaOI,a  
AErBha,KAAK4Z,EAaOD,GAGnBD,cAIJH,EAaEU,GAAG,SAAS,SAAAC,GAeZBV,EAAYW,KAAK,QAASD,  
MAGrBX,EAaEa,KAAKZ,SCnHpBa,GAAC,CACzB1R,WAAAA,EACaUG,YAAAA,ICmByB,eAAzBpO,QAAQ  
C,IAAIC,UACS,oBAAdsZ,WACe,gBAAtBA,UAAUC,SAGV9I,QAAQC,KACN,wNAOyB,eAAzB5Q,QAAQC,I  
AAIC,UAAaD,SAAzBF,QAAQC,IAAIC,UAAyC,oBAAXQ,SACrFA,OAAO,8BAAGCA,OAAO,+BAaIC,EAEIC,  
IAAZCA,OAAO,+BAETiQ,QAAQC,KACN,4TAOJIQ,OAAO,+BAaIC,8LXP3B,SAAuBgO,OAC9BgL,EAaAnL,  
aAAW4E,IACxBwG,EAaE5K,WAAQ,kBA9B/B,SAAoBuD,EAAsBoH,OACnCpH,SACI3P,EAaIB,OAGtB/C,E  
AAW0S,GAAQ,KACfsH,EAActH,EAAMoH,SAGC,eAAzB1Z,QAAQC,IAAIC,UACK,OAAhB0Z,IAAwBxO,M  
AAMC,QAAQuO,IAAuC,iBAAhBA,EAkZDA,EAHEjX,EAaIB,UAMxByI,MAAMC,QAAQiH,IAA2B,iBAAVA  
,EAC1B3P,EAaIB,GAGnB+W,OAakBA,KAAepH,GAAUA,EAQfuH,CAAWnL,EAAM4D,MAAOoH,KAAa,CA  
CtEhL,EAAM4D,MACNoH,WAGGhL,EAAMc,SAIJzB,gBAACoF,GAAa/D,UAASC,MAAOsK,GAAejL,EAAM  
c,UAHjD,uDYtCI,SACb5Q,8BACGC,mCAAAA,wBAEG0D,EAaQc,iBAaIzE,UAAyC,IACxByB,eAAiCqT,GA  
AoBmG,KAAKC,UAAUxX,IACpEyX,EAAC,IAAI5C,GAAy7U,EAaOjC,YAMIC2Z,EAaQbVl,OACtBhE,EA  
a4D,KACb3D,EAAS6D,KACT8D,EAaQ/D,aAAW4E,IAGnBmE,EAfcnf,SAAOzH,EAaWjC,mBAAmBnI,IAE5  
B4Z,cAEA,eAAzBla,QAAQC,IAAIC,UAA6B6N,EAAMuB,SAAS6K,MAAMzL,EAAMc,WAETEmB,QAAQC,m  
CACwBtQ,uEAKP,eAAzBN,QAAQC,IAAIC,UACZqC,EAAM6X,MAAK,SAAAvT,SAaWB,iBAATA,IAAkD,IA  
A7BA,EAakqG,QAAQ,eAG5DyD,QAAQC,qVAKNIG,EAaWzC,QACbuP,EAaAF,EAaU5I,EAaOhE,EAAY4  
H,EAaO3H,GAe5C,cAGA6M,EAaAF,EAaU5I,EAaOhE,EAAY4H,EAaO3H,MACpDqP,EAAY1P,SACd0P,EA  
AYxC,aAAaF,EAaUvW,EAaO2B2J,EAAYC,OACpE,KACC0B,OACDqC,GACH4D,MAAO4C,GAAexG,EAaO4  
D,EAaO2H,EAaQB5H,gBAG3D2H,EAAYxC,aAAaF,EAaUjL,EAAS3B,EAAYC,UaZD/B,eAAzB3K,QAAQC,I  
AAIC,UACd0R,GAAqBtR,GA6DhByN,EAAMsM,KAAKJ,oFC9EL,SACbrb,GAK2B,eAAzBoB,QAAQC,IAAIC,  
UACS,oBAAdsZ,WACe,gBAAtBA,UAAUC,SAGV9I,QAAQC,KACN,8IAVD/R,mCAAAA,wBAcG0D,EAaQc,i  
BAaIzE,UAAyC,IAAgB+C,KAAK,IAC7CxB,EAaOuT,GAAoBpR,UAC1B,IAAIkN,GAAUrP,EAAMmC,qBCt  
BZ,kBAAMgM,aAAW4E,qB3CORhN,mC4CGVmU,OAERC,EAAYxM,EAAMwG,YAAW,SAAC7F,EAaO8F,O  
ACnCIC,EAaQ/D,aAAW4E,IAEjBd,EAaIBiL,EAaJBjL,aACFmL,EAAYtF,GAAexG,EAaO4D,EAaOD,SAEIB,e  
AAzBrS,QAAQC,IAAIC,eAA2C+F,IAaduU,GAe3C7J,QAAQC,8HACmH9Q,EACvHwa,QAKCvM,gBAACuM,  
OAAc5L,GAAO4D,MAAOkI,EAaWhG,IAAKA,eAGtDiG,EAaAF,EAaWD,GAExBC,EAaUpa,yBAA2BL,EA  
aIBwa,OAE/CC" }

Found in path(s):

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/dist/styled-components.cjs.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version": 3, "file": "styled-components.min.js", "sources": [ "../src/Utils/isStyledComponent.js", "../src/Utils/interleave.js", "../src/Utils/isPlainObject.js", "../src/Utils/empties.js", "../src/Utils/isFunction.js", "../src/Constants.js", "../src/Utils/error.js", "../src/Sheet/GroupedTag.js", "../src/Sheet/GroupIDAllocator.js", "../src/Sheet/Rehydration.js", "../src/Utils/nonce.js", "../src/Sheet/dom.js", "../src/Sheet/Tag.js", "../src/Sheet/Sheet.js", "../src/Utils/generateAlphabeticName.js", "../src/Utils/hash.js", "../src/Utils/isStaticRules.js", "../src/Models/ComponentStyle.js", "../node_modules/@emotion/stylis/dist/stylis.esm.js", "../src/Utils/stylis.js", "../src/Utils/stylisPluginInsertRule.js", "../src/Models/StyleSheetManager.js", "../node_modules/shallowequal/index.js", "../src/Models/Keyframes.js", "../src/Utils/hyphenateStyleName.js", "../node_modules/@emotion/unitless/dist/unitless.esm.js", "../src/Utils/flatten.js", "../src/Utils/isStatelessFunction.js", "../src/Utils/addUnitIfNeeded.js", "../src/Constructors/css.js", "../src/Models/GlobalStyle.js", "../src/Models/ThemeProvider.js", "../src/Utils/determineTheme.js", "../src/Utils/generateComponentId.js", "../src/Models/ServerStyleSheet.js", "../node_modules/hoist-non-react-statics/dist/hoist-non-react-statics.cjs.js", "../src/SecretInternals.js", "../src/Constructors/createGlobalStyle.js", "../src/Constructors/keyframes.js", ..
```

```

src/hooks/useTheme.js", "../src/hoc/withTheme.js", "../node_modules/@emotion/memoize/dist/emotion-
memoize.esm.js", "../node_modules/@emotion/is-prop-valid/dist/emotion-is-prop-
valid.esm.js", "../src/utils/escape.js", "../src/utils/isTag.js", "../src/utils/mixinDeep.js", "../src/models/StyledComponent.
js", "../src/utils/generateDisplayName.js", "../src/utils/joinStrings.js", "../src/constructors/styled.js", "../src/constructors/
constructWithOptions.js", "../src/index-standalone.js", "../src/utils/domElements.js"], "sourcesContent": [
  //
  @flow\nexport default function isStyledComponent(target: any): boolean %checks {\n  return target && typeof
target.styledComponentId === 'string';\n}\n",
  // @flow\nimport type { Interpolation } from './types';\n\nexport
default (\n  strings: Array<string>,\n  interpolations: Array<Interpolation>)\n): Array<Interpolation> => {\n  const
result = [strings[0]];\n  for (let i = 0, len = interpolations.length; i < len; i += 1) {\n    result.push(interpolations[i],
strings[i + 1]);\n  }\n  return result;\n}\n",
  // @flow\nimport { typeOf } from 'react-is';\n\nexport default (x: any):
boolean => \n  x !== null && \n  typeof x === 'object' && \n  (x.toString ? x.toString() :
Object.prototype.toString.call(x)) === '[object Object]' && \n  !typeof(x);\n",
  // @flow\nexport const
EMPTY_ARRAY = Object.freeze([]);\n\nexport const EMPTY_OBJECT = Object.freeze({});\n",
  // @flow\nexport
default function isFunction(test: any): boolean %checks {\n  return typeof test === 'function';\n}\n",
  //
  @flow\n\ndeclare var SC_DISABLE_SPEEDY: ?boolean;\n\ndeclare var __VERSION__: string;\n\nexport const
SC_ATTR: string = \n  (typeof process !== 'undefined' && (process.env.REACT_APP_SC_ATTR ||
process.env.SC_ATTR)) || \n  'data-styled';\n\nexport const SC_ATTR_ACTIVE = 'active';\n\nexport const
SC_ATTR_VERSION = 'data-styled-version';\n\nexport const SC_VERSION = __VERSION__;\n\nexport const
SPLITTER = '/*!sc*/\n';\n\nexport const IS_BROWSER = typeof window !== 'undefined' && 'HTMLElement' in
window;\n\nexport const DISABLE_SPEEDY = \n  Boolean(typeof SC_DISABLE_SPEEDY === 'boolean'\n  ?
SC_DISABLE_SPEEDY\n  : (typeof process !== 'undefined' && typeof
process.env.REACT_APP_SC_DISABLE_SPEEDY !== 'undefined' &&
process.env.REACT_APP_SC_DISABLE_SPEEDY !== "\n  ?
process.env.REACT_APP_SC_DISABLE_SPEEDY === 'false' ? false :
process.env.REACT_APP_SC_DISABLE_SPEEDY\n  : (typeof process !== 'undefined' && typeof
process.env.SC_DISABLE_SPEEDY !== 'undefined' && process.env.SC_DISABLE_SPEEDY !== "\n  ?
process.env.SC_DISABLE_SPEEDY === 'false' ? false : process.env.SC_DISABLE_SPEEDY\n  :
process.env.NODE_ENV !== 'production'\n  )\n  );\n\n// Shared empty execution context when generating static
styles\n\nexport const STATIC_EXECUTION_CONTEXT = {};\n",
  // @flow\nimport errorMap from
'./errors';\n\nconst ERRORS = process.env.NODE_ENV !== 'production' ? errorMap : {};\n\n/**\n * super basic
version of sprintf\n */\nfunction format(...args) {\n  let a = args[0];\n  const b = [];\n  for (let c = 1, len =
args.length; c < len; c += 1) {\n    b.push(args[c]);\n  }\n  b.forEach(d => {\n    a = a.replace(/%[a-z]/, d);\n  });\n  return a;\n}\n\n/**\n * Create an error file out of errors.md for development and a simple web link to the full
errors\n * in production mode.\n */\n\nexport default function throwStyledComponentsError(\n  code: string |
number,\n  ...interpolations: Array<any>)\n  {\n    if (process.env.NODE_ENV === 'production') {\n      throw new
Error(\n        `An error occurred. See https://git.io/JUIaE#${code} for more information.`\n      );\n    } else {\n      throw new
Error(format(ERRORS[code], ...interpolations).trim());\n    }\n  }\n",
  // @flow\n\nimport type { GroupedTag, Tag } from './types';\n\nimport { SPLITTER } from './constants';\n\nimport
throwStyledError from './utils/error';\n\n/** Create a GroupedTag with an underlying Tag implementation
*\n\nexport const makeGroupedTag = (tag: Tag): GroupedTag => {\n  return new
DefaultGroupedTag(tag);\n};\n\nconst BASE_SIZE = 1 << 9;\n\nclass DefaultGroupedTag implements
GroupedTag {\n  groupSizes: Uint32Array;\n  length: number;\n  tag: Tag;\n  constructor(tag: Tag) {\n    this.groupSizes = new Uint32Array(BASE_SIZE);\n    this.length = BASE_SIZE;\n    this.tag = tag;\n  }\n  indexGroup(group: number): number {\n    let index = 0;\n    for (let i = 0; i < group; i++) {\n      index +=
this.groupSizes[i];\n    }\n    return index;\n  }\n  insertRules(group: number, rules: string[]): void {\n    if (group
>= this.groupSizes.length) {\n      const oldBuffer = this.groupSizes;\n      const oldSize = oldBuffer.length;\n      let newSize = oldSize;\n      while (group >= newSize) {\n        newSize <<= 1;\n        if (newSize < 0) {\n

```

```

throwStyledError(16, `${group}`);\n    }\n    }\n    this.groupSizes = new Uint32Array(newSize);\n    this.groupSizes.set(oldBuffer);\n    this.length = newSize;\n    for (let i = oldSize; i < newSize; i++) {\n    this.groupSizes[i] = 0;\n    }\n    }\n    let ruleIndex = this.indexOfGroup(group + 1);\n    for (let i = 0, l = rules.length; i < l; i++) {\n    if (this.tag.insertRule(ruleIndex, rules[i])) {\n    this.groupSizes[group]++;;\n    ruleIndex++;\n    }\n    }\n    }\n    clearGroup(group: number): void {\n    if (group < this.length) {\n    const length = this.groupSizes[group];\n    const startIndex = this.indexOfGroup(group);\n    const endIndex = startIndex + length;\n    this.groupSizes[group] = 0;\n    for (let i = startIndex; i < endIndex; i++) {\n    this.tag.deleteRule(startIndex);\n    }\n    }\n    }\n    getGroup(group: number): string {\n    let css = "";\n    if (group >= this.length || this.groupSizes[group] === 0) {\n    return css;\n    }\n    const length = this.groupSizes[group];\n    const startIndex = this.indexOfGroup(group);\n    const endIndex = startIndex + length;\n    for (let i = startIndex; i < endIndex; i++) {\n    css += `${this.tag.getRule(i)}${SPLITTER}`;\n    }\n    return css;\n    }\n    }\n    }";\n    // @flow\n    \n    import throwStyledError from './utils/error';\n    \n    const MAX_SMI = 1 << 31 - 1;\n    \n    let groupIDRegister: Map<string, number> = new Map();\n    let reverseRegister: Map<number, string> = new Map();\n    let nextFreeGroup = 1;\n    \n    export const resetGroupIds = () => {\n    groupIDRegister = new Map();\n    reverseRegister = new Map();\n    nextFreeGroup = 1;\n    }\n    \n    export const getGroupForId = (id: string): number => {\n    if (groupIDRegister.has(id)) {\n    return (groupIDRegister.get(id): any);\n    }\n    while (reverseRegister.has(nextFreeGroup)) {\n    nextFreeGroup++;\n    }\n    const group = nextFreeGroup++;\n    \n    if (process.env.NODE_ENV !== 'production' && ((group | 0) < 0 || group > MAX_SMI)) {\n    throwStyledError(16, `${group}`);\n    }\n    \n    groupIDRegister.set(id, group);\n    reverseRegister.set(group, id);\n    return group;\n    }\n    \n    export const getIdForGroup = (group: number): void | string => {\n    return reverseRegister.get(group);\n    }\n    \n    export const setGroupForId = (id: string, group: number) => {\n    if (group >= nextFreeGroup) {\n    nextFreeGroup = group + 1;\n    }\n    groupIDRegister.set(id, group);\n    reverseRegister.set(group, id);\n    }\n    }\n    // @flow\n    \n    import { SPLITTER, SC_ATTR, SC_ATTR_ACTIVE, SC_ATTR_VERSION, SC_VERSION } from './constants';\n    import { getIdForGroup, setGroupForId } from './GroupIDAllocator';\n    import type { Sheet } from './types';\n    \n    const SELECTOR = `style[${SC_ATTR}][${SC_ATTR_VERSION}=${SC_VERSION}]`;\n    \n    const MARKER_RE = new RegExp(`^${SC_ATTR}\\\\\\\\.g(\\\\\\\\d+)(\\\\\\\\[id=](\\\\\\\\[w\\\\\\\\d-]+)\\\\\\\\\\\\\\\\.\\\\\\\\\\\\\\\\.*?\\\\\\\\[\\\\\\\\^\\\\\\\\"]*)`);\n    \n    export const outputSheet = (sheet: Sheet) => {\n    const tag = sheet.getTag();\n    const { length } = tag;\n    let css = "";\n    for (let group = 0; group < length; group++) {\n    const id = getIdForGroup(group);\n    if (id === undefined) continue;\n    const names = sheet.names.get(id);\n    const rules = tag.getGroup(group);\n    if (!names || !rules || !names.size) continue;\n    const selector = `${SC_ATTR}.g${group}[id=${id}]`;\n    let content = "";\n    if (names !== undefined) {\n    names.forEach(name => {\n    if (name.length > 0) {\n    content += `${name},`;\n    }\n    });\n    }\n    // NOTE: It's easier to collect rules and have the marker\n    // after the actual rules to simplify the rehydration\n    css += `${rules}${selector}{content:"${content}"}`;\n    }\n    }\n    return css;\n    }\n    \n    const rehydrateNamesFromContent = (sheet: Sheet, id: string, content: string) => {\n    const names = content.split(',');\n    let name;\n    for (let i = 0, l = names.length; i < l; i++) {\n    // eslint-disable-next-line\n    if ((name = names[i])) {\n    sheet.registerName(id, name);\n    }\n    }\n    }\n    \n    const rehydrateSheetFromTag = (sheet: Sheet, style: HTMLStyleElement) => {\n    const parts = (style.textContent || "").split(SPLITTER);\n    const rules: string[] = [];\n    for (let i = 0, l = parts.length; i < l; i++) {\n    const part = parts[i].trim();\n    if (!part) continue;\n    const marker = part.match(MARKER_RE);\n    if (marker) {\n    const group = parseInt(marker[1], 10) | 0;\n    const id = marker[2];\n    if (group !== 0) {\n    // Rehydrate componentId to group index mapping\n    setGroupForId(id, group);\n    // Rehydrate names and rules\n    // looks like: data-styled.g11[id="idA"]{content:"nameA,"}\n    rehydrateNamesFromContent(sheet, id, marker[3]);\n    }\n    sheet.getTag().insertRules(group, rules);\n    }\n    rules.length = 0;\n    } else {\n    rules.push(part);\n    }\n    }\n    }\n    \n    export const rehydrateSheet = (sheet: Sheet) => {\n    const nodes = document.querySelectorAll(SELECTOR);\n    for (let i = 0, l = nodes.length; i < l; i++) {\n    const node = ((nodes[i]: any): HTMLStyleElement);\n    if (node && node.getAttribute(SC_ATTR) !== SC_ATTR_ACTIVE) {\n    rehydrateSheetFromTag(sheet, node);\n    if (node.parentNode) {\n    node.parentNode.removeChild(node);\n    }\n    }\n    }\n    }\n    }\n    // @flow\n    \n    /* eslint-disable camelcase, no-undef

```

```

*\n\ndeclare var window: { __webpack_nonce__: string };
\n\nconst getNonce = () => {\n\n  return typeof window
!=='undefined'\n  ? typeof window.__webpack_nonce__ !== 'undefined'\n  ? window.__webpack_nonce__\n  : null\n  : null;\n};
\n\nexport default getNonce;\n",
"/" @flow\n\nimport { SC_ATTR, SC_ATTR_ACTIVE,
SC_ATTR_VERSION, SC_VERSION } from './constants';
\nimport getNonce from './utils/nonce';
\nimport
throwStyledError from './utils/error';
\n\nconst ELEMENT_TYPE = 1; /* Node.ELEMENT_TYPE */
\n\n/** Find
last style element if any inside target */
\nconst findLastStyleTag = (target: HTMLInputElement): void |
HTMLStyleElement => {\n  const { childNodes } = target;\n\n  for (let i = childNodes.length; i >= 0; i--) {\n    const
child = ((childNodes[i]: any): ?HTMLInputElement);\n    if (child && child.nodeType === ELEMENT_TYPE &&
child.hasAttribute(SC_ATTR)) {\n      return ((child: any): HTMLStyleElement);\n    }\n  }\n\n  return
undefined;\n};
\n\n/** Create a style element inside `target` or <head> after the last */
\nexport const makeStyleTag =
(target?: HTMLInputElement): HTMLStyleElement => {\n  const head = ((document.head: any): HTMLInputElement);\n
const parent = target || head;\n  const style = document.createElement('style');\n  const prevStyle =
findLastStyleTag(parent);\n  const nextSibling = prevStyle !== undefined ? prevStyle.nextSibling : null;\n\n
style.setAttribute(SC_ATTR, SC_ATTR_ACTIVE);\n  style.setAttribute(SC_ATTR_VERSION,
SC_VERSION);\n\n  const nonce = getNonce();\n\n  if (nonce) style.setAttribute('nonce', nonce);\n\n
parent.insertBefore(style, nextSibling);\n\n  return style;\n};
\n\n/** Get the CSSStyleSheet instance for a given style
element */
\nexport const getSheet = (tag: HTMLStyleElement): CSSStyleSheet => {\n  if (tag.sheet) {\n    return
((tag.sheet: any): CSSStyleSheet);\n  }\n\n  // Avoid Firefox quirk where the style element might not have a sheet
property\n  const { styleSheets } = document;\n  for (let i = 0, l = styleSheets.length; i < l; i++) {\n    const sheet =
styleSheets[i];\n    if (sheet.ownerNode === tag) {\n      return ((sheet: any): CSSStyleSheet);\n    }\n  }\n\n
throwStyledError(17);\n  return (undefined: any);\n};
\n",
"/" @flow\n\n/* eslint-disable no-use-before-define
*/
\n\nimport { makeStyleTag, getSheet } from './dom';
\nimport type { SheetOptions, Tag } from './types';
\n\n/**
Create a CSSStyleSheet-like tag depending on the environment */
\nexport const makeTag = ({ isServer,
useCSSOMInjection, target }: SheetOptions): Tag => {\n  if (isServer) {\n    return new VirtualTag(target);\n  }
else if (useCSSOMInjection) {\n    return new CSSOMTag(target);\n  } else {\n    return new TextTag(target);\n
  }\n};
\n\nexport class CSSOMTag implements Tag {\n  element: HTMLStyleElement;\n\n  sheet:
CSSStyleSheet;\n\n  length: number;\n\n  constructor(target?: HTMLInputElement) {\n    const element = (this.element =
makeStyleTag(target));\n\n    // Avoid Edge bug where empty style elements don't create sheets\n
element.appendChild(document.createTextNode(""));
\n    this.sheet = getSheet(element);\n    this.length = 0;\n
  }\n\n  insertRule(index: number, rule: string): boolean {\n    try {\n      this.sheet.insertRule(rule, index);\n
this.length++;\n      return true;\n    } catch (_error) {\n      return false;\n    }\n  }\n\n  deleteRule(index: number):
void {\n    this.sheet.deleteRule(index);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    const rule =
this.sheet.cssRules[index];\n    // Avoid IE11 quirk where cssText is inaccessible on some invalid rules\n    if (rule
!== undefined && typeof rule.cssText === 'string') {\n      return rule.cssText;\n    } else {\n      return ";\n    }\n
  }\n\n  /** A Tag that emulates the CSSStyleSheet API but uses text nodes */
\nexport class TextTag implements
Tag {\n  element: HTMLStyleElement;\n\n  nodes: NodeList<Node>;\n\n  length: number;\n\n  constructor(target?:
HTMLInputElement) {\n    const element = (this.element = makeStyleTag(target));\n    this.nodes =
element.childNodes;\n    this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <=
this.length && index >= 0) {\n      const node = document.createTextNode(rule);\n      const refNode =
this.nodes[index];\n      this.element.insertBefore(node, refNode || null);\n      this.length++;\n      return true;\n    }
else {\n      return false;\n    }\n  }\n\n  deleteRule(index: number): void {\n
this.element.removeChild(this.nodes[index]);\n    this.length--;\n  }\n\n  getRule(index: number): string {\n    if
(index < this.length) {\n      return this.nodes[index].textContent;\n    } else {\n      return ";\n    }\n  }\n\n  /** A
completely virtual (server-side) Tag that doesn't manipulate the DOM */
\nexport class VirtualTag implements Tag {\n  rules: string[];\n\n  length: number;\n\n  constructor(_target?: HTMLInputElement) {\n    this.rules = [];\n
this.length = 0;\n  }\n\n  insertRule(index: number, rule: string): boolean {\n    if (index <= this.length) {\n
this.rules.splice(index, 0, rule);\n    this.length++;\n    return true;\n  } else {\n    return false;\n  }\n\n
deleteRule(index: number): void {\n    this.rules.splice(index, 1);\n    this.length--;\n  }\n\n  getRule(index: number):

```

```

string {\n  if (index < this.length) {\n    return this.rules[index];\n  } else {\n    return ";\n  }\n }\n}"//
@flow\nimport { DISABLE_SPEEDY, IS_BROWSER } from './constants';\nimport { EMPTY_OBJECT } from
 './utils/empties';\nimport { makeGroupedTag } from './GroupedTag';\nimport { getGroupForId } from
 './GroupIDAllocator';\nimport { outputSheet, rehydrateSheet } from './Rehydration';\nimport { makeTag } from
 './Tag';\nimport type { GroupedTag, Sheet, SheetOptions } from './types';\n\nlet SHOULD_REHYDRATE =
 IS_BROWSER;\n\nntype SheetConstructorArgs = {\n  isServer?: boolean,\n  useCSSOMInjection?: boolean,\n  target?: HTMLInputElement,\n};\n\nntype GlobalStylesAllocationMap = { [key: string]: number }; \nntype
NamesAllocationMap = Map<string, Set<string>>;\n\nconst defaultOptions: SheetOptions = {\n  isServer:
 !IS_BROWSER,\n  useCSSOMInjection: !DISABLE_SPEEDY,\n};\n\n/** Contains the main stylesheet logic for
stringification and caching */\nexport default class StyleSheet implements Sheet {\n  gs:
GlobalStylesAllocationMap;\n\n  names: NamesAllocationMap;\n\n  options: SheetOptions;\n\n  server:
boolean;\n\n  tag: void | GroupedTag;\n\n  /** Register a group ID to give it an index */\n  static registerId(id:
string): number {\n    return getGroupForId(id);\n  }\n\n  constructor(\n    options: SheetConstructorArgs =
EMPTY_OBJECT,\n    globalStyles?: GlobalStylesAllocationMap = {},\n    names?: NamesAllocationMap\n  ) {\n
this.options = {\n    ...defaultOptions,\n    ...options,\n  }; \n\n  this.gs = globalStyles;\n  this.names = new
Map(names);\n  this.server = !!options.isServer;\n\n  // We rehydrate only once and use the sheet that is created
first\n  if (!this.server && IS_BROWSER && SHOULD_REHYDRATE) {\n    SHOULD_REHYDRATE =
false;\n    rehydrateSheet(this);\n  }\n\n  reconstructWithOptions(options: SheetConstructorArgs,
withNames?: boolean = true) {\n    return new StyleSheet(\n      { ...this.options, ...options },\n      this.gs,\n
(withNames && this.names) || undefined\n    );\n  }\n\n  allocateGSInstance(id: string) {\n    return (this.gs[id] =
(this.gs[id] || 0) + 1);\n  }\n\n  /** Lazily initialises a GroupedTag for when it's actually needed */\n  getTag():
GroupedTag {\n    return this.tag || (this.tag = makeGroupedTag(makeTag(this.options)));\n  }\n\n  /** Check
whether a name is known for caching */\n  hasNameForId(id: string, name: string): boolean {\n    return
this.names.has(id) && (this.names.get(id): any).has(name);\n  }\n\n  /** Mark a group's name as known for caching
*/\n  registerName(id: string, name: string) {\n    getGroupForId(id);\n\n    if (!this.names.has(id)) {\n      const
groupNames = new Set();\n      groupNames.add(name);\n      this.names.set(id, groupNames);\n    } else {\n
(this.names.get(id): any).add(name);\n    }\n  }\n\n  /** Insert new rules which also marks the name as known */\n
insertRules(id: string, name: string, rules: string[]) {\n    this.registerName(id, name);\n
this.getTag().insertRules(getGroupForId(id), rules);\n  }\n\n  /** Clears all cached names for a given group ID */\n
clearNames(id: string) {\n    if (this.names.has(id)) {\n      (this.names.get(id): any).clear();\n    }\n  }\n\n
/** Clears all rules for a given group ID */\n  clearRules(id: string) {\n    this.getTag().clearGroup(getGroupForId(id));\n
this.clearNames(id);\n  }\n\n  /** Clears the entire tag which deletes all rules but not its names */\n  clearTag() {\n
// NOTE: This does not clear the names, since it's only used during SSR\n  // so that we can continuously output
only new rules\n  this.tag = undefined;\n  }\n\n  /** Outputs the current sheet as a CSS string with markers for SSR
*/\n  toString(): string {\n    return outputSheet(this);\n  }\n}\n\n/** @flow\n* eslint-disable no-bitwise */\n\nconst
AD_REPLACER_R = /(a)(d)(g)(i); \n\n/* This is the \"capacity\" of our alphabet i.e. 2x26 for all letters plus their
capitalised\n * counterparts */\n\nconst charsLength = 52;\n\n/* start at 75 for 'a' until 'z' (25) and then start at 65 for
capitalised letters */\n\nconst getAlphabeticChar = (code: number): string =>\n  String.fromCharCode(code + (code >
25 ? 39 : 97));\n\n/* input a number, usually a hash and convert it to base-52 */\n\nexport default function
generateAlphabeticName(code: number): string {\n  let name = ";\n  let x;\n\n  /* get a char and divide by alphabet-
length */\n  for (x = Math.abs(code); x > charsLength; x = (x / charsLength) | 0) {\n    name = getAlphabeticChar(x
% charsLength) + name;\n  }\n\n  return (getAlphabeticChar(x % charsLength) +
name).replace(AD_REPLACER_R, '$1-$2');\n}\n\n/** @flow\n* eslint-disable */\n\nexport const SEED =
5381;\n\n// When we have separate strings it's useful to run a progressive\n// version of djb2 where we pretend that
we're still looping over\n// the same string\n\nexport const phash = (h: number, x: string): number => {\n  let i =
x.length;\n\n  while (i) {\n    h = (h * 33) ^ x.charCodeAt(--i);\n  }\n\n  return h;\n};\n\n// This is a djb2 hashing
function\n\nexport const hash = (x: string): number => {\n  return phash(SEED, x);\n};\n\n/** @flow\nimport
isFunction from './isFunction';\nimport isStyledComponent from './isStyledComponent';\nimport type { RuleSet }

```



```

from './types';\n\nexport default function isStaticRules(rules: RuleSet): boolean {\n  for (let i = 0; i < rules.length; i
+= 1) {\n    const rule = rules[i];\n\n    if (isFunction(rule) && !isStyledComponent(rule)) {\n      // functions are
allowed to be static if they're just being\n      // used to get the classname of a nested styled component\n      return
false;\n    }\n  }\n\n  return true;\n}\n\n", "@flow\nimport { SC_VERSION } from './constants';\nimport StyleSheet
from './sheet';\nimport type { RuleSet, Stringifier } from './types';\nimport flatten from './utils/flatten';\nimport
generateName from './utils/generateAlphabeticName';\nimport { hash, phash } from './utils/hash';\nimport
isStaticRules from './utils/isStaticRules';\n\nconst SEED = hash(SC_VERSION);\n\n/**\n * ComponentStyle is all
the CSS-specific stuff, not the React-specific stuff.\n *^\nexport default class ComponentStyle {\n  baseHash:
number;\n\n  baseStyle: ?ComponentStyle;\n\n  componentId: string;\n\n  isStatic: boolean;\n\n  rules: RuleSet;\n\n
staticRulesId: string;\n\n  constructor(rules: RuleSet, componentId: string, baseStyle?: ComponentStyle) {\n
this.rules = rules;\n  this.staticRulesId = ";\n  this.isStatic = process.env.NODE_ENV === 'production' &&\n
(baseStyle === undefined || baseStyle.isStatic) &&\n  isStaticRules(rules);\n  this.componentId =
componentId;\n\n  // SC_VERSION gives us isolation between multiple runtimes on the page at once\n  // this is
improved further with use of the babel plugin "namespace" feature\n  this.baseHash = phash(SEED,
componentId);\n\n  this.baseStyle = baseStyle;\n\n  // NOTE: This registers the componentId, which ensures a
consistent order\n  // for this component's styles compared to others\n  StyleSheet.registerId(componentId);\n
}\n\n /*\n * Flattens a rule set into valid CSS\n * Hashes it, wraps the whole chunk in a .hash1234 {\n *
Returns the hash to be injected on render()\n *^\n  generateAndInjectStyles(executionContext: Object, styleSheet:
StyleSheet, stylis: Stringifier) {\n    const { componentId } = this;\n\n    const names = [];\n\n    if (this.baseStyle)
{\n      names.push(this.baseStyle.generateAndInjectStyles(executionContext, styleSheet, stylis));\n    }\n\n    // force
dynamic classnames if user-supplied stylis plugins are in use\n    if (this.isStatic && !stylis.hash) {\n      if
(this.staticRulesId && styleSheet.hasNameForId(componentId, this.staticRulesId)) {\n
names.push(this.staticRulesId);\n      } else {\n        const cssStatic = flatten(this.rules, executionContext, styleSheet,
stylis).join(");\n        const name = generateName(phash(this.baseHash, cssStatic) >>> 0);\n\n        if
(!styleSheet.hasNameForId(componentId, name)) {\n          const cssStaticFormatted = stylis(cssStatic, `.${name}`,
undefined, componentId);\n          styleSheet.insertRules(componentId, name, cssStaticFormatted);\n        }\n\n
names.push(name);\n        this.staticRulesId = name;\n      }\n    } else {\n      const { length } = this.rules;\n      let
dynamicHash = phash(this.baseHash, stylis.hash);\n      let css = ";\n\n      for (let i = 0; i < length; i++) {\n        const
partRule = this.rules[i];\n\n        if (typeof partRule === 'string') {\n          css += partRule;\n\n          if
(process.env.NODE_ENV !== 'production') dynamicHash = phash(dynamicHash, partRule + i);\n        } else if
(partRule) {\n          const partChunk = flatten(partRule, executionContext, styleSheet, stylis);\n          const
partString = Array.isArray(partChunk) ? partChunk.join(") : partChunk;\n          dynamicHash =
phash(dynamicHash, partString + i);\n          css += partString;\n        }\n      }\n\n      if (css) {\n        const name =
generateName(dynamicHash >>> 0);\n\n        if (!styleSheet.hasNameForId(componentId, name)) {\n          const
cssFormatted = stylis(css, `.${name}`, undefined, componentId);\n          styleSheet.insertRules(componentId, name,
cssFormatted);\n        }\n\n        names.push(name);\n      }\n    }\n\n    return names.join(' ');}\n\n}\n\n", "function
stylis_min (W) {\n  function M(d, c, e, h, a) {\n    for (var m = 0, b = 0, v = 0, n = 0, q, g, x = 0, K = 0, k, u = k = q =
0, l = 0, r = 0, I = 0, t = 0, B = e.length, J = B - 1, y, f = ", p = ", F = ", G = ", C; l < B;) {\n      g = e.charCodeAtAt(l);\n
l === J && 0 !== b + n + v + m && (0 !== b && (g = 47 === b ? 10 : 47), n = v = m = 0, B++, J++);\n      if (0
=== b + n + v + m) {\n        if (l === J && (0 < r && (f = f.replace(N, "")), 0 < f.trim().length)) {\n          switch (g)
{\n            case 32:\n              case 9:\n              case 59:\n              case 13:\n              case 10:\n                break;\n\n
default:\n              f += e.charAt(l);\n            }\n\n            g = 59;\n          }\n\n          switch (g) {\n            case 123:\n
f = f.trim();\n            q = f.charCodeAtAt(0);\n            k = 1;\n\n            for (t = ++l; l < B;) {\n              switch (g =
e.charCodeAtAt(l)) {\n                case 123:\n                  k++;\n                  break;\n\n                case 125:\n                  k--
;\n                  break;\n\n                case 47:\n                  switch (g = e.charCodeAtAt(l + 1)) {\n                    case 42:\n
case 47:\n                      a: {\n                        for (u = l + 1; u < J; ++u) {\n                          switch
(e.charCodeAtAt(u)) {\n                            case 47:\n                              if (42 === g && 42 === e.charCodeAtAt(u - 1)
&& l + 2 !== u) {\n                                l = u + 1;\n                                break a;\n                              }\n\n
}

```



```

= 0);\n\n switch (E) {\n case 111:\n p = p.replace(ha, '-moz-$1') + p;\n break;\n\n case
112:\n p = p.replace(Q, '::-webkit-input-$1') + p.replace(Q, '-moz-$1') + p.replace(Q, '-ms-input-$1') + p;\n
}\n\n E = 0;\n }\n }\n\n return G + p + F;\n }\n\n function X(d, c, e) {\n var h = c.trim().split(ia);\n
c = h;\n var a = h.length,\n m = d.length;\n\n switch (m) {\n case 0:\n case 1:\n var b = 0;\n\n
for (d = 0 === m ? '' : d[0] + ' '; b < a; ++b) {\n c[b] = Z(d, c[b], e).trim();\n }\n\n break;\n\n
default:\n var v = b = 0;\n\n for (c = []; b < a; ++b) {\n for (var n = 0; n < m; ++n) {\n c[v++] =
Z(d[n] + ' ', h[b], e).trim();\n }\n }\n\n }\n\n return c;\n }\n\n function Z(d, c, e) {\n var h =
c.charCodeAt(0);\n 33 > h && (h = (c = c.trim()).charCodeAt(0));\n\n switch (h) {\n case 38:\n return
c.replace(F, '$1' + d.trim());\n\n case 58:\n return d.trim() + c.replace(F, '$1' + d.trim());\n\n
default:\n if (0 < 1 * e && 0 < c.indexOf('\f')) return c.replace(F, (58 === d.charCodeAt(0) ? '' : '$1') + d.trim());\n
}\n\n return d + c;\n }\n\n function P(d, c, e, h) {\n var a = d + ' '; m = 2 * c + 3 * e + 4 * h;\n\n if (944 === m)
{\n d = a.indexOf(':', 9) + 1;\n var b = a.substring(d, a.length - 1).trim();\n b = a.substring(0, d).trim() + b +
';'\n return 1 === w || 2 === w && L(b, 1) ? '-webkit-' + b + b : b;\n }\n\n if (0 === w || 2 === w && !L(a,
1)) return a;\n\n switch (m) {\n case 1015:\n return 97 === a.charCodeAt(10) ? '-webkit-' + a + a : a;\n\n
case 951:\n return 116 === a.charCodeAt(3) ? '-webkit-' + a + a : a;\n\n case 963:\n return 110 ===
a.charCodeAt(5) ? '-webkit-' + a + a : a;\n\n case 1009:\n if (100 !== a.charCodeAt(4)) break;\n\n case
969:\n case 942:\n return '-webkit-' + a + a;\n\n case 978:\n return '-webkit-' + a + '-moz-' + a + a;\n\n
case 1019:\n case 983:\n return '-webkit-' + a + '-moz-' + a + '-ms-' + a + a;\n\n case 883:\n if (45
=== a.charCodeAt(8)) return '-webkit-' + a + a;\n\n if (0 < a.indexOf('image-set(', 11)) return a.replace(ja, '$1-
webkit-$2') + a;\n break;\n\n case 932:\n if (45 === a.charCodeAt(4)) switch (a.charCodeAt(5)) {\n
case 103:\n return '-webkit-box-' + a.replace('-grow', '') + '-webkit-' + a + '-ms-' + a.replace('grow', 'positive')
+ a;\n\n case 115:\n return '-webkit-' + a + '-ms-' + a.replace('shrink', 'negative') + a;\n\n case 98:\n
return '-webkit-' + a + '-ms-' + a.replace('basis', 'preferred-size') + a;\n }\n return '-webkit-' + a + '-ms-'
+ a + a;\n\n case 964:\n return '-webkit-' + a + '-ms-flex-' + a + a;\n\n case 1023:\n if (99 !==
a.charCodeAt(8)) break;\n b = a.substring(a.indexOf(':', 15)).replace('flex-', '').replace('space-between',
'justify');\n return '-webkit-box-pack' + b + '-webkit-' + a + '-ms-flex-pack' + b + a;\n\n case 1005:\n
return ka.test(a) ? a.replace(aa, '-webkit-') + a.replace(aa, '-moz-') + a : a;\n\n case 1e3:\n b =
a.substring(13).trim();\n c = b.indexOf('-') + 1;\n\n switch (b.charCodeAt(0) + b.charCodeAt(c)) {\n
case 226:\n b = a.replace(G, 'tb');\n break;\n\n case 232:\n b = a.replace(G, 'tb-rl');\n
break;\n\n case 220:\n b = a.replace(G, 'lr');\n break;\n\n default:\n return a;\n
}\n\n return '-webkit-' + a + '-ms-' + b + a;\n\n case 1017:\n if (-1 === a.indexOf('sticky', 9)) break;\n\n
case 975:\n c = (a = d).length - 10;\n b = (33 === a.charCodeAt(c) ? a.substring(0, c) :
a).substring(d.indexOf(':', 7) + 1).trim();\n\n switch (m = b.charCodeAt(0) + (b.charCodeAt(7) | 0)) {\n
case 203:\n if (111 > b.charCodeAt(8)) break;\n\n case 115:\n a = a.replace(b, '-webkit-' + b) +
';'\n + a;\n break;\n\n case 207:\n case 102:\n a = a.replace(b, '-webkit-' + (102 < m ? 'inline-' :
)) + 'box') + ';\n + a.replace(b, '-webkit-' + b) + ';\n + a.replace(b, '-ms-' + b + 'box') + ';\n + a;\n }\n\n
return a +
';'\n\n case 938:\n if (45 === a.charCodeAt(5)) switch (a.charCodeAt(6)) {\n case 105:\n return
b = a.replace('-items', ''), '-webkit-' + a + '-webkit-box-' + b + '-ms-flex-' + b + a;\n\n case 115:\n return '-
webkit-' + a + '-ms-flex-item-' + a.replace(ba, '') + a;\n\n default:\n return '-webkit-' + a + '-ms-flex-line-
pack' + a.replace('align-content', '').replace(ba, '') + a;\n }\n break;\n\n case 973:\n case 989:\n if
(45 !== a.charCodeAt(3) || 122 === a.charCodeAt(4)) break;\n\n case 931:\n case 953:\n if (!0 ===
la.test(d)) return 115 === (b = d.substring(d.indexOf(':') + 1)).charCodeAt(0) ? P(d.replace('stretch', 'fill-available'),
c, e, h).replace(':fill-available', ':stretch') : a.replace(b, '-webkit-' + b) + a.replace(b, '-moz-' + b.replace('fill-',
)) +
a;\n break;\n\n case 962:\n if (a = '-webkit-' + a + (102 === a.charCodeAt(5) ? '-ms-' + a : '')) + a, 211
=== e + h && 105 === a.charCodeAt(13) && 0 < a.indexOf('transform', 10)) return a.substring(0, a.indexOf(':', 27)
+ 1).replace(ma, '$1-webkit-$2') + a;\n }\n\n return a;\n }\n\n function L(d, c) {\n var e = d.indexOf(1 === c ?
':': '{'),\n h = d.substring(0, 3 !== c ? e : 10);\n e = d.substring(e + 1, d.length - 1);\n return R(2 !== c ? h :
h.replace(na, '$1'), e, c);\n }\n\n function ea(d, c) {\n var e = P(c, c.charCodeAt(0), c.charCodeAt(1),

```

```

c.charCodeAt(2));\n  return e !== c + ';' ? e.replace(oa, ' or ($1)').substring(4) : '(' + c + ');\n  }\n\n  function H(d, c, e, h, a, m, b, v, n, q) {\n    for (var g = 0, x = c, w; g < A; ++g) {\n      switch (w = S[g].call(B, d, x, e, h, a, m, b, v, n, q)) {\n        case void 0:\n        case !1:\n        case !0:\n        case null:\n          break;\n        default:\n          x = w;\n      }\n    }\n\n    if (x !== c) return x;\n  }\n\n  function T(d) {\n    switch (d) {\n      case void 0:\n      case null:\n      case A = S.length = 0:\n        break;\n      default:\n        if ('function' === typeof d) S[A++] = d; else if ('object' ===\n        typeof d) for (var c = 0, e = d.length; c < e; ++c) {\n          T(d[c]);\n        } else Y = !!d | 0;\n    }\n\n    return T;\n  }\n\n  function U(d) {\n    d = d.prefix;\n    void 0 !== d && (R = null, d ? 'function' !== typeof d ? w = 1 : (w = 2, R = d) : w = 0);\n    return U;\n  }\n\n  function B(d, c) {\n    var e = d;\n    33 > e.charCodeAt(0) && (e = e.trim());\n    V = e;\n    e = [V];\n\n    if (0 < A) {\n      var h = H(-1, c, e, e, D, z, 0, 0, 0, 0);\n      void 0 !== h && 'string' ===\n      typeof h && (c = h);\n    }\n\n    var a = M(O, e, c, 0, 0);\n    0 < A && (h = H(-2, a, e, e, D, z, a.length, 0, 0, 0),\n    void 0 !== h && (a = h));\n    V = ";\n    E = 0;\n    z = D = 1;\n    return a;\n  }\n\n  var ca = /\^\\0+/g,\n    N = /\[\]\r\f/g,\n    aa = /:/g,\n    ka = /zoo|gra/, \n    ma = /([: ])(transform)/g,\n    ia = /,|r+?/g,\n    F = /\([\t\r\n ]*\f?&/g,\n    fa = /@(k|w+)\s*(\s*\s*)/g,\n    Q = /:(place)/g,\n    ha = /:(read-only)/g,\n    G = /\[svh]\w+-[tblr]{2}/g,\n    da = /\(\s*(.*)\s*\)/g,\n    oa = /\([\s\S]*\)/g,\n    ba = /-self|flex-/g,\n    na = /\^*?(:[rp][el]a[\w-]+)[^]*/g,\n    la = /stretch|:\s*\w+|-(?:contel|avail)/g,\n    ja = /\([\^~\s\|]\s*\)/g,\n    z = 1,\n    D = 1,\n    E = 0,\n    w = 1,\n    O = [],\n    S = [],\n    A = 0,\n    R = null,\n    Y = 0,\n    V = ";\n  B.use = T;\n  B.set = U;\n  void 0 !== W && U(W);\n  return B;\n}\n\nexport default stylis_min;\n", "import Stylis\nfrom '@emotion/stylis';\nimport { type Stringifier } from './types';\nimport { EMPTY_ARRAY, EMPTY_OBJECT\n} from './empties';\nimport throwError from './error';\nimport { phash, SEED } from './hash';\nimport\ninsertRulePlugin from './stylisPluginInsertRule';\nconst COMMENT_REGEX = /\s*\|\/\s*$/gm;\nconst\nCOMPLEX_SELECTOR_PREFIX = [':', '[', '!', '#'];\n\nexport type StylisInstanceConstructorArgs = {\n  options?:\nObject,\n  plugins?: Array<Function>,\n};\n\nexport default function createStylisInstance({\n  options =\nEMPTY_OBJECT,\n  plugins = EMPTY_ARRAY,\n}: StylisInstanceConstructorArgs = EMPTY_OBJECT) {\n  const stylis = new Stylis(options);\n  // Wrap `insertRulePlugin` to build a list of rules,\n  // and then make our own\n  plugin to return the rules. This\n  // makes it easier to hook into the existing SSR architecture\n\n  let parsingRules =\n[];\n\n  // eslint-disable-next-line consistent-return\n  const returnRulesPlugin = context => {\n    if (context === -2)\n    {\n      const parsedRules = parsingRules;\n      parsingRules = [];\n      return parsedRules;\n    }\n  }; \n\n  const\n  parseRulesPlugin = insertRulePlugin(rule => {\n    parsingRules.push(rule);\n  });\n\n  let _componentId: string;\n  let _selector: string;\n  let _selectorRegexp: RegExp;\n  let _consecutiveSelfRefRegexp: RegExp;\n\n  const\n  selfReferenceReplacer = (match, offset, string) => {\n    if (\n      // do not replace the first occurrence if it is\n      complex (has a modifier)\n      (offset === 0 ? COMPLEX_SELECTOR_PREFIX.indexOf(string[_selector.length])\n      === -1 : true) &&\n      // no consecutive self refs (.b.b); that is a precedence boost and treated differently\n      !string.match(_consecutiveSelfRefRegexp)\n    ) {\n      return `.${_componentId}`;\n    }\n\n    return match;\n  };\n\n  /**\n   * When writing a style like\n   * * & + & {\n   *   * color: red;\n   * }\n   * * \n   * * The second\n   ampersand should be a reference to the static component class. stylis\n   * has no knowledge of static class so we\n   have to intelligently replace the base selector.\n   * * \n   * https://github.com/thysultan/stylis.js/tree/v3.5.4#plugins <\n   more info about the context phase values\n   * \"2\" means this plugin is taking effect at the very end after all other\n   processing is complete\n   * \n   const selfReferenceReplacementPlugin = (context, _, selectors) => {\n     if (context\n     === 2 && selectors.length && selectors[0].lastIndexOf(_selector) > 0) {\n       // eslint-disable-next-line no-param-\n       reassign\n       selectors[0] = selectors[0].replace(_selectorRegexp, selfReferenceReplacer);\n     }\n   };\n\n  stylis.use([...plugins, selfReferenceReplacementPlugin, parseRulesPlugin, returnRulesPlugin]);\n\n  function\n  stringifyRules(css, selector, prefix, componentId = '&'): Stringifier {\n    const flatCSS =\n    css.replace(COMMENT_REGEX, '');\n    const cssStr = selector && prefix ? `${prefix} ${selector} { ${flatCSS}\n    }` : flatCSS;\n\n    // stylis has no concept of state to be passed to plugins\n    // but since JS is single-threaded, we\n    can rely on that to ensure\n    // these properties stay in sync with the current stylis run\n    _componentId =\n    componentId;\n    _selector = selector;\n    _selectorRegexp = new RegExp(`\\\\\\\\${_selector}\\\\\\\\b`, 'g');\n    _consecutiveSelfRefRegexp = new RegExp(`\\\\\\\\${_selector}\\\\\\\\b{2,}`);\n\n    return stylis(prefix || !selector ? "\n":\nselector, cssStr);\n  }\n\n  stringifyRules.hash = plugins.length\n  ? plugins\n    .reduce((acc, plugin) => {\n

```

```

if (!plugin.name) {\n      throwStyledError(15);\n    }\n    return phash(acc, plugin.name);\n  },
SEED)\n    .toString()\n  :";\n\n return stringifyRules;\n}\n", "/*\n * MIT License\n *\n * Copyright (c) 2016
Sultan Tarimo\n *\n * Permission is hereby granted, free of charge, to any person obtaining a copy of\n * this
software and associated documentation files (the \"Software\"),\n * to deal in the Software without restriction,
including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or\n * sell
copies of the Software and to permit persons to whom the Software is furnished to do so, subject to the following
conditions:\n *\n * The above copyright notice and this permission notice shall be included in all\n * copies or
substantial portions of the Software.\n *\n * THE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT
WARRANTY OF ANY KIND, EXPRESS\n * OR IMPLIED INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY,\n * FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE\n * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n * WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR\n * IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.\n *\n*/\n\nexport default
function(insertRule) {\n  const delimiter = '/*';\n  const needle = `${delimiter}`;\n  function toSheet(block) {\n
if (block) {\n    try {\n      insertRule(`${block}`);\n    } catch (e) {\n    }\n  }\n  return function ruleSheet(\n
context,\n  content,\n  selectors,\n  parents,\n  line,\n  column,\n  length,\n  ns,\n  depth,\n  at\n) {\n
switch (context) {\n    // property\n    case 1:\n      // @import\n      if (depth === 0 && content.charCodeAt(0)
=== 64) return insertRule(`${content};`), "; \n      break;\n    // selector\n    case 2:\n      if (ns === 0) return
content + delimiter;\n      break;\n    // at-rule\n    case 3:\n      switch (ns) {\n        // @font-face, @page\n
case 102:\n        case 112:\n          return insertRule(selectors[0] + content), "; \n        default:\n          return
content + (at === 0 ? delimiter : "); \n      }\n    case -2:\n      content.split(needle).forEach(toSheet);\n    }\n
};\n}\n", "/* @flow\nimport React, { type Context, type Node, useContext, useEffect, useMemo, useState } from
'react';\nimport shallowequal from 'shallowequal';\nimport StyleSheet from './sheet';\nimport type { Stringifier }
from './types';\nimport createStylisInstance from './utils/stylis';\n\ntype Props = {\n  children?: Node,\n
disableCSSOMInjection?: boolean,\n  disableVendorPrefixes?: boolean,\n  sheet?: StyleSheet,\n  stylisPlugins?:
Array<Function>,\n  target?: HTML<Element>};\n\nexport const StyleSheetContext: Context<StyleSheet | void> =
React.createContext();\nexport const StyleSheetConsumer = StyleSheetContext.Consumer;\nexport const
StylisContext: Context<Stringifier | void> = React.createContext();\nexport const StylisConsumer =
StylisContext.Consumer;\n\nexport const masterSheet: StyleSheet = new StyleSheet();\nexport const masterStylis:
Stringifier = createStylisInstance();\n\nexport function useStyleSheet(): StyleSheet {\n  return
useContext(StyleSheetContext) || masterSheet;\n}\n\nexport function useStylis(): Stringifier {\n  return
useContext(StylisContext) || masterStylis;\n}\n\nexport default function StyleSheetManager(props: Props) {\n  const
[plugins, setPlugins] = useState(props.stylisPlugins);\n  const contextStyleSheet = useStyleSheet();\n\n  const
styleSheet = useMemo(() => {\n    let sheet = contextStyleSheet;\n\n    if (props.sheet) {\n      // eslint-disable-next-
line prefer-destructuring\n      sheet = props.sheet;\n    } else if (props.target) {\n      sheet =
sheet.reconstructWithOptions({ target: props.target }, false);\n    }\n\n    if (props.disableCSSOMInjection) {\n
sheet = sheet.reconstructWithOptions({ useCSSOMInjection: false });\n    }\n\n    return sheet;\n  },
[props.disableCSSOMInjection, props.sheet, props.target]);\n\n  const stylis = useMemo(\n    () =>\n    createStylisInstance({\n      options: { prefix: !props.disableVendorPrefixes },\n      plugins,\n    }),\n    [props.disableVendorPrefixes, plugins]\n  );\n\n  useEffect(() => {\n    if (!shallowequal(plugins,
props.stylisPlugins)) setPlugins(props.stylisPlugins);\n  }, [props.stylisPlugins]);\n\n  return (\n
<StyleSheetContext.Provider value={styleSheet}>\n    <StylisContext.Provider value={stylis}>\n
{process.env.NODE_ENV !== 'production'\n      ? React.Children.only(props.children)\n      : props.children}\n
</StylisContext.Provider>\n  </StyleSheetContext.Provider>\n);}\n", "/*\n\nmodule.exports = function
shallowEqual(objA, objB, compare, compareContext) {\n  var ret = compare ? compare.call(compareContext, objA,
objB) : void 0;\n  if (ret !== void 0) {\n    return !!ret;\n  }\n  if (objA === objB) {\n    return true;\n  }\n  if
(typeof objA !== 'object' || !objA || typeof objB !== 'object' || !objB) {\n    return false;\n  }\n  var keysA =

```

```

Object.keys(objA);\n var keysB = Object.keys(objB);\n\n if (keysA.length !== keysB.length) {\n  return false;\n }\n\n var bHasOwnProperty = Object.prototype.hasOwnProperty.bind(objB);\n // Test for A's keys different from B.\n for (var idx = 0; idx < keysA.length; idx++) {\n  var key = keysA[idx];\n  if (!bHasOwnProperty(key)) {\n   return false;\n }\n\n var valueA = objA[key];\n var valueB = objB[key];\n\n ret = compare ?\n compare.call(compareContext, valueA, valueB, key) : void 0;\n\n if (ret === false || (ret === void 0 && valueA\n !== valueB)) {\n  return false;\n }\n }\n\n return true;\n};\n", "// @flow\nimport StyleSheet from\n './sheet';\nimport { type Stringifier } from './types';\nimport throwStyledError from './utils/error';\nimport {\n masterStylis } from './StyleSheetManager';\n\nexport default class Keyframes {\n id: string;\n name: string;\n rules: string;\n\n constructor(name: string, rules: string) {\n  this.name = name;\n  this.id = `sc-keyframes-\n ${name}`;\n  this.rules = rules;\n }\n\n inject = (styleSheet: StyleSheet, stylisInstance: Stringifier = masterStylis)\n => {\n  const resolvedName = this.name + stylisInstance.hash;\n  if (!styleSheet.hasNameForId(this.id,\n resolvedName)) {\n   styleSheet.insertRules(\n this.id,\n resolvedName,\n stylisInstance(this.rules,\n resolvedName, '@keyframes')\n );\n }\n\n toString = () => {\n  return throwStyledError(12,\n String(this.name));\n };\n\n getName(stylisInstance: Stringifier = masterStylis) {\n  return this.name +\n stylisInstance.hash;\n }\n}\n", "// @flow\n\n/*\n * inlined version of\n *\n https://github.com/facebook/fbjs/blob/master/packages/fbjs/src/core/hyphenateStyleName.js\n *\n\nconst\n uppercaseCheck = /^[A-Z]/;\nconst uppercasePattern = /^[A-Z]/g;\nconst msPattern = /^ms-/;\nconst\n prefixAndLowerCase = (char: string): string => `-${char.toLowerCase()}`;\n\n/*\n * Hyphenates a camelcased\n CSS property name, for example:\n *\n > hyphenateStyleName('backgroundColor')\n *\n < \"background-\n color\"\n *\n > hyphenateStyleName('MozTransition')\n *\n < \"-moz-transition\"\n *\n >\n hyphenateStyleName('msTransition')\n *\n < \"-ms-transition\"\n *\n *\n As Modernizr suggests\n (http://modernizr.com/docs/#prefixed), an `ms` prefix\n *\n is converted to `-ms-`.\n *\n *\n @param {string} string\n *\n @return {string}\n *\n\nexport default function hyphenateStyleName(string: string): string {\n  return\n uppercaseCheck.test(string)\n ? string\n .replace(uppercasePattern, prefixAndLowerCase)\n .replace(msPattern,\n '-ms-')\n : string;\n}\n", "var unitlessKeys = {\n animationIterationCount: 1,\n backgroundImageOutset: 1,\n backgroundImageSlice: 1,\n backgroundImageWidth: 1,\n boxFlex: 1,\n boxFlexGroup: 1,\n boxOrdinalGroup: 1,\n columnCount: 1,\n columns: 1,\n flex: 1,\n flexGrow: 1,\n flexPositive: 1,\n flexShrink: 1,\n flexNegative: 1,\n flexOrder: 1,\n gridRow: 1,\n gridRowEnd: 1,\n gridRowSpan: 1,\n gridRowStart: 1,\n gridColumn: 1,\n gridColumnEnd: 1,\n gridColumnSpan: 1,\n gridColumnStart: 1,\n msGridRow: 1,\n msGridRowSpan: 1,\n msGridColumn: 1,\n msGridColumnSpan: 1,\n fontWeight: 1,\n lineHeight: 1,\n opacity: 1,\n order: 1,\n orphans: 1,\n tabSize: 1,\n widows: 1,\n zIndex: 1,\n zoom: 1,\n WebkitLineClamp: 1,\n // SVG-related\n properties\n fillOpacity: 1,\n floodOpacity: 1,\n stopOpacity: 1,\n strokeDasharray: 1,\n strokeDashoffset: 1,\n strokeMiterlimit: 1,\n strokeOpacity: 1,\n strokeWidth: 1\n};\n\nexport default unitlessKeys;\n", "// @flow\nimport\n { isElement } from 'react-is';\nimport getComponentName from './getComponentName';\nimport isFunction from\n './isFunction';\nimport isStatelessFunction from './isStatelessFunction';\nimport isPlainObject from\n './isPlainObject';\nimport isStyledComponent from './isStyledComponent';\nimport Keyframes from\n './models/Keyframes';\nimport hyphenate from './hyphenateStyleName';\nimport addUnitIfNeeded from\n './addUnitIfNeeded';\nimport { type Stringifier } from './types';\n\n/*\n *\n It's falsish not falsy because 0 is\n allowed.\n *\n\nconst isFalsish = chunk => chunk === undefined || chunk === null || chunk === false || chunk ===\n '';\n\nexport const objToCssArray = (obj: Object, prevKey?: string): Array<string | Function> => {\n  const rules =\n [];\n\n  for (const key in obj) {\n   if (!obj.hasOwnProperty(key) || isFalsish(obj[key])) continue;\n\n   if\n ((Array.isArray(obj[key]) && obj[key].isCss) || isFunction(obj[key])) {\n    rules.push(`${hyphenate(key)}`,\n obj[key], `);`\n   } else if (isPlainObject(obj[key])) {\n    rules.push(...objToCssArray(obj[key], key));\n   } else\n {\n    rules.push(`${hyphenate(key)}: ${addUnitIfNeeded(key, obj[key])};`);\n   }\n }\n\n  return prevKey ?\n [`${prevKey} {`, ...rules, `}`] : rules;\n}\n\nexport default function flatten(\n chunk: any,\n executionContext:\n ?Object,\n styleSheet: ?Object,\n stylisInstance: ?Stringifier\n): any {\n  if (Array.isArray(chunk)) {\n   const\n ruleSet = [];\n\n   for (let i = 0, len = chunk.length, result; i < len; i += 1) {\n    result = flatten(chunk[i],\n executionContext, styleSheet, stylisInstance);\n\n    if (result === '') continue;\n\n    else if (Array.isArray(result))

```

```

ruleSet.push(...result);\n    else ruleSet.push(result);\n  }\n\n  return ruleSet;\n }\n\n if (isFalsish(chunk)) {\n  return ";\n }\n\n /* Handle other components */\n if (isStyledComponent(chunk)) {\n  return\n  `.${chunk.styledComponentId}`;\n }\n\n /* Either execute or defer the function */\n if (isFunction(chunk)) {\n  if\n  (isStatelessFunction(chunk) && executionContext) {\n    const result = chunk(executionContext);\n\n    if\n    (process.env.NODE_ENV !== 'production' && isElement(result)) {\n      // eslint-disable-next-line no-console\n      console.warn(\n        `${getComponentName(\n          chunk\n        )}` is not a styled component and cannot be\n        referred to via component selector. See https://www.styled-components.com/docs/advanced#referring-to-other-\n        components for more details.\n      );\n    }\n\n    return flatten(result, executionContext, styleSheet,\n    stylisInstance);\n  } else return chunk;\n }\n\n if (chunk instanceof Keyframes) {\n  if (styleSheet) {\n    chunk.inject(styleSheet, stylisInstance);\n    return chunk.getName(stylisInstance);\n  } else return chunk;\n }\n\n /* Handle objects */\n return isPlainObject(chunk) ? objToCssArray(chunk) : chunk.toString();\n}\n\n", "//\n@flow\n\nexport default function isStatelessFunction(test: any): boolean {\n  return (\n    typeof test === 'function'\n    && !(\n      test.prototype\n      && test.prototype.isReactComponent\n    )\n  );\n}\n\n", "// @flow\n\nimport unitless\nfrom '@emotion/unitless';\n\n// Taken from\nhttps://github.com/facebook/react/blob/b87aabdf1b7461e7331abb3601d9e6bb27544bc/packages/react-\ndom/src/shared/dangerousStyleValue.js\n\nexport default function addUnitIfNeeded(name: string, value: any): any {\n  // https://github.com/amilajack/eslint-plugin-flowtype-errors/issues/133\n  // $FlowFixMe\n  if (value === null ||\n  typeof value === 'boolean' || value === "") {\n    return ";\n  }\n\n  if (typeof value === 'number' && value !== 0 &&\n  !(name in unitless)) {\n    return `${value}px`; // Presumes implicit 'px' suffix for unitless numbers\n  }\n\n  return\n  String(value).trim();\n}\n\n", "// @flow\n\nimport Interleave from '../utils/interleave';\nimport isPlainObject from\n '../utils/isPlainObject';\nimport { EMPTY_ARRAY } from '../utils/empties';\nimport isFunction from\n '../utils/isFunction';\nimport flatten from '../utils/flatten';\nimport type { Interpolation, RuleSet, Styles } from\n '../types';\n\n/**\n * Used when flattening object styles to determine if we should\n * expand an array of styles.\n */\nconst addTag = arg => {\n  if (Array.isArray(arg)) {\n    // eslint-disable-next-line no-param-reassign\n    arg.isCss = true;\n  }\n  return arg;\n};\n\nexport default function css(styles: Styles, ...interpolations:\n  Array<Interpolation>): RuleSet {\n  if (isFunction(styles) || isPlainObject(styles)) {\n    // $FlowFixMe\n    return\n    addTag(flatten(interleave(EMPTY_ARRAY, [styles, ...interpolations])));\n  }\n\n  if (interpolations.length === 0\n  && styles.length === 1 && typeof styles[0] === 'string') {\n    // $FlowFixMe\n    return styles;\n  }\n\n  //\n  $FlowFixMe\n  return addTag(flatten(interleave(styles, interpolations)));\n}\n\n", "// @flow\n\nimport StyleSheet from\n '../sheet';\nimport type { RuleSet, Stringifier } from '../types';\nimport flatten from '../utils/flatten';\nimport\n isStaticRules from '../utils/isStaticRules';\n\nexport default class GlobalStyle {\n  componentId: string;\n\n  isStatic:\n  boolean;\n\n  rules: RuleSet;\n\n  constructor(rules: RuleSet, componentId: string) {\n    this.rules = rules;\n\n    this.componentId = componentId;\n    this.isStatic = isStaticRules(rules);\n\n    // pre-register the first instance to\n    ensure global styles\n    // load before component ones\n    StyleSheet.registerId(this.componentId + 1);\n  }\n\n  createStyles(\n    instance: number,\n    executionContext: Object,\n    styleSheet: StyleSheet,\n    stylis: Stringifier\n  ) {\n    const flatCSS = flatten(this.rules, executionContext, styleSheet, stylis);\n    const css = stylis(flatCSS.join("\n\n"),\n    );\n    const id = this.componentId + instance;\n\n    // NOTE: We use the id as a name as well, since these rules\n    never change\n    styleSheet.insertRules(id, id, css);\n  }\n\n  removeStyles(instance: number, styleSheet:\n  StyleSheet) {\n    styleSheet.clearRules(this.componentId + instance);\n  }\n\n  renderStyles(\n    instance: number,\n    executionContext: Object,\n    styleSheet: StyleSheet,\n    stylis: Stringifier\n  ) {\n    if (instance > 2)\n    StyleSheet.registerId(this.componentId + instance);\n\n    // NOTE: Remove old styles, then inject the new ones\n    this.removeStyles(instance, styleSheet);\n    this.createStyles(instance, executionContext, styleSheet, stylis);\n  }\n}\n\n", "// @flow\n\nimport React, { useContext, useMemo, type Element, type Context } from 'react';\nimport\n throwStyledError from '../utils/error';\nimport isFunction from '../utils/isFunction';\n\nexport type Theme = { [key:\n  string]: mixed };\n\nexport type ThemeArgument = Theme | ((outerTheme?: Theme) => Theme);\n\nexport type Props = {\n  children?: Element<any>,\n  theme: ThemeArgument,\n};\n\nexport const ThemeContext: Context<Theme | void>\n= React.createContext();\n\nexport const ThemeConsumer = ThemeContext.Consumer;\n\nfunction\n mergeTheme(theme: ThemeArgument, outerTheme?: Theme): Theme {\n  if (!theme) {\n    return

```

```

throwStyledError(14);\n }\n\n if (isFunction(theme)) {\n   const mergedTheme = theme(outerTheme);\n\n   if (\n     process.env.NODE_ENV !== 'production' &&\n     (mergedTheme === null || Array.isArray(mergedTheme) ||\n     typeof mergedTheme !== 'object')\n   ) {\n     return throwStyledError(7);\n   }\n\n   return mergedTheme;\n }\n\n if (Array.isArray(theme) || typeof theme !== 'object') {\n   return throwStyledError(8);\n }\n\n return outerTheme ?\n { ...outerTheme, ...theme } : theme;\n}\n\n/**\n * Provide a theme to an entire react component tree via context\n */\n\nexport default function ThemeProvider(props: Props) {\n  const outerTheme = useContext(ThemeContext);\n  const themeContext = useMemo(() => mergeTheme(props.theme, outerTheme), [\n    props.theme,\n    outerTheme,\n  ]);\n\n  if (!props.children) {\n    return null;\n  }\n\n  return <ThemeContext.Provider\n    value={themeContext}>{props.children}</ThemeContext.Provider>;\n}\n\n", "// @flow\n\nimport { EMPTY_OBJECT }\n} from './empties';\n\nexport type Props = {\n  theme?: any,\n};\n\nexport default (props: Props, providedTheme: any,\n  defaultProps: any = EMPTY_OBJECT) => {\n  return (props.theme !== defaultProps.theme && props.theme) ||\n    providedTheme || defaultProps.theme;\n};\n\n", "// @flow\n\n/* eslint-disable *\n\nimport generateAlphabeticName from\n './generateAlphabeticName';\nimport { hash } from './hash';\n\nexport default (str: string): string => {\n  return\n    generateAlphabeticName(hash(str) >>> 0);\n};\n\n", "// @flow\n\n/* eslint-disable no-underscore-dangle *\n\nimport\n React from 'react';\nimport { IS_BROWSER, SC_ATTR, SC_ATTR_VERSION, SC_VERSION } from\n './constants';\nimport throwStyledError from './utils/error';\nimport getNonce from './utils/nonce';\nimport\n StyleSheet from './sheet';\nimport StyleSheetManager from './StyleSheetManager';\n\nexport declare var __SERVER__:\n boolean;\n\nexport default class ServerStyleSheet {\n  isStreaming:\n  boolean;\n\n  instance: StyleSheet;\n\n  sealed: boolean;\n\n  constructor() {\n    this.instance = new StyleSheet({\n      isServer: true\n    });\n    this.sealed = false;\n  }\n\n  _emitSheetCSS = (): string => {\n    const css =\n      this.instance.toString();\n\n    if (!css) return "";\n\n    const nonce = getNonce();\n    const attrs = [nonce &&\n      `nonce=${"$ {nonce}"]`,\n      `${SC_ATTR}=${"true"}`,,\n      `${SC_ATTR_VERSION}=${"$ {SC_VERSION}"]`;\n\n    const\n      htmlAttr = attrs.filter(Boolean).join(' ');\n\n    return `<style ${htmlAttr}>${css}</style>`;\n  };}\n\n  collectStyles(children: any) {\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n\n    return\n      <StyleSheetManager sheet={this.instance}>{children}</StyleSheetManager>;\n  }\n\n  getStyleTags = (): string => {\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n\n    return this._emitSheetCSS();\n  };}\n\n  getStyleElement = () => {\n    if (this.sealed) {\n      return throwStyledError(2);\n    }\n\n    const props = {\n      [SC_ATTR]: ",\n      [SC_ATTR_VERSION]: SC_VERSION,\n      dangerouslySetInnerHTML: {\n        __html:\n          this.instance.toString(),\n      },\n    };}\n\n    const nonce = getNonce();\n    if (nonce) {\n      (props: any).nonce =\n        nonce;\n    }\n\n    // v4 returned an array for this fn, so we'll do the same for v5 for backward compat\n    return\n      [<style {...props} key=${"sc-0-0"} />];\n  };}\n\n  // eslint-disable-next-line consistent-return\n  interleaveWithNodeStream(input: any) {\n    if (!__SERVER__ || IS_BROWSER) {\n      return\n        throwStyledError(3);\n    }\n\n    else if (this.sealed) {\n      return throwStyledError(2);\n    }\n\n    if (__SERVER__) {\n      this.seal();\n\n      // eslint-disable-next-line global-require\n      const { Readable, Transform } =\n        require('stream');\n\n      const readableStream: Readable = input;\n      const { instance: sheet, _emitSheetCSS } =\n        this;\n\n      const transformer = new Transform({\n        transform: function appendStyleChunks(chunk, /* encoding\n          */ _, callback) {\n          // Get the chunk and retrieve the sheet's CSS as an HTML chunk,\n          // then reset its\n          rules so we get only new ones for the next chunk\n          const renderedHtml = chunk.toString();\n          const html\n            = _emitSheetCSS();\n          sheet.clearTag();\n          // prepend style html to chunk, unless the start of the chunk\n          is a\n          // closing tag in which case append right after that\n          if (CLOSING_TAG_R.test(renderedHtml))\n            {\n              const endOfClosingTag = renderedHtml.indexOf('>') + 1;\n              const before = renderedHtml.slice(0,\n                endOfClosingTag);\n              const after = renderedHtml.slice(endOfClosingTag);\n              this.push(before + html\n                + after);\n            }\n          else {\n            this.push(html + renderedHtml);\n          }\n          callback();\n        },\n      });\n\n      readableStream.on('error', err => {\n        // forward the error to the transform stream\n        transformer.emit('error', err);\n      });\n\n      return readableStream.pipe(transformer);\n    }\n  }\n\n  seal = () => {\n    this.sealed = true;\n  };}\n\n", "use strict";\n\nvar reactIs = require('react-is');\n\n/**\n * Copyright 2015, Yahoo!\n * Copyrights licensed under the New BSD License. See the accompanying LICENSE file for terms.\n */\n\nexport REACT_STATICS = {\n  childContextTypes: true,\n  contextType: true,\n  contextTypes: true,\n  defaultProps:\n
```



```

true,\n displayName: true,\n getDefaultProps: true,\n getDerivedStateFromError: true,\n
getDerivedStateFromProps: true,\n mixins: true,\n propTypes: true,\n type: true\n});\nvar KNOWN_STATICS =
{\n name: true,\n length: true,\n prototype: true,\n caller: true,\n callee: true,\n arguments: true,\n arity:
true\n};\nvar FORWARD_REF_STATICS = {\n '$$typeof': true,\n render: true,\n defaultProps: true,\n
displayName: true,\n propTypes: true\n};\nvar MEMO_STATICS = {\n '$$typeof': true,\n compare: true,\n
defaultProps: true,\n displayName: true,\n propTypes: true,\n type: true\n};\nvar TYPE_STATICS =
{};\nTYPE_STATICS[reactIs.ForwardRef] = FORWARD_REF_STATICS;\nTYPE_STATICS[reactIs.Memo] =
MEMO_STATICS;\n\nfunction getStatics(component) {\n // React v16.11 and below\n if
(reactIs.isMemo(component)) {\n   return MEMO_STATICS;\n } // React v16.12 and above\n\n\n return
TYPE_STATICS[component['$$typeof']] || REACT_STATICS;\n}\n\nvar defineProperty =
Object.defineProperty;\nvar getOwnPropertyNames = Object.getOwnPropertyNames;\nvar
getOwnPropertySymbols = Object.getOwnPropertySymbols;\nvar getOwnPropertyDescriptor =
Object.getOwnPropertyDescriptor;\nvar getPrototypeOf = Object.getPrototypeOf;\nvar objectPrototype =
Object.prototype;\n\nfunction hoistNonReactStatics(targetComponent, sourceComponent, blacklist) {\n if (typeof
sourceComponent !== 'string') {\n // don't hoist over string (html) components\n if (objectPrototype) {\n   var
inheritedComponent = getPrototypeOf(sourceComponent);\n\n   if (inheritedComponent && inheritedComponent
!== objectPrototype) {\n     hoistNonReactStatics(targetComponent, inheritedComponent, blacklist);\n   }\n
}\n\n   var keys = getOwnPropertyNames(sourceComponent);\n   if (getOwnPropertySymbols) {\n     keys =
keys.concat(getOwnPropertySymbols(sourceComponent));\n   }\n\n   var targetStatics =
getStatics(targetComponent);\n   var sourceStatics = getStatics(sourceComponent);\n\n   for (var i = 0; i <
keys.length; ++i) {\n     var key = keys[i];\n     if (!KNOWN_STATICS[key] && !(blacklist && blacklist[key])
&& !(sourceStatics && sourceStatics[key]) && !(targetStatics && targetStatics[key])) {\n       var descriptor =
getOwnPropertyDescriptor(sourceComponent, key);\n\n       try {\n         // Avoid failures from read-only
properties\n         defineProperty(targetComponent, key, descriptor);\n       } catch (e) {}\n     }\n   }\n\n   return targetComponent;\n}\n\nmodule.exports = hoistNonReactStatics;\n", "/* @flow\n*/ eslint-disable *\n\nimport
StyleSheet from './sheet';\nimport { masterSheet } from './models/StyleSheetManager';\n\nexport const
__PRIVATE__ = {\n  StyleSheet,\n  masterSheet,\n};\n", "/* @flow\nimport React, { useContext, useLayoutEffect,
useRef } from 'react';\nimport { STATIC_EXECUTION_CONTEXT } from './constants';\nimport GlobalStyle
from './models/GlobalStyle';\nimport { useStyleSheet, useStylis } from './models/StyleSheetManager';\nimport {
ThemeContext } from './models/ThemeProvider';\nimport type { Interpolation } from './types';\nimport {
checkDynamicCreation } from './utils/checkDynamicCreation';\nimport determineTheme from
 './utils/determineTheme';\nimport generateComponentId from './utils/generateComponentId';\nimport css from
 './css';\n\ndeclare var __SERVER__: boolean;\n\ntype GlobalStyleComponentPropsType = Object;\n\nexport
default function createGlobalStyle(\n  strings: Array<string>,\n  ...interpolations: Array<Interpolation>)\n) {\n  const
rules = css(strings, ...interpolations);\n  const styledComponentId = `sc-global-${
generateComponentId(JSON.stringify(rules))}`;\n  const globalStyle = new GlobalStyle(rules,
  styledComponentId);\n\n  if (process.env.NODE_ENV !== 'production') {\n
    checkDynamicCreation(styledComponentId);\n  }\n\n  function GlobalStyleComponent(props:
  GlobalStyleComponentPropsType) {\n    const styleSheet = useStyleSheet();\n    const stylis = useStylis();\n    const
theme = useContext(ThemeContext);\n    const instanceRef =
    useRef(styleSheet.allocateGSInstance(styledComponentId));\n\n    const instance = instanceRef.current;\n\n    if
(process.env.NODE_ENV !== 'production' && React.Children.count(props.children)) {\n      // eslint-disable-next-
line no-console\n      console.warn(\n        `The global style component ${styledComponentId} was given child JSX.
createGlobalStyle does not render children.`\n      );\n    }\n\n    if (\n      process.env.NODE_ENV !== 'production'
&&\n      rules.some(rule => typeof rule === 'string' && rule.indexOf('@import') !== -1)\n    ) {\n      // eslint-
disable-next-line no-console\n      console.warn(\n        `Please do not use @import CSS syntax in createGlobalStyle
at this time, as the CSSOM APIs we use in production do not handle it well. Instead, we recommend using a library
such as react-helmet to inject a typical <link> meta tag to the stylesheet, or simply embedding it manually in your

```

```

index.html <head> section for a simpler app.`\n  );\n }\n\n if (styleSheet.server) {\n  renderStyles(instance,
props, styleSheet, theme, stylis);\n }\n\n if (!__SERVER__) {\n  // this conditional is fine because it is
compiled away for the relevant builds during minification,\n  // resulting in a single unguarded hook call\n  //
eslint-disable-next-line react-hooks/rules-of-hooks\n  useLayoutEffect(() => {\n    if (!styleSheet.server) {\n
renderStyles(instance, props, styleSheet, theme, stylis);\n    return () => globalStyle.removeStyles(instance,
styleSheet);\n    } \n  }, [instance, props, styleSheet, theme, stylis]);\n }\n\n return null;\n }\n\n function
renderStyles(instance, props, styleSheet, theme, stylis) {\n  if (globalStyle.isStatic) {\n
globalStyle.renderStyles(instance, STATIC_EXECUTION_CONTEXT, styleSheet, stylis);\n  } else {\n  const
context = {\n    ...props,\n    theme: determineTheme(props, theme, GlobalStyleComponent.defaultProps),\n
};\n\n  globalStyle.renderStyles(instance, context, styleSheet, stylis);\n  }\n }\n\n // $FlowFixMe\n return
React.memo(GlobalStyleComponent);\n}\n\n", "// @flow\n\nimport css from './css';\n\nimport generateComponentId
from './utils/generateComponentId';\n\nimport Keyframes from './models/Keyframes';\n\nimport type { Interpolation,
Styles } from './types';\n\nexport default function keyframes(\n  strings: Styles,\n  ...interpolations:
Array<Interpolation>)\n): Keyframes {\n  /* Warning if you've used keyframes on React Native */\n  if (\n
process.env.NODE_ENV !== 'production' &&\n  typeof navigator !== 'undefined' &&\n  navigator.product ===
'ReactNative'\n ) {\n  // eslint-disable-next-line no-console\n  console.warn(\n    `keyframes` cannot be used on
ReactNative, only on the web. To do animation in ReactNative please use Animated.`\n  );\n }\n\n const rules =
css(strings, ...interpolations).join("");\n  const name = generateComponentId(rules);\n  return new Keyframes(name,
rules);\n}\n\n", "// @flow\n\nimport { useContext } from 'react';\n\nimport { ThemeContext } from
'./models/ThemeProvider';\n\nconst useTheme = () => useContext(ThemeContext);\n\nexport default
useTheme;\n\n", "// @flow\n\nimport React, { useContext, type AbstractComponent } from 'react';\n\nimport hoistStatics
from 'hoist-non-react-statics';\n\nimport { ThemeContext } from './models/ThemeProvider';\n\nimport determineTheme
from './utils/determineTheme';\n\nimport getComponentName from './utils/getComponentName';\n\n// NOTE: this
would be the correct signature:\n// export default <Config: { theme?: any }, Instance>(\n// Component:
AbstractComponent<Config, Instance>\n// ): AbstractComponent<$Diff<Config, { theme?: any } & { theme?: any
}, Instance>\n//\n// but the old build system tooling doesn't support the syntax\n\nexport default (Component:
AbstractComponent<*, *>) => {\n  // $FlowFixMe This should be React.forwardRef<Config, Instance>\n  const
WithTheme = React.forwardRef((props, ref) => {\n    const theme = useContext(ThemeContext);\n    // $FlowFixMe
defaultProps isn't declared so it can be inferrable\n    const { defaultProps } = Component;\n    const themeProp =
determineTheme(props, theme, defaultProps);\n\n    if (process.env.NODE_ENV !== 'production' && themeProp
=== undefined) {\n    // eslint-disable-next-line no-console\n    console.warn(\n      `[withTheme] You are not
using a ThemeProvider nor passing a theme prop or a theme in defaultProps in component class
\n\n    `);\n    }\n\n    return <Component { ...props }
\n    theme={themeProp} ref={ref} />;\n  });\n\n  hoistStatics(WithTheme, Component);\n\n  WithTheme.displayName =
`WithTheme(${getComponentName(Component)})`;\n\n  return WithTheme;\n};\n\n", "function memoize(fn) {\n  var
cache = Object.create(null);\n  return function (arg) {\n    if (cache[arg] === undefined) cache[arg] = fn(arg);\n
return cache[arg];\n  }; \n}\n\nexport default memoize;\n\n", "import memoize from '@emotion/memoize';\n\n\nvar
reactPropsRegex =
/^(children|dangerouslySetInnerHTML|key|ref|autoFocus|defaultValue|defaultChecked|innerHTML|suppressContent
EditableWarning|suppressHydrationWarning|valueLink|accept|acceptCharset|accessKey|action|allow|allowUserMedia|allowPaymentRequest|allowFullScreen|allowTransparency|alt|async|autocomplete|autoplay|capture|cellPadding|cell
Spacing|challenge|charSet|checked|cite|className|cols|colSpan|content|contentEditable|contextMenu|controls|controlsList|coords|crossOrigin|data|dateTime|encoding|default|defer|dir|disabled|disablePictureInPicture|download|draggable|encType|form|formAction|formEncType|formMethod|formNoValidate|formTarget|frameBorder|headers|height|hidden|high|href|hrefLang|htmlFor|httpEquiv|id|inputMode|integrity|is|keyParams|keyType|kind|label|lang|list|loading|loop|low|marginHeight|marginWidth|max|maxLength|media|mediaGroup|method|min|minLength|multiple|
muted|name|nonce|noValidate|open|optimum|pattern|placeholder|playsInline|poster|preload|profile|radioGroup|readOnly|referrerPolicy|rel|required|reversed|role|rows|rowSpan|sandbox|scope|scoped|scrolling|seamless|selected|shape|siz

```

e|sizes|slot|span|spellCheck|src|srcDoc|srcLang|srcSet|start|step|style|summary|tabIndex|target|title|translate|type|useMap|value|width|wmode|wrap|about|datatype|inlist|prefix|property|resource|typeof|vocab|autoCapitalize|autoCorrect|autoSave|color|fallback|inert|itemProp|itemScope|itemType|itemID|itemRef|on|option|results|security|unselectable|accentHeight|accumulate|additive|alignmentBaseline|allowReorder|alphabetic|amplitude|arabicForm|ascent|attributeName|attributeType|autoReverse|azimuth|baseFrequency|baselineShift|baseProfile|bbox|begin|bias|by|calcMode|capHeight|clip|clipPathUnits|clipPath|clipRule|colorInterpolation|colorInterpolationFilters|colorProfile|colorRendering|contentScriptType|contentType|cursor|cx|cy|d|decelerate|descent|diffuseConstant|direction|display|divisor|dominantBaseline|dur|dx|dy|edgeMode|elevation|enableBackground|end|exponent|externalResourcesRequired|fill|fillOpacity|fillRule|filter|filterRes|filterUnits|floodColor|floodOpacity|focusable|fontFamily|fontSize|fontSizeAdjust|fontStretch|fontStyle|fontVariant|fontWeight|format|from|fr|fx|fy|g1|g2|glyphName|glyphOrientationHorizontal|glyphOrientationVertical|glyphRef|gradientTransform|gradientUnits|hanging|horizAdvX|horizOriginX|ideographic|imageRendering|in|in2|intercept|k|k1|k2|k3|k4|kernelMatrix|kernelUnitLength|kerning|keyPoints|keySplines|keyTimes|lengthAdjust|letterSpacing|lightingColor|limitingConeAngle|local|markerEnd|markerMid|markerStart|markerHeight|markerUnits|markerWidth|mask|maskContentUnits|maskUnits|mathematical|mode|numOctaves|offset|opacity|operator|order|orient|orientation|origin|overflow|overlinePosition|overlineThickness|panose1|paintOrder|pathLength|patternContentUnits|patternTransform|patternUnits|pointerEvents|points|pointsAtX|pointsAtY|pointsAtZ|preserveAlpha|preserveAspectRatio|primitiveUnits|r|radius|refX|refY|renderingIntent|repeatCount|repeatDur|requiredExtensions|requiredFeatures|restart|result|rotate|rx|ry|scale|seed|shapeRendering|slope|spacing|specularConstant|specularExponent|speed|spreadMethod|startOffset|stdDeviation|stemh|stemv|stitchTiles|stopColor|stopOpacity|strikethroughPosition|strikethroughThickness|string|stroke|strokeDasharray|strokeDashoffset|strokeLinecap|strokeLinejoin|strokeMiterlimit|strokeOpacity|strokeWidth|surfaceScale|systemLanguage|tableValues|targetX|targetY|textAnchor|textDecoration|textRendering|textLength|toTransform|u1|u2|underlinePosition|underlineThickness|unicode|unicodeBidi|unicodeRange|unitsPerEm|vAlphabetic|vHanging|vIdeographic|vMathematical|values|vectorEffect|version|vertAdvY|vertOriginX|vertOriginY|viewBox|viewTarget|visibility|widths|wordSpacing|writingMode|x|xHeight|x1|x2|xChannelSelector|xlinkActuate|xlinkArcrole|xlinkHref|xlinkRole|xlinkShow|xlinkTitle|xlinkType|xmlBase|xmlns|xmlnsXlink|xmlLang|xmlSpace|y1|y2|yChannelSelector|z|zoomAndPan|for|class|autofocus)(((([Dd][Aa][Tt][Aa]][Aa][Rr][Ii][Aa]|x)-.)\*\$)/;\$); //

<https://esbench.com/bench/5bfee68a4cd7e6009ef61d23>  
`n\nvar isPropValid = /* #__PURE__ */memoize(function (prop) {\n return reactPropsRegex.test(prop) || prop.charCodeAt(0) === 111\n /* o */\n && prop.charCodeAt(1) === 110\n /* n */\n && prop.charCodeAt(2) < 91;\n\n /* Z+1 */\n\n\nexport default isPropValid;\n},"/`  
`@flow\n\n// Source: https://www.w3.org/TR/cssom-1/#serialize-an-identifier\n\n// Control characters and non-letter first symbols are not supported\nconst escapeRegex = /[\!\"#$%&'()*+,-./:;<=>?@[\\\]^\`{}~|]+/g;\nconst dashesAtEnds = /^(^-)$/g;\n\n/* TODO: Explore using CSS.escape when it becomes more available\n * in evergreen browsers.\n */\nexport default function escape(str: string): string {\n return (\n str\n // Replace all possible CSS selectors\n .replace(escapeRegex, '-')\n // Remove extraneous hyphens at the start and end\n .replace(dashesAtEnds, '')\n );\n\n};"`  
`@flow\nimport type { IStyledComponent } from '../types';\n\nexport default function isTag(target: $PropertyType<IStyledComponent, 'target>): boolean %checks {\n return (\n typeof target === 'string' &&\n (process.env.NODE_ENV !== 'production'\n ? target.charAt(0) === target.charAt(0).toLowerCase()\n : true)\n );\n\n};"`  
`/* eslint-disable */\n\nmixin-deep;`  
<https://github.com/jonschlinkert/mixin-deep>  
Inlined such that it will be consistently transpiled to an IE-compatible syntax.  
  
The MIT License (MIT)  
  
Copyright (c) 2014-present, Jon Schlinkert.  
  
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:  
  
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.  
  
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

const isObject = val => {
  return (typeof val === 'function' || (typeof val === 'object'
    && val !== null && !Array.isArray(val)))
};
const isValidKey = key => {
  return key !== '__proto__'
    && key !== 'constructor'
    && key !== 'prototype';
};
function mixin(target, val, key) {
  const obj = target[key];
  if (isObject(val) && isObject(obj)) {
    mixinDeep(obj, val);
  } else {
    target[key] = val;
  }
}
export default function mixinDeep(target, ...rest) {
  for (const obj of rest) {
    if (isObject(obj)) {
      for (const key in obj) {
        if (isValidKey(key)) {
          mixin(target, obj[key], key);
        }
      }
    }
  }
  return target;
}
"@flow
import validAttr from '@emotion/is-prop-valid';
import hoist from 'hoist-non-react-statics';
import React, { createElement, type Ref, useContext, useDebugValue } from 'react';
import { SC_VERSION } from '../constants';
import type { Attrs, IStyledComponent, IStyledStatics, RuleSet, ShouldForwardProp, Target } from './types';
import { checkDynamicCreation } from '../utils/checkDynamicCreation';
import createWarnTooManyClasses from '../utils/createWarnTooManyClasses';
import determineTheme from '../utils/determineTheme';
import { EMPTY_ARRAY, EMPTY_OBJECT } from '../utils/empties';
import escape from '../utils/escape';
import generateComponentId from '../utils/generateComponentId';
import generateDisplayName from '../utils/generateDisplayName';
import getComponentName from '../utils/getComponentName';
import isFunction from '../utils/isFunction';
import isStyledComponent from '../utils/isStyledComponent';
import isTag from '../utils/isTag';
import joinStrings from '../utils/joinStrings';
import merge from '../utils/mixinDeep';
import ComponentStyle from './ComponentStyle';
import { useStyleSheet, useStylis } from './StyleSheetManager';
import { ThemeContext } from './ThemeProvider';
const identifiers = {};
/* We depend on components having unique IDs */
function generateId(displayName?: string, parentComponentId?: string) {
  const name = typeof displayName !== 'string' ? 'sc' : escape(displayName);
  // Ensure that no displayName can lead to duplicate componentIds
  identifiers[name] = (identifiers[name] || 0) + 1;
  const componentId = `${name}-${generateComponentId(
    // SC_VERSION gives us isolation between multiple runtimes on the page at once
    // this is improved further with use of the babel plugin "namespace" feature
    SC_VERSION + name + identifiers[name]
  )}`;
  return parentComponentId ? `${parentComponentId}-${componentId}` : componentId;
}
function useResolvedAttrs<Config>(theme: any = EMPTY_OBJECT, props: Config, attrs: Attrs) {
  // NOTE: can't memoize this
  // returns [context, resolvedAttrs]
  // where resolvedAttrs is only the things injected by the attrs themselves
  const context = { ...props, theme };
  const resolvedAttrs = {};
  attrs.forEach(attrDef => {
    let resolvedAttrDef = attrDef;
    let key;
    if (isFunction(resolvedAttrDef)) {
      resolvedAttrDef = resolvedAttrDef(context);
    }
    /* eslint-disable guard-for-in */
    for (key in resolvedAttrDef) {
      context[key] = resolvedAttrs[key] = resolvedAttrDef[key];
    }
    /* eslint-enable guard-for-in */
  });
  return [context, resolvedAttrs];
}
function useInjectedStyle<T>(
  componentStyle: ComponentStyle,
  isStatic: boolean,
  resolvedAttrs: T,
  warnTooManyClasses?: $Call<typeof createWarnTooManyClasses, string, string>
) {
  const styleSheet = useStyleSheet();
  const stylis = useStylis();
  const className = isStatic ? componentStyle.generateAndInjectStyles(EMPTY_OBJECT, styleSheet, stylis) : componentStyle.generateAndInjectStyles(resolvedAttrs, styleSheet, stylis);
  // eslint-disable-next-line react-hooks/rules-of-hooks
  if (process.env.NODE_ENV !== 'production') {
    useDebugValue(className);
  }
  if (process.env.NODE_ENV !== 'production' && !isStatic && warnTooManyClasses) {
    warnTooManyClasses(className);
  }
  return className;
}
function useStyledComponentImpl(
  forwardedComponent: IStyledComponent,
  props: Object,
  forwardedRef: Ref<any>,
  isStatic: boolean
) {
  const {
    attrs: componentAttrs,
    componentStyle,
    defaultProps,
    foldedComponentIds,
    shouldForwardProp,
    styledComponentId,
    target,
  } = forwardedComponent;
  // eslint-disable-next-line react-hooks/rules-of-hooks
  if (process.env.NODE_ENV !== 'production') {
    useDebugValue(styledComponentId);
  }
  // NOTE: the non-hooks version only subscribes to this when

```

```

!componentStyle.isStatic,\n // but that'd be against the rules-of-hooks. We could be naughty and do it anyway as it\n
// should be an immutable value, but behave for now.\n const theme = determineTheme(props,\n
useContext(ThemeContext), defaultProps);\n\n const [context, attrs] = useResolvedAttrs(theme ||\n
EMPTY_OBJECT, props, componentAttrs);\n\n const generatedClassName = useInjectedStyle(\n
componentStyle,\n isStatic,\n context,\n process.env.NODE_ENV !== 'production' ?\n
forwardedComponent.warnTooManyClasses : undefined\n );\n\n const refToForward = forwardedRef;\n\n const\n
elementToBeCreated: Target = attrs.$as || props.$as || attrs.as || props.as || target;\n\n const isTargetTag =\n
isTag(elementToBeCreated);\n const computedProps = attrs !== props ? { ...props, ...attrs } : props;\n const\n
propsForElement = { };;\n\n // eslint-disable-next-line guard-for-in\n for (const key in computedProps) {\n if\n
(key[0] === '$' || key === 'as') continue;\n else if (key === 'forwardedAs') {\n propsForElement.as =\n
computedProps[key];\n } else if (\n shouldForwardProp\n ? shouldForwardProp(key, validAttr,\n
elementToBeCreated)\n : isTargetTag\n ? validAttr(key)\n : true\n ) {\n // Don't pass through non\n
HTML tags through to HTML elements\n propsForElement[key] = computedProps[key];\n }\n }\n\n if\n
(props.style && attrs.style !== props.style) {\n propsForElement.style = { ...props.style, ...attrs.style };;\n }\n\n\n
propsForElement.className = Array.prototype\n .concat(\n foldedComponentIds,\n styledComponentId,\n
generatedClassName !== styledComponentId ? generatedClassName : null,\n props.className,\n
attrs.className\n )\n .filter(Boolean)\n .join(' ');\n\n propsForElement.ref = refToForward;\n\n return\n
createElement(elementToBeCreated, propsForElement);\n}\n\n\nexport default function createStyledComponent(\n
target: $PropertyType<IStyledComponent, 'target'>,\n options: {\n attrs?: Attrs,\n componentId: string,\n
displayName?: string,\n parentComponentId?: string,\n shouldForwardProp?: ShouldForwardProp,\n },\n rules:\n
RuleSet\n) {\n const isTargetStyledComp = isStyledComponent(target);\n const isCompositeComponent =\n
!isTag(target);\n\n const {\n attrs = EMPTY_ARRAY,\n componentId = generateId(options.displayName,\n
options.parentComponentId),\n displayName = generateDisplayName(target),\n } = options;\n\n const\n
styledComponentId =\n options.displayName && options.componentId\n ? `${escape(options.displayName)}-\n
${options.componentId}`\n : options.componentId || componentId;\n\n // fold the underlying StyledComponent\n
attrs up (implicit extend)\n const finalAttrs =\n isTargetStyledComp && ((target: any): IStyledComponent).attrs\n
? Array.prototype.concat(((target: any): IStyledComponent).attrs, attrs).filter(Boolean)\n : attrs;\n\n // eslint-\n
disable-next-line prefer-destructuring\n let shouldForwardProp = options.shouldForwardProp;\n\n if\n
(isTargetStyledComp && target.shouldForwardProp) {\n if (options.shouldForwardProp) {\n // compose\n
nested shouldForwardProp calls\n shouldForwardProp = (prop, filterFn, elementToBeCreated) =>\n
(((target: any): IStyledComponent).shouldForwardProp: any): ShouldForwardProp)(\n prop,\n
filterFn,\n elementToBeCreated\n ) &&\n ((options.shouldForwardProp: any):\n
ShouldForwardProp)(prop, filterFn, elementToBeCreated);\n } else {\n // eslint-disable-next-line prefer-\n
destructuring\n shouldForwardProp = ((target: any): IStyledComponent).shouldForwardProp;\n }\n }\n\n\n
const componentStyle = new ComponentStyle(\n rules,\n styledComponentId,\n isTargetStyledComp ?\n
((target: Object).componentStyle: ComponentStyle) : undefined\n );\n\n // statically styled-components don't need\n
to build an execution context object,\n // and shouldn't be increasing the number of class names\n const isStatic =\n
componentStyle.isStatic && attrs.length === 0;\n\n /**\n * forwardRef creates a new interim component, which\n
we'll take advantage of\n * instead of extending ParentComponent to create _another_ interim class\n */\n let\n
WrappedStyledComponent: IStyledComponent;\n\n const forwardRef = (props, ref) =>\n // eslint-disable-next-\n
line\n useStyledComponentImpl(WrappedStyledComponent, props, ref, isStatic);\n\n forwardRef.displayName =\n
displayName;\n\n WrappedStyledComponent = ((React.forwardRef(forwardRef): any): IStyledComponent);\n\n
WrappedStyledComponent.attrs = finalAttrs;\n WrappedStyledComponent.componentStyle = componentStyle;\n\n
WrappedStyledComponent.displayName = displayName;\n WrappedStyledComponent.shouldForwardProp =\n
shouldForwardProp;\n\n // this static is used to preserve the cascade of static classes for component selector\n //\n
purposes; this is especially important with usage of the css prop\n\n WrappedStyledComponent.foldedComponentIds\n
= isTargetStyledComp\n ? Array.prototype.concat(\n ((target: any):\n
IStyledComponent).foldedComponentIds,\n ((target: any): IStyledComponent).styledComponentId\n )\n :

```

```

EMPTY_ARRAY;\n\n WrappedStyledComponent.styledComponentId = styledComponentId;\n\n // fold the
underlying StyledComponent target up since we folded the styles\n WrappedStyledComponent.target =
isTargetStyledComp\n ? ((target: any): IStyledComponent).target\n : target;\n\n
WrappedStyledComponent.withComponent = function withComponent(tag: Target) {\n  const { componentId:
previousComponentId, ...optionsToCopy } = options;\n\n  const newComponentId =\n    previousComponentId
&&\n    `${previousComponentId}-${isTag(tag) ? tag : escape(getComponentName(tag))}`;\n\n  const
newOptions = {\n    ...optionsToCopy,\n    attrs: finalAttrs,\n    componentId: newComponentId,\n  };\n\n  return createStyledComponent(tag, newOptions, rules);\n};\n\n Object.defineProperty(WrappedStyledComponent,
'defaultProps', {\n  get() {\n    return this._foldedDefaultProps;\n  },\n  set(obj) {\n
this._foldedDefaultProps = isTargetStyledComp\n    ? merge({}, ((target: any): IStyledComponent).defaultProps,
obj)\n    : obj;\n  },\n});\n\n if (process.env.NODE_ENV !== 'production') {\n
checkDynamicCreation(displayName, styledComponentId);\n\n WrappedStyledComponent.warnTooManyClasses
= createWarnTooManyClasses(\n  displayName,\n  styledComponentId\n);\n}\n\n
WrappedStyledComponent.toString = () => `.${WrappedStyledComponent.styledComponentId}`;\n\n if
(isCompositeComponent) {\n  hoist<\n    IStyledStatics,\n    $PropertyType<IStyledComponent, 'target'>,\n    {
[key: $Keys<IStyledStatics>]: true }\n  >(WrappedStyledComponent, ((target: any):
$PropertyType<IStyledComponent, 'target'>), {\n    // all SC-specific things should not be hoisted\n    attrs: true,\n
componentStyle: true,\n    displayName: true,\n    foldedComponentIds: true,\n    shouldForwardProp: true,\n
styledComponentId: true,\n    target: true,\n    withComponent: true,\n  });\n}\n\n return
WrappedStyledComponent;\n}\n\n",`@flow\nimport type { IStyledComponent } from './types';\nimport
getComponentName from './getComponentName';\nimport isTag from './isTag';\n\nexport default function
generateDisplayName(\n  target: $PropertyType<IStyledComponent, 'target'>): string {\n  return isTag(target) ?
`styled.${target}` : `Styled(${getComponentName(target)})`;\n}\n\n",`/**\n * Convenience function for joining
strings to form className chains\n */\nexport default function joinStrings(a: ?String, b: ?String): ?String {\n
return
a && b ? `${a} ${b}` : a || b;\n}\n\n",`@flow\nimport constructWithOptions from './constructWithOptions';\nimport
StyledComponent from './models/StyledComponent';\nimport domElements from './utils/domElements';\n\nimport
type { Target } from './types';\n\nconst styled = (tag: Target) => constructWithOptions(StyledComponent,
tag);\n\n// Shorthands for all valid HTML Elements\n\nconst domElements =\n  domElements.forEach(domElement => {\n
styled[domElement] = styled(domElement);\n});\n\nexport default styled;\n\n",`@flow\nimport {
isValidElementType } from 'react-is';\nimport css from './css';\nimport throwStyledError from './utils/error';\nimport
{ EMPTY_OBJECT } from './utils/empties';\nimport type { Target } from './types';\n\nexport default function
constructWithOptions(\n  componentConstructor: Function,\n  tag: Target,\n  options: Object =
EMPTY_OBJECT\n) {\n  if (!isValidElementType(tag)) {\n    return throwStyledError(1, String(tag));\n  }\n\n  /*
This is callable directly as a template function */\n  // $FlowFixMe: Not typed to avoid destructuring arguments\n
const templateFunction = (...args) => componentConstructor(tag, options, css(...args));\n\n  /* If config methods are
called, wrap up a new template function and merge options */\n  templateFunction.withConfig = config =>\n
constructWithOptions(componentConstructor, tag, { ...options, ...config });\n\n  /* Modify/inject new props at
runtime */\n  templateFunction.attrs = attrs =>\n    constructWithOptions(componentConstructor, tag, {\n
...options,\n    attrs: Array.prototype.concat(options.attrs, attrs).filter(Boolean),\n  });\n\n  return
templateFunction;\n}\n\n",`@flow\nimport * as secondary from './base';\n\n/* Import singleton constructors
*/\nimport styled from './constructors/styled';\n\n/**\n * eliminates the need to do styled.default since the other
APIs\n * are directly assigned as properties to the main function\n */\n\n// eslint-disable-next-line guard-for-in\nfor
(const key in secondary) {\n  styled[key] = secondary[key];\n}\n\nexport default styled;\n\n",`@flow\n// Thanks to
ReactDOMFactories for this handy list!\n\nexport default [\n  'a',\n  'abbr',\n  'address',\n  'area',\n  'article',\n
'aside',\n  'audio',\n  'b',\n  'base',\n  'bdi',\n  'bdo',\n  'big',\n  'blockquote',\n  'body',\n  'br',\n  'button',\n
'canvas',\n  'caption',\n  'cite',\n  'code',\n  'col',\n  'colgroup',\n  'data',\n  'datalist',\n  'dd',\n  'del',\n
'details',\n  'dfn',\n  'dialog',\n  'div',\n  'dl',\n  'dt',\n  'em',\n  'embed',\n  'fieldset',\n  'figcaption',\n
'figure',\n  'footer',\n  'form',\n  'h1',\n  'h2',\n  'h3',\n  'h4',\n  'h5',\n  'h6',\n  'head',\n  'header',\n
'hgroup',\n  'hr',\n  'html',\n  'i',\n  'iframe',\n  'img',\n  'input',\n

```

'ins',\n 'kbd',\n 'keygen',\n 'label',\n 'legend',\n 'li',\n 'link',\n 'main',\n 'map',\n 'mark',\n 'marquee',\n 'menu',\n 'menuitem',\n 'meta',\n 'meter',\n 'nav',\n 'noscript',\n 'object',\n 'ol',\n 'optgroup',\n 'option',\n 'output',\n 'p',\n 'param',\n 'picture',\n 'pre',\n 'progress',\n 'q',\n 'rp',\n 'rt',\n 'ruby',\n 's',\n 'samp',\n 'script',\n 'section',\n 'select',\n 'small',\n 'source',\n 'span',\n 'strong',\n 'style',\n 'sub',\n 'summary',\n 'sup',\n 'table',\n 'tbody',\n 'td',\n 'textarea',\n 'tfoot',\n 'th',\n 'thead',\n 'time',\n 'title',\n 'tr',\n 'track',\n 'u',\n 'ul',\n 'var',\n 'video',\n 'wbr',\n\n // SVG\n 'circle',\n 'clipPath',\n 'defs',\n 'ellipse',\n 'foreignObject',\n 'g',\n 'image',\n 'line',\n 'linearGradient',\n 'marker',\n 'mask',\n 'path',\n 'pattern',\n 'polygon',\n 'polyline',\n 'radialGradient',\n 'rect',\n 'stop',\n 'svg',\n 'text',\n 'textPath',\n 'tspan',\n];\n\n],\n\n\"names\":[\"isStyledComponent\", \"target\", \"styledComponentId\", \"strings\", \"interpolations\", \"result\", \"i\", \"en\", \"length\", \"push\", \"x\", \"toString\", \"Object\", \"prototype\", \"call\", \"typeof\", \"EMPTY\_ARRAY\", \"freeze\", \"EMPTY\_OBJECT\", \"isFunction\", \"test\", \"SC\_ATTR\", \"process\", \"env\", \"REACT\_APP\_SC\_ATTR\", \"IS\_BROWSER\", \"window\", \"DISABLE\_SPEEDY\", \"Boolean\", \"SC\_DISABLE\_SPEEDY\", \"REACT\_APP\_SC\_DISABLE\_SPEEDY\", \"STATIC\_EXECUTION\_CONTEXT\", \"throwStyledComponentsError\", \"code\", \"Error\", \"join\", \"DefaultGroupedTag\", \"tag\", \"groupSizes\", \"Uint32Array\", \"indexOfGroup\", \"group\", \"index\", \"this\", \"insertRules\", \"rules\", \"oldBuffer\", \"oldSize\", \"newSize\", \"throwStyledError\", \"set\", \"ruleIndex\", \"I\", \"insertRule\", \"clearGroup\", \"startIndex\", \"endIndex\", \"deleteRule\", \"getGroup\", \"css\", \"getRule\", \"groupIDRegister\", \"Map\", \"reverseRegister\", \"nextFreeGroup\", \"getGroupForId\", \"id\", \"has\", \"get\", \"getIdForGroup\", \"setGroupForId\", \"SELECTOR\", \"MARKER\_RE\", \"RegExp\", \"rehydrateNamesFromContent\", \"sheet\", \"content\", \"name\", \"names\", \"split\", \"registerName\", \"rehydrateSheetFromTag\", \"style\", \"parts\", \"textContent\", \"part\", \"trim\", \"marker\", \"match\", \"parseInt\", \"getTag\", \"getNonce\", \"\_\_webpack\_nonce\_\_\", \"makeStyleTag\", \"head\", \"document\", \"parent\", \"createElement\", \"prevStyle\", \"childNodes\", \"child\", \"nodeType\", \"hasAttribute\", \"findLastStyleTag\", \"nextSibling\", \"undefined\", \"setAttribute\", \"\_\_VERSION\_\_\", \"nonce\", \"insertBefore\", \"CSSOMTag\", \"element\", \"appendChild\", \"createTextNode\", \"styleSheets\", \"ownerNode\", \"getSheet\", \"rule\", \"\_error\", \"cssRules\", \"cssText\", \"TextTag\", \"nodes\", \"node\", \"refNode\", \"removeChild\", \"VirtualTag\", \"\_target\", \"splice\", \"SHOULD\_REHYDRATE\", \"defaultOptions\", \"isServer\", \"useCSSOMInjection\", \"StyleSheet\", \"options\", \"globalStyles\", \"gs\", \"server\", \"querySelectorAll\", \"getAttribute\", \"parentNode\", \"rehydrateSheet\", \"registerId\", \"reconstructWithOptions\", \"withNames\", \"allocateGSInstance\", \"hasNameForId\", \"add\", \"groupNames\", \"Set\", \"clearNames\", \"clear\", \"clearRules\", \"clearTag\", \"size\", \"selector\", \"forEach\", \"outputSheet\", \"AD\_REPLACER\_R\", \"getAlphabeticChar\", \"String\", \"fromCharCode\", \"generateAlphabeticName\", \"Math\", \"abs\", \"replace\", \"phash\", \"h\", \"charCodeAt\", \"hash\", \"isStaticRules\", \"SEED\", \"ComponentStyle\", \"componentId\", \"baseStyle\", \"staticRulesId\", \"isStatic\", \"baseHash\", \"generateAndInjectStyles\", \"executionContext\", \"styleSheet\", \"stylis\", \"cssStatic\", \"flatten\", \"generateName\", \"cssStaticFormatted\", \"dynamicHash\", \"partRule\", \"partChunk\", \"partString\", \"Array\", \"isArray\", \"cssFormatted\", \"stylis\_min\", \"W\", \"X\", \"d\", \"c\", \"e\", \"ia\", \"a\", \"m\", \"b\", \"Z\", \"v\", \"n\", \"F\", \"indexOf\", \"P\", \"substring\", \"w\", \"L\", \"ja\", \"ka\", \"aa\", \"G\", \"ba\", \"la\", \"ma\", \"R\", \"na\", \"ea\", \"oa\", \"H\", \"q\", \"g\", \"A\", \"S\", \"B\", \"U\", \"prefix\", \"D\", \"z\", \"M\", \"k\", \"y\", \"C\", \"K\", \"u\", \"r\", \"I\", \"t\", \"J\", \"f\", \"p\", \"N\", \"charAt\", \"ca\", \"O\", \"da\", \"fa\", \"Y\", \"E\", \"ha\", \"Q\", \"use\", \"T\", \"COMMENT\_REGEX\", \"COMPLEX\_SELECTOR\_PREFIX\", \"createStylisInstance\", \"\_componentId\", \"\_selector\", \"\_selectorRegExp\", \"\_consecutiveSelfRefRegExp\", \"plugins\", \"Stylis\", \"parsingRules\", \"parseRulesPlugin\", \"toSheet\", \"block\", \"context\", \"selectors\", \"parents\", \"line\", \"column\", \"ns\", \"depth\", \"at\", \"delimiter\", \"insertRulePlugin\", \"selfReferenceReplacer\", \"offset\", \"string\", \"stringifyRules\", \"flatCSS\", \"cssStr\", \"\_\", \"lastIndexOf\", \"parsedRules\", \"reduce\", \"acc\", \"plugin\", \"StyleSheetContext\", \"React\", \"createContext\", \"StyleSheetConsumer\", \"Consumer\", \"StylisContext\", \"masterSheet\", \"masterStylis\", \"useStyleSheet\", \"useContext\", \"useStylis\", \"StyleSheetManager\", \"props\", \"useState\", \"stylisPlugins\", \"setPlugins\", \"contextStyleSheet\", \"useMemo\", \"disableCSSOMInjection\", \"disableVendorPrefixes\", \"useEffect\", \"objA\", \"objB\", \"compare\", \"compareContext\", \"ret\", \"keysA\", \"keys\", \"keysB\", \"bHasOwnProperty\", \"hasOwnProperty\", \"bind\", \"idx\", \"key\", \"valueA\", \"valueB\", \"shallowequal\", \"Provider\", \"value\", \"children\", \"Keyframes\", \"inject\", \"stylisInstance\", \"resolvedName\", \"\_this\", \"getName\", \"uppercaseCheck\", \"uppercasePattern\", \"msPattern\", \"prefixAndLowerCase\", \"char\", \"toLowerCase\", \"hyphenateStyleName\", \"unitlessKeys\", \"animationIterationCount\", \"borderImageOutset\", \"borderImageSlice\", \"borderImageWidth\", \"boxFlex\", \"boxFlexGroup\", \"boxOrdinalGroup\", \"columnCount\", \"columns\", \"flex\", \"flexGrow\", \"flexPositive\", \"flexShrink\", \"flexNegative\", \"flexOrder\", \"gridRow\", \"gridRowEnd\", \"gridRowSpan\", \"gridRowStart\", \"gridColumn\", \"gridColumnEnd\", \"gridColumnSpan\", \"gridColumnStart\", \"msGridRow\", \"msGridRowSpan\", \"msGridColumn\", \"msGridColumnSpan\", \"fontWeight\", \"lineHeight\", \"opacity\", \"order\", \"orphans\", \"tabSize\", \"widows\", \"zInd

ex","zoom","WebkitLineClamp","fillOpacity","floodOpacity","stopOpacity","strokeDasharray","strokeDashoffset",  
"strokeMiterlimit","strokeOpacity","strokeWidth","isFalsish","chunk","ruleSet","isReactComponent","isPlainObject",  
"objToCssArray","obj","prevKey","isCss","hyphenate","unitless","addTag","arg","styles","interleave","GlobalStyle",  
"createStyles","instance","removeStyles","renderStyles","ThemeContext","ThemeConsumer","providedTheme","  
defaultProps","theme","str","ServerStyleSheet","\_emitSheetCSS","SC\_ATTR\_VERSION","filter","getStyleTags","  
sealed","getStyleElement","dangerouslySetInnerHTML","\_\_html","seal","collectStyles","interleaveWithNodeStream",  
"input","REACT\_STATICS","childContextTypes","contextType","contextTypes","displayName","getDefaultPr  
ops","getDerivedStateFromError","getDerivedStateFromProps","mixins","propTypes","type","KNOWN\_STATICS",  
"caller","callee","arguments","arity","MEMO\_STATICS","\$\$typeof","TYPE\_STATICS","getStatics","component",  
"reactIs","isMemo","ForwardRef","render","Memo","defineProperty","getOwnPropertyNames","getOwnProperty  
Symbols","getOwnPropertyDescriptor","getPrototypeOf","objectPrototype","hoistNonReactStatics","targetCompon  
ent","sourceComponent","blacklist","inheritedComponent","concat","targetStatics","sourceStatics","descriptor","\_\_  
PRIVATE\_\_","generateComponentId","JSON","stringify","globalStyle","GlobalStyleComponent","useRef","curren  
t","useLayoutEffect","determineTheme","memo","outerTheme","themeContext","mergeTheme","Component","With  
hTheme","forwardRef","ref","themeProp","hoistStatics","memoize","fn","cache","create","reactPropsRegex","isPro  
pValid","prop","escapeRegex","dashesAtEnds","escape","isTag","isObject","val","isValidKey","mixin","mixinDee  
p","rest","identifiers","createStyledComponent","isTargetStyledComp","isCompositeComponent","attrs","parentCo  
mponentId","generateId","generateDisplayName","finalAttrs","shouldForwardProp","filterFn","elementToBeCreate  
d","WrappedStyledComponent","componentStyle","forwardedComponent","forwardedRef","componentAttrs","fold  
edComponentIds","resolvedAttrs","attrDef","resolvedAttrDef","useResolvedAttrs","generatedClassName","warnTo  
oManyClasses","useInjectedStyle","refToForward","\$as","as","isTargetTag","computedProps","propsForElement","  
validAttr","className","withComponent","previousComponentId","optionsToCopy","newComponentId","getComp  
onentName","\_foldedDefaultProps","merge","hoist","styled","constructWithOptions","componentConstructor","isV  
alidElementType","templateFunction","withConfig","config","StyledComponent","domElement","secondary"],"ma  
ppings": "sUACe,SAASA,EAaKBC,UACjCA,GAA8C,iBAA7BA,EAAOC,iCCE/BC,EACAC,WAEMC,EAAS,CA  
ACF,EAaQ,IAEfG,EAAl,EAAGC,EAAMH,EAaEi,OAAQF,EAaIC,EAaKD,GAaK,EAczDD,EAaOI,KAAKL,  
EAaEe,GAaIH,EAaQG,EAaI,WAGtCD,cCVOK,UACR,OAANA,GACa,iBAANA,GAC6D,qBAAnEA,EAaEC,  
SAAWD,EAaEC,WAAaC,OAAOC,UAAUF,SAASG,KAAKJ,MAC3DK,SAAOL,ICNGM,EAaEj,OAAOK,OAA  
O,IAC5BC,EAaEn,OAAOK,OAAO,ICD3B,SAASE,EAaWC,SACV,mBAATA,iNCGT,IAAMC,EACS,oBAAZC  
,UAA4BA,QAAQC,IAaIC,mBAAqBF,QAAQC,IAaIF,UACjF,cAOWI,EAa+B,oBAAXC,QAA0B,gBAAiBA,O  
AE/DC,EACXC,QAAqC,kBAAtBC,kBACXA,kBACoB,oBAAZP,cAA8E,IAA5CA,QAAQC,IAaIO,6BAA2F,KA  
A5CR,QAAQC,IAaIO,4BACnE,UAA5CR,QAAQC,IAaIO,6BAaKDR,QAAQC,IAaIO,4BACtD,oBAAZR,cAAo  
E,IAaICA,QAAQC,IAaIM,mBAAuE,KAAICP,QAAQC,IAaIM,mBACnE,UAAICP,QAAQC,IAaIM,mBAAwC  
P,QAAQC,IAaIM,mBAM7DE,EAa2B,GCDzB,SAASC,EACtBC,8BACG7B,mCAAAA,0BAGK,IAaI8B,qDACu  
CD,4BAC7C7B,EAaEi,OAAS,YAaCj,EAaE+B,KAAK,MAAU,KC1BrE,IAMDC,wBAOQC,QACLC,WAAa,IA  
AIC,YAVR,UAWT/B,OAXS,SAYT6B,IAAMA,6BAGbG,aAAA,SAAaC,WACPC,EAaQ,EACHpC,EAaI,EAAG  
A,EAaImC,EAaOnC,IACzBoC,GAASC,KAAKL,WAAWhC,UAGpBoC,KAGTE,YAAA,SAAYH,EAaEi,MACr  
BJ,GAASE,KAAKL,WAAW9B,OAAQ,SAC7BsC,EAAYH,KAAKL,WACjBS,EAaUD,EAaUtC,OAeTbWc,EA  
AUD,EACPN,GAASO,IACdA,IAAY,GACE,GACZC,EAaIb,MAAOR,QAIvBH,WAAa,IAaIC,YAAYS,QAC7B  
V,WAAWY,IAaIJ,QACftC,OAASwC,MAET,IAaIIC,EAaIyC,EAASzC,EAaI0C,EAAS1C,SAC5BgC,WAAWh  
C,GAaK,UAIrB6C,EAAYR,KAAKH,aAAaC,EAaQ,GACjCnC,EAaI,EAAG8C,EAaIP,EAAMrC,OAAQF,EA  
I8C,EAAG9C,IACnCqC,KAAKN,IAaIgB,WAAWF,EAaWN,EAAMvC,WACICgC,WAAWG,KACHBU,QAKN  
G,WAAA,SAAWb,MACLA,EAaQE,KAAKnC,OAAQ,KACjBA,EAASmC,KAAKL,WAAWG,GACzBc,EAaAZ,  
KAAKH,aAAaC,GAC/Be,EAaWD,EAaA/C,OAeZB8B,WAAWG,GAAS,MAEpB,IAaInC,EAaIiD,EAAYjD,EA  
AIkD,EAaUID,SACHc+B,IAaIoB,WAAWF,OAK1BG,SAaA,SAASjB,OACHkB,EAAM,MACNIB,GAASE,KA  
AKnC,QAAqC,IAA3BmC,KAAKL,WAAWG,UACnCkBU,UGHnD,EAASmC,KAAKL,WAAWG,GACzBc,EA  
aZ,KAAKH,aAAaC,GAC/Be,EAaWD,EAaA/C,EAERfB,EAaIiD,EAAYjD,EAaIkD,EAaUID,IACrCqD,GAaU  
hB,KAAKN,IAaIuB,QAAQtD,GFhFT,mBEmFbqD,QCzFPE,EAaUc,IAaIC,IAC3CC,EAaUc,IAaID,IAC3CE,EA



AgB,EAQPC,EAAgB,SAACC,MACxBL,EAAgBM,IAAID,UACdL,EAAgBO,IAAIF,QAGvBH,EAAgBI,IAAIH,I  
ACzBA,QAGIvB,EAAQuB,WASdH,EAAgBX,IAAIgB,EAAIzB,GACxBsB,EAAgBb,IAAIT,EAAOyB,GACpBz  
B,GAGI4B,EAAgB,SAAC5B,UACrBsB,EAAgBK,IAAI3B,IAGhB6B,EAAgB,SAACJ,EAAyZB,GACpCA,GAAS  
uB,IACXA,EAAgBvB,EAAQ,GAG1BoB,EAAgBX,IAAIgB,EAAIzB,GACxBsB,EAAgBb,IAAIT,EAAOyB,IC3C  
vBK,WAAoBID,mCACpBmD,EAAy,IAAIC,WAAWpD,kDAkC3BqD,EAA4B,SAACC,EAACt,EAAyU,WAEv  
DC,EADEC,EAAQF,EAAQG,MAAM,KAGnBzE,EAAI,EAAG8C,EAAI0B,EAAMtE,OAAQF,EAAI8C,EAAG9  
C,KAElCuE,EAAOC,EAAMxE,KACbBqE,EAAMK,aAAad,EAAIW,IAKvBI,EAAwB,SAACN,EAACo,WACrC  
C,GAASD,EAAME,aAAe,IAAIL,MJ1CIB,aI2ChBIC,EAakB,GAefvC,EAAI,EAAG8C,EAAI+B,EAAM3E,OAA  
QF,EAAI8C,EAAG9C,IAAK,KACtC+E,EAEOF,EAAM7E,GAAGgF,UACjBD,OAECE,EAASF,EAACKG,MAA  
MhB,MAEtBe,EAAQ,KACJ9C,EAakC,EAA1BgD,SAASF,EAAO,GAAL,IAC5BrB,EAakqB,EAAO,GAElJ,IAA  
V9C,IAEF6B,EAACJ,EAAIzB,GAGIBiC,EAA0BC,EAAOT,EAAIqB,EAAO,IAC5CZ,EAAMe,SAAS9C,YAAyH  
,EAAOI,IAGpCA,EAAMrC,OAAS,OAefqC,EAAMpC,KAAK4E,MCzEXM,EAAW,iBAEU,oBAAXjE,aAC0B,I  
AA7BA,OAAOkE,kBACZIE,OAAOkE,kBAET,MCYOC,EAAe,SAAC5F,OACrB6F,EAASC,SAASD,KACIBE,E  
AAS/F,GAAU6F,EACnBZ,EAAQa,SAASE,cAAc,SAC/BC,EAIbIB,SAACjG,WACHBkG,EAaElG,EAafkG,WA  
EC7F,EAAI6F,EAAW3F,OAAQF,GAAK,EAAGA,IAAK,KACrC8F,EAAUD,EAAW7F,MACvB8F,GARa,IAQJ  
A,EAAMC,UAA6BD,EAAME,aAAajF,UACxD+E,GAYKG,CAAIbP,GAC7BQ,OAA4BC,IAAdP,EAA0BA,EA  
UM,YAAc,KAElEtB,EAAMwB,aAAarF,ENrBS,UMsB5B6D,EAAMwB,aNrBuB,sBACLc,aMsBIBC,EAAQjB,W  
AEViB,GAAO1B,EAAMwB,aAAa,QAASE,GAEvCZ,EAAOa,aAAa3B,EAAOsB,GAEPbT,GcTBI4B,wBAOC7  
G,OACJ8G,EAAWpE,KAAKoE,QAAUIB,EAAa5F,GAG7C8G,EAAQC,YAAyJB,SAASkB,eAAe,UAEvCtC,MD  
ae,SAACtC,MACnBA,EAAIsC,aACGtC,EAAIsC,cAIpUC,EAAGbNB,SAAhBmB,YACC5G,EAAI,EAAG8C,EA  
I8D,EAAy1G,OAAQF,EAAI8C,EAAG9C,IAAK,KAC5CqE,EAAQuC,EAAy5G,MACtBqE,EAAMwC,YAAc9E,  
SACbsC,EAIb1B,EAAiB,IC3BFmE,CAASL,QACjBvG,OAAS,6BAGhB6C,WAAA,SAAWX,EAAe2E,mBAEjB1  
C,MAAMtB,WAAWgE,EAAM3E,QACvBIC,UACE,EACP,MAAO8G,UACA,MAIX7D,WAAA,SAAWf,QACjC  
,MAAMIB,WAAWf,QACjBIC,YAGPoD,QAAA,SAAQIB,OACA2E,EAAO1E,KAAKgC,MAAM4C,SAAS7E,eA  
EpB+D,IAATY,GAA8C,iBAAjBA,EAACKG,QAC7BH,EAACKG,QAEL,SAMAC,wBAOCxH,OACJ8G,EAAWpE,  
KAAKoE,QAAUIB,EAAa5F,QACxCyH,MAAQX,EAAQZ,gBACHb3F,OAAS,6BAGhB6C,WAAA,SAAWX,EA  
Ae2E,MACpB3E,GAASC,KAAKnC,QAAUkC,GAAS,EAAG,KACHcIF,EAAO5B,SAASkB,eAAeI,GAC/BO,EA  
AUjF,KAAK+E,MAAMhF,eACtBqE,QAAQF,aAAac,EAAMC,GAAW,WACtCpH,UACE,SAEA,KAIXiD,WAA  
A,SAAWf,QACjQe,QAAQc,YAAyIF,KAAK+E,MAAMhF,SAC/BIC,YAGPoD,QAAA,SAAQIB,UACFA,EAAQ  
C,KAAKnC,OACRmC,KAAK+E,MAAMhF,GAAO0C,YAEIB,SAMA0C,wBAKCC,QACLIF,MAAQ,QACRrC,O  
AAS,6BAGhB6C,WAAA,SAAWX,EAAe2E,UACpB3E,GAASC,KAAKnC,cACXqC,MAAMmF,OAAOtF,EAAO  
,EAAG2E,QACvB7G,UACE,MAMXiD,WAAA,SAAWf,QACJG,MAAMmF,OAAOtF,EAAO,QACpBIC,YAGPo  
D,QAAA,SAAQIB,UACFA,EAAQC,KAAKnC,OACRmC,KAAKE,MAAMH,GAEX,SCzHTuF,EAAMbXG,EA  
WjByG,EAA+B,CACnCC,UAAW1G,EACX2G,mBAAoBzG,GAID0G,wBAiBjBC,EACAC,EACAZD,YAFaWd,IA  
AAA,EAAGCpH,YACHCqH,IAAAA,EAA2C,SAGtCD,aACAJ,KACAI,QAGAE,GAAKD,OACLzD,MAAQ,IAAI  
hB,IAAIgB,QACH2D,SAAWH,EAAQH,UAGnBxF,KAAK8F,QAAUUh,GAACwG,IACHCA,GAAMb,EJyBK,S  
AACTd,WACvB+C,EAAQ3B,SAAS2C,iBAAiBnE,GAE/BjE,EAAI,EAAG8C,EAAIsE,EAAMIH,OAAQF,EAAI8  
C,EAAG9C,IAAK,KACtCqH,EAASD,EAAMpH,GACjBqH,GJ/EsB,WI+EdA,EAACKgB,aAAatH,KAC5B4D,EA  
sBN,EAAOGD,GAEZBA,EAACKiB,YACPjB,EAACKiB,WAAWf,YAAyF,KljC9BkB,CAAEIG,SArBZmG,WAAP,S  
AAkB5E,UACTD,EAAcC,+BAwBvB6E,uBAAA,SAAuBT,EAA+BU,mBAAAA,IAAAA,GAASB,GACnE,IAAIX  
,OACJ1F,KAAK2F,WAAyA,GACtB3F,KAAK6F,GACJQ,GAAarG,KAAKmC,YAAU2B,MAIjCwC,mBAAA,S  
AAmB/E,UACTvB,KAAK6F,GAAGtE,IAAOvB,KAAK6F,GAAGtE,IAAO,GAAK,KAI7CwB,OAAA,kBACS/C,  
KAAKN,MAAQM,KAAKN,KDtEH8F,KCsEgCxF,KAAK2F,SDtErCH,SAAUC,IAAAA,kBAAMbNI,IAAAA,OL  
CxBoC,EKAZB8F,EACK,IAAIL,EAAW7H,GACbmI,EACF,IAAIb,EAA57G,GAEB,IAAIwH,EAAQxH,GLJd,IA  
AIImC,EAakBC,KADD,IAACA,IKDL8F,EAAUC,EAAMbNI,KC0ErDiJ,aAAA,SAAahF,EAAyW,UACHBIC,KA  
AKmC,MAAMX,IAAID,IAAQvB,KAAKmC,MAAMV,IAAIF,GAAUC,IAAIU,MAI7DG,aAAA,SAAad,EAAy  
W,MACvBZ,EAACc,GAETvB,KAAKmC,MAAMX,IAAID,QAkZY,MAAMV,IAAIF,GAAUif,IAAIte,OALP,K  
ACjBuE,EAAa,IAAIC,IACvBD,EAAWD,IAAIte,QACVC,MAAM5B,IAAIgB,EAAIkF,OAovBxG,YAAA,SAA

YsB,EAAYW,EAACHC,QAC/BmC,aAAad,EAAlW,QACjBa,SAAS9C,YAAyqB,EAACc,GAAKrB,MAI/CyG,W  
AAA,SAAWpF,GACLvB,KAAKmC,MAAMX,IAAID,SACXY,MAAMV,IAAIF,GAAUqF,WAK9BC,WAAA,SA  
AWtF,QACJwB,SAASpC,WAAWW,EAACc,SAClCoF,WAAWpF,MAIlBuF,SAAA,gBAGOpH,SAAMoE,KAlb9  
F,SAAA,kBJpHyB,SAACgE,WACpBtC,EAAMsC,EAAMe,SACVIF,EAAW6B,EAAX7B,OAEJmD,EAAM,GAC  
DlB,EAQ,EAAGA,EAQjC,EAQqC,IAAS,KACrCyB,EAAKG,EAAC5B,WACdgE,IAAPvC,OAEY,EAQH,  
EAAMG,MAAMV,IAAIF,GACxBrB,EAQR,EAQqB,SAASjB,MACTbQc,GAAUjC,GAAUic,EAAM4E,UAEz  
BC,EAActI,OAAYoB,UAAayB,OAEzCU,EAU,QACA6B,IAAV3B,GACFA,EAAM8E,SAAQ,SAA/E,GACR  
A,EAAKrE,OAAS,IACHBoE,GAACc,UOpBlB,MAAUd,EAQ8G,eAAqB/E,yBAGlCjB,ElwFEkG,CAAYIH,Y  
C3HjBmH,EAAGb,WAOhBC,EAOb,SAAC9H,UACzB+H,OAOC,aAAahI,GAAQA,EAAO,GAAK,GAAK,M  
AGhC,SAASiI,EAABjI,OAEzCvB,EADAmE,EAAO,OAINnE,EAAlYJ,KAAKC,IAAIInI,GAAOVb,EAZP,GAYw  
BA,EAACA,EAZ7B,GAYgD,EACHEmE,EAOkF,EAABrJ,EAAbT,IAa4BmE,SAGtCkF,EAABrJ,EAhBR,IAgB  
2BmE,GAAMwF,QAAQP,EA Ae,SCpBrE,IAKMq,EAQ,SAACC,EAAW7J,WAC3BJ,EAAl,EA AEF,OAEHF,G  
ACLik,EAAS,GAAJA,EAU7J,EA A8J,aAAaK,UAGzBiK,GAIE,EAAO,SAAC/J,UACZ4J,EAjBW,KAIbC5J,  
ICfN,SAASgK,EAAC7H,OAC/B,IAAIvC,EAAl,EAAGA,EAAluC,EAAMrC,OAAQF,GAAK,EAAG,KACIC+G,E  
AAOXE,EAAMvC,MAEfa,EAAWkG,KAAUrH,EAABqH,UAGlC,SAIJ,ECPT,IAAMsD,EA AOF,EZEa9D,SYGL  
iE,wBAaP/H,EAAGbGl,EA AqBC,QAClCjI,MAAQA,OACRkI,cAAgB,QACHBC,eACYvE,IAAdqE,GAA2BA,EA  
AUE,WACtCN,EAAC7H,QACXgl,YAAcA,OAIIdI,SAAWX,EAAMK,EAAME,QA E vBC,UAAyA,EA lJzC,EA  
WS,WAAW+B,sBAQxBK,wBAAA,SAAwBC,EA A0BC,EA AwBC,OACHER,EAAGbII,KAAhBkI,YAEF/F,EA  
Q,MAEVnC,KAAKmI,WACPhG,EAAMrE,KAAKkC,KAAKmI,UAAUI,wBAAwBC,EAABc,EAAYC,IAI9E1I,  
KAAKqI,WAAaK,EAAOZ,QACvB9H,KAAKoI,eAAiBK,EA AWIC,aAAa2B,EA AaII,KAAKoI,eACIEjG,EAAMr  
E,KAAKkC,KAAKoI,mBACX,KACCO,EAAYC,GAAQ5I,KAAKE,MAAOsI,EAABc,EAAYC,GAAQIJ,KAAK  
,IAC3E0C,EAAO2G,EA AalB,EAAM3H,KAAKsI,SAAUK,KAAe,OAEzDF,EA AWIC,aAAa2B,EA AahG,GAAO,  
KACzC4G,EA AqBJ,EA AOC,MAAezG,OAAQ4B,EA Woe,GAEPeO,EA AWxI,YAAyIi,EA AahG,EAAM4G,G  
AG5C3G,EAAMrE,KAAKoE,QACNkG,cAAgBIG,MAEIB,SACGrE,EA AWmC,KAAKE,MAAhBrC,OACJkL,EA  
AcpB,EAAM3H,KAAKsI,SAAUI,EAAOZ,MAClC9G,EAAM,GAEDrD,EAAl,EAAGA,EA AIE,EA AqF,IAAK,K  
ACzBqL,EA AWhJ,KAAKE,MAAMvC,MAEJ,iBAAbqL,EACThI,GAAOgl,OAGF,GAAIA,EA AU,KACbC,EA  
YL,GAAQI,EA AUR,EAABc,EAAYC,GAC5DQ,EA AaC,MAAMC,QAAQH,GAAaA,EA AUzJ,KAAK,IAAMyJ,  
EACnEF,EA AcpB,EAAMoB,EA AaG,EA AvL,GAC9CqD,GAAOKI,MAIPII,EA AK,KACDKb,EAAO2G,EA AaE,  
IAAgB,OAERCN,EA AWIC,aAAa2B,EA AahG,GAAO,KACzCmH,EA AeX,EA AO1H,MAASKb,OAAQ4B,EA AW  
oe,GACxDO,EA AWxI,YAAyIi,EA AahG,EAAMmH,GAG5CIH,EAAMrE,KAAKoE,WAIRC,EAAM3C,KAAK,  
WC7GtB,SAAS8J,EAAYC,GakUnB,SAASC,EA AEC,EAAGC,EAAGC,GACf,IAAI/B,EA AI8B,EA AE/G,OA AO  
P,MAAMwH,GACvBF,EA AI9B,EACJ,IAAIiC,EA AIjC,EA AE/J,OACNiM,EAAIL,EA AE5L,OAEV,OAAQIM,G  
ACN,KAAK,EA CL,KAAK,EACH,IAAIC,EA AI,EAER,IAAKN,EA AI,IAAMK,EA AI,GA AKL,EA AE,GA AK,IA  
AKM,EA AIF,IAAKE,EAC3CL,EA AEK,GA AKC,EA AEP,EAAGC,EA AEK,GA AIJ,GAAGhH,OAGvB,MAEF,Q  
ACE,IAAIsh,EA AIF,EA AI,EA EZ,IA AKL,EA AI,GA AIK,EA AIF,IAAKE,EACpB,IAAK,IAAIG,EA AI,EAAGA,E  
AAIJ,IAAKI,EACvBR,EA AEO,KAAOD,EA AEP,EA AES,GA AK,IAAKtC,EA AEmC,GA AIJ,GAAGhH,OAMx C,  
OAAO+G,EAGT,SAASM,EA AEP,EAAGC,EAAGC,GACf,IAAI/B,EA AI8B,EA AE7B,WAAW,GAGrB,OAFa,G  
AAKD,IAAMA,GA AK8B,EA AIA,EA AE/G,QAAQkF,WAAW,IAEjCD,GACN,KAAK,GACH,OAAO8B,EA AEh  
C,QAAQyC,EAAG,KAAOV,EA AE9G,QAE/B,KAAK,GACH,OAAO8G,EA AE9G,OAAS+G,EA AEhC,QAAQyC  
,EAAG,KAAOV,EA AE9G,QAEIC,QACE,GA AI,EA AI,EA AIgH,GA AK,EA AID,EA AEU,QAAQ,MAAO,OAAO  
V,EA AEhC,QAAQyC,GA AI,KAAOV,EA AE5B,WAAW,GA AK,GA AK,MAAQ4B,EA AE9G,QAGvG,OAAO8G,  
EA AIC,EAGb,SAASW,EA AEZ,EAAGC,EAAGC,EAAG/B,GACIB,IAAIiC,EA AIJ,EA AI,IA CRK,EA AI,EA AIJ,E  
AAI,EA AIC,EA AI,EA AI/B,EA E5B,GA AI,MAAQkC,EAAG,CACbL,EA AI,EA AEO,QAAQ,IAAK,GA AK,EACx  
B,IAAIL,EA AIF,EA AES,UAAUb,EA AGI,EA AEhM,OAAS,GAAG8E,OAERC,OADAOH,EA AIF,EA AES,UAAU,  
EAAGb,GAAG9G,OAASoH,EA AI,IAC5B,IAAMQ,GA AK,IAAMA,GA AKC,EA AET,EAAG,GA AK,WAAaA,E  
AAIA,EA AIA,EAG9D,GA AI,IAAMQ,GA AK,IAAMA,IAAMC,EA AEX,EAAG,GA AI,OAAOA,EA E3C,OAAQC  
,GACN,KAAK,KACH,OAAO,KAAOD,EA AEhC,WAAW,IAAM,WAAagC,EA AIA,EA AIA,EA ExD,KAAK,IAC  
H,OAAO,MAAQA,EA AEhC,WAAW,GA AK,WAAagC,EA AIA,EA AIA,EA ExD,KAAK,IACH,OAAO,MAAQA,

EAAEhC,WAAW,GAAK,WAAagC,EAAIA,EAAIA,EAExD,KAAK,KACH,GAAl,MAAQA,EAAEhC,WAAW,G  
AAI,MAE/B,KAAK,IACL,KAAK,IACH,MAAO,WAAagC,EAAIA,EAE1B,KAAK,IACH,MAAO,WAAaA,EAAI  
,QAAUA,EAAIA,EAExC,KAAK,KACL,KAAK,IACH,MAAO,WAAaA,EAAI,QAAUA,EAAI,OAASA,EAAIA,E  
AErD,KAAK,IACH,GAAl,KAAOA,EAAEhC,WAAW,GAAl,MAAO,WAAagC,EAAIA,EACpD,GAAl,EAAIA,E  
AAEO,QAAQ,aAAc,IAAK,OAAOP,EAAEnC,QAAQ+C,EAAI,gBAAkBZ,EAC5E,MAEF,KAAK,IACH,GAAl,K  
AAOA,EAAEhC,WAAW,GAAl,OAAQgC,EAAEhC,WAAW,IAC/C,KAAK,IACH,MAAO,eAAiBgC,EAAEnC,Q  
AAQ,QAAS,IAAM,WAAamC,EAAI,OAASA,EAAEnC,QAAQ,OAAQ,YAAcmC,EAE7G,KAAK,IACH,MAAO,  
WAAaA,EAAI,OAASA,EAAEnC,QAAQ,SAAU,YAAcmC,EAERe,KAAK,GACH,MAAO,WAAaA,EAAI,OAAS  
A,EAAEnC,QAAQ,QAAS,kBAaObmC,EAE5E,MAAO,WAAaA,EAAI,OAASA,EAAIA,EAEvC,KAAK,IACH,  
MAAO,WAAaA,EAAI,YAAcA,EAAIA,EAE5C,KAAK,KACH,GAAl,KAAOA,EAAEhC,WAAW,GAAl,MAE5B  
,MAAO,oBADPkC,EAAIF,EAAES,UAAUT,EAAEO,QAAQ,IAAK,KAAK1C,QAAQ,QAAS,IAAIA,QAAQ,gBA  
AiB,YACID,WAAamC,EAAI,gBAAkBE,EAAIF,EAEzE,KAAK,KACH,OAAOa,EAAGjM,KAAKoL,GAAKA,E  
AAEnC,QAAQiD,EAAI,aAAed,EAAEnC,QAAQiD,EAAI,UAAyD,EAAIA,EAEjF,KAAK,IAIH,OAFaH,GADA  
K,EAAIF,EAAES,UAAU,IAAI3H,QACdyH,QAAQ,KAAO,EAEBL,EAAEIC,WAAW,GAAKkC,EAAEIC,WAA  
W6B,IACrC,KAAK,IACHK,EAAIF,EAAEnC,QAAQkD,EAAG,MACjB,MAEF,KAAK,IACHb,EAAIF,EAAEnC,  
QAAQkD,EAAG,SACjB,MAEF,KAAK,IACHb,EAAIF,EAAEnC,QAAQkD,EAAG,MACjB,MAEF,QACE,OAA  
Of,EAGX,MAAO,WAAaA,EAAI,OAASE,EAAIF,EAEvC,KAAK,KACH,IAAK,IAAMA,EAAEO,QAAQ,SAAU,  
GAAl,MAErC,KAAK,IAIH,OAHAV,GAAKG,EAAIJ,GAAG5L,OAAS,GAGbiM,GAFRC,GAAK,KAAOF,EAA  
EhC,WAAW6B,GAAKG,EAAES,UAAU,EAAGZ,GAAKG,GAAGS,UAAUb,EAAEW,QAAQ,IAAK,GAAG,GA  
AGzH,QAExEkF,WAAW,IAAwB,EAAIBkC,EAAEIC,WAAW,KAC1C,KAAK,IACH,GAAl,IAAMkC,EAAEIC,  
WAAW,GAAl,MAE7B,KAAK,IACHgC,EAAIA,EAAEnC,QAAQqC,EAAG,WAAaA,GAAK,IAAMF,EACzC,M  
AEF,KAAK,IACL,KAAK,IACHA,EAAIA,EAAEnC,QAAQqC,EAAG,YAAc,IAAMD,EAAI,UAAy,IAAM,OAAS  
S,IAAMD,EAAEnC,QAAQqC,EAAG,WAAaA,GAAK,IAAMF,EAAEnC,QAAQqC,EAAG,OAASA,EAAI,OAAS  
,IAAMF,EAG5J,OAAOA,EAAI,IAEb,KAAK,IACH,GAAl,KAAOA,EAAEhC,WAAW,GAAl,OAAQgC,EAAEh  
C,WAAW,IAC/C,KAAK,IACH,OAAOkC,EAAIF,EAAEnC,QAAQ,SAAU,IAAK,WAAamC,EAAI,eAAiBE,EAA  
I,YAAcA,EAAIF,EAE9F,KAAK,IACH,MAAO,WAAaA,EAAI,iBAAmBA,EAAEnC,QAAQmD,EAAI,IAAMhB,  
EAEjE,QACE,MAAO,WAAaA,EAAI,qBAAuBA,EAAEnC,QAAQ,gBAAiB,IAAIA,QAAQmD,EAAI,IAAMhB,E  
AEpG,MAEF,KAAK,IACL,KAAK,IACH,GAAl,KAAOA,EAAEhC,WAAW,IAAM,MAAQgC,EAAEhC,WAAW,  
GAAl,MAEzD,KAAK,IACL,KAAK,IACH,IAAI,IAAOiD,EAAGrM,KAAKgL,GAAl,OOAO,OAASM,EAAIN,E  
AAEa,UAAUb,EAAEW,QAAQ,KAAO,IAAIvC,WAAW,GAAKwC,EAAEZ,EAAE/B,QAAQ,UAAW,kBAAmBg  
C,EAAGC,EAAG/B,GAAGF,QAAQ,kBAAmB,YAAcmC,EAAEnC,QAAQqC,EAAG,WAAaA,GAAKF,EAAEnC  
,QAAQqC,EAAG,QAAUA,EAAErC,QAAQ,QAAS,KAAOmC,EACxQ,MAEF,KAAK,IACH,GAAl,EAAI,WA  
AaA,GAAK,MAAQA,EAAEhC,WAAW,GAAK,OAASgC,EAAI,IAAMA,EAAG,MAAQF,EAAI/B,GAAK,MAA  
QiC,EAAEhC,WAAW,KAAO,EAAIgc,EAAEO,QAAQ,YAAa,IAAK,OAAOP,EAAES,UAAU,EAAGT,EAAEO,  
QAAQ,IAAK,IAAM,GAAG1C,QAAQqD,EAAI,gBAAkBIB,EAGvO,OAAOA,EAGT,SAASW,EAAEf,EAAGC,G  
ACZ,IAAIC,EAAIF,EAAEW,QAAQ,IAAMV,EAAI,IAAM,KAC9B9B,EAAI6B,EAAEa,UAAU,EAAG,IAAMZ,  
EAAIC,EAAI,IAErC,OADAA,EAAIF,EAAEa,UAAUX,EAAI,EAAGF,EAAE5L,OAAS,GAC3BmN,EAAE,IAA  
MtB,EAAI9B,EAAIA,EAAEF,QAAQuD,EAAI,MAAOtB,EAAGD,GAGjD,SAASwB,EAAGzB,EAAGC,GACb,I  
AAIC,EAAIU,EAAEX,EAAGA,EAAE7B,WAAW,GAAI6B,EAAE7B,WAAW,GAAI6B,EAAE7B,WAAW,IAC5  
D,OAAO8B,IAAMD,EAAI,IAAMC,EAAEjC,QAAQyD,EAAI,YAAyb,UAAU,GAAK,IAAMZ,EAAI,IAG5E,SA  
AS0B,EAAE3B,EAAGC,EAAGC,EAAG/B,EAAGiC,EAAGC,EAAGC,EAAGE,EAAGC,EAAGmB,GACpC,IAA  
K,IAAkBd,EAAde,EAAI,EAAGvN,EAAI2L,EAAM4B,EAAIC,IAAKD,EACjC,OAAQf,EAAIiB,EAAEF,GAAGn  
N,KAAKsN,EAAGhC,EAAG1L,EAAG4L,EAAG/B,EAAGiC,EAAGC,EAAGC,EAAGE,EAAGC,EAAGmB,IAC  
ID,UAAK,EAEL,KAAK,EAEL,KAAK,EAEL,KAAK,KACH,MAEF,QACEtN,EAAIwM,EAIv,GAAlxM,IAAM2  
L,EAAG,OAAO3L,EAmBtB,SAAS2N,EAAEjC,GAGT,YADA,KADAA,EAAIA,EAAEkC,UACWX,EAAI,KAA  
MvB,EAAI,mBAAsBA,EAAIc,EAAI,GAAGA,EAAI,EAAGS,EAAIvB,GAAKc,EAAI,GAC/EmB,EAGT,SAASD  
,EAAEhC,EAAGC,GACZ,IAAIC,EAAIF,EAKR,GAJA,GAAKE,EAAE9B,WAAW,KAAO8B,EAAIA,EAAEhH,  
QAE/BgH,EAAI,CADAA,GAGA,EAAI4B,EAAG,CACT,IAAI3D,EAAIwD,GAAG,EAAG1B,EAAGC,EAAGA,

EAAGiC,EAAGC,EAAG,EAAG,EAAG,EAAG,QACTc,IAAWjE,GAAK,iBAAoBA,IAAM8B,EAAI9B,GAGhD,I  
AAIiC,EA5jBN,SAASiC,EAAErC,EAAGC,EAAGC,EAAG/B,EAAGiC,GACrB,IAAK,IAAgCwB,EAAGC,EAAi  
BS,EAAuEC,EAAMCC,EAA1JnC,EAAI,EAAGC,EAAI,EAAGE,EAAI,EAAGC,EAAI,EAASnM,EAAI,EAAGm  
O,EAAI,EAAMC,EAAIJ,EAAIV,EAAI,EAAG5K,EAAI,EAAG2L,EAAI,EAAGC,EAAI,EAAGC,EAAI,EAAGb,  
EAAI9B,EAAE9L,OAAQ0O,EAAId,EAAI,EAAMe,EAAI,GAAIC,EAAI,GAAItC,EAAI,GAAIS,EAAI,GAAOnK  
,EAAIgL,GAAL,CAI5K,GAHAH,EAAI3B,EAAE9B,WAAWpH,GACjBA,IAAM8L,GAAK,IAAMxC,EAAIG,EA  
AID,EAAIH,IAAM,IAAMC,IAAMuB,EAAI,KAAOVb,EAAI,GAAK,IAAKG,EAAID,EAAIH,EAAI,EAAG2B,IA  
AKc,KAExF,IAAMxC,EAAIG,EAAID,EAAIH,EAAG,CACvB,GAAlrJ,IAAM8L,IAAM,EAAIH,IAAMI,EAAIA,  
EAAE9E,QAAQgF,EAAG,KAAM,EAAIF,EAAE7J,OAAO9E,QAAS,CACrE,OAAQyN,GACN,KAAK,GACL,K  
AAK,EAcl,KAAK,GACL,KAAK,GACL,KAAK,GACH,MAEF,QACEkB,GAAK7C,EAAEgD,OAAOIM,GAGIB  
6K,EAAI,GAGN,OAAQA,GACN,KAAK,IAXH,IAHAD,GADAmB,EAAIA,EAAE7J,QACAKF,WAAW,GACjBk  
E,EAAI,EAECO,IAAM7L,EAAGA,EAAIgL,GAAL,CACpB,OAAQH,EAAI3B,EAAE9B,WAAWpH,IACvB,KAA  
K,IACHsL,IACA,MAEF,KAAK,IACHA,IACA,MAEF,KAAK,GACH,OAAQT,EAAI3B,EAAE9B,WAAWpH,EA  
AI,IAC3B,KAAK,GACL,KAAK,GACHoJ,EAAG,CACD,IAAKsC,EAAIIL,EAAI,EAAG0L,EAAII,IAAKJ,EACv  
B,OAAQxC,EAAE9B,WAAWsE,IACnB,KAAK,GACH,GAAL,KAAOb,GAAK,KAAO3B,EAAE9B,WAAWsE,E  
AAI,IAAM1L,EAAI,IAAM0L,EAAG,CACzD1L,EAAI0L,EAAI,EACR,MAAMtC,EAGR,MAEF,KAAK,GACH,  
GAAL,KAAOyB,EAAG,CACZ7K,EAAI0L,EAAI,EACR,MAAMtC,GAMdpJ,EAAI0L,GAKV,MAEF,KAAK,GA  
CHb,IAEF,KAAK,GACHA,IAEF,KAAK,GACL,KAAK,GACH,KAAO7K,IAAM8L,GAAK5C,EAAE9B,WAAW  
pH,KAAO6K,KAK1C,GAAL,IAAMS,EAAG,MACbtL,IAMF,OAHAsL,EAAIpC,EAAEW,UAAUgC,EAAG7L,G  
ACnB,IAAM4K,IAAMA,GAAKmB,EAAIA,EAAE9E,QAAQkF,EAAI,IAAIjK,QAAQkF,WAAW,IAEIDwD,GA  
CN,KAAK,GAIH,OAHA,EAAIe,IAAMI,EAAIA,EAAE9E,QAAQgF,EAAG,KAC3BpB,EAAIkB,EAAE3E,WAA  
W,IAGf,KAAK,IACL,KAAK,IACL,KAAK,IACL,KAAK,GACHuE,EAAIIC,EACJ,MAEF,QACE0C,EAAIS,EA  
MR,GAFAP,GADAP,EAAID,EAAEpC,EAAG0C,EAAGL,EAAGT,EAAGzB,EAAI,IACbBhM,OACN,EAAI0N,I  
AAsBU,EAAIb,EAAE,EAAGW,EAazBK,EAAI5C,EAAEgD,EAAGL,EAAGH,GAAMb3C,EAAGkC,EAAGC,E  
AAGS,EAAGhB,EAAGzB,EAAGjC,GAAL4E,EAAIJ,EAAE5M,KAAK,SAAK,IAAWyM,GAAK,KAAOK,GAA  
KP,EAAIE,EAAEtJ,QAAQ9E,UAAyYn,EAAI,EAAGS,EAAI,KAC5I,EAAIO,EAAG,OAAQhb,GACjB,KAAK,I  
ACHkB,EAAIA,EAAE9E,QAAQoF,EAAI5B,GAEPb,KAAK,IACL,KAAK,IACL,KAAK,GACHa,EAAIS,EAAI,I  
AAMT,EAAI,IACIB,MAEF,KAAK,IAEHA,GADAS,EAAIA,EAAE9E,QAAQqF,EAAI,UACV,IAAMhb,EAAI,I  
ACIBA,EAAI,IAAMxB,GAAK,IAAMA,GAAKC,EAAE,IAAMuB,EAAG,GAAK,YAAcA,EAAI,IAAMA,EAAI,I  
AAMA,EAC5E,MAEF,QACEA,EAAIS,EAAIT,EAAG,MAAQnE,IAAW6E,GAAKV,EAAVA,EAAa,SACnCA,E  
AAI,GACX,MAEF,QACEA,EAAID,EAAEpC,EAAGF,EAAEE,EAAG8C,EAAGH,GAALN,EAAGnE,EAAGiC,E  
AAI,GAGnCM,GAAK4B,EACLA,EAAIM,EAAID,EAAID,EAAId,EAAI,EACpBmB,EAAI,GACJIB,EAAI3B,EA  
AE9B,aAAapH,GACnB,MAEF,KAAK,IACL,KAAK,GAEH,GAAL,GAAK6L,GADTE,GAAK,EAAIJ,EAAII,EA  
AE9E,QAAQgF,EAAG,IAAMF,GAAG7J,QACpB9E,QAAS,OAAQ,IAAMsO,IAAMd,EAAImB,EAAE3E,WAA  
W,GAAL,KAAOwD,GAAK,GAAKA,GAAK,IAAMA,KAAOiB,GAAKE,EAAIA,EAAE9E,QAAQ,IAAK,MAAM  
7J,QAAS,EAAI0N,QAAK,KAAyU,EAAIb,EAAE,EAAGoB,EAAG9C,EAAGD,EAAGmC,EAAGC,EAAGY,EA  
AE5O,OAAQ+J,EAAGiC,EAAGjC,KAAO,KAAO0E,GAAKE,EAAIP,EAAEtJ,QAAQ9E,UAAy2O,EAAI,QAa  
nB,EAAImB,EAAE3E,WAAW,GAALyD,EAAIkB,EAAE3E,WAAW,GAALwD,GAC9S,KAAK,EACH,MAEF,KA  
AK,GACH,GAAL,MAAQC,GAAK,KAAOA,EAAG,CACzBV,GAAK4B,EAAI7C,EAAEgD,OAAOIM,GACIB,M  
AGJ,QACE,KAAO+L,EAAE3E,WAAWyE,EAAI,KAAOG,GAAKpC,EAAEmC,EAGnB,EAAGC,EAAGkB,EA  
AE3E,WAAW,KAehEwE,EAAID,EAAID,EAAId,EAAI,EACbBmB,EAAI,GACJIB,EAAI3B,EAAE9B,aAAapH,I  
AlzB,OAAQ6K,GACN,KAAK,GACL,KAAK,GACH,KAAOVb,EAAIA,EAAI,EAAL,IAAM,EAAIsB,GAAK,MA  
AQzD,GAAK,EAAI4E,EAAE3O,SAAWuO,EAAI,EAAGI,GAAK,MAC5E,EAAIjB,EAAIyB,GAAK5B,EAAE,E  
AAGoB,EAAG9C,EAAGD,EAAGmC,EAAGC,EAAGY,EAAE5O,OAAQ+J,EAAGiC,EAAGjC,GACjDiE,EAAI,  
EACJD,IACA,MAEF,KAAK,GACL,KAAK,IACH,GAAL,IAAM7B,EAAIG,EAAID,EAAIH,EAAG,CACvB+B,IA  
CA,MAGJ,QAIe,OAHA,IACAG,EAAIrC,EAAEgD,OAAOIM,GAEL6K,GACN,KAAK,EAcl,KAAK,GACH,G  
AAI,IAAMpB,EAAIJ,EAAIC,EAAG,OAAQhm,GAC3B,KAAK,GACL,KAAK,GACL,KAAK,EAcl,KAAK,GA  
ChIO,EAAI,GACJ,MAEF,QACE,KAAOV,IAAMU,EAAI,KAERb,MAEF,KAAK,EACHA,EAAI,MACJ,MAEF,K

AAK,GACH,EAAl,MACJ,MAEF,KAAK,GACH,EAAl,MACJ,MAEF,KAAK,GACH,IAAM9B,EAAlH,EAAl  
D,IAAMsC,EAAlC,EAAl,EAAGL,EAAl,KAAOA,GAC1C,MAEF,KAAK,IACH,GAAl,IAAM9B,EAAlH,EAAlD  
,EAAlmD,GAAK,EAAlD,EAAG,OAAQ1L,EAAl0L,GAC5C,KAAK,EACH,MAAQpO,GAAK,KAAO4L,EAAE9  
B,WAAWpH,EAAl,KAAOwM,EAAlIP,GAElD,KAAK,EACH,MAAQmO,IAAMe,EAAlf,GAEtB,MAEF,KAAK,  
GACH,IAAMhC,EAAlH,EAAlD,IAAMqC,EAAl1L,GACxB,MAEF,KAAK,GACH,IAAMsJ,EAAlE,EAAlC,EAAl  
II,IAAMsC,EAAl,EAAGJ,GAAK,MACpC,MAEF,KAAK,GACL,KAAK,GACH,IAAMjC,IAAMG,EAAlA,IAAM  
oB,EAAl,EAAl,IAAMpB,EAAloB,EAAlpB,GAC5C,MAEF,KAAK,GACH,IAAMA,EAAlH,EAAlE,GAAKH,IA  
CnB,MAEF,KAAK,GACH,IAAMI,EAAlH,EAAlE,GAAKH,IACnB,MAEF,KAAK,GACH,IAAMI,EAAlH,EAAl  
D,GAAKG,IACnB,MAEF,KAAK,GACH,GAAl,IAAMC,EAAlH,EAAlD,EAAG,CACnB,GAAl,IAAMuB,EAAG,  
OAAQ,EAAltN,EAAl,EAAlmO,GAC/B,KAAK,IACH,MAEF,QACEb,EAAl,EAERpB,IAGF,MAEF,KAAK,GAC  
H,IAAMF,EAAlE,EAAlC,EAAlJ,EAAlqC,EAAlJ,IAAMA,EAAl,GACpC,MAEF,KAAK,GACL,KAAK,GACH,K  
AAM,EAAl7B,EAAlJ,EAAlG,GAAl,OAAQF,GAC5B,KAAK,EACH,OAAQ,EAAluB,EAAl,EAAl3B,EAAE9B,  
WAAWpH,EAAl,IACnC,KAAK,IACHsJ,EAAl,GACJ,MAEF,KAAK,IACHuC,EAAl7L,EAAGsJ,EAAl,GAGf,M  
AEF,KAAK,GACH,KAAOuB,GAAK,KAAOvN,GAAKuO,EAAl,IAAM7L,IAAM,KAAOkJ,EAAE9B,WAAWyE  
,EAAl,KAAOG,GAAK9C,EAAEW,UAAUgC,EAAG7L,EAAl,IAAKuL,EAAl,GAAljC,EAAl,IAIxH,IAAMA,IA  
AMyC,GAAKR,GAGrBE,EAAlnO,EACJA,EAAluN,EACJ7K,IAKF,GAAl,GAFJ6L,EAAlG,EAAE5O,QAElK,CA  
ET,GADAUO,EAAl1C,EACA,EAAl6B,QAA2C,KAArCU,EAAlb,EAAE,EAAGqB,EAAGL,EAAG3C,EAAGmC,  
EAAGC,EAAGS,EAAG1E,EAAGiC,EAAGjC,KAAoB,KAAO6E,EAAlR,GAAGpO,OAAS,OAAO+M,EAAl6B,  
EAAltC,EAGzG,GAFAsC,EAAlL,EAAE5M,KAAK,KAAO,IAAMiN,EAAl,IAExB,GAAMIC,EAAl0C,EAAG,C  
AGf,OAFA,IAAM1C,GAAKC,EAAEiC,EAAG,KAAOQ,EAAl,GAEnBA,GACN,KAAK,IACHR,EAAlA,EAAE/  
E,QAAQwF,EAAl,YAAcT,EACHc,MAEF,KAAK,IACHA,EAAlA,EAAE/E,QAAQyF,EAAG,sBAAwBV,EAAE/  
E,QAAQyF,EAAG,aAAeV,EAAE/E,QAAQyF,EAAG,iBAAmBV,EAGzGQ,EAAl,GAIR,OAAOrC,EAAl6B,EAAl  
ItC,EA8PP2B,CAAEe,EAAGID,EAAGD,EAAG,EAAG,GAKtB,OAJA,EAAl6B,QAAMd,KAA7C3D,EAAlwD,G  
AAG,EAAGvB,EAAGF,EAAGA,EAAGiC,EAAGC,EAAGhC,EAAEhM,OAAQ,EAAG,EAAG,MAAQBgM,EAAl  
IjC,GAE5EqF,EAAl,EACJpB,EAAlD,EAAl,EACD/B,EAGT,IAAl+C,EAAlK,QACLf,EAAl,YACJ/B,EAAlK,OA  
CLD,EAAlK,UACLK,EAAlK,sBACLnB,EAAlK,SACLO,EAAl,oBACJ4C,EAAlK,qBACLl,EAAl,aACJD,EAAlK,g  
BACLtC,EAAl,qBACJkC,EAAlK,kBACL3B,EAAlK,eACLN,EAAlK,eACLl,EAAlK,8BACLH,EAAlK,mCACLL,E  
AAK,sBACL0B,EAAl,EACJD,EAAl,EACJqB,EAAl,EACJ1C,EAAl,EACJsC,EAAl,GACJrB,EAAl,GACJD,EAAl  
I,EACJP,EAAl,KACJgC,EAAl,EAKR,OAHAvB,EAAE2B,IApEF,SAASC,EAAE5D,GACT,OAAQA,GACN,UA  
AK,EAcl,KAAK,KACH8B,EAAlC,EAAE3N,OAAS,EACf,MAEF,QACE,GAAl,mBAAsB4L,EAAG+B,EAAED  
,KAAO9B,OAAO,GAAl,iBAAoBA,EAAG,IAAK,IAAlC,EAAl,EAAGC,EAAlf,EAAE5L,OAAQ6L,EAAlC,IAA  
KD,EAC7G2D,EAAE5D,EAAEC,SACCsD,EAAl,IAAJvD,EAGjB,OAAO4D,GAwDT5B,EAAEIL,IAAMmL,O  
ACR,IAAWnC,GAAlKmC,EAAEnC,GACXkC,EC51BT,IAAM6B,EAAGb,gBACHBC,EAA0B,CAAC,IAAK,IAA  
K,IAAK,KAOjC,SAASC,SAYBIBC,EACAC,EACAC,EACAC,eAzB6BrP,QAFjCoH,QAAAA,aAAUpH,QACVSP,  
QAAAA,aAAUxP,IAEJqK,EAAS,IAAl0F,EAAlOnI,GAMtBoI,EAAlE,GAWbC,ECdO,SAASn,YAlbuN,EAAlQC,  
MACXA,MAEAxN,EAAlcWn,OACd,MAAOvE,YAlN,SACLwE,EACAlM,EACAlM,EACAC,EACAC,EACAC,  
EACA1Q,EACA2Q,EACAC,EACAC,UAEQP,QAED,KAEW,IAAVM,GAAlYc,KAA1BxM,EAAlQ4F,WAAW,G  
AAW,OAAOnH,EAAlcuB,OAAa,cAGhF,KACQ,IAAPuM,EAAl,OAAOvM,EA/BT,mBAkCT,SACKuM,QAED,  
SACA,WACI9N,EAAlW0N,EAAl,GAAlKnM,GAAl,kBAEpCA,GAAlkB,IAAPyM,EAzCV,QAYCiC,SAEzC,EA  
CJzM,EAAlQG,MA3CIuM,UA2CU1H,QAAQgH,KD/BXW,EAAlIB,SAAAlK,GACxCqJ,EAAlajQ,KAAK4G,MAQ  
dmK,EAAlwB,SAACHM,EAAl0iM,EAAlQC,UAG9B,IAAXD,IAA8E,IAA/DvB,EAAlwBnD,QAAQ2E,EAAlOrB,E  
AAU7P,UAEhEkR,EAAlOIM,MAAM+K,GAKT/K,MAHM4K,YA4BNuB,EAAlEhO,EAAlKgG,EAAlU2E,EAAlQzD  
,YAAAA,IAAAA,EAAlc,SACrD+G,EAAlUjO,EAAl10G,QAAQ4F,EAAlE,IACrC4B,EAAlSII,GAAlY2E,EAAlYA,M  
AAU3E,QAAlcII,OAAlcA,SAK7ExB,EAAlEvF,EACfWf,EAAlY1G,EACZ2G,EAAlkB,IAAl7L,YAAAY4L,QAAGb,K  
ACIDE,EAAl4B,IAAl9L,aAAa4L,cAEtChF,EAAl0iD,IAAW3E,EAAlW,GAAlKA,EAAlUkI,UAdrDxG,EAAl00E,cA  
AQS,GAPwB,SAACM,EAAlSgB,EAAlGf,GAClC,IAAZD,GAAlIBc,EAAlUvQ,QAAUuQ,EAAl,GAAlGgB,YAAAY  
1B,GAAla,IAE7EU,EAAl,GAAlKA,EAAl,GAAlG1G,QAAQiG,EAAlIBkB,KAIDb,EAID9B,SAAAG,OACP,IAAb  
A,EAAlGb,KACZkB,EAAlcB,SACpBA,EAAlE,GACRsB,OA+DXL,EAAlEH,KAAO+F,EAAlQhQ,OAC1BgQ,EAC

GyB,QAAO,SAACC,EAACK,UACPA,EAAOtN,MACV5B,EAAiB,IAGZqH,EAAM4H,EAACK,EAAOtN,QJnGf  
,MIqGXIE,WACH,GAEGgR,EE3FF,IAAMS,EAAgDC,EAAMC,gBACtDC,EAAqBH,EAakBI,SACvCC,EAA6CJ  
,EAAMC,gBAGnDI,GAFiBD,EAACD,SAEL,IAAIInK,GAC9BsK,EAA4BxC,IAEiC,SAASyC,WACPC,aAAWT,I  
AAsBM,EAGnC,SAASI,WACPD,aAAWJ,IAAkBE,EAGvB,SAASI,GAakBC,SACVC,WAASD,EAAME,eAATC  
1C,OAAS2C,OACVC,EAAoBR,IAEpBxH,EAAaiI,WAAQ,eACrB1O,EAAQyO,SAERJ,EAAMrO,MAERA,EAA  
QqO,EAAMrO,MACLqO,EAAM/S,SACf0E,EAAQA,EAAMoE,uBAAuB,CAAe9I,OAAQ+S,EAAM/S,SAAU,IA  
G7D+S,EAAMM,wBACR3O,EAAQA,EAAMoE,uBAAuB,CAAEX,mBAAmB,KAGrDzD,IACN,CAACqO,EAA  
MM,sBAAuBN,EAAMrO,MAAOqO,EAAM/S,SAE9CoL,EAASgI,WACb,kBACEID,EAAqB,CACnB7H,QAAS,  
CAAEGG,QAAS0E,EAAMO,uBAC1B/C,QAAAA,MAEJ,CAACwC,EAAMO,sBAAuB/C,WAGhCgD,aAAU,YC  
5DK,SAAsBC,EAAMC,EAAMC,EAASC,GAC1D,IAAIC,OAA2D,EAE/D,QAAY,IAARA,EACF,QAASA,EAGX  
,GAAIJ,IAASC,EACX,OAAO,EAGT,GAAoB,iBAATD,IAAsBA,GAAwB,iBAATC,IAAsBA,EACpE,OAAO,EA  
GT,IAAII,EAAQIT,OAAOmT,KAAKN,GACpBO,EAAQpT,OAAOmT,KAAKL,GAExB,GAAII,EAAMtT,SA  
WwT,EAAMxT,OACzB,OAAO,EAMT,IAHA,IAAIyT,EAakBrT,OAAOC,UAAUqT,eAAeC,KAAKT,GAGIDU,  
EAAM,EAAGA,EAAMN,EAAMtT,OAAQ4T,IAAO,CAC3C,IAAIC,EAAMP,EAAMM,GAehB,IAAKH,EAAgBI  
,GACnB,OAAO,EAGT,IAAIC,EAASb,EAakY,GACdE,EAASb,EAakW,GAIIB,IAAY,KAFZR,OAAoE,SAEtC,  
IAARA,GAakBS,IAAWC,EACjD,OAAO,EAIX,OAAO,GDMBAC,CAAahE,EAASwC,EAAME,gBAAGBC,EAA  
WH,EAAME,iBACjE,CAACF,EAAME,gBAGRb,gBAACD,EAakBqC,UAASC,MAAOtJ,GACjCiH,gBAACI,EA  
AcgC,UAASC,MAAOtJ,GAGzB2H,EAAM2B,eEjEGC,yBAOP/P,EAACHC,mBAM1BgS,OAAS,SAACzJ,EAAw  
B0J,YAAAA,IAAAA,EAA8BnC,OACxDoC,EAAeC,EAaknQ,KAAoiQ,EAaerK,KAE3CW,EAAWIC,aAAa8L,  
EAak9Q,GAAI6Q,IACpC3J,EAAWxI,YACToS,EAak9Q,GACL6Q,EACAD,EAAeE,EAaknS,MAAOkS,EAAc  
,qBAK/CpU,SAAW,kBACFsC,EAAiB,GAAI+G,OAAOgI,EAaknQ,aAlBnCA,KAAOA,OACPX,mBAAqBW,O  
ACrBhC,MAAQA,qBAmbfoS,QAAA,SAAQH,mBAAAA,IAAAA,EAA8BnC,GAC7BhQ,KAAKkC,KAAoiQ,E  
AAerK,WC7BhCyK,GAAiB,UACjBC,GAAMb,WACnBC,GAAY,OACZC,GAAqB,SAACC,aAA6BA,EAACK,e  
AkB/C,SAASC,GAAMb9D,UACiCwD,GAAe9T,KAAKsQ,GACzBA,EACCRh,QAAQ8K,GAakBE,IAC1BhL,Q  
AAQ+K,GAAW,QACpB1D,ECjCJ,IAAI+D,GAAe,CACjBC,wBAAYB,EACzBC,kBAAMb,EACnBC,iBAakB,E  
ACIBC,iBAakB,EACIBC,QAAS,EACTC,aAAc,EACdC,gBAaiB,EACjBC,YAAa,EACbC,QAAS,EACTC,KAA  
M,EACNC,SAAU,EACVC,aAAc,EACdC,WAAy,EACZC,aAAc,EACdC,UAAW,EACXC,QAAS,EACTC,WAA  
Y,EACZC,YAAa,EACbC,aAAc,EACdC,WAAy,EACZC,cAAe,EACfC,eAAgB,EACbC,gBAaiB,EACjBC,UAA  
W,EACXC,cAAe,EACfC,aAAc,EACdC,iBAakB,EACIBC,WAAy,EACZC,WAAy,EACZC,QAAS,EACTC,MA  
AO,EACPC,QAAS,EACTC,QAAS,EACTC,OAAQ,EACRC,OAAQ,EACRC,KAAAM,EACNC,gBAaiB,EAEjBC,  
YAAa,EACbC,aAAc,EACdC,YAAa,EACbC,gBAaiB,EACjBC,iBAakB,EACIBC,iBAakB,EACIBC,cAAe,EACf  
C,YAAa,GC/BTC,GAAY,SAAAC,UAASA,MAAAA,IAAmD,IAAVA,GAA6B,KAAVA,GAoBxE,SAASjN,GACt  
BiN,EACArN,EACAC,EACA0J,MAEIHJ,MAAMC,QAAQyM,GAAQ,SAGYnY,EAf9BoY,EAAU,GAEPnY,EA  
AI,EAAGC,EAAMIY,EAAMhY,OAAGBF,EAaic,EAakD,GAak,EAGzC,MAFD,EAASKL,GAAQiN,EAAMI  
Y,GAAI6K,EAakBC,EAAY0J,MAGhDhJ,MAAMC,QAAQ1L,GAASoY,EAQhY,WAARgY,EAAGbP,Y,GAC3  
CoY,EAQhY,KAAKJ,WAGboY,SAGLF,GAAUC,GACL,GAILxY,EAakBwY,OACTA,EAAMtY,kBAIfiB,EA  
AWqX,GC9DG,mBAFwBpX,EDiEhBoX,IC7DtBpX,EAakP,WACFO,EAakP,UAAU6X,mBD4DcvN,EAapBqN  
,EADLjN,GAXQiN,EAAMrN,GAWEA,EAakBC,EAAY0J,GAIRD0D,aAAiB5D,GACfxJ,GACFoN,EAAM3D,OA  
AOzJ,EAAY0J,GACIB0D,EAAMvD,QAAQH,IACt0D,EAITG,EAAcH,GAzEM,SAAhBI,EAAiBC,EAAaC,OEb  
HjU,EAAC6P,EFc9C7R,EAAQ,OAET,IAAMwR,KAAOWE,EACXA,EAai3E,eAAeG,KAAQkE,GAAUM,EAaiX  
E,MAEzCvI,MAAMC,QAAQ8M,EAaiXE,KAAswE,EAaiXE,GAak0E,OAAU5X,EAAW0X,EAaiXE,IACHEX  
,EAAMPc,KAAQuY,GAAU3E,OAASwE,EAaiXE,GAAM,KACICsE,EAAcE,EAaiXE,IAC3BxR,EAAMPc,WA  
ANoC,EAAc+V,EAAcC,EAaiXE,GAAMA,IAEtCxR,EAAMPc,KAAQuY,GAAU3E,SExBuXP,EFwBewP,EErBx  
C,OAHuCK,EFwBmME,EAaiXE,KErBxB,kBAAVK,GAAiC,KAAVA,EAC1C,GAGY,iBAAVA,GAAGC,IAAVA  
,GAAiB7P,KAAQoU,GAInDjP,OAAO0K,GAAOpP,OAHToP,qBFoBLoE,GAACa,eAAgBjW,GAAO,MAAOA,E  
A0DrB+V,CAACJ,GAASA,EAAM7X,eCzFjBS,EEW5C,IAAM8X,GAAS,SAAAC,UACTrN,MAAMC,QAAQoN,  
KAehBA,EAaiJ,OAAQ,GAEPi,GAGM,SAASxV,GAAIyV,8BAAMbhZ,mCAAAA,2BACzCe,EAAWiY,IAAWT  
,EAAcS,GAEBF,GAAO3N,GAAQ8N,EAAWrY,GAAcoY,UAAWhZ,MAG9B,IAA1BA,EAaeI,QAakC,IAAIB4

Y,EAAO5Y,QAAqC,iBAAd4Y,EAAO,GAE/DA,EAIFF,GAAO3N,GAAQ8N,EAAWD,EAAQhZ,SC1BtBkZ,yBA  
OPzW,EAAGBgI,QACrBhI,MAAQA,OACRgI,YAAcA,OACdG,SAAWN,EAAC7H,GAI9BwF,EAAWS,WAAWn  
G,KAAKkI,YAAc,8BAG3C0O,aAAA,SACEC,EACArO,EACAC,EACAC,OAGM1H,EAAM0H,EADIE,GAAQ5I  
,KAAKE,MAAOsI,EAakBC,EAAYC,GACvCIJ,KAAK,IAAK,IAC/B+B,EAakvB,KAAKkI,YAAc2O,EAG9BpO  
,EAAWxI,YAAYsB,EAAIA,EAAIP,MAGjC8V,aAAA,SAAaD,EAakBpO,GAC7BA,EAAW5B,WAAW7G,KAA  
KkI,YAAc2O,MAG3CE,aAAA,SACEF,EACArO,EACAC,EACAC,GAEImO,EAAW,GAAgnR,EAAWS,WAAW  
nG,KAAKkI,YAAc2O,QAGtDC,aAAaD,EAAUpO,QACvBmO,aAAaC,EAAUrO,EAakBC,EAAYC,SCrCjDsO,G  
AAsCtH,EAAMC,gBAE5CsH,GAAgBD,GAAanH,qBCT1BQ,EAAC6G,EAAoBC,mBAAAA,IAAAA,EAAoB5Y,  
GAC5D8R,EAAM+G,QAAUD,EAAaC,OAAS/G,EAAM+G,OAAUF,GAAiBC,EAAaC,mBCH9EC,UACP9P,EA  
AuBO,EAakuP,KAAS,ICOzBC,2CAYnBC,cAAgB,eACRvW,EAAMqR,EAakwE,SAAS7Y,eACrBgD,EAak,  
MAAO,OAEXiD,EAAQjB,oBACA,CAACiB,aAAmBA,MAAvF,YAAqB8Y,+BAC7CC,OAAOxY,SAASO,KAA  
K,SAEfwB,mBAW/B0W,aAAe,kBACTrF,EAakSf,OACArX,EAAiB,GAGnB+R,EAakKf,sBAGdK,gBAakB,o  
BACZvF,EAakSf,cACArX,EAAiB,OAGpB+P,UACH3R,GAAU,K7BhDc,uBACLsF,U6BiDpB6T,wBAAyB,CA  
CvBC,OAAQzF,EAakwE,SAAS7Y,eAIpBiG,EAAQjB,WACViB,IACDoM,EAAYpM,MAAQA,GAIhB,CAACy  
L,6BAAWW,GAAOqB,IAAI,mBAsDhCqG,KAAO,WACL1F,EAakSf,QAAS,QazGTd,SAAW,IAAIInR,EAAW,  
CAAEF,UAAU,SACtCmS,QAAS,6BAchBK,cAAA,SAAchG,UACRhs,KAAK2X,OACArX,EAAiB,GAGnBoP,g  
BAACU,IAakBpO,MAAOhC,KAAK6W,UAAW7E,MAkCnDiG,yBAAA,SAAYBC,UAEd5X,EAAiB,SCrE1B6X,  
GAAgB,CACIBC,mBAAmB,EACnBC,aAAa,EACbC,cAAc,EACdnB,cAAc,EACdoB,aAAa,EACbC,iBAAiB,EAC  
jBC,0BAA0B,EAC1BC,0BAA0B,EAC1BC,QAAQ,EACRC,WAAW,EACXC,MAAM,GAEJC,GAAgB,CACIB5  
W,MAAM,EACnE,QAAQ,EACRC,WAAW,EACX6a,QAAQ,EACRC,QAAQ,EACRC,WAAW,EACXC,OAAO,  
GASLC,GAAe,CACjBC,UAYY,EACZpI,SAAS,EACTmG,cAAc,EACdoB,aAAa,EACbK,WAAW,EACXC,MAA  
M,GAEJQ,GAAe,GAIInB,SAASC,GAAWC,GAEIB,OAAIC,EAAQC,OAAOF,GACVJ,GAIFE,GAAe,EAAoB,W  
AAMpB,GAVhDkB,GAAaG,EAAQE,YAhBK,CACxBN,UAYY,EACZO,QAAQ,EACRxC,cAAc,EACdoB,aAAa,  
EACbK,WAAW,GAYbS,GAAaG,EAAQI,MAAQT,GAY7B,IAAIU,GAAiB5b,OAAO4b,eACxBC,GAAsB7b,OA  
AO6b,oBAC7BC,GAAwB9b,OAAO8b,sBAC/BC,GAA2B/b,OAAO+b,yBACICC,GAAiBhc,OAAOgc,eACxBC,G  
AAkBJc,OAAOC,aAC7B,SAASic,EAaqBC,EAAiBC,EAAiBC,GAC9D,GAA+B,iBAApBD,EAA8B,CAEvC,GA  
AIH,GAAiB,CACnB,IAAIK,EAaqBN,GAAeI,GAEPCE,GAAsBA,IAAuBL,IAC/CC,EAaqBC,EAAiBG,EAAoB  
D,GAI9D,IAAIJ,EAAO0I,GAAoBO,GAE3BN,KACF3I,EAAOA,EAakoJ,OAAOT,GAAsBM,KAM3C,IAHA,IA  
AII,EAAGbnB,GAAWc,GAC3BM,EAAGbPb,GAAWe,GAETb1c,EAAI,EAAGA,EAAIyT,EAakvT,SAAUf,EA  
AG,CACpC,IAAI+T,EAAMN,EAakzT,GAef,KAAKmb,GAACP,H,IAAU4I,GAAaA,EAau5I,IAAWgJ,GAAiBA  
,EAACHJ,IAAW+I,GAAiBA,EAAC/I,IAAO,CAC7I,IAAIjI,EAAaX,GAAyBK,EAAiB3I,GAe3D,IAEEmI,GAAeO,  
EAAiB1I,EAakjI,GACrC,MAAOhR,OAKf,OAAOyQ,GC7FIQ,GAAc,CACzBIV,WAAAA,EACaQK,YAAAA,s  
DCQa,SACbvS,8BACGC,mCAAAA,wBAEGyC,EAAQc,iBAAIxD,UAYYC,IACxBF,eAAiCsd,GAAoBC,KAAK  
C,UAAU7a,IACpE8a,EAAC,IAAIrE,GAAyZw,EAAO3C,YAMIC0d,EAaqB5K,OACTb5H,EAAawH,IACbvH,EA  
ASyH,IACtIH,EAaqIH,aAAW8G,IAGnBH,EAfCqE,SAAOzS,EAAWnC,mBAAmB/I,IAE5B4d,eAmBzB1S,EA  
AW3C,QACbiR,EAAaF,EAAUxG,EAAO5H,EAAY2O,EAAO1O,GAOjD0S,mBAAGB,eACT3S,EAAW3C,cACdi  
R,EAAaF,EAAUxG,EAAO5H,EAAY2O,EAAO1O,GAC1C,kBAAMsS,EAAYIE,aAAaD,EAAUpO,MAEjD,CAA  
CoO,EAAUxG,EAAO5H,EAAY2O,EAAO1O,IAGnC,cAGAqO,EAAaF,EAAUxG,EAAO5H,EAAY2O,EAAO1O,  
MACpDsS,EAAY3S,SACd2S,EAAYjE,aAAaF,EAAUzX,EAA0BqJ,EAAYC,OACpE,KACCyF,OACDkC,GACH  
+G,MAAOiE,GAAehL,EAAO+G,EAAO6D,EAaqB9D,gBAG3D6D,EAAYjE,aAAaF,EAAU1I,EAAS1F,EAAYC,  
WAKrDgH,EAAM4L,KAAKL,yCC9EL,SACbzd,8BACGC,mCAAAA,wBAcGyC,EAAQc,iBAAIxD,UAYYC,IA  
AgB+B,KAAK,IAC7C0C,EAAO2Y,GAAoB3a,UAC1B,IAAI+R,GAAU/P,EAAMhC,qIPoBd,SAAuBmQ,OAC9B  
kL,EAAarL,aAAW8G,IACxBwE,EAae9K,WAAQ,kBA9B/B,SAAoB0G,EAAsBmE,UACnCN,EaID5Y,EAAW4  
Y,GACOA,EAAMmE,GAYxBpS,MAAMC,QAAQgO,IAA2B,iBAAVA,EAC1B9W,EAAiB,GAGnBib,OAakBA,  
KAAenE,GAAUA,EApbzC9W,EAAiB,IA4BSmb,CAAWpL,EAAM+G,MAAOmE,KAAa,CACtEIL,EAAM+G,M  
ACNmE,WAGGIL,EAAM2B,SAIJtC,gBAACsH,GAAaF,UAASC,MAAOyJ,GAAenL,EAAM2B,UAHjD,eQIDM,  
kBAAM9B,aAAW8G,alCORhT,2BmCGV0X,OAERC,EAAYjM,EAAMkM,YAAW,SAACvL,EAAOwL,OACnCz  
E,EAaqIH,aAAW8G,IAEjBG,EAAiBuE,EAajvE,aACF2E,EAAYT,GAAehL,EAAO+G,EAAOD,UAWxCzH,g

BAACgM,OAAcrL,GAAO+G,MAAO0E,EAAWD,IAAKA,eAGtDE,GAAaJ,EAAWD,GAExBC,EAAUpD,mCAE  
HoD,oBCtCT,SAASK,GAAQC,GACf,IAAIC,EAAQje,OAAOke,OAAO,MAC1B,OAAO,SAAU3F,GAef,YADm  
B1S,IAAfoY,EAAM1F,KAAoB0F,EAAM1F,GAAOyF,EAAGzF,IACvC0F,EAAM1F,ICFjB,IAAI4F,GAakB,s7H  
AEIBC,GAA6BL,IAAQ,SAUM,GACjD,OAAOF,GAAgB3d,KAAK6d,IAAgC,MAAvBA,EAakZU,WAAW,IA  
E3B,MAAvByU,EAakZU,WAAW,IAEhByU,EAakZU,WAAW,GAak,MCLpB0U,GAac,wCAEdC,GAae,WA  
MN,SAASC,GAAOpF,UAE3BA,EAEG3P,QAAQ6U,GAAa,KAGrB7U,QAAQ8U,GAac,ICbD,SAASE,GAAMp  
f,SAER,iBAAXA,MCuBX,IAAMqf,GAAW,SAAAC,SAEE,mBAARA,GAAsC,iBAARA,GAA4B,OAARA,IAAi  
BzT,MAAMC,QAAQwT,IAItFC,GAAa,SAAAnL,SACF,cAARA,GAA+B,gBAARA,GAaIC,cAARA,GAGzD,SA  
ASoL,GAAMxf,EAAQsf,EAakIL,OACpBwE,EAAM5Y,EAAOoU,GACfiL,GAASC,IAAQD,GAASzG,GAC5B6  
G,GAAU7G,EAak0G,GAeff,EAAOoU,GAAOkL,EAIH,SAASG,GAAUzf,8BAAW0f,mCAAAA,kCACzBA,iB  
AAM,KAAb9G,UACLyG,GAASzG,OACN,IAAMxE,KAAOwE,EACZ2G,GAAWnL,IACboL,GAAMxf,EAAQ4  
Y,EAaIx,E,GAAMA,UAMzBpU,EC5BT,IAAM2f,GAac,GakJL,SAASC,GACtB5f,EACaQI,EAOAzF,OAEMid,E  
AAqB9f,EAakBC,GACvC8f,GAAwBV,GAAMpf,KAMhCqI,EAHF0X,MAAAA,aAAQhf,MAGNsH,EAFFuC,Y  
AAAA,aA/JJ,SAAoBqQ,EAAsB+E,OACICpb,EAA8B,iBAAhBqW,EAA2B,KAAOkE,GAAOIE,GAe7D0E,GAA  
Y/a,IAAS+a,GAAY/a,IAAS,GAak,MAEzCgG,EAaIBhG,MAAQ2Y,GzC3BP7W,QyC8BT9B,EAAO+a,GAAY/a  
,WAG3Bob,EAaUBA,MAAQbPv,EAAGBA,EAoJnDqV,CAAW5X,EAAQ4S,YAAa5S,EAAQ2X,uBAEpD3X,EA  
DF4S,YAAAA,aC5LW,SACbjb,UAEOf,GAAMpf,aAAoBA,sBDyLjBkgB,CAAoBlgB,KAG9BC,EACJoI,EAAQ  
4S,aAAe5S,EAAQuC,YACxBuU,GAAO9W,EAAQ4S,iBAAGb5S,EAAQuC,YAC1CvC,EAAQuC,aAAeA,EAAGv  
BuV,EACJN,GAAwB7f,EAAGc+f,MACpDIU,MAAMjL,UAAUsc,OAASld,EAAGc+f,MAAOA,GAAO5F,OAA  
OxY,SAC9Eoe,EAGFK,EAaOB/X,EAAQ+X,kBAE5BP,GAAsB7f,EAAOogB,oBAG7BA,EAFE/X,EAAQ+X,kB  
AEU,SAACpB,EAAMqB,EAAUC,UAC/BtgB,EAAGcogB,kBACICpB,EACAqB,EACAC,IAEAjY,EAAQ+X,kB  
AA4CpB,EAAMqB,EAAUC,IAGIDtgB,EAAGcogB,uBAkbtDG,EAdEC,EAaIB,IAAI7V,EACzB/H,EACA3C,EA  
CA4f,EAaUB7f,EAAGBwgB,oBAakCha,GAKrEuE,EAAWyV,EAazV,UAA6B,IAAjBgV,EAAMxf,OAQ5C+d,  
EAAa,SAACvL,EAAOwL,UAhJ7B,SACEkC,EACA1N,EACA2N,EACA3V,OAGS4V,EAOLF,EAPFV,MACAS,  
EAMEC,EANFD,eACA3G,EAKE4G,EALF5G,aACA+G,EAIEH,EAJFG,mBACAR,EAGEK,EAHFL,kBACAngB  
,EAEEwgB,EAFFxgB,kBACAD,EACEygB,EADFzgB,SAhEJ,SAakC8Z,EAA2B/G,EAaegN,YAA1CjG,IAAAA,  
EAAa7Y,OAIvC4P,OAAekC,GAAO+G,MAAAA,IACtB+G,EAAGb,UAETbd,EAAMPw,SAAQ,SAAAmX,OA  
R1M,EErD4B7H,EAAYE,EFoDxCsU,EAakBD,MAQjB1M,KALDIT,EAAW6f,KACbA,EAakBA,EAAGBIQ,IAI  
xBkQ,EACVIQ,EAAQuD,GAAOyM,EAACzM,GACnB,cAARA,GE9D4B7H,EF+DZsU,EAACzM,GE/DU3H,EF+  
DJsU,EAAGB3M,GE9DnD7H,GAAKE,EAAOF,MAAKE,EAAMF,GAAKE,GF+DzBsU,EAAGB3M,MAKnB,CA  
ACvD,EAASgQ,GakDQG,CAFXjD,GAAehL,EAAOH,aAAW8G,IAAeG,IAEX5Y,EAAC8R,EAAO4N,GAAjE9P  
,OAASKP,OAevkB,EAjDR,SACET,EACAzV,EACA8V,EACAK,OAEM/V,EAaawH,IACbvH,EAASyH,WAEG  
9H,EACdyV,EAaevV,wBAAwBhK,EAackK,EAAYC,GACjEoV,EAaevV,wBAAwB4V,EAae1V,EAAYC,GAs  
C3C+V,CACzBX,EACAzV,EACA8F,GAIuQ,EAaeV,EAefJ,EAA6BP,EAAMsB,KAAOtO,EAAMsO,KAAOtB,  
EAAMuB,IAAMvO,EAAMuO,IAAMthB,EAe/EuhB,EAACnG,GAAMkB,GACpBkB,EAAGzB,IAAUhN,OAaA  
A,KAAUgN,GAAUhN,EAC3D0O,EAakB,OAGnB,IAAMrN,KAAOoN,EACD,MAAXpN,EAAL,IAAsB,OAARA,  
IACL,gBAARA,EACPqN,EAAGBH,GAAKE,EAACPn,IAEnCgM,EACIA,EAakBhM,EAakSN,GAAWpB,IACIC  
iB,GACAG,GAAUtN,MAIdqN,EAAGBrN,GAAOoN,EAACPn,YAIrCrB,EAAM9N,OAAS8a,EAAM9a,QAAU8N,  
EAAM9N,QACvCwc,EAAGBxc,WAAa8N,EAAM9N,SAAU8a,EAAM9a,QAGrDwc,EAAGBE,UAAy9V,MAAM  
jL,UAC/Bsc,OACC0D,EACA3gB,EACAgH,IAAUbhB,EAaOBghB,EAaqB,KACHeIO,EAAM4O,UACN5B,EA  
AM4B,WAEPxH,OAAOxY,SACPO,KAAK,KAERuf,EAAGBID,IAAM6C,EAefpb,gBAAcSA,EAaOBmB,IAUehB  
IB,EAawBxN,EAaOwL,EAakxT,WAE7DuT,EAAWrD,YAAcA,GAezBsF,EAA2BnO,EAAMkM,WAAWA,IA  
CrByB,MAAQI,EAC/BI,EAaUBC,eAAiBA,EACxCD,EAaUBtF,YAAcA,EACrCsF,EAaUBH,kBAaOBA,EAI3C  
G,EAaUBK,mBAaqBf,EACxChU,MAAMjL,UAAUsc,OACZld,EAAGC4gB,mBACHC5gB,EAAGCC,mBAEpCc,  
EAeJwf,EAaUBtgB,kBAaOBA,EAG3CsgB,EAaUBvgB,OAAS6f,EAC1B7f,EAAGCA,OACICA,EAeJugB,EAaU  
BqB,cAAGB,SAAuBxf,OACvCyf,EAA0CxZ,EAavDuC,YAAqCkX,uIAakBzZ,mBAezD0Z,EACJF,GACGA,OA  
AuBzC,GAAMhd,GAAOA,EAAM+c,QAAO6C,WAQ/CpC,GAAsBxd,OALxB0f,GACH/B,MAAOI,EACPvV,YA  
AamX,IAG+Bnf,IAGhdjC,OAaO4b,eAAegE,EAawB,eAAGB,CAC5Dpc,sBACSzB,KAAKuf,qBAGdhf,aAAI2V,



QACGqJ,oBAAsBpC,EACvBqC,GAAM,GAAMliB,EAAGC6Z,aAAcjB,GAC1DA,KAAr2H,EAauB7f,SAAW,qB  
AAU6f,EAauBtgB,mBAE/D6f,GACFqC,GAIE5B,EAA0BvgB,EAA0D,CAEpF+f,OAAO,EACPS,gBAAgB,EAC  
hBvF,aAAa,EACb2F,oBAAoB,EACpBR,mBAAmB,EACnBngB,mBAAmB,EACnBD,QAAQ,EACR4hB,eAAe,IA  
IZrB,MghUH6B,GAAS,SAACHgB,UCCD,SAASigB,EACtBC,EACAlgB,EACAiG,eAAAA,IAAAA,EAakBpH,I  
AEbshB,qBAAmBngB,UACfY,EAaiB,EAAG+G,OAAO3H,QAK9BogB,EAAMb,kBAAaF,EAaqBlgB,EAAKiG,  
EAAS3E,oCAGzE8e,EAaiBC,WAAa,SAAAC,UAC5BL,EAaqBC,EAAsBlgB,OAAUiG,KAAyqa,KAGnEF,EA  
AiBzC,MAAQ,SAAAA,UACvBsC,EAaqBC,EAAsBlgB,OACtCiG,GACH0X,MAAOIU,MAAMjL,UAAUsc,OA  
AO7U,EAQ0X,MAAOA,GAAO5F,OAAOxY,aAGxD6gB,EDzBuBH,CAAqBM,GAAiBvgB,IEItE,IAAK,IAAM  
gS,KCRI,CACb,IACA,OACA,UACA,OACA,UACA,QACA,QACA,IACA,OACA,MACA,MACA,MACA,aACA,  
OACA,KACA,SACA,SACA,UACA,OACA,OACA,MACA,WACA,OACA,WACA,KACA,MACA,UACA,MACA  
,SACA,MACA,KACA,KACA,KACA,QACA,WACA,aACA,SACA,SACA,OACA,KACA,KACA,KACA,KACA,  
KACA,KACA,OACA,SACA,SACA,KACA,OACA,IACA,SACA,MACA,QACA,MACA,MACA,SACA,QACA,S  
ACA,KACA,OACA,OACA,MACA,OACA,UACA,OACA,WACA,OACA,QACA,MACA,WACA,SACA,KACA,  
WACA,SACA,SACA,IACA,QACA,UACA,MACA,WACA,IACA,KACA,KACA,OACA,IACA,OACA,SACA,UA  
CA,SACA,QACA,SACA,OACA,SACA,QACA,MACA,UACA,MACA,QACA,QACA,KACA,WACA,QACA,KA  
CA,QACA,OACA,QACA,KACA,QACA,IACA,KACA,MACA,QACA,MAGA,SACA,WACA,OACA,UACA,gBA  
CA,IACA,QACA,OACA,iBACA,SACA,OACA,OACA,UACA,UACA,WACA,iBACA,OACA,OACA,MACA,OA  
CA,WACA,SHnIUzK,SAAQ,SAAaiZ,GACIBR,GAAOQ,GAAcR,GAAOQ,MEAZC,GACHBT,GAAOhO,IAAOy  
O,GAAUzO"}  
}

Found in path(s):

\* /opt/cola/permits/1316419017\_1651001618.77/0/styled-components-5-3-5-2-tgz/package/dist/styled-components.min.js.map

## 1.135 function-bind 1.1.1

### 1.135.1 Available under license :

Copyright (c) 2013 Raynos.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.136 @babel/helper-environment-visitor

## 7.18.9

### 1.136.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.137 isobject 3.0.1

### 1.137.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.138 @babel/plugin-transform-modules-systemjs 7.18.9

### 1.138.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.139 css-select 4.3.0

### 1.139.1 Available under license :

Copyright (c) Felix Bhm  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following

disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.140 babel-plugin-polyfill-corejs3 0.5.3

### 1.140.1 Available under license :

MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.141 @babel/types 7.18.13

## 1.141.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.142 slugify 1.6.5

### 1.142.1 Available under license :

The MIT License (MIT)

Copyright (c) Simeon Velichkov <simeonvelichkov@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

## 1.143 babel-plugin-syntax-decorators 7.18.6

### 1.143.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.144 object-inspect 1.12.2

### 1.144.1 Available under license :

MIT License

Copyright (c) 2013 James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.145 is-invalid-path 0.1.0

### 1.145.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.146 @react-native-community/cli-tools 7.0.1

### 1.146.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../src/launchEditor.ts"],"names":["isTerminalEditor","editor","COMMON_EDITORS","COMMON_WINDOWS_EDITORS","WINDOWS_FILE_NAME_WHITELIST","addWorkspaceToArgumentsIfExists","args","workspace","unshift","getArgumentsForLineNumber","fileName","lineNumber","path","basename","getArgumentsForFileName","guessEditor","process","env","REACT_EDITOR","shellQuote","parse","platform","output","toString","processNames","Object","keys","processName","indexOf","runningProcesses","split","map","line","replace","includes","error","VISUAL","EDITOR","printInstructions","title","WINDOWS_FIXIT_INSTRUCTIONS","FIXIT_INSTRUCTIONS","logger","info","chalk","bgBlue","white","bold","join","transformToAbsolutePathIfNeeded","pathName","isAbsolute","resolve","cwd","findRootForFile","projectRoots","absoluteFileName","find","root","absoluteRoot","startsWith","sep","editorWindowsLaunchPath","fs","existsSync","stdio","editorNames","value
```

s","editorImageNames","i","length","editorName","toLowerCase","results","pid","parseInt","trim","\_childProcess",  
"launchEditor","isNaN","concat","test","underline","kill","on","errorCode","message"],"mappings":";;";;AASA;A  
AAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;AACA;AAAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;AACA;AA  
AA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;AACA;AAAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;AAEA;AAA  
A;;AAAA;AAAA;AAAA;;AAAA;AAAA;;AACA;;;AAfA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;  
AAMA;AAIA,SAASA,gBAAT,CAA0BC,MAA1B,EAA0C;AACxC,UAAQA,MAAR;AAACE,SAAK,KAAL;AAC  
A,SAAK,OAAL;AACA,SAAK,MAAL;AAACE,aAAO,IAAP;;AACF;AAACE,aAAO,KAAP;AANJ;AAQD,C,CAED;  
AACA;AACA;;AACA,MAAMC,cAAcS,GAAG;AAC7C,gDAA8C,MADD;AAE7C,0DACE,sDAH2C;AAI7C,yD  
AAuD,MAJV;AAK7C,gEACE,gEAN2C;AAO7C,oEACE,kEAR2C;AAS7C,kEAAgE,MATnB;AAU7C,wDAAsD;  
AAVT,CAA/C,C,CAaA;AACA;;AACA,MAAMC,sBAA8C,GAAG;AACrD,cAAY,MADyC;AAErD,sBAAoB,MA  
FiC;AAGrD,gBAAc,QAHuC;AAIrD,iBAaE;AAJsC,CAAvD,C,CAOA;AACA;AACA;;AACA,MAAMC,2BAA2B  
,GAAG,6kOAApC;;AAEA,SAASC,+BAAT,CAAyCC,IAAzC,EAAyDC,SAAzD,EAA4E;AAC1E,MAAIA,SAAJ,  
EAAe;AACbD,IAAAA,IAAI,CAACE,OAAL,CAAaD,SAAb;AACD;;AACD,SAAOD,IAAP;AACD;;AAED,SAA  
SG,yBAAT,CACER,MADF,EAEES,QAFF,EAGEC,UAHF,EAIEJ,SAJF,EAKE;AACA,UAAQK,gBAAKC,QAAL  
,CAAcZ,MAAd,CAAR;AAACE,SAAK,KAAL;AACA,SAAK,MAAL;AAACE,aAAO,CAACS,QAAD,EAAy,IAAG  
C,UAAW,EAA1B,CAAP;;AACF,SAAK,MAAL;AACA,SAAK,MAAL;AACA,SAAK,WAAL;AACA,SAAK,MA  
AL;AACA,SAAK,SAAL;AACA,SAAK,UAAL;AACA,SAAK,QAAL;AACA,SAAK,SAAL;AACA,SAAK,OAAL  
;AACA,SAAK,MAAL;AAACE,aAAO,CAAE,GAAED,QAAS,IAAGC,UAAW,EAA3B,CAAP;;AACF,SAAK,KAA  
L;AACA,SAAK,OAAL;AACA,SAAK,aAAL;AAACE,aAAO,CAAE,IAAGA,UAAW,EAAhB,EAAMBD,QAAnB,C  
AAP;;AACF,SAAK,OAAL;AACA,SAAK,MAAL;AACA,SAAK,MAAL;AAACE,aAAO,CAAC,QAAD,EAAWC,U  
AAX,EAABD,QAAvB,CAAP;;AACF,SAAK,MAAL;AAACE,aAAOL,+BAA+B,CACpC,CAAC,IAAD,EAAQ,G  
AAEK,QAAS,IAAGC,UAAW,EAAjC,CADoC,EAEPcJ,SAFoC,CAAtC;;AAIF,SAAK,QAAL;AAACE,aAAO,CAA  
C,OAAD,EAAUG,QAAV,CAAP;AACF;AACA;AACA;;AACA;AAACE,aAAO,CAACA,QAAD,CAAP;AACJ;AA  
oCD;;AAED,SAASI,uBAAT,CACEb,MADF,EAEES,QAFF,EAGEH,SAHF,EAIE;AACA,UAAQK,gBAAKC,QA  
AL,CAAcZ,MAAd,CAAR;AAACE,SAAK,MAAL;AAACE,aAAOI,+BAA+B,CAAC,CAACK,QAAD,CAAD,EAAa  
H,SAAb,CAAtC;;AACF,SAAK,QAAL;AAACE,aAAO,CAAC,OAAD,EAAUG,QAAV,CAAP;AACF;;AACA;AAC  
E,aAAO,CAACA,QAAD,CAAP;AAPJ;AASD;;AAED,SAASK,WAAT,GAAuB;AACrB;AACA,MAAIC,OAAO,C  
AACC,GAAR,CAAYC,YAAhB,EAA8B;AAC5B,WAAOC,sBAAWC,KAAAX,CAAiBJ,OAAO,CAACC,GAAR,C  
AAYC,YAA7B,CAAP;AACD;;AAED,MAAI;AACF;AACA;AACA,QAAlF,OAAO,CAACK,QAAR,KAAqB,QA  
AzB,EAAMC;AACjC,YAAMC,MAAM,GAAG,+BAAS,MAAT,EAAiBC,QAajB,EAAf;AACA,YAAMC,YAAY,  
GAAGC,MAAM,CAACC,IAAP,CAAYxB,cAAZ,CAArB;;AACA,WAAK,MAAMyB,WAAx,IAA0BH,YAA1B,E  
AAwC;AACtC,YAAIF,MAAM,CAACM,OAAp,CAAeD,WAAf,MAAgC,CAAC,CAArC,EAAwC;AACtC,iBAA  
O,CAACzB,cAAc,CAACyB,WAAD,CAAf,CAAP;AACD;AACF;AACF,KARD,MAQO,IAAIX,OAAO,CAACK,  
QAAR,KAAqB,OAazB,EAakC;AACvC,YAAMC,MAAM,GAAG,+BACb,oDADa,EAebC,QAFa,EAAf;AAIA,Y  
AAMM,gBAAGB,GAAGP,MAAM,CAC5BQ,KADsB,CChB,IADgB,EAETBC,GAfSb,CAEjBC,IAAD,IAAUA,I  
AAI,CAACC,OAAL,CAAa,aAAb,EAA4B,EAA5B,CAFQ,CAAzB;AAGA,YAAMT,YAAY,GAAGC,MAAM,CA  
ACC,IAAP,CAAYvB,sBAAZ,CAArB;;AACA,WAAK,MAAMwB,WAAx,IAA0BH,YAA1B,EAAwC;AACtC,Y  
AAIK,gBAAGB,CAACK,QAajB,CAA0BP,WAA1B,CAAJ,EAA4C;AAC1C,iBAAO,CAACxB,sBAAsB,CAACw  
B,WAAD,CAAvB,CAAP;AACD;AACF;AACF;AACF,GA1BD,CA0BE,OAAOQ,KAAP,EAAc,CACd;AACD,GA  
ICoB,CAoCrB;;AACA,MAAIInB,OAAO,CAACC,GAAR,CAAYmB,MAAhB,EAAwB;AACtB,WAAO,CAACpB,  
OAAO,CAACC,GAAR,CAAYmB,MAAb,CAAP;AACD;;AACD,MAAIpB,OAAO,CAACC,GAAR,CAAYoB,M  
AAhB,EAAwB;AACtB,WAAO,CAACrB,OAAO,CAACC,GAAR,CAAYoB,MAAb,CAAP;AACD;;AAED,SAAO  
,CAAC,IAAD,CAAP;AACD;;AAED,SAASC,iBAAT,CAA2BC,KAA3B,EAA0C;AACxC,QAAMC,0BAA0B,GA  
AG,CACjC,qEADiC,EAejC,6DAFiC,EAGjC,8DAHiC,CAAnC;AAMA,QAAMC,kBAakB,GAAG,CACzB,6CAD  
yB,EAezB,wEAFyB,EAGzB,wBAHyB,CAA3B;;AAMAC,kBAAOC,IAAP,CACE,CACE,EADF,EAEEC,iBAAM  
C,MAAN,CAAaC,KAAb,CAAMBC,IAAnB,CAAYB,IAAGR,KAAm,GAAlC,CAFF,EAGE,6DAHf,EAIE,0EAJF,  
EAKE,qEALF,EAME,6BANF,EAOf,IAAIvB,OAAO,CAACK,QAAR,KAAqB,OAArB,GACAmB,0BADA,GAE  
AC,kBAFJ,CAPF,EAUE,EAVF,EAWEQ,IAXF,CAWO,IAXP,CADF;AACd;;AAED,SAASC,+BAAT,CAAyCC,Q



AAzC,EAA2D;AACzD,MAAI,CAACtC,gBAAKuC,UAAAL,CAAgBD,QAAhB,CAAL,EAAgC;AAC9B,WAAOtC,  
gBAAKwC,OAAL,CAAapC,OAAO,CAACqC,GAAR,EAAb,EAA4BH,QAA5B,CAAP;AACD;;AACD,SAAOA,  
QAAP;AACD;;AAED,SAASI,eAAT,CACEC,YADF,EAE7C,QAFF,EAGE;AACA,QAAM8C,gBAAgB,GAAGP  
,+BAA+B,CAACvC,QAAD,CAAxD;AACA,SAAO6C,YAAY,CAACE,IAAb,CAAmBC,IAAD,IAAU;AACjC,UA  
AMC,YAAY,GAAGV,+BAA+B,CAACS,IAAD,CAApD;AACA,WAAOF,gBAAgB,CAACI,UAAjB,CAA4BD,Y  
AAY,GAAG/C,gBAAKiD,GAAhD,CAAP;AACD,GAHM,CAAP;AAID,C,CAED;;;AACA,SAASC,uBAAT,CAAi  
C7D,MAAjC,EAAiD;AAC/C,MAAI8D,cAAGC,UAAH,CAAc/D,MAAd,CAAJ,EAA2B;AACzB;AACA,WAAOA  
,MAAP;AACD;;AAED,MAAI;AACF,mCAAU,SAAQA,MAAO,EAAzB,EAA4B;AACgE,MAAAA,KAAK,EA  
AE;AAAR,KAA5B,EADE,CAEF;;AACA,WAAOhE,MAAP;AACD,GAJD,CAIE,OAAOkC,KAAP,EAAc,CACd;  
AACD;;AAED,MAAI;AACF,UAM+B,WAAW,GAAGzC,MAAM,CAAC0C,MAAP,CAAchE,sBAAd,CAApB;  
AACA,UAMiE,gBAAgB,GAAG3C,MAAM,CAACC,IAAP,CAAYvB,sBAAZ,CAAZB;;AACA,SAAK,IAAIkE,  
CAAC,GAAG,CAAb,EAAgBA,CAAC,GAAGH,WAAW,CAACI,MAAhC,EAAwCD,CAAC,EAAzC,EAA6C;AA  
C3C,YAAME,UAAU,GAAGL,WAAW,CAACG,CAAD,CAA9B;;AACA,UAAIpE,MAAM,CAACuE,WAAP,OA  
AyBD,UAAU,CAACC,WAAW,EAA7B,EAAuD;AACrD;AACA;AACA,cAAMID,MAAM,GAAG,+BACZ,0CAA  
yC8C,gBAAgB,CAACC,CAAD,CAAI,GADjD,EAEb9C,QAFa,EAAf;AAIA,cAAMkD,OAAO,GAAGnD,MAAM,  
CAACQ,KAAP,CAAa,GAAb,CAAhB;;AACA,YAAI2C,OAAO,CAAC,CAAD,CAAP,KAAgB,IAAGL,gBAAgB,  
CAACC,CAAD,CAAI,GAA3C,EAA+C;AAC7C;AACA,iBAAOpE,MAAP;AACD;;AAED,cAAMyE,GAAG,GAA  
GC,QAAQ,CAACF,OAAO,CAAC,CAAD,CAAP,CAAWxC,OAAAX,CAAmB,SAAnB,EAA8B,EAA9B,CAAD,EA  
AoC,EAApC,CAApB;AACA,eAAO,+BACJ,gEAA+DyC,GAAl,mBAD/D,EAGJnD,QAHl,GAIJqD,IAJl,EAAP;A  
AKD;AACF;AACF,GA1BD,CA0BE,OAAOzC,KAAP,EAAc,CACd;AACD,GA1C8C,CA4C/C;AACA;;AACA,S  
AAOIC,MAAP;AACD;;AAED,IAAI4E,aAAkC,GAAG,IAAzC;;AACA,SAASC,YAAT,CACEpE,QADF,EAEEC,  
UAFF,EAGE4C,YAHF,EAIE;AACA,MAAI,CAACQ,cAAGC,UAAH,CAActD,QAAd,CAAL,EAA8B;AAC5B;A  
ACD,GAHD,CAKA;AACA;;AACA,MAAIC,UAAU,IAAIoE,KAAK,CAACpE,UAAD,CAAvB,EAAqC;AACnC;  
AACD;;AAED,MAAI,CAACV,MAAD,EAAS,GAAGK,IAAZ,IAAoBS,WAAW,EAAnC;;AACA,MAAI,CAACd,  
MAAL,EAAa;AACXqC,IAAAA,iBAAiB,CAAC,SAAD,CAAjB;AACA;AACD;;AAED,QAAM/B,SAAS,GAAG+  
C,eAAe,CAACC,YAAD,EAAe7C,QAAf,CAAjC;;AACA,MAAIC,UAAJ,EAAgB;AACdL,IAAAA,IAAI,GAAGA,  
IAAI,CAAC0E,MAAL,CACLvE,yBAAYB,CAACR,MAAD,EAASS,QAAT,EAAMBC,UAAAnB,EAA+BJ,SAA/B,  
CADpB,CAAP;AAGD,GAJD,MAIO;AACLD,IAAAA,IAAI,GAAGA,IAAI,CAAC0E,MAAL,CAAYIE,uBAAuB,  
CAACb,MAAD,EAASS,QAAT,EAAMBH,SAAnB,CAAnC,CAAP;AACD,GABD,CA0BA;AACA;AACA;AAC  
A;;AACA,MACES,OAAO,CAACK,QAAR,KAAqB,OAArB,IACA,CAACjB,2BAA2B,CAAC6E,IAA5B,CAAiC  
vE,QAAQ,CAACkE,IAAT,EAAjC,CAFH,EAGE;AACAIc,oBAAOP,KAAP,CAAc,kBAAiBvB,gBAAKC,QAAL,  
CAAcH,QAAd,CAAwB,iBAAvD;;AACAgC,oBAAOC,IAAP,CACE,yEACE,mEADF,GAEE,oEAFF,GAGE,6CAJ  
J;;AAMA;AACD;;AAEDD,kBAAOC,IAAP,CACG,WAAUC,iBAAMsC,SAAN,CAAgBxE,QAAhB,CAA0B,SAA  
QkC,iBAAMG,IAAN,CAAW9C,MAAX,CAAmB,EADIE;;AAIA,MAAI4E,aAAa,IAAI7E,gBAAgB,CAACC,MA  
AD,CAArC,EAA+C;AAC7C;AACA;AACA;AACA4E,IAAAA,aAAa,CAACM,IAAd,CAAmB,SAAnB;AACD;;A  
AED,MAAIInE,OAAO,CAACK,QAAR,KAAqB,OAAzB,EAakC;AAChC;AACA;AACAwD,IAAAA,aAAa,GAA  
G,4BACd,SADc,EAEd,CAAC,IAAD,EAAOf,uBAAuB,CAAC7D,MAAD,CAA9B,EAAwC+E,MAAxC,CAA+C1  
E,IAA/C,CAFc,EAGd;AAEE2D,MAAAA,KAAK,EAAE;AADT,KAHc,CAAhB;AAOD,GAVD,MAUO;AACLY,I  
AAAA,aAAa,GAAG,4BAAM5E,MAAN,EAAcK,IAAd,EAAoB;AAC2D,MAAAA,KAAK,EAAE;AAAR,KAAp  
B,CAAhB;AACD;;AACDY,EAAAA,aAAa,CAACO,EAAd,CAAIb,MAAjB,EAA0BC,SAAD,IAAe;AACtCR,IAA  
AA,aAAa,GAAG,IAAhB;;AAEA,QAAlQ,SAAJ,EAAe;AACb3C,sBAAOP,KAAP,CAAa,mCAAb;;AACAG,MAA  
AA,iBAAiB,CAAC,kCAAD,CAAjB;AACD;AACF,GAPD;;AASuC,EAAAA,aAAa,CAACO,EAAd,CAAIb,OA  
AjB,EAA2BjD,KAAD,IAAW;AACnCO,oBAAOP,KAAP,CAAaA,KAAK,CAACmD,OAAnB;;AACAhD,IAAAA,  
iBAAiB,CAAC,aAAD,CAAjB;AACD,GAHD;AAID;;eAEcwC,Y", "sourcesContent":["/\*\n \* Copyright (c)  
Facebook, Inc. and its affiliates.\n \*\n \* This source code is licensed under the MIT license found in the\n \*  
LICENSE file in the root directory of this source tree.\n \*\n \* @format\n \*\n\nimport chalk from 'chalk';\nimport fs  
from 'fs';\nimport path from 'path';\nimport {execSync, spawn, ChildProcess} from 'child\_process';\n// @ts-ignore  
@types not installed\nimport shellQuote from 'shell-quote';\nimport logger from './logger';\n\nfunction

```
isTerminalEditor(editor: string) {\n switch (editor) {\n case 'vim':\n case 'emacs':\n case 'nano':\n return true;\n default:\n return false;\n }}\n\n// Map from full process name to binary that starts the process\n// We can't just re-use full process name, because it will spawn a new instance\n// of the app every time\nconst COMMON_EDITORS: Record<string, string> = {\n '/Applications/Atom.app/Contents/MacOS/Atom': 'atom',\n '/Applications/Atom Beta.app/Contents/MacOS/Atom Beta':\n '/Applications/Atom Beta.app/Contents/MacOS/Atom Beta',\n '/Applications/IntelliJ IDEA.app/Contents/MacOS/idea': 'idea',\n '/Applications/Sublime Text.app/Contents/MacOS/Sublime Text':\n '/Applications/Sublime Text.app/Contents/SharedSupport/bin/subl',\n '/Applications/Sublime Text 2.app/Contents/MacOS/Sublime Text 2':\n '/Applications/Sublime Text 2.app/Contents/SharedSupport/bin/subl',\n '/Applications/Visual Studio Code.app/Contents/MacOS/Electron': 'code',\n '/Applications/WebStorm.app/Contents/MacOS/webstorm': 'webstorm',\n};\n\n// Map of process image name used to identify already running instances of the editor\n// And an editor id which is used to determine which arguments to add to the commandline\nconst COMMON_WINDOWS_EDITORS: Record<string, string> = {\n 'Code.exe': 'code',\n 'sublime_text.exe': 'subl',\n 'devenv.exe': 'devenv',\n 'notepad.exe': 'notepad',\n};\n\n// Transpiled version of: /^[a-zA-Z]+(?:[\\p{L}0-9@/\\-\\_\\\\]+$/u\n// Non-transpiled version requires support for Unicode property regex. Allows\n// alphanumeric characters, periods, dashes, at signs, slashes, and underscores, with an optional drive prefix\nconst WINDOWS_FILE_NAME_WHITELIST = /^[a-zA-Z]+(?:[\\x2D-9@-Z\\_a-z\\xAA\\xB5\\xBA\\xC0-\\xD6\\xD8-\\xF6\\xF8-\\u02C1\\u02C6-\\u02D1\\u02E0-\\u02E4\\u02EC\\u02EE\\u0370-\\u0374\\u0376\\u0377\\u037A-\\u037D\\u037F\\u0386\\u0388-\\u038A\\u038C\\u038E-\\u03A1\\u03A3-\\u03F5\\u03F7-\\u0481\\u048A-\\u052F\\u0531-\\u0556\\u0559\\u0560-\\u0588\\u05D0-\\u05EA\\u05EF-\\u05F2\\u0620-\\u064A\\u066E\\u066F\\u0671-\\u06D3\\u06D5\\u06E5\\u06E6\\u06EE\\u06EF\\u06FA-\\u06FC\\u06FF\\u0710\\u0712-\\u072F\\u074D-\\u07A5\\u07B1\\u07CA-\\u07EA\\u07F4\\u07F5\\u07FA\\u0800-\\u0815\\u081A\\u0824\\u0828\\u0840-\\u0858\\u0860-\\u086A\\u08A0-\\u08B4\\u08B6-\\u08BD\\u0904-\\u0939\\u093D\\u0950\\u0958-\\u0961\\u0971-\\u0980\\u0985-\\u098C\\u098F\\u0990\\u0993-\\u09A8\\u09AA-\\u09B0\\u09B2\\u09B6-\\u09B9\\u09BD\\u09CE\\u09DC\\u09DD\\u09DF-\\u09E1\\u09F0\\u09F1\\u09FC\\u0A05-\\u0A0A\\u0A0F\\u0A10\\u0A13-\\u0A28\\u0A2A-\\u0A30\\u0A32\\u0A33\\u0A35\\u0A36\\u0A38\\u0A39\\u0A59-\\u0A5C\\u0A5E\\u0A72-\\u0A74\\u0A85-\\u0A8D\\u0A8F-\\u0A91\\u0A93-\\u0AA8\\u0AAA-\\u0AB0\\u0AB2\\u0AB3\\u0AB5-\\u0AB9\\u0ABD\\u0AD0\\u0AE0\\u0AE1\\u0AF9\\u0B05-\\u0B0C\\u0B0F\\u0B10\\u0B13-\\u0B28\\u0B2A-\\u0B30\\u0B32\\u0B33\\u0B35-\\u0B39\\u0B3D\\u0B5C\\u0B5D\\u0B5F-\\u0B61\\u0B71\\u0B83\\u0B85-\\u0B8A\\u0B8E-\\u0B90\\u0B92-\\u0B95\\u0B99\\u0B9A\\u0B9C\\u0B9E\\u0B9F\\u0BA3\\u0BA4\\u0BA8-\\u0BAA\\u0BAE-\\u0BB9\\u0BD0\\u0C05-\\u0C0C\\u0C0E-\\u0C10\\u0C12-\\u0C28\\u0C2A-\\u0C39\\u0C3D\\u0C58-\\u0C5A\\u0C60\\u0C61\\u0C80\\u0C85-\\u0C8C\\u0C8E-\\u0C90\\u0C92-\\u0CA8\\u0CAA-\\u0CB3\\u0CB5-\\u0CB9\\u0CBD\\u0CDE\\u0CE0\\u0CE1\\u0CF1\\u0CF2\\u0D05-\\u0D0C\\u0D0E-\\u0D10\\u0D12-\\u0D3A\\u0D3D\\u0D4E\\u0D54-\\u0D56\\u0D5F-\\u0D61\\u0D7A-\\u0D7F\\u0D85-\\u0D96\\u0D9A-\\u0DB1\\u0DB3-\\u0DBB\\u0DBD\\u0DC0-\\u0DC6\\u0E01-\\u0E30\\u0E32\\u0E33\\u0E40-\\u0E46\\u0E81\\u0E82\\u0E84\\u0E87\\u0E88\\u0E8A\\u0E8D\\u0E94-\\u0E97\\u0E99-\\u0E9F\\u0EA1-\\u0EA3\\u0EA5\\u0EA7\\u0EAA\\u0EAB\\u0EAD-\\u0EB0\\u0EB2\\u0EB3\\u0EBD\\u0EC0-\\u0EC4\\u0EC6\\u0EDC-\\u0EDF\\u0F00\\u0F40-\\u0F47\\u0F49-\\u0F6C\\u0F88-\\u0F8C\\u1000-\\u102A\\u103F\\u1050-\\u1055\\u105A-\\u105D\\u1061\\u1065\\u1066\\u106E-\\u1070\\u1075-\\u1081\\u108E\\u10A0-\\u10C5\\u10C7\\u10CD\\u10D0-\\u10FA\\u10FC-\\u1248\\u124A-\\u124D\\u1250-\\u1256\\u1258\\u125A-\\u125D\\u1260-\\u1288\\u128A-\\u128D\\u1290-\\u12B0\\u12B2-\\u12B5\\u12B8-\\u12BE\\u12C0\\u12C2-\\u12C5\\u12C8-\\u12D6\\u12D8-\\u1310\\u1312-\\u1315\\u1318-\\u135A\\u1380-\\u138F\\u13A0-\\u13F5\\u13F8-\\u13FD\\u1401-\\u166C\\u166F-\\u167F\\u1681-\\u169A\\u16A0-\\u16EA\\u16F1-\\u16F8\\u1700-\\u170C\\u170E-\\u1711\\u1720-\\u1731\\u1740-\\u1751\\u1760-\\u176C\\u176E-\\u1770\\u1780-\\u17B3\\u17D7\\u17DC\\u1820-\\u1878\\u1880-\\u1884\\u1887-\\u18A8\\u18AA\\u18B0-\\u18F5\\u1900-\\u191E\\u1950-\\u196D\\u1970-\\u1974\\u1980-\\u19AB\\u19B0-\\u19C9\\u1A00-\\u1A16\\u1A20-\\u1A54\\u1AA7\\u1B05-\\u1B33\\u1B45-\\u1B4B\\u1B83-\\u1BA0\\u1BAE\\u1BAF\\u1BBA-
```

\u1BE5\u1C00-\u1C23\u1C4D-\u1C4F\u1C5A-\u1C7D\u1C80-\u1C88\u1C90-\u1CBA\u1CBD-\u1CBF\u1CE9-\u1CEC\u1CEE-\u1CF1\u1CF5\u1CF6\u1D00-\u1DBF\u1E00-\u1F15\u1F18-\u1F1D\u1F20-\u1F45\u1F48-\u1F4D\u1F50-\u1F57\u1F59\u1F5B\u1F5D\u1F5F-\u1F7D\u1F80-\u1FB4\u1FB6-\u1FBC\u1FBE\u1FC2-\u1FC4\u1FC6-\u1FCC\u1FD0-\u1FD3\u1FD6-\u1FDB\u1FE0-\u1FEC\u1FF2-\u1FF4\u1FF6-\u1FFC\u2071\u207F\u2090-\u209C\u2102\u2107\u210A-\u2113\u2115\u2119-\u211D\u2124\u2126\u2128\u212A-\u212D\u212F-\u2139\u213C-\u213F\u2145-\u2149\u214E\u2183\u2184\u22C0-\u22C2\u22C3-\u22C5\u22C6-\u22CE4\u22CEB-\u22CEE\u22CF2\u22CF3\u22D0-\u22D25\u22D7\u22D2\u22D3-\u22D67\u22D6F\u22D8-\u22D96\u22DA0-\u22DA6\u22DA8-\u22DAE\u22DB0-\u22DB6\u22DB8-\u22DBE\u22DC0-\u22DC6\u22DC8-\u22DCE\u22DD0-\u22DD6\u22DD8-\u22DDE\u22E2F\u3005\u3006\u3031-\u3035\u303B\u303C\u3041-\u3096\u309D-\u309F\u30A1-\u30FA\u30FC-\u30FF\u3105-\u312F\u3131-\u318E\u31A0-\u31BA\u31F0-\u31FF\u3400-\u34B5\u4E00-\u49FEF\uA000-\uA48C\uA4D0-\uA4FD\uA500-\uA60C\uA610-\uA61F\uA62A\uA62B\uA640-\uA66E\uA67F-\uA69D\uA6A0-\uA6E5\uA717-\uA71F\uA722-\uA788\uA78B-\uA7B9\uA7F7-\uA801\uA803-\uA805\uA807-\uA80A\uA80C-\uA822\uA840-\uA873\uA882-\uA8B3\uA8F2-\uA8F7\uA8FB\uA8FD\uA8FE\uA90A-\uA925\uA930-\uA946\uA960-\uA97C\uA984-\uA9B2\uA9CF\uA9E0-\uA9E4\uA9E6-\uA9EF\uA9FA-\uA9FE\uAA00-\uAA28\uAA40-\uAA42\uAA44-\uAA4B\uAA60-\uAA76\uAA7A\uAA7E-\uAAAF\uAAB1\uAAB5\uAAB6\uAAB9-\uAABD\uAAC0\uAAC2\uAADB-\uAADD\uAAE0-\uAAEA\uAAF2-\uAAF4\uAB01-\uAB06\uAB09-\uAB0E\uAB11-\uAB16\uAB20-\uAB26\uAB28-\uAB2E\uAB30-\uAB5A\uAB5C-\uAB65\uAB70-\uABE2\uAC00-\uD7A3\uD7B0-\uD7C6\uD7CB-\uDF7B\uF900-\uFA6D\uFA70-\uFAD9\uFB00-\uFB06\uFB13-\uFB17\uFB1D\uFB1F-\uFB28\uFB2A-\uFB36\uFB38-\uFB3C\uFB3E\uFB40\uFB41\uFB43\uFB44\uFB46-\uFBB1\uFBD3-\uFD3D\uFD50-\uFD8F\uFD92-\uFDC7\uFDF0-\uFDFB\uFE70-\uFE74\uFE76-\uFEFC\uFF21-\uFF3A\uFF41-\uFF5A\uFF66-\uFFBE\uFFC2-\uFFC7\uFFCA-\uFFCF\uFFD2-\uFFD7\uFFDA-\uFFDC][\uD800[\uDC00-\uDC0B\uDC0D-\uDC26\uDC28-\uDC3A\uDC3C\uDC3D\uDC3F-\uDC4D\uDC50-\uDC5D\uDC80-\uDCFA\uDE80-\uDE9C\uDEA0-\uDED0\uDF00-\uDF1F\uDF2D-\uDF40\uDF42-\uDF49\uDF50-\uDF75\uDF80-\uDF9D\uDFA0-\uDFC3\uDFC8-\uDFCF][\uD801[\uDC00-\uDC9D\uDCB0-\uDCD3\uDCD8-\uDCFB\uDD00-\uDD27\uDD30-\uDD63\uDE00-\uDF36\uDF40-\uDF55\uDF60-\uDF67][\uD802[\uDC00-\uDC05\uDC08\uDC0A-\uDC35\uDC37\uDC38\uDC3C\uDC3F-\uDC55\uDC60-\uDC76\uDC80-\uDC9E\uDCE0-\uDCF2\uDCF4\uDCF5\uDD00-\uDD15\uDD20-\uDD39\uDD80-\uDDB7\uDDBE\uDDBF\uDE00\uDE10-\uDE13\uDE15-\uDE17\uDE19-\uDE35\uDE60-\uDE7C\uDE80-\uDE9C\uDEC0-\uDEC7\uDEC9-\uDEE4\uDF00-\uDF35\uDF40-\uDF55\uDF60-\uDF72\uDF80-\uDF91][\uD803[\uDC00-\uDC48\uDC80-\uDCB2\uDCC0-\uDCF2\uDD00-\uDD23\uDF00-\uDF1C\uDF27\uDF30-\uDF45][\uD804[\uDC03-\uDC37\uDC83-\uDCAF\uDCD0-\uDCE8\uDD03-\uDD26\uDD44\uDD50-\uDD72\uDD76\uDD83-\uDDDB\uDDC1-\uDDC4\uDDDA\uDDDC\uDE00-\uDE11\uDE13-\uDE2B\uDE80-\uDE86\uDE88\uDE8A-\uDE8D\uDE8F-\uDE9D\uDE9F-\uDEA8\uDEB0-\uDEDE\uDF05-\uDF0C\uDF0F\uDF10\uDF13-\uDF28\uDF2A-\uDF30\uDF32\uDF33\uDF35-\uDF39\uDF3D\uDF50\uDF5D-\uDF61][\uD805[\uDC00-\uDC34\uDC47-\uDC4A\uDC80-\uDCAF\uDCC4\uDCC5\uDCC7\uDD80-\uDDAE\uDDD8-\uDDDB\uDE00-\uDE2F\uDE44\uDE80-\uDEAA\uDF00-\uDF1A][\uD806[\uDC00-\uDC2B\uDCA0-\uDCDF\uDCFF\uDE00\uDE0B-\uDE32\uDE3A\uDE50\uDE5C-\uDE83\uDE86-\uDE89\uDE9D\uDEC0-\uDEF8][\uD807[\uDC00-\uDC08\uDC0A-\uDC2E\uDC40\uDC72-\uDC8F\uDD00-\uDD06\uDD08\uDD09\uDD0B-\uDD30\uDD46\uDD60-\uDD65\uDD67\uDD68\uDD6A-\uDD89\uDD98\uDEE0-\uDEF2][\uD808[\uDC00-\uDF99][\uD809[\uDC80-\uDD43][\uD80C\uD81C-\uD820\uD840-\uD868\uD86A-\uD86C\uD86F-\u872\u874-\u879][\uDC00-\uDFFF][\uD80D[\uDC00-\uDC2E][\uD811[\uDC00-\uDE46][\uD81A[\uDC00-\uDE38\uDE40-\uDE5E\uDED0-\uDEED\uDF00-\uDF2F\uDF40-\uDF43\uDF63-\uDF77\uDF7D-\uDF8F][\uD81B[\uDE40-\uDE7F\uDF00-\uDF44\uDF50\uDF93-

```

\uDF9F\uDFE0\uDFE1][\uD821[\uDC00-\uDFF1][\uD822[\uDC00-\uDEF2][\uD82C[\uDC00-
\uDD1E\uDD70-\uDEFB][\uD82F[\uDC00-\uDC6A\uDC70-\uDC7C\uDC80-\uDC88\uDC90-
\uDC99][\uD835[\uDC00-\uDC54\uDC56-\uDC9C\uDC9E\uDC9F\uDCA2\uDCA5\uDCA6\uDCA9-
\uDCAC\uDCAE-\uDCB9\uDCBB\uDCBD-\uDCC3\uDCC5-\uDD05\uDD07-\uDD0A\uDD0D-
\uDD14\uDD16-\uDD1C\uDD1E-\uDD39\uDD3B-\uDD3E\uDD40-\uDD44\uDD46\uDD4A-
\uDD50\uDD52-\uDEA5\uDEA8-\uDEC0\uDEC2-\uDEDA\uDEDC-\uDEFA\uDEFC-\uDF14\uDF16-
\uDF34\uDF36-\uDF4E\uDF50-\uDF6E\uDF70-\uDF88\uDF8A-\uDFA8\uDFAA-\uDFC2\uDFC4-
\uDFCB][\uD83A[\uDC00-\uDCC4\uDD00-\uDD43][\uD83B[\uDE00-\uDE03\uDE05-
\uDE1F\uDE21\uDE22\uDE24\uDE27\uDE29-\uDE32\uDE34-
\uDE37\uDE39\uDE3B\uDE42\uDE47\uDE49\uDE4B\uDE4D-
\uDE4F\uDE51\uDE52\uDE54\uDE57\uDE59\uDE5B\uDE5D\uDE5F\uDE61\uDE62\uDE64\uDE67-
\uDE6A\uDE6C-\uDE72\uDE74-\uDE77\uDE79-\uDE7C\uDE7E\uDE80-\uDE89\uDE8B-
\uDE9B\uDEA1-\uDEA3\uDEA5-\uDEA9\uDEAB-\uDEBB][\uD869[\uDC00-\uDED6\uDF00-
\uDFFF][\uD86D[\uDC00-\uDF34\uDF40-\uDFFF][\uD86E[\uDC00-\uDC1D\uDC20-
\uDFFF][\uD873[\uDC00-\uDEA1\uDEB0-\uDFFF][\uD87A[\uDC00-\uDFE0][\uD87E[\uDC00-
\uDE1D))+$;\n\nfunction addWorkspaceToArgumentsIfExists(args: string[], workspace: string) {\n if
(workspace) {\n  args.unshift(workspace);\n } \n return args;\n}\n\nfunction getArgumentsForLineNumber(\n
editor: string,\n fileName: string,\n lineNumber: number,\n workspace: any,\n) {\n switch (path.basename(editor))
{\n  case 'vim':\n  case 'mvim':\n    return [fileName, `+${lineNumber}`];\n  case 'atom':\n  case 'Atom':\n
case 'Atom Beta':\n  case 'subl':\n  case 'sublime':\n  case 'webstorm':\n  case 'wstorm':\n  case 'appcode':\n
case 'charm':\n  case 'idea':\n    return [`${fileName}:${lineNumber}`];\n  case 'joe':\n  case 'emacs':\n  case
'emacsclient':\n    return [`+${lineNumber}`, fileName];\n  case 'rmate':\n  case 'mate':\n  case 'mine':\n
return ['--line', lineNumber, fileName];\n  case 'code':\n    return addWorkspaceToArgumentsIfExists(\n    ['-g',
`${fileName}:${lineNumber}`],\n    workspace,\n    );\n  case 'devenv':\n    return ['/EDIT', fileName];\n //
For all others, drop the lineNumber until we have\n // a mapping above, since providing the lineNumber
incorrectly\n // can result in errors or confusing behavior.\n default:\n    return [fileName];\n }\n}\n\nfunction
getArgumentsForFileName(\n editor: string,\n fileName: string,\n workspace: any,\n) {\n switch
(path.basename(editor)) {\n  case 'code':\n    return addWorkspaceToArgumentsIfExists([fileName],
workspace);\n  case 'devenv':\n    return ['/EDIT', fileName];\n // Every other editor just takes the filename as an
argument\n default:\n    return [fileName];\n }\n}\n\nfunction guessEditor() {\n // Explicit config always wins\n
if (process.env.REACT_EDITOR) {\n  return shellQuote.parse(process.env.REACT_EDITOR);\n }\n\n try {\n
// Using `ps x` on OSX we can find out which editor is currently running.\n // Potentially we could use similar
technique for Linux\n  if (process.platform === 'darwin') {\n    const output = execSync('ps x').toString();\n
const processNames = Object.keys(COMMON_EDITORS);\n    for (const processName of processNames) {\n
if (output.indexOf(processName) !== -1) {\n      return [COMMON_EDITORS[processName]];\n    }\n  }\n
} else if (process.platform === 'win32') {\n    const output = execSync(\n    'tasklist /NH /FO CSV /FI
"SESSIONNAME ne Services"',\n    ).toString();\n    const runningProcesses = output\n    .split("\n")\n
.map((line) => line.replace(/^"|"\.*/r$/gm, ""));\n    const processNames =
Object.keys(COMMON_WINDOWS_EDITORS);\n    for (const processName of processNames) {\n      if
(runningProcesses.includes(processName)) {\n        return [COMMON_WINDOWS_EDITORS[processName]];\n
      }\n    }\n  } catch (error) {\n    // Ignore...\n  }\n\n // Last resort, use old skool env vars\n if
(process.env.VISUAL) {\n  return [process.env.VISUAL];\n }\n if (process.env.EDITOR) {\n  return
[process.env.EDITOR];\n }\n\n return [null];\n }\n\nfunction printInstructions(title: string) {\n const
WINDOWS_FIXIT_INSTRUCTIONS = [\n  ' To set it up, you can run something like `SETX REACT_EDITOR
code`,\n  ' which will set the environment variable in future shells,\n  ' then `SET REACTEDITOR=code` to
set it in the current shell',\n ];\n\n const FIXIT_INSTRUCTIONS = [\n  ' To set it up, you can add something like
',\n  ' export REACT_EDITOR=atom to your ~/.bashrc or ~/.zshrc depending on ',\n  ' which shell you use.',\n
];\n\n logger.info(\n [\n  ",\n  chalk.bgBlue.white.bold(` ${title} `),\n  ' When you see Red Box with stack

```

```

trace, you can click any '\n    ' stack frame to jump to the source file. The packager will launch your '\n    ' editor
of choice. It will first look at REACT_EDITOR environment '\n    ' variable, then at EDITOR.\n
...(process.platform === 'win32'\n    ? WINDOWS_FIXIT_INSTRUCTIONS\n    :
FIXIT_INSTRUCTIONS),\n    '\n    ],join('\n'),\n    );\n}\n\nfunction
transformToAbsolutePathIfNeeded(pathName: string) {\n    if (!path.isAbsolute(pathName)) {\n    return
path.resolve(process.cwd(), pathName);\n    }\n    return pathName;\n}\n\nfunction findRootForFile(\n    projectRoots:
ReadonlyArray<string>,\n    fileName: string,\n) {\n    const absoluteFileName =
transformToAbsolutePathIfNeeded(fileName);\n    return projectRoots.find((root) => {\n    const absoluteRoot =
transformToAbsolutePathIfNeeded(root);\n    return absoluteFileName.startsWith(absoluteRoot + path.sep);\n
});\n}\n\n// On windows, find the editor executable path even if its not in the users path\nfunction
editorWindowsLaunchPath(editor: string) {\n    if (fs.existsSync(editor)) {\n    // Editor is a full path to an exe, we can
just launch it\n    return editor;\n    }\n\n    try {\n    execSync(`where ${editor}`, {stdio: 'ignore'});\n    // Editor is on
the path, we can just launch it\n    return editor;\n    } catch (error) {\n    // ignore\n    }\n\n    try {\n    const editorNames
= Object.values(COMMON_WINDOWS_EDITORS);\n    const editorImageNames =
Object.keys(COMMON_WINDOWS_EDITORS);\n    for (let i = 0; i < editorNames.length; i++) {\n    const
editorName = editorNames[i];\n    if (editor.toLowerCase() === editorName.toLowerCase()) {\n    // An editor
was guessed by guessEditor, but isn't part of the users path\n    // Attempt to get the executable location from the
running process\n    const output = execSync(`tasklist /FO CSV /NH /FI "IMAGENAME eq
${editorImageNames[i]}"`,\n    ).toString();\n\n    const results = output.split(',');\n    if (results[0] !==
`"${editorImageNames[i]}"`) {\n    // Failed to find a running instance...\n    return editor;\n    }\n\n    const pid = parseInt(results[1].replace(/^\\"$|"/gm, ""), 10);\n    return execSync(`powershell (Get-
CimInstance Win32_Process -Filter "ProcessId=${pid}").ExecutablePath`,\n    ).toString()\n    .trim();\n    }\n    }\n    } catch (error) {\n    // ignore\n    }\n\n    // Just use what the user specified, it will probably
fail,\n    // but we will show some help text when it fails.\n    return editor;\n}\n\nlet _childProcess: ChildProcess | null
= null;\nfunction launchEditor(\n    fileName: string,\n    lineNumber: number,\n    projectRoots:
ReadonlyArray<string>,\n) {\n    if (!fs.existsSync(fileName)) {\n    return;\n    }\n\n    // Sanitize lineNumber to prevent
malicious use on win32\n    // via:
https://github.com/nodejs/node/blob/c3bb4b1aa5e907d489619fb43d233c3336bfc03d/lib/child\_process.js#L333\n    if
(lineNumber && isNaN(lineNumber)) {\n    return;\n    }\n\n    let [editor, ...args] = guessEditor();\n    if (!editor) {\n    printInstructions('PRO TIP');\n    return;\n    }\n\n    const workspace = findRootForFile(projectRoots, fileName);\n    if
(lineNumber) {\n    args = args.concat(\n    getArgumentsForLineNumber(editor, fileName, lineNumber,
workspace),\n    );\n    } else {\n    args = args.concat(getArgumentsForFileName(editor, fileName, workspace));\n
}\n\n    // cmd.exe on Windows is vulnerable to RCE attacks given a file name of the\n    // form
"C:\\Users\\myusername\\Downloads\\& curl 172.21.93.52". Use a whitelist\n    // to validate user-provided file
names. This doesn't cover the entire range\n    // of valid file names but should cover almost all of them in practice.\n    if (\n    process.platform === 'win32' &&\n    !WINDOWS_FILE_NAME_WHITELIST.test(fileName.trim()))\n    {\n    logger.error(` Could not open ${path.basename(fileName)} in the editor.`);\n    logger.info(` When
running on Windows, file names are checked against a whitelist ' +\n    ' to protect against remote code execution
attacks. File names may ' +\n    ' consist only of alphanumeric characters (all languages), periods, ' +\n    ' dashes,
at signs, slashes, and underscores.',\n    );\n    return;\n    }\n\n    logger.info(` Opening
${chalk.underline(fileName)} with ${chalk.bold(editor)}`,\n    );\n\n    if (_childProcess && isTerminalEditor(editor))
{\n    // There's an existing editor process already and it's attached\n    // to the terminal, so go kill it. Otherwise two
separate editor\n    // instances attach to the stdin/stdout which gets confusing.\n    _childProcess.kill('SIGKILL');\n
}\n\n    if (process.platform === 'win32') {\n    // On Windows, launch the editor in a shell because spawn can only\n
// launch .exe files.\n    _childProcess = spawn(\n    'cmd.exe',\n    ['/C',
editorWindowsLaunchPath(editor)].concat(args),\n    {\n    stdio: 'inherit',\n    },\n    );\n    } else {\n    _childProcess = spawn(editor, args, {stdio: 'inherit'});\n    }\n\n    _childProcess.on('exit', (errorCode) => {\n    _childProcess = null;\n    if (errorCode) {\n    logger.error('Your editor exited with an error!');\n
}

```



```
ATA;ACA;ACA;ACA;ACA;ACA;ACA;ACA;AAIA,eAAeA,cAAf,CAA8BC,GAA9B,EAA2C;AAC
zC,SAAO,mCAAqBA,GAARB,CAAP;AACD;;eAEcD,c","sourcesContent":["/**\n * Copyright (c) Facebook, Inc.
and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the
root directory of this source tree.\n *\n * @format\n */\n\nimport launchDefaultBrowser from
'./launchDefaultBrowser';\n\nasync function launchDebugger(url: string) {\n return
launchDefaultBrowser(url);\n}\n\nexport default launchDebugger;\n"]}
```

Found in path(s):

\* /opt/cola/permits/1316418895\_1651000230.07/0/cli-tools-7-0-1-tgz/package/build/launchDebugger.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../src/launchDefaultBrowser.ts"],"names":["launchDefaultBrowser","url","err","logger","er
ror"],"mappings":";;AASA;AAAA;;AAAA;AAAA;AAAA;AAAA;AAAA;;ACA;AAVA;ACA;ACA;A
ACA;ACA;ACA;ACA;ACA;AKA,eAAeA,oBAAf,CAAoCC,GAAPC,EAAiD;AAC/C,MAAI;AACF,UA
AM,qBAKA,GAAL,CAAN;AACD,GAfD,CAEE,OAAOC,GAAP,EAAY;AACZ,QAAIA,GAJ,EAAS;AACPC,
sBAAOC,KAAP,CAAa,4BAAb,EAA2CF,GAA3C;AACD;AACF;AACF;;eAEcF,oB","sourcesContent":["/**\n *
Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in
the\n * LICENSE file in the root directory of this source tree.\n *\n * @format\n */\n\nimport open from
'open';\nimport logger from './logger';\n\nasync function launchDefaultBrowser(url: string) {\n try {\n await
open(url);\n } catch (err) {\n if (err) {\n logger.error('Browser exited with error:', err);\n }\n }\n}\n\nexport
default launchDefaultBrowser;\n"]}
```

Found in path(s):

\* /opt/cola/permits/1316418895\_1651000230.07/0/cli-tools-7-0-1-tgz/package/build/launchDefaultBrowser.js.map

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) Facebook, Inc. and its affiliates.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @format
 */
```

Found in path(s):

\* /opt/cola/permits/1316418895\_1651000230.07/0/cli-tools-7-0-1-tgz/package/src/launchDebugger.ts  
\* /opt/cola/permits/1316418895\_1651000230.07/0/cli-tools-7-0-1-tgz/package/src/launchDefaultBrowser.ts  
\* /opt/cola/permits/1316418895\_1651000230.07/0/cli-tools-7-0-1-tgz/package/build/launchEditor.js  
\* /opt/cola/permits/1316418895\_1651000230.07/0/cli-tools-7-0-1-tgz/package/build/launchEditor.d.ts  
\* /opt/cola/permits/1316418895\_1651000230.07/0/cli-tools-7-0-1-tgz/package/build/launchDebugger.js  
\* /opt/cola/permits/1316418895\_1651000230.07/0/cli-tools-7-0-1-tgz/package/build/launchDebugger.d.ts  
\* /opt/cola/permits/1316418895\_1651000230.07/0/cli-tools-7-0-1-tgz/package/build/launchDefaultBrowser.d.ts  
\* /opt/cola/permits/1316418895\_1651000230.07/0/cli-tools-7-0-1-tgz/package/build/launchDefaultBrowser.js  
\* /opt/cola/permits/1316418895\_1651000230.07/0/cli-tools-7-0-1-tgz/package/src/launchEditor.ts

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../src/groupFilesByType.ts"],"names":["groupFilesByType","assets","type","mime","getTy
```

```
pe", "split"], "mappings": ";;;;;;;;;AAQA;AAAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;AACA;AAAA;;AAAA;AA
AA;AAAA;;AAAA;AAAA;;;AATA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;;AAKA;AACA;AACA;AACA
;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACe,SAASA,gBAAT,CAA0BC,MAA1B,EAAiD;AAC9D,
SAAO,uBAAQA,MAAR,EAAiBC,IAAD,IAAU,CAACC,gBAAKC,OAAL,CAAaF,IAAb,KAAaB,EAAvB,EAA2
BG,KAA3B,CAAiC,GAAjC,EAAcC,CAAtC,CAA1B,CAAP;AACD", "sourcesContent": ["/*\n * Copyright (c)
Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n *
LICENSE file in the root directory of this source tree.\n *\n */\n\nimport {groupBy} from 'lodash';\nimport mime
from 'mime';\n\n/**\n * Given an array of files, it groups it by it's type.\n * Type of the file is inferred from it's
mimetype based on the extension\n * file ends up with. The returned value is an object with properties that\n *
correspond to the first part of the mimetype, e.g. images will be grouped\n * under `image` key since the mimetype
for them is `image/jpeg` etc.\n *\n * Example:\n * Given an array ['fonts/a.ttf', 'images/b.jpg'],\n * the returned object
will be: {font: ['fonts/a.ttf'], image: ['images/b.jpg']}\n */\n\nexport default function groupFilesByType(assets:
Array<string>) {\n  return groupBy(assets, (type) => (mime.getType(type) || '').split('/')[0]);\n}\n}
```

Found in path(s):

\* /opt/cola/permits/1316418895\_1651000230.07/0/cli-tools-7-0-1-tgz/package/build/groupFilesByType.js.map

## 1.147 camelcase 5.3.1

### 1.147.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.148 is-glob 2.0.1

### 1.148.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert.



Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.149 charenc 0.0.2

### 1.149.1 Available under license :

Copyright 2011, Paul Vorbach. All rights reserved.

Copyright 2009, Jeff Mott. All rights reserved.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name Crypto-JS nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.150 @expo/rudder-sdk-node 1.1.1

### 1.150.1 Available under license :

MIT License

Copyright (c) 2021 650 Industries, Inc. (Expo)

Copyright (c) 2017 Segment, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.151 sort-keys 2.0.0

### 1.151.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.152 query-string 5.1.1

### 1.152.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.153 md5 2.3.0

### 1.153.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * JavaScript MD5 Demo JS
 * https://github.com/blueimp/JavaScript-MD5
 *
 * Copyright 2013, Sebastian Tschan
 * https://blueimp.net
 *
 * Licensed under the MIT license:
 * http://www.opensource.org/licenses/MIT
 */
```

Found in path(s):

```
* /opt/cola/permits/1172956437_1623408911.28/0/blueimp-md5-2-3-0-5-tgz/package/js/demo.js
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Inspects an object.
 *
 * @see taken from node.js `util` module (copyright Joyent, MIT license)
 * @api private
 */
/**
 * Asserts deep equality
 *
 * @see taken from node.js `assert` module (copyright Joyent, MIT license)
 * @api private
 */
```

Found in path(s):

\* /opt/cola/permits/1172956437\_1623408911.28/0/blueimp-md5-2-3-0-5-tgz/package/test/vendor/expect.js

No license file was found, but licenses were detected in source scan.

MD5

```
*
* Copyright 2011, Sebastian Tschan
* https://blueimp.net
*
* Licensed under the MIT license:
* http://www.opensource.org/licenses/MIT
*/
```

Found in path(s):

\* /opt/cola/permits/1172956437\_1623408911.28/0/blueimp-md5-2-3-0-5-tgz/package/test/index.html

\* /opt/cola/permits/1172956437\_1623408911.28/0/blueimp-md5-2-3-0-5-tgz/package/index.html

No license file was found, but licenses were detected in source scan.

The JavaScript MD5 script is released under the  
[MIT license](<http://www.opensource.org/licenses/MIT>).

Found in path(s):

\* /opt/cola/permits/1172956437\_1623408911.28/0/blueimp-md5-2-3-0-5-tgz/package/README.md

No license file was found, but licenses were detected in source scan.

```
/*!
 * mocha
 * Copyright(c) 2011 TJ Holowaychuk <tj@vision-media.ca>
 * MIT Licensed
 */
// Permission is hereby granted, free of charge, to any person obtaining a
// copy of this software and associated documentation files (the
// "Software"), to deal in the Software without restriction, including
// without limitation the rights to use, copy, modify, merge, publish,
// distribute, sublicense, and/or sell copies of the Software, and to permit
```

// The above copyright notice and this permission notice shall be included  
// in all copies or substantial portions of the Software.  
// Growl - Copyright TJ Holowaychuk <tj@vision-media.ca> (MIT Licensed)

Found in path(s):

\* /opt/cola/permits/1172956437\_1623408911.28/0/blueimp-md5-2-3-0-5-tgz/package/test/vendor/mocha.js

No license file was found, but licenses were detected in source scan.

/\*

\* JavaScript MD5 Test

\* <https://github.com/blueimp/JavaScript-MD5>

\*

\* Copyright 2011, Sebastian Tschan

\* <https://blueimp.net>

\*

\* Licensed under the MIT license:

\* <http://www.opensource.org/licenses/MIT>

\*/

Found in path(s):

\* /opt/cola/permits/1172956437\_1623408911.28/0/blueimp-md5-2-3-0-5-tgz/package/test/test.js

No license file was found, but licenses were detected in source scan.

/\*

\* JavaScript MD5

\* <https://github.com/blueimp/JavaScript-MD5>

\*

\* Copyright 2011, Sebastian Tschan

\* <https://blueimp.net>

\*

\* Licensed under the MIT license:

\* <http://www.opensource.org/licenses/MIT>

\*

\* Based on

\* A JavaScript implementation of the RSA Data Security, Inc. MD5 Message

\* Digest Algorithm, as defined in RFC 1321.

\* Version 2.2 Copyright (C) Paul Johnston 1999 - 2009

\* Other contributors: Greg Holt, Andrew Kepert, Ydnar, Lostinet

\* Distributed under the BSD License

\* See <http://pajhome.org.uk/crypt/md5> for more info.

\*/

Found in path(s):

\* /opt/cola/permits/1172956437\_1623408911.28/0/blueimp-md5-2-3-0-5-tgz/package/js/md5.js

No license file was found, but licenses were detected in source scan.

/\*

\* JavaScript MD5 Demo CSS

\* <https://github.com/blueimp/JavaScript-MD5>

\*

\* Copyright 2013, Sebastian Tschan

\* <https://blueimp.net>

\*

\* Licensed under the MIT license:

\* <http://www.opensource.org/licenses/MIT>

\*/

Found in path(s):

\* /opt/cola/permits/1172956437\_1623408911.28/0/blueimp-md5-2-3-0-5-tgz/package/css/demo.css

## 1.154 @babel/helper-hoist-variables 7.18.6

### 1.154.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.155 ansi-styles 4.3.0

### 1.155.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.156 statuses 1.5.0

### 1.156.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2016 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.157 p-limit 3.1.0

## 1.157.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.158 fast-glob 3.2.11

### 1.158.1 Available under license :

The MIT License (MIT)

Copyright (c) Denis Malinochkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.159 is-fullwidth-code-point 3.0.0

## 1.159.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.160 boolbase 1.0.0

## 1.160.1 Available under license :

Copyright (c) 2014-2015, Felix Boehm <me@feedic.com>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.161 js-yaml 3.14.1

## 1.161.1 Available under license :

(The MIT License)

Copyright (C) 2011-2015 by Vitaly Puzrin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.162 crypto-js 3.1.9-1

### 1.162.1 Available under license :

# License

[The MIT License (MIT)](<http://opensource.org/licenses/MIT>)

Copyright (c) 2009-2013 Jeff Mott

Copyright (c) 2013-2016 Evan Vosberg

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.163 @expo/dev-server 0.1.119

## 1.163.1 Available under license :

The MIT License (MIT)

Copyright (c) 2020-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.164 has-flag 3.0.0

## 1.164.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.165 @gar/promisify 1.1.3

### 1.165.1 Available under license :

The MIT License (MIT)

Copyright 2020-2022 Michael Garvin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.166 is-valid-path 0.1.1

### 1.166.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.167 react 17.0.2

### 1.167.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.168 glob-parent 5.1.2

### 1.168.1 Available under license :

The ISC License

Copyright (c) 2015, 2019 Elan Shanker

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.169 regenerate-unicode-properties 10.0.1

## 1.169.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.170 arg 4.1.0

## 1.170.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.171 p-locate 4.1.0

## 1.171.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.172 mimic-fn 1.2.0

## 1.172.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.173 minipass-collect 1.0.2

## 1.173.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.174 @babel/helper-plugin-utils 7.18.9

## 1.174.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.175 dom-serializer 2.0.0

## 1.175.1 Available under license :

License

(The MIT License)

Copyright (c) 2014 The cheeriojs contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.176 expo-constants 13.1.1

## 1.176.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2015-present 650 Industries. All rights reserved.

Found in path(s):

- \* /opt/cola/permits/1381072549\_1659629294.0612605/0/expo-constants-13-1-1-tgz/package/ios/EXConstants/EXConstantsInstallationIdProvider.h
- \* /opt/cola/permits/1381072549\_1659629294.0612605/0/expo-constants-13-1-1-tgz/package/android/src/main/java/expo/modules/constants/ConstantsModule.kt
- \* /opt/cola/permits/1381072549\_1659629294.0612605/0/expo-constants-13-1-1-tgz/package/ios/EXConstants/EXConstantsInstallationIdProvider.m
- \* /opt/cola/permits/1381072549\_1659629294.0612605/0/expo-constants-13-1-1-tgz/package/ios/EXConstants/EXConstantsService.h
- \* /opt/cola/permits/1381072549\_1659629294.0612605/0/expo-constants-13-1-1-tgz/package/ios/EXConstants/EXConstantsService.m
- \* /opt/cola/permits/1381072549\_1659629294.0612605/0/expo-constants-13-1-1-tgz/package/ios/EXConstants/EXConstants.m
- \* /opt/cola/permits/1381072549\_1659629294.0612605/0/expo-constants-13-1-1-tgz/package/ios/EXConstants/EXConstants.h

# 1.177 qs 6.11.0

## 1.177.1 Available under license :

BSD 3-Clause License

Copyright (c) 2014, Nathan LaFreniere and other [contributors](<https://github.com/ljharb/qs/graphs/contributors>)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.178 @jridgewell/gen-mapping 0.3.2

## 1.178.1 Available under license :

Copyright 2022 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.179 react-native-reanimated 2.8.0

### 1.179.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Software Mansion <swmansion.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.180 d3-format 1.4.5

### 1.180.1 Available under license :

Copyright 2010-2015 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this

list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.181 resolve 1.7.1

### 1.181.1 Available under license :

This software is released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.182 rc 1.2.8

## 1.182.1 Available under license :

Copyright (c) 2013, Dominic Tarr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The views and conclusions contained in the software and documentation are those of the authors and should not be interpreted as representing official policies, either expressed or implied, of the FreeBSD Project.

The MIT License

Copyright (c) 2011 Dominic Tarr

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR

ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License, Version 2.0

Copyright (c) 2011 Dominic Tarr

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.183 babel-plugin-dynamic-import-node 2.3.3

### 1.183.1 Available under license :

MIT License

Copyright (c) 2016 Airbnb

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.184 color-name 1.1.4

## 1.184.1 Available under license :

The MIT License (MIT)  
Copyright (c) 2015 Dmitry Ivanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.185 @expo/json-file 8.2.36

## 1.185.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 650 Industries

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.186 memory-cache 0.2.0

## 1.186.1 Available under license :

Copyright (c) 2013, Paul Tarjan

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.187 expo-modules-core 0.9.2

## 1.187.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright © 2018 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ModuleRegistry/EXModuleRegistry.m

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ModuleRegistryProvider/EXModuleRegistryProvider.m

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Protocols/EXAppLifecycleListener.h

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ModuleRegistryProvider/EXModuleRegistryProvider.h

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Protocols/EXEventEmitterService.h



\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ModuleRegistry/EXModuleRegistry.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Protocols/EXInternalModule.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/EXUtilities.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/EXUnimodulesCompat.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/ImageLoader/EXImageLoaderInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Protocols/EXJavaScriptContextProvider.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/EXViewManager.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Protocols/EXModuleRegistryConsumer.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Protocols/EXUIManager.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/AppDelegates/EXLegacyAppDelegateWrapper.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ModuleRegistry/EXModuleRegistryDelegate.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/FaceDetector/EXFaceDetectorManagerInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/EXExportedModule.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/EXViewManager.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Protocols/EXAppLifecycleService.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/FaceDetector/EXFaceDetectorManagerProviderInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Protocols/EXEventEmitter.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/EXExportedModule.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/EXUtilities.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/EXDefines.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/AppDelegates/EXLegacyAppDelegateWrapper.m  
No license file was found, but licenses were detected in source scan.

// Copyright 2021-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Arguments/Types/OptionalArgumentType.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Views/ConcreteViewProp.swift

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/SwiftInteropBridge.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Promise.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Arguments/Types/ArrayArgumentType.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Tests/ExceptionsSpec.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Arguments/AnyArgumentType.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Objects/ObjectDefinition.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Tests/ArgumentTypeSpec.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Views/ComponentData.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Arguments/AnyArgument.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Arguments/Types/PromiseArgumentType.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Events/Callback.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Events/Event.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/RCTComponentData+Privates.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Arguments/Types/ConvertibleArgumentType.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Arguments/Types/RawArgumentType.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Arguments/ArgumentType.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Arguments/Types/EnumArgumentType.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Modules/Module.swift

No license file was found, but licenses were detected in source scan.

// Copyright 2018-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ReactDelegates/EXReactCompatibleHelpers.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ReactDelegates/EXRCTBridgeDelegateInterceptor.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/Permissions/EXUserNotificationCenterProxyInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-

tgz/package/ios/Interfaces/Sensors/EXGyroscopeInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/ModuleRegistryAdapter/EXViewManagerAdapterClassesRegistry.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/ModuleRegistryAdapter/EXModuleRegistryHolderReactModule.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/ReactDelegates/ExpoReactDelegateHandler.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Interfaces/Sensors/EXAccelerometerInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/AppDelegates/EXAppDelegateWrapper.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/AppDelegates/EXAppDelegatesLoader.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Interfaces/Permissions/EXPermissionsMethodsDelegate.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/NativeModulesProxy/EXNativeModulesProxy.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Interfaces/Sensors/EXBarometerInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/ReactDelegates/EXRCTBridgeDelegateInterceptor.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Services/Permissions/EXReactNativeUserNotificationCenterProxy.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/JSI/EXJavaScriptRuntime.mm  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/ModuleRegistryAdapter/EXModuleRegistryAdapter.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/ModuleRegistryAdapter/EXViewManagerAdapterClassesRegistry.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/JSI/EXJSIConversions.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Interfaces/FileSystem/EXFilePermissionModuleInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/ReactDelegates/EXReactDelegateWrapper.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Interfaces/Sensors/EXMagnetometerUncalibratedInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Interfaces/TaskManager/EXTaskManagerInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/JSI/EXJSIInstaller.mm  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/ReactDelegates/EXReactDelegateWrapper.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Services/EXReactFontManager.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Services/EXReactNativeEventEmitter.m

- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Arguments/Convertibles.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/NativeModulesProxy/EXNativeModulesProxy.mm
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ViewManagerAdapter/EXViewManagerAdapter.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/Font/EXFontScalerInterface.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Services/Permissions/EXReactNativeUserNotificationCenterProxy.m
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/EXJSIUtils.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/EXBridgeModule.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ModuleRegistryAdapter/EXModuleRegistryAdapter.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ReactDelegates/ExpoReactDelegate.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/AppDelegates/EXAppDelegateWrapper.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/EXJavaScriptRuntime.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Services/EXReactNativeAdapter.m
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/EXJSIConversions.mm
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/EXJSIInstaller.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Services/EXReactFontManager.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/Font/EXFontProcessorInterface.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/EXErrorCodes.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/Camera/EXCameraInterface.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/Sensors/EXDeviceMotionInterface.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Services/EXReactLogHandler.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Services/EXReactNativeAdapter.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Services/EXReactNativeEventEmitter.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Arguments/ConvertibleArgument.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/Constants/EXConstantsInterface.h

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/Sensors/EXMagnetometerInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Services/EXReactLogHandler.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Tests/FunctionWithConvertiblesSpec.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/Permissions/EXPermissionsMethodsDelegate.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/AppDelegates/EXAppDelegatesLoader.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/EXErrorCodes.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ReactDelegates/EXReactCompatibleHelpers.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ReactDelegates/EXReactDelegateWrapper+Private.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/TaskManager/EXTaskLaunchReason.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/Permissions/EXPermissionsInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/AppDelegates/ExpoAppDelegateSubscriber.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/Font/EXFontManagerInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ViewManagerAdapter/EXViewManagerAdapter.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/Font/EXFontScalersManagerInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ModuleRegistryAdapter/EXModuleRegistryHolderReactModule.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Tests/ConvertiblesSpec.swift  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/ReactDelegates/ModulePriorities.swift  
No license file was found, but licenses were detected in source scan.

// Copyright 2016-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/BarcodeScanner/EXBarcodeScannerInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Tests/EXAppDefinesTest.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/EXAppDefines.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Interfaces/FileSystem/EXFileSystemInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-

tgz/package/ios/Services/Permissions/EXPermissionsService.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Services/Permissions/EXPermissionsService.m  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Interfaces/BarcodeScanner/EXBarcodeScannerProviderInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/EXAppDefines.h  
No license file was found, but licenses were detected in source scan.

// Copyright © 2015 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Protocols/EXKernelService.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/EXSingletonModule.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/EXSingletonModule.m  
No license file was found, but licenses were detected in source scan.

// Copyright 2015-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Protocols/EXUtilitiesInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/ExpoModulesCore.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Interfaces/TaskManager/EXTaskInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Interfaces/TaskManager/EXTaskServiceInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Interfaces/TaskManager/EXTaskConsumerInterface.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Protocols/EXLogHandler.h  
No license file was found, but licenses were detected in source scan.

// Copyright 2019-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Services/EXLogManager.h  
\* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-  
tgz/package/ios/Services/EXLogManager.m  
No license file was found, but licenses were detected in source scan.

// Copyright 2022-present 650 Industries. All rights reserved.

Found in path(s):

- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/EXJSUtils.mm
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Functions/AsyncFunctionComponent.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/JavaScriptValue.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/EXJavaScriptObject.mm
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/ExpoModulesHostObject.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Exceptions/GenericException.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Exceptions/Exception.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/EXJavaScriptValue.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Views/ExpoView.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/EXJavaScriptValue.mm
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Exceptions/UnexpectedException.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/JavaScriptUtils.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Tests/JavaScriptObjectSpec.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Functions/SyncFunctionComponent.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Tests/ExpoModulesSpec.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/JavaScriptRuntime.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/EXJavaScriptObject.h
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Exceptions/ChainableException.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/Swift/Exceptions/ExceptionOrigin.swift
- \* /opt/cola/permits/1381072292\_1659629346.7483363/0/expo-modules-core-0-9-2-tgz/package/ios/JSI/ExpoModulesHostObject.mm

## 1.188 @babel/helper-wrap-function 7.18.11

## 1.188.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.189 babel-plugin-proposal-nullish-coalescing-operator 7.18.6

## 1.189.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF



MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.190 run-parallel 1.2.0

### 1.190.1 Available under license :

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.191 array-find-index 1.0.2

### 1.191.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.192 lodash-template 4.5.0

### 1.192.1 Available under license :

Copyright OpenJS Foundation and other contributors <<https://openjsf.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the `node_modules` and `vendor` directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

## 1.193 babel-plugin-transform-typescript

### 7.18.12

#### 1.193.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.194 find-up 5.0.0

## 1.194.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.195 env-editor 0.4.2

### 1.195.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> ([sindresorhus.com](https://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.196 @types/prop-types 15.7.5

## 1.196.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.197 babel-plugin-react-native-web 0.17.7

### 1.197.1 Available under license :

MIT

## 1.198 @babel/plugin-transform-named-capturing-groups-regex 7.18.6

### 1.198.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.199 babel-plugin-syntax-nullish-coalescing-operator 7.8.3

### 1.199.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.200 jsonfile 2.4.0

### 1.200.1 Available under license :

(The MIT License)

Copyright (c) 2012-2015, JP Richardson <jprichardson@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.201 inherits 2.0.4

### 1.201.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.202 p-limit 2.3.0

### 1.202.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.203 update-browserslist-db 1.0.5

### 1.203.1 Available under license :

The MIT License (MIT)

Copyright 2022 Andrey Sitnik <andrey@sitnik.ru> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.204 imurmurhash 0.1.4

### 1.204.1 Available under license :

No license file was found, but licenses were detected in source scan.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in



use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1162004726\_1620774102.75/0/imurmurhash-0-1-4-6-tgz/package/README.md

## 1.205 json5 2.2.1

### 1.205.1 Available under license :

MIT License

Copyright (c) 2012-2018 Aseem Kishore, and [others].

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

[others]: <https://github.com/json5/json5/contributors>

## 1.206 esutils 2.0.3

### 1.206.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.207 shebang-regex 3.0.0

### 1.207.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.208 @babel/helper-split-export-declaration

### 7.18.6

### 1.208.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.209 fs-minipass 2.1.0

### 1.209.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.210 bl 4.1.0

### 1.210.1 Available under license :

The MIT License (MIT)

=====

Copyright (c) 2013-2019 bl contributors

-----

\*bl contributors listed at <<https://github.com/rvagg/bl#contributors>>\*

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.211 babel-plugin-module-resolver 4.1.0

### 1.211.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Tommy Leunen <tommy.leunen@gmail.com> (tommyleunen.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.212 form-data 4.0.0

### 1.212.1 Available under license :

Copyright (c) 2012 Felix Geisendrfer (felix@debuggable.com) and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.213 content-type 1.0.4

### 1.213.1 Available under license :

(The MIT License)

Copyright (c) 2015 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.214 expo-keep-awake 10.1.1

## 1.214.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2015-present 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1381073000_1659629479.4235773/0/expo-keep-awake-10-1-1-tgz/package/android/src/main/java/expo/modules/keepawake/KeepAwakeModule.kt  
No license file was found, but licenses were detected in source scan.
```

```
// Copyright 2021-present 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1381073000_1659629479.4235773/0/expo-keep-awake-10-1-1-tgz/package/ios/KeepAwakeModule.swift
```

## 1.215 query-string 6.14.1

### 1.215.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<http://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.216 babel-plugin-transform-runtime 7.18.10

### 1.216.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.217 normalize-url 2.0.1

### 1.217.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.218 png-js 5.0.0

### 1.218.1 Available under license :

pngjs2 original work Copyright (c) 2015 Luke Page & Original Contributors  
pngjs derived work Copyright (c) 2012 Kuba Niegowski

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.219 babel-helper-compilation-targets 7.18.9

### 1.219.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.220 querystringify 2.2.0

## 1.220.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Unshift.io, Arnout Kazemier, the Contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.221 y18n 4.0.3

## 1.221.1 Available under license :

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.222 get-intrinsic 1.1.2

## 1.222.1 Available under license :

MIT License

Copyright (c) 2020 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.223 css-to-react-native 3.0.0

## 1.223.1 Available under license :

MIT License

Copyright (c) 2016 Jacob Parker and Maximilian Stoiber

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.224 media-typer 0.3.0

### 1.224.1 Available under license :

(The MIT License)

Copyright (c) 2014 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.225 @urql/core 2.3.6

### 1.225.1 Available under license :

MIT License

Copyright (c) 20182020 Formidable

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.226 react-dom 17.0.2

### 1.226.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present Dan Abramov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.227 p-locate 5.0.0

### 1.227.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.228 fs-extra 9.1.0

### 1.228.1 Available under license :

(The MIT License)

Copyright (c) 2011-2017 JP Richardson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.229 d3-array 1.2.4

### 1.229.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.230 set-blocking 2.0.0

### 1.230.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.231 @jridgewell/resolve-uri 3.1.0

### 1.231.1 Available under license :

Copyright 2019 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy

of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.232 glob 7.2.3

### 1.232.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## Glob Logo

Glob's logo created by Tanya Brassie <<http://tanyabrassie.com/>>, licensed under a Creative Commons Attribution-ShareAlike 4.0 International License <https://creativecommons.org/licenses/by-sa/4.0/>

## 1.233 metro-react-native-babel-preset 0.67.0

## 1.233.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) Meta Platforms, Inc. and affiliates.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 *
 * @format
 */
```

Found in path(s):

```
* /opt/cola/permits/1381072657_1659629187.3392518/0/metro-react-native-babel-preset-0-67-0-tgz/package/src/configs/lazy-imports.js
* /opt/cola/permits/1381072657_1659629187.3392518/0/metro-react-native-babel-preset-0-67-0-tgz/package/src/index.js
* /opt/cola/permits/1381072657_1659629187.3392518/0/metro-react-native-babel-preset-0-67-0-tgz/package/src/configs/main.js
* /opt/cola/permits/1381072657_1659629187.3392518/0/metro-react-native-babel-preset-0-67-0-tgz/package/src/configs/hmr.js
* /opt/cola/permits/1381072657_1659629187.3392518/0/metro-react-native-babel-preset-0-67-0-tgz/package/src/passthrough-syntax-plugins.js
```

## 1.234 balanced-match 1.0.2

### 1.234.1 Available under license :

(MIT)

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE



SOFTWARE.

## 1.235 object.assign 4.1.4

### 1.235.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.236 supports-color 8.1.1

### 1.236.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN

AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.237 mz 2.7.0

### 1.237.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016 Jonathan Ong me@jungleberry.com and Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.238 expo-font 10.1.0

### 1.238.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2015-present 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-tgz/package/ios/EXFont/EXFontLoader.m
```

```
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-tgz/package/android/src/main/java/expo/modules/font/FontLoaderModule.kt
```

```
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-tgz/package/ios/EXFont/EXFontScaler.m
```

```
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-tgz/package/ios/EXFont/EXFontManager.m
```

```
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-tgz/package/ios/EXFont/EXFont.h
```

```
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-  
tgz/package/ios/EXFont/EXFontLoaderProcessor.h  
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-  
tgz/package/ios/EXFont/EXFontLoader.h  
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-tgz/package/ios/EXFont/EXFontScaler.h  
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-tgz/package/ios/EXFont/EXFont.m  
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-  
tgz/package/ios/EXFont/EXFontManager.h  
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-  
tgz/package/ios/EXFont/EXFontLoaderProcessor.m  
No license file was found, but licenses were detected in source scan.
```

```
// Copyright 2018-present 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-  
tgz/package/ios/EXFont/Singletons/EXFontScalersManager.m  
* /opt/cola/permits/1381073662_1659629427.2537837/0/expo-font-10-1-0-  
tgz/package/ios/EXFont/Singletons/EXFontScalersManager.h
```

## 1.239 semver 6.3.0

### 1.239.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.240 hyphenate-style-name 1.0.4

### 1.240.1 Available under license :

Copyright (c) 2015, Espen Hovlandsdal  
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of hyphenate-style-name nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.241 type-fest 0.12.0

### 1.241.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.242 @babel/helper-annotate-as-pure 7.18.6

## 1.242.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.243 @babel/highlight 7.18.6

## 1.243.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.244 require-directory 2.1.1

### 1.244.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.245 deep-extend 0.6.0

### 1.245.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2018, Viacheslav Lotsmanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.246 is-extglob 1.0.0

### 1.246.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2015, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.247 statuses 2.0.1

### 1.247.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jonathan Ong <me@jungleberry.com>

Copyright (c) 2016 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.248 form-data 3.0.1

### 1.248.1 Available under license :

Copyright (c) 2012 Felix Geisendrfer (felix@debuggable.com) and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.249 expo-modules-autolinking 0.8.1

### 1.249.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2018-present 650 Industries. All rights reserved.

Found in path(s):



\* /opt/cola/permits/1381073045\_1659629387.5170822/0/expo-modules-autolinking-0-8-1-tgz/package/build/ReactImportsPatcher.js  
\* /opt/cola/permits/1381073045\_1659629387.5170822/0/expo-modules-autolinking-0-8-1-tgz/package/src/ReactImportsPatcher.ts  
No license file was found, but licenses were detected in source scan.

```
{ "version": 3, "file": "ReactImportsPatcher.js", "sourceRoot": "", "sources": [ "../src/ReactImportsPatcher.ts" ], "names": [], "mappings": "AAAA,8DAA8D;;;;;AAE9D,0DAA6B;AAC7B,wDAA0B;AAC1B,gDAAwB;AAIxB;;;GAIG;AAC I,KA AK,UAAU,sBAAsB,CAAC,IAAc,EAAE,OAAiC;IAC5F,MAAM,SAAS,GAAG,MAAM,2BAA2B,CACjD,c AAI,CAAC,IAAI,CAAC,OAAO,CAAC,QAAQ,EAAE,SAAS,EAAE,QAAQ,EAAE,YAAY,EAAE,OAAO,CAAC, CACxE,CAAC;IACF,MAAM,OAAO,CAAC,GAAG,CAAC,IAAI,CAAC,GAAG,CAAC,CAAC,GAAG,EAAE,EA AE,CAAC,aAAa,CAAC,SAAS,EAAE,GAAG,EAAE,OAAO,CAAC,MAAM,CAAC,CAAC,CAAC,CAAC;AACtF ,CAAC;AALD,wDAKc;AAED;;GAEG;AACH,KA AK,UAAU,2BAA2B,CAAC,cAAsB;IAC/D,MAAM,KA AK,G AAG,MAAM,IAAA,mBAAI,EAAC,KA AK,EAAE,EAAE,GAAG,EAAE,cAAc,EAAE,CAAC,CAAC;IACzD,OA AO,IAAI,GAAG,CAAC,KA AK,CAAC,CAAC;AACxB,CAAC;AAED;;;;;GAKG;AACI,KA AK,UAAU,cAAc,CA AC,SAAsB,EAAE,IAAY,EAAE,MAAe;IACxF,IAAI,OAAO,GAAG,KA AK,CAAC;IACpB,MAAM,OAAO,GAA G,MAAM,kBAAE,CAAC,QAAQ,CAAC,IAAI,EAAE,OAAO,CAAC,CAAC;IACjD,IAAI,gBAAgB,GAAG,OAA O,CAAC,OAAO,CACpC,sBAAsB,EACtB,CAAC,KAAa,EAAE,UAAkB,EAAU,EAAE;QAC5C,2DAA2D;QAC3 D,IAAI,SAAS,CAAC,GAAG,CAAC,UAAU,CAAC,EAAE;YAC7B,OAAO,GAAG,IAAI,CAAC;YACf,OAAO,kB AAkB,UAAU,GAAG,CAAC;SACxC;QAED,iEAAiE;QACjE,IAAI,UAAU,CAAC,UAAU,CAAC,QAAQ,CAAC, EAAE;YACnC,MAAM,IAAI,GAAG,UAAU,CAAC,SAAS,CAAC,CAAC,CAAC,CAAC;YACrC,IAAI,SAAS,CA AC,GAAG,CAAC,IAAI,CAAC,EAAE;gBACvB,OAAO,GAAG,IAAI,CAAC;gBACf,OAAO,kBAAkB,IAAI,GAA G,CAAC;aACIC;SACF;QAED,oCAAoC;QACpC,OAAO,KA AK,CAAC;IACf,CAAC,CACF,CAAC;IAEF,gBAAg B,GAAG,gBAAgB,CAAC,OAAO,CACzC,0CAA0C,EAC1C,CAAC,KAAa,EAAE,QAAgB,EAAE,UAAkB,EAAU ,EAAE;QAC9D,iFAAiF;QACjF,IAAI,SAAS,CAAC,GAAG,CAAC,UAAU,CAAC,EAAE;YAC7B,OAAO,GAAG, IAAI,CAAC;YACf,OAAO,IAAI,QAAQ,yBAAyB,UAAU,IAAI,CAAC;SAC5D;QAED,uFAAuF;QACvF,IAAI,U AAU,CAAC,UAAU,CAAC,QAAQ,CAAC,EAAE;YACnC,MAAM,IAAI,GAAG,UAAU,CAAC,SAAS,CAAC,CA AC,CAAC,CAAC;YACrC,IAAI,SAAS,CAAC,GAAG,CAAC,IAAI,CAAC,EAAE;gBACvB,OAAO,GAAG,IAAI, CAAC;gBACf,OAAO,IAAI,QAAQ,yBAAyB,IAAI,IAAI,CAAC;aACtD;SACF;QAED,oCAAoC;QACpC,OAAO, KA AK,CAAC;IACf,CAAC,CACF,CAAC;IAEF,IAAI,OAAO,EAAE;QACX,OAAO,CAAC,GAAG,CAAC,8BAA 8B,IAAI,EAAE,CAAC,CAAC;QACID,IAAI,CAAC,MAAM,EAAE;YACX,MAAM,kBAAE,CAAC,SAAS,CAAC ,IAAI,EAAE,gBAAgB,CAAC,CAAC;SAC5C;KACF;AACH,CAAC;AAvDD,wCAuDC;AAED;;;;;GAKG;AACH, KA AK,UAAU,aAAa,CAAC,SAAsB,EAAE,GAAG,EAAE,MAAe;IAC/E,MAAM,KA AK,GAAG,MAAM,IAAA, mBAAI,EAAC,eAAe,EAAE,EAAE,GAAG,EAAE,GAAG,EAAE,QAAQ,EAAE,IAAI,EAAE,CAAC,CAAC;IACxE,OAAO,OAAO,CAAC,GAAG,CAAC,KA AK,CAAC,GAAG,CAAC,CAAC,IAAI,EAAE,EAAE,CAAC,cAAc,CA AC,SAAS,EAAE,IAAI,EAAE,MAAM,CAAC,CAAC,CAAC,CAAC;AACnF,CAAC", "sourcesContent": ["// Copyright 2018-present 650 Industries. All rights reserved.\n\nimport glob from 'fast-glob';\nimport fs from 'fs-extra';\nimport path from 'path';\nimport { PatchReactImportsOptions } from './types';\n\n/**\n * Remove all double-quoted react header imports\n * @param dirs target directories to patch\n * @param options PatchReactImportsOptions\n */\nexport async function patchReactImportsAsync(dirs: string[], options: PatchReactImportsOptions) {\n  const headerSet = await generateReactHeaderSetAsync(\n    path.join(options.podsRoot, 'Headers', 'Public', 'React-Core', 'React')\n  );\n  await Promise.all(dirs.map((dir) => patchDirAsync(headerSet, dir, options.dryRun))); \n\n  /**\n * Generate `React-Core` public header names as a set, will transform necessary headers based on this set.\n */\n  async function generateReactHeaderSetAsync(reactHeaderDir: string): Promise<Set<string>> {\n    const files = await glob('*.*', { cwd: reactHeaderDir });\n    return new Set(files);\n  }\n\n  /**\n * Patch imports from a file\n * @param headerSet prebuilt React-Core header set\n * @param file target patch file\n * @param dryRun true if not writing changes to file\n */\n  export async function patchFileAsync(headerSet: Set<string>, file: string, dryRun: boolean) {\n    let
```

```

changed = false;\n const content = await fs.readFile(file, 'utf-8');\n let transformContent = content.replace(\n
/^#import\\s+\"(.+)\"$/gm,\n (match: string, headerName: string): string => {\n // #import \"RCTBridge.h\" ->
`#import <React/RCTBridge.h>`\n if (headerSet.has(headerName)) {\n changed = true;\n return
`#import <React/${headerName}>`;\n }\n\n // #import \"React/RCTBridge.h\" -> #import
<React/RCTBridge.h>`\n if (headerName.startsWith('React/')) {\n const name = headerName.substring(6);\n
if (headerSet.has(name)) {\n changed = true;\n return `#import <React/${name}>`;\n }\n }\n\n
// Otherwise, return original import\n return match;\n }\n );\n\n transformContent =
transformContent.replace(\n /^(if|elif)\\s+__has_include\\(\\(\"(.+)\"\\)\\)\\$/gm,\n (match: string, ifPrefix: string,
headerName: string): string => {\n // #if __has_include(\"RCTBridge.h\") -> #if
__has_include(<React/RCTBridge.h>`\n if (headerSet.has(headerName)) {\n changed = true;\n return
`#${ifPrefix} __has_include(<React/${headerName}>`;\n }\n\n // #if
__has_include(\"React/RCTBridge.h\") -> #if __has_include(<React/RCTBridge.h>`\n if
(headerName.startsWith('React/')) {\n const name = headerName.substring(6);\n if (headerSet.has(name))
{\n changed = true;\n return `#${ifPrefix} __has_include(<React/${name}>`;\n }\n }\n\n //
Otherwise, return original import\n return match;\n }\n );\n\n if (changed) {\n console.log(` Patching imports
for file: ${file}`);\n if (!dryRun) {\n await fs.writeFile(file, transformContent);\n }\n }\n\n\n**\n * Patch
imports from a directory\n * @param headerSet prebuilt React-Core header set\n * @param file target patch file\n *
@param dryRun true if not writing changes to file\n */\n\nasync function patchDirAsync(headerSet: Set<string>, dir:
string, dryRun: boolean) {\n const files = await glob('**/*.{h,m,mm}', { cwd: dir, absolute: true });\n return
Promise.all(files.map((file) => patchFileAsync(headerSet, file, dryRun)));\n\n}

```

Found in path(s):

\* /opt/cola/permits/1381073045\_1659629387.5170822/0/expo-modules-autolinking-0-8-1-tgz/package/build/ReactImportsPatcher.js.map

No license file was found, but licenses were detected in source scan.

# Copyright 2018-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381073045\_1659629387.5170822/0/expo-modules-autolinking-0-8-1-tgz/package/scripts/ios/react\_import\_patcher.rb

# 1.250 has-property-descriptors 1.0.0

## 1.250.1 Available under license :

MIT License

Copyright (c) 2022 Inspect JS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.251 mime-db 1.52.0

### 1.251.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2015-2022 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.252 fbjs 0.8.18

### 1.252.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in

the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.253 path-parse 1.0.7

### 1.253.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Javier Blanco

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.254 @jridgewell/sourcemap-codec 1.4.14

### 1.254.1 Available under license :

The MIT License

Copyright (c) 2015 Rich Harris

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.255 is-unicode-supported 0.1.0

### 1.255.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.256 traverse 0.6.6

## 1.256.1 Available under license :

Copyright 2010 James Halliday (mail@substack.net)

This project is free software released under the MIT/X11 license:

<http://www.opensource.org/licenses/mit-license.php>

Copyright 2010 James Halliday (mail@substack.net)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.257 @types/node 18.7.14

### 1.257.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.258 css-color-keywords 1.0.0

### 1.258.1 Available under license :

ISC License

Copyright (c) 2017, Jakob Krigovsky

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.259 @babel/plugin-proposal-private-methods 7.18.6

### 1.259.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.260 fs-extra 8.1.0

### 1.260.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.261 nodelib-fs-scandir 2.1.5

### 1.261.1 Available under license :

The MIT License (MIT)

Copyright (c) Denis Malinochkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.



THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.262 commander 4.1.1

### 1.262.1 Available under license :

(The MIT License)

Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.263 @react-navigation/routers 5.7.4

### 1.263.1 Available under license :

MIT License

Copyright (c) 2017 React Navigation Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.264 to-fast-properties 2.0.0

### 1.264.1 Available under license :

MIT License

Copyright (c) 2014 Petka Antonov  
2015 Sindre Sorhus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.265 react-native-easy-grid 0.2.2

### 1.265.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

## 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.266 is-number 7.0.0

### 1.266.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.267 unicode-property-aliases-ecmascript

### 2.0.0

#### 1.267.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.268 mime-types 2.1.35

### 1.268.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.269 @babel/plugin-transform-object-assign

### 7.18.6

#### 1.269.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Jed Watson

Permission is hereby granted, free of charge, to any person obtaining a copy



of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.270 sudo-prompt 9.1.1

### 1.270.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Joran Dirk Greef

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.271 tempy 0.7.1

## 1.271.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.272 sprintf-js 1.0.3

### 1.272.1 Available under license :

MIT License

Copyright (c) 2019 Johannes Tegner / Jitesoft

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.273 esprima 4.0.1

## 1.273.1 Available under license :

Copyright JS Foundation and other contributors, <https://js.foundation/>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.274 babel-plugin-transform-reserved-words

## 7.18.6

### 1.274.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.275 babel-plugin-transform-flow-strip-types

### 7.18.9

#### 1.275.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.276 @babel/plugin-syntax-export-namespace-from 7.8.3

#### 1.276.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.277 tween-functions 1.2.0

### 1.277.1 Available under license :

TERMS OF USE - EASING EQUATIONS

Open source under the BSD License.

Copyright 2001 Robert Penner  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.278 xmlhttprequest 1.8.0

### 1.278.1 Available under license :

Copyright (c) 2010 passive.ly LLC

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.279 @babel/plugin-bugfix-safari-id-structuring-collision-in-function-expression 7.18.6

## 1.279.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.280 crypto-random-string 2.0.0

### 1.280.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.281 babel-helper-create-regexp-features-plugin 7.18.6

## 1.281.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.282 semver 7.0.0

## 1.282.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.



# 1.283 @babel/plugin-transform-regenerator

## 7.18.6

### 1.283.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.284 ms 2.1.2

### 1.284.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Zeit, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.285 default-gateway 4.2.0

### 1.285.1 Available under license :

Copyright (c) silverwind  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.286 terminal-link 2.1.1

### 1.286.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.287 ansi-escapes 3.2.0

### 1.287.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](https://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.288 onetime 5.1.2

### 1.288.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.289 is-glob 4.0.3

### 1.289.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2017, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.290 @babel/plugin-transform-object-super

### 7.18.6

### 1.290.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.291 @graphql-typed-document-node/core

### 3.1.1

#### 1.291.1 Available under license :

MIT License

Copyright (c) 2020 Dotan Simha

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.292 chalk 2.4.2

#### 1.292.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.293 on-finished 2.4.1

### 1.293.1 Available under license :

(The MIT License)

Copyright (c) 2013 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2014 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.294 @babel/plugin-syntax-class-static-block 7.14.5

## 1.294.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.295 caniuse-lite 1.0.30001385

### 1.295.1 Available under license :

Attribution 4.0 International

=====  
Creative Commons Corporation ("Creative Commons") is not a law firm and does not provide legal services or legal advice. Distribution of Creative Commons public licenses does not create a lawyer-client or other relationship. Creative Commons makes its licenses and related information available on an "as-is" basis. Creative Commons gives no warranties regarding its licenses, any material licensed under their terms and conditions, or any related information. Creative Commons disclaims all liability for damages resulting from their use to the fullest extent possible.

Using Creative Commons Public Licenses

Creative Commons public licenses provide a standard set of terms and conditions that creators and other rights holders may use to share original works of authorship and other material subject to copyright and certain other rights specified in the public license below. The

following considerations are for informational purposes only, are not exhaustive, and do not form part of our licenses.

Considerations for licensors: Our public licenses are intended for use by those authorized to give the public permission to use material in ways otherwise restricted by copyright and certain other rights. Our licenses are irrevocable. Licensors should read and understand the terms and conditions of the license they choose before applying it. Licensors should also secure all rights necessary before applying our licenses so that the public can reuse the material as expected. Licensors should clearly mark any material not subject to the license. This includes other CC-licensed material, or material used under an exception or limitation to copyright. More considerations for licensors: [wiki.creativecommons.org/Considerations\\_for\\_licensors](http://wiki.creativecommons.org/Considerations_for_licensors)

Considerations for the public: By using one of our public licenses, a licensor grants the public permission to use the licensed material under specified terms and conditions. If the licensor's permission is not necessary for any reason--for example, because of any applicable exception or limitation to copyright--then that use is not regulated by the license. Our licenses grant only permissions under copyright and certain other rights that a licensor has authority to grant. Use of the licensed material may still be restricted for other reasons, including because others have copyright or other rights in the material. A licensor may make special requests, such as asking that all changes be marked or described. Although not required by our licenses, you are encouraged to respect those requests where reasonable. More considerations for the public: [wiki.creativecommons.org/Considerations\\_for\\_licensees](http://wiki.creativecommons.org/Considerations_for_licensees)

=====

#### Creative Commons Attribution 4.0 International Public License

By exercising the Licensed Rights (defined below), You accept and agree to be bound by the terms and conditions of this Creative Commons Attribution 4.0 International Public License ("Public License"). To the extent this Public License may be interpreted as a contract, You are granted the Licensed Rights in consideration of Your acceptance of these terms and conditions, and the Licensor grants You such rights in consideration of benefits the Licensor receives from making the Licensed Material available under these terms and conditions.



Section 1 -- Definitions.

- a. Adapted Material means material subject to Copyright and Similar Rights that is derived from or based upon the Licensed Material and in which the Licensed Material is translated, altered, arranged, transformed, or otherwise modified in a manner requiring permission under the Copyright and Similar Rights held by the Licensor. For purposes of this Public License, where the Licensed Material is a musical work, performance, or sound recording, Adapted Material is always produced where the Licensed Material is synched in timed relation with a moving image.
- b. Adapter's License means the license You apply to Your Copyright and Similar Rights in Your contributions to Adapted Material in accordance with the terms and conditions of this Public License.
- c. Copyright and Similar Rights means copyright and/or similar rights closely related to copyright including, without limitation, performance, broadcast, sound recording, and Sui Generis Database Rights, without regard to how the rights are labeled or categorized. For purposes of this Public License, the rights specified in Section 2(b)(1)-(2) are not Copyright and Similar Rights.
- d. Effective Technological Measures means those measures that, in the absence of proper authority, may not be circumvented under laws fulfilling obligations under Article 11 of the WIPO Copyright Treaty adopted on December 20, 1996, and/or similar international agreements.
- e. Exceptions and Limitations means fair use, fair dealing, and/or any other exception or limitation to Copyright and Similar Rights that applies to Your use of the Licensed Material.
- f. Licensed Material means the artistic or literary work, database, or other material to which the Licensor applied this Public License.
- g. Licensed Rights means the rights granted to You subject to the terms and conditions of this Public License, which are limited to all Copyright and Similar Rights that apply to Your use of the Licensed Material and that the Licensor has authority to license.
- h. Licensor means the individual(s) or entity(ies) granting rights under this Public License.
- i. Share means to provide material to the public by any means or process that requires permission under the Licensed Rights, such

as reproduction, public display, public performance, distribution, dissemination, communication, or importation, and to make material available to the public including in ways that members of the public may access the material from a place and at a time individually chosen by them.

j. Sui Generis Database Rights means rights other than copyright resulting from Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, as amended and/or succeeded, as well as other essentially equivalent rights anywhere in the world.

k. You means the individual or entity exercising the Licensed Rights under this Public License. Your has a corresponding meaning.

## Section 2 -- Scope.

a. License grant.

1. Subject to the terms and conditions of this Public License, the Licensor hereby grants You a worldwide, royalty-free, non-sublicensable, non-exclusive, irrevocable license to exercise the Licensed Rights in the Licensed Material to:

a. reproduce and Share the Licensed Material, in whole or in part; and

b. produce, reproduce, and Share Adapted Material.

2. Exceptions and Limitations. For the avoidance of doubt, where Exceptions and Limitations apply to Your use, this Public License does not apply, and You do not need to comply with its terms and conditions.

3. Term. The term of this Public License is specified in Section 6(a).

4. Media and formats; technical modifications allowed. The Licensor authorizes You to exercise the Licensed Rights in all media and formats whether now known or hereafter created, and to make technical modifications necessary to do so. The Licensor waives and/or agrees not to assert any right or authority to forbid You from making technical modifications necessary to exercise the Licensed Rights, including technical modifications necessary to circumvent Effective Technological Measures. For purposes of this Public License, simply making modifications authorized by this Section 2(a)

(4) never produces Adapted Material.

5. Downstream recipients.

a. Offer from the Licensor -- Licensed Material. Every recipient of the Licensed Material automatically receives an offer from the Licensor to exercise the Licensed Rights under the terms and conditions of this Public License.

b. No downstream restrictions. You may not offer or impose any additional or different terms or conditions on, or apply any Effective Technological Measures to, the Licensed Material if doing so restricts exercise of the Licensed Rights by any recipient of the Licensed Material.

6. No endorsement. Nothing in this Public License constitutes or may be construed as permission to assert or imply that You are, or that Your use of the Licensed Material is, connected with, or sponsored, endorsed, or granted official status by, the Licensor or others designated to receive attribution as provided in Section 3(a)(1)(A)(i).

b. Other rights.

1. Moral rights, such as the right of integrity, are not licensed under this Public License, nor are publicity, privacy, and/or other similar personality rights; however, to the extent possible, the Licensor waives and/or agrees not to assert any such rights held by the Licensor to the limited extent necessary to allow You to exercise the Licensed Rights, but not otherwise.

2. Patent and trademark rights are not licensed under this Public License.

3. To the extent possible, the Licensor waives any right to collect royalties from You for the exercise of the Licensed Rights, whether directly or through a collecting society under any voluntary or waivable statutory or compulsory licensing scheme. In all other cases the Licensor expressly reserves any right to collect such royalties.

Section 3 -- License Conditions.

Your exercise of the Licensed Rights is expressly made subject to the

following conditions.

a. Attribution.

1. If You Share the Licensed Material (including in modified form), You must:

a. retain the following if it is supplied by the Licensor with the Licensed Material:

i. identification of the creator(s) of the Licensed Material and any others designated to receive attribution, in any reasonable manner requested by the Licensor (including by pseudonym if designated);

ii. a copyright notice;

iii. a notice that refers to this Public License;

iv. a notice that refers to the disclaimer of warranties;

v. a URI or hyperlink to the Licensed Material to the extent reasonably practicable;

b. indicate if You modified the Licensed Material and retain an indication of any previous modifications; and

c. indicate the Licensed Material is licensed under this Public License, and include the text of, or the URI or hyperlink to, this Public License.

2. You may satisfy the conditions in Section 3(a)(1) in any reasonable manner based on the medium, means, and context in which You Share the Licensed Material. For example, it may be reasonable to satisfy the conditions by providing a URI or hyperlink to a resource that includes the required information.

3. If requested by the Licensor, You must remove any of the information required by Section 3(a)(1)(A) to the extent reasonably practicable.

4. If You Share Adapted Material You produce, the Adapter's License You apply must not prevent recipients of the Adapted Material from complying with this Public License.

#### Section 4 -- Sui Generis Database Rights.

Where the Licensed Rights include Sui Generis Database Rights that apply to Your use of the Licensed Material:

- a. for the avoidance of doubt, Section 2(a)(1) grants You the right to extract, reuse, reproduce, and Share all or a substantial portion of the contents of the database;
- b. if You include all or a substantial portion of the database contents in a database in which You have Sui Generis Database Rights, then the database in which You have Sui Generis Database Rights (but not its individual contents) is Adapted Material; and
- c. You must comply with the conditions in Section 3(a) if You Share all or a substantial portion of the contents of the database.

For the avoidance of doubt, this Section 4 supplements and does not replace Your obligations under this Public License where the Licensed Rights include other Copyright and Similar Rights.

#### Section 5 -- Disclaimer of Warranties and Limitation of Liability.

- a. UNLESS OTHERWISE SEPARATELY UNDERTAKEN BY THE LICENSOR, TO THE EXTENT POSSIBLE, THE LICENSOR OFFERS THE LICENSED MATERIAL AS-IS AND AS-AVAILABLE, AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE LICENSED MATERIAL, WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHER. THIS INCLUDES, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OR ABSENCE OF ERRORS, WHETHER OR NOT KNOWN OR DISCOVERABLE. WHERE DISCLAIMERS OF WARRANTIES ARE NOT ALLOWED IN FULL OR IN PART, THIS DISCLAIMER MAY NOT APPLY TO YOU.
- b. TO THE EXTENT POSSIBLE, IN NO EVENT WILL THE LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY (INCLUDING, WITHOUT LIMITATION, NEGLIGENCE) OR OTHERWISE FOR ANY DIRECT, SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, EXEMPLARY, OR OTHER LOSSES, COSTS, EXPENSES, OR DAMAGES ARISING OUT OF THIS PUBLIC LICENSE OR USE OF THE LICENSED MATERIAL, EVEN IF THE LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH LOSSES, COSTS, EXPENSES, OR DAMAGES. WHERE A LIMITATION OF LIABILITY IS NOT ALLOWED IN FULL OR IN PART, THIS LIMITATION MAY NOT APPLY TO YOU.
- c. The disclaimer of warranties and limitation of liability provided above shall be interpreted in a manner that, to the extent

possible, most closely approximates an absolute disclaimer and waiver of all liability.

#### Section 6 -- Term and Termination.

- a. This Public License applies for the term of the Copyright and Similar Rights licensed here. However, if You fail to comply with this Public License, then Your rights under this Public License terminate automatically.
- b. Where Your right to use the Licensed Material has terminated under Section 6(a), it reinstates:
  1. automatically as of the date the violation is cured, provided it is cured within 30 days of Your discovery of the violation; or
  2. upon express reinstatement by the Licensor.

For the avoidance of doubt, this Section 6(b) does not affect any right the Licensor may have to seek remedies for Your violations of this Public License.

- c. For the avoidance of doubt, the Licensor may also offer the Licensed Material under separate terms or conditions or stop distributing the Licensed Material at any time; however, doing so will not terminate this Public License.
- d. Sections 1, 5, 6, 7, and 8 survive termination of this Public License.

#### Section 7 -- Other Terms and Conditions.

- a. The Licensor shall not be bound by any additional or different terms or conditions communicated by You unless expressly agreed.
- b. Any arrangements, understandings, or agreements regarding the Licensed Material not stated herein are separate from and independent of the terms and conditions of this Public License.

#### Section 8 -- Interpretation.

- a. For the avoidance of doubt, this Public License does not, and shall not be interpreted to, reduce, limit, restrict, or impose conditions on any use of the Licensed Material that could lawfully

be made without permission under this Public License.

- b. To the extent possible, if any provision of this Public License is deemed unenforceable, it shall be automatically reformed to the minimum extent necessary to make it enforceable. If the provision cannot be reformed, it shall be severed from this Public License without affecting the enforceability of the remaining terms and conditions.
- c. No term or condition of this Public License will be waived and no failure to comply consented to unless expressly agreed to by the Licensor.
- d. Nothing in this Public License constitutes or may be interpreted as a limitation upon, or waiver of, any privileges and immunities that apply to the Licensor or You, including from the legal processes of any jurisdiction or authority.

=====

Creative Commons is not a party to its public licenses. Notwithstanding, Creative Commons may elect to apply one of its public licenses to material it publishes and in those instances will be considered the Licensor. The text of the Creative Commons public licenses is dedicated to the public domain under the CC0 Public Domain Dedication. Except for the limited purpose of indicating that material is shared under a Creative Commons public license or as otherwise permitted by the Creative Commons policies published at [creativecommons.org/policies](http://creativecommons.org/policies), Creative Commons does not authorize the use of the trademark "Creative Commons" or any other trademark or logo of Creative Commons without its prior written consent including, without limitation, in connection with any unauthorized modifications to any of its public licenses or any other arrangements, understandings, or agreements concerning use of licensed material. For the avoidance of doubt, this paragraph does not form part of the public licenses.

Creative Commons may be contacted at [creativecommons.org](http://creativecommons.org).

## 1.296 which 1.3.1

### 1.296.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.297 is-core-module 2.10.0

### 1.297.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Dave Justice

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.298 ms 2.0.0

### 1.298.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Zeit, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights



to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.299 expo-structured-headers 2.2.1

### 1.299.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.300 @expo/config-plugins 5.0.1

## 1.300.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.301 wrap-ansi 6.2.0

### 1.301.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.302 color-name 1.1.3

### 1.302.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Dmitry Ivanov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.303 shebang-regex 1.0.0

### 1.303.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.304 is-interactive 1.0.0

### 1.304.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A

PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.305 @types/scheduler 0.16.2

### 1.305.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.306 types-yargs 15.0.14

### 1.306.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.



THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.307 escape-string-regexp 1.0.5

### 1.307.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.308 commander 5.1.0

### 1.308.1 Available under license :

(The MIT License)

Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.309 simple-plist 1.3.1

### 1.309.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013 Joe Wollard

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.310 jsesc 0.5.0

### 1.310.1 Available under license :

Copyright Mathias Bynens <<http://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.311 is-ci 2.0.0

### 1.311.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016-2018 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.312 restore-cursor 2.0.0

## 1.312.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.313 path-type 4.0.0

### 1.313.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.314 ncp 2.0.0

## 1.314.1 Available under license :

# MIT License

###Copyright (C) 2011 by Charlie McConnell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.315 color 3.1.4

## 1.315.1 Available under license :

Copyright (c) 2012 Heather Arthur

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.316 pump 3.0.0

### 1.316.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.317 @emotion/is-prop-valid 1.2.0

### 1.317.1 Available under license :

MIT License

Copyright (c) Emotion team and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.318 expo-json-utils 0.3.0

### 1.318.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright (c) 2020 650 Industries, Inc. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1381072902_1659629304.3119614/0/expo-json-utils-0-3-0-tgz/package/ios/Tests/NSDictionary+EXJSONUtilsTest.m
```

No license file was found, but licenses were detected in source scan.

```
// Copyright © 2021 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1381072902_1659629304.3119614/0/expo-json-utils-0-3-0-tgz/package/ios/EXJSONUtils/NSDictionary+EXJSONUtils.m
```

```
* /opt/cola/permits/1381072902_1659629304.3119614/0/expo-json-utils-0-3-0-tgz/package/ios/EXJSONUtils/NSDictionary+EXJSONUtils.h
```

## 1.319 simple-swizzle 0.2.2

### 1.319.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Josh Junon

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.320 @babel/plugin-transform-function-name 7.18.9

### 1.320.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.321 get-caller-file 2.0.5

### 1.321.1 Available under license :

ISC License (ISC)

Copyright 2018 Stefan Penner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR



CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.322 filter-obj 1.1.0

### 1.322.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.323 minipass 3.1.6

### 1.323.1 Available under license :

The ISC License

Copyright (c) npm, Inc. and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN

## 1.324 @babel/plugin-transform-exponentiation-operator 7.18.6

### 1.324.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.325 string-hash-64 1.0.3

### 1.325.1 Available under license :

MIT

## 1.326 minimatch 3.1.2

### 1.326.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above

copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.327 raf 3.4.1

### 1.327.1 Available under license :

Copyright 2013 Chris Dickinson <chris@neversaw.us>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.328 finalhandler 1.2.0

### 1.328.1 Available under license :

(The MIT License)

Copyright (c) 2014-2022 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.329 rimraf 2.4.5

### 1.329.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.330 expo-manifests 0.3.1

### 1.330.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright (c) 2020 650 Industries, Inc. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1384606024_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/Tests/EXManifestsNewManifestTests.m
```

No license file was found, but licenses were detected in source scan.

```
// Copyright © 2021 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1384606024_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsManifest.h
```

\* /opt/cola/permits/1384606024\_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsBareManifest.m  
\* /opt/cola/permits/1384606024\_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsBaseManifest.m  
\* /opt/cola/permits/1384606024\_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsLegacyManifest.m  
\* /opt/cola/permits/1384606024\_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsNewManifest.m  
\* /opt/cola/permits/1384606024\_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsLegacyManifest.h  
\* /opt/cola/permits/1384606024\_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsBareManifest.h  
\* /opt/cola/permits/1384606024\_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsManifestFactory.m  
\* /opt/cola/permits/1384606024\_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsBaseLegacyManifest.h  
\* /opt/cola/permits/1384606024\_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsBaseLegacyManifest.m  
\* /opt/cola/permits/1384606024\_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsNewManifest.h  
\* /opt/cola/permits/1384606024\_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsBaseManifest.h  
\* /opt/cola/permits/1384606024\_1659974225.6742775/0/expo-manifests-0-3-1-tgz/package/ios/EXManifests/EXManifestsManifestFactory.h

## 1.331 prompts 2.4.2

### 1.331.1 Available under license :

MIT License

Copyright (c) 2018 Terkel Gjervig Nielsen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,

OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.332 side-channel 1.0.4

### 1.332.1 Available under license :

MIT License

Copyright (c) 2019 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.333 shell-quote 1.7.3

### 1.333.1 Available under license :

The MIT License

Copyright (c) 2013 James Halliday (mail@substack.net)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice

shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.334 @babel/plugin-proposal-async-generator-functions 7.18.10

### 1.334.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.335 utils-merge 1.0.1

### 1.335.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2017 Jared Hanson

Permission is hereby granted, free of charge, to any person obtaining a copy of

this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.336 cross-spawn 6.0.5

### 1.336.1 Available under license :

The MIT License (MIT)

Copyright (c) 2018 Made With MOXY Lda <hello@moxy.studio>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.337 types-hoist-non-react-statics 3.3.1



## 1.337.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.338 css-tree 1.1.3

### 1.338.1 Available under license :

Copyright (C) 2016-2019 by Roman Dvornov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.339 color-convert 1.9.3

## 1.339.1 Available under license :

Copyright (c) 2011-2016 Heather Arthur <fayearthur@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.340 uuid 8.3.2

## 1.340.1 Available under license :

The MIT License (MIT)

Copyright (c) 2010-2020 Robert Kieffer and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.341 get-port 3.2.0

## 1.341.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.342 domutls 3.0.1

## 1.342.1 Available under license :

Copyright (c) Felix Bhm

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OF THIS,  
EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.343 create-react-class 15.6.3

### 1.343.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.344 xmlbuilder 14.0.0

### 1.344.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013 Ozgur Ozcitak

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.345 @expo/configure-splash-screen 0.6.0

### 1.345.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.346 expo-secure-store 11.2.0

### 1.346.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright © 2018 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1381072497_1659629492.1765532/0/expo-secure-store-11-2-0-tgz/package/ios/EXSecureStore/EXSecureStore.h
```

```
* /opt/cola/permits/1381072497_1659629492.1765532/0/expo-secure-store-11-2-0-
```

## 1.347 fill-range 7.0.1

### 1.347.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.348 @xmldom/xmldom 0.7.5

### 1.348.1 Available under license :

Copyright 2019 - present Christopher J. Brody and other contributors, as listed in:

<https://github.com/xmldom/xmldom/graphs/contributors>

Copyright 2012 - 2017 @jindw <jindw@xidea.org> and other contributors, as listed in:

<https://github.com/jindw/xmldom/graphs/contributors>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.349 csstype 3.1.0

### 1.349.1 Available under license :

Copyright (c) 2017-2018 Fredrik Nicol

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.350 css-in-js-utils 2.0.1

### 1.350.1 Available under license :

MIT License

Copyright (c) 2017 Robin Frischmann

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.351 rimraf 2.7.1

### 1.351.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.352 globby 11.1.0

### 1.352.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.353 unique-filename 1.1.1

## 1.353.1 Available under license :

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.354 bplist-parser 0.3.2

## 1.354.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# bplist-parser
```

Binary Mac OS X Plist (property list) parser.

```
## Installation
```

```
```bash
$ npm install bplist-parser
```
```

```
## Quick Examples
```

```
```javascript
const bplist = require('bplist-parser');

(async () => {

  const obj = await bplist.parseFile('myPlist.bplist');

  console.log(JSON.stringify(obj));

})();
```
```

## License

(The MIT License)

Copyright (c) 2012 Near Infinity Corporation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

\* /opt/cola/permits/1381072885\_1659629323.780993/0/bplist-parser-0-3-2-tgz/package/README.md

# 1.355 @babel/plugin-transform-spread 7.18.9

## 1.355.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.356 @babel/parser 7.18.13

### 1.356.1 Available under license :

Copyright (C) 2012-2014 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.357 axios 0.27.2

### 1.357.1 Available under license :

Copyright (c) 2014-present Matt Zabriskie

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.358 compare-urls 2.0.0

### 1.358.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.359 @react-navigation/native 5.4.0

### 1.359.1 Available under license :

MIT License

Copyright (c) 2017 React Navigation Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.360 wonka 4.0.15

### 1.360.1 Available under license :

MIT License

Copyright (c) 2018 Phil Plckthun

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.361 ci-info 2.0.0

### 1.361.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016-2018 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.362 connect 3.7.0

## 1.362.1 Available under license :

Apache Commons IO  
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache Velocity Tools

Copyright (C) 2000-2007 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Support for using SSL with Struts is provided using  
the sslxext library package, which is open source software  
under the Apache Software License 1.1 with copyright attributed  
to The Apache Software Foundation.  
This software is available from <http://sslext.sourceforge.net/>

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by  
Joda.org (<http://www.joda.org/>).

Apache HttpClient  
Copyright 1999-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
BSD License

Copyright (c) 2000-2006, [www.hamcrest.org](http://www.hamcrest.org)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Standard Taglib Specification API  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache Commons Lang  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

This product includes software from the Spring Framework,  
under the Apache License 2.0 (see: `StringUtils.containsWhitespace()`)  
This copy of Jackson JSON processor YAML module is licensed under the  
Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the  
specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.



"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
  
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
  
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache Commons Pool  
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
GNU General Public License, version 2, with the Classpath Exception

---

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license  
document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share  
and change it. By contrast, the GNU General Public License is intended to  
guarantee your freedom to share and change free software--to make sure the  
software is free for all its users. This General Public License applies to  
most of the Free Software Foundation's software and to any other program whose  
authors commit to using it. (Some other Free Software Foundation software is  
covered by the GNU Library General Public License instead.) You can apply it to  
your programs, too.

When we speak of free software, we are referring to freedom, not price. Our  
General Public Licenses are designed to make sure that you have the freedom to  
distribute copies of free software (and charge for this service if you wish),  
that you receive source code or can get it if you want it, that you can change  
the software or use pieces of it in new free programs; and that you know you  
can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as

you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or

distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not

accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.



9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software

which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#### "CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Apache Commons Net

Copyright 2001-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

GNU LIBRARY GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

[This is the first released version of the library GPL. It is  
numbered 2 because it goes with version 2 of the ordinary GPL.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Library General Public License, applies to some specially designated Free Software Foundation software, and to any other libraries whose authors decide to use it. You can use it for your libraries, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library, or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link a program with the library, you must provide complete object files to the recipients so that they can relink them with the library, after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

Our method of protecting your rights has two steps: (1) copyright the library, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the library.

Also, for each distributor's protection, we want to make certain that everyone understands that there is no warranty for this free library. If the library is modified by someone else and passed on, we want its recipients to know that what they have is not the original version, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that companies distributing free software will individually obtain patent licenses, thus in effect transforming the program into proprietary software. To prevent this, we have made it clear that any patent must be licensed for everyone's

free use or not licensed at all.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License, which was designed for utility programs. This license, the GNU Library General Public License, applies to certain designated libraries. This license is quite different from the ordinary one; be sure to read it in full, and don't assume that anything in it is the same as in the ordinary license.

The reason we have a separate public license for some libraries is that they blur the distinction we usually make between modifying or adding to a program and simply using it. Linking a program with a library, without changing the library, is in some sense simply using the library, and is analogous to running a utility program or application program. However, in a textual and legal sense, the linked executable is a combined work, a derivative of the original library, and the ordinary General Public License treats it as such.

Because of this blurred distinction, using the ordinary General Public License for libraries did not effectively promote software sharing, because most developers did not use the libraries. We concluded that weaker conditions might promote sharing better.

However, unrestricted linking of non-free programs would deprive the users of those programs of all benefit from the free status of the libraries themselves. This Library General Public License is intended to permit developers of non-free programs to use free libraries, while preserving your freedom as a user of such programs to change the free libraries that are incorporated in them. (We have not seen how to achieve this as regards changes in header files, but we have achieved it as regards changes in the actual functions of the Library.) The hope is that this will lead to faster development of free libraries.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, while the latter only works together with the library.

Note that it is possible for a library to be covered by the ordinary General Public License rather than by this special one.

.

#### GNU LIBRARY GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Library

General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify

that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)



Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also compile or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- c) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- d) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception,

the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library

subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Library General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

Some files use code from different Apache projects.

The source code of these files contains the appropriate copyright notices as described in the Appendix of <http://www.apache.org/licenses/LICENSE-2.0>

This is a copy of the text that can be found at that specific URL:

Apache License

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

## 2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

## 3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

## 4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- \* You must give any other recipients of the Work or Derivative Works a copy of this License; and
- \* You must cause any modified files to carry prominent notices stating that You changed the files; and
- \* You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- \* If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

#### 5. Submission of Contributions.

Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

#### 6. Trademarks.

This License does not grant permission to use the trade

names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

#### 7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

#### 8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

#### 9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following



boilerplate notice, with the fields enclosed by brackets "[ ]"  
replaced with your own identifying information. (Don't include  
the brackets!) The text should be enclosed in the appropriate  
comment syntax for the file format. We also recommend that a  
file or class name and description of purpose be included on the  
same "printed page" as the copyright notice for easier  
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

Apache Commons CLI  
Copyright 2001-2009 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache Tomcat  
Copyright 1999-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xerces Java distribution. ==  
=====

Apache Xerces Java  
Copyright 1999-2007 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.  
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.  
- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,  
software copyright (c) 1999.

Copyright (c) Mirth Corporation. All rights reserved.

<http://www.mirthcorp.com>

The software in this package is published under the terms of the MPL license a copy of which has been included below:

Mozilla Public License 1.1 (MPL 1.1)

1. Definitions.

- 1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.
- 1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.
- 1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.
- 1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.
- 1.5. "Executable" means Covered Code in any form other than Source Code.
- 1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.
- 1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.
- 1.8. "License" means this document.
  - 1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:
  - A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.
  - B. Any new file that contains any part of the Original Code or previous Modifications.
- 1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.
  - 1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without

limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

### 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

#### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

#### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

#### 3.4. Intellectual Property Matters

##### (a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

##### (b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code.

Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

## 6. Versions of the License.

### 6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

### 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

### 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

## 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

## 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## 13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as Multiple-Licensed. Multiple-Licensed means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the MPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

Apache Commons IO

Copyright 2002-2012 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

-----  
soapUI, copyright (C) 2004-2011 smartbear.com

soapUI is free software; you can redistribute it and/or modify it under  
the terms of version 2.1 of the GNU Lesser General Public License as  
published by the Free Software Foundation.

soapUI is distributed in the hope that it will be useful, but WITHOUT  
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or  
FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public  
License for more details below or at [gnu.org](http://gnu.org).

-----  
GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.



59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that

there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU

operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of

this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified

executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work

based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply,



and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Not-Going-To-Be-Commons-SSL

Copyright (c) 2018 Nick Rupley

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----  
Not-Going-To-Be-Commons-SSL is based off of and contains modified source files from Not-Yet-Commons-SSL, which is distributed under the terms of the Apache License, Version 2.0. The following files have been modified:

File: src/main/java/org/apache/commons/ssl/ASN1Util.java

Changes: Removing Bouncy Castle classes and linking to the JAR instead.

File: src/main/java/org/apache/commons/ssl/KeyStoreBuilder.java

Changes: Modifying the order in which keystore types are tested to more gracefully comply with the changes in JEP 229 present in Java 9+.  
Replacing direct System.out calls with Logger calls.  
Removing Bouncy Castle classes and linking to the JAR instead.

File: src/main/java/org/apache/commons/ssl/PKCS8Key.java

Changes: Removing Bouncy Castle classes and linking to the JAR instead.

File: src/main/java/org/apache/commons/ssl/TrustMaterial.java

Changes: Replacing direct printStackTrace calls with Logger calls.

Files: src/main/java/org/apache/commons/ssl/org/bouncycastle/\*

Changes: Removing Bouncy Castle classes and linking to the JAR instead.

-----

Not-Going-To-Be-Commons-SSL includes the following, which is distributed under the terms of the Apache License, Version 2.0.

Apache Commons HttpClient 3.0.1  
Apache Commons Logging 1.2  
Apache Log4j 1.2.16  
Byte Buddy 1.8.8  
Objenesis 2.5.1

-----

The license below pertains to Bouncy Castle Crypto, which is included with Not-Going-To-Be-Commons-SSL.

All code under src/main/java/org/apache/commons/ssl/org/bouncycastle/ (and

below) was copied directly from Bouncy Castle's crypto-152.tar.gz (released on March 1st, 2015).

The PKCS12 key derivation function was also developed by Bouncy Castle (Look for the "pkcs12()" method inside PKCS8.java).

===== Beginning of License =====

Copyright (c) 2000 - 2017 The Legion Of The Bouncy Castle  
(<http://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

===== End of License =====

-----  
The license below pertains to Mockito 2.7.9, which is included with Not-Going-To-Be-Commons-SSL.

===== Beginning of License Information =====

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====  
===== End of License Information =====

-----

The license below pertains to JUnit 4.8.1, which is included with Not-Going-To-Be-Commons-SSL.

=====  
===== Beginning of License =====

BSD License

Copyright (c) 2000-2006, www.hamcrest.org  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,

INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====  
===== End of License =====  
=====

-----  
  
Some of this software was originally developed by  
Credit Union Central of British Columbia (<http://www.cucbc.com/>).  
The CUCBC code was licensed to the Apache Software Foundation on  
August 23rd, 2006.

-----  
  
Apache Commons Email  
Copyright 2001-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. **Licensable.** means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. **Modifications.** means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. **Original Software.** means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. **Patent Claims.** means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. **Source Code.** means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. **You.** (or **Your.**) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, **You.** includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, **control.** means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.



You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT

WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of

.commercial computer software. (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more

than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software

distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

#### Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice



This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

Apache HttpCore  
Copyright 2005-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

### 1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
  - i) changes to the Program, and
  - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

## 2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

## 3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

#### 4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

## 5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

## 6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## 7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement,

whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

## MOZILLA PUBLIC LICENSE

Version 1.1

-----

### 1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the

substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

- A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.
  
- B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original

Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

## 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the

Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

#### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

#### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

#### 3.4. Intellectual Property Matters

##### (a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code



distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License,

including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

## 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

## 6. Versions of the License.

### 6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

## 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

## 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

## 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer

or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER

COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

#### 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

#### 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as "Multiple-Licensed". "Multiple-Licensed" means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is \_\_\_\_\_.

The Initial Developer of the Original Code is \_\_\_\_\_.

Portions created by \_\_\_\_\_ are Copyright (C) \_\_\_\_\_  
\_\_\_\_\_. All Rights Reserved.

Contributor(s): \_\_\_\_\_.

Alternatively, the contents of this file may be used under the terms of the \_\_\_\_\_ license (the "[ ] License"), in which case the provisions of [ ] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [ ] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [ ] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [ ] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

Apache Commons Codec  
Copyright 2002-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java  
contains test data from <http://aspell.net/test/orig/batch0.tab>.  
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

=====  
The content of package org.apache.commons.codec.language.bm has been translated  
from the original php source code available at <http://stevemorse.org/phoneticinfo.htm>  
with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.  
Apache Velocity

Copyright (C) 2000-2007 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

iBATIS

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Copyright 2010 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

OGNL

//-----  
// Copyright (c) 2004, Drew Davidson and Luke Blanshard  
// All rights reserved.  
//  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// met:  
//  
// Redistributions of source code must retain the above copyright notice,  
// this list of conditions and the following disclaimer.  
// Redistributions in binary form must reproduce the above copyright

```
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// Neither the name of the Drew Davidson nor the names of its contributors
// may be used to endorse or promote products derived from this software
// without specific prior written permission.
//
// THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
// "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
// LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
// FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
// COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
// INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,
// BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS
// OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
// AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
// OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF
// THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH
// DAMAGE.
```

```
//-----
```

(1)

ExceptionConverter:

The original version of this class was published in an article by Heinz Kabutz.

Read [http://www.javaspecialists.co.za/archive/newsletter.do?issue=033&print=yes&locale=en\\_US](http://www.javaspecialists.co.za/archive/newsletter.do?issue=033&print=yes&locale=en_US)

"This material from The Java(tm) Specialists' Newsletter by Maximum Solutions

(South Africa). Please contact Maximum Solutions for more information.

(2)

SimpleXMLParser:

The original version of this class was published in a JavaWorld article by Steven Brandt:

<http://www.javaworld.com/javaworld/javatips/jw-javatip128.html>

Jennifer Orr (JavaWorld) wrote: "You have permission to use the code appearing in

Steven Brandt's JavaWorld article, 'Java Tip 128: Create a quick-and-dirty XML parser.'

We ask that you reference the author as the creator and JavaWorld as the original publisher of the code." Steven Brandt also agreed with the use of this class.

(3)

The following files contain material that was copyrighted by SUN:

com/lowagie/text/pdf/LZWDecoder.java (first appearance in iText: 2002-02-08)

com/lowagie/text/pdf/codec/BmpImage.java (first appearance in iText: 2003-06-20)

com/lowagie/text/pdf/codec/PngImage.java (first appearance in iText: 2003-04-25)

com/lowagie/text/pdf/codec/TIFFDirectory.java (first appearance in iText: 2003-04-09)

com/lowagie/text/pdf/codec/TIFFFaxDecoder.java (first appearance in iText: 2003-04-09)

com/lowagie/text/pdf/codec/TIFFField.java (first appearance in iText: 2003-04-09)

com/lowagie/text/pdf/codec/TIFFLZWDecoder.java (first appearance in iText: 2003-04-09)



The original code was released under the BSD license, and contained the following extra restriction: "You acknowledge that Software is not designed, licensed or intended for use in the design, construction, operation or maintenance of any nuclear facility."

In a mail sent to Bruno Lowagie on January 23, 2008, Brian Burkhalter (@sun.com) writes: "This code is under a BSD license and supersedes the older codec packages on which your code is based. It also includes numerous fixes among them being the ability to handle a lot of 'broken' TIFFs."

Note that numerous fixes were applied to the code used in iText by Paulo Soares, but apart from the fixes there were no essential changes between the code that was originally adapted and the code that is now available under the following license:

Copyright (c) 2005 Sun Microsystems, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistribution of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistribution in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Sun Microsystems, Inc. or the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

This software is provided "AS IS," without a warranty of any kind. ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE HEREBY EXCLUDED. SUN MICROSYSTEMS, INC. ("SUN") AND ITS LICENSORS SHALL NOT BE LIABLE FOR ANY DAMAGES SUFFERED BY LICENSEE AS A RESULT OF USING, MODIFYING OR DISTRIBUTING THIS SOFTWARE OR ITS DERIVATIVES. IN NO EVENT WILL SUN OR ITS LICENSORS BE LIABLE FOR ANY LOST REVENUE, PROFIT OR DATA, OR FOR DIRECT, INDIRECT, SPECIAL, CONSEQUENTIAL, INCIDENTAL OR PUNITIVE DAMAGES, HOWEVER CAUSED AND REGARDLESS OF THE THEORY OF LIABILITY, ARISING OUT OF THE USE OF OR INABILITY TO USE THIS SOFTWARE, EVEN IF SUN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

You acknowledge that this software is not designed or intended for

use in the design, construction, operation or maintenance of any nuclear facility.

The main difference can be found in the final paragraph: the restriction that the source code is not "licensed" in this particular situation has been removed.

FYI: Brian also added: "A bit of history might be in order.

The codec classes that you used originally were based on some classes included with JAI but not strictly part of JAI.

As of Java SE 1.4 an official Image I/O framework was added in `javax.imageio`.... This framework supports these formats:

Java 1.4: GIF (read only), JPEG, PNG

Java 1.5: Added support for BMP and WBMP

Java 1.6: Added support for writing GIF

The JAI Image I/O Tools packages (`jai-imageio-core`) were created to support formats handled by JAI but not included in Java SE as well as some new things like JPEG2000."

(4) the file `com/lowagie/text/pdf/codec/TIFFConstants` and some other TIFF related code is derived from LIBTIFF:

Copyright (c) 1988-1997 Sam Leffler

Copyright (c) 1991-1997 Silicon Graphics, Inc.

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that (i) the above copyright notices and this permission notice appear in all copies of the software and related documentation, and (ii) the names of Sam Leffler and Silicon Graphics may not be used in any advertising or publicity relating to the software without the specific, prior written permission of Sam Leffler and Silicon Graphics.

THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND, EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

IN NO EVENT SHALL SAM LEFFLER OR SILICON GRAPHICS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

(5)

BidiOrder:

As stated in the Javadoc comments, materials from Unicode.org are used in the class `com/lowagie/text/pdf/BidiOrder.java`

The following license applies to these materials:

<http://www.unicode.org/copyright.html#Exhibit1>

## EXHIBIT 1

### UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

and <http://www.unicode.org/cldr/data/>.

Unicode Software includes any source code published in the Unicode Standard

or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY,

ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

### COPYRIGHT AND PERMISSION NOTICE

Copyright (C) 1991-2007 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN

## CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

### MySQL FOSS License Exception

We want free and open source software applications under certain licenses to be able to use the GPL-licensed MySQL Connector/J (specified GPL-licensed MySQL client libraries) despite the fact that not all such FOSS licenses are compatible with version 2 of the GNU General Public License.

Therefore there are special exceptions to the terms and conditions of the GPLv2 as applied to these client libraries, which are identified and described in more detail in the FOSS License Exception at

<<http://www.mysql.com/about/legal/licensing/foss-exception.html>>

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's

source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is

void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing



to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER

PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details  
type 'show w'. This is free software, and you are welcome  
to redistribute it under certain conditions; type 'show c'  
for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever

suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

/\*--

\$Id: LICENSE.txt,v 1.11 2004/02/06 09:32:57 jhunter Exp \$

Copyright (C) 2000-2004 Jason Hunter & Brett McLaughlin.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions, and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the disclaimer that follows these conditions in the documentation and/or other materials provided with the distribution.
3. The name "JDOM" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact <request\_AT\_jdom\_DOT\_org>.
4. Products derived from this software may not be called "JDOM", nor may "JDOM" appear in their name, without prior written permission from the JDOM Project Management <request\_AT\_jdom\_DOT\_org>.

In addition, we request (but do not require) that you include in the end-user documentation provided with the redistribution and/or in the software itself an acknowledgement equivalent to the following:

"This product includes software developed by the

JDOM Project (<http://www.jdom.org/>)."

Alternatively, the acknowledgment may be graphical using the logos available at <http://www.jdom.org/images/logos>.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE JDOM AUTHORS OR THE PROJECT CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the JDOM Project and was originally created by Jason Hunter <jhunter\_AT\_jdom\_DOT\_org> and Brett McLaughlin <brett\_AT\_jdom\_DOT\_org>. For more information on the JDOM Project, please see <<http://www.jdom.org/>>.

\*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

## 1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However,

you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND

PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire



Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

## NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the

software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and

disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other

system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

## How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,



worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## EXTERNAL COMPONENTS

Apache PDFBox includes a number of components with separate copyright notices and license terms. Your use of these components is subject to the terms and conditions of the following licenses.

Contributions made to the original PDFBox project:

Copyright (c) 2002-2007, [www.pdfbox.org](http://www.pdfbox.org)  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of pdfbox; nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Adobe Font Metrics (AFM) for PDF Core 14 Fonts

This file and the 14 PostScript(R) AFM files it accompanies may be used, copied, and distributed for any purpose and without charge, with or without modification, provided that all copyright notices are retained; that the AFM files are not distributed without this file; that all modifications to this file or any of the AFM files are prominently noted in the modified file(s); and that this paragraph is not modified. Adobe Systems has no responsibility or obligation to support the use of the AFM files.

CMaps for PDF Fonts (<http://opensource.adobe.com/wiki/display/cmap/Downloads>)

Copyright 1990-2009 Adobe Systems Incorporated.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Adobe Systems Incorporated nor the names of its

contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Glyphlist (<http://www.adobe.com/devnet/opentype/archives/glyph.html>)

Copyright (c) 1997,1998,2002,2007 Adobe Systems Incorporated

Permission is hereby granted, free of charge, to any person obtaining a copy of this documentation file to use, copy, publish, distribute, sublicense, and/or sell copies of the documentation, and to permit others to do the same, provided that:

- No modification, editing or other alteration of this document is allowed; and
- The above copyright notice and this permission notice shall be included in all copies of the documentation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this documentation file, to create their own derivative works from the content of this document to use, copy, publish, distribute, sublicense, and/or sell the derivative works, and to permit others to do the same, provided that the derived work is not represented as being a copy or version of this document.

Adobe shall not be liable to any party for any loss of revenue or profit or for indirect, incidental, special, consequential, or other similar damages, whether based on tort (including without limitation negligence or strict liability), contract or other legal or equitable grounds even if Adobe has been advised or had reason to know of the possibility of such damages. The Adobe materials are provided on an "AS IS" basis. Adobe specifically disclaims all express, statutory, or implied warranties relating to the Adobe materials, including but not limited to those concerning merchantability or fitness for a particular purpose or non-infringement of any third party rights regarding the Adobe materials.

Copyright (c) 2006, David Crawshaw. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

#### 1. Definitions.

- 1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. "Executable" means the Covered Software in any form other than Source Code.
- 1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.
- 1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. "License" means this document.
- 1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

#### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

#### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

#### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee



for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S

NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

#### 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such

program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this

License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a

consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type ``show w'`. This is free software, and you are welcome to redistribute it under certain conditions; type ``show c'` for details.

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.



You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989  
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

## "CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Apache Commons FileUpload  
Copyright 2002-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.  
It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has  
been in development since 2007.

It is currently developed by a community of developers, as well as supported  
commercially by FasterXML.com.

## Licensing

Jackson core and extension components may be licensed under different licenses.  
To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

## ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

### COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

#### 1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b)

associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).
- (c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

### 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and
- (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
- (c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.
- (d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

#### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

#### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

### 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

### 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48C.F.R.2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48C.F.R.12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

## 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The GlassFish code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Apache Commons VFS

Copyright 2002-2016 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache HttpClient Mime

Copyright 1999-2017 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,



where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

### GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some

specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and

is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE  
TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1

above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do

this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline



functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more

than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING

RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

## COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

### 1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this

License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. License Grants.

### 2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software

with other software or devices.

## 2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

## 3. Distribution Obligations.

### 3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such



Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

### 3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

### 3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

### 3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial

Developer or such Contributor as a result of any such terms You offer.

### 3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

## 4. Versions of the License.

### 4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

### 4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

### 4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

## 5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,

INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

## 7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

## 8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

## 9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for

the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

#### 10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

-----

#### NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor  
Boston, MA 02110-1335  
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

#### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and

to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is

to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and

can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the



executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other

circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

**NO WARRANTY**

**11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.**

EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are

licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

#### CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

Apache Commons Digester

Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>  
Apache Commons Configuration  
Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
This copy of Jackson JSON processor annotations is licensed under the Apache (Software) License, version 2.0 ("the License").  
See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>  
  
Copyright (c) 2007-2010, The JASYPT team (<http://www.jasypt.org>)

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-----

This distribution includes cryptographic software. The country in which you currently reside may have restrictions on the import, possession, use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check your country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted. See <http://www.wassenaar.org/> for more information.

The U.S. Government Department of Commerce, Bureau of Industry and Security (BIS), has classified this software as Export Commodity Control Number (ECCN) 5D002.C.1, which includes information security software using or performing cryptographic functions with asymmetric algorithms. The form and manner of this distribution makes it eligible for export under the License Exception ENC Technology Software Unrestricted (TSU) exception (see the BIS Export Administration Regulations, Section 740.13) for both object code and source code.

The following provides more details on the cryptographic software used (note that this software is not included in the distribution):

\* The PBE Encryption facilities require the Java Cryptography extensions: <http://java.sun.com/javase/technologies/security/>.

-----

Distributions of this software may include software developed by The Apache Software Foundation (<http://www.apache.org/>).

-----

ICU License - ICU 1.8.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2006 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.



"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
  - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.



Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

APACHE COMMONS POOL DERIVATIVE WORKS:

The LinkedBlockingDeque implementation is based on an implementation written by  
Doug Lea with assistance from members of JCP JSR-166 Expert Group and released  
to the public domain, as explained at  
<http://creativecommons.org/licenses/publicdomain>  
Apache Commons Lang  
Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache Commons Math  
Copyright 2001-2012 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

=====

The BracketFinder (package org.apache.commons.math3.optimization.univariate)  
and PowellOptimizer (package org.apache.commons.math3.optimization.general)  
classes are based on the Python code in module "optimize.py" (version 0.5)  
developed by Travis E. Oliphant for the SciPy library (<http://www.scipy.org/>)  
Copyright 2003-2009 SciPy Developers.

=====

The LinearConstraint, LinearObjectiveFunction, LinearOptimizer,  
Relationship, SimplexSolver and SimplexTableau classes in package  
org.apache.commons.math3.optimization.linear include software developed by  
Benjamin McCann (<http://www.benmccann.com>) and distributed with  
the following copyright: Copyright 2009 Google Inc.

=====

This product includes software developed by the

University of Chicago, as Operator of Argonne National  
Laboratory.  
The LevenbergMarquardtOptimizer class in package  
org.apache.commons.math3.optimization.general includes software  
translated from the lmdcr, lmpar and qrsolv Fortran routines  
from the Minpack package  
Minpack Copyright Notice (1999) University of Chicago. All rights reserved

---

The GraggBulirschStoerIntegrator class in package  
org.apache.commons.math3.ode.nonstiff includes software translated  
from the odex Fortran routine developed by E. Hairer and G. Wanner.  
Original source copyright:  
Copyright (c) 2004, Ernst Hairer

---

The EigenDecompositionImpl class in package  
org.apache.commons.math3.linear includes software translated  
from some LAPACK Fortran routines. Original source copyright:  
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

---

The MersenneTwister class in package org.apache.commons.math3.random  
includes software translated from the 2002-01-26 version of  
the Mersenne-Twister generator written in C by Makoto Matsumoto and Takuji  
Nishimura. Original source copyright:  
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,  
All rights reserved

---

The LocalizedFormatsTest class in the unit tests is an adapted version of  
the OrekitMessagesTest class from the orekit library distributed under the  
terms of the Apache 2 licence. Original source copyright:  
Copyright 2010 CS Communication & Systemes

---

The complete text of licenses and disclaimers associated with the the original  
sources enumerated above at the time of code translation are in the LICENSE.txt  
file.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

#### APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents whose implementation is derived from original sources written in C or Fortran. License terms of the original sources are reproduced below.

=====

For the lmdcr, lmpar and qrsolv Fortran routine from minpack and translated in the LevenbergMarquardtOptimizer class in package org.apache.commons.math3.optimization.general  
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by the University of Chicago, as Operator of Argonne National Laboratory.

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS" WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, AND THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES

OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4) DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE, EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES.

=====  
Copyright and license statement for the odex Fortran routine developed by E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class in package org.apache.commons.math3.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING



NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

Copyright and license statement for the original lapack fortran routines translated in EigenDecompositionImpl class in package org.apache.commons.math3.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

\$COPYRIGHT\$

Additional copyrights may follow

\$HEADERS\$

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer listed in this license in the documentation and/or other materials provided with the distribution.
- Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

Copyright and license statement for the original Mersenne twister C routines translated in MersenneTwister class in package org.apache.commons.math3.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,  
All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions  
are met:

1. Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright  
notice, this list of conditions and the following disclaimer in the  
documentation and/or other materials provided with the distribution.
3. The names of its contributors may not be used to endorse or promote  
products derived from this software without specific prior written  
permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR  
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,  
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR  
PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF  
LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING  
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS  
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Commons Compress

Copyright 2002-2018 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

The files in the package org.apache.commons.compress.archivers.sevenz  
were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/),  
which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (<http://www.7-zip.org/sdk.html>)

Copyright (c) 1997, PostgreSQL Global Development Group

All rights reserved.

Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/\*

\* \$Header: /home/cvs/jakarta-commons/el/LICENSE.txt,v 1.1.1.1 2003/02/04 00:22:24 luehe Exp \$

\* \$Revision: 1.1.1.1 \$

\* \$Date: 2003/02/04 00:22:24 \$

\*

\* =====

\*

\* The Apache Software License, Version 1.1

\*

\* Copyright (c) 1999-2002 The Apache Software Foundation. All rights reserved.

\*

\* Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\*

\* 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\*

\* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\*

\* 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgement:

\* "This product includes software developed by the

\* Apache Software Foundation (<http://www.apache.org/>)."

\* Alternately, this acknowledgement may appear in the software itself,

\* if and wherever such third-party acknowledgements normally appear.

\*

\* 4. The names "The Jakarta Project", "Commons", and "Apache Software

\* Foundation" must not be used to endorse or promote products derived  
\* from this software without prior written permission. For written  
\* permission, please contact [apache@apache.org](mailto:apache@apache.org).

\*

\* 5. Products derived from this software may not be called "Apache"  
\* nor may "Apache" appear in their names without prior written  
\* permission of the Apache Group.

\*

\* THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED  
\* WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES  
\* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE  
\* DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR  
\* ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
\* SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
\* LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF  
\* USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND  
\* ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,  
\* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT  
\* OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF  
\* SUCH DAMAGE.

\* =====

\*

\* This software consists of voluntary contributions made by many  
\* individuals on behalf of the Apache Software Foundation. For more  
\* information on the Apache Software Foundation, please see  
\* <http://www.apache.org/>.

\*

\*/

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to  
the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used  
by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached  
the notice in Exhibit A, the Executable Form of such Source Code

Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU

Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

-----

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

#### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

#### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

#### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

#### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

#### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

#### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source

Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by



You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

#### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \* \*

\* 6. Disclaimer of Warranty \*  
 \* ----- \*  
 \* \* \*

\* Covered Software is provided under this License on an "as is" \*  
 \* basis, without warranty of any kind, either expressed, implied, or \*  
 \* statutory, including, without limitation, warranties that the \*  
 \* Covered Software is free of defects, merchantable, fit for a \*  
 \* particular purpose or non-infringing. The entire risk as to the \*  
 \* quality and performance of the Covered Software is with You. \*  
 \* Should any Covered Software prove defective in any respect, You \*  
 \* (not any Contributor) assume the cost of any necessary servicing, \*  
 \* repair, or correction. This disclaimer of warranty constitutes an \*  
 \* essential part of this License. No use of any Covered Software is \*  
 \* authorized under this License except under this disclaimer. \*  
 \* \* \*

\*\*\*\*\*

\*\*\*\*\*

\* \* \*

\* 7. Limitation of Liability \*  
 \* ----- \*  
 \* \* \*

\* Under no circumstances and under no legal theory, whether tort \*  
 \* (including negligence), contract, or otherwise, shall any \*  
 \* Contributor, or anyone who distributes Covered Software as \*  
 \* permitted above, be liable to You for any direct, indirect, \*  
 \* special, incidental, or consequential damages of any character \*  
 \* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*  
 \* \* \*

\*\*\*\*\*

8. Litigation  
 -----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that

jurisdiction, without reference to its conflict-of-law provisions.  
Nothing in this Section shall prevent a party's ability to bring  
cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject  
matter hereof. If any provision of this License is held to be  
unenforceable, such provision shall be reformed only to the extent  
necessary to make it enforceable. Any law or regulation which provides  
that the language of a contract shall be construed against the drafter  
shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section  
10.3, no one other than the license steward has the right to modify or  
publish new versions of this License. Each version will be given a  
distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version  
of the License under which You originally received the Covered Software,  
or under the terms of any subsequent version published by the license  
steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to  
create a new license for such software, you may create and use a  
modified version of this License if you rename the license and remove  
any references to the name of the license steward (except to note that  
such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With  
Secondary Licenses under the terms of this version of the License, the  
notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.  
Mozilla Public License 1.1 (MPL 1.1)

#### 1. Definitions.

- 1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.
- 1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.
- 1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.
- 1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.
- 1.5. "Executable" means Covered Code in any form other than Source Code.
- 1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.
- 1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.
- 1.8. "License" means this document.
- 1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code

or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

- A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.
- B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

## 2. Source Code License.

### 2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

### 2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

- (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use,

reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

### 3. Distribution Obligations.

#### 3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

#### 3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

#### 3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

#### 3.4. Intellectual Property Matters

##### (a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

### 3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

### 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

### 3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

#### 4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

#### 5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

#### 6. Versions of the License.

##### 6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

##### 6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

##### 6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

#### 7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER



OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

## 8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

## 9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S

NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

#### 10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

#### 11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

#### 12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

#### 13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as Multiple-Licensed. Multiple-Licensed means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the MPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

Thu Aug 26 08:15:06 CDT 2010

evaware software ab

NEVER

Runtime

Not for development

win32/x86;linux/ppc64;linux/x86;mac/x86;mac/x64;mac/ppc;linux/x64;win32/x64;linux/ppc

b8w6vxs9hgb4m4e5gx5521clxzuz8j54xsgcu2g8kyo6065cf4dkw5359w4c6lrteyanrbqqkm5ca6

9971oq2lbn82ldi6fztbiic406o2qj572h6aq6cpivv93myjor98bgeory3fu8hyv0x2azdxjy1ybosk

Version: 3.x

Product: JNIWrapper

Product: JxBrowser  
Version: 2.x  
Licensed to:  
License type: Runtime  
License info: Not for development  
Expiration date: NEVER  
Generation date: 26-08-2010  
Platforms: win32/x86;linux/x86;mac/x86;mac/x64;mac/ppc;linux/x64;win32/x64  
Company: eviware software ab  
SigB: 10adh72idjhnahax9wro9p4dmcrw48ryuib185hji9o4dv00tramvzxtvwyh722an4kqqbllo3ficy77  
SigA: y5xzgq75bd5uqagrq0zygnzbfef8758jhnd5e1ekppaar2m2879mmlk1nzzaoste7j8bifqkahlzmsdv

Thu Aug 26 08:15:06 CDT 2010

eviware software ab  
NEVER  
Runtime  
Not for development  
win32/x86;win32/x64  
qsnu8p4scx5jkpve90det7j8koqdlta080yqf2ve2wvev2ycpij05o79htz53h2rlb78hp8qyhfvolx3  
5ugn50g047tv0c855yl5xhv75d41wgvki2h74tmjro33dqiv1buw8k7097bpd3jnwnaqea9mb8vhnokk  
Version: 2.x  
Product: JExplorer

Thu Aug 26 08:15:06 CDT 2010

eviware software ab  
NEVER  
Runtime  
Not for development  
win32/x86;win32/x64  
cjvzsd9upa7gakblwm3gfwxm0yi33qrxquape7sijv2vag6ps7nvcf60calz8s0rz316x0ujrbouudy  
rvmnudkr7bfraif2niqt05mj52b3mz1y68rps3l3ex7zk9uvwnq0tsyd588l02n0ycv3qaoxvikns8mk  
Version: 2.x  
Product: ComfyJ  
Apache Commons Lang  
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache Commons Collections  
Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
The majority of Rhino is licensed under the MPL 2.0:

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

### 1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

### 1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

### 1.6. "Executable Form"

means any form of the work other than Source Code Form.

### 1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

### 1.8. "License"

means this document.

### 1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

### 1.10. "Modifications"

means any of the following:

- (a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or
- (b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

-----

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or

as part of a Larger Work; and

- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

## 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

## 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

## 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

## 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

## 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

## 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

## 3. Responsibilities

-----

### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

### 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of

the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

## 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

## 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have



come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\* \*  
\* 6. Disclaimer of Warranty \*  
\* ----- \*  
\* \*  
\* Covered Software is provided under this License on an "as is" \*  
\* basis, without warranty of any kind, either expressed, implied, or \*  
\* statutory, including, without limitation, warranties that the \*  
\* Covered Software is free of defects, merchantable, fit for a \*  
\* particular purpose or non-infringing. The entire risk as to the \*  
\* quality and performance of the Covered Software is with You. \*  
\* Should any Covered Software prove defective in any respect, You \*  
\* (not any Contributor) assume the cost of any necessary servicing, \*  
\* repair, or correction. This disclaimer of warranty constitutes an \*  
\* essential part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*  
\* \*

\*\*\*\*\*

\*\*\*\*\*

\* \*  
\* 7. Limitation of Liability \*  
\* ----- \*  
\* \*  
\* Under no circumstances and under no legal theory, whether tort \*  
\* (including negligence), contract, or otherwise, shall any \*  
\* Contributor, or anyone who distributes Covered Software as \*  
\* permitted above, be liable to You for any direct, indirect, \*  
\* special, incidental, or consequential damages of any character \*

\* including, without limitation, damages for lost profits, loss of \*  
 \* goodwill, work stoppage, computer failure or malfunction, or any \*  
 \* and all other commercial damages or losses, even if such party \*  
 \* shall have been informed of the possibility of such damages. This \*  
 \* limitation of liability shall not apply to liability for death or \*  
 \* personal injury resulting from such party's negligence to the \*  
 \* extent applicable law prohibits such limitation. Some \*  
 \* jurisdictions do not allow the exclusion or limitation of \*  
 \* incidental or consequential damages, so this exclusion and \*  
 \* limitation may not apply to You. \*  
 \* \*  
 \*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license

steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache XmlBeans distribution. ==  
=====

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:  
- software copyright (c) 2000-2003, BEA Systems, <<http://www.bea.com/>>.

Aside from contributions to the Apache XMLBeans project, this

software also includes:

- one or more source files from the Apache Xerces-J and Apache Axis products, Copyright (c) 1999-2003 Apache Software Foundation
  - W3C XML Schema documents Copyright 2001-2003 (c) World Wide Web Consortium (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University)
  - resolver.jar from Apache Xml Commons project, Copyright (c) 2001-2003 Apache Software Foundation
  - Piccolo XML Parser for Java from <http://piccolo.sourceforge.net/>, Copyright 2002 Yuval Oren under the terms of the Apache Software License 2.0
  - JSR-173 Streaming API for XML from <http://sourceforge.net/projects/xmlpullparser/>, Copyright 2005 BEA under the terms of the Apache Software License 2.0
- Copyright (c) Mirth Corporation. All rights reserved.

<http://www.mirthcorp.com>

The software in this package is published under the terms of the MPL license a copy of which has been included with this distribution in the LICENSE.txt file.

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

Apache Commons JXPath

Copyright 2001-2008 The Apache Software Foundation

This product includes software developed by

The Apache Software Foundation (<http://www.apache.org/>).

// -----

// NOTICE file corresponding to the section 4d of The Apache License,

// Version 2.0, in this case for Objenesis

// -----

Objenesis

Copyright 2006-2017 Joe Walnes, Henri Tremblay, Leonardo Mesquita

Apache Commons BeanUtils

Copyright 2000-2016 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

# Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta ([tatu.saloranta@iki.fi](mailto:tatu.saloranta@iki.fi)), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

#### ## Licensing

Jackson core and extension components may licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

#### ## Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>



## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache PDFBox

Copyright 2002-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Based on source code contributed to the original PDFBox project.

Copyright (c) 2002-2007, [www.pdfbox.org](http://www.pdfbox.org)

Apache Commons Collections

Copyright 2001-2013 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Google Guice - Core Library

Copyright 2006-2016 Google, Inc.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Commons Logging

Copyright 2003-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache Commons Codec

Copyright 2002-2011 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

-----  
src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java contains  
test data from <http://aspell.sourceforge.net/test/batch0.tab>.

Copyright (C) 2002 Kevin Atkinson ([kevina@gnu.org](mailto:kevina@gnu.org)). Verbatim copying  
and distribution of this entire article is permitted in any medium,  
provided this notice is preserved.

=====  
== NOTICE file corresponding to section 4(d) of the Apache License,

== Version 2.0, in this case for the Apache Derby distribution.  
==  
== DO NOT EDIT THIS FILE DIRECTLY. IT IS GENERATED  
== BY THE buildnotice TARGET IN THE TOP LEVEL build.xml FILE.  
==

=====  
Apache Derby  
Copyright 2004-2014 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
Portions of Derby were originally developed by  
International Business Machines Corporation and are  
licensed to the Apache Software Foundation under the  
"Software Grant and Corporate Contribution License Agreement",  
informally known as the "Derby CLA".  
The following copyright notice(s) were affixed to portions of the code  
with which this file is now or was at one time distributed  
and are placed here unaltered.

(C) Copyright 1997,2004 International Business Machines Corporation. All rights reserved.

(C) Copyright IBM Corp. 2003.

=====  
The portion of the functionTests under 'nist' was originally  
developed by the National Institute of Standards and Technology (NIST),  
an agency of the United States Department of Commerce, and adapted by  
International Business Machines Corporation in accordance with the NIST  
Software Acknowledgment and Redistribution document at  
[http://www.itl.nist.gov/div897/ctg/sql\\_form.htm](http://www.itl.nist.gov/div897/ctg/sql_form.htm)

=====  
The JDBC apis for small devices and JDBC3 (under java/stubs/jsr169 and  
java/stubs/jdbc3) were produced by trimming sources supplied by the  
Apache Harmony project. In addition, the Harmony SerialBlob and

SerialClob implementations are used. The following notice covers the Harmony sources:

Portions of Harmony were originally developed by Intel Corporation and are licensed to the Apache Software Foundation under the "Software Grant and Corporate Contribution License Agreement", informally known as the "Intel Harmony CLA".

=====

The Derby build relies on source files supplied by the Apache Felix project. The following notice covers the Felix files:

Apache Felix Main  
Copyright 2008 The Apache Software Foundation

#### I. Included Software

This product includes software developed at The Apache Software Foundation (<http://www.apache.org/>). Licensed under the Apache License 2.0.

This product includes software developed at The OSGi Alliance (<http://www.osgi.org/>). Copyright (c) OSGi Alliance (2000, 2007). Licensed under the Apache License 2.0.

This product includes software from <http://kxml.sourceforge.net>. Copyright (c) 2002,2003, Stefan Haustein, Oberhausen, Rhld., Germany. Licensed under BSD License.

#### II. Used Software

This product uses software developed at The OSGi Alliance (<http://www.osgi.org/>). Copyright (c) OSGi Alliance (2000, 2007). Licensed under the Apache License 2.0.

#### III. License Summary

- Apache License 2.0
  - BSD License
- =====

The Derby build relies on jar files supplied by the Apache Xalan project. The following notice covers the Xalan jar files:

=====  
== NOTICE file corresponding to section 4(d) of the Apache License, ==  
== Version 2.0, in this case for the Apache Xalan Java distribution. ==  
=====

Apache Xalan (Xalan XSLT processor)  
Copyright 1999-2006 The Apache Software Foundation

Apache Xalan (Xalan serializer)  
Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

=====  
Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,  
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems.,  
<http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation.,  
<http://www.ibm.com>.

=====  
The binary distribution package (ie. jars, samples and documentation) of  
this product includes software developed by the following:

- The Apache Software Foundation
  - Xerces Java - see LICENSE.txt
  - JAXP 1.3 APIs - see LICENSE.txt
  - Bytecode Engineering Library - see LICENSE.txt
  - Regular Expression - see LICENSE.txt
- Scott Hudson, Frank Flannery, C. Scott Ananian
  - CUP Parser Generator runtime (javacup\runtime) - see LICENSE.txt

=====  
The source distribution package (ie. all source and tools required to build  
Xalan Java) of this product includes software developed by the following:

- The Apache Software Foundation
  - Xerces Java - see LICENSE.txt
  - JAXP 1.3 APIs - see LICENSE.txt
  - Bytecode Engineering Library - see LICENSE.txt



- Regular Expression - see LICENSE.txt
- Ant - see LICENSE.txt
- Stylebook doc tool - see LICENSE.txt

- Elliot Joel Berk and C. Scott Ananian
  - Lexical Analyzer Generator (JLex) - see LICENSE.txt

---

Apache Xerces Java  
Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of Apache Xerces Java in xercesImpl.jar and xml-apis.jar  
were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the  
Apache Software Foundation that were originally developed at iClick, Inc.,  
software copyright (c) 1999.

---

Apache xml-commons xml-apis (redistribution of xml-apis.jar)

Apache XML Commons  
Copyright 2001-2003,2006 The Apache Software Foundation.

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

Apache Geronimo  
Copyright 2003-2008 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

#### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

Apache Commons Lang

Copyright 2001-2010 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

"Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

"Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.

"Copyright Holder" is whoever is named in the copyright or copyrights for the package.

"You" is you, if you're thinking about copying or distributing this Package.

"Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)

"Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.

2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.

3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.

b) use the modified Package only within your corporation or organization.

c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.

b) accompany the distribution with the machine-readable source of the Package with your modifications.

c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.

d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this

Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache Standard Taglib Implementation  
Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache Commons DBCP  
Copyright 2001-2014 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache Commons DbUtils  
Copyright 2002-2011 The Apache Software Foundation

This product includes software developed by  
The Apache Software Foundation (<http://www.apache.org/>).  
Apache log4j  
Copyright 2007 The Apache Software Foundation



This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

## 1.363 expo-asset 8.5.0

### 1.363.1 Available under license :

MIT

## 1.364 restore-cursor 3.1.0

### 1.364.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.365 thenify 3.3.1

### 1.365.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016 Jonathan Ong [me@jongleberry.com](mailto:me@jongleberry.com) and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.366 react-native-splash-screen 3.2.0

### 1.366.1 Available under license :

MIT License

Copyright (c) 2016 Jia PengHui

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.367 @emotion/stylis 0.8.5

### 1.367.1 Available under license :

MIT License

Copyright (c) Emotion team and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.368 ci-info 3.3.2

### 1.368.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016-2021 Thomas Watson Steen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.369 progress 2.0.3

### 1.369.1 Available under license :

No license file was found, but licenses were detected in source scan.

# rc-progress

Progress Bar.

```
[![NPM version][npm-image]][npm-url]
[![build status][travis-image]][travis-url]
[![Test coverage][coveralls-image]][coveralls-url]
[![gemnasium deps][gemnasium-image]][gemnasium-url]
[![node version][node-image]][node-url]
[![npm download][download-image]][download-url]
```

```
[npm-image]: http://img.shields.io/npm/v/rc-progress.svg?style=flat-square
[npm-url]: http://npmjs.org/package/rc-progress
[travis-image]: https://img.shields.io/travis/react-component/progress.svg?style=flat-square
[travis-url]: https://travis-ci.org/react-component/progress
[coveralls-image]: https://img.shields.io/coveralls/react-component/progress.svg?style=flat-square
[coveralls-url]: https://coveralls.io/r/react-component/progress?branch=master
[gemnasium-image]: http://img.shields.io/gemnasium/react-component/progress.svg?style=flat-square
[gemnasium-url]: https://gemnasium.com/react-component/progress
[node-image]: https://img.shields.io/badge/node.js-%3E=_0.10-green.svg?style=flat-square
[node-url]: http://nodejs.org/download/
[download-image]: https://img.shields.io/npm/dm/rc-progress.svg?style=flat-square
[download-url]: https://npmjs.org/package/rc-progress
```

## Example

```
http://react-component.github.io/progress/
```

## Screenshots

```

```

## Browsers

\* support IE9+, Chrome, Firefox, Safari

## Install

```
[![rc-progress](https://nodei.co/npm/rc-progress.png)](https://npmjs.org/package/rc-progress)
```

## Usage

```
```jsx
import { Line, Circle } from 'rc-progress';

ReactDOM.render(<div>
  <Line percent="10" strokeWidth="4" strokeColor="#D3D3D3" />
  <Circle percent="10" strokeWidth="4" strokeColor="#D3D3D3" />
</div>, container);
```

...

## ## API

### ### props

```
<table class="table table-bordered table-striped">
  <thead>
    <tr>
      <th style="width: 100px;">name</th>
      <th style="width: 50px;">type</th>
      <th style="width: 50px;">default</th>
      <th>description</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td>strokeWidth</td>
      <td>Number</td>
      <td>1</td>
      <td>Width of the stroke. Unit is percentage of SVG canvas size.</td>
    </tr>
    <tr>
      <td>strokeColor</td>
      <td>String</td>
      <td>#2db7f5</td>
      <td>Stroke color.</td>
    </tr>
    <tr>
      <td>trailWidth</td>
      <td>Number</td>
      <td>1</td>
      <td>Width of the trail stroke. Unit is percentage of SVG canvas size. Trail is always centered relative to actual progress path. If trailWidth are not defined, it same as strokeWidth.</td>
    </tr>
    <tr>
      <td>trailColor</td>
      <td>String</td>
      <td>#D9D9D9</td>
      <td>Color for lighter trail stroke underneath the actual progress path.</td>
    </tr>
    <tr>
      <td>strokeLinecap</td>
      <td>String</td>
      <td>round</td>
      <td>The shape to be used at the end of the progress bar, can be square or round.</td>
    </tr>
  </tbody>
</table>
```

```

    <td>prefixCls</td>
    <td>String</td>
    <td>rc-progress</td>
    <td>prefix className for component</td>
  </tr>
  <tr>
    <td>className</td>
    <td>String</td>
    <td></td>
    <td>customized className</td>
  </tr>
  <tr>
    <td>style</td>
    <td>Object</td>
    <td></td>
    <td>style object will be added to svg element</td>
  </tr>
</tbody>
</table>

```

## ## Installation

```

...
npm install --save rc-progress
...

```

## ## Development

```

...
npm install
npm start
...

```

## ## License

rc-progress is released under the MIT license.

Found in path(s):

```

* /opt/cola/permits/1162001513_1620774098.23/0/react-component-progress-2-0-3-0-ga727336-tar-gz/react-
component-progress-a727336/README.md

```

# 1.370 jsencrypt 3.0.0-rc.1

## 1.370.1 Available under license :

```

File: /src/LICENSE.txt
The MIT License (MIT)
Copyright (c) 2015 Form.io

```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT

HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

File: /lib/jsrsasign/LICENSE.txt

CONTAINS CODE FROM YUI LIBRARY SEE LICENSE @ <http://yuilibrary.com/license/>

The 'jsrsasign'(RSA-Sign JavaScript Library) License

Copyright (c) 2010-2013 Kenji Urushima

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

File: /lib/jsbn/LICENSE.txt

## Licensing

-----

This software is covered under the following copyright:

/\*

\* Copyright (c) 2003-2005 Tom Wu

\* All Rights Reserved.

\*

\* Permission is hereby granted, free of charge, to any person obtaining

\* a copy of this software and associated documentation files (the

\* "Software"), to deal in the Software without restriction, including

\* without limitation the rights to use, copy, modify, merge, publish,

\* distribute, sublicense, and/or sell copies of the Software, and to

\* permit persons to whom the Software is furnished to do so, subject to

\* the following conditions:

\*

\* The above copyright notice and this permission notice shall be

\* included in all copies or substantial portions of the Software.

\*

\* THE SOFTWARE IS PROVIDED "AS-IS" AND WITHOUT WARRANTY OF ANY KIND,

\* EXPRESS, IMPLIED OR OTHERWISE, INCLUDING WITHOUT LIMITATION, ANY

\* WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

\*

\* IN NO EVENT SHALL TOM WU BE LIABLE FOR ANY SPECIAL, INCIDENTAL,

\* INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND, OR ANY DAMAGES WHATSOEVER

\* RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER OR NOT ADVISED OF

\* THE POSSIBILITY OF DAMAGE, AND ON ANY THEORY OF LIABILITY, ARISING OUT

\* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*

\* In addition, the following condition applies:

\*

\* All redistributions must retain an intact copy of this copyright notice

\* and disclaimer.

\*/

Address all questions regarding this license to:

Tom Wu

tjw@cs.Stanford.EDU

File: /lib/asn1js/LICENSE.txt

ASN.1 JavaScript decoder

Copyright (c) 2008-2013 Lapo Luchini <lapo@lapo.it>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above



copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.371 qrcode-terminal 0.11.0

### 1.371.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.  
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====  
This product also include the following software:  
=====

QRCode for JavaScript

Copyright (c) 2009 Kazuhiko Arase

URL: <http://www.d-project.com/>

Licensed under the MIT license:

<http://www.opensource.org/licenses/mit-license.php>

The word "QR Code" is registered trademark of  
DENSO WAVE INCORPORATED

<http://www.denso-wave.com/qrcode/faqpatent-e.html>

Located in ./vendor/QRCode

- project has been modified to work in Node and some refactoring was done for code cleanup

# 1.372 wrappy 1.0.2

## 1.372.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.373 strict-uri-encode 2.0.0

## 1.373.1 Available under license :

The MIT License (MIT)

Copyright (c) Kevin Martensson <kevinmartensson@gmail.com> (github.com/kevva)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.374 expo-updates 0.13.4

## 1.374.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2019 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/EXUpdatesModule.m

No license file was found, but licenses were detected in source scan.

// Copyright 2020-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/EXUpdatesService.m

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/EXUpdatesService.h

No license file was found, but licenses were detected in source scan.

// Copyright 2015-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/CodeSigning/EXUpdatesSignatureHeaderInfo.swift

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/CodeSigning/EXUpdatesCodeSigningConfiguration.swift

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/CodeSigning/EXUpdatesCertificateChain.swift

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/CodeSigning/EXUpdatesCodeSigningAlgorithm.swift

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/CodeSigning/EXUpdatesCodeSigningError.swift

No license file was found, but licenses were detected in source scan.

// Copyright (c) 2021 650 Industries, Inc. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesDatabaseInitializationTests.m

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesFileDownloaderManifestParsingTest.m

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesFileDownloaderTests.m

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesReaperSelectionPolicyDevelopmentClientTests.m

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesSelectionPolicyFilterAwareTests.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesDatabaseTests.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesBuildDataTests.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesErrorRecoveryTests.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesDatabaseIntegrityCheckTests.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesAppLauncherWithDatabaseTests.m  
No license file was found, but licenses were detected in source scan.

// Copyright 2021-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Database/EXUpdatesDatabaseInitialization+Tests.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Database/EXUpdatesDatabaseInitialization.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Database/EXUpdatesDatabaseIntegrityCheck.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLauncher/EXUpdatesAppLauncherWithDatabase+Tests.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Database/EXUpdatesDatabase+Tests.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Database/EXUpdatesDatabaseUtils.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Database/EXUpdatesDatabaseUtils.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Database/EXUpdatesDatabaseIntegrityCheck.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Database/EXUpdatesDatabaseInitialization.h  
No license file was found, but licenses were detected in source scan.

// Copyright 2019-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesCrypto.m  
No license file was found, but licenses were detected in source scan.

// Copyright © 2021 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-



tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesLauncherSelectionPolicySingleUpdate.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/Database/EXUpdatesBuildData+Tests.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigration7To8.m  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/EXUpdatesAppController+Internal.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesLoaderSelectionPolicy.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigrationRegistry.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesReaperSelectionPolicyDevelopmentClient.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigration4To5.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesLoaderSelectionPolicyFilterAware.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigration.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigration4To5.m  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesLauncherSelectionPolicySingleUpdate.m  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigration6To7.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesSelectionPolicyFactory.m  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigration5To6.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesReaperSelectionPolicyFilterAware.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigration5To6.m  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesReaperSelectionPolicyFilterAware.m  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/Database/EXUpdatesBuildData.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigration6To7.m  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesLauncherSelectionPolicyFilterAware.m  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigration8To9.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesLoaderSelectionPolicyFilterAware.m  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
 tgz/package/ios/EXUpdates/EXUpdatesDevLauncherController.h  
 \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-

tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesReaperSelectionPolicyDevelopmentClient.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/EXUpdatesErrorRecovery.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesSelectionPolicies.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesSelectionPolicyFactory.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesLauncherSelectionPolicy.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesSelectionPolicy.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/Database/EXUpdatesBuildData.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesReaperSelectionPolicy.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/EXUpdatesDevLauncherController.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigration7To8.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesSelectionPolicies.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesSelectionPolicy.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigration8To9.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/Database/Migrations/EXUpdatesDatabaseMigrationRegistry.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/EXUpdatesErrorRecovery.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/SelectionPolicy/EXUpdatesLauncherSelectionPolicyFilterAware.h  
No license file was found, but licenses were detected in source scan.

// Copyright © 2019 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/AppLoader/EXUpdatesRemoteAppLoader.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/EXUpdatesConfig.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/AppLauncher/EXUpdatesAppLauncherWithDatabase.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/Multipart/EXUpdatesParameterParser.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/Update/EXUpdatesUpdate.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/AppLoader/EXUpdatesManifestHeaders.m

- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLauncher/EXUpdatesAppLauncherWithDatabase.h
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesManifestHeaders.h
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Update/EXUpdatesLegacyUpdate.h
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/EXUpdatesAppController.h
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Update/EXUpdatesUpdate+Private.h
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Database/EXUpdatesReaper.m
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Update/EXUpdatesUpdate.h
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/EXUpdatesAppController.m
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/EXUpdatesUtils.m
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Update/EXUpdatesLegacyUpdate.m
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesEmbeddedAppLoader.h
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Database/EXUpdatesDatabase.h
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Database/EXUpdatesReaper.h
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Update/EXUpdatesBareUpdate.m
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Database/EXUpdatesDatabase.m
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Multipart/EXUpdatesParameterParser.m
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Multipart/EXUpdatesMultipartStreamReader.h
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLauncher/EXUpdatesAppLauncherNoDatabase.m
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Update/EXUpdatesNewUpdate.m
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Update/EXUpdatesBareUpdate.h
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesAppLoader.m
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/EXUpdatesModule.h
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Multipart/EXUpdatesMultipartStreamReader.m
- \* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesCrypto.h

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesFileDownloader.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesFileDownloader.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLauncher/EXUpdatesAppLauncherNoDatabase.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesAsset.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesEmbeddedAppLoader.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/Update/EXUpdatesNewUpdate.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesAppLoader.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesRemoteAppLoader.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLauncher/EXUpdatesAppLauncher.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/EXUpdatesConfig.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesAppLoader+Private.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/EXUpdatesUtils.h  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/EXUpdates/AppLoader/EXUpdatesAsset.m  
No license file was found, but licenses were detected in source scan.

// Copyright (c) 2020 650 Industries, Inc. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesLegacyUpdateTests.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/TestHelper.swift  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesMultipartStreamReaderTests.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesUpdateTests.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/Tests.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesParameterParserTests.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesCodeSigningConfigurationTests.swift  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesReaperSelectionPolicyFilterAwareTests.m  
\* /opt/cola/permits/1384605942\_1659974241.7901793/0/expo-updates-0-13-4-tgz/package/ios/Tests/EXUpdatesNewUpdateTests.m

```
* /opt/cola/permits/1384605942_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/Tests/EXUpdatesSignatureHeaderInfoTests.swift  
* /opt/cola/permits/1384605942_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/Tests/EXUpdatesCodeSigningAlgorithmTests.swift  
* /opt/cola/permits/1384605942_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/Tests/EXUpdatesCertificateChainTests.swift  
No license file was found, but licenses were detected in source scan.
```

```
// Copyright 2022-present 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1384605942_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/ReactDelegateHandler/ExpoUpdatesAppDelegateSubscriber.swift  
No license file was found, but licenses were detected in source scan.
```

```
// Copyright 2018-present 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1384605942_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/ReactDelegateHandler/EXDeferredRCTBridge.h  
* /opt/cola/permits/1384605942_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/ReactDelegateHandler/EXDeferredRCTRootView.h  
* /opt/cola/permits/1384605942_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/ReactDelegateHandler/EXDeferredRCTBridge.m  
* /opt/cola/permits/1384605942_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/ReactDelegateHandler/EXDeferredRCTRootView.m  
* /opt/cola/permits/1384605942_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/EXUpdates.h  
* /opt/cola/permits/1384605942_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/ReactDelegateHandler/ExpoUpdatesReactDelegateHandler.swift  
No license file was found, but licenses were detected in source scan.
```

```
// Copyright © 2020 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1384605942_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/AppLoader/EXUpdatesAppLoaderTask.m  
* /opt/cola/permits/1384605942_1659974241.7901793/0/expo-updates-0-13-4-  
tgz/package/ios/EXUpdates/AppLoader/EXUpdatesAppLoaderTask.h
```

# 1.375 react-native-svg 12.3.0

## 1.375.1 Available under license :

The MIT License (MIT)

Copyright (c) [2015-2016] [Horcrux]

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.376 domelementtype 2.3.0

### 1.376.1 Available under license :

Copyright (c) Felix Bhm  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.377 ee-first 1.1.1

## 1.377.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jonathan Ong [me@jongleberry.com](mailto:me@jongleberry.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.378 regenerate 1.4.2

## 1.378.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE

LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.379 ts-interface-checker 0.1.13

## 1.379.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

#### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object



form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.380 tempy 0.3.0

### 1.380.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.381 color-string 1.9.1

### 1.381.1 Available under license :

Copyright (c) 2011 Heather Arthur <[fayearthur@gmail.com](mailto:fayearthur@gmail.com)>

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.382 follow-redirects 1.15.1

### 1.382.1 Available under license :

Copyright 2014present Olivier Lalonde <olalonde@gmail.com>, James Talmage <james@talmage.io>, Ruben Verborgh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.383 whatwg-url 5.0.0

## 1.383.1 Available under license :

The MIT License (MIT)

Copyright (c) 20152016 Sebastian Mayr

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.384 @expo/devcert 1.0.0

### 1.384.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.385 node-fetch 3.2.1

## 1.385.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 - 2020 Node Fetch Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.386 infer-owner 1.0.4

### 1.386.1 Available under license :

The ISC License

Copyright (c) npm, Inc. and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.387 mv 2.1.1

## 1.387.1 Available under license :

MIT

# 1.388 jest-types 26.6.2

## 1.388.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.389 dir-glob 3.0.1

## 1.389.1 Available under license :

MIT License

Copyright (c) Kevin Mrtensson <kevinmartensson@gmail.com> (github.com/kevva)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR



COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.390 @react-native-community/cli-platform-ios 7.0.1

## 1.390.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link-pods/addPodEntry.ts"],"names":["addPodEntry","podLines","linesToAddEntry","podspecPath","nodeModulePath","podName","newEntry","Array","isArray","map","line","indentation","idx","logger","debug","splice","getLineToAdd","spaces","join"],"mappings":";;;;AAQA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAC;AATA;AAC;AAC;AAC;AAC;AAC;AAKe,SAASA,WAAT,CACbC,QADa,EAEBc,eAFa,EAObC,WAPa,EAQbC,cARa,EASb;AACa,QAAMC,OAAO,GAAG,6BAaEf,WAAf,CAAhB;AACa,QAAMG,QAAQ,GAAl,QAaOd,OAAQ,gCAA+BD,cAAe,KAA/E;;AAEA,MAAI,CAACF,eAAL,EAASB;AACpB;AACD;;AAED,MAAIK,KAak,CAACC,OAAAN,CAAcN,eAAAd,CAAJ,EAAoC;AACICA,IAAAA,eAAe,CAACO,GAAhB,CAAoB,CAAC;AAACC,MAAAA,IAAD;AAAOC,MAAAA;AAAP,KAAD,EAASBC,GAATb,KAA8B;AACChDC,yBAAOC,KAAP,CAAc,UAAST,OAAQ,eAA/B;;AACAJ,MAAAA,QAAQ,CAACc,MAAT,CAAgBL,IAAI,GAAGE,GAAvB,EA4B,CAA5B,EAA+BI,YAAY,CAACV,QAAD,EAAWK,WAAX,CAA3C;AACD,KAHD;AAID,GALD,MAKO;AACL,UAAM;AAACD,MAAAA,IAAD;AAAOC,MAAAA;AAAP,QAASBT,eAA5B;;ACAaw,uBAAOC,KAAP,CAAc,UAAST,OAAQ,eAA/B;;ACAJ,IAAAA,QAAQ,CAACc,MAAT,CAAgBL,IAAhB,EAASB,CAAtB,EAAYBM,YAAY,CAACV,QAAD,EAAWK,WAAX,CAArC;AACD;AACF;;AAED,SAASK,YAAT,CAASBV,QAAtB,EAAwCK,WAAxC,EA6D;AAC3D,QAAMM,MAAM,GAAGV,KAAK,CAACI,WAAW,GAAG,CAAf,CAAL,CAAUBo,IAAvB,CAA4B,GAA5B,CAAf;AACa,SAaOD,MAAM,GAAGX,QAaAhB;AACD"},"sourcesContent":["/*\n * Copyright (c) Facebook, Inc. and its affiliates.\n * This source code is licensed under the MIT license found in\n * LICENSE file in the root directory of this source tree.\n */\n\nimport {logger} from '@react-native-community/cli-tools';\nimport getPodspecName from '../config/getPodspecName';\nexport default function\naddPodEntry(\n  podLines: Array<string>,\n  linesToAddEntry: \n    | Array<{line: number; indentation: number}>\n    | {line: number; indentation: number}\n    | null\n    | undefined,\n  podspecPath: string,\n  nodeModulePath:\n  string,\n) {\n  const podName = getPodspecName(podspecPath);\n  const newEntry = `pod '${podName}', :path =>\n../node_modules/${nodeModulePath}`;\n\n  if (!linesToAddEntry) {\n    return;\n  }\n\n  if\n(Array.isArray(linesToAddEntry)) {\n    linesToAddEntry.map((\n      {line, indentation},\n      idx\n    ) => {\n      logger.debug(`Adding ${podName} to Pod file`);\n      podLines.splice(line + idx, 0, getLineToAdd(newEntry,\n        indentation));\n    });\n  } else {\n    const {line, indentation} = linesToAddEntry;\n    logger.debug(`Adding\n${podName} to Pod file`);\n    podLines.splice(line, 0, getLineToAdd(newEntry, indentation));\n  }\n}\n\nfunction\ngetLineToAdd(newEntry: string, indentation: number) {\n  const spaces = Array(indentation + 1).join(' ');\n  return\nspaces + newEntry;\n}
```

Found in path(s):

```
*/opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/addPodEntry.js.map
```

No license file was found, but licenses were detected in source scan.

```
 {"version":3,"sources":["../../src/link-
```

```

pods/findLineToAddPod.ts"], "names": ["findLineToAddPod", "podLines", "firstTargetLine", "nextTarget", "endOfCurrentTarget", "functionDefinition", "i", "length", "matchNextConstruct", "match", "matchEnd", "firstNonSpaceCharacter", "search", "indentation", "line"], "mappings": ";;;;;;;;;AAAA;AACa;AACa;AACa;AACa;AACa;AACa;AAEe,SAA SA,gBAAT,CACbC,QADa,EAEBc,eAFa,EAGb;AACa;AACa,QAAMC,UAAU,GAAG,0BAAnB,CAFA,CAGA;; AACa,QAAMC,kBAaKB,GAAG,cAA3B,CAJA,CAKA;;AACa,QAAMC,kBAaKB,GAAG,mCAA3B;;AAEA,O AAK,IAAIC,CAAC,GAAGJ,eAAb,EAA8BI,CAAC,GAAGL,QAAQ,CAACM,MAAT,GAaKB,CAAPd,EAAuDD ,CAAC,EAAxD,EAA4D;AAC1D,UAAAME,kBAaKB,GACtBP,QAAQ,CAACK,CAAD,CAAR,CAAYG,KAAZ,C AAKBN,UAAIB,KAAiCF,QAAQ,CAACK,CAAD,CAAR,CAAYG,KAAZ,CAAKBJ,kBAAIB,CADnC;AAEA,UA AMK,QAAQ,GAAGT,QAAQ,CAACK,CAAD,CAAR,CAAYG,KAAZ,CAAKBL,kBAAIB,CAAjB;;AAEA,QAAII ,kBAAKB,IAAIE,QAAIB,EAAoC;AACIC,YAAMC,sBAAsB,GAAGV,QAAQ,CAACK,CAAD,CAAR,CAAYM, MAAZ,CAAmB,IAAnB,CAA/B;AACa,aAAO;AACLC,QAAAA,WAAW,EAaEF,sBAAsB,IAAID,QAAQ,GAA G,CAAH,GAAO,CAAnB,CAD9B;AAELI,QAAAA,IAAI,EAaER;AAFD,OAAP;AAID;AACF;;AACD,SAAO,IA AP;AACD", "sourcesContent": ["/*\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n *\n *\n */\n\nexport default function findLineToAddPod(\n  podLines: Array<string>,\n  firstTargetLine: number,\n) {\n  // match line with new target: target 'project_name' do (most likely target inside podfile main target)\n  const\n  nextTarget = /target ("")\\w+("\\") do/g;\n  // match line that has only 'end' (if we don't catch new target or function,\n  this would mean this is end of current target)\n  const endOfCurrentTarget = /^\\s*end\\s*$/g;\n  // match function\n  definition, like: post_install do |installer| (some Podfiles have function defined inside main target)\n  const\n  functionDefinition = /^\\s*[a-z_]+\\s+do(\\s+\\|\\[a-z]+\\|)?/g;\n  for (let i = firstTargetLine; i < podLines.length - 1;\n  i++) {\n    const matchNextConstruct =\n      podLines[i].match(nextTarget) ||\n      podLines[i].match(functionDefinition);\n    const matchEnd = podLines[i].match(endOfCurrentTarget);\n\n    if\n    (matchNextConstruct || matchEnd) {\n      const firstNonSpaceCharacter = podLines[i].search(/\\S/);\n      return {\n        indentation: firstNonSpaceCharacter + (matchEnd ? 2 : 0),\n        line: i,\n      };\n    }\n  }\n  return null;\n}

```

Found in path(s):

```

* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-
pods/findLineToAddPod.js.map

```

No license file was found, but licenses were detected in source scan.

```

{"version":3,"sources":["../src/link-
pods/unregisterNativeModule.ts"], "names": ["unregisterNativeModule", "dependencyConfig", "iOSProject", "podContent", "fs", "readFileSync", "podfile", "removed", "podspecPath", "logger", "debug", "writeFileSync"], "mappings": ";;;;;;;;;A AQA;AAAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;AACa;AACa;AAAA;;AAAA;AAAA;AAAA;;AAAA;AA AA;;AAVA;AACa;AACa;AACa;AACa;AACa;AACa;AAUA;AACa;AACa;AAcE,SAASA,sBAAT,CACb C,gBADa,EAEBc,UAFa,EAGb;AACa,QAAMC,UAAU,GAAGC,cAAGC,YAAH,CAAgBH,UAAU,CAACI,OAA 3B,EAAoC,MAApC,CAAnB;;AACa,QAAMC,OAAO,GAAG,6BAaEJ,UAAf,EAA2BF,gBAAGB,CAACO,WAA 5C,CAAhB;;AACAC,qBAAOC,KAAP,CAAc,sBAAqBR,UAAU,CAACI,OAAQ,EAaID;;AACAF,gBAAGO,aAA H,CAAiBT,UAAU,CAACI,OAA5B,EAAqCC,OAArC;AACD", "sourcesContent": ["/*\n * Copyright (c)\n Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n *\n *\n */\n\nimport fs from 'fs';\nimport removePodEntry from\n './removePodEntry';\nimport {logger} from '@react-native-community/cli-tools';\nimport {\n  IOSDependencyConfig,\n  IOSProjectConfig,\n} from '@react-native-community/cli-types';\n\n/*\n * Unregister\n native module IOS with CocoaPods\n *\n */\nexport default function unregisterNativeModule(\n  dependencyConfig:\n  IOSDependencyConfig,\n  iOSProject: IOSProjectConfig,\n) {\n  const podContent =\n  fs.readFileSync(iOSProject.podfile, 'utf8');\n  const removed = removePodEntry(podContent,\n  dependencyConfig.podspecPath);\n  logger.debug(`Writing changes to ${iOSProject.podfile}`);\n  fs.writeFileSync(iOSProject.podfile, removed);\n}

```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/unregisterNativeModule.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link-pods/registerNativeModule.ts"],"names":["registerNativeModulePods","name","podspecPath","iOSProject","podLines","podfile","linesToAddEntry","getLinesToAddEntry","projectName","linesToAddPodWithMarker","length","firstTargetLined","CLIErrror","chalk","dim","replace","MARKER_TEXT"],"mappings":";;::;AAOA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAEA;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AAae,SAASA,wBAAT,CACbC,IADa,EAebC,WAFa,EAGbC,UaHa,EAIb;AACa,QAAMC,QAAQ,GAAG,0BAAYD,UAAU,CAACE,OAAvB,CAAjB;AACa,QAAMC,eAAe,GAAGC,kBAakB,CAACH,QAAD,EAAWD,UAAx,CAAIC;AACa,4BAAYC,QAAZ,EAAsBE,eAAtB,EAAuCJ,WAAvC,EAAoDD,IAApD;AACa,4BAAYE,UAAU,CAACE,OAAvB,EAAgCD,QAAhC;AACD;AAED,SAASG,kBAAT,CACEH,QADF,EAEE;AAACI,EAAAA;AAAD,CAFF,EAGE;AACa,QAAMC,uBAAuB,GAAG,uCAAyBL,QAAzB,CAAhC;AACa,MAAIK,uBAAuB,CAACC,MAAxB,GAAiC,CAArC,EAAwC;AACtC,WAAOD,uBAAP;AACD;AACD,QAAME,gBAAgB,GAAG,gCAAkBP,QAAIB,EAA4BI,WAA5B,CAAzB;AACa,MAAIG,gBAAgB,KAAK,IAAzB,EAA+B;AAC7B,UAAM,KAAIC,oBAAJ,EAAC;AACxB;AACa;AACa,mCAAmCC,iBAAMC,GAAN,CACIB,WAAUN,WAAW,CAACO,OAAZ,CAAoB,YAApB,EAAC,C,EAaIC,CAAsC,MADtB,CAE3B;AACR;AACa,gCAAgCF,iBAAMC,GAAN,CACxBE,qCADwB,CAExB;AACR;AACa,KAXU,CAAN;AAyD;AACD,SAAO,+BAAiBZ,QAAjB,EAA2BO,gBAA3B,CAAP;AACD","sourceContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\nimport chalk from 'chalk';\nimport { CLIErrror } from '@react-native-community/cli-tools';\nimport { IOSProjectConfig } from '@react-native-community/cli-types';\nimport readPodfile from './readPodfile';\nimport findPodTargetLine from './findPodTargetLine';\nimport findLineToAddPod from './findLineToAddPod';\nimport findMarkedLinesInPodfile, { \n  MARKER_TEXT, \n} from './findMarkedLinesInPodfile';\nimport addPodEntry from './addPodEntry';\nimport savePodFile from './savePodFile';\n\nexport default function registerNativeModulePods(\n  name: string,\n  podspecPath: string,\n  iOSProject: IOSProjectConfig,\n) {\n  const podLines = readPodfile(iOSProject.podfile);\n  const linesToAddEntry = getLinesToAddEntry(podLines, iOSProject);\n  addPodEntry(podLines, linesToAddEntry, podspecPath, name);\n  savePodFile(iOSProject.podfile, podLines);\n}\n\nfunction getLinesToAddEntry(\n  podLines: Array<string>,\n  { projectName }: IOSProjectConfig,\n) {\n  const linesToAddPodWithMarker = findMarkedLinesInPodfile(podLines);\n  if (linesToAddPodWithMarker.length > 0) {\n    return linesToAddPodWithMarker;\n  }\n  const firstTargetLined = findPodTargetLine(podLines, projectName);\n  if (firstTargetLined === null) {\n    throw new CLIErrror(`\n    We couldn't find a target to add a CocoaPods dependency.\n\n    Make sure that you have a \"${chalk.dim(`\n    `target '${projectName.replace('.xcodeproj', '')}'\n  do`,\n  )}\" line in your Podfile.\n\n    Alternatively, include \"${chalk.dim(`\n    MARKER_TEXT,\n  )}\" in a Podfile where we should add\n    linked dependencies.\n  `);\n  }\n  return findLineToAddPod(podLines, firstTargetLined);\n}\n}"]}
```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/registerNativeModule.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/common/unregisterNativeModule.ts"],"names":["unregisterNativeModule","_name","dependencyConfig","projectConfig","otherDependencies","isIosInstalled","isPodInstalled","iOSDependen
```

```
cies", "map", "d", "platforms", "ios"], "mappings": ";;;;;;;;AAQA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAC  
A;;ACA;;ACA;;ACA;;;AAZA;ACA;ACA;ACA;ACA;ACA;ACA;AAyE,SAASA,sBAAT,CACbC  
,KADa,EAEBc,gBAFa,EAGbC,aAHa,EAlb;AACAC,iBALa,EAMb;ACA,QAAMC,cAAc,GAAG,0BAAeF,aAf  
,EAA8BD,gBAA9B,CAAvB;ACA,QAAMI,cAAc,GAAG,2BAAgBH,aAAhB,EAA+BD,gBAA/B,CAAvB;;AAC  
A,MAAIG,cAAJ,EAAoB;AACIB,UAME,eAAe,GAAG,uBACtBH,iBAaIB,CAACI,GAAIB,CAAuBC,CAAD,IA  
AOA,CAAC,CAACC,SAAF,CAAyC,GAazC,CADsB,CAAxB;AGA,yCAAwBT,gBAAxB,EAA0CC,aAA1C,E  
AAyDI,eAAzD;AACD,GALD,MAKO,IAAID,cAAJ,EAAoB;AACzB,0CAAyBJ,gBAAzB,EAA2CC,aAA3C;AAC  
D;AACF", "sourcesContent": ["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is  
licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n *\n */\nimport { compact } from 'lodash';\nimport isInstalledIOS from './isInstalled';\nimport isInstalledPods from  
'./../link-pods/isInstalled';\nimport unregisterDependencyIOS from './unregisterNativeModule';\nimport  
unregisterDependencyPods from './../link-pods/unregisterNativeModule';\nimport {\n IOSDependencyConfig,\n IOSProjectConfig, } from '@react-native-community/cli-types';\nexport default function  
unregisterNativeModule(\n  _name: string,\n  dependencyConfig: IOSDependencyConfig,\n  projectConfig:  
IOSProjectConfig, // FIXME: Add type signature here\n  otherDependencies: Array<any>,\n) {\n  const  
isInstalled = isInstalledIOS(projectConfig, dependencyConfig);\n  const isPodInstalled =  
isInstalledPods(projectConfig, dependencyConfig);\n  if (isInstalled) {\n    const iOSDependencies = compact(\n      otherDependencies.map((d) => d.platforms.ios),\n    );\n    unregisterDependencyIOS(dependencyConfig,  
projectConfig, iOSDependencies);\n  } else if (isPodInstalled) {\n    unregisterDependencyPods(dependencyConfig,  
projectConfig);\n  }\n}
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-  
tgz/package/build/link/common/unregisterNativeModule.js.map
```

No license file was found, but licenses were detected in source scan.

```
{ "version": 3, "sources": [ "../src/link/registerNativeModule.ts" ], "names": [ "registerNativeModuleIOS", "dependency  
Config", "projectConfig", "logger", "debug", "pbxprojPath", "project", "xcode", "parseSync", "dependencyProject", "libra  
ries", "libraryFolder", "file", "path", "relative", "sourceDir", "projectPath", "targets", "forEach", "product", "i", "isTVOS", "l  
ength", "name", "target", "addStaticLibrary", "uuid", "sharedLibraries", "headers", "folder", "fs", "writeFileSync", "writeS  
ync" ], "mappings": ";;;;;;;;AAQA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAC  
A;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAC  
A;AAAA;AAAA;AKA;ACA;ACA;ACA;ACA;ACA;ACA;ACA;ACA;AAAA;AAAA;A  
AAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AA  
AA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AA  
ACA;ACA;ACA;ACA;ACe,SAASA,uBAAT,CACbC,gBADA,EAEBc,aAFa,EAGb;AACAC,qBAAOC,KA  
AP,CAAc,WAAUF,aAAa,CAACG,WAAyE,EAaID;ACA,QAAMC,OAAO,GAAGC,iBAAMD,OAAAN,CAAcJ,a  
AAa,CAACG,WAA5B,EAAyCG,SAAzC,EAAhB;ACA,QAAMC,iBAaIB,GAAGF,iBACvBD,OADuB,CACfL,  
gBAAgB,CAACI,WADF,EAEvBG,SAFuB,EAaIB;AAIA,QAAME,SAAS,GAAG,qCACHBJ,OADgB,EAehBJ,a  
AAa,CAACS,aAFE,CAaIB;AAIA,QAAMC,IAAI,GAAG,+BACXN,OADW,EAEXO,gBAAKC,QAAL,CAAcZ,a  
AAa,CAACa,SAA5B,EAauCd,gBAAgB,CAAcE,WAAxD,CAFW,CAAb;AKA,QAAMC,OAAO,GAAG,yBAA  
WX,OAAx,CAAhB;AAEA,sCAAsBI,SAaTB,EAAiCE,IAAjC;AAEA,2BAAWH,iBAAX,EAA8BS,OAA9B,CAA  
uCC,OAAD,IAAKB;AACtD,QAaIC,CAAJ;ACA,QAaI,CAACD,OAAO,CAACE,MAAb,EAAqB;AACnB,WA  
AKD,CAAC,GAAG,CAAT,EAAyA,CAAC,GAAGH,OAAO,CAACK,MAAxB,EAAgCF,CAAC,EAAjC,EAAqC;  
AACnC,YAAI,CAACH,OAAO,CAACG,CAAD,CAAP,CAAWC,MAAhB,EAAwB;AACtBIB,6BAAOC,KAAP,C  
AAc,UAASe,OAAO,CAACI,IAAK,OAAmN,OAAO,CAACG,CAAD,CAAP,CAAWI,MAAX,CAAKBD,IAAK,E  
AAjE;:ACAjB,UAAAA,OAAO,CAACmB,gBAAR,CAAyBN,OAAO,CAACI,IAAjC,EAAuC;AACrCC,YAAAA  
,MAAM,EAAEP,OAAO,CAACG,CAAD,CAAP,CAAWM;AADkB,WAAvC;AAGD;AACF;AACF;;AAED,QAaI  
P,OAAO,CAACE,MAAZ,EAAoB;AACIB,WAAKD,CAAC,GAAG,CAAT,EAAyA,CAAC,GAAGH,OAAO,CAA
```

```

CK,MAAxB,EAAgCF,CAAC,EAAjC,EAAqC;AACnC,YAAIH,OAAO,CAACG,CAAD,CAAP,CAAWC,MAAf,E
AAuB;AACrBIB,6BAAOC,KAAP,CAAc,UAASe,OAAO,CAACI,IAAK,OAAMN,OAAO,CAACG,CAAD,CAAP
,CAAWI,MAAX,CAAkBD,IAAK,EAAjE;;AACAjB,UAAAA,OAAO,CAACmB,gBAAR,CAAyBN,OAAO,CAA
CI,IAAjC,EAAuC;AACrCC,YAAAA,MAAM,EAAEP,OAAO,CAACG,CAAD,CAAP,CAAWM;AADkB,WAAv
C;AAGD;AACF;AACF;AACF,GAvBD;AAyBA,mCAAmBpB,OAAnB,EAA4BL,gBAAGB,CAAC0B,eAA7C;AA
EA,QAAMC,OAAO,GAAG,iCAAmB3B,gBAAGB,CAAC4B,MAApC,CAAhB;;AACa,MAAI,CAAC,uBAAQD,
OAR,CAAL,EAAuB;AACrB,yCACeT,OADF,EAEE,kCAAoBJ,aAAa,CAACa,SAaIC,EAA6Ca,OAA7C,CAFF
;AAID;;AAEDzB,qBAAOC,KAAP,CAAc,sBAAqBF,aAAa,CAACG,WAAy,EAA7D;;AACAyB,gBAAGC,aAAH
,CAAiB7B,aAAa,CAACG,WAA/B,EAA4CC,OAAO,CAAC0B,SAAR,EAA5C;AACD", "sourcesContent":["/**\n
 * Copyright (c) Facebook, Inc. and its affiliates.\n *
 * This source code is licensed under the MIT license found in
 the\n * LICENSE file in the root directory of this source tree.\n *
 *\nimport xcode from 'xcode';\nimport fs
 from 'fs';\nimport path from 'path';\nimport {isEmpty} from 'lodash';\nimport {\n IOSDependencyConfig,\n IOSProjectConfig,\n} from '@react-native-community/cli-types';\nimport addToHeaderSearchPaths from
 './addToHeaderSearchPaths';\nimport getHeadersInFolder from './getHeadersInFolder';\nimport
 getHeaderSearchPath from './getHeaderSearchPath';\nimport getTargets from './getTargets';\nimport
 createGroupWithMessage from './createGroupWithMessage';\nimport addFileToProject from
 './addFileToProject';\nimport addProjectToLibraries from './addProjectToLibraries';\nimport addSharedLibraries
 from './addSharedLibraries';\nimport {logger} from '@react-native-community/cli-tools';\n\n/**\n * Register native
 module IOS adds given dependency to project by adding\n * its xcodeproj to project libraries as well as attaching
 static library\n * to the first target (the main one)\n *
 * If library is already linked, this action is a no-op.\n
 *\nexport default function registerNativeModuleIOS(\n  dependencyConfig: IOSDependencyConfig,\n  projectConfig: IOSProjectConfig,\n) {\n  logger.debug(`Reading ${projectConfig.pbxprojPath}`);\n  const project =
 xcode.project(projectConfig.pbxprojPath).parseSync();\n  const dependencyProject = xcode\n
 .project(dependencyConfig.pbxprojPath)\n  .parseSync();\n\n  const libraries = createGroupWithMessage(\n
 project,\n  projectConfig.libraryFolder,\n );\n  const file = addFileToProject(\n  project,\n
 path.relative(projectConfig.sourceDir, dependencyConfig.projectPath),\n );\n\n  const targets =
 getTargets(project);\n\n  addProjectToLibraries(libraries, file);\n\n  getTargets(dependencyProject).forEach((product: any) => {\n  let i;\n  if (!product.isTVOS) {\n  for (i = 0; i <
 targets.length; i++) {\n  if (!targets[i].isTVOS) {\n  logger.debug(`Adding ${product.name} to
 ${targets[i].target.name}`);\n  project.addStaticLibrary(product.name, {\n  target: targets[i].uuid,\n
 });\n  }\n  }\n  }\n  if (product.isTVOS) {\n  for (i = 0; i < targets.length; i++) {\n  if
 (targets[i].isTVOS) {\n  logger.debug(`Adding ${product.name} to ${targets[i].target.name}`);\n
 project.addStaticLibrary(product.name, {\n  target: targets[i].uuid,\n  });\n  }\n  }\n  }\n  });\n\n  addSharedLibraries(project, dependencyConfig.sharedLibraries);\n\n  const headers =
 getHeadersInFolder(dependencyConfig.folder);\n  if (!isEmpty(headers)) {\n  addToHeaderSearchPaths(\n
 project,\n  getHeaderSearchPath(projectConfig.sourceDir, headers),\n );\n  }\n\n  logger.debug(`Writing
 changes to ${projectConfig.pbxprojPath}`);\n  fs.writeFileSync(projectConfig.pbxprojPath,
 project.writeSync());\n}\n}"}]}

```

Found in path(s):

```

* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-
tgz/package/build/link/registerNativeModule.js.map

```

No license file was found, but licenses were detected in source scan.

```

{"version":3,"sources":["../../src/link/unlinkAssets.ts"],"names":["unlinkAssetsIOS","files","projectConfig","project
","xcode","pbxprojPath","parseSync","assets","plist","sourceDir","logger","error","pbxGroupByName","removeRes
ourceFiles","f","map","asset","debug","removeResourceFile","path","relative","target","getFirstTarget","uuid","file"
,"basename","image","fonts","font","UIAppFonts","fs","writeFileSync","writeSync"],"mappings":":;:::AAQA;AA

```

```

AA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;ACA;AAAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;ACA;AAA
A;;AAAA;AAAA;AAAA;;AAAA;AAAA;;ACA;AAAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;AEA;;ACA
;;ACA;AAAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;;AAfA;ACA;ACA;ACA;ACA;ACA;ACA;ACA;;A
AYA;ACA;ACA;ACA;ACe,SAASA,eAAT,CACbC,KADa,EAEBc,aAfA,EAGb;ACA,QAAMC,OAAO,G
AAGC,iBAAMD,OAAN,CAAcD,aAAa,CAACG,WAA5B,EAAyCC,SAAzC,EAAhB;;ACA,QAAMC,MAAM,G
AAG,kCAAiBN,KAAjB,CAAf;ACA,QAAMO,KAAK,GAAG,uBAASL,OAAT,EAakBD,aAAa,CAACO,SAAh
C,CAAd;;AEA,MAAI,CAACD,KAAL,EAAY;AACVE,uBAAOC,KAAP,CACE,6FADF;;AGA;ACD;;AED
,MAAI,CAACR,OAAO,CAACS,cAAR,CAAuB,WAAvB,CAAL,EAA0C;AACxCF,uBAAOC,KAAP,CACE,qFA
DF;;AGA;ACD;;AED,QAAME,mBAAmB,GAAG,CAACC,CAAa,GAAG,EAajB,KAC1B,CAACA,CAAC,I
AAI,EAAN,EACGC,GADH,CACQC,KAAD,IAAW;AACdN,uBAAOO,KAAP,CAAc,mBAakBD,KAAM,EAAtC
;;ACA,WAAOb,OAAO,CAACe,kBAAR,CACLC,gBAAKC,QAAL,CAAc1B,aAAa,CAACO,SAA5B,EAAuCO,
KAAvC,CADK,EAEL;AAACK,MAAAA,MAAM,EAIEB,OAAO,CAACmB,cAAR,GAAYBC;AAAIK,KAFK,C
AAP;AAID,GAPH,EAQGR,GARH,CAQQS,IAAD,IAAUA,IAAI,CAACC,QARtB,CADF;;AAWAZ,EAAAA,mB
AAmB,CAACN,MAAM,CAACmB,KAAR,CAAnB;AEA,QAAMC,KAAK,GAAGd,mBAAmB,CAACN,MAA
M,CAACqB,IAAR,CAAjC,CAhCA,CaKCA;;AACApB,EAAAA,KAAK,CAACqB,UAN,GAAmB,0BAAWrB,K
AAK,CAACqB,UAN,IAAoB,EAA/B,EAAMCF,KAAnC,CAAnB;;AAEAG,gBAAGC,aAAH,CAAiB7B,aAAa,C
AACG,WAA/B,EAA4CF,OAAO,CAAC6B,SAAR,EAA5C;;AEA,2BAAW7B,OAAX,EAoBD,aAAa,CAACO,
SAAIC,EAA6CD,KAA7C;AACD","sourcesContent":["/*\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n
* This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this
source tree.\n *\n */\n\nimport fs from 'fs';\nimport path from 'path';\nimport xcode from 'xcode';\nimport
{difference} from 'lodash';\nimport getPlist from './getPlist';\nimport writePlist from './writePlist';\nimport {logger,
groupFilesByType} from '@react-native-community/cli-tools';\nimport {IOSProjectConfig} from '@react-native-
community/cli-types';\n\n/**\n * Unlinks assets from iOS project. Removes references for fonts from `Info.plist`\n *
fonts provided by application and from `Resources` group\n */\nexport default function unlinkAssetsIOS(\n files:
any,\n projectConfig: IOSProjectConfig,\n) {\n const project =
xcode.project(projectConfig.pbxprojPath).parseSync();\n const assets = groupFilesByType(files);\n const plist =
getPlist(project, projectConfig.sourceDir);\n\n if (!plist) {\n logger.error(\n 'Could not locate `Info.plist` file.
Check if your project has `INFOPLIST_FILE` set properly',\n );\n return;\n }\n\n if
(!project.pbxGroupByName('Resources')) {\n logger.error(\n 'Group `Resources` does not exist in your
Xcode project. There is nothing to unlink.',\n );\n return;\n }\n\n const removeResourceFiles = (f: Array<any>
= []) =>\n (f || [])\n .map((asset) => {\n logger.debug(`Unlinking asset ${asset}`);\n return
project.removeResourceFile(\n path.relative(projectConfig.sourceDir, asset),\n {target:
project.getFirstTarget().uuid},\n );\n })\n .map((file) => file.basename);\n\n
removeResourceFiles(assets.image);\n\n const fonts = removeResourceFiles(assets.font);\n\n // @ts-ignore Type
mismatch\n plist.UIAppFonts = difference(plist.UIAppFonts || [], fonts);\n\n
fs.writeFileSync(projectConfig.pbxprojPath, project.writeSync());\n\n writePlist(project, projectConfig.sourceDir,
plist);\n\n}

```

Found in path(s):

```

* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/unlinkAssets.js.map
No license file was found, but licenses were detected in source scan.

```

```

{"version":3,"sources":["../../src/link/common/isInstalled.ts"],"names":["isInstalled","projectConfig","_name","de
pendencyConfig"],"mappings":":;::;AAQA;;ACA;;AATA;ACA;ACA;ACA;ACA;ACA;ACA;AASe,
SAASA,WAAT,CACbC,aADa,EAEB;AACAC,KAHa,EAIbC,gBAJa,EAKb;ACA,SACE,0BAAEf,aAAf,EAA8B
E,gBAA9B,KACA,2BAAGBF,aAAhB,EAA+BE,gBAA/B,CAFF;AAID","sourcesContent":["/*\n * Copyright (c)
Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n *
LICENSE file in the root directory of this source tree.\n *\n */\n\nimport isInstalledIOS from './isInstalled';\nimport

```



Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-

tgz/package/build/commands/logIOS/index.js.map

No license file was found, but licenses were detected in source scan.

```
 {"version":3,"sources":["../../src/config/index.ts"],"names":["memoizedFindProject","findProject","mapSharedLibar  
ies","libraries","map","name","path","extname","indexOf","projectConfig","folder","userConfig","project","project  
Path","join","podfile","sourceDir","dirname","pbxprojPath","podspecPath","projectName","basename","libraryFold  
er","sharedLibraries","plist","scriptPhases","dependencyConfig","configurations","baseConfig"],"mappings":",,,,,;  
AAQA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;A  
ACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;AACA;  
uBAAQC,oBAAR,CAA5B;AAEA;AACA;AACA;AACA;AACA;AACA;MAAMC,iBAaIB,GAAIC,SAAD,IACxBA,SA  
AS,CAACC,GAAV,CAAeC,IAAD,IAAU;AACTB,MAAIC,gBAAKC,OAAL,CAAaF,IAAb,CAAJ,EAAwB;AACT  
B,WAAOA,IAAP;AACD;AACD,SAAOA,IAAI,IAAIA,IAAI,CAACG,OAAL,CAAa,KAAb,MAAwB,CAAxB,G  
AA4B,MAA5B,GAAqC,YAAzC,CAAX;AACD,CALD,CADF;AAQA;AACA;AACA;AACA;AACO,SAASC,aA  
AT,CAAuBC,MAAvB,EAAuCC,UAAvC,EAAqE;AACIE,MAAI,CAACA,UAAAL,EAAiB;AACf;AACD;AACD,  
QAAMC,OOAO,GAAGD,UAAU,CAACC,OAAX,IAAsBZ,mBAAmB,CAACU,MAAD,CAAzD;AAEA;AACF;A  
ACA;AAACE,MAAI,CAACE,OAAL,EAAc;AACZ,WAAO,IAAP;AACD;AAED,QAAMC,WAAW,GAAGP,gBA  
AKQ,IAAL,CAAUJ,MAAV,EAAkBE,OAAIB,CAApB;AACA,QAAMG,OOAO,GAAG,8BAAgBL,MAAhB,EA  
AwBG,WAAxB,CAAhB,CAd0E,CAGBI;AACA;AACA;AACA,QAAMG,SAAS,GAAGD,OOAO,GAAGT,gBA  
AKW,OAAL,CAAaF,OAAb,CAAH,GAA2BT,gBAAKW,OAAL,CAAaJ,WAAb,CAApD;AAEA,SAAO;AACLG,I  
AAAA,SADK;AAELN,IAAAA,MAFK;AAGLQ,IAAAA,WAAW,EAAEZ,gBAAKQ,IAAL,CAAUD,WAAV,EA  
AuB,iBAAvB,CAHR;AAILE,IAAAA,OAJK;AAKLI,IAAAA,WAAW,EACTR,UAAU,CAACQ,WAAAX,IACA;A  
ACA;AACA,8BAAYT,MAAZ,CAHA,IAIA,0BAA YM,SAAZ,CAVG;AAWLH,IAAAA,WAXK;AAYLO,IAAAA,  
WAAW,EAAEd,gBAAKe,QAAL,CAAcR,WAAAd,CAZR;AAaLS,IAAAA,aAAa,EAAEX,UAAU,CAACW,aAAX,  
IAA4B,WAbtC;AAcLC,IAAAA,eAAe,EAAErB,iBAaIB,CAACS,UAAU,CAACY,eAAX,IAA8B,EAA/B,CAd7B;  
AAeLC,IAAAA,KAAK,EAAEb,UAAU,CAACa,KAAAX,IAAoB,EaftB;AAgBLC,IAAAA,YAAY,EAAEd,UAAU,  
CAACc,YAAX,IAA2B;AAhBpC,GAAP;AAkBD;AAEM,SAASC,gBAAT,CACLhB,MADK,EAELC,UAFK,EAG  
L;AACA,QAAMgB,cAAc,GAAGhB,UAAU,CAACgB,cAAX,IAA6B,EAApD;AAEA,QAAMC,UAAU,GAAGnB,  
aAAa,CAACC,MAAD,EAASC,UAAU,CAAhC;AACA,MAAI,CAACiB,UAAAL,EAAiB;AACf,WAAO,IAAP;AA  
CD;AAED,SAAO,EAAC,GAAGA,UAAJ;AAAgBD,IAAAA;AAAhB,GAAP;AACD","sourcesContent":["/**\n *  
Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in  
the\n * LICENSE file in the root directory of this source tree.\n *\n *\nimport path from 'path';\nimport  
{ memoize } from 'lodash';\nimport findProject from './findProject';\nimport findPodfilePath from  
 './findPodfilePath';\nimport findPodspec from './findPodspec';\nimport {\n IOSProjectParams,\n IOSDependencyParams,\n } from '@react-native-community/cli-types';\nconst memoizedFindProject =  
 memoize(findProject);\n\n/**\n * For libraries specified without an extension, add '.tbd' for those that\n * start with  
'lib' and '.framework' to the rest.\n *\nconst mapSharedLibraries = (libraries: Array<string>) =>\n libraries.map((name) => {\n if (path.extname(name)) {\n return name;\n }\n return name +  
(name.indexOf('lib') === 0 ? '.tbd' : '.framework');\n });\n\n/**\n * Returns project config by analyzing given folder  
and applying some user defaults\n * when constructing final object\n *\nexport function projectConfig(folder:  
string, userConfig: IOSProjectParams) {\n if (!userConfig) {\n return;\n }\n const project = userConfig.project ||  
 memoizedFindProject(folder);\n\n/**\n * No iOS config found here\n *\n if (!project) {\n return null;\n }\n\n const projectPath = path.join(folder, project);\n const podfile = findPodfilePath(folder, projectPath);\n\n // This is a  
temporary fix for #1435. In certain repos, the Xcode project can\n // be generated by a tool. The only file that we  
can assume to exist on disk\n // is `Podfile`.\n const sourceDir = podfile ? path.dirname(podfile) :  
 path.dirname(projectPath);\n\n return {\n sourceDir,\n folder,\n pbxprojPath: path.join(projectPath,  
'project.pbxproj'),\n podfile,\n podspecPath:\n userConfig.podspecPath ||\n // podspecs are usually placed
```



```
in the root dir of the library or in the\n // iOS project path\n findPodspec(folder) |\n findPodspec(sourceDir),\n projectPath,\n projectName: path.basename(projectPath),\n libraryFolder:\n userConfig.libraryFolder || 'Libraries',\n sharedLibraries: mapSharedLibraries(userConfig.sharedLibraries || []),\n plist: userConfig.plist || [],\n scriptPhases: userConfig.scriptPhases || [],\n };\n\n\nexport function\n dependencyConfig(\n folder: string,\n userConfig: IOSDependencyParams,\n ) {\n const configurations =\n userConfig.configurations || [];\n\n const baseConfig = projectConfig(folder, userConfig);\n if (!baseConfig) {\n return null;\n }\n\n return {...baseConfig, configurations};\n\n}
```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/config/index.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version":3,"sources":["../../src/link/getBuildProperty.ts"],"names":["getBuildProperty","project","prop","target","g\n etFirstTarget","firstTarget","config","pbxXCConfigurationList","buildConfigurationList","buildSection","pbxXCbu\n ildConfigurationSection","buildConfigurations","value","buildSettings"],"mappings":":;;;;;;;;;AAAA;AACAA;AACAA;\n AACAA;AACAA;AACAA;AACAA;AAEA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;\n AACe,SAASA,gBAAT,CAA0BC,OAA1B,EAAwCC,IAAxC,EAAsD;AACnE,QAAMC,MAAM,GAAGF,OAAO,\n CAACG,cAAR,GAAYBC,WAAxC;AACAA,QAAMC,MAAM,GAAGL,OAAO,CAACM,sBAAR,GACbJ,MAAM,C\n AACK,sBADm,CAAF;AAGA,QAAMC,YAAY,GAAGR,OAAO,CAACS,8BAAR,GACnBJ,MAAM,CAACK,mB\n AAP,CAA2B,CAA3B,EAA8BC,KADX,CAArB;AAIA,SAAOH,YAAY,CAACI,aAAb,CAA2BX,IAA3B,CAAP;A\n ACD","sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n * This source code is\n licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n *\n *\n * Gets build property from the main target build section\n *\n * It differs from the\n project.getBuildProperty exposed by xcode in the way that:\n * - it only checks for build property in the main target\n `Debug` section\n * - `xcode` library iterates over all build sections and because it misses\n * an early return when\n property is found, it will return undefined/wrong value\n * when there's another build section typically after the one\n you want to access\n * without the property defined (e.g. CocoaPods sections appended to project\n * miss\n INFOPLIST_FILE), see: https://github.com/alunny/node-xcode/blob/master/lib/pbxProject.js#L1765\n *\n\n\nexport\n default function getBuildProperty(project: any, prop: string) {\n const target = project.getFirstTarget().firstTarget;\n const config = project.pbxXCConfigurationList()[\n target.buildConfigurationList\n ];\n const buildSection =\n project.pbxXCBuildConfigurationSection()[\n config.buildConfigurations[0].value\n ];\n\n return\n buildSection.buildSettings[prop];\n\n}
```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-

tgz/package/build/link/getBuildProperty.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version":3,"sources":["../../src/commands/runIOS/findMatchingSimulator.ts"],"names":["findMatchingSimulator\n ","simulators","findOptions","devices","simulatorVersion","simulatorName","simulator","parsedSimulatorName"," \n match","undefined","versionDescriptor","device","version","test","replace","includes","endsWith","i","availability",\n "isAvailable","booted","state","simulatorDescriptor","udid","name"],"mappings":":;;;;;;;;;AAAA;AACAA;AACAA;AAC\n A;AACAA;AACAA;AACAA;AAIA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AAC\n A;AACAA,SAASA,qBAAT,CACEC,UADF,EAEEC,WAFF,EAGE;AACAA,MAAI,CAACD,UAAU,CAACE,OAAh\n B,EAAYB;AACvB,WAAO,IAAP;AACD;;AACD,QAAMA,OAAO,GAAGF,UAAU,CAACE,OAA3B;AACAA,MA\n AIC,gBAAJ;AACAA,MAAIC,aAAa,GAAG,IAApB;AAEA,MAAIH,WAAW,IAAIA,WAAW,CAACI,SAA/B,EAA\n 0C;AACxC,UAAMC,mBAAmB,GAAGL,WAAW,CAACI,SAAZ,CAAsBE,KAAtB,CAC1B,4BAD0B,CAA5B;;A\n AGA,QAAID,mBAAmB,IAAIA,mBAAmB,CAAC,CAAD,CAAnB,KAA2BE,SAAtD,EAAiE;AAC/DL,MAAAA,
```

```

gBAAgB,GAAGG,mBAAmB,CAAC,CAAD,CAAtC;AACAF,MAAAA,aAAa,GAAGE,mBAAmB,CAAC,CAAD,
CAAnC;AACD,KAHD,MAGO;AACLF,MAAAA,aAAa,GAAGH,WAAW,CAACI,SAA5B;AACD;AACF;;AAED
,MAAIE,KAAJ;;ACA,OAk,MAAME,iBAAX,IAAgCP,OAaHC,EAAyC;AACvC,UAAMQ,MAAM,GAAGR,
OAAO,CAACO,iBAAD,CAAtB;ACA,QAAIE,OAAO,GAAGF,iBAAd;;AAEA,QAAI,4CAA4CG,IAA5C,CAAI
DD,OAAjD,CAAJ,EAA+D;AAC7D;AACAA,MAAAA,OAAO,GAAGA,OAAO,CAACE,OAAAR,CACR,mEADQ,
EAER,UAFQ,CAAV;AAID,KAVsC,CAYvC;;;ACA,QAAI,CAACF,OAAO,CAACG,QAAR,CAAiB,KAAjB,CA
AD,IAA4B,CAACH,OAAO,CAACG,QAAR,CAAiB,MAAjB,CAAjC,EAA2D;AACzD;AACD;;AACD,QAAIX,g
BAAgB,IAAI,CAACQ,OAAO,CAACI,QAAR,CAAiBZ,gBAAjB,CAAZB,EAA6D;AAC3D;AACD;;AACD,SAAK
,MAAMa,CAAX,IAAgBN,MAAhB,EAAwB;AACTB,YAAML,SAAS,GAAGK,MAAM,CAACM,CAAD,CAAxB,
CADsB,CAEtB;;ACA,UACEX,SAAS,CAACY,YAAV,KAA2B,aAA3B,IACA;AACAZ,MAAAA,SAAS,CAACa
,WAAV,KAA0B,KAF1B,IAGAb,SAAS,CAACa,WAAV,KAA0B,IAJ5B,EAKE;ACA;AACD;;AACD,YAAMC,
MAAM,GAAGd,SAAS,CAACe,KAAV,KAAoB,QAAAnC;ACA,YAAMC,mBAAmB,GAAG;AAC1BC,QAAAA,
IAAI,EAAEjB,SAAS,CAACiB,IADU;AAE1BC,QAAAA,IAAI,EAAEiB,SAAS,CAACkB,IAFU;AAG1BJ,QAAA
A,MAH0B;AAI1BR,QAAAA;AAJ0B,OAA5B;;AAMA,UAAIV,WAAW,IAAIA,WAAW,CAACqB,IAA/B,EAAq
C;AACnC,YAAIjB,SAAS,CAACiB,IAAV,KAAmBrB,WAAW,CAACqB,IAAnC,EAAyC;AACvC,iBAAOD,mB
AAP;AACD;AACF,OAJD,MAIO;AACL,YAAIF,MAAM,IAAI,AAa,KAAK,IAAhC,EAAc;AACpC,iBAAOiB,
mBAAP;AACD;;AACD,YAAIhB,SAAS,CAACkB,IAAV,KAAmBnB,aAAnB,IAAoC,CAACG,KAAzC,EAAgD;
AAC9CA,UAAAA,KAAK,GAAGc,mBAAR;AACD,SANI,CAOL;;;ACA,YAAIjB,aAAa,KAAK,IAAI,IAA0B,
CAACG,KAA/B,EAAc;AACpCA,UAAAA,KAAK,GAAGc,mBAAR;AACD;AACF;AACF;AACF;;AACD,MA
AId,KAAJ,EAAW;AACT,WAAOA,KAAP;AACD;;AACD,SAAO,IAAP;AACD;;eAEcR,qB","sourcesContent":["/
**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license
found in the\n * LICENSE file in the root directory of this source tree.\n *\n *\nimport {Device} from
'../types';\n\n**\n * Takes in a parsed simulator list and a desired name, and returns an object with the matching
simulator. The desired\n * name can optionally include the iOS version in between parenthesis after the device
name. Ex: \"iPhone 6 (9.2)\" in\n * which case it'll attempt to find a simulator with the exact version specified.\n *\n
* If the simulatorString argument is null, we'll go into default mode and return the currently booted simulator, or if\n
* none is booted, it will be the first in the list.\n *\n * @param simulators a parsed list from `xcrun simctl list --json
devices` command\n * @param simulatorString the string with the name of desired simulator. If null, it will use the
currently\n * booted simulator, or if none are booted, the first in the list.\n */\nfunction
findMatchingSimulator(\n  simulators: {devices: [{index: string}: Array<Device>]},\n  findOptions?: null |
{simulator?: string; udid?: string},\n) {\n  if (!simulators.devices) {\n    return null;\n  }\n  const devices =
simulators.devices;\n  let simulatorVersion;\n  let simulatorName = null;\n  if (findOptions &&
findOptions.simulator) {\n    const parsedSimulatorName = findOptions.simulator.match(\n      /(.*?)
(?:\\(\\(\\d+\\.\\d+)?\\))$/,\n    );\n    if (parsedSimulatorName && parsedSimulatorName[2] !== undefined) {\n
simulatorVersion = parsedSimulatorName[2];\n    simulatorName = parsedSimulatorName[1];\n    } else {\n
simulatorName = findOptions.simulator;\n    }\n  }\n  let match;\n  for (const versionDescriptor in devices) {\n
const device = devices[versionDescriptor];\n    let version = versionDescriptor;\n\n    if
(/^com\\.apple\\.CoreSimulator\\.SimRuntime\\.g\\.test(version)) {\n      // Transform
\"com.apple.CoreSimulator.SimRuntime.iOS-12-2\" into \"iOS 12.2\"\n      version = version.replace(\n
/^com\\.apple\\.CoreSimulator\\.SimRuntime\\.([^-]+)-([^-]+)-([^-]+)$/,g,\n      '$1 $2.$3',\n    );\n    }\n\n    //
Making sure the version of the simulator is an iOS or tvOS (Removes Apple Watch, etc)\n    if
(!version.includes('iOS') && !version.includes('tvOS')) {\n      continue;\n    }\n    if (simulatorVersion &&
!version.endsWith(simulatorVersion)) {\n      continue;\n    }\n    for (const i in device) {\n      const simulator =
device[i];\n      // Skipping non-available simulator\n      if (\n        simulator.availability !== '(available)' &&\n        //
@ts-ignore verify isAvailable parameter\n        simulator.isAvailable !== 'YES' &&\n        simulator.isAvailable !==
true\n      ) {\n        continue;\n      }\n      const booted = simulator.state === 'Booted';\n      const simulatorDescriptor
= {\n        udid: simulator.udid,\n        name: simulator.name,\n        booted,\n        version,\n      }; \n      if
(findOptions && findOptions.udid) {\n        if (simulator.udid === findOptions.udid) {\n          return

```

```
simulatorDescriptor;\n    }\n  } else {\n    if (booted && simulatorName === null) {\n      return\nsimulatorDescriptor;\n    }\n    if (simulator.name === simulatorName && !match) {\n      match =\nsimulatorDescriptor;\n    }\n    // Keeps track of the first available simulator for use if we can't find one above.\n    if (simulatorName === null && !match) {\n      match = simulatorDescriptor;\n    }\n  }\n  if\n(match) {\n    return match;\n  }\n  return null;\n}\n\nexport default findMatchingSimulator;\n"]}
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-\ntgz/package/build/commands/runIOS/findMatchingSimulator.js.map\nNo license file was found, but licenses were detected in source scan.
```

```
{"version":3,"sources":["../../src/link/removeFromHeaderSearchPaths.ts"],"names":["addToHeaderSearchPaths","project","path","logger","debug","searchPaths","filter","searchPath"],"mappings":";;;;AAQA;;ACA;AAAA;;AAA\nA;AAAA;AAAA;;AAAA;AAAA;;;ATA;ACA;ACA;ACA;ACA;ACA;ACA;ACA;ACA;AAKA;ACA;ACA;\nAAce,SAASA,sBAAT,CAAgCC,OAahC,EAA8CC,IAA9C,EAA4D;AACzEC,qBAAOC,KAAP,CAAc,YAAWF,I\nAAK,2BAA9B;;ACA,qCAAqBD,OAArB,EAA+BI,WAAD,IAC5BA,WAAW,CAACC,MAAZ,CAAoBC,UAAD\n,IAAgBA,UAAU,KAAKL,IAAID,CADF;AAGD","sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its\n affiliates.\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root\n directory of this source tree.\n * \n * \n\nimport mapHeaderSearchPaths from './mapHeaderSearchPaths';\nimport\n {logger} from '@react-native-community/cli-tools';\n\n/**\n * Given Xcode project and absolute path, it makes sure\n there are no headers referring to it\n * \n\nexport default function addToHeaderSearchPaths(project: any, path: string)\n {\n  logger.debug(`Removing ${path} from header search paths`);\n  mapHeaderSearchPaths(project, (searchPaths)\n =>{\n    searchPaths.filter((searchPath) => searchPath !== path);\n  });\n}"]}
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-\ntgz/package/build/link/removeFromHeaderSearchPaths.js.map\nNo license file was found, but licenses were detected in source scan.
```

```
{"version":3,"sources":["../../src/link/createGroup.ts"],"names":["hasGroup","pbxGroup","name","children","find","group","comment","createGroup","project","path","split","reduce","uuid","pbxCreateGroup","push","value","pbxGroupBy\nName"],"mappings":";;;;AAQA;;;AARA;ACA;ACA;ACA;ACA;ACA;ACA;ACA;AAIA,MAAMA,\nQAAQ,GAAG,CACfC,QADe,EAefC,IAFe,KAGZD,QAAQ,CAACE,QAAT,CAAkBC,IAAIB,CAAwBC,KAAD,I\nAAWA,KAAK,CAACC,OAAN,KAAkBJ,IAApD,CAHL;AAKA;ACA;ACA;ACA;ACA;ACA;ACA;;AAce,S\nAASK,WAAT,CAAqBC,OAArB,EAAmCC,IAAnC,EAAiD;AAC9D,SAAOA,IAAI,CAACC,KAAL,CAAW,GAA\nX,EAAgBC,MAAhB,CAAuB,CAACN,KAAD,EAAQH,IAAR,KAAiB;AAC7C,QAAI,CAACF,QAAQ,CAACK,K\nAAD,EAAQH,IAAR,CAAb,EAA4B;AAC1B,YAAMU,IAAI,GAAGJ,OAAO,CAACK,cAAR,CAAuBX,IAAvB,E\nAA6B,IAA7B,CAAb;AAEAG,MAAAA,KAAK,CAACF,QAAN,CAAeW,IAAf,CAAoB;AACIBC,QAAAA,KAA\nK,EAAEH,IADW;AAEIBN,QAAAA,OAAO,EAAEJ;AAFS,OAApB;AAID;;AAED,WAAOM,OAAO,CAACQ,cA\nAR,CAAuBd,IAAvB,CAAP;AACD,GAXM,EAWJ,uBAASM,OAAT,CAXI,CAAP;AAYD","sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n * This source code is licensed under the MIT license\n found in the\n * LICENSE file in the root directory of this source tree.\n * \n * \n\nimport getGroup from\n './getGroup';\n\nconst hasGroup = (\n  pbxGroup: {children: Array<{comment: string}>},\n  name: string,\n) =>\n  pbxGroup.children.find((group) => group.comment === name);\n\n/**\n * Given project and path of the group, it\n deeply creates a given group\n * making all outer groups if necessary\n * \n * Returns newly created group\n * \n\nexport default function createGroup(project: any, path: string) {\n  return path.split('/').reduce((group, name) =>\n {\n  if (!hasGroup(group, name)) {\n    const uuid = project.pbxCreateGroup(name, '\\');\n\n    group.children.push({\n      value: uuid,\n      comment: name,\n    });\n  }\n\n  return
```

```
project.pbxGroupByName(name);\n }, getGroup(project));\n}\n"]}
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/createGroup.js.map  
No license file was found, but licenses were detected in source scan.
```

```
{"version":3,"sources":["../../src/link/getTargets.ts"],"names":["getTargets","project","firstProject","targets","getFirstProject","nativeTargetSection","pbxNativeTargetSection","filter","target","value","undefined","map","key","configurationListId","buildConfigurationList","configurationList","pbxXCConfigurationList","buildConfigurationId","buildConfigurations","buildConfiguration","pbxXCBuildConfigurationSection","uuid","name","productReference_comment","isTVOS","buildSettings","SDKROOT","indexOf"],"mappings":";;;;;;;;AAAA;AACa;AACa;AACa;AACa;AACa;AACa;;AAMA;AACa;AACa;AACe,SAASA,UAAAT,CAAoBC,OAAPB,EAAkC;AAC/C,QAAM;AACJC,IAAAA,YAAY,EAAE;AAACC,MAAAA;AAD;AADV,MAEFF,OAAO,CAACG,eAAR,EAFJ;AAGA,QAAMC,mBAAmB,GAAGJ,OAAO,CAACK,sBAAR,EAA5B;AACa,SAAOH,OAAO,CACXI,MADI,CACIC,MAAD,IAAOBH,mBAAmB,CAACG,MAAM,CAACC,KAAR,CAAnB,KAAcC,SAD7D,EAIEJ,GAFI,CAECH,MAAD,IAAOB;AACvB,UAAAM,GAAG,GAAGJ,MAAM,CAACC,KAAnB;AACa,UAAAM,mBAAmB,GACvBR,mBAAmB,CAACO,GAAD,CAAnB,CAAyBE,sBAD3B;AAEA,UAAAMC,iBAAiB,GAAGd,OAAO,CAACe,sBAAR,GACxBH,mBADwB,CAAiB;AAGA,UAAAM,oBAAoB,GACxBF,iBAAiB,CAACG,mBAAlB,CAAsC,CAAtC,EAAyCT,KAD3C;AAEA,UAAAMU,kBAaAkB,GAAGI,OAAO,CAACmB,8BAAR,GACzBH,oBAdyB,CAA3B;AAGA,WAAO;AACLI,MAAAA,IAAI,EAAET,GADD;AAELJ,MAAAA,MAAM,EAIEH,mBAAmB,CAACO,GAAD,CAFTB;AAGLU,MAAAA,IAAI,EAAEjB,mBAAmB,CAACO,GAAD,CAAnB,CAAyBW,wBAH1B;AILC,MAAAA,MAAM,EACHL,kBAaAkB,CAACM,aAAnB,CAAiCC,OAAjC,IACCP,kBAaAkB,CAACM,aAAnB,CAAiCC,OAAjC,CAAyCC,OAAzC,CAAiD,SAAjD,MACE,CAAC,CAFL,IAGA;AARG,KAAP;AAUD,GAXBI,CAAP;AAyBD","sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\ninterface Target {\n  value: string;\n}\n\n/**\n * Given xcodeproj it returns list of targets\n */\nexport default function getTargets(project: any) {\n  const {\n    firstProject: {targets},\n  } = project.getFirstProject();\n  const nativeTargetSection =\n    project.pbxNativeTargetSection();\n  return targets\n    .filter((target: Target) => nativeTargetSection[target.value]\n      !== undefined)\n    .map((target: Target) => {\n      const key = target.value;\n      const configurationListId =\n        nativeTargetSection[key].buildConfigurationList;\n      const configurationList =\n        project.pbxXCConfigurationList([\n          configurationListId\n        ]);\n      const buildConfigurationId =\n        configurationList.buildConfigurations[0].value;\n      const buildConfiguration =\n        project.pbxXCBuildConfigurationSection([\n          buildConfigurationId\n        ]);\n      return {\n        uuid: key,\n        target: nativeTargetSection[key],\n        name: nativeTargetSection[key].productReference_comment,\n        isTVOS:\n          (buildConfiguration.buildSettings.SDKROOT &&\n            buildConfiguration.buildSettings.SDKROOT.indexOf('appletv') !==\n              -1) ||\n          false,\n      };\n    });\n}\n"]}
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getTargets.js.map  
No license file was found, but licenses were detected in source scan.
```

```
/**  
 * Copyright (c) Facebook, Inc. and its affiliates.  
 *  
 * This source code is licensed under the MIT license found in the  
 * LICENSE file in the root directory of this source tree.  
 *
```

\*/

Found in path(s):

- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/findMarkedLinesInPodfile.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/config/getPodspecName.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/config/findPodfilePath.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/getPlist.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/getPlist.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/commands/runIOS/parseXctraceIOSDevicesList.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/mapHeaderSearchPaths.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/removeFromStaticLibraries.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/getTargets.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/config/getPodspecName.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/\_\_tests\_\_/removePodEntry.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/removePodEntry.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeFromPbxReferenceProxySection.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/addPodEntry.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/addPodEntry.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/commands/runIOS/\_\_tests\_\_/findXcodeProject.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeProjectFromProject.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/isInstalled.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeFromStaticLibraries.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/addToHeaderSearchPaths.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/commands/runIOS/index.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/addProjectToLibraries.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/hasLibraryImported.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/unregisterNativeModule.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/common/isInstalled.js

- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/commands/logIOS/index.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/removePodEntry.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeProductGroup.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/\_\_tests\_\_/isInstalled.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/createGroup.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/commands/runIOS/parseXctraceIOSDevicesList.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/config/\_\_tests\_\_/findPodspec.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/isInstalled.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/savePodFile.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/common/isInstalled.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getPlistPath.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeFromStaticLibraries.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/savePodFile.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/getBuildProperty.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/createGroupWithMessage.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeProductGroup.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/getHeaderSearchPath.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/findLineToAddPod.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getGroup.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/commands/runIOS/findMatchingSimulator.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/commands/runIOS/index.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeFromProjectReferences.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/unregisterNativeModule.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/config/index.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/mapHeaderSearchPaths.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeFromPbxReferenceProxySection.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/removeProjectFromProject.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-

tgz/package/build/config/findPodfilePath.d.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/index.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/config/index.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/commands/runIOS/index.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/writePlist.d.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/build/link/createGroupWithMessage.d.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/addFileToProject.js  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-  
 pods/\_\_tests\_\_/findLineToAddPod.test.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/src/commands/runIOS/\_\_tests\_\_/parseXctraceIOSDevicesList.test.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-  
 pods/\_\_tests\_\_/findMarkedLinesInPodfile.test.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/copyAssets.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/copyAssets.js  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/build/link/removeFromPbxItemContainerProxySection.js  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/build/link/removeFromHeaderSearchPaths.js  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/src/link/createGroupWithMessage.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getPlist.d.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/build/commands/runIOS/findMatchingSimulator.d.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/src/link/\_\_tests\_\_/removeProjectFromLibraries.test.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/src/link/removeFromHeaderSearchPaths.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/build/link/addSharedLibraries.d.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/src/link/\_\_tests\_\_/getGroup.test.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/build/link/getHeadersInFolder.d.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-  
 pods/readPodfile.d.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/isInstalled.js  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/getBuildProperty.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/src/link/mapHeaderSearchPaths.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/build/link/removeSharedLibraries.d.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/build/link/removeFromHeaderSearchPaths.d.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-  
 tgz/package/build/link/hasLibraryImported.d.ts  
 \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/config/findPodfilePath.js

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/addFileToProject.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/getTargets.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/config/findProject.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/addToHeaderSearchPaths.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/findPodTargetLine.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/addProjectToLibraries.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/findMarkedLinesInPodfile.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/writePlist.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/common/registerNativeModule.d.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/addFileToProject.d.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/addToHeaderSearchPaths.d.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/registerNativeModule.d.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/common/isInstalled.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getHeadersInFolder.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/removeFromPbxReferenceProxySection.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/addSharedLibraries.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/addFileToProject.test.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/removeProjectFromProject.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/\_\_tests\_\_/findPodTargetLine.test.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/commands/runIOS/parseIOSDevicesList.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeFromPbxItemContainerProxySection.d.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/commands/runIOS/parseIOSDevicesList.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/getHeaderSearchPath.test.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/unlinkAssets.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/unregisterNativeModule.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/addPodEntry.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/common/unregisterNativeModule.js



- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getHeaderSearchPath.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/commands/runIOS/findXcodeProject.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getBuildProperty.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/config/findProject.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/removeFromPbxItemContainerProxySection.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/commands/logIOS/index.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/writePlist.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/commands/runIOS/findMatchingSimulator.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getBuildProperty.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/common/unregisterNativeModule.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/findMarkedLinesInPodfile.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/\_\_tests\_\_/getDependenciesFromPodfileLock.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/unregisterNativeModule.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/getHeadersInFolder.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/config/index.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getTargets.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/removeFromProjectReferences.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/config/findProject.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/copyAssets.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/addProjectToLibraries.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/unregisterNativeModule.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/getHeadersInFolder.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/unregisterNativeModule.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/isInstalled.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/commands/runIOS/parseXtraceIOSDevicesList.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/hasLibraryImported.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/index.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/findLineToAddPod.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/isInstalled.d.ts

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getGroup.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/createGroup.d.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/commands/runIOS/findXcodeProject.d.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/unlinkAssets.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/removeProductGroup.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeSharedLibraries.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/isInstalled.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getTargets.d.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/config/\_\_tests\_\_/findProject.test.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/removeSharedLibraries.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/registerNativeModule.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/createGroup.test.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/readPodfile.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/common/unregisterNativeModule.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getHeaderSearchPath.d.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getPlist.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/addSharedLibraries.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getPlistPath.d.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/getGroup.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/index.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/getPlistPath.test.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/registerNativeModule.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/findLineToAddPod.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/findPodTargetLine.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/getPlistPath.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeFromProjectReferences.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/commands/logIOS/index.js  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link-pods/removePodEntry.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/addProjectToLibraries.d.ts  
\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/addSharedLibraries.test.ts

- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/hasLibraryImported.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/savePodFile.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/common/registerNativeModule.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/unlinkAssets.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/mapHeaderSearchPaths.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/writePlist.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/commands/runIOS/parseIOSDevicesList.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeProjectFromProject.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/commands/runIOS/findXcodeProject.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/registerNativeModule.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/\_\_tests\_\_/removeSharedLibrary.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/common/registerNativeModule.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/findPodTargetLine.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/createGroup.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/config/\_\_tests\_\_/getProjectConfig.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/commands/runIOS/\_\_tests\_\_/parseIOSDevicesList.test.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/readPodfile.js
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/isInstalled.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/registerNativeModule.js

No license file was found, but licenses were detected in source scan.

```

{"version":3,"sources":["../../src/link-pods/findMarkedLinesInPodfile.ts"],"names":["MARKER_TEXT","findMarkedLinesInPodfile","podLines","result","i","len","length","includes","push","line","indentation","indexOf"],"mappings":":;::;::;AAAA;AACa;AACa;AACa;AACa;AACa;AACa;AAEO,MAAMA,WAaw,GAAG,gCAApB;;AAEQ,SAASC,wBAAT,CAAkCC,QAaIC,EAA2D;AACxE,QAAMC,MAAM,GAAG,EAaf;;AACa,OAAK,IAaIC,CAAC,GAAG,CAAR,EAaWC,GAAG,GAAGH,QAAQ,CAACI,MAA/B,EAauCF,CAAC,GAAGC,GAA3C,EAagDD,CAAC,EAajD,EAaqD;AACnD,QAaIF,QAAQ,CAACE,CAAD,CAAR,CAAYG,QAAZ,CAaqBP,WAArB,CAAJ,EAauC;AACrCG,MAAAA,MAAM,CAACK,IAAP,CAAY;AAACC,QAAAA,IAAI,EAaEL,CAAC,GAAG,CAAX;AAAcM,QAAAA,WAaw,EAaER,QAAQ,CAACE,CAAD,CAAR,CAAYO,OAAZ,CAAoB,GAAPB;AAA3B,OAAZ;AACD;AACF;;AACD,SAAOR,MAAP;AACD","sourcesContent":["/*\n * Copyright (c) Facebook, Inc. and its affiliates.\n * \n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n * \n\nexport const MARKER_TEXT = '# Add new pods below this line';\n\nexport default function findMarkedLinesInPodfile(podLines: Array<string>) {\n  const result = [];\n  for (let i = 0, len = podLines.length; i < len; i++) {\n    if (podLines[i].includes(MARKER_TEXT)) {\n      result.push({line: i + 1, indentation:

```





\*/

Found in path(s):

- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/src/link/removeProjectFromLibraries.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeProjectFromLibraries.d.ts
- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeProjectFromLibraries.js

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/addToHeaderSearchPaths.ts"],"names":["addToHeaderSearchPaths","project","path","logger","debug","searchPaths","concat"],"mappings":":;::;AAQA;AACA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AATA;AACA;AACA;AACA;AACA;AACA;AACA;AAKe,SAASA,sBAAT,CAAgCC,OAAhC,EAA8CC,IAA9C,EAA4D;AACzEC,qBAAOC,KAAP,CAAc,UAASF,IAAK,yBAA5B;AACA,qCAAqBD,OAArB,EAA+BI,WAAD,IAAiBA,WAAW,CAACC,MAAZ,CAAmBJ,IAAnB,CAA/C;AACD","sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n *\nimport mapHeaderSearchPaths from\n './mapHeaderSearchPaths';\nimport {logger} from '@react-native-community/cli-tools';\nexport default function\n addToHeaderSearchPaths(project: any, path: string) {\n logger.debug(`Adding ${path} to header search paths`);\n mapHeaderSearchPaths(project, (searchPaths) => searchPaths.concat(path));\n }\n}"]}
```

Found in path(s):

- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/addToHeaderSearchPaths.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/hasLibraryImported.ts"],"names":["hasLibraryImported","libraries","packageName","children","filter","library","comment","length"],"mappings":":;::;AAAA;AACA;AACA;AACA;AACA;AACA;AACA;AAEA;AACA;AACA;AACA;AACA;AAcE,SAASA,kBAAT,CACbC,SADa,EAEBc,WAFa,EAGb;AACA,SACED,SAAS,CAACE,QAaV,CAAmBC,MAAnB,CAA2BC,OAAD,IAAaA,OAaO,CAACC,OAAR,KAAoBJ,WAA3D,EACGK,MADH,GACY,CAFd;AAID","sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n *\n * Given an array of libraries already imported and packageName that will be\n * added, returns true or false depending on whether the library is already linked\n * or not\n *\nexport default function\n hasLibraryImported(\n libraries: {children: Array<{comment: string}>},\n packageName: string,\n ) {\n return (\n libraries.children.filter((library) => library.comment === packageName)\n ).length > 0\n );\n }\n}"]}
```

Found in path(s):

- \* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/hasLibraryImported.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link-pods/removePodEntry.ts"],"names":["removePodEntry","podfileContent","podspecPath","podName","podRegExp","RegExp","logger","debug","replace"],"mappings":":;::;AAQA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AATA;AACA;AACA;AACA;AACA;AACA;AACA;AAKe,SAASA,cAAT,CACbC,cADa,EAEBc,WAFa,
```

```
EAGb;AACA,QAAMC,OAAO,GAAG,6BA AeD,WAAf,CAAhB,CADA,CAEA;;AACA,QAAME,QAAQ,GAAG,I
AAIC,MAAJ,CACd,0BAAyBF,OAAQ,sEADnB,EAef,GAFe,CAAjB;;AAIAG,qBAAOC,KAAP,CAAc,YAAWJ,
OAAQ,gBAAjC;;AACA,SAaOF,cAAc,CAACO,OAAf,CAAuBJ,QAAvB,EAAiC,IAAjC,CAAP;AACD',"sources
Content":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT
license found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\nimport {logger} from
 '@react-native-community/cli-tools';\nimport getPodspecName from './config/getPodspecName';\n\nexport default
function removePodEntry(\n  podfileContent: string,\n  podspecPath: string,\n) {\n  const podName =
  getPodspecName(podspecPath);\n  // this regex should catch line(s) with full pod definition, like: pod 'podname',
:path => './node_modules/podname', :subspecs => ['Sub2', 'Sub1']\n  const podRegex = new RegExp(\n    '\\\\n(
    \\\\t)*pod\\\\s+(\\\\")\\${podName}(\\\\")(.\\\\\\s*(:[a-z]+\\\\\\s*=>)?)\\\\\\s*(\\\\")\\.*(\\\\")\\\\\\\\[\\\\\\s\\\\\\S]*?\\\\\\\\\\\\\\\\d)*\\\\\\n`,\n    'g',\n
  );\n  logger.debug(`Removing ${podName} from Pod file`);\n  return podfileContent.replace(podRegex,
  '\\n');\n}\n"}

```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-
pods/removePodEntry.js.map
No license file was found, but licenses were detected in source scan.
```

```
{"version":3,"sources":["../../src/link-
pods/isInstalled.ts"],"names":["isInstalled","iOSProject","dependencyConfig","podfile","podspecPath","dependency
RegExp","RegExp","podLines","i","len","length","match"],"mappings":":;;;;;;;;AAQA;;AACA;;;AATA;AACA;AA
CA;AACA;AACA;AACA;AACA;AASe,SAASA,WAAT,CACbC,UADa,EAebC,gBAFa,EAGb;AACA,MAAI,CA
ACD,UAaU,CAACE,OAAZ,IAAuB,CAACD,gBAAgB,CAACE,WAA7C,EAA0D;AACxD,WAAO,KAAP;AAC
D,GAHD,CAIA;;;AACA,QAAMC,gBAAgB,GAAG,IAAIC,MAAJ,CACtB,eAAc,6BA AeJ,gBAAgB,CAACE,WA
AhC,CAA6C,OADrC,EAevB,GAfuB,CAAzB;AAIA,QAAMG,QAAQ,GAAG,0BAAYN,UAAU,CAACE,OAAv
B,CAAjB;;AACA,OAak,IAAIK,CAAC,GAAG,CAAR,EAAWC,GAAG,GAAGF,QAAQ,CAACG,MAA/B,EAAu
CF,CAAC,GAAGC,GAA3C,EAAgDD,CAAC,EAAjD,EAAqD;AACnD,UAAMG,KAAK,GAAGJ,QAAQ,CAAC
C,CAAD,CAAR,CAAYG,KAAZ,CAAkBN,gBAAIB,CAAd;;AACA,QAAIM,KAAJ,EAAW;AACT,aAAO,IAAP;
AACD;AACF;;AACD,SAaO,KAAP;AACD',"sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its
affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root
directory of this source tree.\n *\n */\n\nimport readPodfile from './readPodfile';\nimport getPodspecName from
 './config/getPodspecName';\nimport {\n  IOSProjectConfig,\n  IOSDependencyConfig,\n} from '@react-native-
community/cli-types';\n\nexport default function isInstalled(\n  iOSProject: IOSProjectConfig,\n  dependencyConfig: IOSDependencyConfig,\n) {\n  if (!iOSProject.podfile || !dependencyConfig.podspecPath) {\n
return false;\n  }\n  // match line with pod declaration: pod 'dependencyPodName' (other possible parameters of pod
are ignored)\n  const dependencyRegExp = new RegExp(\n
`pod\\\\\\s+(\\\\")\\${getPodspecName(dependencyConfig.podspecPath)}(\\\\")`,\n    'g',\n  );\n  const podLines =
readPodfile(iOSProject.podfile);\n  for (let i = 0, len = podLines.length; i < len; i++) {\n    const match =
podLines[i].match(dependencyRegExp);\n    if (match) {\n      return true;\n    }\n  }\n  return false;\n}\n"}

```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-
pods/isInstalled.js.map
No license file was found, but licenses were detected in source scan.
```

```
{"version":3,"sources":["../../src/link/removeFromPbxReferenceProxySection.ts"],"names":["removeFromPbxRefere
nceProxySection","project","file","section","hash","objects","PBXReferenceProxy","key","Object","keys","path","b
asename"],"mappings":":;;;;;;;;AAAA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;AACA;

```

```
AACe,SAASA,kCAAT,CACbC,OADa,EAEBc,IAFa,EAGb;AACa,QAAMC,OAAO,GAAGF,OAAO,CAACG,IAAR,CAAaH,OAAb,CAAqBI,OAARb,CAA6BC,iBAA7C;;AAEA,OAAK,MAAMC,GAAX,IAAkBC,MAAM,CAACC,IAAP,CAAYN,OAAZ,CAAIB,EAawC;AACtC,QAAIA,OAAO,CAACI,GAAD,CAAP,CAAaG,IAAb,KAAaSR,IAAI,CAACS,QAA/B,EAAYc;AACvC,aAAOR,OAAO,CAACI,GAAD,CAAd;AACD;AACF;AACF","sourcesContent":["/*\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\n * Every file added to the project from another project is attached to\n * `PBXItemContainerProxy` through `PBXReferenceProxy`.\n *\n * export default function removeFromPbxReferenceProxySection(\n *   project: any,\n *   file: any,\n *   section = project.hash.project.objects.PBXReferenceProxy;\n *   for (const key of Object.keys(section)) {\n *     if (section[key].path === file.basename) {\n *       delete section[key];\n *     }\n *   }\n * }"]
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeFromPbxReferenceProxySection.js.map  
No license file was found, but licenses were detected in source scan.
```

```
{"version":3,"sources":["../../src/link/createGroupWithMessage.ts"],"names":["createGroupWithMessage","project","path","group","logger","warn"],"mappings":";;::;AAQA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AACa;AACa;AAVA;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACe,SAASA,sBAAT,CAAqCC,OAaHc,EAa8CC,IAA9C,EAa4D;AACzE,MAaIC,KAAK,GAAG,uBAASF,OAAT,EAakBC,IAaIB,CAAZ;;AAEA,MAAI,CAACC,KAAL,EAAY;AACVA,IAAAA,KAAK,GAAG,0BAAYF,OA AZ,EAaQBC,IAARb,CAAR;;AAEA,UAASH,IAAK,mFADjB;AAGD;;AAED,SAaOC,KAAP;AACD","sourcesContent":["/*\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\n * import {logger} from '@react-native-community/cli-tools';\n * import createGroup from './createGroup';\n * import getGroup from './getGroup';\n *\n * Given project and path of the group, it checks if a group exists at that path,\n * and deeply creates a group for that path if its does not already exist.\n *\n * Returns the existing or newly created group.\n *\n * export default function createGroupWithMessage(project: any, path: string) {\n *   let group = getGroup(project, path);\n *   if (!group) {\n *     group = createGroup(project, path);\n *     logger.warn(`Group '${path}' does not exist in your Xcode project. We have created it automatically for you.`);\n *   }\n *   return group;\n * }"]
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/createGroupWithMessage.js.map  
No license file was found, but licenses were detected in source scan.
```

```
{"version":3,"sources":["../../src/link/removeProductGroup.ts"],"names":["removeProductGroup","project","productGroupId","section","hash","objects","PBXGroup","key","Object","keys"],"mappings":";;::;AAAA;AACa;AACa;AACa;AACa;AACa;AAEe,SAASA,kBAAT,CAA4BC,OAA5B,EAa0CC,cAA1C,EAa+D;AAC5E,QAAMC,OAAO,GAAGF,OAAO,CAACG,IAAR,CAAaH,OAAb,CAAqBI,OAARb,CAA6BC,QAA7C;;AAEA,OAAK,MAAMC,GAAX,IAAkBC,MAAM,CAACC,IAAP,CAAYN,OAAZ,CAAIB,EAawC;AACtC,QAAII,GAAG,KAA KL,cAAZ,EAa4B;AAC1B,aAAOC,OAAO,CAACI,GAAD,CAAd;AACD;AACF;AACF","sourcesContent":["/*\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\n * export default function\n * removeProductGroup(project: any, productGroupId: any) {\n *   const section =\n *   project.hash.project.objects.PBXGroup;\n *   for (const key of Object.keys(section)) {\n *     if (key ===\n *     productGroupId) {\n *       delete section[key];\n *     }\n *   }\n * }"]
```





\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/copyAssets.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/index.ts"],"names":["getIOSLinkConfig","isInstalled","register","unregister","copyAssets","unlinkAssets"],"mappings":":;::;::;AAQA;AACAA;AACAA;AACAA;AACAA;AAZA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AAQO,SAASA,gBAAT,GAA4B;AACjC,SAAO;AAACC,IAAAA,WAAW,EAAXA,oBAAD;AAAcC,IAAAA,QAAQ,EAARA,6BAAD;AAAwBC,IAAAA,UAAU,EAAVA,+BAAxB;AAAoCC,IAAAA,UAAU,EAAVA,mBAAPC;AAAgDC,IAAAA,YAAy,EAZA;AAAhD,GAAP;AACD;;eAEcL,gB","sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\nimport isInstalled from './common/isInstalled';\nimport register from './common/registerNativeModule';\nimport unregister from './common/unregisterNativeModule';\nimport copyAssets from './copyAssets';\nimport unlinkAssets from './unlinkAssets';\n\nexport function getIOSLinkConfig() {\n  return {isInstalled, register, unregister, copyAssets, unlinkAssets};\n}\n\nexport default getIOSLinkConfig;\n}]
```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/index.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/removeSharedLibraries.ts"],"names":["removeSharedLibraries","project","libraries","length","target","getFirstTarget","uuid","name","removeFramework"],"mappings":":;::;::;AAAA;AACAA;AACAA;AACAA;AACAA;AAEe,SAASA,qBAAT,CACbC,OADa,EAEBc,SAFa,EAGb;AACAA,MAAI,CAACA,SAAS,CAACC,MAAf,EAAb;AACrB;AACD;;AAED,QAAMC,MAAM,GAAGH,OAAO,CAACI,cAAR,GAAYBC,IAAxC;;AAEA,OAAK,MAAMC,IAAX,IAAmBL,SAAnB,EAA8B;AAC5BD,IAAAA,OAAO,CAACO,eAAR,CAAwBD,IAAxB,EAA8B;AAACH,MAAAA;AAAD,KAA9B;AACD;AACF","sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\nexport default function removeSharedLibraries(\n  project: any,\n  libraries: Array<string>,\n) {\n  if (!libraries.length) {\n    return;\n  }\n\n  const target = project.getFirstTarget().uuid;\n\n  for (const name of libraries) {\n    project.removeFramework(name, target);\n  }\n}\n}]
```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeSharedLibraries.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/isInstalled.ts"],"names":["memo","Map","isInstalled","projectConfig","dependencyConfig","project","has","pbxprojPath","get","xcode","parseSync","set","libraries","libraryFolder","projectName"],"mappings":":;::;::;AAQA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AACAA;AACAA;AAVA;AACAA;AACAA;AACAA;AACAA;AAUA,MAAMA,IAAI,GAAG,IAAIC,GAAJ,EAAb;AAEA;AACAA;AACAA;AACAA;AACe,SAASC,WAAT,CACbC,aADa,EAEBc,gBAFa,EAGb;AACAA,MAAIC,OAAJ;;AAEA,MAAIL,IAAI,CAACM,GAAL,CAASH,aAAa,CAACI,WAAvB,CAAJ,EAAyC;AACvCF,IAAAA,OAAO,GAAGL,IAAI,CAACQ,GAAL,CAASL,aAAa,CAACI,WAAvB,CAAV;AACD,GAFD,MAEO;AACLF,IAAAA,OAAO,GAAGI,iBAAMJ,OAAAN,CAAcF,aAAa,CAACI,WAA5B,EAAyCG,SAAzC,EAAY;AACAV,IAAAA,IAAI,CAACW,GAAL,CAASR,aAAa,CAACI,WAAvB,EAACF,OAApC;AACD;;AAED,QAAMO,SAAS,GAAG,uBAASP,OAAAT,EAakBF,aAAa,CAACU,aAAhC,CAAlB;;AAEA,MAAI,CAACD,SAAL,EAAGb;AACd,WAAO,KAAP;AACD;;AAED,SAAO,iCAAmBA,SAAnB,EAA8BR,gBAAGb,CAACU,WAA/C,CAAP;AACD","sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n *
```

```
LICENSE file in the root directory of this source tree.\n *\n *\n\nimport xcode from 'xcode';\nimport getGroup\nfrom './getGroup';\nimport hasLibraryImported from './hasLibraryImported';\nimport {\n IOSProjectConfig,\n IOSDependencyConfig,\n} from '@react-native-community/cli-types';\n\nconst memo = new Map();\n\n\n*\n\nReturns true if `xcodeproj` specified by dependencyConfig is present\n*\n in a top level `libraryFolder`\n\n *\n\nexport\n default function isInstalled(\n projectConfig: IOSProjectConfig,\n dependencyConfig: IOSDependencyConfig,\n)\n {\n let project;\n\n if (memo.has(projectConfig.pbxprojPath)) {\n project =\n memo.get(projectConfig.pbxprojPath);\n } else {\n project =\n xcode.project(projectConfig.pbxprojPath).parseSync();\n memo.set(projectConfig.pbxprojPath, project);\n }\n\n\n const libraries = getGroup(project, projectConfig.libraryFolder);\n\n if (!libraries) {\n return false;\n }\n\n\n return\n hasLibraryImported(libraries, dependencyConfig.projectName);\n }\n\n\n}}
```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/isInstalled.js.map  
No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/common/registerNativeModule.ts"],"names":["registerNativeModule","name\n","dependencyConfig","_params","projectConfig","podfile","podspecPath"],"mappings":":;::;AAYA;;ACA;;;A\nAbA;ACA;ACA;ACA;ACA;ACA;ACA;AASe,SAASA,oBAAT,CACbC,IADa,EAebC,gBAFa,EAGb;A\nACAC,OAJa,EAKbC,aALa,EAMb;ACA,MAAIA,aAAa,CAACC,OAAAd,IAAyBH,gBAAgB,CAACI,WAA9C,E\nAA2D;AACzD,wCAAuBL,IAAvB,EAA6BC,gBAAgB,CAACI,WAA9C,EAA2DF,aAA3D;AACD,GAFD,MAEO;\nAACL,uCAAsBF,gBAAtB,EAAwCE,aAAxC;AACD;AACF","sourcesContent":["/**\n *\n Copyright (c) Facebook,\n Inc. and its affiliates.\n *\n This source code is licensed under the MIT license found in the\n *\n LICENSE file in\n the root directory of this source tree.\n *\n *\n\nimport {\n IOSDependencyConfig,\n IOSProjectConfig,\n} from\n '@react-native-community/cli-types';\nimport registerDependencyIOS from './registerNativeModule';\nimport\n registerDependencyPods from './link-pods/registerNativeModule';\n\nexport\n default function\n registerNativeModule(\n name: string,\n dependencyConfig: IOSDependencyConfig,\n // FIXME: Params is never\n used\n _params: any | undefined,\n projectConfig: IOSProjectConfig,\n)\n {\n if (projectConfig.podfile &&\n dependencyConfig.podspecPath) {\n registerDependencyPods(name, dependencyConfig.podspecPath,\n projectConfig);\n } else {\n registerDependencyIOS(dependencyConfig, projectConfig);\n }\n\n\n}"]}]}
```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-\ntgz/package/build/link/common/registerNativeModule.js.map  
No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/getPlistPath.ts"],"names":["getPlistPath","project","sourceDir","plistFile","path\n","join","replace"],"mappings":":;::;AAQA;AAAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;ACA;;;AATA;AA\nCA;ACA;ACA;ACA;ACA;ACA;AAKe,SAASA,YAAT,CAAsBC,OAAtB,EAAuCC,SAAvC,EAA0D;AA\nCvE,QAAMC,SAAS,GAAG,+BAAiBF,OAajB,EAA0B,gBAAIB,CAAIB;;AAEA,MAAI,CAACE,SAAL,EAAgB;\nAACd,WAAO,IAAP;AACD;;AAED,SAAOC,gBAAKC,IAAL,CACLH,SADK,EAELC,SAAS,CAACG,OAaV,C\nAAkB,IAAIB,EAAwB,EAAxB,EAA4BA,OAA5B,CAAoC,YAApC,EAAkD,EAAID,CAFk,CAAP;AAID","source\nsContent":["/**\n *\n Copyright (c) Facebook, Inc. and its affiliates.\n *\n This source code is licensed under the\n\n MIT license found in the\n\n LICENSE file in the root directory of this source tree.\n *\n *\n\nimport\n path from\n 'path';\nimport\n getBuildProperty from './getBuildProperty';\n\nexport\n default function\n getPlistPath(\n project: string,\n sourceDir: string)\n {\n const plistFile = getBuildProperty(\n project, 'INFOPLIST_FILE');\n\n if (!plistFile) {\n return\n null;\n }\n\n\n return\n path.join(\n sourceDir,\n plistFile.replace(/\\/g, '/').replace('${SRCROOT}', ''),\n\n);\n\n\n}"]}]}
```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getPlistPath.js.map

No license file was found, but licenses were detected in source scan.

```

{"version":3,"sources":["../../src/link/removeProjectFromLibraries.ts"],"names":["removeProjectFromLibraries","libraries","file","children","filter","library","comment","basename"],"mappings":";;;;;;;;AAAA;AACa;AACa;AACa;AACa;AACa;;AAEA;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AAce,SAASA,0BAAT,CACbC,SADa,EAEBc,IAFa,EAGb;AACAD,EAAAA,SAAS,CAACE,QAAV,GAAqBF,SAAS,CAACE,QAAV,CAAmBC,MAAnB,CACIBC,OAAD,IAAaA,OA AO,CAACC,OAAR,KAAoBJ,IAAI,CAACK,QADnB,CAArB;AAGD","sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n */\n\n/**\n * Given an array of xcodeproj libraries and pbxFile,\n * it removes it from that group by comparing basenames\n *\n * Important: That function mutates `libraries` and it's not pure.\n * It's mainly due to limitations of `xcode` library.\n */\n\nexport default function removeProjectFromLibraries(\n  libraries: {children: Array<{comment: string}>},\n  file: {basename: string},\n) {\n  libraries.children = libraries.children.filter(\n    (library) => library.comment !== file.basename,\n  );\n}\n"}

```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/removeProjectFromLibraries.js.map

No license file was found, but licenses were detected in source scan.

```

{"version":3,"sources":["../../src/link-pods/findPodTargetLine.ts"],"names":["findPodTargetLine","podLines","projectName","targetName","replace","targetRegex","RegExp","i","len","length","match"],"mappings":";;;;;;;;AAAA;AACa;AACa;AACa;AACa;AACa;AACa;AAEe,SAASA,iBAAT,CACbC,QADa,EAEBc,WAFa,EAGb;AACa,QAAMC,UAAU,GAAGD,WA AW,CAACE,OA AZ,CAAoB,YAApB,EAakC,EAAIC,CAAnB,CADA,CAEA;;AACa,QAAMC,WA AW,GAAG,IAAIC,MAAJ,CAAY,eAAcH,UAAW,UAArC,EAAgD,GAAhD,CAApB;;AACa,OA AK,IAAI,CAAC,GAAG,CAAR,EAAWC,GAAG,GAAGP,QAAQ,CAACQ,MAA/B,EAAuCF,CAAC,GAAGC,GAA3C,EAAgDD,CAAC,EAAjD,EAAqD;AACnD,UAAMG,KAAK,GAAGT,QAAQ,CAACM,CAAD,CAAR,CAAYG,KAAZ,CAAkBL,WAAIB,CAAd;;AACa,QAAIK,KAAJ,EAAW;AACT,aAAOH,CAAC,GAAG,CAAX;AACD;AACF;;AACD,SA AO,IAAP;AACD","sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n */\n\nexport default function findPodTargetLine(\n  podLines: Array<string>,\n  projectName: string,\n) {\n  const targetName = projectName.replace('.xcodeproj', '');\n  // match first target definition in file: target 'target_name' do\n  const targetRegex = new RegExp(`target ("\\")${targetName}("\\") do`, 'g');\n  for (let i = 0, len = podLines.length; i < len; i++) {\n    const match = podLines[i].match(targetRegex);\n    if (match) {\n      return i + 1;\n    }\n  }\n  return null;\n}\n"}

```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-pods/findPodTargetLine.js.map

No license file was found, but licenses were detected in source scan.

```

{"version":3,"sources":["../../src/link/removeFromStaticLibraries.ts"],"names":["removeFromStaticLibraries","project","path","opts","file","PbxFile","target","undefined","removeFromPbxFileReferenceSection","removeFromPbxBuildFileSection","removeFromPbxFrameworksBuildPhase","removeFromLibrarySearchPaths"],"mappings":";;;;;;;;AAQA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AACa;;;AATA;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AAKA;AACa;AACa;AACa;AACa;AACa;AAce,SAASA,yBAAT,CACbC,OADa,EAEBc,IAFa,EAGbC,IAHa,EA

```

```
Ib;AACa,QAAMC,IAAI,GAAG,KAAIC,kBAAJ,EAAYH,IAAZ,CAAb;AAEAE,EAAAA,IAAI,CAACE,MAAL,
GAAcH,IAAI,GAAGA,IAAI,CAACG,MAAR,GAAiBC,SAAnc;AAEAN,EAAAA,OAAO,CAACO,iCAAR,CAA
0CJ,IAA1C;AACAH,EAAAA,OAAO,CAACQ,6BAAR,CAAsCL,IAAtC;AACAH,EAAAA,OAAO,CAACS,iCAA
R,CAA0CN,IAA1C;AACAH,EAAAA,OAAO,CAACU,4BAAR,CAAqCP,IAArC;AACa,mDAAmCH,OAAnc,E
AA4CG,IAA5C;AAEA,SAAOA,IAAP;AACD", "sourcesContent":["/*\n * Copyright (c) Facebook, Inc. and its
affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root
directory of this source tree.\n *\n */\n\nimport PbxFile from 'xcode/lib/pbxFile';\nimport
removeFromPbxReferenceProxySection from './removeFromPbxReferenceProxySection';\n\n/**\n * Removes file
from static libraries\n *\n * Similar to `node-xcode` addStaticLibrary\n */\nexport default function
removeFromStaticLibraries(\n  project: any,\n  path: string,\n  opts: {[key: string]: any},\n) {\n  const file = new
PbxFile(path);\n\n  file.target = opts ? opts.target : undefined;\n\n  project.removeFromPbxFileReferenceSection(file);\n  project.removeFromPbxBuildFileSection(file);\n  project.removeFromPbxFrameworksBuildPhase(file);\n  project.removeFromLibrarySearchPaths(file);\n  removeFromPbxReferenceProxySection(project, file);\n\n  return file;\n}\n\n"]}
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-
tgz/package/build/link/removeFromStaticLibraries.js.map
```

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/writePlist.ts"],"names":["writePlist","project","sourceDir","plist","plistPath","f
s","writeFileSync","plistParser","build","indent","offset"],"mappings":";;::;AAQA;AAAA;AAAA;AAAA;AAAA;
AAAA;AAAA;AACa;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AACa;::;AAVA;AACa;AACa;AACa;
AACa;AACa;AACa;::;AAMA;AACa;AACa;AACa;AACa;AACa;AACe,SAASA,UAAT,CACbC,OADa,EAEBc,SAFa
,EAGbC,KAHa,EAIb;AACa,QAAMC,SAAS,GAAG,2BAAaH,OAAb,EAAsBC,SAAtB,CAAIB;AAEA,MAAI,C
AAcE,SAAL,EAAGb;AACd,WAAO,IAAP;AACD,GALD,CAOA;AACa;AACa;::;AACa,SAAOC,cAAGC,aAA
H,CACLF,SADK,EAEL;AACc,KAAEG,iBAAYC,KAAZ,CAAkBL,KAAIB,EAAYb;AAACM,IAAAA,MAAM,E
AAE,IAAT;AAAeC,IAAAA,MAAM,EAEE,CAAC;AAAxB,GAAzB,CAAqD,IAHnD,CAAP;AAKD", "sourcesCo
ntent":["/*\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT
license found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\nimport plistParser,
{PlistValue} from 'plist';\nimport fs from 'fs';\nimport getPlistPath from './getPlistPath';\n\n/**\n * Writes to
Info.plist located in the iOS project\n *\n * Returns `null` if INFOPLIST_FILE is not specified or file is non-
existent.\n */\nexport default function writePlist(\n  project: any,\n  sourceDir: string,\n  plist: PlistValue | null,\n)
{\n  const plistPath = getPlistPath(project, sourceDir);\n\n  if (!plistPath) {\n    return null;\n  }\n\n  // We start with
an offset of -1, because Xcode maintains a custom\n // indentation of the plist.\n // Ref:
https://github.com/facebook/react-native/issues/11668\n  return fs.writeFileSync(\n    plistPath,\n    // @ts-ignore
Type mismatch\n    `${plistParser.build(plist, {indent: '\\t', offset: -1})}\n`,\n    );\n}\n\n"]}
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/writePlist.js.map
```

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/removeProjectFromProject.ts"],"names":["removeProjectFromProject","project
","filePath","file","removeFromPbxFileReferenceSection","PbxFile","projectRef","ProductGroup"],"mappings":";;::;
AAQA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AACa;AACa;AACa;::;AAxA;AACa;AACa;AACa;
AACa;AACa;AACa;::;AAOA;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACe,SAASA,wBA
AT,CACbC,OADa,EAEBc,QAFa,EAGb;AACa,QAAMC,IAAI,GAAGF,OAAO,CAACG,iCAAR,CAA0C,KAAI
C,kBAAJ,EAAYH,QAAZ,CAA1C,CAAb;AACa,QAAMI,UAAU,GAAG,0CAA4BL,OAA5B,EAaqCE,IAArC,C
```

```
AAAnB;;AAEA,MAAIG,UAAJ,EAAGB;AACd,qCAAmBL,OAAAnB,EAA4BK,UAAU,CAACC,YAAvC;AACD;;A
AED,uDAAuCN,OAAvC,EAAGDE,IAAhD;AAEA,SAAOA,IAAP;AACD","sourcesContent":["/*\n * Copyright
(c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n *
LICENSE file in the root directory of this source tree.\n *\n */\n\nimport PbxFile from 'xcode/lib/pbxFile';\nimport
removeFromPbxItemContainerProxySection from './removeFromPbxItemContainerProxySection';\nimport
removeFromProjectReferences from './removeFromProjectReferences';\nimport removeProductGroup from
'./removeProductGroup';\n\n/**\n * Given xcodeproj and filePath, it creates new file\n * from path provided and
removes it. That operation is required since\n * underlying method requires PbxFile instance to be passed (it does
not\n * have to have uuid or fileRef defined since it will do equality check\n * by path)\n *\n * Returns removed file
(that one will have UUID)\n */\n\nexport default function removeProjectFromProject(\n project: any,\n filePath:
string,\n) {\n const file = project.removeFromPbxFileReferenceSection(new PbxFile(filePath));\n const projectRef
= removeFromProjectReferences(project, file);\n\n if (projectRef) {\n removeProductGroup(project,
projectRef.ProductGroup);\n }\n\n removeFromPbxItemContainerProxySection(project, file);\n\n return
file;\n}\n\n"}]
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-
tgz/package/build/link/removeProjectFromProject.js.map
```

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/commands/runIOS/findXcodeProject.ts"],"names":["findXcodeProject","files","s
ortedFiles","sort","i","length","fileName","ext","path","extname","name","isWorkspace"],"mappings":":;AAQA;
AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AARA;AACa;AACa;AACa;AACa;AACa;AACa;AASA,SA
ASA,gBAAT,CAA0BC,KAA1B,EAAoE;AACIE,QAAMC,WAAW,GAAGD,KAAK,CAACE,IAAN,EAAPB;;AA
CA,OAAK,IAAIC,CAAC,GAAGF,WAAW,CAACG,MAAZ,GAAqB,CAAIC,EAAqCD,CAAC,IAAI,CAA1C,EA
A6CA,CAAC,EAA9C,EAakD;AACHD,UAAAME,QAAQ,GAAGL,KAAK,CAACG,CAAD,CAAtB;;AACa,UAA
MG,GAAG,GAAGC,gBAAKC,OAAL,CAAaH,QAAb,CAAZ;;AAEA,QAAIC,GAAG,KAAK,cAAZ,EAA4B;AA
C1B,aAAO;AACLG,QAAAA,IAAI,EAAEJ,QADD;AAELK,QAAAA,WAAW,EAAE;AAFR,OAAP;AAID;;AAC
D,QAAIJ,GAAG,KAAK,YAAZ,EAA0B;AACxB,aAAO;AACLG,QAAAA,IAAI,EAAEJ,QADD;AAELK,QAAA
A,WAAW,EAAE;AAFR,OAAP;AAID;AACF;;AAED,SAAO,IAAP;AACD;;eAEcX,gB","sourcesContent":["/*\n
* Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in
the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\nimport path from 'path';\n\nexport type
ProjectInfo = {\n name: string;\n isWorkspace: boolean;\n};\n\nfunction findXcodeProject(files: Array<string>):
ProjectInfo | null {\n const sortedFiles = files.sort();\n for (let i = sortedFiles.length - 1; i >= 0; i--) {\n const
fileName = files[i];\n const ext = path.extname(fileName);\n\n if (ext === '.xcworkspace') {\n return {\n
name: fileName,\n isWorkspace: true,\n }; }\n\n if (ext === '.xcodeproj') {\n return {\n name:
fileName,\n isWorkspace: false,\n }; }\n\n }\n\n return null;\n}\n\nexport default findXcodeProject;\n"}]
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-
tgz/package/build/commands/runIOS/findXcodeProject.js.map
```

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/unregisterNativeModule.ts"],"names":["unregisterNativeModule","dependency
Config","projectConfig","iOSDependencies","logger","debug","pbxprojPath","project","xcode","parseSync","depen
dencyProject","libraries","libraryFolder","file","path","relative","sourceDir","projectPath","forEach","target","name
","getFirstTarget","firstTarget","uuid","sharedLibraries","reduce","libs","dependency","concat","headers","folder","
fs","writeFileSync","writeSync"],"mappings":":;AAQA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AACa
```

```

;AAAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;AACA;AAAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;AACA;
AAAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;AAEA;;AACA;;AACA;;AACA;;AACA;;AACA;;AACA;
;AACA;;AACA;AAAA;;AAAA;AAAA;AAAA;;AAAA;AAAA;;;AAtBA;AACA;AACA;AACA;AACA;AACA;
AACA;;AAuBA;AACA;AACA;AACA;AACA;AACe,SAASA,sBAAT,CACbC,gBADa,EAEBc,aAFa,EAGbC,eA
Ha,EAlb;AACAC,qBAAOC,KAAP,CAAc,WAAUH,aAAa,CAACI,WAAy,EAaID;;AACA,QAAMC,OAAO,GA
AGC,iBAAMD,OAAAN,CAAcL,aAAa,CAACI,WAA5B,EAAYCG,SAAzC,EAaHB;;AACA,QAAMC,iBAaIB,GA
AGF,iBACvBD,OADuB,CACfN,gBAAGB,CAACK,WADF,EAEvBG,SAFuB,EAa1B;;AAIA,QAAME,SAAS,GA
AG,uBAASJ,OAAT,EAakBL,aAAa,CAACU,aAAhC,CAaIB;AAEA,QAAMC,IAAI,GAAG,uCACXN,OADW,E
AEXO,gBAAKC,QAAL,CAAcB,aAAa,CAACc,SAA5B,EAaUcF,gBAAGB,CAACgB,WAAxD,CAFW,CAAb;AA
KA,2CAA2BN,SAA3B,EAAsCE,IAAtC;AAEA,2BAAWH,iBAAX,EAa8BQ,OAA9B,CAAuCC,MAAD,IAaIB;A
ACrDf,uBAAOC,KAAP,CACG,YAAWc,MAAM,CAACC,IAAK,SActBb,OAAO,CAACc,cAAR,GAAYBC,WAA
zB,CAAqCF,IACtC,EAHH;;AAKA,4CAA0Bb,OAA1B,EAaMcy,MAAM,CAACC,IAA1C,EAAGD;AAC9CD,M
AAAA,MAAM,EAaEZ,OAAO,CAACc,cAAR,GAAYBE;AADa,KAAhD;AAGD,GATD;AAWA,QAAMC,eAAe,
GAAG,OBActBvB,gBAAGB,CAACuB,eADK,EAETBrB,eAAe,CAACsB,MAaHB,CACE,CAACC,IAAD,EAaOC,
UAAP,KAAsBD,IAAI,CAACE,MAAL,CAAYD,UAAU,CAACH,eAAvB,CADxB,EAETb,aAAa,CAACsB,eAFh
B,CAFsB,CAAxB;AAQA,sCAAsBjB,OAAtB,EAa+BiB,eAA/B;AAEA,QAAMK,OAAO,GAAG,iCAAmB5B,gB
AAgB,CAAC6B,MAApC,CAaHB;;AACA,MAAI,CAAC,uBAAQD,OAAR,CAAL,EAaUB;AACrB,8CACeTb,OA
DF,EAEE,kCAAoBL,aAAa,CAACc,SAAIC,EAa6Ca,OAA7C,CAFF;AAID;;AAEDzB,qBAAOC,KAAP,CAAc,sB
AAqBH,aAAa,CAACI,WAAy,EAa7D;;AACAYB,gBAAGC,aAAH,CAaIB9B,aAAa,CAACI,WAA/B,EAa4CC,
OAAO,CAAC0B,SAAR,EAa5C;AACD","sourcesContent":["/*\n * Copyright (c) Facebook, Inc. and its
affiliates.\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root
directory of this source tree.\n */\n\nimport xcode from 'xcode';\nimport path from 'path';\nimport fs from
'fs';\nimport { difference, isEmpty } from 'lodash';\n\nimport getGroup from './getGroup';\nimport getTargets from
'./getTargets';\nimport getHeadersInFolder from './getHeadersInFolder';\nimport getHeaderSearchPath from
'./getHeaderSearchPath';\nimport removeProjectFromProject from './removeProjectFromProject';\nimport
removeProjectFromLibraries from './removeProjectFromLibraries';\nimport removeFromStaticLibraries from
'./removeFromStaticLibraries';\nimport removeFromHeaderSearchPaths from
'./removeFromHeaderSearchPaths';\nimport removeSharedLibraries from './removeSharedLibraries';\nimport
{ logger } from '@react-native-community/cli-tools';\nimport {\n  IOSDependencyConfig,\n  IOSProjectConfig,\n  IOSProjectParams,\n} from '@react-native-community/cli-types';\n\n/**\n * Unregister native module IOS\n */\n *
If library is already unlinked, this action is a no-op.\n */\nexport default function unregisterNativeModule(\n
dependencyConfig: IOSDependencyConfig,\n projectConfig: IOSProjectConfig,\n iosDependencies:
Array<IOSProjectParams>,\n) {\n  logger.debug(` Reading ${projectConfig.pbxprojPath}`);\n  const project =
xcode.project(projectConfig.pbxprojPath).parseSync();\n  const dependencyProject = xcode\n
.project(dependencyConfig.pbxprojPath)\n    .parseSync();\n\n  const libraries = getGroup(project,\n
projectConfig.libraryFolder);\n\n  const file = removeProjectFromProject(\n    project,\n
path.relative(projectConfig.sourceDir, dependencyConfig.projectPath),\n  );\n\n  removeProjectFromLibraries(libraries, file);\n\n  getTargets(dependencyProject).forEach((target: any) => {\n
logger.debug(\n    ` Removing ${target.name} from ${\n      project.getFirstTarget().firstTarget.name\n    }`,\n  );\n  removeFromStaticLibraries(project, target.name, {\n    target: project.getFirstTarget().uuid,\n  });\n});\n\n  const sharedLibraries = difference(\n    dependencyConfig.sharedLibraries,\n    iosDependencies.reduce(\n      (libs,\n        dependency) => libs.concat(dependency.sharedLibraries),\n      [],\n    ),\n  );\n\n  removeSharedLibraries(project, sharedLibraries);\n\n  const headers =
getHeadersInFolder(dependencyConfig.folder);\n  if (!isEmpty(headers)) {\n    removeFromHeaderSearchPaths(\n      project,\n      getHeaderSearchPath(projectConfig.sourceDir, headers),\n    );\n  }\n\n  logger.debug(` Writing
changes to ${projectConfig.pbxprojPath}`);\n  fs.writeFileSync(projectConfig.pbxprojPath,\n    project.writeSync());\n}"}

```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/unregisterNativeModule.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/config/getPodspecName.ts"],"names":["getPodspecName","podspecFile","path","basename","replace"],"mappings":";;::;AAOA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAPA;AACAA;ACA;AACAA;AACAA;AACAA;AACAA;AGe,SAASA,cAAT,CAAwBC,WAAxB,EAA6C;AAC1D,SAAOC,gBAAK C,QAAL,CAAf,WAAAd,EAA2BG,OAA3B,CAAuC,YAAnC,EAAiD,EAAjD,CAAP;AACD","sourcesContent":["/*\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n *\nimport path from 'path';\n\nexport default function getPodspecName(podspecFile: string) {\n  return path.basename(podspecFile).replace(/\\.podspec$/, '');\n}\n"}]
```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/config/getPodspecName.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/commands/runIOS/index.ts"],"names":["runIOS","_","ctx","args","fs","existsSync","projectPath","CLIError","process","chdir","xcodeProject","readdirSync","inferredSchemeName","path","basename","name","extname","scheme","logger","info","isWorkspace","chalk","bold","device","udid","runOnSimulator","error","devices","out","execa","sync","stderr","stdout","e","warn","find","d","printFoundDevices","type","runOnDevice","physicalDevices","filter","matchingDevice","simulators","JSON","parse","child_process","execFileSync","encoding","fallbackSimulators","selectedSimulator","reduce","simulator","fallback","activeDeveloperDir","trim","booted","bootSimulator","buildOutput","buildProject","appPath","getBuildPath","configuration","spawnSync","stdio","bundleID","join","result","status","success","selectedDevice","isIOSDeployInstalled","appProcess","spawn","detached","unref","iosDeployInstallArgs","iosDeployOutput","message","Promise","resolve","reject","xcodebuildArgs","loader","dim","xcodebuildOutputFormatter","verbose","xcbeautifyAvailable","xcprettyAvailable","buildProcess","getProcessOptions","errorOutput","on","data","stringData","toString","stdin","write","isVerbose","debug","start","repeat","length","code","end","stop","undefined","simulatorFullName","formattedDeviceName","getTargetPaths","buildSettings","settings","i","wrapperExtension","WRAPPER_EXTENSION","targetBuildDir","TARGET_BUILD_DIR","executableFolderPath","EXECUTABLE_FOLDER_PATH","isCatalyst","getPlatformName","platformNameMatch","exec","execSync","deviceName","firstIOSDevice","deviceByName","String","version","map","packager","terminal","port","env","RCT_TERMINAL","RCT_METRO_PORT","RCT_NO_LAUNCH_PACKAGER","description","func","examples","desc","cmd","options","default","Number","getDefaultUserTerminal"],"mappings":";;::;AAQA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAKA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAACA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AACAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAEA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAMA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AA9BA;AACAA;AACAA;AACAA;AACAA;AACAA;AAuCA,SAASA,MAAT,CAAgBC,CAAhB,EAAkCC,GAAlC,EAA+C C,IAA/C,EAA6D;AAC3D,MAAI,CAACC,cAAGC,UA AH,CAAf,IAAI,CAACG,WAAAnB,CAAL,EAAcC;AACp C,UAAM,KAAIC,oBAAJ,EACJ,4EADI,CAAN;AAGD;;AAED,4CAA4BL,GAA5B;AACAA,oCAAoBA,GAAPB;AAEAAM,EAAAA,OOAO,CAACC,KAAR,CAAcN,IAAI,CAACG,WAAAnB;AAEA,QAAMI,YAAY,GAAG,+BAAiBN,cAAGO,WAAH,CAAe,GA Af,CAAjB,CAArB;;AACAA,MAAI,CAACD,YAAL,EAAMB;AACjB,UAAM,KAAIH,oBAAJ,EACH,0CAAyCJ,IAAI,CAACG,WAAAY,UADvD,CAAN;AAGD;;AAED,QAAMM,kBAAkB,GAAGC,gBAAKC,QAAL,CACzBJ,YAAY,CAACK,IADY,EAEzBF,gBAAKG,OOAL,CAAAn,YAAY,CAACK,IAA1B,C AFyB,CAA3B;;AAIA,QAAME,MAAM,GAAGd,IAAI,CAACc,MAAL,IAAeL,kBAA9B;;AAEAM,qBAAOC,IAA
```



P,CACG,eACCT,YAAY,CAACU,WAAb,GAA2B,WAA3B,GAAyC,SAC1C,KAAIC,iBAAMC,IAAN,CAAWZ,Y  
AAy,CAACK,IAAxB,CAA8B,GAHrC,EAzB2D,CA+B3D;;;ACA,MAAI,CAACZ,IAAI,CAACoB,MAAN,IAAg  
B,CAACpB,IAAI,CAACqB,IAA1B,EAAgC;AAC9B,WAAOC,cAAc,CAACf,YAAD,EAAeO,MAAf,EAAuBd,IA  
AvB,CAArB;AACD;;AAED,MAAIA,IAAI,CAACoB,MAAL,IAAepB,IAAI,CAACqB,IAAxB,EAA8B;AAC5B,W  
AAON,mBAAOQ,KAAP,CACL,yDADK,CAAP;AAGD;;AAED,MAAIC,OAAJ;;ACA,MAAI;AACF,UAAMC,  
GAAG,GAAGC,iBAAMC,IAAN,CAAW,OAAx,EAAoB,CAAC,SAAD,EAAY,MAAZ,EAAoB,SAApB,CAApB,  
CAAZ;;ACAH,IAAAA,OAAO,GAAG,OCACR;AACAC,IAAAA,GAAG,CAACG,MAAJ,KAAe,EAAf,GAAoB  
H,GAAG,CAACI,MAAxB,GAAiCJ,GAAG,CAACG,MAF7B,CAAV;AAID,GAND,CAME,OAAOE,CAAP,EAA  
U;AACVf,uBAAOgB,IAAP,CACE,2EADF;;AAGAP,IAAAA,OAAO,GAAG,kCACRE,iBAAMC,IAAN,CAAW,  
OAAx,EAAoB,CAAC,aAAD,EAAGB,IAAhB,CAApB,EAA2CE,MADnC,CAAV;AAGD;;AAED,MAAI7B,IAAI,  
CAACqB,IAAT,EAAe;AACb,UAAMD,MAAM,GAAGI,OAAO,CAACQ,IAAR,CAAc,CAAD,IAAOA,CAAC,C  
AACZ,IAAF,KAAWrB,IAAI,CAACqB,IAApC,CAAf;;ACA,QAAl,CAACD,MAAL,EAAa;AACX,aAAOL,mB  
AAOQ,KAAP,CACJ,uCAAsCL,iBAAMC,IAAN,CACrCnB,IAAI,CAACqB,IADgC,CAErC,MAAKa,iBAAiB,CA  
ACV,OAAO,CAAU,EAH7B,CAAP;AAKD;;AACD,QAAl,MAAM,CAACe,IAAP,KAAgB,WAApB,EAAiC;AA  
C/B,aAAOb,cAAc,CAACf,YAAD,EAAeO,MAAf,EAAuBd,IAAvB,CAArB;AACD,KAFD,MAEO;AACL,aAAOo  
C,WAAW,CAACb,MAAD,EAASN,MAAT,EAAiBP,YAAjB,EAA+BP,IAA/B,CAAlB;AACD;AACF,GADd,M  
AcO;AACL,UAAMqC,eAAe,GAAGb,OAAO,CAACc,MAAR,CAAgBL,CAAD,IAAOA,CAAC,CAACE,IAAF,K  
AAW,WAAjC,CAAxB;ACA,UAAMf,MAAM,GAAGmB,cAAc,CAACF,eAAD,EAakBrC,IAAI,CAACoB,MA  
AvB,CAA7B;;ACA,QAAl,MAAJ,EAAY;AACV,aAAOgB,WAAW,CAACb,MAAD,EAASN,MAAT,EAAiB  
P,YAAjB,EAA+BP,IAA/B,CAAlB;AACD;AACF;AACF;;AAED,eAAesB,cAAf,CACEf,YADF,EAEEO,MAFF,E  
AGED,IAHF,EAIE;ACA,MAAIwC,UAAJ;;ACA,MAAI;AACFA,IAAAA,UAAU,GAAGC,IAAI,CAACC,KAA  
L,CACXC,yBAAcC,YAAAd,CACE,OADF,EAEE,CAAC,QAAD,EAAW,MAAX,EAAMb,QAAnB,EAA6B,SAA7  
B,CAFF,EAGE;AAACC,MAAAA,QAAQ,EAEE;AAAX,KAHF,CADW,CAAb;AAOD,GARD,CAQE,OAAOtB,K  
AAP,EAAc;AACd,UAAM,KAAInB,oBAAJ,EACJ,6IADI,EAElmB,KAFI,CAAN;AAID;AAED;AACF;ACA;A  
ACA;ACA;ACA;;AAACE,QAAMuB,kBAakB,GAAG,CAAC,WAAD,EAAC,WAAd,EAA2B,WAA3B,CAA3B  
;ACA,QAAMC,iBAAiB,GAAGD,kBAakB,CAACE,MAAnB,CAA0B,CAACC,SAAD,EAAYC,QAAZ,KAAyB;  
AAC3E,WACED,SAAS,IAAI,oCAAsBT,UAAtB,EAakC;AAACS,MAAAA,SAAS,EAEE;AAAZ,KAAIC,CAD  
f;AAGD,GAJyB,EAIvB,oCAAsBV,UAAtB,EAakCxC,IAAIC,CAJuB,CAA1B;;AAMA,MAAI,CAAC+C,iBAAL,  
EAAwB;AACtB,UAAM,KAAI3C,oBAAJ,EACH,+BACCJ,IAAI,CAACiD,SAAL,GAakB,SAAQjD,IAAI,CAACi  
D,SAAU,GAazC,GAA+C,SAAQjD,IAAI,CAACqB,IAAK,GACIE,EAHG,CAAN;AAKD;AAED;AACF;ACA;A  
ACA;ACA;ACA;ACA;ACA;ACA;ACA;ACA;;AAACE,QAAM8B,kBAakB,GAAGR,yBACxBC,YA  
DwB,CACX,cADW,EACK,CAAC,IAAD,CADL,EACa;AAACC,IAAAA,QAAQ,EAEE;AAAX,GADb,EAExBO,I  
AFwB,EAA3B;;AAIAT,2BAAcC,YAAAd,CAA2B,MAA3B,EAAMC,CAChC,GAAEO,kBAAMb,6BADW,EAElC,  
QAFiC,EAGjC,oBAHiC,EAIjCJ,iBAAiB,CAAC1B,IAJe,CAAnC;;AAOA,MAAI,CAAC0B,iBAAiB,CAACM,MA  
AvB,EAA+B;AAC7BC,IAAAA,aAAa,CAACP,iBAAD,CAAb;AACD;;AAED,QAAMQ,WAAW,GAAG,MAAM  
C,YAAY,CACpCjD,YADoC,EAEPcWc,iBAAiB,CAAC1B,IAFkB,EAGpCP,MAHoC,EAIpCd,IAJoC,CAAtC;AA  
OA,QAAMyD,OAAO,GAAGC,YAAY,CAC1BnD,YAD0B,EAE1BP,IAAI,CAAC2D,aAFqB,EAG1BJ,WAH0B,E  
AI1BzC,MAJ0B,CAA5B;;AAOAC,qBAAOC,IAAP,CAAa,eAAe,iBAAMC,IAAN,CAAWsC,OAAx,CAAoB,G  
AA/C;;AAEAd,2BAACiB,SAAd,CACE,OADF,EAEE,CAAC,QAAD,EAAW,SAAX,EAAsBb,iBAAiB,CAAC1B,I  
AAxC,EAA8CoC,OAA9C,CAFF,EAGE;AAACI,IAAAA,KAAK,EAEE;AAAR,GAHF;;AAMA,QAAMC,QAAQ,  
GAAGnB,yBACdC,YADc,CAEb,yBAFa,EAGb,CAAC,IAAD,EAAO,0BAAP,EAAMCIC,gBAAKqD,IAAL,CAA  
UN,OAAV,EAAMb,YAAnB,CAAnC,CAHa,EAlB;AAACZ,IAAAA,QAAQ,EAEE;AAAX,GAJa,EAMdO,IANc,E  
AAjB;;AAQArC,qBAAOC,IAAP,CAAa,cAAaE,iBAAMC,IAAN,CAAW2C,QAAx,CAAqB,GAA/C;;AAEA,QA  
AME,MAAM,GAAGrB,yBAACiB,SAAd,CAAwB,OAAxB,EAAiC,CAC9C,QAD8C,EAE9C,QAF8C,EAG9Cb,iB  
AAiB,CAAC1B,IAH4B,EAI9CyC,QAJ8C,CAAjC,CAAf;;AAOA,MAAIE,MAAM,CAACC,MAAP,KAAkB,CAAt  
B,EAAYB;AACvBID,uBAAOmD,OAAP,CAAe,gDAAf;AACD,GAFD,MAEO;AACLnD,uBAAOQ,KAAP,CAAa,  
uCAAb,EAAsDyC,MAAM,CAACpC,MAA7D;AACD;AACF;;AAED,eAAeQ,WAAf,CACE+B,cADF,EAEErD,M  
AFF,EAGEP,YAHF,EAIEP,IAJF,EAKE;ACA,QAAMoE,oBAAoB,GAAGzB,yBAACiB,SAAd,CAC3B,YAD2B,

EAE3B,CAAC,WAAD,CAF2B,EAG3B;AAACf,IAAAA,QAAQ,EAAE;AAAX,GAH2B,CAA7B;;AAMA,MAAIu  
B,oBAAoB,CAAC7C,KAAzB,EAAgC;AAC9B,UAAM,KAAInB,oBAAJ,EACH,+HAA8Hc,iBAAMC,IAAN,CAC  
7H,2BAD6H,CAE7H,kBAHE,CAAN;AAKD;;AAED,QAAMoC,WAAW,GAAG,MAAMC,YAAAY,CACpCjD,YA  
DoC,EAEPc4D,cAAc,CAAC9C,IAFqB,EAGpCP,MAHoC,EAIpCd,IAJoC,CAATc;;AAOA,MAAIImE,cAAc,CAA  
ChC,IAAf,KAAwB,UAA5B,EAAwC;AACtC,UAAMsB,OAAO,GAAGC,YAAAY,CAC1BnD,YAD0B,EAE1BP,IA  
AI,CAAC2D,aAFqB,EAG1BJ,WAH0B,EAI1BzC,MAJ0B,EAK1B,IAL0B,CAA5B;;AAOA,UAAMuD,UAAU,GA  
AG1B,yBAAc2B,KAAAd,CAAqB,GAAEb,OAAQ,IAAG3C,MAAO,EAAzC,EAA4C,EAA5C,EAAgD;AACjEyD,  
MAAAA,QAAQ,EAAE,IADuD;AAEjEV,MAAAA,KAAK,EAAE;AAF0D,KAAhD,CAAnB;;AAIAQ,IAAAA,UA  
AU,CAACG,KAAAX;AACD,GAbD,MAaO;AACL,UAAMC,oBAAoB,GAAG,CAC3B,UAD2B,EAE3Bf,YAAAY,C  
AACnD,YAAD,EAAeP,IAAI,CAAC2D,aAaPb,EAAMcJ,WAAnc,EAAgDzC,MAAhD,CAFe,EAG3B,MAH2B,  
EAI3BqD,cAAc,CAAC9C,IAJY,EAK3B,cAL2B,CAA7B;;AAQAN,uBAAOC,IAAP,CAAa,wCAAuCmD,cAAc,C  
AACvD,IAAK,EAAxE;;AAEA,UAAM8D,eAAe,GAAG/B,yBAACiB,SAAd,CACtB,YADsB,EAETBa,oBAFsB,EA  
GtB;AAAC5B,MAAAA,QAAQ,EAAE;AAAX,KAHsB,CAAxB;;AAMA,QAAI6B,eAAe,CAACnD,KAApB,EAA  
2B;AACzB,YAAM,KAAInB,oBAAJ,EACH,gGAA+FsE,eAAe,CAACnD,KAAhB,CAAsBoD,OAAQ,EAD1H,CA  
AN;AAGD;AACF;;AAED,SAAO5D,mBAAOmD,OAAP,CAAe,kCAAf,CAAP;AACD;;AAED,SAASV,YAAT,C  
ACEjD,YADF,EAEEc,IAFF,EAGEP,MAHF,EAIEd,IAJF,EAKmB;AACjB,SAAO,IAAI4E,OAAJ,CAAY,CAACC  
,OAAD,EAAUC,MAAV,KAAqB;AACtC,UAAMC,cAAc,GAAG,CACrBxE,YAAAY,CAACU,WAAb,GAA2B,YA  
A3B,GAA0C,UADrB,EAERbV,YAAAY,CAACK,IAFQ,EAGrB,gBAHQb,EAIrBZ,IAAI,CAAC2D,aAJgB,EAKrB,  
SALqB,EAMrB7C,MANqB,EAOrB,cAPqB,EAQpB,MAAKO,IAAK,EARU,CAAvB,CADsC,CAWtC;;AACa,UA  
AM2D,MAAM,GAAG,qBAaf;;AACAJE,uBAAOC,IAAP,CACG,YAAWE,iBAAM+D,GAAN,CACT,sBAAqBF,c  
AAc,CAACbB,IAAf,CAAoB,GAAPB,CAAYB,IADrC,CAEV,EAHJ;;AAKA,QAAImB,yBAAJ;;AACa,QAAI,CA  
ACIF,IAAI,CAACmF,OAAV,EAAMb;AACjB,UAAIC,mBAAMb,EAAvB,EAA2B;AACzBF,QAAAA,yBAAYB,  
GAAGvC,yBAAc2B,KAAAd,CAAoB,YAaPb,EAakC,EAAIC,EAAcS;AACChET,UAAAA,KAAK,EAAE,CAAC,  
MAAD,EAASxD,OAAO,CAACwB,MAAJB,EAAYBxB,OAAO,CAACuB,MAAJC;AADyD,SAATc,CAA5B;AAG  
D,OAJD,MAIO,IAAIyD,iBAAiB,EAARb,EAAYB;AAC9BH,QAAAA,yBAAYB,GAAGvC,yBAAc2B,KAAAd,CAA  
oB,UAApB,EAAgC,EAAhC,EAAoC;AAC9DT,UAAAA,KAAK,EAAE,CAAC,MAAD,EAASxD,OAAO,CAACw  
B,MAAJB,EAAYBxB,OAAO,CAACuB,MAAJC;AADuD,SAAPc,CAA5B;AAGD;AACF;;AACD,UAAM0D,YAA  
Y,GAAG3C,yBAAc2B,KAAAd,CACnB,YADmB,EAENsB,cAFmB,EAGnBQ,iBAAiB,CAACvF,IAAD,CAHE,CA  
ArB;;AAKA,QAAIuD,WAAW,GAAG,EAAIB;AACa,QAAIc,WAAW,GAAG,EAAIB;AACAF,IAAAA,YAAAY,  
CAACzD,MAAb,CAAoB4D,EAAPB,CAAuB,MAAvB,EAAgCC,IAAD,IAAkB;AAC/C,YAAMC,UAAU,GAAG  
D,IAAI,CAACE,QAAL,EAAAnB;AACArC,MAAAA,WAAW,IAAIoC,UAAf;;AACa,UAAIT,yBAAJ,EAA+B;AA  
C7BA,QAAAA,yBAAYB,CAACW,KAA1B,CAAgCC,KAAhC,CAAsCJ,IAATc;AACD,OAFD,MAEO;AACL,YA  
AI3E,mBAAOGf,SAAP,EAJ,EAAwB;AACtBhF,6BAAOIF,KAAP,CAAAL,UAAb;AACD,SAFD,MAEO;AACL  
X,UAAAA,MAAM,CAACiB,KAAP,CACG,mBAakB,IAAIC,MAAJ,CAAW3C,WAAW,CAAC4C,MAAZ,GAAq  
B,EAAhC,CAAoC,EADzD;AAGD;AACF;AACF,KAdD;AAeAb,IAAAA,YAAAY,CAAC1D,MAAb,CAAoB6D,EA  
ApB,CAAuB,MAAvB,EAAgCC,IAAD,IAAkB;AAC/CF,MAAAA,WAAW,IAAIE,IAAf;AACD,KAFD;AAGAJ,I  
AAAA,YAAAY,CAACG,EAAb,CAAgB,OAAhB,EAA0BW,IAAD,IAAkB;AACzC,UAAIIB,yBAAJ,EAA+B;AAC  
7BA,QAAAA,yBAAYB,CAACW,KAA1B,CAAgCQ,GAAhC;AACD,OAFD,MAEO;AACLrB,QAAAA,MAAM,C  
AACsB,IAAP;AACD;;AACD,UAAIF,IAAI,KAAK,CAAb,EAAgB;AACdtB,QAAAA,MAAM,CACJ,KAAIIE,oB  
AAJ,EACG;AACb;AACa;AACa,wEAAwEgG,IAAK;AAC7E;AACa,cAAc7F,YAAAY,CAACK,IAAK;AACChC,  
WAPU,EAQEsE,yBAAYB,GACrBqB,SADqB,GAERbHd,WAAW,GAAG,IAAd,GAAqBiC,WAV3B,CADI,CAAN  
;AACa;AACD;;AACDzE,yBAAOmD,OAAP,CAAe,4BAaf;;AACAW,MAAAA,OAAO,CAACtB,WAAD,CAAP;  
AACD,KAZBD;AA0BD,GAjFM,CAAP;AAkFD;;AAED,SAASD,aAAT,CAAuBP,iBAAvB,EAakD;AACChD,QA  
AMyD,iBAAiB,GAAGC,mBAAMb,CAAC1D,iBAAD,CAA7C;;AACAhC,qBAAOC,IAAP,CAAa,aAAYwF,iBA  
AkB,EAA3C;;AAEA7D,2BAACiB,SAAd,CAAwB,OAAxB,EAAiC,CAAC,QAAD,EAaw,MAAX,EAAMbB,iBA  
AiB,CAAC1B,IAArC,CAAJC;AACD;;AAED,SAASqF,cAAT,CAAwBC,aAAxB,EAA+C;AAC7C,QAAAMC,QAA  
Q,GAAGnE,IAAI,CAACC,KAAL,CAAWiE,aAAX,CAAJB,CAD6C,CAG7C;;AACa,OAkK,MAAME,CAAX,IA  
AgBD,QAAhB,EAA0B;AACxB,UAAAME,gBAAGB,GAAGF,QAAQ,CAACC,CAAD,CAAR,CAAYF,aAAZ,CAA

0BI,iBAAnD;;AAEA,QAAID,gBAAgB,KAAK,KAAzB,EAAGC;AAC9B,aAAO;AACLE,QAAAA,cAAc,EAAEJ,  
QAAQ,CAACC,CAAD,CAAR,CAAYF,aAAZ,CAA0BM,gBADrC;AAELC,QAAAA,oBAAoB,EAAEN,QAAQ,C  
AACC,CAAD,CAAR,CAAYF,aAAZ,CAA0BQ;AAF3C,OAAP;AAID;AACF;;AAED,SAAO,EAAP;AACD;;AAE  
D,SAASzD,YAAT,CACEnD,YADF,EAEEoD,aAFF,EAGEJ,WAHF,EAIEzC,MAJF,EAKEsG,UAAmB,GAAG,K  
ALxB,EAME;AACa,QAAMT,aAAa,GAAGhE,yBAAcC,YAAAd,CACpB,YADoB,EAEPB,CACErC,YAAy,CAA  
CU,WAAb,GAA2B,YAA3B,GAA0C,UAD5C,EAEV, YAAy,CAACK,IAFf,EAGE,SAHF,EAIEE,MAJF,EAKE,  
MALF,EAMEuG,eAAe,CAAC9D,WAAD,CANjB,EAOE,gBAPF,EAQEI,aARF,EASE,oBATF,EAUE,OAVF,CAF  
oB,EAcpB;AACd,IAAAA,QAAQ,EAAE;AAAX,GAdoB,CAAtB;;AAgBA,QAAM;AAACmE,IAAAA,cAAD;A  
AAiBE,IAAAA;AAAJB,MAAyCR,cAAc,CAACC,aAAD,CAA7D;;AAEA,MAAI,CAACK,cAAL,EAAqB;AACnB  
,UAAM,KAAI5G,oBAAJ,EAAa,2CAAb,CAAN;AACD;;AAED,MAAI,CAAC8G,oBAAAL,EAA2B;AACzB,UAA  
M,KAAI9G,oBAAJ,EAAa,6BAAb,CAAN;AACD;;AAED,SAAQ,GAAE4G,cAAe,GACvBI,UAAU,GAAG,cAAH,  
GAAoB,EAC/B,IAAGF,oBAAqB,EAfzB;AAGD;;AAED,SAASG,eAAT,CAAyB9D,WAAzB,EAA8C;AAC5C;A  
ACA,QAAM+D,iBAAiB,GAAG,sCAAsCC,IAAtC,CACxBhE,WADwB,CAA1B;;AAGA,MAAI,CAAC+D,iBAA  
L,EAAwB;AACtB,UAAm,KAAIH,oBAAJ,EACJ,iIADI,CAAN;AAGD;;AACD,SAAOkH,iBAAiB,CAAC,CAAD  
,CAAxB;AACD;;AAED,SAASIC,mBAAT,GAA+B;AAC7B,MAAI;AACFzC,6BAAc6E,QAAAd,CAAuB,sBAAvB,  
EAA+C;AAC7C3D,MAAAA,KAAK,EAAE,CAAC,CAAD,EAAl,MAAJ,EAAY,QAAZ;AADsC,KAA/C;AAGD,  
GAJD,CAIE,OAAOtC,KAAP,EAAC;AACd,WAAO,KAAP;AACD;;AACD,SAAO,IAAP;AACD;;AAED,SAAS8D  
,iBAAT,GAA6B;AAC3B,MAAI;AACF1C,6BAAc6E,QAAAd,CAAuB,oBAAvB,EAA6C;AAC3C3D,MAAAA,KA  
AK,EAAE,CAAC,CAAD,EAAl,MAAJ,EAAY,QAAZ;AADoC,KAA7C;AAGD,GAJD,CAIE,OAAOtC,KAAP,EA  
Ac;AACd,WAAO,KAAP;AACD;;AACD,SAAO,IAAP;AACD;;AAED,SAASgB,cAAT,CACEf,OADF,EAEEiG,U  
AFF,EAGE;AACa,MAAIA,UAAU,KAAK,IAAnB,EAAYB;AACvB,UAAmC,cAAc,GAAGIG,OAAO,CAACQ,IA  
AAR,CAAcC,CAAD,IAAOA,CAAC,CAACE,IAAF,KAaw,QAA/B,CAAvB;;AACa,QAAIuF,cAAJ,EAAoB;AA  
CIB3G,yBAAOC,IAAP,CACG,uCAAsCE,iBAAMC,IAAN,CACrCuG,cAAc,CAAC9G,IADsB,CAErC,iCAHJ;;A  
AKA,aAAO8G,cAAP;AACD,KAPD,MAOO;AACL3G,yBAAOQ,KAAP,CAAa,2BAAb;;AACa,aAAOgF,SAAP;  
AACD;AACF;;AACD,QAAMoB,YAAy,GAAGnG,OAAO,CAACQ,IAAR,CACIBZ,MAAD,IACEA,MAAM,CA  
ACR,IAAP,KAAgB6G,UAAhB,IAA8BhB,mBAAMB,CAACrF,MAAD,CAAnB,KAAgCqG,UAF7C,CAArB;;AAI  
A,MAAI,CAACE,YAAL,EAAMB;AACjB5G,uBAAOQ,KAAP,CACG,mCAAKCL,iBAAMC,IAAN,CACjCyG,M  
AAM,CAACH,UAAD,CAD2B,CAEjC,MAAKvF,iBAAiB,CAACV,OAD,CAAU,EAHPc;AAKD;;AACD,SAA  
OmG,YAAP;AACD;;AAED,SAASIB,mBAAT,CAA6BxD,SAA7B,EAAGD;AAC9C,SAAOA,SAAS,CAAC4E,OA  
AV,GACF,GAAE5E,SAAS,CAACrC,IAAK,KAAIqC,SAAS,CAAC4E,OAAQ,GADrC,GAEH5E,SAAS,CAACrC,  
IAFd;AAGD;;AAED,SAASsB,iBAAT,CAA2BV,OAA3B,EAAMd;AACjD,SAAO,CACL,oBADK,EAEL,GAAG  
A,OAAO,CAACsG,GAAR,CAAa1G,MAAD,IAAa,OAAMA,MAAM,CAACR,IAAK,KAAIQ,MAAM,CAACC,IA  
AK,GAA3D,CAFE,EAGL0C,IAHK,CAGA,IAHA,CAAP;AAID;;AAED,SAASwB,iBAAT,CAA2B;AACzBwC,E  
AAAA,QADyB;AAEzBC,EAAAA,QAFyB;AAGzBC,EAAAA;AAHyB,CAA3B,EAQ6B;AAC3B,MAAIF,QAAJ,  
EAAC;AACZ,WAAO;AACLG,MAAAA,GAAG,EAAE,EACH,GAAG7H,OAAO,CAAC6H,GADR;AAEHC,QAA  
AA,YAAy,EAAEH,QAFX;AAGHI,QAAAA,cAAc,EAAEH,IAAI,CAACrC,QAAL;AAHb;AADA,KAAP;AAOD;  
;AAED,SAAO;AACLsC,IAAAA,GAAG,EAAE,EACH,GAAG7H,OAAO,CAAC6H,GADR;AAEHC,MAAAA,Y  
AAy,EAAEH,QAFX;AAGHK,MAAAA,sBAAsB,EAAE;AAHrB;AADA,GAAP;AAOD;;eAEc;AACbzH,EAAAA  
,IAAI,EAAE,SADO;AAEb0H,EAAAA,WAAW,EAAE,gDAFA;AAGbC,EAAAA,IAAI,EAAEII,MAHO;AAIb2I,  
EAAAA,QAAQ,EAAE,CACR;AAEC,IAAAA,IAAI,EAAE,+DADR;AAEEC,IAAAA,GAAG,EAAE;AAFP,GA  
DQ,EAKR;AACED,IAAAA,IAAI,EAAE,+CADR;AAEEC,IAAAA,GAAG,EAAE;AAFP,GALQ,EASR;AACED,I  
AAAA,IAAI,EAAE,8CADR;AAEEC,IAAAA,GAAG,EAAE;AAFP,GATQ,EAaR;AACED,IAAAA,IAAI,EAAE,8  
BADR;AAEEC,IAAAA,GAAG,EACD;AAHJ,GAbQ,CAJG;AAuBbC,EAAAA,OAAO,EAAE,CACP;AAEC/H,IA  
AAA,IAAI,EAAE,sBADR;AAEE0H,IAAAA,WAAW,EACT,6EACA,qEAJJ;AAKEM,IAAAA,OAAO,EAAE;AA  
LX,GADO,EAQP;AAChI,IAAAA,IAAI,EAAE,0BADR;AAEE0H,IAAAA,WAAW,EAAE,gDAFf;AAGEM,IAA  
AA,OAAO,EAAE;AAHX,GARO,EAaP;AAChI,IAAAA,IAAI,EAAE,mBADR;AAEE0H,IAAAA,WAAW,EAA  
E;AAFF,GAbO,EAiBP;AAChI,IAAAA,IAAI,EAAE,yBADR;AAEE0H,IAAAA,WAAW,EACT,2DACA,qBAJJ;  
AAKEM,IAAAA,OAAO,EAAE;AALX,GajBO,EAwBP;AAChI,IAAAA,IAAI,EAAE,mBADR;AAEE0H,IAAA

A, WAAW, EACT; AAHJ, GAxBO, EA6BP; ACE1H, IAAAA, IAAI, EAAE, iBADR; AEEE0H, IAAAA, WAAW, EAAE; AAFf, GA7BO, EAiCP; ACE1H, IAAAA, IAAI, EAAE, eADR; AEEE0H, IAAAA, WAAW, EAAE; AAFf, GAjCO, EAqCP; ACE1H, IAAAA, IAAI, EAAE, WADR; AEEE0H, IAAAA, WAAW, EAAE; AAFf, GARCO, EAyCP; ACE1H, IAAAA, IAAI, EAAE, iBADR; AEEgI, IAAAA, OAAO, EAAEvI, OAAO, CAAC6H, GAAR, CAAYE, cAAZ, IAA8B, IAFzC; AGE1F, IAAAA, KAAK, EAAEmG; AAHT, GAzCO, EA8CP; ACEjI, IAAAA, IAAI, EAAE, qBADR; AEEE0H, IAAAA, WAAW, EACT, +EAHJ; AAIEM, IAAAA, OAAO, EAAEE; AAJX, GA9CO; AAvBI, C", "sourcesContent": ["

```

/**
 * Copyright (c) Facebook, Inc. and its affiliates.
 *
 * This source code is licensed under the MIT license
 * found in the LICENSE file in the root directory of this source tree.
 */
import child_process, {
  ChildProcess,
  // @ts-ignore
  SpawnOptionsWithoutStdio,
} from 'child_process';
import fs from 'fs';
import path from 'path';
import chalk from 'chalk';
import { Config } from '@react-native-community/cli-types';
import findXcodeProject, { ProjectInfo } from './findXcodeProject';
import parseIOSDevicesList from './parseIOSDevicesList';
import parseXctraceIOSDevicesList from './parseXctraceIOSDevicesList';
import findMatchingSimulator from './findMatchingSimulator';
import warnAboutManuallyLinkedLibs from './link/warnAboutManuallyLinkedLibs';
import warnAboutPodInstall from './link/warnAboutPodInstall';
import {
  logger,
  CLIError,
  getDefaultUserTerminal,
} from '@react-native-community/cli-tools';
import { Device } from './types';
import ora from 'ora';
import execa from 'execa';

type FlagsT = {
  simulator?: string;
  configuration: string;
  scheme?: string;
  projectPath: string;
  device?: string | true;
  udid?: string;
  packager: boolean;
  verbose: boolean;
  port: number;
  terminal: string | undefined;
};

function runIOS(
  _: Array<string>,
  ctx: Config,
  args: FlagsT
) {
  if (!fs.existsSync(args.projectPath)) {
    throw new CLIError(
      `iOS project folder not found. Are you sure this is a React Native project?`
    );
    warnAboutManuallyLinkedLibs(ctx);
    warnAboutPodInstall(ctx);
    process.chdir(args.projectPath);
    const xcodeProject = findXcodeProject(fs.readdirSync('.'));
    if (!xcodeProject) {
      throw new CLIError(
        `Could not find Xcode project files in "${args.projectPath}" folder`
      );
    }
    const inferredSchemeName = path.basename(
      xcodeProject.name,
      path.extname(xcodeProject.name)
    );
    const scheme = args.scheme || inferredSchemeName;
    logger.info(
      `Found Xcode ${xcodeProject.isWorkspace ? 'workspace' : 'project'}`
    );
    `${chalk.bold(xcodeProject.name)}\n`;
    // No need to load all available devices
    if (!args.device && !args.udid) {
      return runOnSimulator(xcodeProject, scheme, args);
    }
    if (args.device && args.udid) {
      return logger.error(
        `The 'device' and 'udid' options are mutually exclusive.`
      );
    }
    let devices;
    try {
      const out = execa.sync('xcrun', ['xctrace', 'list', 'devices']);
      devices = parseXctraceIOSDevicesList(
        // Xcode 12.5 introduced a change to output the list to stdout instead of stderr
        out.stderr === ' ' ? out.stdout : out.stderr
      );
    } catch (e) {
      logger.warn(
        `Support for Xcode 11 and older is deprecated. Please upgrade to Xcode 12.`
      );
      devices = parseIOSDevicesList(
        execa.sync('xcrun', ['instruments', '-s']).stdout
      );
    }
    if (args.udid) {
      const device = devices.find((d) => d.udid === args.udid);
      if (!device) {
        return logger.error(
          `Could not find a device with udid: "${chalk.bold(args.udid)}"`.
          `${printFoundDevices(devices)}\n`
        );
      }
      if (device.type === 'simulator') {
        return runOnSimulator(xcodeProject, scheme, args);
      } else {
        return runOnDevice(device, scheme, xcodeProject, args);
      }
    } else {
      const physicalDevices = devices.filter((d) => d.type !== 'simulator');
      const device = matchingDevice(physicalDevices, args.device);
      if (device) {
        return runOnDevice(device, scheme, xcodeProject, args);
      }
    }
  }
  async function runOnSimulator(
    xcodeProject: ProjectInfo,
    scheme: string,
    args: FlagsT
  ) {
    let simulators: { devices: { [index: string]: Array<Device> } };
    try {
      simulators = JSON.parse(
        child_process.execFileSync(
          'xcrun',
          ['simctl', 'list', '--json', 'devices'],
          { encoding: 'utf8' },
          ctx
        )
      );
    } catch (error) {
      throw new CLIError(
        `Could not get the simulator list from Xcode. Please open Xcode and try running project directly from there to resolve the remaining issues.`
      );
    }
    /**
     * If provided simulator does not exist, try simulators in following order
     * - iPhone 13
     * - iPhone 12
     * - iPhone 11
     */
    const fallbackSimulators = ['iPhone 13', 'iPhone 12', 'iPhone 11'];
    const selectedSimulator = fallbackSimulators.reduce(
      (simulator, fallback) => {
        return (
          simulator ||
          findMatchingSimulator(simulators, { simulator: fallback })
        );
      },
      findMatchingSimulator(simulators, args)
    );
  }
}

```

```

if (!selectedSimulator) {
  throw new CLIErrror(`No simulator available with ${args.simulator ?
  `name "${args.simulator}" : `udid "${args.udid}"`);
}
// Booting simulator through
`xcrun simctl boot` will boot it in the `headless` mode
// (running in the background)
// In order for user
to see the app and the simulator itself, we have to make sure
// that the Simulator.app is running.
// We
also pass it `~CurrentDeviceUDID` so that when we launch it for the first time,
// it will not boot the "default"
device, but the one we set. If the app is already running,
// this flag has no effect.
const
activeDeveloperDir = child_process
  .execFileSync('xcode-select', ['-p'], {encoding: 'utf8'})
  .trim();
child_process.execFileSync('open', [
  `${activeDeveloperDir}/Applications/Simulator.app`,
  '--args',
  '~CurrentDeviceUDID',
  selectedSimulator.udid,
]);
if (!selectedSimulator.booted) {
  bootSimulator(selectedSimulator);
}
const buildOutput = await buildProject(xcodeProject,
  selectedSimulator.udid,
  scheme,
  args);
const appPath = getBuildPath(xcodeProject,
  args.configuration,
  buildOutput,
  scheme);
logger.info(`Installing "${chalk.bold(appPath)}"`);
child_process.spawnSync('xcrun', [
  'simctl',
  'install',
  selectedSimulator.udid,
  appPath,
  {stdio: 'inherit'},
]);
const bundleID = child_process
  .execFileSync(`/usr/libexec/PlistBuddy`, [
    '-c',
    `Print:CFBundleIdentifier`,
    path.join(appPath, 'Info.plist'),
    {encoding: 'utf8'}],
  ).trim();
logger.info(`Launching "${chalk.bold(bundleID)}"`);
const result = child_process.spawnSync('xcrun', [
  'simctl',
  'launch',
  selectedSimulator.udid,
  bundleID,
]);
if (result.status === 0) {
  logger.success('Successfully launched the app on the simulator');
} else {
  logger.error('Failed to launch the
  app on simulator', result.stderr);
}
}
function runOnDevice(selectedDevice: Device,
  scheme:
  string,
  xcodeProject: ProjectInfo,
  args: FlagsT) {
  const isIOSDeployInstalled =
  child_process.spawnSync('ios-deploy', [
    '--version'],
    {encoding: 'utf8'});
  if
  (isIOSDeployInstalled.error) {
    throw new CLIErrror(`Failed to install the app on the device because we
    couldn't execute the "ios-deploy" command. Please install it by running
    "${chalk.bold(`npm install -g ios-
    deploy`)}" and try again.`);
  }
  const buildOutput = await buildProject(xcodeProject,
  selectedDevice.udid,
  scheme,
  args);
  if (selectedDevice.type === 'catalyst') {
    const appPath =
    getBuildPath(xcodeProject,
    args.configuration,
    buildOutput,
    scheme,
    true);
    const
    appProcess = child_process.spawn(`${appPath}/${scheme}`, [], {
      detached: true,
      stdio: 'ignore',
    });
    appProcess.unref();
  } else {
    const iosDeployInstallArgs = [
      '--bundle',
      getBuildPath(xcodeProject,
      args.configuration,
      buildOutput,
      scheme),
      '--id',
      selectedDevice.udid,
      '--justlaunch',
    ];
    logger.info(`Installing and launching your app on ${selectedDevice.name}`);
    const iosDeployOutput =
    child_process.spawnSync('ios-deploy', [
      iosDeployInstallArgs,
      {encoding: 'utf8'}],
    );
    if
    (iosDeployOutput.error) {
      throw new CLIErrror(`Failed to install the app on the device. We've
      encountered an error in "ios-deploy" command: ${iosDeployOutput.error.message}`);
    }
  }
  logger.success('Installed the app on the device.');
```

```

app${'.repeat(buildOutput.length % 10)}\n    );\n    }\n    });\n    buildProcess.stderr.on('data', (data:
Buffer) => {\n    errorOutput += data;\n    });\n    buildProcess.on('close', (code: number) => {\n    if
(xcodebuildOutputFormatter) {\n    xcodebuildOutputFormatter.stdin.end();\n    } else {\n    loader.stop();\n
}\n    if (code !== 0) {\n    reject(\n    new CLIErrror(\n    `Failed to build iOS project.\n\n
We ran \"xcodebuild\" command but it exited with error code ${code}. To debug build\n    logs further,
consider building your app with Xcode.app, by opening\n    ${xcodeProject.name}.\n    `,\n
xcodebuildOutputFormatter\n    ? undefined\n    : buildOutput + '\n' + errorOutput,\n    ),\n    );\n
return;\n    }\n    logger.success('Successfully built the app');\n    resolve(buildOutput);\n    });\n
});\n}\n\nfunction bootSimulator(selectedSimulator: Device) {\n    const simulatorFullName =
formattedDeviceName(selectedSimulator);\n    logger.info(`Launching ${simulatorFullName}`);\n\n
child_process.spawnSync('xcrun', ['simctl', 'boot', selectedSimulator.udid]);\n}\n\nfunction
getTargetPaths(buildSettings: string) {\n    const settings = JSON.parse(buildSettings);\n\n    // Find app in all building
settings - look for WRAPPER_EXTENSION: 'app',\n    for (const i in settings) {\n    const wrapperExtension =
settings[i].buildSettings.WRAPPER_EXTENSION;\n\n    if (wrapperExtension === 'app') {\n    return {\n
targetBuildDir: settings[i].buildSettings.TARGET_BUILD_DIR,\n    executableFolderPath:
settings[i].buildSettings.EXECUTABLE_FOLDER_PATH,\n    }; \n    }\n    }\n\n    return {};\n}\n\nfunction
getBuildPath(\n    xcodeProject: ProjectInfo,\n    configuration: string,\n    buildOutput: string,\n    scheme: string,\n
isCatalyst: boolean = false,\n) {\n    const buildSettings = child_process.execFileSync(\n    'xcodebuild',\n    [\n
xcodeProject.isWorkspace ? '-workspace' : '-project',\n    xcodeProject.name,\n    '-scheme',\n    scheme,\n    '-
sdk',\n    getPlatformName(buildOutput),\n    '-configuration',\n    configuration,\n    '-showBuildSettings',\n
'-json',\n    ],\n    {encoding: 'utf8'},\n    );\n    const {targetBuildDir, executableFolderPath} =
getTargetPaths(buildSettings);\n\n    if (!targetBuildDir) {\n    throw new CLIErrror('Failed to get the target build
directory.);\n    }\n\n    if (!executableFolderPath) {\n    throw new CLIErrror('Failed to get the app name.);\n    }\n\n
return `${targetBuildDir}/${\n    isCatalyst ? '-maccatalyst' : ''\n    }/${executableFolderPath}`;\n}\n\nfunction
getPlatformName(buildOutput: string) {\n    // Xcode can sometimes escape `=` with a backslash or put the value in
quotes\n    const platformNameMatch = /export PLATFORM_NAME\\\\?=\\\"?(\w+)\\"?$/m.exec(\n    buildOutput,\n
);\n    if (!platformNameMatch) {\n    throw new CLIErrror(\n    `Couldn't find \"PLATFORM_NAME\" variable in
xcodebuild output. Please report this issue and run your project with Xcode instead.`,\n    );\n    }\n    return
platformNameMatch[1];\n}\n\nfunction xcbeautifyAvailable() {\n    try {\n    child_process.execSync('xcbeautify --
version', {\n    stdio: [0, 'pipe', 'ignore'],\n    });\n    } catch (error) {\n    return false;\n    }\n    return
true;\n}\n\nfunction xcprettyAvailable() {\n    try {\n    child_process.execSync('xcpretty --version', {\n    stdio: [0,
'pipe', 'ignore'],\n    });\n    } catch (error) {\n    return false;\n    }\n    return true;\n}\n\nfunction matchingDevice(\n
devices: Array<Device>,\n    deviceName: string | true | undefined,\n) {\n    if (deviceName === true) {\n    const
firstIOSDevice = devices.find((d) => d.type === 'device');\n    if (firstIOSDevice) {\n    logger.info(\n    `Using
first available device named \"${chalk.bold(\n    firstIOSDevice.name,\n    )}\" due to lack of name
supplied.`,\n    );\n    return firstIOSDevice;\n    } else {\n    logger.error('No iOS devices connected.);\n
return undefined;\n    }\n    }\n    const deviceByName = devices.find(\n    (device) =>\n    device.name ===
deviceName || formattedDeviceName(device) === deviceName,\n    );\n    if (!deviceByName) {\n    logger.error(\n
`Could not find a device named: \"${chalk.bold(\n    String(deviceName),\n    )}\".\n
${printFoundDevices(devices)}`,\n    );\n    }\n    return deviceByName;\n}\n\nfunction
formattedDeviceName(simulator: Device) {\n    return simulator.version\n    ? `${simulator.name}
(${simulator.version})\n    : simulator.name;\n}\n\nfunction printFoundDevices(devices: Array<Device>) {\n
return [\n    'Available devices:',\n    ...devices.map((device) => ` - ${device.name} (${device.udid})`),\n
].join('\n');\n}\n\nfunction getProcessOptions({\n    packager,\n    terminal,\n    port,\n}): {\n    packager: boolean;\n
terminal: string | undefined;\n    port: number;\n}): SpawnOptionsWithoutStdio {\n    if (packager) {\n    return {\n
env: {\n    ...process.env,\n    RCT_TERMINAL: terminal,\n    RCT_METRO_PORT: port.toString(),\n
},\n    };\n    }\n\n    return {\n    env: {\n    ...process.env,\n    RCT_TERMINAL: terminal,\n
RCT_NO_LAUNCH_PACKAGER: 'true',\n    },\n    };\n}\n\nexport default {\n    name: 'run-ios',\n    description:

```



```
const config = project.pbxXCBuildConfigurationSection();\n\n Object.keys(config)\n .filter((ref) =>\n ref.indexOf('_comment') === -1)\n .forEach((ref) => {\n const {buildSettings} = config[ref];\n const\n shouldVisitBuildSettings =\n (Array.isArray(buildSettings.OTHER_LDFLAGS))\n ?\n buildSettings.OTHER_LDFLAGS\n : []\n ).indexOf("-lc++") >= 0;\n\n if (shouldVisitBuildSettings)\n {\n const searchPaths = buildSettings.HEADER_SEARCH_PATHS\n ?\n [].concat(buildSettings.HEADER_SEARCH_PATHS)\n : defaultHeaderPaths;\n\n buildSettings.HEADER_SEARCH_PATHS = func(searchPaths);\n }\n })\n };\n\n }
```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-

tgz/package/build/link/mapHeaderSearchPaths.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version": 3, "sources": ["../../src/config/findProject.ts"], "names": ["GLOB_PATTERN", "TEST_PROJECTS", "IOS_
BASE", "GLOB_EXCLUDE_PATTERN", "findProject", "folder", "projects", "glob", "sync", "cwd", "ignore", "filter", "pr
object", "path", "dirname", "test", "sort", "length"], "mappings": ";;;;;;;;;AAQA;AAAA;;AAAA;AAAA;AAAA;AAAA;AAA
AAA;;ACA;AAAA;;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AA
ACA;;AKA;ACA;ACA;ACA,MAAMA,YAAY,GAAG,gBAaRb;AAEA;ACA;ACA;;ACA,MAAMC,aA
Aa,GAAG,sBAAtB;AAEA;ACA;ACA;;ACA,MAAMC,QAAQ,GAAG,KAAjB;AAEA;ACA;ACA;;AAC
A,MAAMC,oBAAoB,GAAG,CAAC,qCAAD,CAA7B;AAEA;ACA;ACA;ACA;ACA;ACA;ACA;AAC
A;;AACe,SAASC,WAAT,CAAqBC,MAaRb,EAAoD;AACjE,QAAAMC,QAAQ,GAAGC,gBACdC,IADc,CACTR,
YADS,EACK;AACIBS,IAAAA,GAAG,EAAEJ,MADa;AAEIBK,IAAAA,MAAM,EAAEP;AAFU,GADL,EAKdQ,
MALc,CAMZC,OAAD,IACEC,gBAAKC,OAAL,CAAaF,OAAb,MAA0BV,QAA1B,IAAsC,CAACD,aAAa,CAA
Cc,IAAd,CAAmBH,OAAnB,CAP5B,EASdI,IATc,CASRJ,OAAD,IAAcC,gBAAKC,OAAL,CAAaF,OAAb,MAA0
BV,QAA1B,GAAqC,CAAC,CAAtC,GAA0C,CAT/C,CAAjB;;AAWA,MAAIL,QAAQ,CAACW,MAAT,KAAoB,C
AAxB,EAA2B;AACzB,WAAO,IAAP;AACD;;AAED,SAAOX,QAAQ,CAAC,CAAD,CAAf;AACD", "sourcesCont
ent": ["/*\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT
license found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\nimport glob from
'glob';\nimport path from 'path';\n\n/**\n * Glob pattern to look for xcodeproj\n */\nconst GLOB_PATTERN =
'*/*.xcodeproj';\n\n/**\n * Regexp matching all test projects\n */\nconst TEST_PROJECTS =
/test|example|sample/i;\n\n/**\n * Base iOS folder\n */\nconst IOS_BASE = 'ios';\n\n/**\n * These folders will be
excluded from search to speed it up\n */\nconst GLOB_EXCLUDE_PATTERN =
['*/@(Pods|node_modules|Carthage)/*'];\n\n/**\n * Finds iOS project by looking for all .xcodeproj files\n * in
given folder.\n *\n * Returns first match if files are found or null\n *\n * Note: `./ios/*.xcodeproj` are returned
regardless of the name\n */\nexport default function findProject(folder: string): string | null {\n const projects =
glob\n .sync(GLOB_PATTERN, {\n cwd: folder,\n ignore: GLOB_EXCLUDE_PATTERN,\n })\n .filter(\n (project) =>\n path.dirname(project) === IOS_BASE || !TEST_PROJECTS.test(project),\n )\n .sort((project) => (path.dirname(project) === IOS_BASE ? -1 : 1));\n\n if (projects.length === 0) {\n return
null;\n }\n\n return projects[0];\n\n }
```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/config/findProject.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version": 3, "sources": ["../../src/link/getPlist.ts"], "names": ["getPlist", "project", "sourceDir", "plistPath", "fs", "existsS
ync", "plistParser", "parse", "readFileSync"], "mappings": ";;;;;;;;;AAQA;AAAA;;AAAA;AAAA;AAAA;AAAA;AAAA;AAA
A;;ACA;AAAA;;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AA
ACA;;AAMA;ACA;ACA;ACA;ACA;AACe,SAASA,QAAT,CAAKBC,OAAlB,EAAgCC,SAAhC,EAAm
```



```
D;AAChE,QAAMC,SAAS,GAAG,2BAAaF,OAAb,EAA5BC,SAAtB,CAAIB;;AAEA,MAAI,CAACC,SAAD,IAA
c,CAACC,cAAGC,UAAH,CAAcF,SAAd,CAAnB,EAA6C;AAC3C,WAAO,IAAP;AACD;;AAED,SAAOG,iBAA
YC,KAAZ,CAAKBH,cAAGI,YAAH,CAAqBL,SAAhB,EAA2B,OAA3B,CAAIB,CAAP;AACD',"sourcesContent
":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license
found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\nimport plistParser from
'plist';\nimport fs from 'fs';\nimport getPlistPath from './getPlistPath';\n\n/**\n * Returns Info.plist located in the iOS
project\n *\n * Returns `null` if INFOPLIST_FILE is not specified.\n */\nexport default function getPlist(project:
any, sourceDir: string) {\n  const plistPath = getPlistPath(project, sourceDir);\n\n  if (!plistPath ||
!fs.existsSync(plistPath)) {\n    return null;\n  }\n\n  return plistParser.parse(fs.readFileSync(plistPath, 'utf-
8'));\n}\n}}
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getPlist.js.map
No license file was found, but licenses were detected in source scan.
```

```
{"version":3,"sources":["../../src/link/removeFromPbxItemContainerProxySection.ts"],"names":["removeFromPbxIt
emContainerProxySection","project","file","section","hash","objects","PBXContainerItemProxy","key","Object","k
eys","containerPortal","uuid"],"mappings":":;::;::;AAAA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AA
CA;AACA;AACA;AACA;AACe,SAASA,sCAAT,CACbC,OADa,EAEBc,IAFa,EAGb;AACA,QAAMC,OAAO,G
AAGF,OAAO,CAACG,IAAR,CAAaH,OAAb,CAAqBI,OAARb,CAA6BC,qBAA7C;;AAEA,OAAK,MAAMC,GA
AX,IAAkBC,MAAM,CAACC,IAAP,CAAYN,OAAZ,CAAIB,EAAwC;AACtC,QAAIA,OAAO,CAACI,GAAD,C
AAP,CAAaG,eAAb,KAAiCR,IAAI,CAACS,IAA1C,EAAgD;AAC9C,aAAOR,OAAO,CAACI,GAAD,CAAd;AA
CD;AACF;AACF',"sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source
code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n
*/\n\n/**\n * For all files that are created and referenced from another `.xcodeproj` -\n * a new
PBXItemContainerProxy is created that contains `containerPortal` value\n * which equals to xcodeproj file.uuid
from PBXFileReference section.\n */\nexport default function removeFromPbxItemContainerProxySection(\n
project: any,\n file: any,\n) {\n  const section = project.hash.project.objects.PBXContainerItemProxy;\n\n  for (const
key of Object.keys(section)) {\n    if (section[key].containerPortal === file.uuid) {\n      delete section[key];\n    }
}\n}\n}}
```

Found in path(s):

```
* /opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-
tgz/package/build/link/removeFromPbxItemContainerProxySection.js.map
No license file was found, but licenses were detected in source scan.
```

```
{"version":3,"sources":["../../src/link/removeFromProjectReferences.ts"],"names":["removeFromProjectReferences",
"project","file","firstProject","getFirstProject","projectRef","projectReferences","find","item","ProjectRef","uuid","s
plice","indexOf"],"mappings":":;::;::;AAAA;AACA;AACA;AACA;AACA;AACA;AACA;;AAEA;AACA;AACA;A
ACA;AACA;AACA;AACA;AACA;AACA;AACe,SAASA,2BAAT,CAAqCC,OAARc,EAAMDC,IAAnD,
EAA8D;AAC3E,QAAM;AAACC,IAAAA;AAAD,MAAiBF,OAAO,CAACG,eAAR,EAAvB;AAEA,QAAMC,UA
AU,GAAGF,YAAAY,CAACG,iBAAb,CAA+BC,IAA/B,CACbBC,IAAD,IAAeA,IAAI,CAACC,UAAAL,KAAoBP,IA
AAI,CAACQ,IADvB,CAAnB;;AAIA,MAAI,CAACL,UAAAL,EAAiB;AACf,WAAO,IAAP;AACD;;AAEDF,EAA
AA,YAAAY,CAACG,iBAAb,CAA+BK,MAA/B,CACER,YAAAY,CAACG,iBAAb,CAA+BM,OAA/B,CAAuCP,UAA
AvC,CADF,EAEE,CAFF;AAKA,SAAOA,UAAP;AACD',"sourcesContent":["/**\n * Copyright (c) Facebook, Inc.
and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the
root directory of this source tree.\n *\n */\n\n/**\n * For each file (.xcodeproj), there's an entry in
`projectReferences` created\n * that has two entries - `ProjectRef` - reference to a file.uuid and\n * `ProductGroup` -
```



AG,KAAIC,kBAAJ,EAAYF,QAAZ,CAAb;AACAC,EAAAA,IAAI,CAACE,IAAL,GAAYJ,OAAO,CAACK,YAA R,EA AZ;AACAH,EAAAA,IAAI,CAACI,OAAAL,GAAeN,OAAO,CAACK,YAAR,EAAf;AACAL,EAAAA,OAAO ,CAACO,4BAAR,CAAqCL,IAArC;AAC A,SAAOA,IAAP;AACD", "sourcesContent": ["/\*\*\n \* Copyright (c) Facebook, Inc. and its affiliates.\n \*\n \* This source code is licensed under the MIT license found in the\n \* LICENSE file in the root directory of this source tree.\n \*\n \*/\n\nimport PbxFile from 'xcode/lib/pbxFile';\n\n/\*\*\n \* Given xcodeproj and filePath, it creates new file\n \* from path provided, adds it to the project\n \* and returns newly created instance of a file\n \*/\nexport default function addFileToProject(project: any, filePath: string) {\n const file = new PbxFile(filePath);\n file.uuid = project.generateUuid();\n file.fileRef = project.generateUuid();\n project.addToPbxFileReferenceSection(file);\n return file;\n}\n}

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/addFileToProject.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/addSharedLibraries.ts"],"names":["addSharedLibraries","project","libraries","length","target","getFirstTarget","uuid","name","addFramework"],"mappings":";;AQA;AARA;AACAA;AACAA;AACAA;AACAA;AAIe,SAASA,kBAAT,CACbC,OADa,EAEBc,SAFa,EAGb;AACa,MAAI,CAACA,SAAS,CAACC,MAAf,EAAB;AACrB;AACD,GAHD,CAKA;AACa,uCAAuBF,OAAvB,EAAgC,YAAhC;AAEA,QAAMG,MAAM,GAAGH,OAAO,CAACI,cAAR,GAAYBC,IAAxC;AAEA,OAAK,MAAMC,IAAX,IAAmBL,SAAnB,EAA8B;AAC5BD,IAAAA,OAAO,CAACO,YAAR,CAAqBD,IAArB,EAA2B;AAACH,MAAAA;AAD,CAA3B;AACD;AACF", "sourcesContent": ["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\nimport createGroupWithMessage from './createGroupWithMessage';\n\nexport default function addSharedLibraries(\n project: any,\n libraries: Array<string>,\n) {\n if (!libraries.length) {\n return;\n }\n // Create a Frameworks group if necessary.\n createGroupWithMessage(project, 'Frameworks');\n\n const target = project.getFirstTarget().uuid;\n\n for (const name of libraries) {\n project.addFramework(name, {target});\n }\n}\n}
```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/addSharedLibraries.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../src/link/getGroup.ts"],"names":["getFirstProject","project","firstProject","findGroup","groups","name","children","find","group","comment","getGroup","path","getPBXGroupByKey","mainGroup","split","foundGroup","value"],"mappings":";;AAAA;AACAA;AACAA;AACAA;AACAA;AACAA;AAEA,MAAMA,eAAe,GAaic,OAAD,IActBA,OAAO,CAACD,eAAR,GAA0BE,YAD5B;;AAGA,MAAMC,SAAS,GAAG,CACbBC,MADgB,EAehBC,IAFgB,KAGbD,MAAM,CAACE,QAAP,CAAgBC,IAAhB,CAAsBC,KAAD,IAAWA,KAAK,CAACC,OAAN,KAAkBJ,IAAID,CAHL;AAKA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACAA;AACe,SAAASK,QAAT,CAAkBT,OAAIB,EAAgCU,IAAhC,EAA+C;AAC5D,QAAMT,YAAY,GAAGF,eAAe,CAACC,OAD,CAApC;AAEA,MAAIG,MAAM,GAAGH,OAAO,CAACW,gBAAR,CAAYBV,YAAY,CAACW,SAAtC,CAA b;;AAEA,MAAI,CAACF,IAAL,EA AW;AACT,WAAOP,MAAP;AACD;;AAED,OAAK,MAAMC,IAAX,IAAmBM,IAAI,CAACG,KAAL,CAAW,GAAX,CAAnB,EAAoC;AACIC,UAAMC,UAAU,GAAGZ,SAAS,CAACC,MAAD,EAASC,IAAT,CAA5B;;AAEA,QAAIU,UAAJ,EAAgB;AACdX,MAAAA,MAAM,GAAGH,OAAO,CAACW,gBAAR,CAAYBG,UAAU,CAACC,CAApC,CAAT;AACD,KAFD,MAEO;AACLZ,MAAAA,MAAM,GAAG,IAAT;AACAA;AACD;AACF;;AAED,SAAOA,MAAP;AACD", "sourcesContent": ["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the
```

```

root directory of this source tree.\n *\n */\n\nconst getFirstProject = (project: any) =>\n
project.getFirstProject().firstProject;\n\nconst findGroup = (\n  groups: {children: Array<{comment: string; value:\n
string}>},\n  name: string,\n) => groups.children.find((group) => group.comment === name);\n\n/**\n * Returns\n
group from .xcodeproj if one exists, null otherwise\n *\n * Unlike node-xcode `pbxGroupByName` - it does not\n
return `first-matching`\n * group if multiple groups with the same name exist\n *\n * If path is not provided, it\n
returns top-level group\n */\n\nexport default function getGroup(project: any, path?: string) {\n  const firstProject =\n
getFirstProject(project);\n\n  let groups = project.getPBXGroupByKey(firstProject.mainGroup);\n\n  if (!path) {\n\n
return groups;\n  }\n\n  for (const name of path.split('/')) {\n    const foundGroup = findGroup(groups, name);\n\n
if (foundGroup) {\n      groups = project.getPBXGroupByKey(foundGroup.value);\n    } else {\n      groups = null;\n\n
break;\n    }\n  }\n\n  return groups;\n}\n\n"}

```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link/getGroup.js.map  
No license file was found, but licenses were detected in source scan.

```

{"version":3,"sources":["../../src/link-\n
pods/savePodFile.ts"],"names":["savePodFile","podfilePath","podLines","newPodfile","join","logger","debug","fs",\n
"writeFileSync"],"mappings":":;;;;;;;;;AAQA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;\n
;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAAA;AAKe,SAASA,WAAT,C\n
ACbC,WADa,EAEBc,QAFa,EAGb;AACa,QAAMC,UAAU,GAAGD,QAAQ,CAACE,IAAT,CAAc,IAAd,CAAn\n
B;;AACAC,qBAAOC,KAAP,CAAc,sBAAqBL,WAAy,EAA/C;;AACAM,gBAAGC,aAAH,CAAiBP,WAAjB,EA\n
A8BE,UAA9B;AACD","sourcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This\n
source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source\n
tree.\n *\n */\n\nimport fs from 'fs';\nimport {logger} from '@react-native-community/cli-tools';\n\nexport default\n
function savePodFile(\n  podfilePath: string,\n  podLines: Array<string>,\n) {\n  const newPodfile =\n
podLines.join('\n');\n  logger.debug(`Writing changes to ${podfilePath}`);\n  fs.writeFileSync(podfilePath,\n
newPodfile);\n}\n\n"}

```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/link-\n
pods/savePodFile.js.map  
No license file was found, but licenses were detected in source scan.

```

{"version":3,"sources":["../../src/link/addProjectToLibraries.ts"],"names":["addProjectToLibraries","libraries","file",\n
"children","push","value","fileRef","comment","basename"],"mappings":":;;;;;;;;;AAAA;AACa;AACa;AACa;AAC\n
A;AACa;AACa;;AAEA;AACa;AACa;AACa;AACa;AACa;AACa;AACa;AACe,SAASA,qBAAT,CACbC,SADa,EA\n
EbC,IAFa,EAGb;AACa,SAAOD,SAAS,CAACE,QAAV,CAAmBC,IAAnB,CAAwB;AAC7BC,IAAAA,KAAK,E\n
AAEH,IAAI,CAACI,OADiB;AAE7BC,IAAAA,OAAO,EAAEL,IAAI,CAACM;AAFe,GAAxB,CAAP;AAID","so\n
urcesContent":["/**\n * Copyright (c) Facebook, Inc. and its affiliates.\n *\n * This source code is licensed under the\n
MIT license found in the\n * LICENSE file in the root directory of this source tree.\n *\n */\n\n/**\n * Given an\n
array of xcodeproj libraries and pbxFile,\n * it appends it to that group\n *\n * Important: That function mutates\n
`libraries` and it's not pure.\n * It's mainly due to limitations of `xcode` library.\n */\n\nexport default function\n
addProjectToLibraries(\n  libraries: {children: Array<{value: string; comment: string}>},\n  file: {fileRef: string;\n
basename: string},\n) {\n  return libraries.children.push({\n    value: file.fileRef,\n    comment: file.basename,\n
  });\n}\n\n"}

```

Found in path(s):

\* /opt/cola/permits/1316419042\_1651001674.7/0/cli-platform-ios-7-0-1-



Facebook, Inc. and its affiliates.

```

This source code is licensed under the MIT license found in the
LICENSE file in the root directory of this source tree.

import {Device} from './types';

Parses the output of the `xcrun instruments -s` command and returns metadata about available iOS simulators and physical devices, as well as host Mac for Catalyst purposes.

Expected text looks roughly like this:

Known Devices:
this-mac-device [UDID]
A Physical Device (OS Version) [UDID]
A Simulator Device (OS Version) [UDID] (Simulator)

function parseIOSDevicesList(text: string): Array<Device> {
  const devices: Array<Device> = [];
  text.split("\n").forEach((line) => {
    const device = line.match(/(.*?) (\((([0-9.]+)\)) )? \([([0-9A-F-]+)\] (\(Simulator\))?)?/i);
    if (device) {
      const [, name, , version, uuid, isSimulator] = device;
      const metadata: Device = {name, uuid};
      if (version) {
        metadata.version = version;
        metadata.type = isSimulator ? 'simulator' : 'device';
      } else {
        metadata.type = 'catalyst';
      }
      devices.push(metadata);
    }
  });
  return devices;
}

export default parseIOSDevicesList;

```

Found in path(s):

```

/opt/cola/permits/1316419042_1651001674.7/0/cli-platform-ios-7-0-1-tgz/package/build/commands/runIOS/parseIOSDevicesList.js.map

```

# 1.391 d3-scale 1.0.7

## 1.391.1 Available under license :

Copyright 2010-2015 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.392 react-is 17.0.2

## 1.392.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.393 safe-json-stringify 1.2.0

## 1.393.1 Available under license :

No license file was found, but licenses were detected in source scan.

The MIT License (MIT)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

Found in path(s):

\* /opt/cola/permits/1381073073\_1659629351.0177913/0/safe-json-stringify-1-2-0-4-tgz/package/README.md

# 1.394 negotiator 0.6.3

## 1.394.1 Available under license :

(The MIT License)

Copyright (c) 2012-2014 Federico Romero

Copyright (c) 2012-2014 Isaac Z. Schlueter

Copyright (c) 2014-2015 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.395 validate-npm-package-name 3.0.0

### 1.395.1 Available under license :

Copyright (c) 2015, npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.



# 1.396 babel-plugin-proposal-dynamic-import

## 7.18.6

### 1.396.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.397 reusify 1.0.4

### 1.397.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Matteo Collina

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.398 lodash-frompairs 4.0.1

### 1.398.1 Available under license :

Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>

Based on Underscore.js, copyright 2009-2016 Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.399 @babel/plugin-syntax-private-property-in-object 7.14.5

### 1.399.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.400 native-base 2.15.2

### 1.400.1 Available under license :

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or

for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason

of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2016-present GeekyAnts

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.401 @babel/plugin-proposal-class-static-block 7.18.6

## 1.401.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.402 @babel/plugin-transform-duplicate-keys 7.18.9

### 1.402.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.403 prepend-http 2.0.0

### 1.403.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated



documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.404 encoding 0.1.13

### 1.404.1 Available under license :

Copyright (c) 2012-2014 Andris Reinman

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.405 escape-string-regexp 4.0.0

### 1.405.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.406 @babel/plugin-transform-parameters

### 7.18.8

#### 1.406.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.407 osenv 0.1.5

#### 1.407.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.408 @babel/helper-remap-async-to-generator 7.18.9

### 1.408.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.409 babel-plugin-transform-member-expression-literals 7.18.6

## 1.409.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.410 electron-to-chromium 1.4.235

### 1.410.1 Available under license :

Copyright 2018 Kilian Valkhof

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.411 expo-web-browser 10.2.1

### 1.411.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2022-present 650 Industries. All rights reserved.

Found in path(s):

- \* /opt/cola/permits/1381074318\_1659629334.5305395/0/expo-web-browser-10-2-1-tgz/package/ios/WebBrowserModule.swift
- \* /opt/cola/permits/1381074318\_1659629334.5305395/0/expo-web-browser-10-2-1-tgz/package/ios/WebBrowserSession.swift
- \* /opt/cola/permits/1381074318\_1659629334.5305395/0/expo-web-browser-10-2-1-tgz/package/ios/WebAuthSession.swift
- \* /opt/cola/permits/1381074318\_1659629334.5305395/0/expo-web-browser-10-2-1-tgz/package/ios/WebBrowserOptions.swift
- \* /opt/cola/permits/1381074318\_1659629334.5305395/0/expo-web-browser-10-2-1-tgz/package/ios/WebBrowserExceptions.swift

## 1.412 tslib 1.14.1

### 1.412.1 Available under license :

```
/*! *****
```

Copyright (c) Microsoft Corporation.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

```
***** */
```

Copyright (c) Microsoft Corporation.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.413 @jridgewell/trace-mapping 0.3.15

## 1.413.1 Available under license :

Copyright 2022 Justin Ridgewell <justin@ridgewell.name>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.414 find-babel-config 1.2.0

### 1.414.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Tommy Leunen <tommy.leunen@gmail.com> (tommyleunen.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.415 @babel/plugin-syntax-export-default- from 7.18.6

## 1.415.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.416 is-wsl 2.2.0

## 1.416.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.417 @expo/config 6.0.26

### 1.417.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.418 nodelib-fs-walk 1.2.8

### 1.418.1 Available under license :

The MIT License (MIT)

Copyright (c) Denis Malinochkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.



THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.419 @codler/react-native-keyboard-aware-scroll-view 1.0.1

### 1.419.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 APSL

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.420 path-exists 4.0.0

### 1.420.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.421 @babel/plugin-syntax-numeric-separator 7.10.4

### 1.421.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.422 css-what 6.1.0

### 1.422.1 Available under license :

Copyright (c) Felix Bhm

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the

following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.423 patch-package 6.4.7

### 1.423.1 Available under license :

Copyright (c) 2017 David Sheldrick

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.424 @babel/helper-function-name 7.18.9

## 1.424.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.425 Iru-cache 6.0.0

### 1.425.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.426 commander 7.2.0

## 1.426.1 Available under license :

(The MIT License)

Copyright (c) 2011 TJ Holowaychuk <tj@vision-media.ca>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.427 component-type 1.2.1

## 1.427.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*!  
* mocha  
* Copyright(c) 2011 TJ Holowaychuk <tj@vision-media.ca>  
* MIT Licensed  
*/
```

Found in path(s):

```
* /opt/cola/permits/1381073184_1659629527.2187092/0/component-type-1-2-1-3-tgz/package/test/mocha.js
```

# 1.428 gensync 1.0.0-beta.2

## 1.428.1 Available under license :

Copyright 2018 Logan Smyth <loganfsmyth@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.429 shebang-command 1.2.0

### 1.429.1 Available under license :

The MIT License (MIT)

Copyright (c) Kevin Martensson <kevinmartensson@gmail.com> (github.com/kevva)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.430 @expo/xcpretty 4.2.2

## 1.430.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"ExpoRunFormatter.js","sourceRoot":"","sources":["../src/ExpoRunFormatter.ts"],"names":[],"mappings":";;:::;AAAA,kDAA0B;AAC1B,4CAAoB;AACpB,gDAAwB;AAExB,2CAAsE;AACTE,+CAA4C;AAC5C,yDAAsD;AACTD,+DAAyE;AACzE,6CAAwC;AASxC;;GAEG;AACH,MAAa,gBAAiB,SAAQ,qBAAS;IA8B7C,YAAmB,KAA4B;;QAC7C,KAAK,CAAC,KAAK,CAAC,CAAC;QADI,UAAK,GAAL,KAAK,CAAuB;QAG7C,IAAI,OAAO,GAAgB,EAAE,CAAC;QAC9B,MAAM,WAAW,GAAG,cAAI,CAAC,IAAI,CAAC,KAAK,CAAC,WAAW,EAAE,KAAK,EAAE,cAAc,CAAC,CAAC;QAExE,IAAI;YACF,MAAM,eAAe,GAAG,YAAE,CAAC,YAA Y,CAAC,WAAW,EAAE,MAAM,CAAC,CAAC;YAC7D,OAAO,SAAG,mCAAgB,CAAC,eAAe,CAAC,mCAAIEAAE,CAAC;SACnD;QAAC,MAAM,GAAE;QAEV,IAAI,CAAC,aAAa,GAAG,IAAI,6BAAa,CAAC;YACrC,GAA G,KAAK;YACR,OAAO;SACR,CAAC,CAAC;IACL,CAAC;IA5CD,MAAM,CAAC,MAAM,CACX,WAAmB,EA CnB,EACE,YAA Y,EACZ,OAAO,MACyE,EAAE;;QAEpF,MAAM,OAAO,GAAG,OAAA,YAA Y,aAAZ,YAA Y,u BAAZ,YAA Y,CAAE,IAAI,CAAC,KAAK,CAAC,eAAe,2CAAI,CAAC,MAAK,EAAE,CAAC;QACrE,MAAM,SA AS,GAAG,IAAI,gBAAgB,CAAC;YACrC,WAAW;YACX,OAAO;YACP,OAAO;SACR,CAAC,CAAC;QAEH,O AAO,SAAS,CAAC;IACnB,CAAC;IAMD,IAAI,MAAM;QACR,IAAI,IAAI,CAAC,OAAO,EAAE;YAchB,OAAO, IAAI,CAAC,OAAO,CAAC;SACrB;QACD,IAAI,CAAC,OAAO,GAAG,IAAI,yBAAW,CAAC,IAAI,CAAC,CAA C;QACrC,OAAO,IAAI,CAAC,OAAO,CAAC;IACtB,CAAC;IAmBD,+BAA+B,CAAC,aAAqB;QACnD,MAAM,O AAO,GAAG,KAAK,eAAK,CAAC,GAAG,CAC5B,eAAK;YACH,8BAA8B;YAC9B,+BAA+B;YAC/B,aAAa,CA ChB,uEAAuE,CAAC;QACzE,IAAI,CAAC,MAAM,CAAC,IAAI,CAAC,OAAO,CAAC,CAAC;QAC1B,OAAO,O AAO,CAAC;IACjB,CAAC;IAED,wBAAwB,CAAC,QAAGB,EAAE,UAAmB,EAAE,YAAqB;QACnF,IAAI,IAAI, CAAC,KAAK,CAAC,OAAO,EAAE;YACtB,OAAO,IAAI,CAAC;SACb;QACD,OAAO,CACL,CAAC,QAAQ,CA AC,KAAK,CAAC,cAAc,CAAC;YAC/B,CAAC,QAAQ,CAAC,KAAK,CAAC,eAAe,CAAC;YAchC,qDAAqD;Y ACrD,CAAC,qBAAS,CAAC,UAAU,CAAC,QAAQ,CAAC,CACHc,CAAC;IACJ,CAAC;IAED,iBAAiB,CAAC,Q AAgB,EAAE,MAAE;QACjD,MAAM,OAAO,GAAG,IAAI,CAAC,aAAa,CAAC,iBAAiB,CAAC,QAAQ,EAAE,M AAM,CAAC,CAAC;QACvE,OAAO,CAAA,OAAO,aAAP,OAAO,uBAAP,OAAO,CAAE,IAAI,EAAC,CAAC,CA AC,eAAK,CAAC,IAAI,CAAC,OAAO,CAAC,IAAI,CAAC,CAAC,CAAC,CAAC,IAAI,CAAC;IACzD,CAAC;IA ED,mBAAmB,CAAC,KAAoB;QACtC,MAAM,KAAK,GAAG,IAAI,CAAC,qBAAqB,CAAC,KAAK,CAAC,IAAI ,CAAC,CAAC;QACrD,MAAM,aAAa,GAAG,IAAI,CAAC,iBAAiB,CAAC,KAAK,CAAC,QAAQ,EAAE,KAAK, CAAC,MAAM,CAAC,CAAC;QAC3E,OAAO,qBAAS,CAAC,MAAM,CACrB,KAAK,EACL,CAAC,aAAa,EAAE ,qBAAS,CAAC,gBAAgB,CAAC,KAAK,CAAC,QAAQ,EAAE,KAAK,CAAC,MAAM,EAAE,KAAK,CAAC,OA AO,CAAC,CAAC;aACrF,MAAM,CAAC,OAAO,CAAC;aACf,IAAI,CAAC,GAAG,CAAC,CACb,CAAC;IACJ,C AAC;IAED,UAAU,CAAC,EAAE,IAAI,EAAE,EAAE,EAAE,MAAM,EAaiB;QAC5C,IAAI,YAA Y,GAAG,qBAA S,CAAC,YAA Y,CAAC,IAAI,CAAC,KAAK,CAAC,WAAW,EAAE,IAAI,CAAC,CAAC;QACxE,+DAA+D;QAC/ D,kEAAkE;QACIE,IAAI,YAA Y,CAAC,UAAU,CAAC,QAAQ,CAAC,EAAE;YACrC,MAAM,WAAW,GAAG,qB AAAS,CAAC,UAAU,CAAC,IAAI,CAAC,CAAC;YAC/C,YAA Y,GAAG,qBAAS,CAAC,0BAA0B,CACjD,qBAAS, CAAC,YAA Y,CAAC,WAAW,EAAE,IAAI,CAAC,CAC1C,CAAC;SACH;QACD,MAAM,WAAW,GAAG,qBAA S,CAAC,UAAU,CAAC,EAAE,CAAC,CAAC;QAC7C,MAAM,eAAe,GAAG,qBAAS,CAAC,0BAA0B,CAC1D,q BAAS,CAAC,YAA Y,CAAC,WAAW,EAAE,EAAE,CAAC,CACxC,CAAC;QACF,MAAM,aAAa,GAAG,IAAI,C AAC,iBAAiB,CAAC,EAAE,EAAE,MAAM,CAAC,CAAC;QACzD,OAAO,qBAAS,CAAC,MAAM,CACrB,WAA W,EACX,CAAC,aAAa,EAAE,CAAC,YAA Y,EAAE,eAAe,CAAC,CAAC,IAAI,CAAC,KAAK,CAAC,CAAC,CA AC,MAAM,CAAC,OAAO,CAAC,CAAC,IAAI,CAAC,GAAG,CAAC,CACvF,CAAC;IACJ,CAAC;IAED,0BAA0 B,CAAC,UAAkB,EAAE,MAAE,EAAE,OAAgB;QAC9E,MAAM,aAAa,GAAG,IAAI,CAAC,iBAAiB,CAAC,EAA E,EAAE,MAAM,CAAC,CAAC;QAEzD,IAAI,UAAU,KAAK,gBAAgB,EAAE;YACnC,MAAM,IAAI,GAAG,OA AO,CAAC,GAAG,CAAC,cAAc,IAAI,MAAM,CAAC;YACID,MAAM,UAAU,GAAG,QAAQ,CAAC,OAAO,CA
```

```

AC,GAAG,CAAC,sBAAsB,CAAC,CAAC;YAcHE,MAAM,MAAM,GAAG,UAAU,CAAC,CAAC,CAAC,UAAU,
CAAC,CAAC,CAAC,oBAAoB,IAAI,EAAE,CAAC;YACpE,oFAAoF;YACpF,IAAI,UAAU,EAAE;gBACd,UA
U,GAAG,eAAK,CAAC,IAAI,CAAC,GAAG,UAAU,aAAa,CAAC,CAAC;aACrD;iBAAM;gBACL,UAAU,GAAG,
UAAU,GAAG,eAAK,CAAC,IAAI,CAAC,OAAO,MAAM,EAAE,CAAC,CAAC;aACvD;SACF;QAED,OAAO,qB
AAS,CAAC,MAAM,CACrB,WAAW,EACX,CAAC,aAAa,EAAE,qBAAS,CAAC,gBAAgB,CAAC,UAAU,EAAE,
MAAM,EAAE,OAAO,CAAC,CAAC;aACrE,MAAM,CAAC,OAAO,CAAC;aACf,IAAI,CAAC,GAAG,CAAC,CA
Cb,CAAC;IACJ,CAAC;CACF;AAjID,4CAiIC;AAED,SAAS,QAAQ,CAAC,KAAU;IAC1B,OAAO,KAAK,KAAK
,MAAM,IAAI,KAAK,KAAK,CAAC,IAAI,KAAK,KAAK,GAAG,CAAC;AAC1D,CAAC", "sourcesContent": ["imp
ort chalk from 'chalk';\nimport fs from 'fs';\nimport path from 'path';\n\nimport { CopyFileProps, FileOperation,
Formatter } from './Formatter';\nimport { MetroParser } from './MetroParser';\nimport { PodfileTracer } from
 './utils/PodfileTracer';\nimport { parsePodfileLock, PodfileLock } from './utils/parsePodfileLock';\nimport { ERROR
} from './utils/symbols';\n\nexport type ExpoRunFormatterProps = {\n  projectRoot: string;\n  podfile?:
Record<string, Record<string, string>>;\n  appName?: string;\n  isDebug?: boolean;\n};\n\n/**\n * A superset of
`Formatter` which adds support for Metro build errors and cleaner formatting for Node projects.\n */\nexport class
ExpoRunFormatter extends Formatter {\n  static create(\n    projectRoot: string,\n    {\n      xcodeProject,\n      isDebug,\n    } : { xcodeProject?: { name: string } } & Pick<ExpoRunFormatterProps, 'isDebug'> = {})\n  {\n    const appName = xcodeProject?.name.match(/.*\\/(.*)\\.\\w+)?.[1] || '';\n    const formatter = new
ExpoRunFormatter({\n      projectRoot,\n      appName,\n      isDebug,\n    });\n\n    return formatter;\n  }\n\n  private
podfileTracer: PodfileTracer;\n\n  _parser: MetroParser | undefined;\n\n  get parser(): MetroParser {\n    if
(this._parser) {\n      return this._parser;\n    }\n    this._parser = new MetroParser(this);\n    return this._parser;\n
}\n\n  constructor(public props: ExpoRunFormatterProps) {\n    super(props);\n\n    let podfile: PodfileLock = {};\n
const podfileLock = path.join(props.projectRoot, 'ios', 'Podfile.lock');\n\n    try {\n      const podfileContents =
fs.readFileSync(podfileLock, 'utf8');\n      podfile = parsePodfileLock(podfileContents) ?? {};\n    } catch {}\n\n
this.podfileTracer = new PodfileTracer({\n      ...props,\n      podfile,\n    });\n  }\n\n  formatMetroAssetCollectionError(errorContents: string): string {\n    const results = `\\n${chalk.red(\\n ERROR
+\\n // Provide proper attribution.\\n 'Metro encountered an error:\\n' +\\n errorContents\\n )}\\n\\nLearn
more: https://docs.expo.dev/build-reference/troubleshooting\\n`; \n    this.errors.push(results);\n    return results;\n
}\n\n  shouldShowCompileWarning(filePath: string, lineNumber?: string, columnNumber?: string): boolean {\n    if
(this.props.isDebug) {\n      return true;\n    }\n    return (!filePath.match(/node_modules/) &&\n
!filePath.match(/\\/ios\\/Pods\\/)) &&\n // Don't show warnings in the generated build folder.\n
!Formatter.getAppRoot(filePath)\n );\n\n  getNodeModuleName(filePath: string, target?: string): string | null
{\n    const results = this.podfileTracer.getNodeModuleName(filePath, target);\n    return results?.name ?
chalk.cyan(results.name) : null;\n  }\n\n  formatFileOperation(props: FileOperation): string {\n    const title =
this.getFileOperationTitle(props.type);\n    const moduleNameTag = this.getNodeModuleName(props.filePath,
props.target);\n    return Formatter.format(\n      title,\n      [moduleNameTag,
Formatter.formatBreadcrumb(props.fileName, props.target, props.project)]\n      .filter(Boolean)\n      .join(' ')\n
);\n  }\n\n  formatCopy({ from, to, target }: CopyFileProps): string {\n    let relativeFile =
Formatter.relativePath(this.props.projectRoot, from);\n    // If the relative file reaches outside of the project root,
we\\n // should attempt to resolve relative to the app output directory.\n    if (relativeFile.startsWith('..')) {\n
const appFileRoot = Formatter.getAppRoot(from);\n      relativeFile = Formatter.highlightLastPathComponent(\n
Formatter.relativePath(appFileRoot, from)\n      );\n    }\n    const appFileRoot = Formatter.getAppRoot(to);\n
const relativeAppFile = Formatter.highlightLastPathComponent(\n      Formatter.relativePath(appFileRoot, to)\n
);\n    const moduleNameTag = this.getNodeModuleName('', target);\n    return Formatter.format(\n      'Copying ',\n      [moduleNameTag, [relativeFile, relativeAppFile].join(' ')].filter(Boolean).join(' ')\n      );\n  }\n\n  formatPhaseScriptExecution(scriptName: string, target?: string, project?: string): string {\n    const moduleNameTag
= this.getNodeModuleName('', target);\n\n    if (scriptName === 'Start Packager') {\n      const port =
process.env.RCT_METRO_PORT || '8081';\n      const isDisabled =
isTruthy(process.env.RCT_NO_LAUNCH_PACKAGER);\n      const status = isDisabled ? 'disabled' :

```



```
`http://localhost:${port}`;\n    // Add some insight into if the bundler was started or not, and which port was used.\n    if (isDisabled) {\n      scriptName = chalk.gray(`${scriptName} (disabled)`);\n    } else {\n      scriptName =\n      scriptName + chalk.gray(` on ${status}`);\n    }\n  }\n\n  return Formatter.format(\n    'Executing',\n    [moduleNameTag, Formatter.formatBreadCrumb(scriptName, target, project)]\n    .filter(Boolean)\n    .join('\n ');\n  }\n}\n\nfunction isTruthy(value: any): boolean {\n  return value === 'true' || value === 1 || value ===\n  '1';\n}\n"]}
```

Found in path(s):

```
* /opt/cola/permits/1384606057_1659974266.0831552/0/xcpretty-4-2-2-tgz/package/build/ExpoRunFormatter.js.map
```

No license file was found, but licenses were detected in source scan.

```
// Provide proper attribution.
```

Found in path(s):

```
* /opt/cola/permits/1384606057_1659974266.0831552/0/xcpretty-4-2-2-tgz/package/build/ExpoRunFormatter.js
```

## 1.431 @babel/plugin-transform-react-jsx-self

### 7.18.6

#### 1.431.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.432 buffer 5.7.1

## 1.432.1 Available under license :

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh, and other contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.433 regjsgen 0.6.0

## 1.433.1 Available under license :

The MIT License (MIT)

Copyright 2014-2020 Benjamin Tan <<https://ofcr.se/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.434 is-path-cwd 2.2.0

### 1.434.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.435 requireg 0.2.2

### 1.435.1 Available under license :

Copyright 2013 Tomas Aparicio

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.436 @babel/plugin-transform-block-scoped-functions 7.18.6

### 1.436.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.437 @types/react 18.0.18

### 1.437.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.438 url-parse 1.5.10

### 1.438.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Unshift.io, Arnout Kazemier, the Contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.439 signal-exit 3.0.7

### 1.439.1 Available under license :

The ISC License

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.440 d3-time 1.1.0

### 1.440.1 Available under license :

Copyright 2010-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.441 ignore 5.2.0

## 1.441.1 Available under license :

Copyright (c) 2013 Kael Zhang <i@kael.me>, contributors  
<http://kael.me/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.442 @expo/osascript 2.0.33

## 1.442.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.443 native-base-shoutem-theme 0.3.1

### 1.443.1 Available under license :

BSD License

For @shoutem/theme software

Copyright (c) 2016-present, Shoutem

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the Shoutem nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.444 @babel/helper-replace-supers 7.18.9

### 1.444.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:



The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.445 core-js 1.2.7

### 1.445.1 Available under license :

Copyright (c) 2015 Denis Pushkarev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.446 path-is-absolute 1.0.1

### 1.446.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.447 command-exists 1.2.9

### 1.447.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Matthew Conlen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.448 pkg-up 3.1.0

### 1.448.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.449 ora 3.4.0

### 1.449.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.450 require-main-filename 2.0.0

### 1.450.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.451 sudo-prompt 8.2.5

### 1.451.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Joran Dirk Greef

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.452 picomatch 2.3.1

### 1.452.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.453 decamelize 1.2.0

### 1.453.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.454 color 3.2.1

### 1.454.1 Available under license :

Copyright (c) 2012 Heather Arthur

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.455 clone 2.1.2

### 1.455.1 Available under license :

Copyright 2011-2015 Paul Vorbach <paul@vorba.ch>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the Software), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED AS IS, WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.456 babel-plugin-proposal-decorators

### 7.18.10

#### 1.456.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.457 lodash-templatesettings 4.2.0

### 1.457.1 Available under license :

Copyright OpenJS Foundation and other contributors <<https://openjsf.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the `node_modules` and `vendor` directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

## 1.458 type-is 1.6.18

### 1.458.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <[me@jongleberry.com](mailto:me@jongleberry.com)>

Copyright (c) 2014-2015 Douglas Christopher Wilson <[doug@somethingdoug.com](mailto:doug@somethingdoug.com)>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY



CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.459 @babel/preset-env 7.18.10

### 1.459.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.460 supports-color 7.2.0

### 1.460.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.461 uuid 3.4.0

### 1.461.1 Available under license :

Copyright (c) 2012-2016 Ben Ramsey <ben@benramsey.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.462 react-is 16.13.1

### 1.462.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.463 eslint-config-prettier 6.15.0

### 1.463.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017, 2018, 2019 Simon Lydell and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.464 moment 2.29.4

### 1.464.1 Available under license :

Copyright (c) JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.465 serialize-error 6.0.0

### 1.465.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.466 @babel/plugin-syntax-async-generators 7.8.4

### 1.466.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.467 npm-force-resolutions 0.0.10

### 1.467.1 Available under license :

Found license 'Eclipse Public License 1.0' in ';; Copyright (c) Rich Hickey and contributors. All rights reserved. ;; Eclipse Public License 1.0 (<http://opensource.org/licenses/eclipse-1.0.php>)'

Found license 'Eclipse Public License 1.0' in '\* Copyright (c) Rich Hickey. All rights reserved. \* Eclipse Public License 1.0 (<http://opensource.org/licenses/eclipse-1.0.php>)'

Found license 'Eclipse Public License 1.0' in ';; Copyright (c) Rich Hickey. All rights reserved. ;; Eclipse Public License 1.0 (<http://opensource.org/licenses/eclipse-1.0.php>)'

Found license 'Eclipse Public License 1.0' in '; Copyright (c) Rich Hickey. All rights reserved. ; Eclipse Public License 1.0 (<http://opensource.org/licenses/eclipse-1.0.php>)'

Found license 'Eclipse Public License 1.0' in ';; Eclipse Public License 1.0 (<http://opensource.org/licenses/eclipse-1.0.php>)'

## 1.468 react-native-iphone-x-helper 1.2.0

### 1.468.1 Available under license :

MIT License

Copyright (c) 2017 Elad Gil

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.469 bplist-parser 0.3.1

### 1.469.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# bplist-parser
```

Binary Mac OS X Plist (property list) parser.

```
## Installation
```

```
```bash
$ npm install bplist-parser
```
```

```
## Quick Examples
```

```
```javascript
const bplist = require('bplist-parser');

(async () => {

  const obj = await bplist.parseFile('myPlist.bplist');

  console.log(JSON.stringify(obj));

})();
```
```

```
## License
```

(The MIT License)

Copyright (c) 2012 Near Infinity Corporation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Found in path(s):

\* /opt/cola/permits/1316418916\_1651001602.52/0/bplist-parser-0-3-1-tgz/package/README.md

## 1.470 pretty-format 26.6.2

### 1.470.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.471 ssri 8.0.1

## 1.471.1 Available under license :

ISC License

Copyright (c) npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE COPYRIGHT HOLDER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.472 unicode-match-property-ecmascript

## 2.0.0

### 1.472.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.473 expo-splash-screen 0.15.1

## 1.473.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2016-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381073126\_1659629205.377106/0/expo-splash-screen-0-15-1-tgz/package/ios/EXSplashScreen/EXSplashScreenService.h

No license file was found, but licenses were detected in source scan.

// Copyright © 2018 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381073126\_1659629205.377106/0/expo-splash-screen-0-15-1-tgz/package/ios/EXSplashScreen/EXSplashScreenModule.h

No license file was found, but licenses were detected in source scan.

// Copyright 2018-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381073126\_1659629205.377106/0/expo-splash-screen-0-15-1-tgz/package/ios/EXSplashScreen/EXSplashScreenModule.m

No license file was found, but licenses were detected in source scan.

// Copyright © 2018 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381073126\_1659629205.377106/0/expo-splash-screen-0-15-1-tgz/package/ios/EXSplashScreen/EXSplashScreenViewNativeProvider.m

\* /opt/cola/permits/1381073126\_1659629205.377106/0/expo-splash-screen-0-15-1-tgz/package/ios/EXSplashScreen/EXSplashScreenViewController.m

\* /opt/cola/permits/1381073126\_1659629205.377106/0/expo-splash-screen-0-15-1-tgz/package/ios/EXSplashScreen/EXSplashScreenViewProvider.h

\* /opt/cola/permits/1381073126\_1659629205.377106/0/expo-splash-screen-0-15-1-tgz/package/ios/EXSplashScreen/EXSplashScreenViewController.h

\* /opt/cola/permits/1381073126\_1659629205.377106/0/expo-splash-screen-0-15-1-tgz/package/ios/EXSplashScreen/EXSplashScreenViewNativeProvider.h

\* /opt/cola/permits/1381073126\_1659629205.377106/0/expo-splash-screen-0-15-1-tgz/package/ios/EXSplashScreen/EXSplashScreenService.m

# 1.474 @react-navigation/bottom-tabs 5.10.0

## 1.474.1 Available under license :

MIT License

Copyright (c) 2017 React Navigation Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.475 @babel/plugin-transform-sticky-regex

### 7.18.6

#### 1.475.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.476 @jridgewell/set-array 1.1.2

### 1.476.1 Available under license :

Copyright 2022 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.477 is-arrayish 0.3.2

### 1.477.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 JD Ballard

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.478 print-message 2.1.0

### 1.478.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Eugene Obrezkov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.479 @expo/code-signing-certificates 0.0.1

### 1.479.1 Available under license :

The MIT License (MIT)

Copyright (c) 2020-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.480 react-native-localize 1.3.1

### 1.480.1 Available under license :

MIT License

Copyright (c) 2017-present, Mathieu Acthernoene

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.481 opencollective-postinstall 2.0.3

### 1.481.1 Available under license :

MIT License

Copyright (c) 2018 Open Collective

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.482 @babel/plugin-bugfix-v8-spread-parameters-in-optional-chaining 7.18.9

### 1.482.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.483 camelize 1.0.0

## 1.483.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.484 types-istanbul-reports 3.0.1

## 1.484.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.485 mkdirp 1.0.4

### 1.485.1 Available under license :

Copyright James Halliday (mail@substack.net) and Isaac Z. Schlueter (i@izs.me)

This project is free software released under the MIT license:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.486 xml 1.6.11

### 1.486.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016-2017 Yousuf Almarzooqi

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:



The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.487 thenify-all 1.6.0

### 1.487.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jonathan Ong [me@jongleberry.com](mailto:me@jongleberry.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.488 md5-file 3.2.3

### 1.488.1 Available under license :

# License

The MIT License (MIT)

Copyright (c) 2015 - 2017 Rory Bradford and contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.489 d3-path 1.0.9

### 1.489.1 Available under license :

Copyright 2015-2016 Mike Bostock  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.490 getenv 1.0.0

## 1.490.1 Available under license :

The MIT License (MIT)

Copyright (c) 2012-2019 Christoph Tavan <dev@tavan.de>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.491 unique-slug 2.0.2

## 1.491.1 Available under license :

The ISC License

Copyright npm, Inc

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.492 join-component 1.1.0

## 1.492.1 Available under license :

MIT

# 1.493 @babel/helper-module-transforms

## 7.18.9

### 1.493.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.494 has-ansi 2.0.0

## 1.494.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.495 @babel/plugin-transform-classes 7.18.9

### 1.495.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.496 @babel/preset-modules 0.1.5

### 1.496.1 Available under license :

MIT License

Copyright (c) 2020 Babel

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.497 cliui 6.0.0

### 1.497.1 Available under license :

Copyright (c) 2015, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.498 is-stream 1.1.0

### 1.498.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.499 glob 7.1.6

### 1.499.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## Glob Logo

Glob's logo created by Tanya Brassie <<http://tanyabrassie.com/>>, licensed under a Creative Commons Attribution-ShareAlike 4.0 International License <https://creativecommons.org/licenses/by-sa/4.0/>

## 1.500 types-istanbul-lib-coverage 2.0.4

### 1.500.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.501 babel-plugin-syntax-optional-chaining

### 7.8.3

#### 1.501.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.



# 1.502 babel-plugin-styled-components 2.0.7

## 1.502.1 Available under license :

MIT License

Copyright (c) 2016-present Vladimir Danchenkov and Maximilian Stoiber

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.503 supports-color 2.0.0

## 1.503.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.504 is-wsl 1.1.0

### 1.504.1 Available under license :

MIT License

Copyright (c) 2020 Anand Chowdhary <mail@anandchowdhary.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.505 safe-buffer 5.2.1

### 1.505.1 Available under license :

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.506 @urql/exchange-retry 0.3.0

### 1.506.1 Available under license :

MIT License

Copyright (c) 20182020 Formidable

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.507 babel-plugin-syntax-jsx 6.18.0

### 1.507.1 Available under license :

Copyright (C) 2012-2014 by various contributors (see AUTHORS)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The << Software identified by reference to the Ecma Standard\* ("Software")>> is protected by copyright and is being made available under the "BSD License", included below. This Software may be subject to third party rights (rights from parties other than Ecma International), including patent rights, and no licenses under such third party rights are granted under this license even if the third party concerned is a member of Ecma International. SEE THE ECMA

CODE OF CONDUCT IN PATENT MATTERS AVAILABLE AT <http://www.ecma-international.org/memento/codeofconduct.htm> FOR

INFORMATION REGARDING THE LICENSING OF PATENT CLAIMS THAT ARE REQUIRED TO IMPLEMENT ECMA INTERNATIONAL STANDARDS\*.

Copyright (C) 2012-2013 Ecma International  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the authors nor Ecma International may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE ECMA INTERNATIONAL "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL ECMA INTERNATIONAL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

\* Ecma International Standards hereafter means Ecma International Standards as well as Ecma Technical Reports  
Copyright (c) 2014-2015 Jason Quense <jason@quense.me>  
Original work by respective rule authors; copywrites noted in files.

#### MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) jQuery Foundation, Inc. and Contributors, All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#### MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2015 Jed Watson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.508 convert-source-map 1.8.0

## 1.508.1 Available under license :

Copyright 2013 Thorsten Lorenz.

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.509 has-symbols 1.0.3

### 1.509.1 Available under license :

MIT License

Copyright (c) 2016 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.510 @emotion/memoize 0.8.0

## 1.510.1 Available under license :

MIT License

Copyright (c) Emotion team and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.511 builtins 1.0.3

## 1.511.1 Available under license :

Copyright (c) 2015 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION



OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.512 babel-plugin-polyfill-regenerator 0.4.0

### 1.512.1 Available under license :

MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.513 lodash-reinterpolate 3.0.0

### 1.513.1 Available under license :

Copyright 2012-2015 The Dojo Foundation <<http://dojofoundation.org/>>

Based on Underscore.js 1.7.0, copyright 2009-2015 Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.514 md5-hex 1.0.0

### 1.514.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 650 Industries

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.515 prop-types 15.6.2

### 1.515.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.516 strip-ansi 3.0.1

### 1.516.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.517 clean-stack 2.2.0

### 1.517.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.518 better-opn 3.0.2

### 1.518.1 Available under license :

Copyright 2018 Michael Lin <linzichunzf@hotmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.519 cli-cursor 3.1.0

### 1.519.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.520 brace-expansion 1.1.11

### 1.520.1 Available under license :

MIT License

Copyright (c) 2013 Julian Gruber <julian@juliangruber.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.521 mime 2.6.0

### 1.521.1 Available under license :

The MIT License (MIT)

Copyright (c) 2010 Benjamin Thomas, Robert Kieffer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.522 onetime 2.0.1

### 1.522.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.523 promise-inflight 1.0.1

### 1.523.1 Available under license :

Copyright (c) 2017, Rebecca Turner <me@re-becca.org>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above

copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.524 ansi-escapes 4.3.2

### 1.524.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.525 @babel/plugin-transform-modules-commonjs 7.18.6

### 1.525.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.526 call-bind 1.0.2

### 1.526.1 Available under license :

MIT License

Copyright (c) 2020 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.527 object-keys 1.1.1

### 1.527.1 Available under license :

The MIT License (MIT)

Copyright (C) 2013 Jordan Harband



Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.528 normalize-css-color 1.0.2

### 1.528.1 Available under license :

BSD 3-Clause License

Copyright (c) 2016, React Community  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER

CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.529 i18njs 3.3.0

### 1.529.1 Available under license :

Copyright (c) 2008-2011 Pivotal Labs

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.530 crypt 0.0.2

### 1.530.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 XOR Data Exchange, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.531 globals 11.12.0

### 1.531.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.532 fbjs 3.0.4

### 1.532.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.533 @babel/plugin-syntax-jsx 7.18.6

### 1.533.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.534 define-properties 1.1.4

### 1.534.1 Available under license :

The MIT License (MIT)

Copyright (C) 2015 Jordan Harband

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.535 @emotion/unitless 0.7.5

### 1.535.1 Available under license :

MIT License

Copyright (c) Emotion team and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.536 @expo/vector-icons 13.0.0

### 1.536.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Joel Arvidsson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License (MIT)

Copyright (c) 2015 Joel Arvidsson

Copyright (c) 2020 650 Industries

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.537 @babel/helper-member-expression-to-functions 7.18.9

### 1.537.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the

"Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.538 ipaddr.js 1.9.1

### 1.538.1 Available under license :

Copyright (C) 2011-2017 whitequark <whitequark@whitequark.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.539 babel-preset-typescript 7.18.6

### 1.539.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.540 type-fest 0.21.3

### 1.540.1 Available under license :

Creative Commons Legal Code

CC0 1.0 Universal

CREATIVE COMMONS CORPORATION IS NOT A LAW FIRM AND DOES NOT PROVIDE LEGAL SERVICES. DISTRIBUTION OF THIS DOCUMENT DOES NOT CREATE AN ATTORNEY-CLIENT RELATIONSHIP. CREATIVE COMMONS PROVIDES THIS INFORMATION ON AN "AS-IS" BASIS. CREATIVE COMMONS MAKES NO WARRANTIES REGARDING THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER, AND DISCLAIMS LIABILITY FOR DAMAGES RESULTING FROM THE USE OF THIS DOCUMENT OR THE INFORMATION OR WORKS PROVIDED HEREUNDER.

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other



works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional

purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

#### 4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to

this CC0 or use of the Work.

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.541 require-from-string 2.0.2

### 1.541.1 Available under license :

The MIT License (MIT)

Copyright (c) Vsevolod Strukchinsky <floatdrop@gmail.com> ([github.com/floatdrop](https://github.com/floatdrop))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.542 accepts 1.3.8

## 1.542.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <me@jungleberry.com>

Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.543 inherits 2.0.3

## 1.543.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.544 open 6.4.0

## 1.544.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.545 @expo/prebuild-config 4.0.4

## 1.545.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.

# 1.546 find-up 4.1.0

## 1.546.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.547 eol 0.9.1

## 1.547.1 Available under license :

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.548 slash 3.0.0

## 1.548.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.549 find-up 3.0.0

## 1.549.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.550 indent-string 4.0.0

## 1.550.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.551 escape-html 1.0.3

## 1.551.1 Available under license :

(The MIT License)

Copyright (c) 2012-2013 TJ Holowaychuk

Copyright (c) 2015 Andreas Lubbe

Copyright (c) 2015 Tiancheng "Timothy" Gu

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY



CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.552 types-react-redux 7.1.24

### 1.552.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.553 fbemitter 3.0.0

### 1.553.1 Available under license :

BSD License

For emitter software

Copyright (c) 2013-present, Facebook, Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice,

this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name Facebook nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.554 entities 4.3.1

### 1.554.1 Available under license :

Copyright (c) Felix Bhm  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.555 performance-now 2.1.0

## 1.555.1 Available under license :

Copyright (c) 2013 BravegIrl

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.556 loose-envify 1.4.0

## 1.556.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Andres Suarez <zertosh@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.557 warn-once 0.1.1

## 1.557.1 Available under license :

MIT License

Copyright (c) 2022 Satyajit Sahoo

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.558 iconv-lite 0.4.24

## 1.558.1 Available under license :

Copyright (c) 2011 Alexander Shtuchkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.559 fs-extra 9.0.0

### 1.559.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.560 @babel/plugin-transform-new-target

### 7.18.6

### 1.560.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.561 @babel/plugin-proposal-json-strings

### 7.18.6

#### 1.561.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.562 cli-spinners 2.7.0

#### 1.562.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.563 @babel/plugin-transform-shorthand-properties 7.18.6

### 1.563.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.564 encodeurl 1.0.2

## 1.564.1 Available under license :

(The MIT License)

Copyright (c) 2016 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.565 unpipe 1.0.0

### 1.565.1 Available under license :

(The MIT License)

Copyright (c) 2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,



TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.566 lodash.isequal 4.5.0

## 1.566.1 Available under license :

Copyright JS Foundation and other contributors <<https://js.foundation/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

=====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

# 1.567 Iodash 4.17.21

## 1.567.1 Available under license :

Software License Agreement (BSD License)

Copyright (c) 2007, Parakey Inc.

All rights reserved.

Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Parakey Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission of Parakey Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright OpenJS Foundation and other contributors <<https://openjsf.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

=====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

=====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

Copyright (c) 2010-2016 Jeremy Ashkenas, DocumentCloud

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2009-2016 Jeremy Ashkenas, DocumentCloud and Investigative Reporters & Editors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.568 types-istanbul-lib-report 3.0.0

## 1.568.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

# 1.569 @babel/plugin-proposal-export-default-from 7.18.10

## 1.569.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.570 sisteransi 1.0.5

### 1.570.1 Available under license :

MIT License

Copyright (c) 2018 Terkel Gjervig Nielsen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.571 expo-status-bar 1.3.0

### 1.571.1 Available under license :

MIT

## 1.572 tr46 0.0.3

### 1.572.1 Available under license :

MIT

# 1.573 react-native-screens 3.11.1

## 1.573.1 Available under license :

The MIT License (MIT)

Copyright (c) 2018 Software Mansion <swmansion.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.574 @expo/code-signing-certificates 0.0.2

## 1.574.1 Available under license :

The MIT License (MIT)

Copyright (c) 2020-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.575 open 7.4.2

### 1.575.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.576 promise 7.3.1

### 1.576.1 Available under license :

Copyright (c) 2014 Forbes Lindesay

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,



OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.577 node-forge 1.3.1

## 1.577.1 Available under license :

You may use the Forge project under the terms of either the BSD License or the GNU General Public License (GPL) Version 2.

The BSD License is recommended for most projects. It is simple and easy to understand and it places almost no restrictions on what you can do with the Forge project.

If the GPL suits your project better you are also free to use Forge under that license.

You don't have to do anything special to choose one license or the other and you don't have to notify anyone which license you are using. You are free to use this project in commercial projects as long as the copyright header is left intact.

If you are a commercial entity and use this set of libraries in your commercial software then reasonable payment to Digital Bazaar, if you can afford it, is not required but is expected and would be appreciated. If this library saves you time, then it's saving you money. The cost of developing the Forge software was on the order of several hundred hours and tens of thousands of dollars. We are attempting to strike a balance between helping the development community while not being taken advantage of by lucrative commercial entities for our efforts.

-----  
New BSD License (3-clause)  
Copyright (c) 2010, Digital Bazaar, Inc.  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Digital Bazaar, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND

ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL DIGITAL BAZAAR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

## GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document, but changing it is not allowed.

### Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

#### GNU GENERAL PUBLIC LICENSE

#### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or

distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE

POSSIBILITY OF SUCH DAMAGES.

## 1.578 json5 0.5.1

### 1.578.1 Available under license :

MIT License

Copyright (c) 2012-2016 Aseem Kishore, and [others](<https://github.com/aseemk/json5/contributors>).

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.579 whatwg-fetch 2.0.4

### 1.579.1 Available under license :

Copyright (c) 2014-2016 GitHub, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND



NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.580 emoji-regex 8.0.0

### 1.580.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.581 depd 1.1.2

### 1.581.1 Available under license :

(The MIT License)

Copyright (c) 2014-2017 Douglas Christopher Wilson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.582 @babel/helpers 7.18.9

### 1.582.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.583 expo-error-recovery 3.1.0

### 1.583.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright © 2018 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381074574\_1659629298.3022377/0/expo-error-recovery-3-1-0-tgz/package/ios/EXErrorRecovery/EXErrorRecoveryModule.h

No license file was found, but licenses were detected in source scan.

```
// Copyright 2018-present 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1381074574_1659629298.3022377/0/expo-error-recovery-3-1-0-  
tgz/package/ios/EXErrorRecovery/EXErrorRecoveryModule.m
```

# 1.584 fs.realpath 1.0.0

## 1.584.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

----

This library bundles a version of the `fs.realpath` and `fs.realpathSync` methods from Node.js v0.10 under the terms of the Node.js MIT license.

Node's license follows, also included at the header of `old.js` which contains the licensed code:

Copyright Joyent, Inc. and other Node contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.585 @expo/config-types 45.0.0

### 1.585.1 Available under license :

The MIT License (MIT)

Copyright (c) 2020-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.586 supports-hyperlinks 2.2.0

### 1.586.1 Available under license :

MIT License

Copyright (c) James Talmage <james@talmage.io> (github.com/jamestalmage)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the

Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.587 aggregate-error 3.1.0

### 1.587.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.588 postcss-value-parser 4.2.0

### 1.588.1 Available under license :

Copyright (c) Bogdan Chadkin <trysound@yandex.ru>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.589 prop-types 15.8.1

### 1.589.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.590 wrap-ansi 7.0.0

### 1.590.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.591 queue-microtask 1.2.3

### 1.591.1 Available under license :

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.592 json5 1.0.1

### 1.592.1 Available under license :

# The MIT License (MIT)

Copyright (c) 2017 Colin O'Dell <colinodell@gmail.com>

Based on <https://github.com/json5/json5>; Copyright (c) 2012-2016 Aseem Kishore, and others.

> Permission is hereby granted, free of charge, to any person obtaining a copy

- > of this software and associated documentation files (the "Software"), to deal
- > in the Software without restriction, including without limitation the rights
- > to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
- > copies of the Software, and to permit persons to whom the Software is
- > furnished to do so, subject to the following conditions:
- >
- > The above copyright notice and this permission notice shall be included in
- > all copies or substantial portions of the Software.
- >
- > THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
- > IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
- > FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
- > AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
- > LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
- > OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
- > THE SOFTWARE.

## 1.593 xcode 3.0.1

### 1.593.1 Available under license :

Apache Cordova

Copyright 2012-2020 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.



"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## 1.594 jimp-compact 0.16.1

### 1.594.1 Available under license :

MIT

## 1.595 uuid 7.0.3

## 1.595.1 Available under license :

The MIT License (MIT)

Copyright (c) 2010-2016 Robert Kieffer and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.596 reset 0.1.0

### 1.596.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Brannon Lucas <brannonlucas@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.597 jsesc 2.5.2

## 1.597.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.598 body-parser 1.19.0

## 1.598.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <[me@jongleberry.com](mailto:me@jongleberry.com)>

Copyright (c) 2014-2015 Douglas Christopher Wilson <[doug@somethingdoug.com](mailto:doug@somethingdoug.com)>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.599 js-tokens 4.0.0

### 1.599.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014, 2015, 2016, 2017, 2018 Simon Lydell

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.600 react-refresh 0.4.3

### 1.600.1 Available under license :

MIT License

Copyright (c) Facebook, Inc. and its affiliates.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.601 @babel/plugin-transform-unicode-escapes 7.18.10

### 1.601.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.602 babel-preset-expo 9.1.0

### 1.602.1 Available under license :

MIT



# 1.603 chalk 1.1.1

## 1.603.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.604 get-stdin 6.0.0

## 1.604.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.605 end-of-stream 1.4.4

## 1.605.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Mathias Buus

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.606 lodash.debounce 4.0.8

## 1.606.1 Available under license :

Copyright jQuery Foundation and other contributors <<https://jquery.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

## 1.607 supports-color 5.5.0

### 1.607.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.608 react-native-community-netinfo 8.2.0

### 1.608.1 Available under license :

MIT License

Copyright (c) 2015-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.609 domhandler 5.0.3

### 1.609.1 Available under license :

Copyright (c) Felix Bhm

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.610 react-native-vector-icons 7.1.0

### 1.610.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Joel Arvidsson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.611 picocolors 1.0.0

### 1.611.1 Available under license :

ISC License

Copyright (c) 2021 Alexey Raspopov, Kostiantyn Denysov, Anton Verinov

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.612 safe-buffer 5.1.2

### 1.612.1 Available under license :

The MIT License (MIT)

Copyright (c) Feross Aboukhadijeh

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.613 expo-local-authentication 12.2.0

### 1.613.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2018-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381074510\_1659629278.425262/0/expo-local-authentication-12-2-0-tgz/package/ios/EXLocalAuthentication/EXLocalAuthentication.m

\* /opt/cola/permits/1381074510\_1659629278.425262/0/expo-local-authentication-12-2-0-tgz/package/ios/EXLocalAuthentication/EXLocalAuthentication.h

No license file was found, but licenses were detected in source scan.

```
// Copyright 2015-present 650 Industries. All rights reserved.
```

Found in path(s):

```
* /opt/cola/permits/1381074510_1659629278.425262/0/expo-local-authentication-12-2-0-tgz/package/android/src/main/java/expo/modules/localauthentication/LocalAuthenticationModule.kt
```

# 1.614 monorepo-symlink-test 0.0.0

## 1.614.1 Available under license :

MIT License

Copyright (c) 2012 James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.615 unicode-canonical-property-names-ecmascript 2.0.0

## 1.615.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.616 create-react-class 15.7.0

### 1.616.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.617 tar 6.1.11

### 1.617.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any



purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.618 temp-dir 2.0.0

### 1.618.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.619 babel-plugin-transform-property-literals

### 7.18.6

#### 1.619.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.620 react-freeze 1.0.3

### 1.620.1 Available under license :

The MIT License (MIT)

Copyright (c) 2021 Software Mansion

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.621 os-homedir 1.0.2

### 1.621.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.622 react-native-gesture-handler 2.6.0

## 1.622.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Software Mansion <swmansion.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.623 exec-async 2.2.0

## 1.623.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Charlie Cheever

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.624 p-finally 1.0.0

## 1.624.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.625 nested-error-stacks 2.0.1

### 1.625.1 Available under license :

Copyright (c) 2014 Matt Lavin <matt.lavin@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.626 @expo/config 7.0.1

### 1.626.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.627 yargs-parser 21.1.1

### 1.627.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.628 minizlib 2.1.2

### 1.628.1 Available under license :

Minizlib was created by Isaac Z. Schlueter.

It is a derivative work of the Node.js project.

""""

Copyright Isaac Z. Schlueter and Contributors

Copyright Node.js contributors. All rights reserved.

Copyright Joyent, Inc. and other Node contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""""

## 1.629 fs-extra 2.1.2

### 1.629.1 Available under license :

(The MIT License)

Copyright (c) 2011-2017 JP Richardson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.630 xml2js 0.4.23

### 1.630.1 Available under license :

Copyright 2010, 2011, 2012, 2013. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the

rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.631 universalify 0.1.2

### 1.631.1 Available under license :

(The MIT License)

Copyright (c) 2017, Ryan Zimmerman <opensrc@ryanzim.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.632 @babel/code-frame 7.18.6

### 1.632.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors



Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.633 md5 2.2.1

### 1.633.1 Available under license :

Copyright 2011-2012, Paul Vorbach.

Copyright 2009, Jeff Mott.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name Crypto-JS nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.634 is-extglob 2.1.1

### 1.634.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2016, Jon Schlinkert

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.635 cross-fetch 3.1.5

### 1.635.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Leonardo Quixad

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.636 delayed-stream 1.0.0

## 1.636.1 Available under license :

No license file was found, but licenses were detected in source scan.

# delayed-stream

Buffers events from a stream until you are ready to handle them.

## Installation

```
``` bash
npm install delayed-stream
```
```

## Usage

The following example shows how to write a http echo server that delays its response by 1000 ms.

```
``` javascript
var DelayedStream = require('delayed-stream');
var http = require('http');

http.createServer(function(req, res) {
  var delayed = DelayedStream.create(req);

  setTimeout(function() {
    res.writeHead(200);
    delayed.pipe(res);
  }, 1000);
});
```
```

If you are not using `Stream#pipe`, you can also manually release the buffered events by calling `delayedStream.resume()`:

```
``` javascript
var delayed = DelayedStream.create(req);
```

```
setTimeout(function() {  
  // Emit all buffered events and resume underlying source  
  delayed.resume();  
}, 1000);  
...
```

## ## Implementation

In order to use this meta stream properly, here are a few things you should know about the implementation.

### ### Event Buffering / Proxying

All events of the ``source`` stream are hijacked by overwriting the ``source.emit`` method. Until node implements a catch-all event listener, this is the only way.

However, `delayed-stream` still continues to emit all events it captures on the ``source``, regardless of whether you have released the delayed stream yet or not.

Upon creation, `delayed-stream` captures all ``source`` events and stores them in an internal event buffer. Once `delayedStream.release()`` is called, all buffered events are emitted on the ``delayedStream``, and the event buffer is cleared. After that, `delayed-stream` merely acts as a proxy for the underlying source.

### ### Error handling

Error events on ``source`` are buffered / proxied just like any other events. However, `delayedStream.create`` attaches a no-op ``error`` listener to the ``source``. This way you only have to handle errors on the ``delayedStream`` object, rather than in two places.

### ### Buffer limits

`delayed-stream` provides a ``maxDataSize`` property that can be used to limit the amount of data being buffered. In order to protect you from bad ``source`` streams that don't react to ``source.pause()``, this feature is enabled by default.

## ## API

### `DelayedStream.create(source, [options])`

Returns a new ``delayedStream``. Available options are:

- \* ``pauseStream``
- \* ``maxDataSize``

The description for those properties can be found below.

```
### delayedStream.source
```

The `source` stream managed by this object. This is useful if you are passing your `delayedStream` around, and you still want to access properties on the `source` object.

```
### delayedStream.pauseStream = true
```

Whether to pause the underlying `source` when calling `DelayedStream.create()`. Modifying this property afterwards has no effect.

```
### delayedStream.maxDataSize = 1024 * 1024
```

The amount of data to buffer before emitting an `error`.

If the underlying source is emitting `Buffer` objects, the `maxDataSize` refers to bytes.

If the underlying source is emitting JavaScript strings, the size refers to characters.

If you know what you are doing, you can set this property to `Infinity` to disable this feature. You can also modify this property during runtime.

```
### delayedStream.dataSize = 0
```

The amount of data buffered so far.

```
### delayedStream.readable
```

An ECMA5 getter that returns the value of `source.readable`.

```
### delayedStream.resume()
```

If the `delayedStream` has not been released so far, `delayedStream.release()` is called.

In either case, `source.resume()` is called.

```
### delayedStream.pause()
```

Calls `source.pause()`.

```
### delayedStream.pipe(dest)
```

Calls `delayedStream.resume()` and then proxies the arguments to `source.pipe`.

```
### delayedStream.release()
```

Emits and clears all events that have been buffered up so far. This does not resume the underlying source, use `delayedStream.resume()` instead.

```
## License
```

delayed-stream is licensed under the MIT license.

Found in path(s):

```
* /opt/cola/permits/1162004278_1620773882.0/0/fis-components-delayed-stream-1-0-0-0-g42ac44e-1-tar-gz/fis-components-delayed-stream-3c3d86f/Readme.md
```

## 1.637 nanoid 4.0.0

### 1.637.1 Available under license :

The MIT License (MIT)

Copyright 2017 Andrey Sitnik <andrey@sitnik.ru>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.638 d3-interpolate 1.4.0

### 1.638.1 Available under license :

Copyright 2010-2016 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification,

are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.639 at-least-node 1.0.0

### 1.639.1 Available under license :

The ISC License

Copyright (c) 2020 Ryan Zimmerman <opensrc@ryanzim.com>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.640 @babel/plugin-transform-react-jsx-source 7.5.0

## 1.640.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.641 bytes 3.1.0

### 1.641.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE



# 1.642 @babel/plugin-proposal-export-namespace-from 7.18.9

## 1.642.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.643 wewidth 1.0.1

## 1.643.1 Available under license :

wewidth.js: JavaScript Portng of Markus Kuhn's wewidth() Implementation

=====  
Copyright (C) 2012 by Jun Woong.

This package is a JavaScript porting of `wewidth()` implementation [by Markus Kuhn](<http://www.cl.cam.ac.uk/~mgk25/ucs/wewidth.c>).

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do

so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.644 @npmcli/fs 1.1.1

### 1.644.1 Available under license :

(The MIT License)

Copyright (c) 2011-2017 JP Richardson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

<!-- This file is automatically added by @npmcli/template-oss. Do not edit. -->

ISC License

Copyright npm, Inc.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND NPM DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL NPM BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.645 yarnpkg-lockfile 1.1.0

### 1.645.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2013-present, Facebook, Inc.
 *
 * This source code is licensed under the MIT license found in the
 * LICENSE file in the root directory of this source tree.
 */
// Permission is hereby granted, free of charge, to any person obtaining a
// copy of this software and associated documentation files (the
// "Software"), to deal in the Software without restriction, including
// without limitation the rights to use, copy, modify, merge, publish,
// distribute, sublicense, and/or sell copies of the Software, and to permit
// The above copyright notice and this permission notice shall be included
// in all copies or substantial portions of the Software.
```

Found in path(s):

```
* /opt/cola/permits/1124857273_1611188404.04/0/lockfile-1-1-0-tgz/package/index.js
```

## 1.646 graphql-tag 2.12.6

### 1.646.1 Available under license :

The MIT License (MIT)

Copyright (c) 2021 Apollo Graph, Inc. (Formerly Meteor Development Group, Inc.)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.647 buffer-alloc-unsafe 1.1.0

### 1.647.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.648 nodelib-fs-stat 2.0.5

## 1.648.1 Available under license :

The MIT License (MIT)

Copyright (c) Denis Malinochkin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.649 @expo/plist 0.0.18

## 1.649.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"build.js","sourceRoot":"","sources":["../src/build.ts"],"names":[],"mappings":"","AAAA,oBAAoB;AACpB;;;;;;;;;;;kCAuBkC;;;;;;;;;AAEIC,0DAA+B;AAC/B,4DAAoC;AAEpC;;;;;;;;;GAMG;AAEH,SAAS,aAAa,CAAC,CAAO;IAC5B,SAAS,GAAG,CAAC,CAAS;QACpB,OAAO,CAAC,GAAG,EAAE,CAAC,CAAC,CAAC,GAAG,GAAG,CAAC,CAAC,CAAC,CAAC,CAAC,CAAC,CAAC,CAAC;IAC9B,CAAC;IACD,OAAO,CACL,CAAC,CAAC,cAAc,EAAE;QACIB,GAAG;QACH,GAAG,CAAC,CAAC,CAAC,WAAW,EAAE,GAAG,CAAC,CAAC;QACxB,GAAG;QACH,GAAG,CAAC,CAAC,CAAC,UAAU,EAAE,CAAC;QACnB,GAAG;QACH,GAAG,CAAC,CAAC,CAAC,WAAW,EAAE,CAAC;QACpB,GAAG;QACH,GAAG,CAAC,CAAC,CAAC,aAAa,EAAE,CAAC;QACtB,GAAG;QACH,GAAG,CAAC,CAAC,CAAC,aAAa,EAAE,CAAC;QACtB,GAAG,CACJ,CAAC;AACJ,CAAC;AAED;;;;;;;;;GAOG;AAEH,MAAM,QAAQ,GAAG,MAAM,CAAC,SAAS,CAAC,QAAQ,CAAC;AAC3C,SAAS,IAAI,CAAC,GAAG;IACvB,MAAM,CAAC,GAAG,QAAQ,CAAC,IAAI,CAAC,GAAG,CAAC,CAAC,KAAK,CAAC,iBAa,iB,CAAC,CAAC;IACtD,OAAO,CAAC,CAAC,CAAC,CAAC,CAAC,CAAC,CAAC,CAAC,CAAC,CAAC,CAAC,CAAC,CAAC;AACtB,CAAC;AAED;;;;;;;;;GAOG;AAEH,SAAgB,KAAK,CAAC,GAAQ,EAAE,IAA6B;IAC3D,MAAM,MAAM,GAAG;QACb,OAAO,EAAE,KAAK;QACd,QAAQ,EAAE,OAAO;KAC4C,CAAC;IAEhE,MAAM,MAAM,GAAG;QACb,KAAK,EAAE,6BAA6B;QACpC,KAAK,EAAE,gDAAgD;KACxD,CAAC;IAEF,MAAM,GAAG,GAAG,oBAAU,CAAC,MAAM,CAAC,OAAO,CAAC,CAAC;IAEvC,GAAG,CAAC,GAAG,CAAC,MAAM,CAAC,OAAO,EAAE,MAAM,CAAC,QAAQ,EAAE,MAAM,CAAC,UAAU,CAAC,CAAC;IAC5D,GAAG,C
```

AAC,GAAG,CAAC,MAAM,CAAC,KAAK,EAAE,MAAM,CAAC,KAAK,CAAC,CAAC;IACpC,GAAG,CAAC,GAAG,CAAC,SAAS,EAAE,KAAK,CAAC,CAAC;IAE1B,QAAQ,CAAC,GAAG,EAAE,GAAG,CAAC,CAAC;IAEnB,IAAI,CAAC,IAAI;QAAE,IAAI,GAAG,EAAE,CAAC;IACrB,6BAA6B;IAC7B,IAAI,CAAC,MAAM,GAAG,IAAI,CAAC,MAAM,KAAK,KAAK,CAAC;IACpC,OAAO,GAAG,CAAC,GAAG,CAAC,IAAI,CAAC,CAAC;AACvB,CAAC;AAvBD,sBAuBC;AAED;;;;;GAKG;AAEH,SAAS,QAAQ,CAAC,IAAS,EAAE,UAAE;IAC1C,IAAI,QAAQ,EAAE,CAAC,EAAE,IAAI,CAAC;IACtB,MAAM,IAAI,GAAG,IAAI,CAAC,IAAI,CAAC,CAAC;IAExB,IAAI,IAAI,IAAI,WAAW,EAAE;KACxB;SAAM,IAAI,KAAK,CAAC,OAAO,CAAC,IAAI,CAAC,EAAE;QAC9B,UAAU,GAAG,UAAU,CAAC,GAAG,CAAC,OAAO,CAAC,CAAC;QACrC,KAAK,CAAC,GAAG,CAAC,EAAE,CAAC,GAAG,IAAI,CAAC,MAAM,EAAE,CAAC,EAAE,EAAE;YAChC,QAAQ,CAAC,IAAI,CAAC,CAAC,CAAC,CAAC,EAAE,UAAU,CAAC,CAAC;SAC/B;KACF;SAAM,IAAI,MAAM,CAAC,QAAQ,CAAC,IAAI,CAAC,EAAE;QACChC,UAAU,CAAC,GAAG,CAAC,MAAM,CAAC,CAAC,GAAG,CAAC,IAAI,CAAC,QAAQ,CAAC,QAAQ,CAAC,CAAC,CAAC;KACrD;SAAM,IAAI,IAAI,IAAI,QAAQ,EAAE;QAC3B,UAAU,GAAG,UAAU,CAAC,GAAG,CAAC,MAAM,CAAC,CAAC;QACpC,KAAK,IAAI,IAAI,IAAI,EAAE;YACjB,IAAI,IAAI,CAAC,cAAc,CAAC,IAAI,CAAC,IAAI,IAAI,CAAC,IAAI,CAAC,KAAK,SAAS,EAAE;gBACzD,UAAU,CAAC,GAAG,CAAC,KAAK,CAAC,CAAC,GAAG,CAAC,IAAI,CAAC,CAAC;gBACHc,QAAQ,CAAC,IAAI,CAAC,IAAI,CAAC,EAAE,UAAU,CAAC,CAAC;aACIC;SACF;KACF;SAAM,IAAI,IAAI,IAAI,QAAQ,EAAE;QAC3B,uCAAuC;QACvC,gEAAG;QACHe,QAAQ,GAAG,IAAI,GAAG,CAAC,KAAK,CAAC,CAAC,CAAC,CAAC,SAAS,CAAC,CAAC,CAAC,MAAM,CAAC;QAC/C,UAAU,CAAC,GAAG,CAAC,QAAQ,CAAC,CAAC,GAAG,CAAC,IAAI,CAAC,QAAQ,EAAE,CAAC,CAAC;KAC/C;SAAM,IAAI,IAAI,IAAI,MAAM,EAAE;QACzB,UAAU,CAAC,GAAG,CAAC,MAAM,CAAC,CAAC,GAAG,CAAC,aAAa,CAAC,IAAI,IAAI,CAAC,IAAI,CAAC,CAAC,CAAC,CAAC;KAC3D;SAAM,IAAI,IAAI,IAAI,SAAS,EAAE;QAC5B,UAAU,CAAC,GAAG,CAAC,IAAI,CAAC,CAAC,CAAC,MAAM,CAAC,CAAC,CAAC,OAAO,CAAC,CAAC;KACzC;SAAM,IAAI,IAAI,IAAI,QAAQ,EAAE;QAC3B,UAAU,CAAC,GAAG,CAAC,QAAQ,CAAC,CAAC,GAAG,CAAC,IAAI,CAAC,CAAC;KACpC;SAAM,IAAI,IAAI,IAAI,aAAa,EAAE;QACChC,UAAU,CAAC,GAAG,CAAC,MAAM,CAAC,CAAC,GAAG,CAAC,mBAAM,CAAC,aAAa,CAAC,IAAI,CAAC,CAAC,CAAC;KACxD;SAAM,IAAI,IAAI,IAAI,IAAI,CAAC,MAAM,IAAI,IAAI,CAAC,IAAI,CAAC,MAAM,CAAC,IAAI,aAAa,EAAE;QACpE,gBAAGB;QAChB,UAAU,CAAC,GAAG,CAAC,MAAM,CAAC,CAAC,GAAG,CAAC,mBAAM,CAAC,aAAa,CAAC,IAAI,UAAU,CAAC,IAAI,CAAC,MAAM,CAAC,CAAC,CAAC,CAAC;KAC/E;AACH,CAAC", "sourcesContent": ["/\* eslint-disable \*/\n/\* (The MIT License)\n\nCopyright (c) 2010-2017 Nathan Rajlich <nathan@tootallnate.net>\n\nPermission is hereby granted, free of charge, to any person\nobtaining a copy of this software and associated documentation\nfiles (the \"Software\"), to deal in the Software without\nrestriction, including without limitation the rights to use,\ncopy, modify, merge, publish, distribute, sublicense, and/or sell\ncopies of the Software, and to permit persons to whom the\nSoftware is furnished to do so, subject to the following\nconditions:\n\nThe above copyright notice and this permission notice shall\nbe\nincluded in all copies or substantial portions of the Software.\n\nTHE SOFTWARE IS PROVIDED \"AS IS\", WITHOUT WARRANTY OF ANY KIND,\n\nEXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES\n\nOF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND\n\nNONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT\n\nHOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,\n\nWHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING\n\nFROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR\n\nOTHER DEALINGS IN THE SOFTWARE. \*/\n\nimport base64 from 'base64-js';\nimport xmlbuilder from 'xmlbuilder';\n\n/\*\*\n \* Accepts a `Date` instance and returns an ISO date string.\n \*\n \* @param {Date} d - Date instance to serialize\n \* @returns {String} ISO date string representation of `d`\n \*\n \* @api private\n \*/\nfunction ISODateString(d: Date): string {\n function pad(n: number) {\n return n < 10 ? '0' + n : n;\n }\n return (\n d.getUTCFullYear() +\n '-' +\n pad(d.getUTCMonth() + 1) +\n '-' +\n pad(d.getUTCDate()) +\n 'T' +\n pad(d.getUTCHours()) +\n ':' +\n pad(d.getUTCMinutes()) +\n ':' +\n pad(d.getUTCSeconds()) +\n 'Z'\n );\n}\n\n/\*\*\n \* Returns the internal \"type\" of `obj` via the\n \*\n \* `Object.prototype.toString` trick.\n \*\n \* @param {Mixed} obj - any value\n \* @returns {String} the internal \"type\"\n \*\n \* @api private\n \*/\nconst toString = Object.prototype.toString;\nfunction type(obj: object): string

```
| null {\n  const m = toString.call(obj).match(/\[object (.*)\]/);\n  return m ? m[1] : m;\n}\n\n/**\n * Generate an XML plist string from the input object `obj`.\n * @param {Object} obj - the object to convert\n * @param {Object} [opts] - optional options object\n * @returns {String} converted plist XML string\n * @api public\n */\n\nexport function build(obj: any, opts?: { [key: string]: any }): string {\n  const XMLHDR = {\n    version: '1.0',\n    encoding: 'UTF-8',\n  } as { version: string; encoding: string; standalone: boolean };\n  const XMLDTD = {\n    pubid: '-//Apple//DTD PLIST 1.0//EN',\n    sysid: 'http://www.apple.com/DTDs/PropertyList-1.0.dtd',\n  };\n  const doc = xmlbuilder.create('plist');\n  doc.dec(XMLHDR.version, XMLHDR.encoding, XMLHDR.standalone);\n  doc.dtd(XMLDTD.pubid, XMLDTD.sysid);\n  doc.att('version', '1.0');\n  walk_obj(obj, doc);\n\n  if (!opts) opts = {};\n  // default `pretty` to `true`\n  opts.pretty = opts.pretty !== false;\n  return doc.end(opts);\n}\n\n/**\n * depth first, recursive traversal of a javascript object. when complete,\n * next_child contains a reference to the build XML object.\n * @api private\n */\nfunction walk_obj(next: any, next_child: any): void {\n  let tag_type, i, prop;\n  const name = type(next);\n  if (name === 'Undefined') {\n  } else if (Array.isArray(next)) {\n    next_child = next_child.ele('array');\n    for (i = 0; i < next.length; i++) {\n      walk_obj(next[i], next_child);\n    }\n  } else if (Buffer.isBuffer(next)) {\n    next_child.ele('data').raw(next.toString('base64'));\n  } else if (name === 'Object') {\n    next_child = next_child.ele('dict');\n    for (prop in next) {\n      if (next.hasOwnProperty(prop) && next[prop] !== undefined) {\n        next_child.ele('key').txt(prop);\n        walk_obj(next[prop], next_child);\n      }\n    }\n  } else if (name === 'Number') {\n    // detect if this is an integer or real\n    // TODO: add an ability to force one way or another via a\n    // `cast`\n    tag_type = next % 1 === 0 ? 'integer' : 'real';\n    next_child.ele(tag_type).txt(next.toString());\n  } else if (name === 'Date') {\n    next_child.ele('date').txt(ISODateString(new Date(next)));\n  } else if (name === 'Boolean') {\n    next_child.ele(next ? 'true' : 'false');\n  } else if (name === 'String') {\n    next_child.ele('string').txt(next);\n  } else if (name === 'ArrayBuffer') {\n    next_child.ele('data').raw(base64.fromByteArray(next));\n  } else if (next && next.buffer && type(next.buffer) === 'ArrayBuffer') {\n    // a typed array\n    next_child.ele('data').raw(base64.fromByteArray(new Uint8Array(next.buffer)));\n  }\n}\n\n}]]
```

Found in path(s):

\* /opt/cola/permits/1316418692\_1650998672.93/0/plist-0-0-18-tgz/package/build/build.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"parse.js","sourceRoot":"","sources":["../src/parse.ts"],"names":[],"mappings":"AAAA,oBAAoB;AACpB;;;;;;;;;;;;;kCAuBkC;;;;;AAEiC,2CAA2C;AAC3C,oDAA4B;AAE5B,MAAM,SAAS,GAAG,CAAC,CAAC;AACpB,MAAM,UAAU,GAAG,CAAC,CAAC;AACrB,MAAM,YAAY,GAAG,CAAC,CAAC;AAEvB;;;;;;;;;GAOG;AAEH,SAAS,gBAAgB,CAAC,IAA4B;IACpD,OAAO,CACL,IAAI,CAAC,QAAQ,KAAK,SAAS,IAAI,IAAI,CAAC,QAAQ,KAAK,YAAY,IAAI,IAAI,CAAC,QAAQ,KAAK,UAAU,CAC9F,CAAC;AACJ,CAAC;AAED;;;;GASG;AACH,SAAS,WAAW,CAAC,IAA4B;IAC/C,OAAO,CAAC,IAAI,CAAC,UAAU,IAAI,IAAI,CAAC,UAAU,CAAC,MAAM,KAAK,CAAC,CAAC;AAC1D,CAAC;AAED;;;;;GAMG;AAEH,SAAG,KAAG,CAAC,GAAG;IAC/B,mDAAmD;IACnD,MAAM,GAAG,GAAG,IAAI,kBAAS,CAAC,EAAE,YAAY,KAAI,CAAC,EAAE,CAAC,CAAC,eAAe,CAAC,GAAG,CAAC,CAAC;IACtE,gBAAM,CACJ,GAAG,CAAC,eAAe,CAAC,QAAQ,KAAK,OAAO,EACxC,qDAAqD,CACtD,CAAC;IACF,IAAI,KAAK,GAAG,aAAa,CAAC,GAAG,CAAC,eAAe,CAAC,CAAC;IAE/C,sDAAsD;IACtD,mCAAmC;IACnC,IAAI,KAAK,CAAC,MAAM,IAAI,CAAC;QAAE,KAAK,GAAG,KAAK,CAAC,CAAC,CAAC,CAAC;IAExC,OAAO,KAAK,CAAC;AACf,CAAC;AAAd,sBAAC;AAED;;;;;GAMG;AAEH,SAAS,aAAa,CAAC,IAA4B;IACjD,IAAI,CAAC,EAAE,OAA+B,EAAE,GAAG,EAAE,OAAc,EAAE,GAAG,EAAE,OAAO,CAAC;IAE1E,IAAI,CAAC,IAAI;QAAE,OAAO,IAAI,CAAC;IAEvB,IAAI,IAAI,CAAC,QAAQ,KAAK,OAAO,EAAE;QAC7B,OAAO,GAAG,EAAE,CAAC;QACb,IAAI,WAAW,CAAC,IAAI,CAAC,EAAE;YACrB,OAAO,OAAO,CAAC;SACb;QACD,KAAK,CAAC,GAAG,CAAC,EAAE,CAAC,GAAG,IAAI,CAAC,UAAU,CAAC,MAAM,EAAE,CAAC,EAAE,EAAE;YAC3C,IAAI,CAAC,gBAAgB,CAAC,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,EAAE;gBACzC,OAAO,CAAC,IAAI,CAAC,aAAa,CAAC,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,CAAC;AACjD;SACF;QACD,OAAO,OAAO,CAAC;KACb;SAAM,IAAI,IAAI,C
```

AAC,QAAQ,KAAK,MAAM,EAAE;QACnC,OAAO,GAAG,EAAE,CAAC;QACb,GAAG,GAAG,IAAI,CAAC;QACX,OAAO,GAAG,CAAC,CAAC;QACZ,IAAI,WAAW,CAAC,IAAI,CAAC,EAAE;YACrB,OAAO,OAAO,CAAC;SACbB;QACD,KAAK,CAAC,GAAG,CAAC,EAAE,CAAC,GAAG,IAAI,CAAC,UAAU,CAAC,MAAM,EAAE,CAAC,EAAE,EAAE;YAC3C,IAAI,gBAAgB,CAAC,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC;gBAAE,SAAS;YACnD,IAAI,OAAO,GAAG,CAAC,KAAK,CAAC,EAAE;gBACrB,gBAAM,CAAC,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,QAAQ,KAAK,KAAK,EAAE,oCAAc,CAAC,CAAC;gBACpF,GAAG,GAAG,aAAa,CAAC,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,CAAC;aACzC;iBAAM;gBACL,gBAAM,CACJ,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,QAAQ,KAAK,KAAK,EACrC,kBAAkB,GAAG,aAAa,CAAC,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,GAAG,0BAA0B,CACpF,CAAC;gBACF,OAAO,CAAC,GAAG,CAAC,GAAG,aAAa,CAAC,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,CAAC;aACID;YACD,OAAO,IAAI,CAAC,CAAC;SACd;QACD,IAAI,OAAO,GAAG,CAAC,KAAK,CAAC,EAAE;YACrB,MAAM,IAAI,KAAK,CAAC,qBAAqB,GAAG,GAAG,GAAG,yBAAyB,CAAC,CAAC;SACIE;QACD,OAAO,OAAO,CAAC;KACbB;SAAM,IAAI,IAAI,CAAC,QAAQ,KAAK,OAAO,EAAE;QACpC,OAAO,GAAG,EAAE,CAAC;QACb,IAAI,WAAW,CAAC,IAAI,CAAC,EAAE;YACrB,OAAO,OAAO,CAAC;SACbB;QACD,KAAK,CAAC,GAAG,CAAC,EAAE,CAAC,GAAG,IAAI,CAAC,UAAU,CAAC,MAAM,EAAE,CAAC,EAAE,EAAE;YAC3C,IAAI,CAAC,gBAAgB,CAAC,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,EAAE;gBACzC,GAAG,GAAG,aAAa,CAAC,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,CAAC;gBACxC,IAAI,GAAG,IAAI,IAAI;oBAAE,OAAO,CAAC,IAAI,CAAC,GAAG,CAAC,CAAC;aACpC;SACF;QACD,OAAO,OAAO,CAAC;KACbB;SAAM,IAAI,IAAI,CAAC,QAAQ,KAAK,OAAO,EAAE;QACpC,4DAA4D;KAC7D;SAAM,IAAI,IAAI,CAAC,QAAQ,KAAK,KAAK,EAAE;QACIC,IAAI,WAAW,CAAC,IAAI,CAAC,EAAE;YACrB,OAAO,EAAE,CAAC;SACX;QACD,OAAO,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,SAAS,CAAC;KACrC;SAAM,IAAI,IAAI,CAAC,QAAQ,KAAK,QAAQ,EAAE;QACrC,GAAG,GAAG,EAAE,CAAC;QACT,IAAI,WAAW,CAAC,IAAI,CAAC,EAAE;YACrB,OAAO,GAAG,CAAC;SACZ;QACD,KAAK,CAAC,GAAG,CAAC,EAAE,CAAC,GAAG,IAAI,CAAC,UAAU,CAAC,MAAM,EAAE,CAAC,EAAE,EAAE;YAC3C,MAAM,IAAI,GAAG,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,QAAQ,CAAC;YACzC,IAAI,IAAI,KAAK,SAAS,IAAI,IAAI,KAAK,UAAU,EAAE;gBAC7C,GAAG,IAAI,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,SAAS,CAAC;aACrC;SACF;QACD,OAAO,GAAG,CAAC;KACZ;SAAM,IAAI,IAAI,CAAC,QAAQ,KAAK,SAAS,EAAE;QACtC,gBAAM,CAAC,CAAC,WAAW,CAAC,IAAI,CAAC,EAAE,6BAA6B,CAAC,CAAC;QACID,OAAO,QAAQ,CAAC,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,SAAS,EAAE,EAAE,CAAC,CAAC;KACnD;SAAM,IAAI,IAAI,CAAC,QAAQ,KAAK,MAAM,EAAE;QACnC,gBAAM,CAAC,CAAC,WAAW,CAAC,IAAI,CAAC,EAAE,0BAA0B,CAAC,CAAC;QACvD,GAAG,GAAG,EAAE,CAAC;QACT,KAAK,CAAC,GAAG,CAAC,EAAE,CAAC,GAAG,IAAI,CAAC,UAAU,CAAC,MAAM,EAAE,CAAC,EAAE,EAAE;YAC3C,IAAI,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,QAAQ,KAAK,SAAS,EAAE;gBAC7C,GAAG,IAAI,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,SAAS,CAAC;aACrC;SACF;QACD,OAAO,UAAU,CAAC,GAAG,CAAC,CAAC;KACxB;SAAM,IAAI,IAAI,CAAC,QAAQ,KAAK,MAAM,EAAE;QACnC,GAAG,GAAG,EAAE,CAAC;QACT,IAAI,WAAW,CAAC,IAAI,CAAC,EAAE;YACrB,OAAO,MAAM,CAAC,IAAI,CAAC,GAAG,EAAE,QAAQ,CAAC,CAAC;SACnC;QACD,KAAK,CAAC,GAAG,CAAC,EAAE,CAAC,GAAG,IAAI,CAAC,UAAU,CAAC,MAAM,EAAE,CAAC,EAAE,EAAE;YAC3C,IAAI,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,QAAQ,KAAK,SAAS,EAAE;gBAC7C,GAAG,IAAI,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,SAAS,CAAC,OAAO,CAAC,MAAM,EAAE,EAAE,CAAC,CAAC;aACzD;SACF;QACD,OAAO,MAAM,CAAC,IAAI,CAAC,GAAG,EAAE,QAAQ,CAAC,CAAC;KACnC;SAAM,IAAI,IAAI,CAAC,QAAQ,KAAK,MAAM,EAAE;QACnC,gBAAM,CAAC,CAAC,WAAW,CAAC,IAAI,CAAC,EAAE,0BAA0B,CAAC,CAAC;QACvD,OAAO,IAAI,IAAI,CAAC,IAAI,CAAC,UAAU,CAAC,CAAC,CAAC,CAAC,SAAS,CAAC,CAAC;KAC/C;SAAM,IAAI,IAAI,CAAC,QAAQ,KAAK,MAAM,EAAE;QACnC,OAAO,IAAI,CAAC;KACb;SAAM,IAAI,IAAI,CAAC,QAAQ,KAAK,OAAO,EAAE;QACpC,OAAO,KAAK,CAAC;KACd;AACH,CAAC", "sourcesContent":["/\* eslint-disable \*/\n/\* (The MIT License)\n\nCopyright (c) 2010-2017 Nathan Rajlich <nathan@tootallnate.net>\n\nPermission is hereby granted, free of charge, to any person\nobtaining a copy of this software and associated documentation\nfiles (the\n\"Software\"), to deal in the Software without\nrestriction, including without limitation the rights to use,\nncopy, modify, merge, publish, distribute, sublicense, and/or sell\ncopies of the Software, and to permit persons to whom



the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```

import {
  DOMParser } from '@xmldom/xmldom';
import assert from 'assert';
const TEXT_NODE = 3;
const CDATA_NODE = 4;
const COMMENT_NODE = 8;
/**
 * We ignore raw text (usually whitespace), <!-- xml
  comments -->, and raw CDATA nodes.
 */
@param {Element} node
* @returns {Boolean}
* @api
private function shouldIgnoreNode(node: { [key: string]: any }): boolean {
  return (
    node.nodeType === TEXT_NODE ||
    node.nodeType === COMMENT_NODE ||
    node.nodeType === CDATA_NODE
  );
}
/**
 * Check if the node is empty. Some plist file has such node:
 * <key /> this node should be ignored.
 */
* @see https://github.com/TooTallNate/plist.js/issues/66
@param {Element} node
* @returns {Boolean}
* @api
private function isEmptyNode(node: { [key: string]: any }): boolean {
  return !node.childNodes || node.childNodes.length === 0;
}
/**
 * Parses a Plist XML string. Returns an Object.
 */
* @param {String} xml - the XML String to decode
* @returns {Mixed} the decoded value from the Plist XML
* @api
public function parse(xml: string): any {
  // prevent the parser from logging non-fatal errors
  const doc = new DOMParser({ errorHandler() {} }).parseFromString(xml);
  assert(
    doc.documentElement.nodeName === 'plist',
    'malformed document. First element should be <plist>'
  );
  let plist = parsePlistXML(doc.documentElement);
  // the root <plist> node gets interpreted as an Array,
  // so pull out the inner data first
  if (plist.length === 1) plist = plist[0];
  return plist;
}
/**
 * Convert an XML based plist document into a JSON representation.
 */
* @param {Object} xml_node - current XML node in the plist
* @returns {Mixed} built up JSON object
* @api
private function parsePlistXML(node: { [key: string]: any }): any {
  let i, new_obj: { [key: string]: any }, key, new_arr: any[], res, counter;
  if (!node) return null;
  if (node.nodeName === 'plist') {
    new_arr = [];
    if (isEmptyNode(node)) {
      return new_arr;
    }
    for (i = 0; i < node.childNodes.length; i++) {
      if (!shouldIgnoreNode(node.childNodes[i])) {
        new_arr.push(parsePlistXML(node.childNodes[i]));
      }
    }
    return new_arr;
  } else if (node.nodeName === 'dict') {
    new_obj = {};
    key = null;
    counter = 0;
    if (isEmptyNode(node)) {
      return new_obj;
    }
    for (i = 0; i < node.childNodes.length; i++) {
      if (shouldIgnoreNode(node.childNodes[i])) continue;
      if (counter % 2 === 0) {
        assert(node.childNodes[i].nodeName === 'key', 'Missing key while parsing <dict/>');
        key = parsePlistXML(node.childNodes[i]);
      } else {
        assert(
          node.childNodes[i].nodeName !== 'key',
          'Unexpected key \'' + parsePlistXML(node.childNodes[i]) + '\''
          while parsing <dict/>'
        );
        new_obj[key] = parsePlistXML(node.childNodes[i]);
      }
      counter += 1;
    }
    if (counter % 2 === 1) {
      throw new Error('Missing value for \'' + key + '\'' while parsing <dict/>');
    }
    return new_obj;
  } else if (node.nodeName === 'array') {
    new_arr = [];
    if (isEmptyNode(node)) {
      return new_arr;
    }
    for (i = 0; i < node.childNodes.length; i++) {
      if (!shouldIgnoreNode(node.childNodes[i])) {
        res = parsePlistXML(node.childNodes[i]);
        if (res !== null) new_arr.push(res);
      }
    }
    return new_arr;
  } else if (node.nodeName === '#text') {
    // TODO: what should we do with text types? (CDATA sections)
  } else if (node.nodeName === 'key') {
    if (isEmptyNode(node)) {
      return "";
    }
    return node.childNodes[0].nodeValue;
  } else if (node.nodeName === 'string') {
    res = "";
    if (isEmptyNode(node)) {
      return res;
    }
    for (i = 0; i < node.childNodes.length; i++) {
      const type = node.childNodes[i].nodeType;
      if (type === TEXT_NODE || type === CDATA_NODE) {
        res += node.childNodes[i].nodeValue;
      }
    }
    return res;
  } else if (node.nodeName === 'integer') {
    assert(!isEmptyNode(node), 'Cannot parse \'' as integer');
    return parseInt(node.childNodes[0].nodeValue, 10);
  } else if (node.nodeName === 'real') {
    assert(!isEmptyNode(node), 'Cannot parse \'' as real');
    res = "";
    for (i = 0; i < node.childNodes.length; i++)

```

```
{\n  if (node.childNodes[i].nodeType === TEXT_NODE) {\n    res += node.childNodes[i].nodeValue;\n  }\n  return parseFloat(res);\n } else if (node.nodeName === 'data') {\n  res = ";\n  if (isEmptyNode(node)) {\n    return Buffer.from(res, 'base64');\n  }\n  for (i = 0; i < node.childNodes.length; i++) {\n    if\n(node.childNodes[i].nodeType === TEXT_NODE) {\n      res += node.childNodes[i].nodeValue.replace(/\\s+/g,\n");\n    }\n  }\n  return Buffer.from(res, 'base64');\n } else if (node.nodeName === 'date') {\n  assert(!isEmptyNode(node), 'Cannot parse "\\\" as Date.);\n  return new Date(node.childNodes[0].nodeValue);\n }\n else if (node.nodeName === 'true') {\n  return true;\n } else if (node.nodeName === 'false') {\n  return false;\n }\n}\n}\n}}}
```

Found in path(s):

\* /opt/cola/permits/1316418692\_1650998672.93/0/plist-0-0-18-tgz/package/build/parse.js.map

No license file was found, but licenses were detected in source scan.

/\* (The MIT License)

Copyright (c) 2010-2017 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE. \*/

Found in path(s):

\* /opt/cola/permits/1316418692\_1650998672.93/0/plist-0-0-18-tgz/package/build/parse.js

\* /opt/cola/permits/1316418692\_1650998672.93/0/plist-0-0-18-tgz/package/build/build.js

## 1.650 split-on-first 1.1.0

## 1.650.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.651 jsonfile 4.0.0

### 1.651.1 Available under license :

(The MIT License)

Copyright (c) 2012-2015, JP Richardson <jprichardson@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.652 redux-thunk 2.3.0

## 1.652.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present Dan Abramov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.653 shallowequal 1.1.0

## 1.653.1 Available under license :

MIT License

Copyright (c) 2017 Alberto Leal <mailforalberto@gmail.com> (github.com/dashed)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.654 symbol-observable 1.2.0

### 1.654.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Copyright (c) Ben Lesh <ben@benlesh.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.655 @babel/plugin-syntax-optional-catch-binding 7.8.3

### 1.655.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.656 unique-string 2.0.0

### 1.656.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.657 graceful-fs 4.2.10

### 1.657.1 Available under license :

The ISC License

Copyright (c) 2011-2022 Isaac Z. Schlueter, Ben Noordhuis, and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.658 buffer-alloc 1.2.0

### 1.658.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.659 debug 2.6.9

### 1.659.1 Available under license :

Copyright (c) 2004-2015 Fabien Potencier

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished

to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.660 path-exists 3.0.0

### 1.660.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.661 @expo/metro-config 0.3.19

### 1.661.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy



of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.662 @types/hammerjs 2.0.41

### 1.662.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.663 @expo/image-utils 0.3.21

## 1.663.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.664 regjsparser 0.8.4

### 1.664.1 Available under license :

Copyright (c) Julian Viereck and Contributors, All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <COPYRIGHT HOLDER> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.665 locate-path 6.0.0

## 1.665.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.666 json-schema-deref-sync 0.13.0

## 1.666.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Bojan D.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

SOFTWARE.  
(The MIT License)

Copyright (c) 2014 Bojan Djurkovic

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.667 @expo/metro-config 0.3.22

## 1.667.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE

# 1.668 mdn-data 2.0.14

## 1.668.1 Available under license :

CC0 1.0 Universal

### Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work,

subject to the limitations in paragraph 4(a), below;

v. rights protecting the extraction, dissemination, use and reuse of data in a Work;

vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and

vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to

Affirmer's express Statement of Purpose.

#### 4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<http://creativecommons.org/publicdomain/zero/1.0/>

# 1.669 blueimp-md 2.19.0

## 1.669.1 Available under license :

MIT License

Copyright 2011 Sebastian Tschan, <https://blueimp.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR

COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.670 types-invariant 2.2.35

### 1.670.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.671 babel-plugin-syntax-flow 7.18.6

### 1.671.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.



THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.672 hosted-git-info 3.0.8

### 1.672.1 Available under license :

Copyright (c) 2015, Rebecca Turner

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.673 @react-native-community/datetimepicker 3.5.2

### 1.673.1 Available under license :

MIT License

Copyright (c) 2019 React Native Community

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.674 core-js-compat 3.25.0

### 1.674.1 Available under license :

Copyright (c) 2014-2022 Denis Pushkarev

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.675 d3-time-format 2.3.0

### 1.675.1 Available under license :

Copyright 2010-2017 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.676 toidentifier 1.0.0

### 1.676.1 Available under license :

MIT License

Copyright (c) 2016 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.677 has-flag 4.0.0

### 1.677.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.678 @react-native-picker/picker 1.16.8

### 1.678.1 Available under license :

MIT License

Copyright (c) 2015-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.679 asynckit 0.4.0

## 1.679.1 Available under license :

The MIT License (MIT)

Copyright (c) 2016 Alex Indigo

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.680 beaker 1.0.0

### 1.680.1 Available under license :

MIT License

Copyright (c) 2018 Blue Link Labs

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## BSD 3-Clause License

Copyright (c) 2017, The Polymer Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

(The MIT License)

Copyright (c) 2012-2014 TJ Holowaychuk <tj@vision-media.ca>

Copyright (c) 2015 Jed Watson <jed.watson@me.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY

CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.681 klaw-sync 6.0.0

### 1.681.1 Available under license :

The MIT license

Copyright (c) 2017 Mani Maghsoudlou

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.682 babel-plugin-polyfill-corejs2 0.3.2

### 1.682.1 Available under license :

MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.683 ansi-styles 3.2.1

### 1.683.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.684 chalk 4.1.2

### 1.684.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,



INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.685 @babel/plugin-syntax-logical-assignment-operators 7.10.4

### 1.685.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.686 minipass-pipeline 1.2.4

### 1.686.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES

WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.687 xmlbuilder 11.0.1

### 1.687.1 Available under license :

MIT License

Copyright (c) Microsoft Corporation. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE

## 1.688 universalify 2.0.0

### 1.688.1 Available under license :

(The MIT License)

Copyright (c) 2017, Ryan Zimmerman <opensource@ryanzim.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.689 @babel/plugin-transform-react-display-name 7.18.6

### 1.689.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.690 jsonfile 6.1.0

### 1.690.1 Available under license :

(The MIT License)

Copyright (c) 2012-2015, JP Richardson <jprichardson@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

documentation files  
(the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.691 setprototypeof 1.1.1

### 1.691.1 Available under license :

Copyright (c) 2015, Wes Todd

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.692 @babel/plugin-proposal-numeric-separator 7.18.6

### 1.692.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.693 fbjs-css-vars 1.0.2

### 1.693.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.694 which-module 2.0.0

## 1.694.1 Available under license :

Copyright (c) 2016, Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.695 url-join 4.0.0

### 1.695.1 Available under license :

MIT License

Copyright (c) 2015 Jos F. Romaniello

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.696 argparse 1.0.10

## 1.696.1 Available under license :

(The MIT License)

Copyright (C) 2012 by Vitaly Puzrin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.697 @expo/config-plugins 4.1.5

### 1.697.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present 650 Industries, Inc. (aka Expo)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.698 yargs 15.4.1

## 1.698.1 Available under license :

MIT License

Copyright 2010 James Halliday (mail@substack.net); Modified work Copyright 2014 Contributors (ben@npmjs.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.699 clamp 1.0.1

## 1.699.1 Available under license :

## The MIT License (MIT) ##

Copyright (c) 2013 Hugh Kennedy

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,



FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.700 parseurl 1.3.3

### 1.700.1 Available under license :

(The MIT License)

Copyright (c) 2014 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2014-2017 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.701 js-base64 2.5.1

### 1.701.1 Available under license :

Copyright (c) 2014, Dan Kogai

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of {{{project}}} nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.702 locate-path 5.0.0

### 1.702.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.703 @babel/plugin-transform-literals 7.18.9

## 1.703.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.704 kleur 3.0.3

### 1.704.1 Available under license :

The MIT License (MIT)

Copyright (c) Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN

THE SOFTWARE.

# 1.705 d3-shape 1.3.7

## 1.705.1 Available under license :

Copyright 2010-2015 Mike Bostock

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

\* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

\* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

\* Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.706 @ampproject/remapping 2.2.0

## 1.706.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensors for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
  - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
  - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
  - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

#### END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2019 Google LLC

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.



# 1.707 unicode-match-property-value-ecmascript 2.0.0

## 1.707.1 Available under license :

Copyright Mathias Bynens <<https://mathiasbynens.be/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.708 @babel/generator 7.18.13

## 1.708.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.709 big-integer 1.6.51

### 1.709.1 Available under license :

This is free and unencumbered software released into the public domain.

Anyone is free to copy, modify, publish, use, compile, sell, or distribute this software, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

In jurisdictions that recognize copyright laws, the author or authors of this software dedicate any and all copyright interest in the software to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this software under copyright law.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For more information, please refer to <<http://unlicense.org>>

## 1.710 decode-uri-component 0.2.0

### 1.710.1 Available under license :

The MIT License (MIT)

Copyright (c) Sam Verschueren <[sam.verschueren@gmail.com](mailto:sam.verschueren@gmail.com)> ([github.com/SamVerschueren](https://github.com/SamVerschueren))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell

copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.711 fastq 1.13.0

### 1.711.1 Available under license :

Copyright (c) 2015-2020, Matteo Collina <matteo.collina@gmail.com>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.712 json-format 1.0.1

### 1.712.1 Available under license :

No license file was found, but licenses were detected in source scan.

/\*

change for npm modules.  
by Luiz Estácio.

json-format v.1.1  
<http://github.com/phoboslab/json-format>

Released under MIT license:  
<http://www.opensource.org/licenses/mit-license.php>

\*/

Found in path(s):

\* /opt/cola/permits/1200860228\_1631022894.32/0/json-format-1-0-1-tgz/package/index.js

## 1.713 npm-run-path 2.0.2

### 1.713.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.714 valid-url 1.0.9

### 1.714.1 Available under license :

Copyright (c) 2013 Odysseas Tsatalos and oDesk Corporation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.715 glob 6.0.4

### 1.715.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

## 1.716 npm-package-arg 7.0.0

### 1.716.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.717 combined-stream 1.0.8

## 1.717.1 Available under license :

Copyright (c) 2011 Debuggable Limited <felix@debuggable.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.718 @jridgewell/gen-mapping 0.1.1

## 1.718.1 Available under license :

Copyright 2022 Justin Ridgewell <jridgewell@google.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.719 escalade 3.1.1

## 1.719.1 Available under license :

MIT License

Copyright (c) Luke Edwards <luke.edwards05@gmail.com> (lukeed.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.720 type-fest 0.16.0

## 1.720.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.721 @egjs/hammerjs 2.0.17

## 1.721.1 Available under license :

The MIT License (MIT)

Copyright (c) 2018-present NAVER Corp.

Copyright (C) 2011-2017 by Jorik Tangelder (Eight Media)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.722 semver 7.3.2

## 1.722.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.



# 1.723 compare-versions 3.6.0

## 1.723.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2017 Ole Michelsen

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.724 expo-application 4.1.0

## 1.724.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2018-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381073389\_1659629321.4993122/0/expo-application-4-1-0-tgz/package/ios/EXApplication/EXApplication.m

No license file was found, but licenses were detected in source scan.

// Copyright 2019-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381073389\_1659629321.4993122/0/expo-application-4-1-0-tgz/package/ios/EXApplication/EXApplication.h

No license file was found, but licenses were detected in source scan.

// Copyright 2015-present 650 Industries. All rights reserved.

Found in path(s):

```
* /opt/cola/permits/1381073389_1659629321.4993122/0/expo-application-4-1-0-  
tgz/package/ios/EXApplication/EXProvisioningProfile.m  
* /opt/cola/permits/1381073389_1659629321.4993122/0/expo-application-4-1-0-  
tgz/package/ios/EXApplication/EXProvisioningProfile.h
```

## 1.725 internal-ip 4.3.0

### 1.725.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.726 @babel/plugin-proposal-optional-catch-binding 7.18.6

### 1.726.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.727 @babel/code-frame 7.10.4

### 1.727.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.728 @babel/plugin-syntax-object-rest-spread 7.8.3

### 1.728.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.729 regenerator-transform 0.15.0

### 1.729.1 Available under license :

MIT License

Copyright (c) 2014-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.730 to-regexp-range 5.0.1

## 1.730.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-present, Jon Schlinkert.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.731 through 2.3.8

### 1.731.1 Available under license :

The MIT License

Copyright (c) 2011 Dominic Tarr

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR

ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
Apache License, Version 2.0

Copyright (c) 2011 Dominic Tarr

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software  
distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and  
limitations under the License.

## 1.732 react-native-animatable 1.3.3

### 1.732.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Joel Arvidsson

Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR  
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,  
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE  
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER  
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,  
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE  
SOFTWARE.

# 1.733 dag-map 1.0.2

## 1.733.1 Available under license :

Copyright (c) 2014 Kris Selden and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.734 expo-blur 11.1.0

## 1.734.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2016-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381072808\_1659629523.9435084/0/expo-blur-11-1-0-tgz/package/ios/EXBlur/EXBlurViewManager.h

\* /opt/cola/permits/1381072808\_1659629523.9435084/0/expo-blur-11-1-0-tgz/package/ios/EXBlur/EXBlurViewManager.m

No license file was found, but licenses were detected in source scan.

// Copyright 2015-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381072808\_1659629523.9435084/0/expo-blur-11-1-0-tgz/package/ios/EXBlur/BlurEffectView.swift

\* /opt/cola/permits/1381072808\_1659629523.9435084/0/expo-blur-11-1-0-tgz/package/ios/EXBlur/BlurView.swift

# 1.735 invariant 2.2.4

## 1.735.1 Available under license :

MIT License

Copyright (c) 2013-present, Facebook, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.736 redux 4.0.1

## 1.736.1 Available under license :

The [Redux logo](./logo/) is dedicated to the public domain and licensed under [CC0](<http://creativecommons.org/publicdomain/zero/1.0/>).

You can copy, modify, and distribute it, even for commercial purposes, all without asking permission.

[Read more about CC0.](<http://creativecommons.org/publicdomain/zero/1.0/>)

You can find its legal text below.

#### Creative Commons Zero v1.0 Universal

CC0 1.0 Universal

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").



Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and

unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

#### 4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons

that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<http://creativecommons.org/publicdomain/zero/1.0/>

The MIT License (MIT)

Copyright (c) 2015-present Dan Abramov

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.737 @babel/helper-define-polyfill-provider

### 0.3.2

#### 1.737.1 Available under license :

MIT License

Copyright (c) 2014-present Nicol Ribaud and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.738 ora 5.4.1

### 1.738.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.739 graphql 15.8.0

### 1.739.1 Available under license :

MIT License

Copyright (c) GraphQL Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights

to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.740 stream-buffers 2.2.0

### 1.740.1 Available under license :

This is free and unencumbered software released into the public domain.

Anyone is free to copy, modify, publish, use, compile, sell, or distribute this software, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

In jurisdictions that recognize copyright laws, the author or authors of this software dedicate any and all copyright interest in the software to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this software under copyright law.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

For more information, please refer to <http://unlicense.org/>

## 1.741 split 1.0.1

## 1.741.1 Available under license :

Copyright (c) 2015 Nathan Cahill

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.742 @babel/plugin-proposal-logical-assignment-operators 7.18.9

### 1.742.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.743 raw-body 2.4.0

### 1.743.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2014 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2014-2015 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.744 lodash.isstring 4.0.1

### 1.744.1 Available under license :

Copyright 2012-2016 The Dojo Foundation <<http://dojofoundation.org/>>

Based on Underscore.js, copyright 2009-2016 Jeremy Ashkenas,

DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.745 @babel/plugin-syntax-import-assertions 7.18.6

### 1.745.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.746 parse-png 2.1.0

### 1.746.1 Available under license :

MIT License

Copyright (c) Kevin Mrtensson <kevinmartensson@gmail.com> (github.com/kevva)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the



rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.747 finalhandler 1.1.2

### 1.747.1 Available under license :

(The MIT License)

Copyright (c) 2014-2017 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.748 object-assign 4.1.1

### 1.748.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.749 xmlbuilder 15.1.1

### 1.749.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013 Ozgur Ozcitak

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.750 strip-ansi 6.0.1

## 1.750.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.751 react-native-svg-charts 5.4.0

## 1.751.1 Available under license :

The MIT License (MIT)

Copyright (c) [2015-2016] [Horcrux]

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.752 jwt-decode 2.2.0

## 1.752.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Auth0, Inc. <support@auth0.com> (<http://auth0.com>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.753 node-forge-flash 0.0.0

## 1.753.1 Available under license :

You may use the Forge project under the terms of either the BSD License or the GNU General Public License (GPL) Version 2.

The BSD License is recommended for most projects. It is simple and easy to understand and it places almost no restrictions on what you can do with the Forge project.

If the GPL suits your project better you are also free to use Forge under that license.

You don't have to do anything special to choose one license or the other and you don't have to notify anyone which license you are using. You are free to use this project in commercial projects as long as the copyright header is left intact.

If you are a commercial entity and use this set of libraries in your commercial software then reasonable payment to Digital Bazaar, if you can afford it, is not required but is expected and would be appreciated. If this

library saves you time, then it's saving you money. The cost of developing the Forge software was on the order of several hundred hours and tens of thousands of dollars. We are attempting to strike a balance between helping the development community while not being taken advantage of by lucrative commercial entities for our efforts.

---

New BSD License (3-clause)

Copyright (c) 2010, Digital Bazaar, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Digital Bazaar, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL DIGITAL BAZAAR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

---

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This

General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains

a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but

does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to



control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then

the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals

of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

# 1.754 @npmcli/move-file 1.1.2

## 1.754.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> (<https://sindresorhus.com>)

Copyright (c) npm, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.755 merge2 1.4.1

### 1.755.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014-2020 Teambition

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.756 @babel/plugin-proposal-object-rest-spread 7.18.9

### 1.756.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.757 @babel/helper-validator-identifier 7.18.6

### 1.757.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.758 path-key 2.0.1

### 1.758.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.759 lodash-pick 4.4.0

### 1.759.1 Available under license :

Copyright jQuery Foundation and other contributors <<https://jquery.org/>>

Based on Underscore.js, copyright Jeremy Ashkenas,  
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node\_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

## 1.760 structured-headers 0.4.1

### 1.760.1 Available under license :

MIT

## 1.761 @react-native/normalize-color 2.0.0

### 1.761.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.
```

```
*
```

```
* This source code is licensed under the MIT license found in the
```

```
* LICENSE file in the root directory of this source tree.
```

```
*
```

```
* @flow strict
```

```
*/
```

```
declare module.exports: (color: ?(string | number)) => null | number;
```

Found in path(s):

```
* /opt/cola/permits/1226617158_1636579971.05/0/normalize-color-2-0-0-tgz/package/index.js.flow
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) Facebook, Inc. and its affiliates.  
*  
* This source code is licensed under the MIT license found in the  
* LICENSE file in the root directory of this source tree.  
*  
* @format  
* @noflow  
*/
```

Found in path(s):

```
* /opt/cola/permits/1226617158_1636579971.05/0/normalize-color-2-0-0-tgz/package/index.js
```

# 1.762 isomorphic-fetch 2.2.1

## 1.762.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
isomorphic-fetch [![Build Status](https://travis-ci.org/matthew-andrews/isomorphic-  
fetch.svg?branch=master)](https://travis-ci.org/matthew-andrews/isomorphic-fetch)  
=====
```

Fetch for node and Browserify. Built on top of [GitHub's WHATWG Fetch polyfill](https://github.com/github/fetch).

### ## Warnings

- This adds `fetch` as a global so that its API is consistent between client and server.
- You must bring your own ES6 Promise compatible polyfill, I suggest [es6-promise](https://github.com/jakearchibald/es6-promise).

For [ease-of-maintenance and backward-compatibility reasons][why polyfill], this library will always be a polyfill. As a "safe" alternative, which does not modify the global, consider [fetch-ponyfill][].

[why polyfill]: <https://github.com/matthew-andrews/isomorphic-fetch/issues/31#issuecomment-149668361>  
[fetch-ponyfill]: <https://github.com/qubyte/fetch-ponyfill>

### ## Installation

#### ### NPM

```
```sh  
npm install --save isomorphic-fetch es6-promise  
```
```

#### ### Bower

```
```sh
```



```
bower install --save isomorphic-fetch es6-promise
```

```
```
```

```
## Usage
```

```
```js
```

```
require('es6-promise').polyfill();
```

```
require('isomorphic-fetch');
```

```
fetch('//offline-news-api.herokuapp.com/stories')
```

```
.then(function(response) {
```

```
  if (response.status >= 400) {
```

```
    throw new Error("Bad response from server");
```

```
  }
```

```
  return response.json();
```

```
})
```

```
.then(function(stories) {
```

```
  console.log(stories);
```

```
});
```

```
```
```

```
## License
```

All open source code released by FT Labs is licenced under the MIT licence. Based on [the fine work by](<https://github.com/github/fetch/pull/31>) [\\*\\*\[jxck\]\(https://github.com/Jxck\)\\*\\*](https://github.com/Jxck).

Found in path(s):

\* /opt/cola/permits/1162011754\_1620774811.96/0/fis-components-isomorphic-fetch-2-2-1-0-g4801b9c-1-tar-gz/fis-components-isomorphic-fetch-9599403/README.md

## 1.763 fs-extra 7.0.1

### 1.763.1 Available under license :

(The MIT License)

Copyright (c) 2011-2017 JP Richardson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files

(the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify,

merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.764 array-union 2.1.0

### 1.764.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.765 debug 3.2.7

### 1.765.1 Available under license :

(The MIT License)

Copyright (c) 2014 TJ Holowaychuk <tj@vision-media.ca>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial

portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.766 @babel/runtime 7.18.9

### 1.766.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.767 http-errors 1.7.2

### 1.767.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Jonathan Ong me@jongleberry.com

Copyright (c) 2016 Douglas Christopher Wilson doug@somethingdoug.com

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.768 @expo/sdk-runtime-versions 1.0.0

### 1.768.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.769 tslib 2.4.0

## 1.769.1 Available under license :

/\*  
\*\*\*\*\*  
\*/

Copyright (c) Microsoft Corporation.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

\*\*\*\*\* \*/

Copyright (c) Microsoft Corporation.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.770 @expo/spawn-async 1.5.0

## 1.770.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 650 Industries

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all

copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.771 expo-updates-interface 0.6.0

### 1.771.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright © 2021 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381072815\_1659629171.3548918/0/expo-updates-interface-0-6-0-tgz/package/ios/EXUpdatesInterface/EXUpdatesExternalInterface.h

No license file was found, but licenses were detected in source scan.

// Copyright © 2022-present 650 Industries. All rights reserved.

Found in path(s):

\* /opt/cola/permits/1381072815\_1659629171.3548918/0/expo-updates-interface-0-6-0-tgz/package/ios/EXUpdatesInterface/EXUpdatesControllerRegistry.h

\* /opt/cola/permits/1381072815\_1659629171.3548918/0/expo-updates-interface-0-6-0-tgz/package/ios/EXUpdatesInterface/EXUpdatesControllerRegistry.m

## 1.772 plist 3.0.6

### 1.772.1 Available under license :

(The MIT License)

Copyright (c) 2010-2017 Nathan Rajlich <nathan@tootallnate.net>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.773 application-config-path 0.1.0

### 1.773.1 Available under license :

MIT

## 1.774 @babel/plugin-transform-block-scoping

### 7.18.9

### 1.774.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.775 hoist-non-react-statics 3.3.2

## 1.775.1 Available under license :

Software License Agreement (BSD License)

=====  
Copyright (c) 2015, Yahoo! Inc. All rights reserved.  
-----

Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- \* Neither the name of Yahoo! Inc. nor the names of YUI's contributors may be used to endorse or promote products derived from this software without specific prior written permission of Yahoo! Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.776 browserslist 4.21.3

## 1.776.1 Available under license :

The MIT License (MIT)

Copyright 2014 Andrey Sitnik <andrey@sitnik.ru> and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:



The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.777 @babel/plugin-proposal-private-property-in-object 7.18.6

### 1.777.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.778 @react-navigation/core 5.16.1

### 1.778.1 Available under license :

MIT License

Copyright (c) 2017 React Navigation Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.779 webidl-conversions 3.0.1

### 1.779.1 Available under license :

# The BSD 2-Clause License

Copyright (c) 2014, Domenic Denicola  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

# 1.780 @expo/cli 0.1.5

## 1.780.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../../../../src/run/ios/appleDevice/client/ServiceClient.ts"],"sourcesContent":["/**\n * Copyright (c) 2021 Expo, Inc.\n * Copyright (c) 2018 Drifty Co.\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n */\nimport { Socket } from 'net';\nimport { CommandError } from '../../../../../utils/errors';\nimport { ProtocolClient } from './protocol/AbstractProtocol';\n\nexport abstract class ServiceClient<T extends ProtocolClient> {\n  constructor(public socket: Socket, protected protocolClient: T) {}\n\n  export class ResponseError extends CommandError {\n    constructor(msg: string, public response: any) {\n      super(msg);\n    }\n  }\n\n  names:["ServiceClient","constructor","socket","protocolClient","ResponseError","CommandError","msg","response"],"mappings":"AAOA;;;AAE6B,IAAA,OAA0B,WAA1B,0BAA0B,CAAA;AAGhD,MAAeA,aAAa;IACjCC,YAAmBC,MAAc,EAAYC,cAAiB,CAAe;aAA7CD,MAAc,GAAdA,MAAc;aAAYC,cAAiB,GAAjBA,cAAiB;KAAI;CACnE;QAFqBH,aAAa,GAAbA,aAAa;AAI5B,MAAMI,aAAa,SAASC,OAAy,aAAA;IAC7CJ,YAAYK,GAAW,EAASC,QAAa,CAAe;QAC7C,KAAK,CAACD,GAAG,CAAC,CAAC;aADmBC,QAAa,GAAbA,QAAa;KAE5C;CACF;QAJYH,aAAa,GAAbA,aAAa"}]
```

Found in path(s):

```
* /opt/cola/permits/1381072539_1659629317.1562185/0/cli-0-1-5-tgz/package/build/src/run/ios/appleDevice/client/ServiceClient.js.map
```

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../../../../src/run/ios/appleDevice/client/AFCClient.ts"],"sourcesContent":["/**\n * Copyright (c) 2021 Expo, Inc.\n * Copyright (c) 2018 Drifty Co.\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n */\nimport Debug from 'debug';\nimport * as fs from 'fs';\nimport { Socket } from 'net';\nimport * as path from 'path';\nimport { promisify } from 'util';\nimport { CommandError } from '../../../../../utils/errors';\nimport {\n  AFC_FILE_OPEN_FLAGS,\n  AFC_OPS,\n  AFC_STATUS,\n  AFCError,\n  AFCProtocolClient,\n  AFCResponse,\n} from './protocol/AFCProtocol';\nimport { ServiceClient } from './ServiceClient';\n\nconst debug = Debug('expo:apple-device:client:afc');\nconst MAX_OPEN_FILES = 240;\n\nexport class AFCClient extends ServiceClient<AFCProtocolClient> {\n  constructor(public socket: Socket) {\n    super(socket, new AFCProtocolClient(socket));\n  }\n\n  async getFileInfo(path: string): Promise<string[]> {\n    debug('getFileInfo: ${path}');\n\n    const response = await this.protocolClient.sendMessage({\n      operation: AFC_OPS.GET_FILE_INFO,\n      data: toCString(path),\n    });\n    debug('getFileInfo:response: %O', response);\n\n    const strings: string[] = [];\n    let currentString = '';\n    const tokens = response.data;\n    tokens.forEach((token) => {\n      if (token === 0) {\n        strings.push(currentString);\n        currentString = '';\n      } else {\n        currentString += String.fromCharCode(token);\n      }\n    });\n    return strings;\n  }\n\n  async writeFile(fd: Buffer, data: Buffer): Promise<AFCResponse> {\n    debug('writeFile: ${Array.prototype.toString.call(fd)} data size: ${data.length}');\n\n    const response = await this.protocolClient.sendMessage({\n      operation: AFC_OPS.FILE_WRITE,\n      data: fd,\n      payload: data,\n    });\n\n    debug('writeFile:response:', response);\n    return response;\n  }\n\n  protected async openFile(path: string): Promise<Buffer> {\n    debug('openFile: ${path}');\n    // mode + path + null terminator\n    const data = Buffer.alloc(8 + path.length + 1);\n    // write mode\n    data.writeUInt32LE(AFC_FILE_OPEN_FLAGS.WRONLY, 0);\n    // then path to file\n    toCString(path).copy(data, 8);\n\n    const response = await this.protocolClient.sendMessage({\n      operation:
```

```

AFC_OPS.FILE_OPEN,\n  data,\n  });\n\n // debug(`openFile:response:`, response);\n\n if
(response.operation === AFC_OPS.FILE_OPEN_RES) {\n  return response.data;\n }\n\n throw new
CommandError(\n  'APPLE_DEVICE_AFC',\n  `There was an unknown error opening file ${path}, response:
${Array.prototype.toString.call(\n  response.data\n  )}`\n  );\n }\n\n protected async closeFile(fd: Buffer):
Promise<AFCResponse> {\n  debug(`closeFile fd: ${Array.prototype.toString.call(fd)}`);\n  const response =
await this.protocolClient.sendMessage({\n  operation: AFC_OPS.FILE_CLOSE,\n  data: fd,\n  });\n\n
debug(`closeFile:response:`, response);\n  return response;\n }\n\n protected async uploadFile(srcPath: string,
destPath: string): Promise<void> {\n  debug(`uploadFile: ${srcPath}, ${destPath}`);\n\n // read local file and get
fd of destination\n  const [srcFile, destFile] = await Promise.all([\n  await promisify(fs.readFile)(srcPath),\n
await this.openFile(destPath),\n  ]);\n\n  try {\n  await this.writeFile(destFile, srcFile);\n  await
this.closeFile(destFile);\n  } catch (err) {\n  await this.closeFile(destFile);\n  throw err;\n  }\n }\n\n async
makeDirectory(path: string): Promise<AFCResponse> {\n  debug(`makeDirectory: ${path}`);\n\n const response
= await this.protocolClient.sendMessage({\n  operation: AFC_OPS.MAKE_DIR,\n  data: toCString(path),\n
});\n\n  debug(`makeDirectory:response:`, response);\n  return response;\n }\n\n async uploadDirectory(srcPath:
string, destPath: string): Promise<void> {\n  debug(`uploadDirectory: ${srcPath}`);\n  await
this.makeDirectory(destPath);\n\n // AFC doesn't seem to give out more than 240 file handles,\n // so we delay
any requests that would push us over until more open up\n  let numOpenFiles = 0;\n  const pendingFileUploads:
(() => void)[] = [];\n  const _this = this;\n  return uploadDir(srcPath);\n\n  async function uploadDir(dirPath:
string): Promise<void> {\n  const promises: Promise<void>[] = [];\n  for (const file of fs.readdirSync(dirPath))
{\n  const filePath = path.join(dirPath, file);\n  const remotePath = path.join(destPath, path.relative(srcPath,
filePath));\n  if (fs.lstatSync(filePath).isDirectory()) {\n
promises.push(_this.makeDirectory(remotePath).then(() => uploadDir(filePath)));\n  } else {\n  // Create
promise to add to promises array\n  // this way it can be resolved once a pending upload has finished\n  let
resolve: (val?: any) => void;\n  let reject: (err: AFCErrror) => void;\n  const promise = new
Promise<void>((res, rej) => {\n  resolve = res;\n  reject = rej;\n  });\n
promises.push(promise);\n  // wrap upload in a function in case we need to save it for later\n  const
uploadFile = (tries = 0) => {\n  numOpenFiles++;\n  _this\n  .uploadFile(filePath, remotePath)\n
.then(() => {\n  resolve();\n  numOpenFiles--;\n  const fn =
pendingFileUploads.pop();\n  if (fn) {\n  fn();\n  }\n  })\n  .catch((err:
AFCErrror) => {\n  // Couldn't get fd for whatever reason, try again\n  // # of retries is arbitrary and
can be adjusted\n  if (err.status === AFC_STATUS.NO_RESOURCES && tries < 10) {\n
debug(`Received NO_RESOURCES from AFC, retrying ${filePath} upload. ${tries}`);\n
uploadFile(tries++);\n  } else {\n  numOpenFiles--;\n  reject(err);\n  }\n
});\n  });\n  if (numOpenFiles < MAX_OPEN_FILES) {\n  uploadFile();\n  } else {\n
debug(\n  `numOpenFiles >= ${MAX_OPEN_FILES}, adding to pending queue. Length:
${pendingFileUploads.length}`\n  );\n  pendingFileUploads.push(uploadFile);\n  }\n  }\n
}\n  await Promise.all(promises);\n  }\n }\n\nfunction toCString(s: string) {\n  const buf =
Buffer.alloc(s.length + 1);\n  const len = buf.write(s);\n  buf.writeUInt8(0, len);\n  return
buf;\n }\n\n","names":["fs","path","debug","Debug","MAX_OPEN_FILES","AFCClient","ServiceClient","constructo
r","socket","AFCProtocolClient","getFileInfo","response","protocolClient","sendMessage","operation","AFC_OPS"
,"GET_FILE_INFO","data","toCString","strings","currentString","tokens","forEach","token","push","String","from
CharCode","writeFile","fd","Array","prototype","toString","call","length","FILE_WRITE","payload","openFile","B
uffer","alloc","writeUInt32LE","AFC_FILE_OPEN_FLAGS","WRONLY","copy","FILE_OPEN","FILE_OPEN_R
ES","CommandError","closeFile","FILE_CLOSE","uploadFile","srcPath","destPath","srcFile","destFile","Promise"
,"all","promisify","readFile","err","makeDirectory","MAKE_DIR","uploadDirectory","numOpenFiles","pendingFil
eUploads","_this","uploadDir","dirPath","promises","file","readdirSync","filePath","join","remotePath","relative","l
statSync","isDirectory","then","resolve","reject","promise","res","rej","tries","fn","pop","catch","status","AFC_STA
TUS","NO_RESOURCES","s","buf","len","write","writeUInt8"],"mappings":":AAOA;;;AAAkB,IAAA,MAAO,kC

```

AAP,OAAO,EAAA;AACbA,IAAAA,EAAE,mCAAM,IAAI,EAAV;AAEFC,IAAAA,IAAI,mCAAM,MAAM,EAAZ;AACU,IAAA,KAAM,WAAN,MAAM,CAAA;AAEH,IAAA,OAA0B,WAA1B,0BAA0B,CAAA;AAQhD,IAAA,YAAyB,WAAzB,yBAAyB,CAAA;AACF,IAAA,cAAiB,WAAjB,iBAAiB,CAAA;,,,,,,,,,,,,,,,,,,,,,AAE/C,MAAMC,KAAK,GAAGC,CAAAA,GAAAA,MAAK,AAAgC,CAAA,QAAhC,CAAC,8BAA8B,CAAC,AAAC;AACpD,MAAMC,cAAc,GAAG,GAAG,AAAC;AAEpB,MAAMC,SAAS,SAASC,cAAa,cAAA;IAC1CC,YAAmBC,MAAc,CAAE;QACjC,KAAK,CAACA,MAAM,EAAE,IAAIC,YAAiB,kBAAA,CAACD,MAAM,CAAC,CAAC,CAAC;aAD5BA,MAAc,GAAdA,MAAc;KAEhC;IAED,MAAME,WAAW,CAACT,KAAY,EAAqB;QACjDC,KAAK,CAAC,CAAC,aAAa,EAAED,KAAI,CAAC,CAAC,CAAC,CAAC;QAE9B,MAAMU,QAAQ,GAAG,MAAM,IAAI,CAACC,cAAc,CAACC,WAAW,CAAC;YACrDC,SAAS,EAAEC,YAAO,QAAA,CAACC,aAAa;YACChC,IAAI,EAAEC,SAAS,CAACjB,KAAI,CAAC;SACtB,CAAC,AAAC;QACHC,KAAK,CAAC,CAAC,wBAAwB,CAAC,EAAES,QAAQ,CAAC,CAAC;QAE5C,MAAMQ,OAAO,GAAa,EAAE,AAAC;QAC7B,IAAIC,aAAa,GAAG,EAAE,AAAC;QACvB,MAAMC,MAAM,GAAGV,QAAQ,CAACM,IAAI,AAAC;QAC7BI,MAAM,CAACC,OAAO,CAAC,CAACC,KAAK,GAAK;YACxB,IAAIA,KAAK,KAAK,CAAC,EAAE;gBACfJ,OAAO,CAACK,IAAI,CAACJ,aAAa,CAAC,CAAC;gBAC5BA,aAAa,GAAG,EAAE,CAAC;aACpB,MAAM;gBACLA,aAAa,IAAIK,MAAM,CAACC,YAAAY,CAACH,KAAK,CAAC,CAAC;aAC7C;SACF,CAAC,CAAC;QACH,OAAOJ,OAAO,CAAC;KACHb;IAED,MAAMQ,SAAS,CAACC,EAAU,EAAEX,IAAY,EAAwB;QAC9Df,KAAK,CAAC,CAAC,WAAW,EAAE2B,KAAK,CAACC,SAAS,CAACC,QAAQ,CAACC,IAAI,CAACJ,EAAE,CAAC,CAAC,YAAAY,EAAEX,IAAI,CAACgB,MAAM,CAAC,CAAC,CAAC,CAAC;QAEf,MAAMtB,QAAQ,GAAG,MAAM,IAAI,CAACC,cAAc,CAAC,WAAW,CAAC;YACrDC,SAAS,EAAEC,YAAO,QAAA,CAACmB,UAAU;YAC7BjB,IAAI,EAAEW,EAAE;YACRO,OAAO,EAAEIB,IAAI;SACd,CAAC,AAAC;QAEHf,KAAK,CAAC,CAAC,mBAAmB,CAAC,EAAES,QA AQ,CAAC,CAAC;QACvC,OAAOA,QAAQ,CAAC;KACjB;IAED,MAAgByB,QAAQ,CAACnC,KAAY,EAAmB;QACtDC,KAAK,CAAC,CAAC,UAAU,EAAED,KAAI,CAAC,CAAC,CAAC,CAAC;QAC3B,gCAAgC;QACHc,MAAMgB,IAAI,GAAGoB,MAAM,CAACC,KAAK,CAAC,CAAC,GAAGrC,KAAI,CAACgC,MAAM,GAAG,CAAC,CAAC,AAAC;QAC/C,aAAa;QACbhB,IAAI,CAACsB,aAAa,CAACC,YAAmB,oBAAA,CAACC,MAAM,EAAE,CAAC,CAAC,CAAC;QACID,oBAAoB;QACpBvB,SAAS,CAACjB,KAAI,CAAC,CAACyC,IAAI,CAACzB,IAAI,EAAE,CAAC,CAAC,CAAC;QAE9B,MAAMN,QAAQ,GAAG,MAAM,IAAI,CAACC,cAAc,CAACC,WAAW,CAAC;YACrDC,SAAS,EAAEC,YAAO,QAAA,CAAC4B,SAAS;YAC5B1B,IAAI;SACL,CAAC,AAAC;QAEH,yCAAyC;QAEzC,IAAIN,QAAQ,CAACG,SAAS,KAAKC,YAAO,QAAA,CAAC6B,aAAa,EAAE;YACHd,OAAOjC,QAAQ,CAACM,IAAI,CAAC;SACtB;QAED,MAAM,IAAI4B,OAAAY,aAAA,CACpB,kBAAkB,EACIB,CAAC,wCAAwC,EAAE5C,KAAI,CAAC,YAAAY,EAAE4B,KAAK,CAACC,SAAS,CAACC,QAAQ,CAACC,IAAI,CAACzFrB,QAAQ,CAACM,IAAI,CACd,CAAC,CAAC,CACJ,CAAC;KACH;IAED,MAAgB6B,SAAS,CAACIB,EAAU,EAAwB;QAC1D1B,KAAK,CAAC,CAAC,cAAc,EAAE2B,KAAK,CAACC,SAAS,CAACC,QAAQ,CAACC,IAAI,CAACJ,EAAE,CAAC,CAAC,CAAC,CAAC;QAC5D,MAAMjB,QAAQ,GAAG,MAAM,IAAI,CAACC,cAAc,CAACC,WAAW,CAAC;YACrDC,SAAS,EAAEC,YAAO,QAAA,CAACgC,UAAU;YAC7B9B,IAAI,EAAEW,EAAE;SACT,CAAC,AAAC;QAEH1B,KAAK,CAAC,CAAC,mBAAmB,CAAC,EAAES,QAAQ,CAAC,CAAC;QACvC,OAAOA,QAAQ,CAAC;KACjB;IAED,MAAgBqC,UAAU,CAACC,OAAe,EAAEC,QAAgB,EAAiB;QAC3EhD,KAAK,CAAC,CAAC,YAAAY,EAAE+C,OAAO,CAAC,EAAE,EAAEC,QAAQ,CAAC,CAAC,CAAC,CAAC;QAE7C,4CAA4C;QAC5C,MAAM,CAACC,OAAO,EAAEC,QAAQ,CAAC,GAAG,MAAMC,OAAO,CAACC,GAAG,CAAC;YAC5C,MAAMC,CAAAA,GAAAA,KAAS,AAAA,CAAA,UAAb,CAACvD,EAAE,CAACwD,QAAQ,CAAC,CAACP,OAAO,CAAC;YACrC,MAAM,IAAI,CAACb,QAAQ,CAACc,QAAQ,CAAC;SAC9B,CAAC,AAAC;QAEH,IAAI;YACF,MAAM,IAAI,CAACvB,SAAS,CAACyB,QAAQ,EAAED,OAAO,CAAC,CAAC;YACxC,MAAM,IAAI,CAACL,SAAS,CAACM,QAAQ,CAAC,CAAC;SACHC,CAAC,OAAOK,GAAG,EAAE;YACZ,MAAM,IAAI,CAACX,SAAS,CAACM,QAAQ,CAAC,CAAC;YAC/B,MAAMK,GAAG,CAAC;SACX;KACF;IAED,MAAMC,aAAa,CAACzD,KAAY,EAAwB;QACtDC,KAAK,CAAC,CAAC,eAAe,EAAED,KAAI,CAAC,CAAC,CAAC,CAAC;QAEhC,MAAMU,QAAQ,GAAG,MAAM,IAAI,CAACC,cAAc,CAACC,WAAW,CAAC;YACrDC,SAAS,EAAEC,YAAO,QAAA,CAAC4C,QAAQ;YAC3B1C,IAAI,EAAEC,SAAS,CAACjB,KAAI,CAAC;SACtB,CAAC,AAAC;QAEHC,KAAK,CAAC,CAAC,uBAAuB,CAAC,EAAES,QAAQ,CAAC,CAAC;QAC3C,OAAOA,QAAQ,CAAC;KACjB;IAED,MAAMiD,eAAe,CAACX,OAAe,EAAEC,QAAgB,EAAiB;QACtEhD,KAAK,CAAC

,CAAC,iBAaIB,EAAE+C,OAAO,CAAC,CAAC,CAAC,CAAC;QACrC,MAAM,IAAI,CAACS,aAAa,CAACR,QA  
AQ,CAAC,CAAC;QAEEnC,2DAA2D;QAC3D,sEAAsE;QACtE,IAAIW,YAAY,GAAG,CAAC,AAAC;QACrB,MA  
AMC,kBAaKB,GAaMB,EAAE,AAAC;QAC9C,MAAMC,KAAK,GAAG,IAAI,AAAC;QACnB,OAAOC,SAAS,C  
AACf,OAAO,CAAC,CAAC;QAE1B,eAAeE,SAAS,CAACC,OAAe,EAAiB;YACvD,MAAMC,QAAQ,GAAoB,E  
AAE,AAAC;YACrC,KAAK,MAAMC,IAAI,IAAIInE,EAAE,CAACoE,WAAW,CAACH,OAAO,CAAC,CAAE;gB  
AC1C,MAAMI,QAAQ,GAAGpE,IAAI,CAACqE,IAAI,CAACL,OAAO,EAAEE,IAAI,CAAC,AAAC;gBAC1C,M  
AAMI,UAAU,GAAGtE,IAAI,CAACqE,IAAI,CAACpB,QAAQ,EAAEjD,IAAI,CAACuE,QAAQ,CAACvB,OAA  
O,EAAEoB,QAAQ,CAAC,CAAC,AAAC;gBACzE,IAAIrE,EAAE,CAACyE,SAAS,CAACJ,QAAQ,CAAC,CAAC  
K,WAAW,EAAE,EAAE;oBACxCR,QAAQ,CAAC1C,IAAI,CAACuC,KAAK,CAACL,aAAa,CAACa,UAAU,CA  
AC,CAACI,IAAI,CAAC,IAAMX,SAAS,CAACK,QAAQ,CAAC;oBAAA,CAAC,CAAC,CAAC;iBACHF,MAAM;  
oBACL,0CAA0C;oBAC1C,iEAAiE;oBACjE,IAAI,OAAO,AAAqB,AAAC;oBACjC,IAAIC,MAAM,AAAYB,A  
AAC;oBACpC,MAAMC,OAAO,GAAG,IAAIzB,OAAO,CAAO,CAAC0B,GAAG,EAAEC,GAAG,GAAK;wBAC  
9CJ,OAAO,GAAGG,GAAG,CAAC;wBACdF,MAAM,GAAGG,GAAG,CAAC;qBACd,CAAC,AAAC;oBACHd,  
QAAQ,CAAC1C,IAAI,CAACsD,OAAO,CAAC,CAAC;oBAEvB,iEAAiE;oBACjE,MAAM9B,UAAU,GAAG,CA  
ACiC,KAAK,GAAG,CAAC,GAAK;wBACHCpB,YAAY,EAAE,CAAC;wBACfE,KAAK,CACff,UAAU,CAACq  
B,QAAQ,EAAEE,UAAU,CAAC,CACHCI,IAAI,CAAC,IAAM;4BACVC,OAAO,EAAE,CAAC;4BACVf,YAAY,  
EAAE,CAAC;4BACf,MAAMqB,EAAE,GAAGpB,kBAaKB,CAACqB,GAAG,EAAE,AAAC;4BACpC,IAAID,EA  
AE,EAAE;gCACNA,EAAE,EAAE,CAAC;6BACN;yBACF,CAAC,CACDE,KAAK,CAAC,CAAC3B,GAAa,GAA  
K;4BACxB,iDAaID;4BACjD,gDAAGD;4BACHD,IAAIA,GAAG,CAAC4B,MAAM,KAAKC,YAAU,WAAA,CA  
ACC,YAAY,IAAIN,KAAK,GAAG,EAAE,EAAE;gCACxD/E,KAAK,CAAC,CAAC,yCAAYC,EAAEmE,QAAQ,  
CAAC,SAAS,EAAEY,KAAK,CAAC,CAAC,CAAC,CAAC;gCAC/EjC,UAAU,CAACiC,KAAK,EAAE,CAAC,C  
AAC;6BACrB,MAAM;gCAClpB,YAAY,EAAE,CAAC;gCACfgB,MAAM,CAACpB,GAAG,CAAC,CAAC;6BA  
Cb;yBACF,CAAC,CAAC;qBACN,AAAC;oBAEF,IAAII,YAAY,GAAGzD,cAAc,EAAE;wBACjC4C,UAAU,EA  
AE,CAAC;qBACd,MAAM;wBACL9C,KAAK,CACH,CAAC,gBAAGB,EAAEE,cAAc,CAAC,mCAAmC,EAAE0  
D,kBAaKB,CAAC7B,MAAM,CAAC,CAAC,CACnG,CAAC;wBACf6B,kBAaKB,CAACtC,IAAI,CAACwB,UA  
AU,CAAC,CAAC;qBACrC;iBACF;aACF;YACD,MAAMK,OAAO,CAACC,GAAG,CAACY,QAAQ,CAAC,CAA  
C;SAC7B;KACF;CACF;QAILY7D,SAAS,GAATA,SAAS;AAoLtB,SAASa,SAAS,CAACsE,CAAS,EAAE;IAC5B  
,MAAMC,GAAG,GAAGpD,MAAM,CAACC,KAAK,CAACKD,CAAC,CAACvD,MAAM,GAAG,CAAC,CAAC,  
AAAC;IACvC,MAAMyD,GAAG,GAAGD,GAAG,CAACE,KAAK,CAACH,CAAC,CAAC,AAAC;IACzBC,GAA  
G,CAACG,UAAU,CAAC,CAAC,EAAEF,GAAG,CAAC,CAAC;IACvB,OAAOD,GAAG,CAAC;CACZ" }

Found in path(s):

\* /opt/cola/permits/1381072539\_1659629317.1562185/0/cli-0-1-5-

tgz/package/build/src/run/ios/appleDevice/client/AFCClient.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../../../../src/api/graphql/generated.ts"],"sourcesContent":["/**\n * This file was generated\n using GraphQL Codegen\n * Command: yarn generate-graphql-code\n * Run this during development for automatic\n type generation when editing GraphQL documents\n * For more info and docs, visit https://graphql-code-\n generator.com/\n *\n\n type Maybe<T> = T | null;\n\n /** All built-in and custom scalars, mapped to their actual\n values\n\n type Scalars = {\n   ID: string;\n   String: string;\n   Boolean: boolean;\n   Int: number;\n   Float: number;\n\n   /** Date custom scalar type\n   DateTime: any;\n\n   /** The `JSON` scalar type represents JSON values as specified\n by [ECMA-404](http://www.ecma-international.org/publications/files/ECMA-ST/ECMA-404.pdf). *\n   JSON: any;\n\n   /** The `JSONObject` scalar type represents JSON objects as specified by [ECMA-404](http://www.ecma-\n international.org/publications/files/ECMA-ST/ECMA-404.pdf). *\n   JSONObject: any;\n\n   /** The `Upload` scalar\n type represents a file upload. *\n   Upload: any;\n\n\n\n type Update = ActivityTimelineProjectActivity & {\n   __typename?: 'Update';\n   id: Scalars['ID'];\n   actor?: Maybe<Actor>;\n   activityTimestamp: Scalars['DateTime'];\n   branchId: Scalars['ID'];\n   platform: Scalars['String'];\n   manifestFragment: Scalars['String'];\n   runtimeVersion:
```

Scalars['String'];\n group: Scalars['String'];\n updatedAt: Scalars['DateTime'];\n createdAt: Scalars['DateTime'];\n message?: Maybe<Scalars['String']>;\n branch: UpdateBranch;\n manifestPermalink: Scalars['String'];\n};\n\n\ntype ActivityTimelineProjectActivity = {\n id: Scalars['ID'];\n actor?: Maybe<Actor>;\n activityTimestamp: Scalars['DateTime'];\n};\n\n/\*\* A user or robot that can authenticate with Expo services and be a member of accounts. \*\n\ntype Actor = {\n id: Scalars['ID'];\n firstName?: Maybe<Scalars['String']>;\n created: Scalars['DateTime'];\n isExpoAdmin: Scalars['Boolean'];\n /\*\*\n \* Best-effort human readable name for this actor for use in user interfaces during action attribution.\n \* For example, when displaying a sentence indicating that actor X created a build or published an update.\n \*\n displayName: Scalars['String'];\n /\*\* Associated accounts \*\n accounts: Array<Account>;\n /\*\* Access Tokens belonging to this actor \*\n accessTokens: Array<AccessToken>;\n /\*\*\n \* Server feature gate values for this actor, optionally filtering by desired gates.\n \* Only resolves for the viewer.\n \*\n featureGates: Scalars['JSONObject'];\n};\n\n/\*\*\n \* An account is a container owning projects, credentials, billing and other organization\n \* data and settings. Actors may own and be members of accounts.\n \*\n\ntype Account = {\n \_\_typename?: 'Account';\n id: Scalars['ID'];\n name: Scalars['String'];\n isCurrent: Scalars['Boolean'];\n pushSecurityEnabled: Scalars['Boolean'];\n createdAt: Scalars['DateTime'];\n updatedAt: Scalars['DateTime'];\n /\*\* Offers set on this account \*\n offers?: Maybe<Array<Offer>>;\n /\*\* Apps associated with this account \*\n apps: Array<App>;\n appCount: Scalars['Int'];\n /\*\* Build Jobs associated with this account \*\n buildJobs: Array<BuildJob>;\n /\*\*\n \* Coalesced Build (EAS) or BuildJob (Classic) for all apps belonging to this account.\n \* @deprecated Use activityTimelineProjectActivities with filterTypes instead\n \*\n buildOrBuildJobs: Array<BuildOrBuildJob>;\n /\*\* Coalesced project activity for all apps belonging to this account.\n \*\n activityTimelineProjectActivities: Array<ActivityTimelineProjectActivity>;\n /\*\* Owing User of this account if personal account \*\n owner?: Maybe<User>;\n /\*\* Actors associated with this account and permissions they hold \*\n users: Array<UserPermission>;\n /\*\* Pending user invitations for this account \*\n userInvitations: Array<UserInvitation>;\n /\*\* iOS credentials for account \*\n appleTeams: Array<AppleTeam>;\n appleAppIdentifiers: Array<AppleAppIdentifier>;\n appleDistributionCertificates: Array<AppleDistributionCertificate>;\n applePushKeys: Array<ApplePushKey>;\n appleProvisioningProfiles: Array<AppleProvisioningProfile>;\n appleDevices: Array<AppleDevice>;\n appStoreConnectApiKeys: Array<AppStoreConnectApiKey>;\n /\*\* Android credentials for account \*\n googleServiceAccountKeys: Array<GoogleServiceAccountKey>;\n /\*\* Environment secrets for an account \*\n environmentSecrets: Array<EnvironmentSecret>;\n /\*\* @deprecated Legacy access tokens are deprecated \*\n accessTokens: Array<Maybe<AccessToken>>;\n /\*\* @deprecated Legacy access tokens are deprecated \*\n requiresAccessTokenForPushSecurity: Scalars['Boolean'];\n /\*\* @deprecated See isCurrent \*\n unlimitedBuilds: Scalars['Boolean'];\n /\*\* @deprecated Build packs are no longer supported \*\n availableBuilds?: Maybe<Scalars['Int']>;\n /\*\* @deprecated No longer needed \*\n subscriptionChangesPending?: Maybe<Scalars['Boolean']>;\n /\*\* @deprecated Build packs are no longer supported \*\n willAutoRenewBuilds?: Maybe<Scalars['Boolean']>;\n};\n\n\ntype Offer = {\n \_\_typename?: 'Offer';\n id: Scalars['ID'];\n stripeId: Scalars['ID'];\n price: Scalars['Int'];\n quantity?: Maybe<Scalars['Int']>;\n trialLength?: Maybe<Scalars['Int']>;\n type: OfferType;\n features?: Maybe<Array<Maybe<Feature>>>;\n prerequisite?: Maybe<OfferPrerequisite>;\n};\n\n\nenum OfferType {\n /\*\* Term subscription \*\n Subscription = 'SUBSCRIPTION',\n /\*\* Advanced Purchase of Paid Resource \*\n Prepaid = 'PREPAID',\n /\*\* Addon, or supplementary subscription \*\n Addon = 'ADDON',\n};\n\n\nenum Feature {\n /\*\* Top Tier Support \*\n Support = 'SUPPORT',\n /\*\* Share access to projects \*\n Teams = 'TEAMS',\n /\*\* Priority Builds \*\n Builds = 'BUILDS',\n /\*\* Funds support for open source development \*\n OpenSource = 'OPEN\_SOURCE',\n};\n\n\ntype OfferPrerequisite = {\n \_\_typename?: 'OfferPrerequisite';\n type: Scalars['String'];\n stripeIds: Array<Scalars['String']>;\n};\n\n\ntype Project = {\n id: Scalars['ID'];\n name: Scalars['String'];\n fullName: Scalars['String'];\n description: Scalars['String'];\n slug: Scalars['String'];\n updated: Scalars['DateTime'];\n published: Scalars['Boolean'];\n username: Scalars['String'];\n /\*\* @deprecated Field no longer supported \*\n imageUrl?: Maybe<Scalars['String']>;\n};\n\n/\*\* Represents an Exponent App (or Experience in legacy terms) \*\n\ntype App = Project & {\n \_\_typename?: 'App';\n id: Scalars['ID'];\n name: Scalars['String'];\n fullName:

Scalars['String'];\n description: Scalars['String'];\n slug: Scalars['String'];\n ownerAccount: Account;\n privacySetting: AppPrivacy;\n pushSecurityEnabled: Scalars['Boolean'];\n /\*\* Whether there have been any classic update publishes \*\n published: Scalars['Boolean'];\n /\*\* Time of last classic update publish \*\n updated: Scalars['DateTime'];\n /\*\* ID of latest classic update release \*\n latestReleaseId: Scalars['ID'];\n /\*\* Whether the latest classic update publish is using a deprecated SDK version \*\n isDeprecated: Scalars['Boolean'];\n /\*\* SDK version of the latest classic update publish, 0.0.0 otherwise \*\n sdkVersion: Scalars['String'];\n /\*\* Classic update release channel names (to be removed) \*\n releaseChannels: Array<Scalars['String']>;\n /\*\* Classic update release channel names that have at least one build \*\n buildsReleaseChannels: Array<Scalars['String']>;\n /\*\* githubUrl field from most recent classic update manifest \*\n githubUrl?: Maybe<Scalars['String']>;\n /\*\* android.playStoreUrl field from most recent classic update manifest \*\n playStoreUrl?: Maybe<Scalars['String']>;\n /\*\* ios.appStoreUrl field from most recent classic update manifest \*\n appStoreUrl?: Maybe<Scalars['String']>;\n /\*\* Info about the icon specified in the most recent classic update manifest \*\n icon?: Maybe<AppIcon>;\n /\*\* iOS app credentials for the project \*\n iosAppCredentials: Array<IosAppCredentials>;\n /\*\* Android app credentials for the project \*\n androidAppCredentials: Array<AndroidAppCredentials>;\n /\*\* Coalesced project activity for an app \*\n activityTimelineProjectActivities: Array<ActivityTimelineProjectActivity>;\n /\*\* Environment secrets for an app \*\n environmentSecrets: Array<EnvironmentSecret>;\n /\*\* Webhooks for an app \*\n webhooks: Array<Webhook>;\n /\*\* @deprecated Use ownerAccount.name instead \*\n username: Scalars['String'];\n /\*\* @deprecated Field no longer supported \*\n iconUrl?: Maybe<Scalars['String']>;\n /\*\* @deprecated Use 'privacySetting' instead. \*\n privacy: Scalars['String'];\n /\*\* @deprecated Field no longer supported \*\n lastPublishedTime: Scalars['DateTime'];\n /\*\* @deprecated Field no longer supported \*\n packageUsername: Scalars['String'];\n /\*\* @deprecated Field no longer supported \*\n packageName: Scalars['String'];\n /\*\* @deprecated Legacy access tokens are deprecated \*\n accessTokens: Array<Maybe<AccessToken>>;\n /\*\* @deprecated Legacy access tokens are deprecated \*\n requiresAccessTokenForPushSecurity: Scalars['Boolean'];\n /\*\* @deprecated 'likes' have been deprecated. \*\n isLikedByMe: Scalars['Boolean'];\n /\*\* @deprecated 'likes' have been deprecated. \*\n likeCount: Scalars['Int'];\n /\*\* @deprecated 'likes' have been deprecated. \*\n trendScore: Scalars['Float'];\n /\*\* @deprecated 'likes' have been deprecated. \*\n likedBy: Array<Maybe<User>>;\n /\*\* @deprecated Field no longer supported \*\n users?: Maybe<Array<Maybe<User>>>;\n /\*\* @deprecated Field no longer supported \*\n releases: Array<Maybe<AppRelease>>;\n latestReleaseForReleaseChannel?: Maybe<AppRelease>;\n};\n\nenum AppPrivacy {\n Public = 'PUBLIC',\n Unlisted = 'UNLISTED',\n Hidden = 'HIDDEN',\n}\n\nenum AppIcon = {\n \_\_typename?: 'AppIcon';\n url: Scalars['String'];\n primaryColor?: Maybe<Scalars['String']>;\n originalUrl: Scalars['String'];\n /\*\* Nullable color palette of the app icon. If null, color palette couldn't be retrieved from external service (imgix) \*\n colorPalette?: Maybe<Scalars['JSON']>;\n}\n\nenum AppPlatform {\n Ios = 'IOS',\n Android = 'ANDROID',\n}\n\nenum BuildOrBuildJob = {\n id: Scalars['ID'];\n};\n\n/\*\* Represents a human (not robot) actor. \*\nenum User = Actor & {\n \_\_typename?: 'User';\n id: Scalars['ID'];\n username: Scalars['String'];\n email?: Maybe<Scalars['String']>;\n firstName?: Maybe<Scalars['String']>;\n lastName?: Maybe<Scalars['String']>;\n fullName?: Maybe<Scalars['String']>;\n profilePhoto: Scalars['String'];\n created: Scalars['DateTime'];\n industry?: Maybe<Scalars['String']>;\n location?: Maybe<Scalars['String']>;\n appCount: Scalars['Int'];\n githubUsername?: Maybe<Scalars['String']>;\n twitterUsername?: Maybe<Scalars['String']>;\n appetiteCode?: Maybe<Scalars['String']>;\n emailVerified: Scalars['Boolean'];\n isExpoAdmin: Scalars['Boolean'];\n displayName: Scalars['String'];\n isSecondFactorAuthenticationEnabled: Scalars['Boolean'];\n /\*\* Get all certified second factor authentication methods \*\n secondFactorDevices: Array<UserSecondFactorDevice>;\n /\*\* Associated accounts \*\n primaryAccount: Account;\n accounts: Array<Account>;\n /\*\* Access Tokens belonging to this actor \*\n accessTokens: Array<AccessToken>;\n /\*\* Apps this user has published \*\n apps: Array<App>;\n /\*\* Whether this user has any pending user invitations. Only resolves for the viewer. \*\n hasPendingUserInvitations: Scalars['Boolean'];\n /\*\* Pending UserInvitations for this user. Only resolves for the viewer. \*\n pendingUserInvitations: Array<UserInvitation>;\n /\*\* Coalesced project activity for all apps belonging to all accounts this user belongs to. Only resolves for the viewer. \*\n



activityTimelineProjectActivities: Array<ActivityTimelineProjectActivity>;\n /\*\*\n \* Server feature gate values for this actor, optionally filtering by desired gates.\n \* Only resolves for the viewer.\n \*/\n featureGates: Scalars['JSONObject'];\n /\*\* @deprecated Field no longer supported \*/\n isEmailUnsubscribed: Scalars['Boolean'];\n /\*\* @deprecated Field no longer supported \*/\n lastPasswordReset?: Maybe<Scalars['DateTime']>;\n /\*\* @deprecated Field no longer supported \*/\n lastLogin?: Maybe<Scalars['DateTime']>;\n /\*\* @deprecated Field no longer supported \*/\n isOnboarded?: Maybe<Scalars['Boolean']>;\n /\*\* @deprecated Field no longer supported \*/\n isLegacy?: Maybe<Scalars['Boolean']>;\n /\*\* @deprecated Field no longer supported \*/\n wasLegacy?: Maybe<Scalars['Boolean']>;\n /\*\* @deprecated 'likes' have been deprecated. \*/\n likes?: Maybe<Array<Maybe<App>>>;\n};\n\n/\*\* A second factor device belonging to a User \*/\ntype UserSecondFactorDevice = {\n \_\_typename?: 'UserSecondFactorDevice';\n id: Scalars['ID'];\n user: User;\n name: Scalars['String'];\n isCertified: Scalars['Boolean'];\n isPrimary: Scalars['Boolean'];\n smsPhoneNumber?: Maybe<Scalars['String']>;\n method: SecondFactorMethod;\n createdAt: Scalars['DateTime'];\n updatedAt: Scalars['DateTime'];\n};\n\nenum SecondFactorMethod {\n /\*\* Google Authenticator (TOTP) \*/\n Authenticator = 'AUTHENTICATOR',\n /\*\* SMS \*/\n Sms = 'SMS',\n};\n\n/\*\* A method of authentication for an Actor \*/\ntype AccessToken = {\n \_\_typename?: 'AccessToken';\n id: Scalars['ID'];\n visibleTokenPrefix: Scalars['String'];\n createdAt: Scalars['DateTime'];\n updatedAt: Scalars['DateTime'];\n revokedAt?: Maybe<Scalars['DateTime']>;\n lastUsedAt?: Maybe<Scalars['DateTime']>;\n owner: Actor;\n note?: Maybe<Scalars['String']>;\n};\n\n/\*\* An pending invitation sent to an email granting membership on an Account. \*/\ntype UserInvitation = {\n \_\_typename?: 'UserInvitation';\n id: Scalars['ID'];\n /\*\* Email to which this invitation was sent \*/\n email: Scalars['String'];\n created: Scalars['DateTime'];\n accountName: Scalars['String'];\n /\*\* Account permissions to be granted upon acceptance of this invitation \*/\n permissions: Array<Permission>;\n /\*\* Role to be granted upon acceptance of this invitation \*/\n role: Role;\n};\n\nenum Permission {\n Own = 'OWN',\n Admin = 'ADMIN',\n Publish = 'PUBLISH',\n View = 'VIEW',\n};\n\nenum Role {\n Owner = 'OWNER',\n Admin = 'ADMIN',\n Developer = 'DEVELOPER',\n ViewOnly = 'VIEW\_ONLY',\n Custom = 'CUSTOM',\n HasAdmin = 'HAS\_ADMIN',\n NotAdmin = 'NOT\_ADMIN',\n};\n\n/\*\* Represents an Standalone App build job \*/\ntype BuildJob = ActivityTimelineProjectActivity & BuildOrBuildJob & {\n \_\_typename?: 'BuildJob';\n id: Scalars['ID'];\n actor?: Maybe<Actor>;\n activityTimestamp: Scalars['DateTime'];\n app?: Maybe<App>;\n user?: Maybe<User>;\n release?: Maybe<AppRelease>;\n config?: Maybe<Scalars['JSON']>;\n artifacts?: Maybe<BuildArtifact>;\n logs?: Maybe<BuildLogs>;\n created?: Maybe<Scalars['DateTime']>;\n updated?: Maybe<Scalars['DateTime']>;\n fullExperienceName?: Maybe<Scalars['String']>;\n status?: Maybe<BuildJobStatus>;\n expirationDate?: Maybe<Scalars['DateTime']>;\n platform: AppPlatform;\n sdkVersion?: Maybe<Scalars['String']>;\n releaseChannel?: Maybe<Scalars['String']>;\n};\n\nntype AppRelease = {\n \_\_typename?: 'AppRelease';\n id: Scalars['ID'];\n hash: Scalars['String'];\n publishedTime: Scalars['DateTime'];\n publishingUsername: Scalars['String'];\n sdkVersion: Scalars['String'];\n runtimeVersion?: Maybe<Scalars['String']>;\n version: Scalars['String'];\n s3Key: Scalars['String'];\n s3Url: Scalars['String'];\n manifest: Scalars['JSON'];\n};\n\nntype BuildArtifact = {\n \_\_typename?: 'BuildArtifact';\n url: Scalars['String'];\n manifestPlistUrl?: Maybe<Scalars['String']>;\n};\n\nntype BuildLogs = {\n \_\_typename?: 'BuildLogs';\n url?: Maybe<Scalars['String']>;\n format?: Maybe<BuildJobLogsFormat>;\n};\n\nenum BuildJobLogsFormat {\n Raw = 'RAW',\n Json = 'JSON',\n};\n\nenum BuildJobStatus {\n Pending = 'PENDING',\n Started = 'STARTED',\n InProgress = 'IN\_PROGRESS',\n Errored = 'ERRORED',\n Finished = 'FINISHED',\n SentToQueue = 'SENT\_TO\_QUEUE',\n};\n\nntype UpdateBranch = {\n \_\_typename?: 'UpdateBranch';\n id: Scalars['ID'];\n appId: Scalars['ID'];\n name: Scalars['String'];\n createdAt: Scalars['DateTime'];\n updatedAt: Scalars['DateTime'];\n updates: Array<Update>;\n};\n\nntype IosAppCredentials = {\n \_\_typename?: 'IosAppCredentials';\n id: Scalars['ID'];\n app: App;\n appleTeam?: Maybe<AppleTeam>;\n appleAppIdentifier: AppleAppIdentifier;\n iosAppBuildCredentialsList: Array<IosAppBuildCredentials>;\n pushKey?: Maybe<ApplePushKey>;\n appStoreConnectApiKeyForSubmissions?: Maybe<AppStoreConnectApiKey>;\n /\*\* @deprecated use iosAppBuildCredentialsList instead \*/\n iosAppBuildCredentialsArray:

```

Array<IosAppBuildCredentials>;\n};\n\nntype AppleTeam = {\n  __typename?: 'AppleTeam';\n  id: Scalars['ID'];\n  account: Account;\n  appleTeamIdentifier: Scalars['String'];\n  appleTeamName?: Maybe<Scalars['String']>;\n  appleAppIdentifiers: Array<AppleAppIdentifier>;\n  appleDistributionCertificates:
Array<AppleDistributionCertificate>;\n  applePushKeys: Array<ApplePushKey>;\n  appleProvisioningProfiles:
Array<AppleProvisioningProfile>;\n  appleDevices: Array<AppleDevice>;\n};\n\nntype AppleAppIdentifier = {\n
  __typename?: 'AppleAppIdentifier';\n  id: Scalars['ID'];\n  account: Account;\n  appleTeam?:
Maybe<AppleTeam>;\n  bundleIdentifier: Scalars['String'];\n  parentAppleAppIdentifier?:
Maybe<AppleAppIdentifier>;\n};\n\nntype AppleDistributionCertificate = {\n  __typename?:
'AppleDistributionCertificate';\n  id: Scalars['ID'];\n  account: Account;\n  appleTeam?: Maybe<AppleTeam>;\n
  serialNumber: Scalars['String'];\n  validityNotBefore: Scalars['DateTime'];\n  validityNotAfter:
Scalars['DateTime'];\n  developerPortalIdentifier?: Maybe<Scalars['String']>;\n  certificateP12?:
Maybe<Scalars['String']>;\n  certificatePassword?: Maybe<Scalars['String']>;\n  certificatePrivateKey?:
Maybe<Scalars['String']>;\n  createdAt: Scalars['DateTime'];\n  updatedAt: Scalars['DateTime'];\n
  iosAppBuildCredentialsList: Array<IosAppBuildCredentials>;\n};\n\nntype IosAppBuildCredentials = {\n
  __typename?: 'IosAppBuildCredentials';\n  id: Scalars['ID'];\n  distributionCertificate?:
Maybe<AppleDistributionCertificate>;\n  provisioningProfile?: Maybe<AppleProvisioningProfile>;\n
  iosDistributionType: IosDistributionType;\n  iosAppCredentials: IosAppCredentials;\n  /** @deprecated Get Apple
Devices from AppleProvisioningProfile instead */\n  appleDevices?:
Maybe<Array<Maybe<AppleDevice>>>;\n};\n\nntype AppleProvisioningProfile = {\n  __typename?:
'AppleProvisioningProfile';\n  id: Scalars['ID'];\n  account: Account;\n  appleTeam?: Maybe<AppleTeam>;\n
  expiration: Scalars['DateTime'];\n  appleAppIdentifier: AppleAppIdentifier;\n  developerPortalIdentifier?:
Maybe<Scalars['String']>;\n  provisioningProfile?: Maybe<Scalars['String']>;\n  appleUUID: Scalars['String'];\n
  status: Scalars['String'];\n  appleDevices: Array<AppleDevice>;\n  createdAt: Scalars['DateTime'];\n  updatedAt:
Scalars['DateTime'];\n};\n\nntype AppleDevice = {\n  __typename?: 'AppleDevice';\n  id: Scalars['ID'];\n  account:
Account;\n  appleTeam: AppleTeam;\n  identifier: Scalars['String'];\n  name?: Maybe<Scalars['String']>;\n  model?:
Maybe<Scalars['String']>;\n  deviceClass?: Maybe<AppleDeviceClass>;\n  softwareVersion?:
Maybe<Scalars['String']>;\n  enabled?: Maybe<Scalars['Boolean']>;\n};\n\nenum AppleDeviceClass {\n  Ipad =
'IPAD',\n  Iphone = 'IPHONE',\n}\n\nenum IosDistributionType {\n  AppStore = 'APP_STORE',\n  Enterprise =
'ENTERPRISE',\n  AdHoc = 'AD_HOC',\n  Development = 'DEVELOPMENT',\n}\n\nntype ApplePushKey = {\n
  __typename?: 'ApplePushKey';\n  id: Scalars['ID'];\n  account: Account;\n  appleTeam?: Maybe<AppleTeam>;\n
  keyIdentifier: Scalars['String'];\n  keyP8: Scalars['String'];\n  createdAt: Scalars['DateTime'];\n  updatedAt:
Scalars['DateTime'];\n  iosAppCredentialsList: Array<IosAppCredentials>;\n};\n\nntype AppStoreConnectApiKey =
{\n  __typename?: 'AppStoreConnectApiKey';\n  id: Scalars['ID'];\n  account: Account;\n  appleTeam?:
Maybe<AppleTeam>;\n  issuerIdentifier: Scalars['String'];\n  keyIdentifier: Scalars['String'];\n  name?:
Maybe<Scalars['String']>;\n  roles?: Maybe<Array<AppStoreConnectUserRole>>;\n  createdAt:
Scalars['DateTime'];\n  updatedAt: Scalars['DateTime'];\n};\n\nenum AppStoreConnectUserRole {\n  Admin =
'ADMIN',\n  Finance = 'FINANCE',\n  Technical = 'TECHNICAL',\n  AccountHolder = 'ACCOUNT_HOLDER',\n  ReadOnly =
'READ_ONLY',\n  Sales = 'SALES',\n  Marketing = 'MARKETING',\n  AppManager =
'APP_MANAGER',\n  Developer = 'DEVELOPER',\n  AccessToReports = 'ACCESS_TO_REPORTS',\n  CustomerSupport =
'CUSTOMER_SUPPORT',\n  CreateApps = 'CREATE_APPS',\n  CloudManagedDeveloperId =
'CLLOUD_MANAGED_DEVELOPER_ID',\n  CloudManagedAppDistribution =
'CLLOUD_MANAGED_APP_DISTRIBUTION',\n  ImageManager = 'IMAGE_MANAGER',\n  Unknown =
'UNKNOWN',\n}\n\nntype AndroidAppCredentials = {\n  __typename?: 'AndroidAppCredentials';\n  id:
Scalars['ID'];\n  app: App;\n  applicationIdentifier?: Maybe<Scalars['String']>;\n  androidFcm?:
Maybe<AndroidFcm>;\n  googleServiceAccountKeyForSubmissions?: Maybe<GoogleServiceAccountKey>;\n
  androidAppBuildCredentialsList: Array<AndroidAppBuildCredentials>;\n  isLegacy: Scalars['Boolean'];\n  /**
@deprecated use androidAppBuildCredentialsList instead */\n  androidAppBuildCredentialsArray:
Array<AndroidAppBuildCredentials>;\n};\n\nntype AndroidFcm = {\n  __typename?: 'AndroidFcm';\n  id:

```

```

Scalars['ID'];\n account: Account;\n snippet: FcmSnippet;\n /**\n * Legacy FCM: returns the Cloud Messaging
token, parses to a String\n * FCM v1: returns the Service Account Key file, parses to an Object\n */\n credential:
Scalars['JSON'];\n version: AndroidFcmVersion;\n createdAt: Scalars['DateTime'];\n updatedAt:
Scalars['DateTime'];\n};\n\nntype FcmSnippet = FcmSnippetLegacy | FcmSnippetV1;\n\nntype FcmSnippetLegacy =
{\n __typename?: 'FcmSnippetLegacy';\n firstFourCharacters: Scalars['String'];\n lastFourCharacters:
Scalars['String'];\n};\n\nntype FcmSnippetV1 = {\n __typename?: 'FcmSnippetV1';\n projectId: Scalars['String'];\n
keyId: Scalars['String'];\n serviceAccountEmail: Scalars['String'];\n clientId?:
Maybe<Scalars['String']>;\n};\n\nenum AndroidFcmVersion {\n Legacy = 'LEGACY',\n V1 = 'V1',\n}\n\nntype
GoogleServiceAccountKey = {\n __typename?: 'GoogleServiceAccountKey';\n id: Scalars['ID'];\n account:
Account;\n projectIdentifier: Scalars['String'];\n privateKeyIdentifier: Scalars['String'];\n clientEmail:
Scalars['String'];\n clientIdIdentifier: Scalars['String'];\n createdAt: Scalars['DateTime'];\n updatedAt:
Scalars['DateTime'];\n};\n\nntype AndroidAppBuildCredentials = {\n __typename?:
'AndroidAppBuildCredentials';\n id: Scalars['ID'];\n name: Scalars['String'];\n androidKeystore?:
Maybe<AndroidKeystore>;\n isDefault: Scalars['Boolean'];\n isLegacy: Scalars['Boolean'];\n};\n\nntype
AndroidKeystore = {\n __typename?: 'AndroidKeystore';\n id: Scalars['ID'];\n account: Account;\n type:
AndroidKeystoreType;\n keystore: Scalars['String'];\n keystorePassword: Scalars['String'];\n keyAlias:
Scalars['String'];\n keyPassword?: Maybe<Scalars['String']>;\n md5CertificateFingerprint?:
Maybe<Scalars['String']>;\n sha1CertificateFingerprint?: Maybe<Scalars['String']>;\n
sha256CertificateFingerprint?: Maybe<Scalars['String']>;\n createdAt: Scalars['DateTime'];\n updatedAt:
Scalars['DateTime'];\n};\n\nenum AndroidKeystoreType {\n Jks = 'JKS',\n Pkcs12 = 'PKCS12',\n Unknown =
'UNKNOWN',\n}\n\nntype EnvironmentSecret = {\n __typename?: 'EnvironmentSecret';\n id: Scalars['ID'];\n
name: Scalars['String'];\n createdAt: Scalars['DateTime'];\n updatedAt: Scalars['DateTime'];\n};\n\nenum
WebhookType {\n Build = 'BUILD',\n Submit = 'SUBMIT',\n}\n\nntype Webhook = {\n __typename?:
'Webhook';\n id: Scalars['ID'];\n appId: Scalars['ID'];\n event: WebhookType;\n url: Scalars['String'];\n
createdAt: Scalars['DateTime'];\n updatedAt: Scalars['DateTime'];\n};\n\nntype UserPermission = {\n __typename?:
'UserPermission';\n permissions: Array<Permission>;\n role?: Maybe<Role>;\n /** @deprecated User type is
deprecated */\n user?: Maybe<User>;\n actor: Actor;\n};\n\n/** Represents a robot (not human) actor. */\nntype
Robot = Actor & {\n __typename?: 'Robot';\n id: Scalars['ID'];\n firstName?: Maybe<Scalars['String']>;\n
created: Scalars['DateTime'];\n isExpoAdmin: Scalars['Boolean'];\n displayName: Scalars['String'];\n /**
Associated accounts */\n accounts: Array<Account>;\n /** Access Tokens belonging to this actor */\n
accessTokens: Array<AccessToken>;\n /***\n * Server feature gate values for this actor, optionally filtering by
desired gates.\n * Only resolves for the viewer.\n */\n featureGates: Scalars['JSONObject'];\n};\n\nexport type
CurrentUserQuery = { __typename?: 'RootQuery' } & {\n meActor?: Maybe<\n | ({ __typename: 'User' } &
Pick<User, 'username' | 'id' | 'isExpoAdmin'> & {\n accounts: Array<{ __typename?: 'Account' } &
Pick<Account, 'id' | 'name'>>;\n })\n | ({ __typename: 'Robot' } & Pick<Robot, 'firstName' | 'id' |
'isExpoAdmin'> & {\n accounts: Array<{ __typename?: 'Account' } & Pick<Account, 'id' | 'name'>>;\n
})\n }\n};\n\n", "names": ["OfferType", "Subscription", "Prepaid", "Addon", "Feature", "Support", "Teams", "Builds", "OpenSo
urce", "AppPrivacy", "Public", "Unlisted", "Hidden", "AppPlatform", "Ios", "Android", "SecondFactorMethod", "Authent
icator", "Sms", "Permission", "Own", "Admin", "Publish", "View", "Role", "Owner", "Developer", "ViewOnly", "Custom",
"HasAdmin", "NotAdmin", "BuildJobLogsFormat", "Raw", "Json", "BuildJobStatus", "Pending", "Started", "InProgress",
"Errored", "Finished", "SentToQueue", "AppleDeviceClass", "Ipad", "Iphone", "IosDistributionType", "AppStore", "Ente
rprise", "AdHoc", "Development", "AppStoreConnectUserRole", "Finance", "Technical", "AccountHolder", "ReadOnly",
"Sales", "Marketing", "AppManager", "AccessToReports", "CustomerSupport", "CreateApps", "CloudManagedDevelo
perId", "CloudManagedAppDistribution", "ImageManager", "Unknown", "AndroidFcmVersion", "Legacy", "V1", "Andr
oidKeystoreType", "Jks", "Pkcs12", "WebhookType", "Build", "Submit"], "mappings": "AAOA;;;IAqIA,SAOC;UAPIA
,SAAS;IAATA,SAAS,CACZ,wBAAwB,CACxBC,cAAY,IAAG,cAAc;IAF1BD,SAAS,CAGZ,yCAAyC,CACzCE,
SAAO,IAAG,SAAS;IAJhBF,SAAS,CAKZ,2CAA2C,CAC3CG,OAAK,IAAG,OAAO;GANZH,SAAS,KAATA,SA

```

AS;IASd,OASC;UATII,OAAO;IAAPA,OAAO,CACV,uBAAuB,CACvBC,SAAO,IAAG,SAAS;IAFhBD,OAAO,CAGV,+BAA+B,CAC/BE,OAAK,IAAG,OAAO;IAJZF,OAAO,CAKV,sBAAsB,CACtBG,QAAM,IAAG,QAAQ;IANdH,OAAO,CAOV,gDAAgD,CAChDI,YAAU,IAAG,aAAa;GARvBJ,OAAO,KAAPA,OAAO;IAwGZ,UAIC;UAJIK,UAAU;IAAVA,UAAU,CACbC,QAAM,IAAG,QAAQ;IADdD,UAAU,CAEbE,UAAQ,IAAG,UAAU;IAFIBF,UAAU,CAGbG,QAAM,IAAG,QAAQ;GAHdH,UAAU,KAAVA,UAAU;IAef,WAGC;UAHII,WAAW;IAAXA,WAAW,CACdC,KAAG,IAAG,KAAK;IADRD,WAAW,CAEdE,SAAO,IAAG,SAAS;GAFhBF,WAAW,KAAVA,WAAW;IAgFhB,kBAkC;UALIG,kBAkC;IAAIBA,kBAkC,CACrB,kCAkC,CACICC,eAAa,IAAG,eAAe;IAF5BD,kBAkC,CAGrB,UAAU,CACVE,KAAG,IAAG,KAAK;GAJRF,kBAkC,KAAIBA,kBAkC;IAkCvB,UAKC;UALIG,UAAU;IAAVA,UAAU,CACbC,KAAG,IAAG,KAAK;IADRD,UAAU,CAEbE,OAAK,IAAG,OAAO;IAFZf,UAAU,CAGbG,SAAO,IAAG,SAAS;IAHhBH,UAAU,CAIbI,MAAI,IAAG,MAAM;GAJvJ,UAAU,KAAVA,UAAU;IAOf,IAQC;UARIK,IAAI;IAAJA,IAAI,CACPC,OAAK,IAAG,OAAO;IADZD,IAAI,CAEPH,OAAK,IAAG,OAAO;IAFZG,IAAI,CAGPE,WAAS,IAAG,WAAW;IAHpBF,IAAI,CAIPG,UAAQ,IAAG,WAAW;IAJnBH,IAAI,CAKPI,QAAM,IAAG,QAAQ;IALdJ,IAAI,CAMPK,UAAQ,IAAG,WAAW;IANnBL,IAAI,CAOPM,UAAQ,IAAG,WAAW;GAPnBN,IAAI,KAAJA,IAAI;IA2DT,kBAGC;UAHIO,kBAkC;IAAIBA,kBAkC,CACrBC,KAAG,IAAG,KAAK;IADRD,kBAkC,CAErBE,MAAI,IAAG,MAAM;GAFVF,kBAkC,KAAIBA,kBAkC;IAkVB,cAOC;UAPIG,cAAc;IAAdA,cAAc,CACjBC,SAAO,IAAG,SAAS;IADhBD,cAAc,CAEjBE,SAAO,IAAG,SAAS;IAFhBF,cAAc,CAGjBG,YAAU,IAAG,aAAa;IAHvBH,cAAc,CAIjBI,SAAO,IAAG,SAAS;IAJhBJ,cAAc,CAKjBK,UAAQ,IAAG,UAAU;IALIBL,cAAc,CAMjBM,aAAW,IAAG,eAAe;GANIBN,cAAc,KAAAdA,cAAc;IA+GnB,gBAGC;UAHIO,gBAAgB;IAAhBA,gBAAgB,CACnBC,MAAI,IAAG,MAAM;IADVD,gBAAgB,CAEnBE,QAAM,IAAG,QAAQ;GAFdF,gBAAgB,KAAhBA,gBAAgB;IAKrB,mBAkC;UALIG,mBAAmB;IAAnBA,mBAAmB,CACtBC,UAAQ,IAAG,WAAW;IADnBD,mBAAmB,CAEtBE,YAAU,IAAG,YAAAY;IAFtBF,mBAAmB,CAGtBG,OAAK,IAAG,QAAQ;IAHhB,mBAAmB,CAItBI,aAAW,IAAG,aAAa;GAJxBJ,mBAAmB,KAAAnBA,mBAAmB;IAgCxB,uBAiBC;UAjBIK,uBAAuB;IAAvBA,uBAAuB,CAC1B5B,OAAK,IAAG,OAAO;IADZ4B,uBAAuB,CAE1BC,SAAO,IAAG,SAAS;IAFhBD,uBAAuB,CAG1BE,WAAS,IAAG,WAAW;IAHpBF,uBAAuB,CAI1BG,eAAa,IAAG,gBAAgB;IAJ7BH,uBAAuB,CAK1BI,UAAQ,IAAG,WAAW;IALnBJ,uBAAuB,CAM1BK,OAAK,IAAG,OAAO;IANZL,uBAAuB,CAO1BM,WAAS,IAAG,WAAW;IAPpBN,uBAAuB,CAQ1BO,YAAU,IAAG,aAAa;IARvBP,uBAAuB,CAS1BvB,WAAS,IAAG,WAAW;IATpBuB,uBAAuB,CAU1BQ,iBA Ae,IAAG,mBAAmB;IAVICR,uBAAuB,CAW1BS,iBA Ae,IAAG,kBAkC;IAXjCT,uBAAuB,CAY1BU,YAAU,IAAG,aAAa;IAZvBV,uBAAuB,CAa1BW,yBA AuB,IAAG,4BAA4B;IAbnDX,uBAAuB,CAC1BY,6BAA2B,IAAG,gCAAgC;IAd3DZ,uBAAuB,CAe1Ba,cAAAY,IAAG,eAAe;IAf3Bb,uBAAuB,CAGb1Bc,SAAO,IAAG,SAAS;GAhBhBd,uBAAuB,KAAvBA,uBAAuB;IA+D5B,iBAGC;UAHIE,iBAAiB;IAAjBA,iBAAiB,CACpBC,QAAM,IAAG,QAAQ;IADdD,iBAAiB,CAEpBE,IAAE,IAAF A,IAAE;GAFcF,iBAAiB,KAAjBA,iBAAiB;IA0CtB,mBAIC;UAJIG,mBAAmB;IAAnBA,mBAAmB,CACtBC,KAAAG,IAAG,KAAK;IADRD,mBAAmB,CAEtBE,QAAM,IAAG,QAAQ;IAFdF,mBAAmB,CAGtBJ,SAAO,IAAG,SAAS;GAHhBI,mBAAmB,KAAAnBA,mBAAmB;IAcxB,WAGC;UAHIG,WAAW;IAAXA,WAAW,CACdC,OAAK,IAAG,OAAO;IADZD,WAAW,CAEdE,QAAM,IAAG,QAAQ;GAFdF,WAAW,KAAVA,WAAW"

Found in path(s):

\* /opt/cola/permits/1381072539\_1659629317.1562185/0/cli-0-1-5-

tgz/package/build/src/api/graphql/generated.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../..../src/run/ios/appleDevice/protocol/UsbmuxProtocol.ts"],"sourcesContent":["/*\n * Copyright (c) 2021 Expo, Inc.\n * Copyright (c) 2018 Drifty Co.\n * This source code is licensed under the\n MIT license found in the\n * LICENSE file in the root directory of this source tree.\n */\n\nimport plist from\n '@expo/plist';\nimport Debug from 'debug';\nimport { Socket } from 'net';\nimport type { ProtocolWriter } from\n './AbstractProtocol';\nimport { PlistProtocolReader, ProtocolClient, ProtocolReaderFactory } from\n './AbstractProtocol';\n\nconst debug = Debug('expo:apple-device:protocol:usbmux');\n\nexport const\n USBMUXD_HEADER_SIZE = 16;\n\nexport interface UsbmuxMessage {\n  messageType: string;\n  extraFields?:
```

```

{ [key: string]: any };\n}\n\nexport class UsbmuxProtocolClient extends ProtocolClient<UsbmuxMessage> {\n
  constructor(socket: Socket) {\n    super(socket, new ProtocolReaderFactory(UsbmuxProtocolReader), new
  UsbmuxProtocolWriter());\n  }\n}\n\nexport class UsbmuxProtocolReader extends PlistProtocolReader {\n
  constructor(callback: (data: any) => any) {\n    super(USBMUXD_HEADER_SIZE, callback);\n  }\n}\n\n
  parseHeader(data: Buffer) {\n    return data.readUInt32LE(0) - USBMUXD_HEADER_SIZE;\n  }\n\n
  parseBody(data: Buffer) {\n    const resp = super.parseBody(data);\n    debug(`Response:
  ${JSON.stringify(resp)}`);\n    return resp;\n  }\n}\n\nexport class UsbmuxProtocolWriter implements
  ProtocolWriter {\n  private useTag = 0;\n\n  write(socket: Socket, msg: UsbmuxMessage) {\n    // TODO Usbmux
  message type\n    debug(`socket write: ${JSON.stringify(msg)}`);\n    const { messageType, extraFields } = msg;\n
  const plistMessage = plist.build({\n      BundleID: 'dev.expo.native-run', // TODO\n      ClientVersionString:
  'usbmux.js', // TODO\n      MessageType: messageType,\n      ProgName: 'native-run', // TODO\n
  kLibUSBMuxVersion: 3,\n      ...extraFields,\n    });\n\n    const dataSize = plistMessage ? plistMessage.length : 0;\n
    const protocolVersion = 1;\n    const messageCode = 8;\n\n    const header =
  Buffer.alloc(USBMUXD_HEADER_SIZE);\n    header.writeUInt32LE(USBMUXD_HEADER_SIZE + dataSize,
  0);\n    header.writeUInt32LE(protocolVersion, 4);\n    header.writeUInt32LE(messageCode, 8);\n
  header.writeUInt32LE(this.useTag++, 12); // TODO\n    socket.write(header);\n    socket.write(plistMessage);\n
  }\n}\n\n], "names": ["debug", "Debug", "USBMUXD_HEADER_SIZE", "UsbmuxProtocolClient", "ProtocolClient", "co
nstructor", "socket", "ProtocolReaderFactory", "UsbmuxProtocolReader", "UsbmuxProtocolWriter", "PlistProtocolRea
der", "callback", "parseHeader", "data", "readUInt32LE", "parseBody", "resp", "JSON", "stringify", "useTag", "write", "ms
g", "messageType", "extraFields", "plistMessage", "plist", "build", "BundleID", "ClientVersionString", "MessageType", "
ProgName", "kLibUSBMuxVersion", "dataSize", "length", "protocolVersion", "messageCode", "header", "Buffer", "alloc
", "writeUInt32LE"], "mappings": "AAQA;;;;;AAAkB,IAAA,MAAA,kCAAb,aAAa,EAAA;AACb,IAAA,MAAO,kC
AAP,OAAO,EAAA;AAIkD,IAAA,iBAAoB,WAApB,oBAAoB,CAAA;;;;;AAE/F,MAAMA,KAAK,GAAGC,CA
AAA,GAAAA,MAAK,AAAqC,CAAA,QAARc,CAAC,mCAAmC,CAAC,AAAC;AAEID,MAAMC,mBAAmB,G
AAG,EAAE,AAAC;QAazBA,mBAAmB,GAAnBA,mBAAmB;AAOzB,MAAMC,oBAAoB,SAASC,iBAAc,eAA
A;IACtDC,YAAYC,MAAc,CAAE;QAC1B,KAAK,CAACA,MAAM,EAAE,IAAIC,iBAAQb,sBAAA,CAACC,oB
AAoB,CAAC,EAAE,IAAIC,oBAAoB,EAAE,CAAC,CAAC;KAC5F;CACF;QAJYN,oBAAoB,GAApBA,oBAAo
B;AAM1B,MAAMK,oBAAoB,SAASE,iBAAmB,oBAAA;IAC3DL,YAAYM,QAA4B,CAAE;QACxC,KAAK,CA
ACT,mBAAmB,EAAES,QAAQ,CAAC,CAAC;KACtC;IAEDC,WAAW,CAACC,IAAY,EAAE;QACxB,OAAOA,
IAAI,CAACC,YAAY,CAAC,CAAC,CAAC,GAAGZ,mBAAmB,CAAC;KACnD;IAEDa,SAAS,CAACF,IAAY,E
AAE;QACtB,MAAMG,IAAI,GAAG,KAAK,CAACD,SAAS,CAACF,IAAI,CAAC,AAAC;QACnCb,KAAK,CAA
C,CAAC,UAAU,EAAEiB,IAAI,CAACC,SAAS,CAACF,IAAI,CAAC,CAAC,CAAC,CAAC,CAAC;QAC3C,OAA
OA,IAAI,CAAC;KACb;CACF;QAdYR,oBAAoB,GAApBA,oBAAoB;AAgB1B,MAAMC,oBAAoB;IAC/B,AAA
QU,MAAM,GAAG,CAAC,CAAC;IAEnBC,KAAK,CAACd,MAAc,EAAEe,GAakB,EAAE;QACxC,2BAA2B;QA
C3BrB,KAAK,CAAC,CAAC,cAAc,EAAEiB,IAAI,CAACC,SAAS,CAACG,GAAG,CAAC,CAAC,CAAC,CAAC,
CAAC;QAC9C,MAAM,EAAEC,WAAW,CAAA,EAAEC,WAAW,CAAA,EAAE,GAAGF,GAAG,AAAC;QACzC
,MAAMG,YAAY,GAAGC,MAAK,QAAA,CAACC,KAAK,CAAC;YAC/BC,QAAQ,EAAE,qBAAqB;YAC/BC,m
BAAmB,EAAE,WAAW;YACChC,WAAW,EAAEP,WAAW;YACxBQ,QAAQ,EAAE,YAAY;YACtBC,iBAAiB,
EAAE,CAAC;YACpB,GAAGR,WAAW;SACf,CAAC,AAAC;QAEH,MAAMS,QAAQ,GAAGR,YAAY,GAAGA,
YAAY,CAACS,MAAM,GAAG,CAAC,AAAC;QACxD,MAAMC,eAAe,GAAG,CAAC,AAAC;QAC1B,MAAMC,
WAAW,GAAG,CAAC,AAAC;QAEtB,MAAMC,MAAM,GAAGC,MAAM,CAACC,KAAK,CAACpC,mBAAmB,
CAAC,AAAC;QACjDkC,MAAM,CAACG,aAAa,CAACrC,mBAAmB,GAAG8B,QAAQ,EAAE,CAAC,CAAC,C
AAC;QACxDI,MAAM,CAACG,aAAa,CAACL,eAAe,EAAE,CAAC,CAAC,CAAC;QACzCE,MAAM,CAACG,a
AAa,CAACJ,WAAW,EAAE,CAAC,CAAC,CAAC;QACrCC,MAAM,CAACG,aAAa,CAAC,IAAI,CAACpB,MA
AM,EAAE,EAAE,EAAE,CAAC,CAAC,CAAC,OAAO;QACbDb,MAAM,CAACc,KAAK,CAACgB,MAAM,CA
AC,CAAC;QACrB9B,MAAM,CAACc,KAAK,CAACI,YAAY,CAAC,CAAC;KAC5B;CACF;QA5BYf,oBAAoB,
GAApBA,oBAAoB"}

```

Found in path(s):

\* /opt/cola/permits/1381072539\_1659629317.1562185/0/cli-0-1-5-  
tgz/package/build/src/run/ios/appleDevice/protocol/UsbmuxProtocol.js.map  
No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../../../../src/run/ios/appleDevice/protocol/AbstractProtocol.ts"],"sourcesContent":["/**\n * Copyright (c) 2021 Expo, Inc.\n * Copyright (c) 2018 Drifty Co.\n * This source code is licensed under the\n MIT license found in the\n * LICENSE file in the root directory of this source tree.\n */\nimport plist from\n '@expo/plist';\nimport { Socket } from 'net';\nimport { parsePlistBuffer } from '../../utils/plist';\n\nconst\n BPLIST_MAGIC = Buffer.from('bplist00');\n\nexport type ProtocolReaderCallback = (resp: any, err?: Error) =>\n void;\n\nexport class ProtocolReaderFactory<T> {\n  constructor(private ProtocolReader: new (callback:\n ProtocolReaderCallback) => T) {} \n\n  create(callback: (resp: any, err?: Error) => void): T {\n    return new\n this.ProtocolReader(callback);\n  }\n}\n\nexport abstract class ProtocolReader {\n  protected body!: Buffer; \n  // TODO: ! -> ?\n  protected bodyLength!: number; \n  // TODO: ! -> ?\n  protected buffer = Buffer.alloc(0);\n\n  constructor(protected headerSize: number, protected callback: ProtocolReaderCallback) {\n    this.onData =\n this.onData.bind(this);\n  }\n\n  /** Returns length of body, or -1 if header doesn't contain length */\n  protected\n abstract parseHeader(data: Buffer): number;\n  protected\n abstract parseBody(data: Buffer): any;\n\n  onData(data?:\n Buffer) {\n    try {\n      // if there's data, add it on to existing buffer\n      this.buffer = data ?\n Buffer.concat([this.buffer, data]) : this.buffer;\n      // we haven't gotten the body length from the header yet\n      if\n (!this.bodyLength) {\n        if (this.buffer.length < this.headerSize) {\n          // partial header, wait for rest\n          return;\n        }\n        this.bodyLength = this.parseHeader(this.buffer);\n        // move on to body\n        this.buffer =\n this.buffer.slice(this.headerSize);\n        if (!this.buffer.length) {\n          // only got header, wait for body\n          return;\n        }\n        if (this.buffer.length < this.bodyLength) {\n          // wait for rest of body\n          return;\n        }\n        if (this.bodyLength === -1) {\n          this.callback(this.parseBody(this.buffer));\n          this.buffer =\n Buffer.alloc(0);\n        } else {\n          this.body = this.buffer.slice(0, this.bodyLength);\n          this.bodyLength -=\n this.body.length;\n          if (!this.bodyLength) {\n            this.callback(this.parseBody(this.body));\n          }\n          this.buffer = this.buffer.slice(this.body.length);\n          // There are multiple messages here, call parse again\n          if\n (this.buffer.length) {\n            this.onData();\n          }\n        }\n      } catch (err: any) {\n        this.callback(null, err);\n      }\n    }\n  }\n}\n\nexport abstract class PlistProtocolReader extends ProtocolReader {\n  protected\n parseBody(body:\n Buffer) {\n    if (BPLIST_MAGIC.compare(body, 0, 8) === 0) {\n      return parsePlistBuffer(body);\n    } else {\n      return plist.parse(body.toString('utf8'));\n    }\n  }\n}\n\nexport interface ProtocolWriter {\n  write(sock: Socket,\n msg: any): void;\n}\n\nexport abstract class ProtocolClient<MessageType = any> {\n  constructor(\n public\n socket: Socket,\n protected\n readerFactory: ProtocolReaderFactory<ProtocolReader>,\n protected\n writer:\n ProtocolWriter\n ) {} \n\n  sendMessage<ResponseType = any>(msg: MessageType): Promise<ResponseType>;\n\n  sendMessage<CallbackType = void, ResponseType = any>(\n msg: MessageType,\n callback: (response:\n ResponseType, resolve: any, reject: any) => void\n ): Promise<CallbackType>;\n\n  sendMessage<CallbackType =\n void, ResponseType = any>(\n msg: MessageType,\n callback?: (response: ResponseType, resolve: any, reject:\n any) => void\n ): Promise<CallbackType | ResponseType> {\n    return new Promise<ResponseType | \n CallbackType>((resolve, reject) => {\n      const reader = this.readerFactory.create(async (response: ResponseType,\n error?: Error) => {\n        if (error) {\n          reject(error);\n          return;\n        }\n        if (callback) {\n          callback(\n            response,\n            (value: any) => {\n              this.socket.removeListener('data',\n reader.onData);\n              resolve(value);\n            },\n            reject\n          );\n        } else {\n          this.socket.removeListener('data', reader.onData);\n          resolve(response);\n        }\n      });\n      this.socket.on('data', reader.onData);\n      this.writer.write(this.socket, msg);\n    });\n  }\n}\n\n"],"names":["BPLIST_MAGIC","Buffer","from","ProtocolReaderFactory","constructor","ProtocolReader","cr\n eate","callback","headerSize","buffer","alloc","onData","bind","data","concat","bodyLength","length","parseHeader\n ","slice","parseBody","body","err","PlistProtocolReader","compare","parsePlistBuffer","plist","parse","toString","P\n rotocolClient","socket","readerFactory","writer","sendMessage","msg","Promise","resolve","reject","reader","respo"]
```

nse","error","value","removeListener","on","write"],"mappings":"AAOA;;;AAAkB,IAAA,MAAA,kCAAb,aAAa,EAAA;AAGE,IAAA,OAAYB,WAazB,yBAAYB,CAAA;:::;AAE1D,MAAMA,YAAY,GAAGC,MAAM,CAACC,IAAI,CAAC,UAAU,CAAC,AAAC;AAItC,MAAMC,qBAAqB;IACChC,YAAoBC,eAA2D,CAAE;aAA7DA,cAA2D,GAA3DA,eAA2D;KAAI;IAEnFC,MAAM,CAACC,QAA0C,EAAK;QACpD,OAAO,IAAI,IAAI,CAACF,cAAc,CAACE,QAAQ,CAAC,CAAC;KAC1C;CACF;QANYJ,qBAAqB,GAARBA,qBAAqB;AAQ3B,MAAE,cAAc;IAII CD,YAAsBI,UAAkB,EAAyD,QAAgC,CAAE;aAAhEC,UAAkB,GAAIBA,UAAkB;aAAyD,QAAgC,GAAhCA,QAAgC;aAD1EE,MAAM,GAAGR,MAAM,CAACS,KAAK,CAAC,CAAC,CAAC;QAEhC,IAAI,CAACC,MAAM,GAAG,IAAI,CAACA,MAAM,CAACC,IAAI,CAAC,IAAI,CAAC,CAAC;KACtC;IAMDD,MAAM,CAACE,IAAa,EAAE;QACpB,IAAI;YACF,gDAAgD;YACHd,IAAI,CAACJ,MAAM,GAAGI,IAAI,GAAGZ,MAAM,CAACa,MAAM,CAAC;gBAAC,IAAI,CAACL,MAAM;gBAAEI,IAAI;aAAC,CAAC,GAAG,IAAI,CAACJ,MAAM,CAAC;YACtE,wDAAwD;YACxD,IAAI,CAAC,IAAI,CAACM,UAAU,EAAE;gBACpB,IAAI,IAAI,CAACN,MAAM,CAACO,MAAM,GAAG,IAAI,CAACR,UAAU,EAAE;oBACxC,gCAAgC;oBAChC,OAAO;iBACR;gBACD,IAAI,CAACO,UAAU,GAAG,IAAI,CAACE,WAaw,CAAC,IAAI,CAACR,MAAM,CAAC,CAAC;gBACHd,kBAaKB;gBACIB,IAAI,CAACA,MAAM,GAAG,IAAI,CAACA,MAAM,CAACS,KAAK,CAAC,IAAI,CAACV,UAAU,CAAC,CAAC;gBACjD,IAAI,CAAC,IAAI,CAACC,MAAM,CAACO,MAAM,EAAE;oBACvB,iCAAiC;oBACjC,OAAO;iBACR;aACF;YACD,IAAI,IAAI,CAACP,MAAM,CAACO,MAAM,GAAG,IAAI,CAACD,UAAU,EAAE;gBACxC,wBAAwB;gBACxB,OAAO;aACR;YAED,IAAI,IAAI,CAACA,UAAU,KAAK,CAAC,CAAC,EAAE;gBAC1B,IAAI,CAACR,QAAQ,CAAC,IAAI,CAACY,SAAS,CAAC,IAAI,CAACV,MAAM,CAAC,CAAC,CAAC;gBAC3C,IAAI,CAACA,MAAM,GAAGR,MAAM,CAACS,KAAK,CAAC,CAAC,CAAC,CAAC;aAC/B,MAAM;gBACL,IAAI,CAACU,IAAI,GAAG,IAAI,CAACX,MAAM,CAACS,KAAK,CAAC,CAAC,EAAE,IAAI,CAACH,UAAU,CAAC,CAAC;gBACID,IAAI,CAACA,UAAU,IAAI,IAAI,CAACK,IAAI,CAACJ,MAAM,CAAC;gBACpC,IAAI,CAAC,IAAI,CAACD,UAAU,EAAE;oBACpB,IAAI,CAACR,QAAQ,CAAC,IAAI,CAACY,SAAS,CAAC,IAAI,CAACC,IAAI,CAAC,CAAC,CAAC;iBAC1C;gBACD,IAAI,CAACX,MAAM,GAAG,IAAI,CAACA,MAAM,CAACS,KAAK,CAAC,IAAI,CAACE,IAAI,CAACJ,MAAM,CAAC,CAAC;gBACID,qDAAqD;gBACrD,IAAI,IAAI,CAACP,MAAM,CAACO,MAAM,EAAE;oBACtB,IAAI,CAACL,MAAM,EAAE,CAAC;iBACf;aACF;SACF,CAAC,OAAOU,GAAG,EAAO;YACjB,IAAI,CAACd,QAAQ,CAAC,IAAI,EAAEc,GAAG,CAAC,CAAC;SAC1B;KACF;CACF;QAtDqBhB,cAAc,GAAdA,cAAc;AAwD7B,MAAEiB,mBAAmB,SAASjB,cAAc;IAC9D,AAAUc,SAAS,CAACC,IAAY,EAAE;QACHc,IAAIpB,YAAY,CAACuB,OAAO,CAACH,IAAI,EAAE,CAAC,EAAE,CAAC,CAAC,KAAK,CAAC,EAAE;YAC1C,OAAOI,CAAAA,GAAAA,OAAGB,AAAM,CAAA,iBAAN,CAACJ,IAAI,CAAC,CAAC;SAC/B,MAAM;YACL,OAAOK,MAAK,QAAA,CAACC,KAAK,CAACN,IAAI,CAACO,QAAQ,CAAC,MAAM,CAAC,CAAC,CAAC;SAC3C;KACF;CACF;QARqBL,mBAAmB,GAAnBA,mBAAmB;AAc1C,MAAEm,cAAc;IAC1CxB,YACSyB,MAAc,EACXC,aAAoD,EACpDC,MAAsB,CACHc;aAHOF,MAAc,GAAdA,MAAc;aACXC,aAAoD,GAApDA,aAAoD;aACpDC,MAAsB,GAAtBA,MAAsB;KAC9B;IAOJC,WAaw,CACTC,GAAGB,EACHB1B,QAAe,EACHC;QACtC,OAAO,IAAI2B,OAAO,CAA8B,CAACC,OAAO,EAAEC,MAAM,GAAK;YACnE,MAAMC,MAAM,GAAG,IAAI,CAACP,aAAa,CAACxB,MAAM,CAAC,OAAOgC,QAAeB,EAAEC,KAAa,GAAG;gBACxF,IAAIA,KAAK,EAAE;oBACTH,MAAM,CAACG,KAAK,CAAC,CAAC;oBACd,OAAO;iBACR;gBACD,IAAIhC,QAAQ,EAAE;oBACZA,QAAQ,CACN+B,QAAQ,EACR,CAACE,KAAU,GAAG;wBACd,IAAI,CAACX,MAAM,CAACY,cAAc,CAAC,MAAM,EAAEJ,MAAM,CAAC1B,MAAM,CAAC,CAAC;wBACIDwB,OAAO,CAACK,KAAK,CAAC,CAAC;qBACHb,EACDJ,MAAM,CACP,CAAC;iBACH,MAAM;oBACL,IAAI,CAACP,MAAM,CAACY,cAAc,CAAC,MAAM,EAAEJ,MAAM,CAAC1B,MAAM,CAAC,CAAC;oBACIDwB,OAAO,CAACG,QAAQ,CAAC,CAAC;iBACnB;aACF,CAAC,AAAC;YACH,IAAI,CAACT,MAAM,CAACa,EAAE,CAAC,MAAM,EAAEL,MAAM,CAAC1B,MAAM,CAAC,CAAC;YACtC,IAAI,CAACoB,MAAM,CAACY,KAAK,CAAC,IAAI,CAACd,MAAM,EAAEI,GAAG,CAAC,CAAC;SACrC,CAAC,CAAC;KACJ;CACF;QAxCqBL,cAAc,GAAdA,cAAc"}  
}

Found in path(s):

\* /opt/cola/permits/1381072539\_1659629317.1562185/0/cli-0-1-5-tgz/package/build/src/run/ios/appleDevice/protocol/AbstractProtocol.js.map

No license file was found, but licenses were detected in source scan.

```
{ "version":3,"sources":["../../../../../src/run/ios/appleDevice/protocol/AFCProtocol.ts"],"sourcesContent":["/**\n * Copyright (c) 2021 Expo, Inc.\n * Copyright (c) 2018 Drifty Co.\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n */\nimport Debug from 'debug';\nimport { Socket } from 'net';\nimport { CommandError } from '../../utils/errors';\nimport type { ProtocolReaderCallback, ProtocolWriter } from './AbstractProtocol';\nimport { ProtocolClient, ProtocolReader, ProtocolReaderFactory } from './AbstractProtocol';\nconst debug = Debug('expo:apple-device:protocol:afc');\nexport const AFC_MAGIC = 'CFA6LPAA';\nexport const AFC_HEADER_SIZE = 40;\nexport interface AFCHeader {\n  magic: typeof AFC_MAGIC;\n  totalLength: number;\n  headerLength: number;\n  requestId: number;\n  operation: AFC_OPS;\n}\nexport interface AFCMessage {\n  operation: AFC_OPS;\n  data?: any;\n  payload?: any;\n}\nexport interface AFCResponse {\n  operation: AFC_OPS;\n  id: number;\n  data: Buffer;\n}\nexport interface AFCStatusResponse {\n  operation: AFC_OPS.STATUS;\n  id: number;\n  data: number;\n}\n\n/**\n * AFC Operations\n */\nexport enum AFC_OPS {\n  /**\n * Invalid\n */\n  INVALID = 0x00000000,\n  /**\n * Status\n */\n  STATUS = 0x00000001,\n  /**\n * Data\n */\n  DATA = 0x00000002,\n  /**\n * ReadDir\n */\n  READ_DIR = 0x00000003,\n  /**\n * ReadFile\n */\n  READ_FILE = 0x00000004,\n  /**\n * WriteFile\n */\n  WRITE_FILE = 0x00000005,\n  /**\n * WritePart\n */\n  WRITE_PART = 0x00000006,\n  /**\n * TruncateFile\n */\n  TRUNCATE = 0x00000007,\n  /**\n * RemovePath\n */\n  REMOVE_PATH = 0x00000008,\n  /**\n * MakeDir\n */\n  MAKE_DIR = 0x00000009,\n  /**\n * GetFileInfo\n */\n  GET_FILE_INFO = 0x0000000a,\n  /**\n * GetDeviceInfo\n */\n  GET_DEVINFO = 0x0000000b,\n  /**\n * WriteFileAtomic (tmp file+rename)\n */\n  WRITE_FILE_ATOM = 0x0000000c,\n  /**\n * FileRefOpen\n */\n  FILE_OPEN = 0x0000000d,\n  /**\n * FileRefOpenResult\n */\n  FILE_OPEN_RES = 0x0000000e,\n  /**\n * FileRefRead\n */\n  FILE_READ = 0x0000000f,\n  /**\n * FileRefWrite\n */\n  FILE_WRITE = 0x00000010,\n  /**\n * FileRefSeek\n */\n  FILE_SEEK = 0x00000011,\n  /**\n * FileRefTell\n */\n  FILE_TELL = 0x00000012,\n  /**\n * FileRefTellResult\n */\n  FILE_TELL_RES = 0x00000013,\n  /**\n * FileRefClose\n */\n  FILE_CLOSE = 0x00000014,\n  /**\n * FileRefSetFileSize (truncate)\n */\n  FILE_SET_SIZE = 0x00000015,\n  /**\n * GetConnectionInfo\n */\n  GET_CON_INFO = 0x00000016,\n  /**\n * SetConnectionOptions\n */\n  SET_CON_OPTIONS = 0x00000017,\n  /**\n * RenamePath\n */\n  RENAME_PATH = 0x00000018,\n  /**\n * SetFSBlockSize (0x80000)\n */\n  SET_FS_BS = 0x00000019,\n  /**\n * SetSocketBlockSize (0x80000)\n */\n  SET_SOCKET_BS = 0x0000001a,\n  /**\n * FileRefLock\n */\n  FILE_LOCK = 0x0000001b,\n  /**\n * MakeLink\n */\n  MAKE_LINK = 0x0000001c,\n  /**\n * GetFileHash\n */\n  GET_FILE_HASH = 0x0000001d,\n  /**\n * SetModTime\n */\n  SET_FILE_MOD_TIME = 0x0000001e,\n  /**\n * GetFileHashWithRange\n */\n  GET_FILE_HASH_RANGE = 0x0000001f,\n  /**\n * FileRefSetImmutableHint\n */\n  FILE_SET_IMMUTABLE_HINT = 0x00000020,\n  /**\n * GetSizeOfPathContents\n */\n  GET_SIZE_OF_PATH_CONTENTS = 0x00000021,\n  /**\n * RemovePathAndContents\n */\n  REMOVE_PATH_AND_CONTENTS = 0x00000022,\n  /**\n * DirectoryEnumeratorRefOpen\n */\n  DIR_OPEN = 0x00000023,\n  /**\n * DirectoryEnumeratorRefOpenResult\n */\n  DIR_OPEN_RESULT = 0x00000024,\n  /**\n * DirectoryEnumeratorRefRead\n */\n  DIR_READ = 0x00000025,\n  /**\n * DirectoryEnumeratorRefClose\n */\n  DIR_CLOSE = 0x00000026,\n  /**\n * FileRefReadWithOffset\n */\n  FILE_READ_OFFSET = 0x00000027,\n  /**\n * FileRefWriteWithOffset\n */\n  FILE_WRITE_OFFSET = 0x00000028,\n}\n\n/**\n * Error Codes\n */\nexport enum AFC_STATUS {\n  SUCCESS = 0,\n  UNKNOWN_ERROR = 1,\n  OP_HEADER_INVALID = 2,\n  NO_RESOURCES = 3,\n  READ_ERROR = 4,\n  WRITE_ERROR = 5,\n  UNKNOWN_PACKET_TYPE = 6,\n  INVALID_ARG = 7,\n  OBJECT_NOT_FOUND = 8,\n  OBJECT_IS_DIR = 9,\n  PERM_DENIED = 10,\n  SERVICE_NOT_CONNECTED = 11,\n  OP_TIMEOUT = 12,\n  TOO_MUCH_DATA = 13,\n  END_OF_DATA = 14,\n  OP_NOT_SUPPORTED = 15,\n  OBJECT_EXISTS = 16,\n  OBJECT_BUSY = 17,\n  NO_SPACE_LEFT = 18,\n  OP_WOULD_BLOCK = 19,\n}
```



```

IO_ERROR = 20,\n OP_INTERRUPTED = 21,\n OP_IN_PROGRESS = 22,\n INTERNAL_ERROR = 23,\n
MUX_ERROR = 30,\n NO_MEM = 31,\n NOT_ENOUGH_DATA = 32,\n DIR_NOT_EMPTY = 33,\n
FORCE_SIGNED_TYPE = -1,\n}\n\nexport enum AFC_FILE_OPEN_FLAGS {\n /**\n * r (O_RDONLY)\n
*\n RONLY = 0x00000001,\n\n /**\n * r+ (O_RDWR | O_CREAT)\n
*\n RW = 0x00000002,\n\n /**\n * w (O_WRONLY | O_CREAT | O_TRUNC)\n
*\n WRONLY = 0x00000003,\n\n /**\n * w+ (O_RDWR |
O_CREAT | O_TRUNC)\n
*\n WR = 0x00000004,\n\n /**\n * a (O_WRONLY | O_APPEND | O_CREAT)\n
*\n APPEND = 0x00000005,\n\n /**\n * a+ (O_RDWR | O_APPEND | O_CREAT)\n
*\n RDAPPEND =
0x00000006,\n}\n\nfunction isAFCResponse(resp: any): resp is AFCResponse {\n return
AFC_OPS[resp.operation] !== undefined && resp.id !== undefined && resp.data !== undefined;\n}\n\nfunction
isStatusResponse(resp: any): resp is AFCStatusResponse {\n return isAFCResponse(resp) && resp.operation ===
AFC_OPS.STATUS;\n}\n\nfunction isErrorStatusResponse(resp: AFCResponse): boolean {\n return
isStatusResponse(resp) && resp.data !== AFC_STATUS.SUCCESS;\n}\n\n\nclass AFCInternalError extends Error
{\n constructor(msg: string, public requestId: number) {\n super(msg);\n }\n}\n\nexport class AFCError extends
Error {\n constructor(msg: string, public status: AFC_STATUS) {\n super(msg);\n }\n}\n\nexport class
AFCProtocolClient extends ProtocolClient {\n private requestId = 0;\n private requestCallbacks: { [key: number]:
ProtocolReaderCallback } = {};\n\n constructor(socket: Socket) {\n super(socket, new
ProtocolReaderFactory(AFCProtocolReader), new AFCProtocolWriter());\n\n const reader =
this.readerFactory.create((resp, err) => {\n if (err && err instanceof AFCInternalError) {\n
this.requestCallbacks[err.requestId](resp, err);\n } else if (isErrorStatusResponse(resp)) {\n
this.requestCallbacks[resp.id](resp, new AFCError(AFC_STATUS[resp.data], resp.data));\n } else {\n
this.requestCallbacks[resp.id](resp);\n }\n });\n socket.on('data', reader.onData);\n }\n\n sendMessage(msg:
AFCMessage): Promise<AFCResponse> {\n return new Promise<AFCResponse>((resolve, reject) => {\n
const requestId = this.requestId++;\n this.requestCallbacks[requestId] = async (resp: any, err?: Error) => {\n
if (err) {\n reject(err);\n return;\n }\n if (isAFCResponse(resp)) {\n resolve(resp);\n }
else {\n reject(new CommandError('APPLE_DEVICE_AFC', 'Malformed AFC response'));\n }\n };
this.writer.write(this.socket, { ...msg, requestId });\n });\n }\n}\n\nexport class AFCProtocolReader extends
ProtocolReader {\n private header!: AFCHeader; // TODO: ! -> ?\n\n constructor(callback:
ProtocolReaderCallback) {\n super(AFC_HEADER_SIZE, callback);\n }\n\n parseHeader(data: Buffer) {\n
const magic = data.slice(0, 8).toString('ascii');\n if (magic !== AFC_MAGIC) {\n throw new
AFCInternalError(\n `Invalid AFC packet received (magic != ${AFC_MAGIC})`,\n
data.readUInt32LE(24)\n );\n }\n // technically these are uint64\n this.header = {\n magic,\n
totalLength: data.readUInt32LE(8),\n headerLength: data.readUInt32LE(16),\n requestId:
data.readUInt32LE(24),\n operation: data.readUInt32LE(32),\n };\n\n debug(`parse header:
${JSON.stringify(this.header)}`);\n if (this.header.headerLength < AFC_HEADER_SIZE) {\n throw new
AFCInternalError('Invalid AFC header', this.header.requestId);\n }\n return this.header.totalLength -
AFC_HEADER_SIZE;\n }\n\n parseBody(data: Buffer): AFCResponse | AFCStatusResponse {\n const body:
any = {\n operation: this.header.operation,\n id: this.header.requestId,\n data,\n };
if (isStatusResponse(body)) {\n const status = data.readUInt32LE(0);\n
debug(`${AFC_OPS[this.header.operation]} response: ${AFC_STATUS[status]}`);\n body.data = status;\n }
else if (data.length <= 8) {\n debug(`${AFC_OPS[this.header.operation]} response:
${Array.prototype.toString.call(body)}`);\n } else {\n debug(`${AFC_OPS[this.header.operation]} response
length: ${data.length} bytes`);\n }\n return body;\n }\n}\n\nexport class AFCProtocolWriter implements
ProtocolWriter {\n write(socket: Socket, msg: AFCMessage & { requestId: number }) {\n const { data, payload,
operation, requestId } = msg;\n\n const dataLength = data ? data.length : 0;\n const payloadLength = payload ?
payload.length : 0;\n\n const header = Buffer.alloc(AFC_HEADER_SIZE);\n const magic =
Buffer.from(AFC_MAGIC);\n magic.copy(header);\n header.writeUInt32LE(AFC_HEADER_SIZE +
dataLength + payloadLength, 8);\n header.writeUInt32LE(AFC_HEADER_SIZE + dataLength, 16);\n
header.writeUInt32LE(requestId, 24);\n header.writeUInt32LE(operation, 32);\n socket.write(header);\n

```

```

socket.write(data);\n  if (data.length <= 8) {\n    debug(\n      `socket write, header: { requestId: ${requestId},
operation: ${\n      AFC_OPS[operation]\n    }}, body: ${Array.prototype.toString.call(data)}\n    );\n  } else
{\n    debug(\n      `socket write, header: { requestId: ${requestId}, operation: ${AFC_OPS[operation]}}, body:
${data.length} bytes\n    );\n  }\n\n  debug(`socket write, bytes written ${header.length} (header),
${data.length} (body)`);\n  if (payload) {\n    socket.write(payload);\n  }\n
}\n}\n\n", "names": ["debug", "Debug", "AFC_MAGIC", "AFC_HEADER_SIZE", "AFC_OPS", "INVALID", "STATUS",
", "DATA", "READ_DIR", "READ_FILE", "WRITE_FILE", "WRITE_PART", "TRUNCATE", "REMOVE_PATH", "
MAKE_DIR", "GET_FILE_INFO", "GET_DEVINFO", "WRITE_FILE_ATOM", "FILE_OPEN", "FILE_OPEN_RES",
", "FILE_READ", "FILE_WRITE", "FILE_SEEK", "FILE_TELL", "FILE_TELL_RES", "FILE_CLOSE", "FILE_SET_
SIZE", "GET_CON_INFO", "SET_CON_OPTIONS", "RENAME_PATH", "SET_FS_BS", "SET_SOCKET_BS", "FI
LE_LOCK", "MAKE_LINK", "GET_FILE_HASH", "SET_FILE_MOD_TIME", "GET_FILE_HASH_RANGE", "FI
LE_SET_IMMUTABLE_HINT", "GET_SIZE_OF_PATH_CONTENTS", "REMOVE_PATH_AND_CONTENTS", "
DIR_OPEN", "DIR_OPEN_RESULT", "DIR_READ", "DIR_CLOSE", "FILE_READ_OFFSET", "FILE_WRITE_OF
FSET", "AFC_STATUS", "SUCCESS", "UNKNOWN_ERROR", "OP_HEADER_INVALID", "NO_RESOURCES", "
READ_ERROR", "WRITE_ERROR", "UNKNOWN_PACKET_TYPE", "INVALID_ARG", "OBJECT_NOT_FOUN
D", "OBJECT_IS_DIR", "PERM_DENIED", "SERVICE_NOT_CONNECTED", "OP_TIMEOUT", "TOO_MUCH_D
ATA", "END_OF_DATA", "OP_NOT_SUPPORTED", "OBJECT_EXISTS", "OBJECT_BUSY", "NO_SPACE_LEF
T", "OP_WOULD_BLOCK", "IO_ERROR", "OP_INTERRUPTED", "OP_IN_PROGRESS", "INTERNAL_ERROR",
", "MUX_ERROR", "NO_MEM", "NOT_ENOUGH_DATA", "DIR_NOT_EMPTY", "FORCE_SIGNED_TYPE", "AFC
_FILE_OPEN_FLAGS", "RDONLY", "RW", "WRONLY", "WR", "APPEND", "RDAPPEND", "isAFCResponse", "res
p", "operation", "undefined", "id", "data", "isStatusResponse", "isErrorStatusResponse", "AFCInternalError", "Error", "co
nstructor", "msg", "requestId", "AFCError", "status", "AFCProtocolClient", "ProtocolClient", "requestCallbacks", "socket",
", "ProtocolReaderFactory", "AFCProtocolReader", "AFCProtocolWriter", "reader", "readerFactory", "create", "err", "on",
", "onData", "sendMessage", "Promise", "resolve", "reject", "CommandError", "writer", "write", "ProtocolReader", "callba
ck", "parseHeader", "magic", "slice", "toString", "readUInt32LE", "header", "totalLength", "headerLength", "JSON", "stri
ngify", "parseBody", "body", "length", "Array", "prototype", "call", "payload", "dataLength", "payloadLength", "Buffer", "
alloc", "from", "copy", "writeUInt32LE"], "mappings": "AAOA;:::;AAAkB,IAAA,MAAO,kCAAP,OAAO,EAAA;AA
GL,IAAA,OAA0B,WAA1B,0BAA0B,CAAA;AAEe,IAAA,iBAAoB,WAAPB,oBAAoB,CAAA;:::;AAE1F,MAA
MA,KAAG,GAAGC,CAAAA,GAAAA,MAAK,AAAkC,CAAA,QAAlC,CAAC,gCAAgC,CAAC,AAAC;AAE/C,
MAAMC,SAAS,GAAG,UAAU,AAAC;QAAvBA,SAAS,GAATA,SAAS;AACf,MAAMC,eAAe,GAAG,EAAE,A
AAC;QAARBA,eAAe,GAafA,eAAe;IA+BrB,OAiNN;;UAjNWC,OAAO;IAAPA,OAAO,CAAPA,OAAO,CACjB;;
KAEG,CACHC,SAAO,IAAG,CAAU,IAAPBA,SAAO;IAJGD,OAAO,CAAPA,OAAO,CAMjB;;KAEG,CACHE,Q
AAM,IAAG,CAAU,IAAnBA,QAAM;IATIF,OAAO,CAAPA,OAAO,CAWjB;;KAEG,CACHG,MAAI,IAAG,CAA
U,IAAjBA,MAAI;IADMH,OAAO,CAAPA,OAAO,CAGjB;;KAEG,CACHI,UAAQ,IAAG,CAAU,IAArBA,UAA
Q;IANBEJ,OAAO,CAAPA,OAAO,CAqjB;;KAEG,CACHK,WAAS,IAAG,CAAU,IAAtBA,WAAS;IAxBCL,OA
AO,CAAPA,OAAO,CA0jB;;KAEG,CACHM,YAAU,IAAG,CAAU,IAAvBA,YAAU;IA7BAN,OAAO,CAAPA,
OAAO,CA+BjB;;KAEG,CACHO,YAAU,IAAG,CAAU,IAAvBA,YAAU;IAICAP,OAAO,CAAPA,OAAO,CAoCj
B;;KAEG,CACHQ,UAAQ,IAAG,CAAU,IAArBA,UAAQ;IAvCER,OAAO,CAAPA,OAAO,CAyCjB;;KAEG,CAC
HS,aAAW,IAAG,CAAU,IAAxBA,aAAW;IA5CDT,OAAO,CAAPA,OAAO,CA8CjB;;KAEG,CACHU,UAAQ,IA
AG,CAAU,IAArBA,UAAQ;IAjDEV,OAAO,CAAPA,OAAO,CAMdjB;;KAEG,CACHW,eAAa,IAAG,EAAU,IAA
1BA,eAAa;IAtDHX,OAAO,CAAPA,OAAO,CAwDjB;;KAEG,CACHY,aAAW,IAAG,EAAU,IAAxBA,aAAW;IA
3DDZ,OAAO,CAAPA,OAAO,CA6DjB;;KAEG,CACHa,iBA Ae,IAAG,EAAU,IAA5BA,iBA Ae;IAhELb,OAAO,C
AAPA,OAAO,CAkEjB;;KAEG,CACHc,WAAS,IAAG,EAAU,IAAtBA,WAAS;IArECd,OAAO,CAAPA,OAAO,C
AuEjB;;KAEG,CACHe,eAAa,IAAG,EAAU,IAA1BA,eAAa;IA1EHf,OAAO,CAAPA,OAAO,CA4EjB;;KAEG,CA
CHgB,WAAS,IAAG,EAAU,IAAtBA,WAAS;IA/EChB,OAAO,CAAPA,OAAO,CAiFjB;;KAEG,CACHiB,YAAU,
IAAG,EAAU,IAAvBA,YAAU;IApFAjB,OAAO,CAAPA,OAAO,CAsFjB;;KAEG,CACHkB,WAAS,IAAG,EAAU
,IAAtBA,WAAS;IAzFCIB,OAAO,CAAPA,OAAO,CA2FjB;;KAEG,CACHmB,WAAS,IAAG,EAAU,IAAtBA,WA
AS;IA9FCnB,OAAO,CAAPA,OAAO,CAGjB;;KAEG,CACHoB,eAAa,IAAG,EAAU,IAA1BA,eAAa;IANGHpB,

```

OAAO,CAAPA,OAAO,CAqGjB;;KAEG,CACHqB,YAAU,IAAG,EAAU,IAAvBA,YAAU;IAxGARB,OAAO,CAA  
PA,OAAO,CA0GjB;;KAEG,CACHsB,eAAa,IAAG,EAAU,IAA1BA,eAAa;IA7GHtB,OAAO,CAAPA,OAAO,CA  
+GjB;;KAEG,CACHuB,cAAY,IAAG,EAAU,IAAzBA,cAAY;IAIHfvB,OAAO,CAAPA,OAAO,CAoHjB;;KAEG,  
CACHwB,iBA Ae,IAAG,EAAU,IAA5BA,iBA Ae;IAvHLxB,OAAO,CAAPA,OAAO,CAyHjB;;KAEG,CACHyB,a  
AAW,IAAG,EAAU,IAAxBA,aAAW;IA5HDzB,OAAO,CAAPA,OAAO,CA8HjB;;KAEG,CACH0B,WAAS,IAAG  
,EAAU,IAAtBA,WAAS;IAjIC1B,OAAO,CAAPA,OAAO,CAmIjB;;KAEG,CACH2B,eAAa,IAAG,EAAU,IAA1B  
A,eAAa;IAtIH3B,OAAO,CAAPA,OAAO,CAwIjB;;KAEG,CACH4B,WAAS,IAAG,EAAU,IAAtBA,WAAS;IA3I  
C5B,OAAO,CAAPA,OAAO,CA6IjB;;KAEG,CACH6B,WAAS,IAAG,EAAU,IAAtBA,WAAS;IAhJC7B,OAAO,C  
AAPA,OAAO,CAkIjB;;KAEG,CACH8B,eAAa,IAAG,EAAU,IAA1BA,eAAa;IArJH9B,OAAO,CAAPA,OAAO,C  
AuJjB;;KAEG,CACH+B,mBA AiB,IAAG,EAAU,IAA9BA,mBA AiB;IA1JP/B,OAAO,CAAPA,OAAO,CA4JjB;;K  
AEG,CACHgC,qBA AmB,IAAG,EAAU,IAAhCA,qBA AmB;IA/JThC,OAAO,CAAPA,OAAO,CAiKjB,SAAS;IAE  
T;;KAEG,CACHiC,yBA AuB,IAAG,EAAU,IAApCA,yBA AuB;IAtKbjC,OAAO,CAAPA,OAAO,CAwKjB;;KAEG  
,CACHkC,2BA AyB,IAAG,EAAU,IAAtCA,2BA AyB;IA3KfIC,OAAO,CAAPA,OAAO,CA6KjB;;KAEG,CACHm  
C,0BA AwB,IAAG,EAAU,IAArCA,0BA AwB;IAhLdnC,OAAO,CAAPA,OAAO,CAkLjB;;KAEG,CACHoC,UAA  
Q,IAAG,EAAU,IAArBA,UAAQ;IArLEpC,OAAO,CAAPA,OAAO,CAuLjB;;KAEG,CACHqC,iBA Ae,IAAG,EAA  
U,IAA5BA,iBA Ae;IAILLrC,OAAO,CAAPA,OAAO,CA4LjB;;KAEG,CACHsC,UAAQ,IAAG,EAAU,IAArBA,U  
AAQ;IA/LEtC,OAAO,CAAPA,OAAO,CAiMjB;;KAEG,CACHuC,WAAS,IAAG,EAAU,IAAtBA,WAAS;IApMC  
vC,OAAO,CAAPA,OAAO,CAsMjB,SAAS;IAET;;KAEG,CACHwC,kBA AgB,IAAG,EAAU,IAA7BA,kBA AgB;I  
A3MNxC,OAAO,CAAPA,OAAO,CA6MjB;;KAEG,CACHyC,mBA AiB,IAAG,EAAU,IAA9BA,mBA AiB;GAhNP  
zC,OAAO,uBAAPA,OAAO;IASNZ,UA8BN;;UA9BW0C,UAAU;IAAVA,UAAU,CAAVA,UAAU,CACpBC,SAA  
O,IAAG,CAAC,IAAXA,SAAO;IADGD,UAAU,CAAVA,UAAU,CAEpBE,eAAa,IAAG,CAAC,IAAjBA,eAAa;IA  
FHF,UAAU,CAAVA,UAAU,CAGpBG,mBA AiB,IAAG,CAAC,IAArBA,mBA AiB;IAHPH,UAAU,CAAVA,UAA  
U,CAIpBI,cAAY,IAAG,CAAC,IAAhBA,cAAY;IAJFJ,UAAU,CAAVA,UAAU,CAKpBK,YAAU,IAAG,CAAC,I  
AAdA,YAAU;IALAL,UAAU,CAAVA,UAAU,CAMpBM,aAAW,IAAG,CAAC,IAAfA,aAAW;IANDN,UAAU,C  
AAVA,UAAU,CAOpBO,qBA AmB,IAAG,CAAC,IAAvBA,qBA AmB;IAPTP,UAAU,CAAVA,UAAU,CAQpBQ,a  
AAW,IAAG,CAAC,IAAfA,aAAW;IARDR,UAAU,CAAVA,UAAU,CASpBS,kBA AgB,IAAG,CAAC,IAApBA,k  
BA AgB;IATNT,UAAU,CAAVA,UAAU,CAUpBU,eAAa,IAAG,CAAC,IAAjBA,eAAa;IAVHV,UAAU,CAAVA,  
UAAU,CAWpBW,aAAW,IAAG,EAAE,IAAhBA,aAAW;IAXDX,UAAU,CAAVA,UAAU,CAYpBY,uBA AqB,IA  
AG,EAAE,IAA1BA,uBA AqB;IAZXZ,UAAU,CAAVA,UAAU,CAapBa,YAAU,IAAG,EAAE,IAAfA,YAAU;IAb  
Ab,UAAU,CAAVA,UAAU,CACPbc,eAAa,IAAG,EAAE,IAA1BA,eAAa;IAdHd,UAAU,CAAVA,UAAU,CAepBe,  
aAAW,IAAG,EAAE,IAAhBA,aAAW;IAfDf,UAAU,CAAVA,UAAU,CAGpBgB,kBA AgB,IAAG,EAAE,IAArB  
A,kBA AgB;IAhBNhB,UAAU,CAAVA,UAAU,CAiBpBiB,eAAa,IAAG,EAAE,IAA1BA,eAAa;IAjBHjB,UAAU,C  
AAVA,UAAU,CAkBpBkB,aAAW,IAAG,EAAE,IAAhBA,aAAW;IAIBDIB,UAAU,CAAVA,UAAU,CAMpBmB  
,eAAa,IAAG,EAAE,IAA1BA,eAAa;IANBHnB,UAAU,CAAVA,UAAU,CAoBpBoB,gBA Ac,IAAG,EAAE,IAAnB  
A,gBA Ac;IAPBJpB,UAAU,CAAVA,UAAU,CAqBpBqB,UAAQ,IAAG,EAAE,IAAbA,UAAQ;IARBERB,UAAU,C  
AAVA,UAAU,CASpBsB,gBA Ac,IAAG,EAAE,IAAnBA,gBA Ac;IAtBJtB,UAAU,CAAVA,UAAU,CAuBpBuB,g  
BA Ac,IAAG,EAAE,IAAnBA,gBA Ac;IAvBJvB,UAAU,CAAVA,UAAU,CAwBpBwB,gBA Ac,IAAG,EAAE,IAAn  
BA,gBA Ac;IAxBJxB,UAAU,CAAVA,UAAU,CAyBpByB,WAAS,IAAG,EAAE,IAAdA,WAAS;IAzBCzB,UAAU  
,CAAVA,UAAU,CA0BpB0B,QAAM,IAAG,EAAE,IAAXA,QAAM;IA1BI1B,UAAU,CAAVA,UAAU,CA2BpB2  
B,iBA Ae,IAAG,EAAE,IAApBA,iBA Ae;IA3BL3B,UAAU,CAAVA,UAAU,CA4BpB4B,eAAa,IAAG,EAAE,IAA1  
BA,eAAa;IA5BH5B,UAAU,CAAVA,UAAU,CA6BpB6B,mBA AiB,IAAjBA,EAAiB,IAAjBA,mBA AiB;GA7BP7  
B,UAAU,0BAAVA,UAAU;IAGCf,mBA8BN;;UA9BW8B,mBA AmB;IAAnBA,mBA AmB,CAAnBA,mBA AmB,C  
AC7B;;KAEG,CACHC,QAAM,IAAG,CAAU,IAAnBA,QAAM;IAJID,mBA AmB,CAAnBA,mBA AmB,CAM7B;;  
KAEG,CACHE,IAAE,IAAG,CAAU,IAAfA,IAAE;IATQF,mBA AmB,CAAnBA,mBA AmB,CAW7B;;KAEG,CAC  
HG,QAAM,IAAG,CAAU,IAAnBA,QAAM;IAdIH,mBA AmB,CAAnBA,mBA AmB,CAgB7B;;KAEG,CACHI,IA  
AE,IAAG,CAAU,IAAfA,IAAE;IANBQJ,mBA AmB,CAAnBA,mBA AmB,CAqB7B;;KAEG,CACHK,QAAM,IAA  
G,CAAU,IAAnBA,QAAM;IAxBIL,mBA AmB,CAAnBA,mBA AmB,CA0B7B;;KAEG,CACHM,UAAQ,IAAG,CA  
AU,IAArBA,UAAQ;GA7BEN,mBA AmB,mCAAnBA,mBA AmB;AAgC/B,SAASO,aAAa,CAACC,IAAS,EAAuB;

IACrD,OAAOhF,OAAO,CAACgF,IAAI,CAACC,SAAS,CAAC,KAACK,SAAS,IAAIF,IAAI,CAACG,EAAE,KA  
AKD,SAAS,IAAIF,IAAI,CAACI,IAAI,KAACK,SAAS,CAAC;CACIG;AAED,SAASG,gBAAgB,CAACL,IAAS,E  
AA6B;IAC9D,OAAOD,aAAa,CAACC,IAAI,CAAC,IAAIA,IAAI,CAACC,SAAS,KAIrnC,CAAU,AAkR4C,CAA  
C;CACjE;AAED,SAASK,qBAAqB,CAACN,IAAiB,EAAW;IACzD,OAAOK,gBAAgB,CAACL,IAAI,CAAC,IAA  
IA,IAAI,CAACI,IAAI,KAxEhC,CAAC,AAwEsD,CAAC;CACnE;AAED,MAAMG,gBAAgB,SAASC,KAAK;IAC  
ICC,YAAYC,GAAW,EAASC,SAAiB,CAAE;QACjD,KAAK,CAACD,GAAG,CAAC,CAAC;aADmBC,SAAiB,G  
AAjBA,SAAiB;KAehD;CACF;AAEM,MAAMC,QAAQ,SAASJ,KAAK;IACjCC,YAAYC,GAAW,EAASG,MAA  
kB,CAAE;QACID,KAAK,CAACH,GAAG,CAAC,CAAC;aADmBG,MAAkB,GAAIBA,MAAkB;KAEjD;CACF;Q  
AJYD,QAAQ,GAARA,QAAQ;AAMd,MAAME,iBAAiB,SAASC,iBAAc,eAAA;IACnD,AAAQJ,SAAS,GAAG,C  
AAC,CAAC;IACtB,AAAQK,gBAAgB,GAA8C,EAAE,CAAC;IAEzEP,YAAYQ,MAAc,CAAE;QAC1B,KAAK,C  
AACA,MAAM,EAAE,IAAIC,iBAAqB,sBAAA,CAACC,iBAAiB,CAAC,EAAE,IAAIC,iBAAiB,EAAE,CAAC,C  
AAC;QAErF,MAAMC,MAAM,GAAG,IAAI,CAACC,aAAa,CAACC,MAAM,CAAC,CAACvB,IAAI,EAAEWB,G  
AAG,GAAK;YACtD,IAAIA,GAAG,IAAIA,GAAG,YAAYjB,gBAAgB,EAAE;gBAC1C,IAAI,CAACS,gBAAgB,  
CAACQ,GAAG,CAACb,SAAS,CAAC,CAACX,IAAI,EAAEWB,GAAG,CAAC,CAAC;aACjD,MAAM,IAAIIB,q  
BAAqB,CAACN,IAAI,CAAC,EAAE;gBACtC,IAAI,CAACgB,gBAAgB,CAACHB,IAAI,CAACG,EAAE,CAAC,  
CAACH,IAAI,EAAE,IAAIY,QAAQ,CAACID,UAAU,CAACsC,IAAI,CAACI,IAAI,CAAC,EAAEJ,IAAI,CAACI,  
IAAI,CAAC,CAAC,CAAC;aACtF,MAAM;gBACL,IAAI,CAACY,gBAAgB,CAACHB,IAAI,CAACG,EAAE,CAA  
C,CAACH,IAAI,CAAC,CAAC;aACtC;SACF,CAAC,AAAC;QACHiB,MAAM,CAACQ,EAAE,CAAC,MAAM,E  
AAEJ,MAAM,CAACK,MAAM,CAAC,CAAC;KACIC;IAEDC,WAAW,CAACjB,GAAe,EAAwB;QACjD,OAAO,  
IAAIkB,OAAO,CAAc,CAACC,OAAO,EAAEC,MAAM,GAAK;YACnD,MAAMnB,SAAS,GAAG,IAAI,CAACA  
,SAAS,EAAE,AAAC;YACnC,IAAI,CAACK,gBAAgB,CAACL,SAAS,CAAC,GAAG,OAAOX,IAAS,EAAEWB,  
GAAG,GAAK;gBACnE,IAAIA,GAAG,EAAE;oBACPM,MAAM,CAACN,GAAG,CAAC,CAAC;oBACZ,OAAO  
;iBACR;gBACD,IAAIzB,aAAa,CAACC,IAAI,CAAC,EAAE;oBACvB6B,OAAO,CAAC7B,IAAI,CAAC,CAAC;i  
BACf,MAAM;oBACL8B,MAAM,CAAC,IAAIC,OAAy,aAAA,CAAC,kBAakB,EAAE,wBAAwB,CAAC,CAAC,  
CAAC;iBACxE;aACF,CAAC;YACF,IAAI,CAACC,MAAM,CAACC,KAAK,CAAC,IAAI,CAACHB,MAAM,EA  
AE;gBAAE,GAAGP,GAAG;gBAAEC,SAAS;aAAE,CAAC,CAAC;SACvD,CAAC,CAAC;KACJ;CACF;QApCY  
G,iBAAiB,GAAjBA,iBAAiB;AAsCvB,MAAMK,iBAAiB,SAASe,iBAAc,eAAA;IAGnDzB,YAAY0B,QAAgC,C  
AAE;QAC5C,KAAK,CAACpH,eAAe,EAAEoH,QAAQ,CAAC,CAAC;KACIC;IAEDC,WAAW,CAACHC,IAAY,  
EAAE;QACxB,MAAMiC,KAAK,GAAGjC,IAAI,CAACKC,KAAK,CAAC,CAAC,EAAE,CAAC,CAAC,CAACC,  
QAAQ,CAAC,OAAO,CAAC,AAAC;QACjD,IAAIF,KAAK,KAAKvH,SAAS,EAAE;YACvB,MAAM,IAAIyF,gB  
AAgB,CACxB,CAAC,sCAAsC,EAAEzF,SAAS,CAAC,CAAC,CAAC,EACrDsF,IAAI,CAACoC,YAAY,CAAC,E  
AAE,CAAC,CACtB,CAAC;SACH;QACD,+BAA+B;QAC/B,IAAI,CAACC,MAAM,GAAG;YACZJ,KAAK;YAC  
LK,WAAW,EAAEtC,IAAI,CAACoC,YAAY,CAAC,CAAC,CAAC;YACjCG,YAAY,EAAEvC,IAAI,CAACoC,Y  
AAY,CAAC,EAAE,CAAC;YACn7B,SAAS,EAAEP,IAAI,CAACoC,YAAY,CAAC,EAAE,CAAC;YACHCvC,S  
AAS,EAAEG,IAAI,CAACoC,YAAY,CAAC,EAAE,CAAC;SACjC,CAAC;QAEF5H,KAAK,CAAC,CAAC,cAAc,  
EAAEgI,IAAI,CAACC,SAAS,CAAC,IAAI,CAACJ,MAAM,CAAC,CAAC,CAAC,CAAC,CAAC;QACtD,IAAI,I  
AAI,CAACA,MAAM,CAACE,YAAY,GAAG5H,eAAe,EAAE;YAC9C,MAAM,IAAIwF,gBAAgB,CAAC,oBAAo  
B,EAAE,IAAI,CAACKC,MAAM,CAAC9B,SAAS,CAAC,CAAC;SACzE;QACD,OAAO,IAAI,CAAC8B,MAAM,  
CAACC,WAAW,GAAG3H,eAAe,CAAC;KACID;IAED+H,SAAS,CAAC1C,IAAY,EAAmC;QACvD,MAAM2C,I  
AAI,GAAG;YACHB9C,SAAS,EAAE,IAAI,CAACwC,MAAM,CAACxC,SAAS;YACHCE,EAAE,EAAE,IAAI,CA  
ACsC,MAAM,CAAC9B,SAAS;YACzBP,IAAI;SACL,AAAC;QACF,IAAIC,gBAAgB,CAAC0C,IAAI,CAAC,EA  
AE;YAC1B,MAAMIC,MAAM,GAAGT,IAAI,CAACoC,YAAY,CAAC,CAAC,CAAC,AAAC;YACpC5H,KAAK,  
CAAC,CAAC,EAAEI,OAAO,CAAC,IAAI,CAACyH,MAAM,CAACxC,SAAS,CAAC,CAAC,WAAW,EAAEvC,  
UAAU,CAACmD,MAAM,CAAC,CAAC,CAAC,CAAC,CAAC;YAC3EkC,IAAI,CAAC3C,IAAI,GAAGS,MAAM  
,CAAC;SACpB,MAAM,IAAIT,IAAI,CAAC4C,MAAM,IAAI,CAAC,EAAE;YAC3BpI,KAAK,CAAC,CAAC,EA  
AEI,OAAO,CAAC,IAAI,CAACyH,MAAM,CAACxC,SAAS,CAAC,CAAC,WAAW,EAAEGD,KAAK,CAACC,S  
AAS,CAACX,QAAQ,CAACY,IAAI,CAACJ,IAAI,CAAC,CAAC,CAAC,CAAC,CAAC;SAC7F,MAAM;YACLnI,  
KAAK,CAAC,CAAC,EAAEI,OAAO,CAAC,IAAI,CAACyH,MAAM,CAACxC,SAAS,CAAC,CAAC,kBAakB,E

AAEG,IAAI,CAAC4C,MAAM,CAAC,MAAM,CAAC,CAAC,CAAC;SACIF;QACD,OAAOD,IAAI,CAAC;KACb  
;CACF;QAhDY5B,iBAAiB,GAAjBA,iBAAiB;AAkDvB,MAAMC,iBAAiB;IAC5Ba,KAAK,CAACbB,MAAc,EA  
AEP,GAAuC,EAAE;QAC7D,MAAM,EAAEN,IAAI,CAAA,EAAEgD,OAAO,CAAA,EAAEnD,SAAS,CAAA,EA  
AEU,SAAS,CAAA,EAAE,GAAGD,GAAG,AAAC;QAEpD,MAAM2C,UAAU,GAAGjD,IAAI,GAAGA,IAAI,CA  
AC4C,MAAM,GAAG,CAAC,AAAC;QAC1C,MAAMM,aAAa,GAAGF,OAAO,GAAGA,OAAO,CAACJ,MAAM,  
GAAG,CAAC,AAAC;QAEEnD,MAAMP,MAAM,GAAGc,MAAM,CAACC,KAAK,CAACzI,eAAe,CAAC,AAAC;  
QAC7C,MAAMsH,KAAK,GAAGkB,MAAM,CAACE,IAAI,CAAC3I,SAAS,CAAC,AAAC;QACrCuH,KAAK,C  
AACqB,IAAI,CAACjB,MAAM,CAAC,CAAC;QACnBA,MAAM,CAACkB,aAAa,CAAC5I,eAAe,GAAGsI,UAA  
U,GAAGC,aAAa,EAAE,CAAC,CAAC,CAAC;QACtEb,MAAM,CAACkB,aAAa,CAAC5I,eAAe,GAAGsI,UAAU  
,EAAE,EAAE,CAAC,CAAC;QACvDZ,MAAM,CAACkB,aAAa,CAACbD,SAAS,EAAE,EAAE,CAAC,CAAC;Q  
ACpC8B,MAAM,CAACkB,aAAa,CAAC1D,SAAS,EAAE,EAAE,CAAC,CAAC;QACpCgB,MAAM,CAACgB,K  
AAK,CAACQ,MAAM,CAAC,CAAC;QACrBxB,MAAM,CAACgB,KAAK,CAAC7B,IAAI,CAAC,CAAC;QACn  
B,IAAIA,IAAI,CAAC4C,MAAM,IAAI,CAAC,EAAE;YACpBpI,KAAK,CACH,CAAC,mCAAmC,EAAE+F,SA  
S,CAAC,aAAa,EAC3D3F,OAAO,CAACiF,SAAS,CAAC,CACnB,SAAS,EAAEgD,KAAK,CAACC,SAAS,CAAC  
X,QAAQ,CAACY,IAAI,CAAC/C,IAAI,CAAC,CAAC,CAAC,CACID,CAAC;SACH,MAAM;YACLxF,KAAK,C  
ACH,CAAC,mCAAmC,EAAE+F,SAAS,CAAC,aAAa,EAAE3F,OAAO,CAACiF,SAAS,CAAC,CAAC,SAAS,EA  
AEG,IAAI,CAAC4C,MAAM,CAAC,MAAM,CAAC,CACjH,CAAC;SACH;QAEDpI,KAAK,CAAC,CAAC,4BA  
A4B,EAAE6H,MAAM,CAACO,MAAM,CAAC,WAAW,EAAE5C,IAAI,CAAC4C,MAAM,CAAC,OAAO,CAAC  
,CAAC,CAAC;QACtF,IAAII,OAAO,EAAE;YACXnC,MAAM,CAACgB,KAAK,CAACmB,OAAO,CAAC,CAAC  
;SACvB;KACF;CACF;QAJCYhC,iBAAiB,GAAjBA,iBAAiB"}  
}

Found in path(s):

```
* /opt/cola/permits/1381072539_1659629317.1562185/0/cli-0-1-5-  
tgz/package/build/src/run/ios/appleDevice/protocol/AFCProtocol.js.map
```

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../..../src/run/ios/appleDevice/client/UsbmuxdClient.ts"],"sourcesContent":["/**\n *  
Copyright (c) 2021 Expo, Inc.\n * Copyright (c) 2018 Drifty Co.\n * This source code is licensed under the MIT  
license found in the\n * LICENSE file in the root directory of this source tree.\n */\nimport plist from  
'@expo/plist';\nimport Debug from 'debug';\nimport { Socket, connect } from 'net';\nimport { CommandError }  
from '../..../utils/errors';\nimport { parsePlistBuffer } from '../..../utils/plist';\nimport { UsbmuxProtocolClient }  
from './protocol/UsbmuxProtocol';\nimport { ResponseError, ServiceClient } from './ServiceClient';\n\nconst debug  
= Debug('expo:apple-device:client:usbmuxd');\n\nexport interface UsbmuxDDeviceProperties {\n  /** 480000000  
 * ConnectionSpeed: number;\n  /** 'USB'  
 * ConnectionType: 'USB';\n  /** 7  
 * DeviceID: number;\n  /**  
339738624 * LocationID: number;\n  /** 4776 * ProductID: number;\n  /** '00008101-001964A22629003A'  
 * SerialNumber: string;\n  /** '00008101-001964A22629003A' * UDID: string;\n  /**  
'00008101001964A22629003A' * USBSerialNumber: string;\n}\n\nexport interface UsbmuxDDevice {\n  /** 7  
 * DeviceID: number;\n  MessageType: 'Attached'; // TODO: what else?\n  Properties:  
UsbmuxDDeviceProperties;\n}\n\nexport interface UsbmuxdConnectResponse {\n  MessageType: 'Result';\n  Number: number;\n}\n\nexport interface UsbmuxdDeviceResponse {\n  DeviceList:  
UsbmuxdDevice[];\n}\n\nexport interface UsbmuxdPairRecordResponse {\n  PairRecordData: Buffer;\n}\n\nexport  
interface UsbmuxdPairRecord {\n  DeviceCertificate: Buffer;\n  EscrowBag: Buffer;\n  HostCertificate: Buffer;\n  HostID: string;\n  HostPrivateKey: Buffer;\n  RootCertificate: Buffer;\n  RootPrivateKey: Buffer;\n  SystemBUID:  
string;\n  Wi-FiMACAddress: string;\n}\n\nfunction isUsbmuxdConnectResponse(resp: any): resp is  
UsbmuxdConnectResponse {\n  return resp.MessageType === 'Result' && resp.Number !==  
undefined;\n}\n\nfunction isUsbmuxdDeviceResponse(resp: any): resp is UsbmuxdDeviceResponse {\n  return  
resp.DeviceList !== undefined;\n}\n\nfunction isUsbmuxdPairRecordResponse(resp: any): resp is  
UsbmuxdPairRecordResponse {\n  return resp.PairRecordData !== undefined;\n}\n\nexport class UsbmuxdClient
```

```

extends ServiceClient<UsbmuxProtocolClient> {\n  constructor(public socket: Socket) {\n    super(socket, new
UsbmuxProtocolClient(socket));\n  }\n\n  static connectUsbmuxdSocket(): Socket {\n
debug('connectUsbmuxdSocket');\n  if (process.platform === 'win32') {\n    return connect({ port: 27015, host:
'localhost' });\n  } else {\n    return connect({ path: '/var/run/usbmuxd' });\n  }\n}\n\n  async connect(device:
Pick<UsbmuxdDevice, 'DeviceID'>, port: number): Promise<Socket> {\n  debug(`connect: ${device.DeviceID} on
port ${port}`);\n  debug(`connect:device: %O`, device);\n\n  const response = await
this.protocolClient.sendMessage({\n    messageType: 'Connect',\n    extraFields: {\n      DeviceID:
device.DeviceID,\n      PortNumber: htons(port),\n    },\n  });\n  debug(`connect:device:response: %O`,
response);\n\n  if (isUsbmuxdConnectResponse(response) && response.Number === 0) {\n    return
this.protocolClient.socket;\n  } else {\n    throw new ResponseError(`There was an error connecting to the
USB connected device (id: ${device.DeviceID}, port: ${port})`,\n      response);\n  }\n}\n\n  async
getDevices(): Promise<UsbmuxdDevice[]> {\n  debug('getDevices');\n\n  const resp = await
this.protocolClient.sendMessage({\n    messageType: 'ListDevices',\n  });\n\n  if
(isUsbmuxdDeviceResponse(resp)) {\n    return resp.DeviceList;\n  } else {\n    throw new
ResponseError('Invalid response from getDevices', resp);\n  }\n}\n\n  async getDevice(udid?: string):
Promise<UsbmuxdDevice> {\n  debug(`getDevice ${udid ? 'udid: ' + udid : ''}`);\n  const devices = await
this.getDevices();\n\n  if (!devices.length) {\n    throw new CommandError('APPLE_DEVICE_USBMUXD', 'No
devices found');\n  }\n\n  if (!udid) {\n    return devices[0];\n  }\n\n  for (const device of devices) {\n  if
(device.Properties && device.Properties.SerialNumber === udid) {\n    return device;\n  }\n}\n\n  throw
new CommandError('APPLE_DEVICE_USBMUXD', `No device found (udid: ${udid})`);\n}\n\n  async
readPairRecord(udid: string): Promise<UsbmuxdPairRecord> {\n  debug(`readPairRecord: ${udid}`);\n\n  const
resp = await this.protocolClient.sendMessage({\n    messageType: 'ReadPairRecord',\n    extraFields: {
PairRecordID: udid },\n  });\n\n  if (isUsbmuxdPairRecordResponse(resp)) {\n    // the pair record can be created
as a binary plist\n    const BPLIST_MAGIC = Buffer.from('bplist00');\n    if
(BPLIST_MAGIC.compare(resp.PairRecordData, 0, 8) === 0) {\n      debug('Binary plist pair record detected.);\n
return parsePlistBuffer(resp.PairRecordData)[0];\n    } else {\n      // TODO: use parsePlistBuffer\n      return
plist.parse(resp.PairRecordData.toString()) as any; // TODO: type guard\n    }\n  } else {\n    throw new
ResponseError(`There was an error reading pair record for device (udid: ${udid})`,\n      resp);\n  }\n}\n}\n\nfunction htons(n: number): number {\n  return ((n & 0xff) << 8) | ((n >> 8) &
0xff);\n}\n\n], "names": ["debug", "Debug", "isUsbmuxdConnectResponse", "resp", "MessageType", "Number", "undefin
ed", "isUsbmuxdDeviceResponse", "DeviceList", "isUsbmuxdPairRecordResponse", "PairRecordData", "UsbmuxdClie
nt", "ServiceClient", "constructor", "socket", "UsbmuxProtocolClient", "connectUsbmuxdSocket", "process", "platform",
"connect", "port", "host", "path", "device", "DeviceID", "response", "protocolClient", "sendMessage", "messageType", "ex
traFields", "PortNumber", "htons", "ResponseError", "getDevices", "getDevice", "udid", "devices", "length", "CommandE
rror", "Properties", "SerialNumber", "readPairRecord", "PairRecordID", "BPLIST_MAGIC", "Buffer", "from", "compare
", "parsePlistBuffer", "plist", "parse", "toString", "n"], "mappings": "AAOA;;;AAAkB,IAAA,MAAA,kCAAb,aAAa,EA
AA;AACb,IAAA,MAAO,kCAAP,OAAO,EAAA;AACO,IAAA,IAAK,WAAL,KAAK,CAAA;AAER,IAAA,OAAO
B,WAA1B,0BAA0B,CAAA;AACtB,IAAA,OAAyB,WAAzB,yBAAyB,CAAA;AACrB,IAAA,eAA4B,WAA5B,4B
AA4B,CAAA;AACpB,IAAA,cAAiB,WAAjB,iBAAiB,CAAA;:::;AAE9D,MAAMA,KAAK,GAAGC,CAAAA,G
AAAA,MAAK,AAAoC,CAAA,QAApC,CAAC,kCAAkC,CAAC,AAAC;AAqDxD,SAASC,wBAAwB,CAACC,IA
AS,EAakC;IAC3E,OAAOA,IAAI,CAACC,WAAW,KAAK,QAAQ,IAAID,IAAI,CAACE,MAAM,KAAKC,SAAS
,CAAC;CACnE;AAED,SAASC,uBAAuB,CAACJ,IAAS,EAaiC;IACzE,OAAOA,IAAI,CAACK,UAAU,KAAKF,
SAAS,CAAC;CACtC;AAED,SAASG,2BAA2B,CAACN,IAAS,EAaqC;IACjF,OAAOA,IAAI,CAACO,cAAc,KA
AKJ,SAAS,CAAC;CAC1C;AAEM,MAAMK,aAAa,SAASC,cAAA,cAAA;IAC9CC,YAaMBC,MAAc,CAAe;QA
CjC,KAAK,CAACA,MAAM,EAAE,IAAIC,eAAoB,qBAAA,CAACD,MAAM,CAAC,CAAC,CAAC;aAD/BA,M
AAc,GAAdA,MAAc;KAEhC;IAED,OAAOE,oBAAoB,GAAW;QACpChB,KAAK,CAAC,sBAAsB,CAAC,CAAC
;QAC9B,IAAiB,OAAO,CAACC,QAAQ,KAAK,OAAO,EAAE;YACChC,OAAOC,CAAAA,GAAAA,IAAO,AAAo
C,CAAA,QAApC,CAAC;gBAAEC,IAAI,EAAE,KAAK;gBAAEC,IAAI,EAAE,WAAW;aAAE,CAAC,CAAC;SA

```

CpD,MAAM;YA CL,OAAOF,CAAAA,GAAAA,IAAO,AAA8B,CAAA,QAA9B,CAAC;gBAAEG,IAAI,EAAE,kBAAkB;aAAE,CAAC,CAAC;SAC9C;KACF;IAED,MAAMH,OAAO,CAACI,MAAUc,EAAEH,IAAY,EAAmB;QACpFpB,KAAK,CAAC,CAAC,SAAS,EAAEuB,MAAM,CAACC,QAAQ,CAAC,SAAS,EAAEJ,IAAI,CAAC,CAAC,CAAC,CAAC;QACrDpB,KAAK,CAAC,CAAC,kBAAkB,CAAC,EAAEuB,MAAM,CAAC,CAAC;QAEpC,MAAME,QAAQ,GAAG,MAAM,IAAI,CAACC,cAAc,CAACC,WAAW,CAAC;YACrDC,WAAW,EAAE,SAAS;YACtBC,WAAW,EAAE;gBACXL,QAAQ,EAAED,MAAM,CAACC,QAAQ;gBACzBM,UAAU,EAAEC,KAAK,CAACX,IAAI,CAAC;aACxB;SACF,CAAC,AAAC;QACHpB,KAAK,CAAC,CAAC,2BAA2B,CAAC,EAAEyB,QAAQ,CAAC,CAAC;QAE/C,IAAIvB,wBAAwB,CAACuB,QAAQ,CAAC,IAAIA,QAAQ,CAACpB,MAAM,KAAK,CAAC,EAAE;YAC/D,OAAO,IAAI,CAACqB,cAAc,CAACZ,MAAM,CAAC;SACnC,MAAM;YA CL,MAAM,IAAIk B,cAAa,cAAA,CACrB,CAAC,+DAA+D,EAAET,MAAM,CAACC,QAAQ,CAAC,QAAQ,EAAEJ,IAAI,CAAC,CAAC,CAAC,EACnGK,QAAQ,CACT,CAAC;SACH;KACF;IAED,MAAMQ,UAAU,GAA6B;QAC3CjC,KAAK,CAAC,YAAY,CAAC,CAAC;QAEpB,MAAMG,IAAI,GAAG,MAAM,IAAI,CAACuB,cAAc,CAACC,WAAW,CAAC;YACjDC,WAAW,EAAE,aAAa;SAC3B,CAAC,AAAC;QAEH,IAAIrB,uBAAuB,CAACJ,IAAI,CAAC,EAAE;YACjC,OAAOA,IAAI,CAACK,UAAU,CAAC;SACxB,MAAM;YA CL,MAAM,IAAIwB,cAAa,cAAA,CAAC,kCAAkC,EAAE7B,IAAI,CAAC,CAAC;SACnE;KACF;IAED,MAAM+B,SAAS,CAACC,IAAa,EAA0B;QACrDnC,KAAK,CAAC,CAAC,UAAU,EAAEmC,IAAI,GAAG,QAAQ,GAAGA,IAAI,GAAG,EAAE,CAAC,CAAC,CAAC,CAAC;QACID,MAAMC,OAAO,GAAG,MAAM,IAAI,CAACH,UAAU,EAAE,AAAC;QAExC,IAAI,CAACG,OAAO,CAACC,MAAM,EAAE;YACnB,MAAM,IAAIC,OAA Y,aAAA,CAAC,sBAAsB,EAAE,kBAAkB,CAAC,CAAC;SACpE;QAE D,IAAI,CAACH,IAAI,EAAE;YA CT,OAAOC,OAAO,CAAC,CAAC,CAAC,CAAC;SACnB;QAE D,KAAK,MAAMb,MAAM,IAAIa,OAAO,CAAE;YAC5B,IAAIb,MAAM,CAACgB,UAAU,IAAIhB,MAAM,CAACgB,UAAU,CAACC,YAAY,KAAKL,IAAI,EAAE;gBACHe,OAAOZ,MAAM,CAAC;aACf;SACF;QAE D,MAAM,IAAIe,OAA Y,aAAA,CAAC,sBAAsB,EAAE,CAAC,uBAAuB,EAAEH,IAAI,CAAC,CAAC,CAAC,CAAC;KACnF;IAED,MAAMM,cAAc,CAACN,IAAY,EAA8B;QAC7DnC,KAAK,CAAC,CAAC,gBAAgB,EAAEmC,IAAI,CAAC,CAAC,CAAC,CAAC;QAEjC,MAAMhC,IAAI,GAAG,MAAM,IAAI,CAACuB,cAAc,CAACC,WAAW,CAAC;YACjDC,WAAW,EAAE,gBAAgB;YAC7BC,WAAW,EAAE;gBAAEa,YAAY,EAAEP,IAAI;aAAE;SACpC,CAAC,AAAC;QAEH,IAAII B,2BAA2B,CAACN,IAAI,CAAC,EAAE;YACrC,mDAAmD;YACnD,MAAMwC,YAAY,GAAGC,MAAM,CAACC,IAAI,CAAC,UAAU,CAAC,AAAC;YAC7C,IAAIF,YAAY,CAACG,OAAO,CAAC3C,IAAI,CAACO,cAAc,EAAE,CAAC,EAAE,CAAC,CAAC,KAAK,CAAC,EAAE;gBACzDV,KAAK,CAAC,oCAAoC,CAAC,CAAC;gBAC5C,OAAO+C,CAAAA,GAAAA,OAAgB,AAAqB,CAAA,iBAArB,CAAC5C,IAAI,CAACO,cAAc,CAAC,CAAC,CAAC,CAAC,CAAC;aACjD,MAAM;gBACL,6BAA6B;gBAC7B,OAAOsC,MAAK,QAAA,CAACC,KAAK,CAAC9C,IAAI,CAACO,cAAc,CAACwC,QAAQ,EAAE,CAAC,CAAQ,CAAC,mBAAmB;aAC/E;SACF,MAAM;YA CL,MAAM,IAAII B,cAAa,cAAA,CACrB,CAAC,yDAAYD,EAAEG,IAAI,CAAC,CAAC,CAAC,EACnEhC,IAAI,CACL,CAAC;SACH;KACF;CACF;QAJGYQ,aAAa,GAAbA,aAAa;AAmG1B,SAASoB,KAAK,CAACoB,CAAS,EAAU;IACHc,OAAO,AAAC,CAACA,CAAC,GAAG,GAAL,CAAC,IAAI,CAAC,GA AK,AAACA,CAAC,IAAI,CAAC,GAAL,GAAL,AAAC,CAAC;CAC9C" }

Found in path(s):

```
* /opt/cola/permits/1381072539_1659629317.1562185/0/cli-0-1-5-tgz/package/build/src/run/ios/appleDevice/client/UsbmuxdClient.js.map  
No license file was found, but licenses were detected in source scan.
```

```
{"version":3,"sources":["../../../../../../../../src/run/ios/appleDevice/protocol/GDBProtocol.ts"],"sourcesContent":["/**  
 * Copyright (c) 2021 Expo, Inc.  
 * Copyright (c) 2018 Drifty Co.  
 * This source code is licensed under the MIT license found in the LICENSE file in the root directory of this source tree.  
 */  
import Debug from 'debug';  
import { Socket } from 'net';  
import { CommandError } from '../../../../utils/errors';  
import { ProtocolClient, ProtocolReader, ProtocolReaderCallback, ProtocolReaderFactory, ProtocolWriter } from './AbstractProtocol';  
const debug = Debug('expo:apple-device:protocol:gdb');  
const ACK_SUCCESS = '+'.  
charCodeAt(0);  
export interface GDBMessage {  
  cmd: string;  
  args: string[];  
}  
export class
```

```

GDBProtocolClient extends ProtocolClient<GDBMessage> {\n  constructor(socket: Socket) {\n    super(socket, new
ProtocolReaderFactory(GDBProtocolReader), new GDBProtocolWriter());\n  }\n}\n\nexport class
GDBProtocolReader extends ProtocolReader {\n  constructor(callback: ProtocolReaderCallback) {\n    super(1 /*
\"Header\" is '+' or '-' */ , callback);\n  }\n\n  onData(data?: Buffer) {\n    // the GDB protocol does not support body
length in its header so we cannot rely on\n    // the parent implementation to determine when a payload is complete\n
    try {\n      // if there's data, add it to the existing buffer\n      this.buffer = data ? Buffer.concat([this.buffer, data]) :
this.buffer;\n\n      // do we have enough bytes to proceed\n      if (this.buffer.length < this.headerSize) {\n
return;\n      // incomplete header, wait for more\n    }\n\n    // first, check the header\n    if
(this.parseHeader(this.buffer) === -1) {\n      // we have a valid header so check the body. GDB packets will
always be a leading '$', data bytes,\n      // a trailing '#', and a two digit checksum. minimum valid body is the empty
response '$#00'\n      //
https://developer.apple.com/library/archive/documentation/DeveloperTools/gdb/gdb/gdb_33.html\n      const
packetData = this.buffer.toString().match(/\\$.*#[0-9a-f]{2}/);\n      if (packetData === null) {\n        return;\n
// incomplete body, wait for more\n      }\n      // extract the body and update the buffer\n      const body =
Buffer.from(packetData[0]);\n      this.buffer = this.buffer.slice(this.headerSize + body.length);\n      // parse the
payload and recurse if there is more data to process\n      this.callback(this.parseBody(body));\n      if
(this.buffer.length) {\n        this.onData();\n      }\n    } catch (err: any) {\n      this.callback(null, err);\n
}\n  }\n\n  parseHeader(data: Buffer) {\n    if (data[0] !== ACK_SUCCESS) {\n      throw new
CommandError('APPLE_DEVICE_GDB', 'Unsuccessful debugserver response');\n    } // TODO: retry?\n    return -
1;\n  }\n\n  parseBody(buffer: Buffer) {\n    debug(`Response body: ${buffer.toString()}`);\n    // check for
checksum\n    const checksum = buffer.slice(-3).toString();\n    if (checksum.match(/#[0-9a-f]{2}/)) {\n      // remove
'$' prefix and checksum\n      const msg = buffer.slice(1, -3).toString();\n      if (validateChecksum(checksum, msg))
{\n        return msg;\n      } else if (msg.startsWith('E')) {\n        if (msg.match(/the device was not, or could not be,
unlocked/)) {\n          throw new CommandError('APPLE_DEVICE_LOCKED', 'Device is currently locked.);\n
}\n\n        // Error message from debugserver -- Drop the `E`\n        return msg.slice(1);\n      } else {\n        throw
new CommandError(\n          'APPLE_DEVICE_GDB',\n          `Invalid checksum received from debugserver.
(checksum: ${checksum}, msg: ${msg})`\n        );\n      } else {\n        throw new
CommandError('APPLE_DEVICE_GDB', `Didn't receive checksum`);\n      }\n    }\n  }\n}\n\nexport class
GDBProtocolWriter implements ProtocolWriter {\n  write(socket: Socket, msg: GDBMessage) {\n    const { cmd,
args } = msg;\n    debug(`Socket write: ${cmd}, args: ${args}`);\n    // hex encode and concat all args\n    const
encodedArgs = args\n      .map((arg) => Buffer.from(arg).toString('hex'))\n      .join()\n      .toUpperCase();\n    const
checksumStr = calculateChecksum(cmd + encodedArgs);\n    const formattedCmd =
`$$${cmd}${encodedArgs}#${checksumStr}`;\n    socket.write(formattedCmd);\n  }\n}\n\n// hex value of (sum of
cmd chars mod 256)\nfunction calculateChecksum(cmdStr: string) {\n  let checksum = 0;\n  for (let i = 0; i <
cmdStr.length; i++) {\n    checksum += cmdStr.charCodeAt(i);\n  }\n  let result = (checksum % 256).toString(16);\n
// pad if necessary\n  if (result.length === 1) {\n    result = `0${result}`;\n  }\n  return result;\n}\n\nexport function
validateChecksum(checksum: string, msg: string) {\n  // remove '#' from checksum\n  const checksumVal =
checksum.startsWith('#') ? checksum.slice(1) : checksum;\n  // remove '$' from msg and calculate its checksum\n
const computedChecksum = calculateChecksum(msg);\n  // debug(`Checksum: ${checksumVal}, computed
checksum: ${computedChecksum}`);\n  return checksumVal ===
computedChecksum;\n}\n\n}], "names": ["validateChecksum", "debug", "Debug", "ACK_SUCCESS", "charCodeAt", "G
DBProtocolClient", "ProtocolClient", "constructor", "socket", "ProtocolReaderFactory", "GDBProtocolReader", "GDBP
rotocolWriter", "ProtocolReader", "callback", "onData", "data", "buffer", "Buffer", "concat", "length", "headerSize", "pars
eHeader", "packetData", "toString", "match", "body", "from", "slice", "parseBody", "err", "CommandError", "checksum", "
msg", "startsWith", "write", "cmd", "args", "encodedArgs", "map", "arg", "join", "toUpperCase", "checksumStr", "calculate
Checksum", "formattedCmd", "cmdStr", "i", "result", "checksumVal", "computedChecksum"], "mappings": "AAOA;;;Q
AkIgBA.gBAAGB,GAAhBA.gBAAGB;AAId,IAAA,MAAO,kCAAP,OAAO,EAAA;AAGI,IAAA,OAA0B,WAA1
B,0BAA0B,CAAA;AAOhD,IAAA,iBAAoB,WAApB,oBAAoB,CAAA;;;;AAE3B,MAAMC,KAAK,GAAGC,CA

```



AAA,GAAAA,MAAK,AAakC,CAAA,QAAIC,CAAC,gCAAgC,CAAC,AAAC;AActD,MAAMC,WAAW,GAAG,GAAG,CAACC,UAAU,CAAC,CAAC,CAAC,AAAC;AAO/B,MAAMC,iBAAiB,SAASC,iBAAc,eAAA;IACnDC,YAAYC,MAAc,CAAe;QAC1B,KAAK,CAACA,MAAM,EAAE,IAAIC,iBAAqB,sBAAA,CAACC,iBAAiB,CAAC,EAAE,IAAIC,iBAAiB,EAAE,CAAC,CAAC;KACtF;CACF;QAJYN,iBAAiB,GAAjBA,iBAAiB;AAMvB,MAAMK,iBAAiB,SAASE,iBAAc,eAAA;IACnDL,YAAYM,QAAgC,CAAe;QAC5C,KAAK,CAAC,CAAC,CAAC,4BAA4B,GAAEA,QAAQ,CAAC,CAAC;KACjD;IAEDC,MAAM,CAACC,IAAa,EAAE;QACpB,mFAAmF;QACnF,oEAAoE;QACpE,IAAI;YACF,iDAaiD;YACjD,IAAI,CAACC,MAAM,GAAGD,IAAI,GAAGE,MAAM,CAACC,MAAM,CAAC;gBAAC,IAAI,CAACF,MAAM;gBAAED,IAAI;aAAC,CAAC,GAAG,IAAI,CAACC,MAAM,CAAC;YAEtE,qCAAqC;YACrC,IAAI,IAAI,CAACA,MAAM,CAACG,MAAM,GAAG,IAAI,CAACC,UAAU,EAAE;gBACxC,OAAO,CAAC,mCAAmC;aAC5C;YAED,0BAA0B;YAC1B,IAAI,IAAI,CAACC,WAAW,CAAC,IAAI,CAACL,MAAM,CAAC,KAAK,CAAC,CAAC,EAAE;gBACxC,kGAakG;gBACIG,4FAA4F;gBAC5F,+FAA+F;gBAC/F,MAAMM,UAAU,GAAG,IAAI,CAACN,MAAM,CAACO,QAAQ,EAAE,CAACC,KAAK,CAAC,mBAAmB,CAAC,AAAC;gBACrE,IAAIF,UAAU,IAAI,IAAI,EAAE;oBACtB,OAAO,CAAC,iCAAiC;iBAC1C;gBACD,yCAyC;gBACzC,MAAMG,IAAI,GAAGR,MAAM,CAACS,IAAI,CAACJ,UAAU,CAAC,CAAC,CAAC,CAAC,AAAC;gBACxC,IAAI,CAACN,MAAM,GAAG,IAAI,CAACA,MAAM,CAACW,KAAK,CAAC,IAAI,CAACP,UAAU,GAAGK,IAAI,CAACN,MAAM,CAAC,CAAC;gBAC/D,iEAAiE;gBACjE,IAAI,CAACN,QAAQ,CAAC,IAAI,CAACe,SAAS,CAACH,IAAI,CAAC,CAAC,CAAC;gBACpC,IAAI,IAAI,CAACT,MAAM,CAACG,MAAM,EAAE;oBACtB,IAAI,CAACL,MAAM,EAAE,CAAC;iBACf;aACF;SACF,CAAC,OAAOe,GAAG,EAAO;YACjB,IAAI,CAACHB,QAAQ,CAAC,IAAI,EAAEgB,GAAG,CAAC,CAAC;SAC1B;KACF;IAEDR,WAAW,CAACN,IAAY,EAAE;QACxB,IAAIA,IAAI,CAAC,CAAC,CAAC,KAAKZ,WAAW,EAAE;YAC3B,MAAM,IAAI2B,OAAy,aAAA,CAAC,kBAAkB,EAAE,mCAAmC,CAAC,CAAC;SACjF,CAAC,eAAe;QACjB,OAAO,CAAC,CAAC,CAAC;KACX;IAEDF,SAAS,CAACZ,MAAc,EAAE;QACxBf,KAAK,CAAC,CAAC,eAAe,EAAEe,MAAM,CAACO,QAAQ,EAAE,CAAC,CAAC,CAAC,CAAC;QAC7C,qBAAqB;QACrB,MAAMQ,QAAQ,GAAGf,MAAM,CAACW,KAAK,CAAC,CAAC,CAAC,CAAC,CAAC,CAAC;QAC7C,IAAIQ,QAAQ,CAACP,KAAK,gBAAgB,EAAE;YACiC,iCAAiC;YACjC,MAAMQ,GAAG,GAAGhB,MAAM,CAACW,KAAK,CAAC,CAAC,EAAE,CAAC,CAAC,CAAC,CAACJ,QAAQ,EAAE,AAAC;YAC3C,IAAIvB,gBAAgB,CAAC+B,QAAQ,EAAEC,GAAG,CAAC,EAAE;gBACnC,OAAOA,GAAG,CAAC;aACZ,MAAM,IAAIA,GAAG,CAACC,UAAU,CAAC,GAAG,CAAC,EAAE;gBAC9B,IAAID,GAAG,CAACR,KAAK,iDAaiD,EAAE;oBAC9D,MAAM,IAAIM,OAAy,aAAA,CAAC,qBAAqB,EAAE,6BAA6B,CAAC,CAAC;iBAC9E;gBAED,iDAaiD;gBACjD,OAAOE,GAAG,CAACL,KAAK,CAAC,CAAC,CAAC,CAAC;aACrB,MAAM;gBACL,MAAM,IAAIG,OAAy,aAAA,CACpB,kBAAkB,EACiB,CAAC,iDAAuD,EAAEC,QAAQ,CAAC,OAAO,EAAEC,GAAG,CAAC,CAAC,CAAC,CACnF,CAAC;aACH;SACF,MAAM;YACL,MAAM,IAAIF,OAAy,aAAA,CAAC,kBAAkB,EAAE,yBAAYB,CAAC,CAAC;SACvE;KACF;CACF;QAZeYpB,iBAAiB,GAAjBA,iBAAiB;AA2EvB,MAAMC,iBAAiB;IAC5BuB,KAAK,CAAC1B,MAAc,EAAEwB,GAAe,EAAE;QACrC,MAAM,EAAEG,GAAG,CAAA,EAAEC,IAAI,CAAA,EAAE,GAAGJ,GAAG,AAAC;QAC1B/B,KAAK,CAAC,CAAC,cAAc,EAAEkC,GAAG,CAAC,QAAQ,EAAEC,IAAI,CAAC,CAAC,CAAC,CAAC;QAC7C,iCAAiC;QACjC,MAAMC,WAAW,GAAGD,IAAI,CACrBE,GAAG,CAAC,CAACC,GAAG,GAAKtB,MAAM,CAACS,IAAI,CAACa,GAAG,CAAC,CAACHB,QAAQ,CAAC,KAAK,CAAC;QAAA,CAAC,CAC9CiB,IAAI,EAAE,CACNC,WAAW,EAAE,AAAC;QACjB,MAAMC,WAAW,GAAGC,iBAAiB,CAACR,GAAG,GAAGE,WAAW,CAAC,AAAC;QACzD,MAAMO,YAAy,GAAG,CAAC,CAAC,EAAET,GAAG,CAAC,EAAEE,WAAW,CAAC,CAAC,EAAEK,WAAW,CAAC,CAAC,AAAC;QAC5DIC,MAAM,CAAC0B,KAAK,CAACU,YAAy,CAAC,CAAC;KAC5B;CACF;QAbYjC,iBAAiB,GAAjBA,iBAAiB;AAe9B,0CAA0C;AAC1C,SAASgC,iBAAiB,CAACE,MAAc,EAAE;IACzC,IAAIId,QAAQ,GAAG,CAAC,AAAC;IACjB,IAAK,IAAIe,CAAC,GAAG,CAAC,EAAEA,CAAC,GAAGD,MAAM,CAAC1B,MAAM,EAAE2B,CAAC,EAAE,CAAe;QACiCf,QAAQ,IAAIc,MAAM,CAACzC,UAAU,CAAC0C,CAAC,CAAC,CAAC;KACIC;IACD,IAAIC,MAAM,GAAG,CAACHB,QAAQ,GAAG,GAAG,CAAC,CAACR,QAAQ,CAAC,EAAE,CAAC,AAAC;IAC3C,mBAAmB;IACnB,IAAIwB,MAAM,CAAC5B,MAAM,KAAK,CAAC,EAAE;QACvB4B,MAAM,GAAG,CAAC,CAAC,EAAEA,MAAM,CAAC,CAAC,CAAC;KACvB;IACD,OAAOA,MAAM,CAAC;CACf;AAEM,SAAS/C,gBAAgB,CAAC+B,QAAgB,EAAEC,GAAG,WAAW,EAAE;IAC9D,2BAA2B;IAC3B,MAAMgB,WAAW,GAAGjB,QAAQ,CAACE,UAAU,CAAC,GAAG,CAAC,GAAGF,QAA

Q,CAACJ,KAAK,CAAC,CAAC,CAAC,GAAGI,QAAQ,AAAC;IAC5E,iDAAiD;IACjD,MAAMkB,gBAAgB,GAAGN,iBAAiB,CAACX,GAAG,CAAC,AAAC;IACHd,6EAA6E;IAC7E,OAAOgB,WAAW,KAAKC,gBAAgB,CAAC;CACzC"

Found in path(s):

\* /opt/cola/permits/1381072539\_1659629317.1562185/0/cli-0-1-5-tgz/package/build/src/run/ios/appleDevice/protocol/GDBProtocol.js.map  
No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../../../../src/api/rest/cache/wrapFetchWithCache.ts"],"sourcesContent":["/**\n * Copyright (c) 2021 Expo, Inc.\n * Copyright (c) 2020 mistval.\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n * Based on https://github.com/mistval/node-fetch-cache/blob/9c40ddf786b0de22ce521d8bdaa6347bc44dd629/src/index.js#L1\n * But with TypeScript support to fix Jest tests, and removed unused code.\n */\nimport crypto from 'crypto';\nimport FormData from 'form-data';\nimport fs from 'fs';\nimport { Request, RequestInfo, RequestInit, Response } from 'node-fetch';\nimport { URLSearchParams } from 'url';\nimport { FetchLike } from './client.types';\nimport { FileSystemCache } from './FileSystemCache';\nimport { NFCResponse } from './response';\n\nconst CACHE_VERSION = 3;\nconst lockPromiseForKey: Record<string, Promise<any>> = {};\nconst unlockFunctionForKey: Record<string, any> = {};\n\n/**\n * Take out a lock. When this function returns (asynchronously),\n * you have the lock.\n * @param {string} key - The key to lock on. Anyone else who\n * tries to lock on the same key will need to wait for it to\n * be unlocked.\n */\nfunction lock(key: string) {\n  if (!lockPromiseForKey[key]) {\n    lockPromiseForKey[key] = Promise.resolve();\n  }\n\n  const takeLockPromise = lockPromiseForKey[key];\n  lockPromiseForKey[key] = takeLockPromise.then(() => new Promise((fulfill) => {\n    unlockFunctionForKey[key] = fulfill;\n  }));\n\n  return takeLockPromise;\n}\n\n/**\n * Release a lock.\n * @param {string} key - The key to release the lock for.\n * The next person in line will now be able to take out\n * the lock for that key.\n */\nfunction unlock(key: string) {\n  if (unlockFunctionForKey[key]) {\n    unlockFunctionForKey[key]();\n    delete unlockFunctionForKey[key];\n  }\n}\n\nfunction md5(str: string) {\n  return crypto.createHash('md5').update(str).digest('hex');\n}\n\n// Since the boundary in FormData is random,\n// we ignore it for purposes of calculating\n// the cache key.\nfunction getFormDataCacheKey(formData: FormData) {\n  const cacheKey = { ...formData }; \n  const boundary = formData.getBoundary();\n  // @ts-expect-error\n  delete cacheKey._boundary;\n  const boundaryReplaceRegex = new RegExp(boundary, 'g');\n  // @ts-expect-error\n  cacheKey._streams = cacheKey._streams.map((s) => {\n    if (typeof s === 'string') {\n      return s.replace(boundaryReplaceRegex, '');\n    }\n    return s;\n  });\n  return cacheKey;\n}\n\nfunction getBodyCacheKeyJson(body: any) {\n  if (!body) {\n    return body;\n  }\n  if (typeof body === 'string') {\n    return body;\n  }\n  if (body instanceof URLSearchParams) {\n    return body.toString();\n  }\n  if (body instanceof fs.ReadStream) {\n    return body.path;\n  }\n  if (body.toString && body.toString() === '[object FormData]') {\n    return getFormDataCacheKey(body);\n  }\n  if (body instanceof Buffer) {\n    return body.toString();\n  }\n  throw new Error(`Unsupported body type. Supported body types are: string, number, undefined, null, url.URLSearchParams, fs.ReadStream, FormData`);\n}\n\nfunction getRequestCacheKey(req: any) {\n  return {\n    cache: req.cache,\n    credentials: req.credentials,\n    destination: req.destination,\n    headers: req.headers,\n    integrity: req.integrity,\n    method: req.method,\n    redirect: req.redirect,\n    referrer: req.referrer,\n    referrerPolicy: req.referrerPolicy,\n    url: req.url,\n    body: getBodyCacheKeyJson(req.body),\n  };\n}\n\nfunction getCacheKey(requestArguments: any[]) {\n  const resource = requestArguments[0];\n  const init = requestArguments[1] || {};\n  const resourceCacheKeyJson = resource instanceof Request ?\n    getRequestCacheKey(resource) : { url: resource }; \n  const initCacheKeyJson = { ...init }; \n  // @ts-ignore\n  resourceCacheKeyJson.body = getBodyCacheKeyJson(resourceCacheKeyJson.body);\n  initCacheKeyJson.body = getBodyCacheKeyJson(initCacheKeyJson.body);\n  delete initCacheKeyJson.agent;\n  return md5(JSON.stringify([resourceCacheKeyJson, initCacheKeyJson, CACHE_VERSION]));\n}\n\nexport function
```

```

wrapFetchWithCache(\n fetch: FetchLike,\n cache: FileSystemCache\n): (url: RequestInfo, init?: RequestInit |
undefined) => Promise<Response> {\n async function getResponse(\n cache: FileSystemCache,\n url:
RequestInfo,\n init?: RequestInit | undefined\n ) {\n const cacheKey = getCacheKey([url, init]);\n let
cachedValue = await cache.get(cacheKey);\n\n const ejectSelfFromCache = () => cache.remove(cacheKey);\n\n
if (cachedValue) {\n return new NFCResponse(\n cachedValue.bodyStream,\n cachedValue.metaData,\n
ejectSelfFromCache,\n true\n );\n }\n\n await lock(cacheKey);\n try {\n cachedValue = await
cache.get(cacheKey);\n if (cachedValue) {\n return new NFCResponse(\n cachedValue.bodyStream,\n
cachedValue.metaData,\n ejectSelfFromCache,\n true\n );\n }\n\n const fetchResponse =
await fetch(url, init);\n const serializedMeta =
NFCResponse.serializeMetaFromNodeFetchResponse(fetchResponse);\n\n const newlyCachedData = await
cache.set(\n cacheKey,\n // @ts-expect-error\n fetchResponse.body,\n serializedMeta\n );\n\n
return new NFCResponse(\n newlyCachedData!.bodyStream,\n newlyCachedData!.metaData,\n
ejectSelfFromCache,\n false\n );\n } finally {\n unlock(cacheKey);\n }\n }\n return (url: RequestInfo,
init?: RequestInit | undefined) => getResponse(cache, url,
init);\n\n}], "names": ["wrapFetchWithCache", "CACHE_VERSION", "lockPromiseForKey", "unlockFunctionForKe
y", "lock", "key", "Promise", "resolve", "takeLockPromise", "then", "fulfill", "unlock", "md5", "str", "crypto", "createHash",
"update", "digest", "getFormDataCacheKey", "formData", "cacheKey", "boundary", "getBoundary", "_boundary", "boun
daryReplaceRegex", "RegExp", "_streams", "map", "s", "replace", "getBodyCacheKeyJson", "body", "URLSearchParams",
"toString", "fs", "ReadStream", "path", "Buffer", "Error", "getRequestCacheKey", "req", "cache", "credentials", "destina
tion", "headers", "integrity", "method", "redirect", "referrer", "referrerPolicy", "url", "getCacheKey", "requestArguments",
"resource", "init", "resourceCacheKeyJson", "Request", "initCacheKeyJson", "agent", "JSON", "stringify", "fetch", "getR
esponse", "cachedValue", "get", "ejectSelfFromCache", "remove", "NFCResponse", "bodyStream", "metaData", "fetchRe
sponse", "serializedMeta", "serializeMetaFromNodeFetchResponse", "newlyCachedData", "set"], "mappings": "AAUA;
;;;QA0IgBA,kBAAkB,GAAIBA,kBAAkB;AA1If,IAAA,OAAQ,kCAAR,QAAQ,EAAA;AAEZ,IAAA,GAAl,kCA
AJ,IAAl,EAAA;AACyC,IAAA,UAAy,WAAZ,YAAy,CAAA;AACxC,IAAA,IAAK,WAAL,KAAK,CAAA;AAIT
,IAAA,SAAY,WAAZ,YAAy,CAAA;:::AAExC,MAAMC,aAAa,GAAG,CAAC,AAAC;AAExB,MAAMC,iBAAi
B,GAAiC,EAAE,AAAC;AAC3D,MAAMC,oBAAoB,GAAwB,EAAE,AAAC;AAErD;:::GAMG,CACH,eAAeC,I
AAI,CAACC,GAAW,EAAE;IAC/B,IAAI,CAACH,iBAAiB,CAACG,GAAG,CAAC,EAAE;QAC3BH,iBAAiB,CA
ACG,GAAG,CAAC,GAAGC,OAAO,CAACC,OAAO,EAAE,CAAC;KAC5C;IAED,MAAMC,eAAe,GAAGN,iBA
AiB,CAACG,GAAG,CAAC,AAAC;IAC/CH,iBAAiB,CAACG,GAAG,CAAC,GAAGG,eAAe,CAACC,IAAI,CAC
3C,IACE,IAAIH,OAAO,CAAC,CAACI,OAAO,GAAK;YACvBP,oBAAoB,CAACE,GAAG,CAAC,GAAGK,OA
AO,CAAC;SACrC,CAAC;IAAA,CACL,CAAC;IAEF,OAAOF,eAAe,CAAC;CACxB;AAED;:::GAKG,CACH,SA
ASG,MAAM,CAACN,GAAW,EAAE;IAC3B,IAAIF,oBAAoB,CAACE,GAAG,CAAC,EAAE;QAC7BF,oBAAoB,
CAACE,GAAG,CAAC,EAAE,CAAC;QAC5B,OAAOF,oBAAoB,CAACE,GAAG,CAAC,CAAC;KACIC;CACF;
AAED,SAASO,GAAG,CAACC,GAAW,EAAE;IACxB,OAAOC,OAAM,QAAA,CAACC,UAAU,CAAC,KAAK,C
AAC,CAACC,MAAM,CAACH,GAAG,CAAC,CAACI,MAAM,CAAC,KAAK,CAAC,CAAC;CAC3D;AAED,4C
AA4C;AAC5C,2CAA2C;AAC3C,iBAAiB;AACjB,SAASC,mBAAmB,CAACC,QAAkB,EAAE;IAC/C,MAAMC,
QAAQ,GAAG;QAAE,GAAGD,QAAQ;KAAE,AAAC;IACjC,MAAME,QAAQ,GAAGF,QAAQ,CAACG,WAAW,
EAAE,AAAC;IAExC,mBAAmB;IACnB,OAAOF,QAAQ,CAACG,SAAS,CAAC;IAE1B,MAAMC,oBAAoB,GA
AG,IAAIC,MAAM,CAACJ,QAAQ,EAAE,GAAG,CAAC,AAAC;IAEvD,mBAAmB;IACnBD,QAAQ,CAACM,QA
AQ,GAAGN,QAAQ,CAACM,QAAQ,CAACC,GAAG,CAAC,CAACC,CAAC,GAAK;QAC/C,IAAI,OAAOA,CA
AC,KAAK,QAAQ,EAAE;YACzB,OAAOA,CAAC,CAACC,OAAO,CAACL,oBAAoB,EAAE,EAAE,CAAC,CAA
C;SAC5C;QAED,OAAOI,CAAC,CAAC;KACV,CAAC,CAAC;IAEH,OAAOR,QAAQ,CAAC;CACjB;AAED,SA
ASU,mBAAmB,CAACC,IAAS,EAAE;IACtC,IAAI,CAACA,IAAI,EAAE;QACT,OAAOA,IAAI,CAAC;KACb;IA
CD,IAAI,OAAOA,IAAI,KAAK,QAAQ,EAAE;QAC5B,OAAOA,IAAI,CAAC;KACb;IACD,IAAIA,IAAI,YAA
Y C,IAAe,gBAAA,EAAE;QACnC,OAAOD,IAAI,CAACE,QAAQ,EAAE,CAAC;KACxB;IACD,IAAIF,IAAI,YAA
YG,GAEE,QAAA,CAACC,UAAU,EAAE;QACjC,OAAOJ,IAAI,CAACK,IAAI,CAAC;KACIB;IACD,IAAIL,IAA
I,CAACE,QAAQ,IAAIF,IAAI,CAACE,QAAQ,EAAE,KAAK,mBAAmB,EAAE;QAC5D,OAAOf,mBAAmB,CAA

```

Ca,IAAI,CAAC,CAAC;KACIC;IACD,IAAIA,IAAI,YAA YM,MAAM,EAAE;QAC1B,OAAON,IAAI,CAACE,QA  
AQ,EAAE,CAAC;KACxB;IAED,MAAM,IAAIK,KAAC,CACb,gIAAgI,CACjI,CAAC;CACH;AAED,SAASC,kB  
AAkB,CAACC,GAAQ,EAAE;IACpC,OAAO;QACL,KAAC,EAAED,GAAG,CAACC,KAAC;QACbBC,WAA  
W,EAAEF,GAAG,CAACE,WAAW;QAC5BC,WAAW,EAAEH,GAAG,CAACG,WAAW;QAC5BC,OAAO,EAA  
EJ,GAAG,CAACI,OAAO;QACpBC,SAAS,EAAEL,GAAG,CAACK,SAAS;QACxBC,MAAM,EAAEN,GAAG,C  
AACM,MAAM;QACIBC,QAAQ,EAAEP,GAAG,CAACO,QAAQ;QACtBC,QAAQ,EAAER,GAAG,CAACQ,QA  
AQ;QACtBC,cAAc,EAAET,GAAG,CAACS,cAAc;QACICC,GAAG,EAAEV,GAAG,CAACU,GAAG;QACZnB,I  
AAI,EAAED,mBAAmB,CAACU,GAAG,CAACT,IAAI,CAAC;KACpC,CAAC;CACH;AAED,SAASoB,WAAW,  
CAACC,gBAAuB,EAAE;IAC5C,MAAMC,QAAQ,GAAGD,gBAAgB,CAAC,CAAC,CAAC,AAAC;IACrC,MAA  
ME,IAAI,GAAGF,gBAAgB,CAAC,CAAC,CAAC,IAAI,EAAE,AAAC;IAEvC,MAAMG,oBAAoB,GACxBF,QA  
AQ,YAA YG,UAAO,QAAA,GAAGjB,kBAaKB,CAACc,QAAQ,CAAC,GAAG;QAAEH,GAAG,EAAEG,QAAQ;  
KAAE,AAAC;IAEjF,MAAMI,gBAAgB,GAAG;QAAE,GAAGH,IAAI;KAAE,AAAC;IAErC,aAAa;IACbC,oBAA  
oB,CAACxB,IAAI,GAAGD,mBAAmB,CAACyB,oBAAoB,CAACxB,IAAI,CAAC,CAAC;IAC3E0B,gBAAgB,C  
AAC1B,IAAI,GAAGD,mBAAmB,CAAC2B,gBAAgB,CAAC1B,IAAI,CAAC,CAAC;IAEnE,OAAO0B,gBAAgB,  
CAACC,KAAC,CAAC;IAE9B,OAAO9C,GAAG,CAAC+C,IAAI,CAACC,SAAS,CAAC;QAACL,oBAAoB;QAA  
EE,gBAAgB;QAAExD,aAAa;KAAC,CAAC,CAAC,CAAC;CACrF;AAEM,SAASD,kBAaKB,CACbC6D,KAAgB  
,EACbBpB,MAAsB,EACmD;IACzE,eAAeqB,WAAW,CACxBrB,KAA sB,EACtBS,GAAgB,EACbBI,IAA8B,EA  
C9B;QACA,MAAMIC,QAAQ,GAAG+B,WAAW,CAAC;YAACD,GAAG;YAAEI,IAAI;SAAC,CAAC,AAAC;Q  
AC1C,IAAIS,WAAW,GAAG,MAAMtB,KAAC,CAACuB,GAAG,CAAC5C,QAAQ,CAAC,AAAC;QAE5C,MAA  
M6C,kBAaKB,GAAG,IAAMxB,KAAC,CAACyB,MAAM,CAAC9C,QAAQ,CAAC;QAAC;QAExD,IAAI2C,WA  
AW,EAAE;YACf,OAAO,IAAI,SAAW,YAAA,CACpBJ,WAAW,CAACK,UAAU,EACtBL,WAAW,CAACM,QA  
AQ,EACpBJ,kBAaKB,EACIB,IAAI,CACL,CAAC;SACH;QAED,MAAM7D,IAAI,CAACgB,QAAQ,CAAC,CAA  
C;QACrB,IAAI;YACF2C,WAAW,GAAG,MAAMtB,KAAC,CAACuB,GAAG,CAAC5C,QAAQ,CAAC,CAAC;Y  
ACxC,IAAI2C,WAAW,EAAE;gBACf,OAAO,IAAI,SAAW,YAAA,CACpBJ,WAAW,CAACK,UAAU,EACtBL,  
WAAW,CAACM,QAAQ,EACpBJ,kBAaKB,EACIB,IAAI,CACL,CAAC;aACH;YAED,MAAMK,aAAa,GAAG,M  
AAMT,KAAC,CAACX,GAAG,EAAEI,IAAI,CAAC,AAAC;YAC7C,MAAMiB,cAAc,GAAGJ,SAAW,YAAA,CA  
ACK,kCAaK,CAACF,aAAa,CAAC,AAAC;YAErF,MAAMG,eAAe,GAAG,MAAMhC,KAAC,CAACiC,GAAG,  
CACrCtD,QAAQ,EACR,mBAAmB;YACnBkD,aAAa,CAACvC,IAAI,EACIBwC,cAAc,CACf,AAAC;YAEF,OA  
AO,IAAIJ,SAAW,YAAA,CACpBM,eAAe,CAAEL,UAAU,EAC3BK,eAAe,CAAEL,QAAQ,EACzBJ,kBAaKB,EA  
CIB,KAAC,CACN,CAAC;SACH,QAAS;YACrD,MAAM,CAACS,QAAQ,CAAC,CAAC;SACIB;KACF;IACD,  
OAAO,CAAC8B,GAAgB,EAAEI,IAA8B,GAAKQ,WAAW,CAACrB,MAAK,EAAES,GAAG,EAAEI,IAAI,CAA  
C;IAAA,CAAC;CAC5F" }

Found in path(s):

\* /opt/cola/permits/1381072539\_1659629317.1562185/0/cli-0-1-5-  
tgz/package/build/src/api/rest/cache/wrapFetchWithCache.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../../../../src/run/ios/appleDevice/client/DebugserverClient.ts"],"sourcesContent":["/**\n * Copyright (c) 2021 Expo, Inc.\n * Copyright (c) 2018 Drifty Co.\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n */\n\nimport Debug from 'debug';\nimport { Socket } from 'net';\nimport * as path from 'path';\nimport { GDBProtocolClient } from '../protocol/GDBProtocol';\nimport { ServiceClient } from './ServiceClient';\n\nconst debug = Debug('expo:apple-device:client:debugserver');\n\nexport class DebugserverClient extends ServiceClient<GDBProtocolClient> {\n  constructor(public socket: Socket) {\n    super(socket, new GDBProtocolClient(socket));\n  }\n\n  async setMaxPacketSize(size: number) {\n    return this.sendCommand('QSetMaxPacketSize:', [size.toString()]);\n  }\n\n  async setWorkingDir(workingDir: string) {\n    return this.sendCommand('QSetWorkingDir:', [workingDir]);\n  }\n\n  async checkLaunchSuccess() {\n    return this.sendCommand('qLaunchSuccess', []);\n  }\n}
```

```

attachByName(name: string) {\n  const hexName = Buffer.from(name).toString('hex');\n  return
this.sendCommand(`\vAttachName;${hexName}`, []);\n }\n\n async continue() {\n  return this.sendCommand('c',
[]);\n }\n\n halt() {\n  // ^C\n  debug('Sending ^C to debugserver');\n  return
this.protocolClient.socket.write("\u0003");\n }\n\n async kill() {\n  debug('kill');\n  const msg: any = { cmd: 'k',
args: [] };\n  return this.protocolClient.sendMessage(msg, (resp: string, resolve: any) => {\n
debug(`kill:response: ${resp}`);\n  this.protocolClient.socket.write('+');\n  const parts = resp.split(';');\n  for
(const part of parts) {\n    if (part.includes('description')) {\n      // description: {hex encoded message like:
'\nTerminated with signal 9'\n      resolve(Buffer.from(part.split(':')[1], 'hex').toString('ascii'));\n    }\n  }\n
});\n }\n\n // TODO support app args\n // https://sourceware.org/gdb/onlinedocs/gdb/Packets.html#Packets\n // A
arglen,argnum,arg,\n  async launchApp(appPath: string, executableName: string) {\n  const fullPath =
path.join(appPath, executableName);\n  const hexAppPath = Buffer.from(fullPath).toString('hex');\n  const
appCommand = `A${hexAppPath.length},0,${hexAppPath}`;\n  return this.sendCommand(appCommand, []);\n
}\n\n  async sendCommand(cmd: string, args: string[]) {\n  const msg = { cmd, args };\n  debug(` Sending
command: ${cmd}, args: ${args}`);\n  const resp = await this.protocolClient.sendMessage(msg);\n  // we need to
ACK as well\n  this.protocolClient.socket.write('+');\n  return resp;\n
}\n}\n\n,"names":["path","debug","Debug","DebugserverClient","ServiceClient","constructor","socket","GDBProto
colClient","setMaxPacketSize","size","sendCommand","toString","setWorkingDir","workingDir","checkLaunchSuc
cess","attachByName","name","hexName","Buffer","from","continue","halt","protocolClient","write","kill","msg","
cmd","args","sendMessage","resp","resolve","parts","split","part","includes","launchApp","appPath","executableNa
me","fullPath","join","hexAppPath","appCommand","length"],"mappings":"AAOA;;;AAAkB,IAAA,MAAO,kCA
AP,OAAO,EAAA;AAEbA,IAAAA,IAAI,mCAAM,MAAM,EAAZ;AAEkB,IAAA,YAAyB,WAAzB,yBAAyB,CA
AA;AAC7B,IAAA,cAAiB,WAAjB,iBAAiB,CAAA;::::::::::::::::::::::::::AAE/C,MAAMC,KAAK,GAAGC,CAAAA,
GAAAA,MAAK,AAAwC,CAAA,QAAxC,CAAC,sCAAsC,CAAC,AAAC;AAErD,MAAMC,iBAAiB,SAASC,cA
Aa,cAAA;IACIDC,YAAmBC,MAAc,CAAE;QACjC,KAAK,CAACA,MAAM,EAAE,IAAIC,YAAiB,kBAAA,CA
ACD,MAAM,CAAC,CAAC,CAAC;aAD5BA,MAAc,GAAdA,MAAc;KAEhC;IAED,MAAME,gBAAgB,CAACC,
IAAY,EAAE;QACnC,OAAO,IAAI,CAACC,WAAW,CAAC,oBAAoB,EAAE;YAACD,IAAI,CAACE,QAAQ,EA
AE;SAAC,CAAC,CAAC;KACIE;IAED,MAAMC,aAAa,CAACC,UAAkB,EAAE;QACtC,OAAO,IAAI,CAACH,
WAAW,CAAC,iBAAiB,EAAE;YAACG,UAAU;SAAC,CAAC,CAAC;KACiD;IAED,MAAMC,kBAkB,GAAG;
QACzB,OAAO,IAAI,CAACJ,WAAW,CAAC,gBAAgB,EAAE,EAAE,CAAC,CAAC;KAC/C;IAED,MAAMK,YA
AY,CAACC,IAAY,EAAE;QAC/B,MAAMC,OAAO,GAAGC,MAAM,CAACC,IAAI,CAACH,IAAI,CAAC,CAA
CL,QAAQ,CAAC,KAAK,CAAC,AAAC;QACiD,OAAO,IAAI,CAACD,WAAW,CAAC,CAAC,YAAyB,EAAEO,O
AAO,CAAC,CAAC,EAAE,EAAE,CAAC,CAAC;KACvD;IAED,MAAMG,QAAQ,GAAG;QACf,OAAO,IAAI,CA
ACV,WAAW,CAAC,GAAG,EAAE,EAAE,CAAC,CAAC;KACiC;IAEDW,IAAI,GAAG;QACL,KAAK;QAClpB,
KAAK,CAAC,2BAA2B,CAAC,CAAC;QACnC,OAAO,IAAI,CAACqB,cAAc,CAACkB,MAAM,CAACiB,KAAK
,CAAC,MAAQ,CAAC,CAAC;KACnD;IAED,MAAMC,IAAI,GAAG;QACXvB,KAAK,CAAC,CAAC,IAAI,CAA
C,CAAC,CAAC;QACd,MAAMwB,GAAG,GAAQ;YAAEC,GAAG,EAAE,GAAG;YAAEC,IAAI,EAAE,EAAE;S
AAE,AAAC;QACxC,OAAO,IAAI,CAACL,cAAc,CAACM,WAAW,CAACH,GAAG,EAAE,CAACI,IAAY,EAAE
C,OAAyB,GAAG;YACiE7B,KAAK,CAAC,CAAC,eAAe,EAAE4B,IAAI,CAAC,CAAC,CAAC,CAAC;YAChC,I
AAI,CAACP,cAAc,CAACkB,MAAM,CAACiB,KAAK,CAAC,GAAG,CAAC,CAAC;YACtC,MAAMQ,KAAK,G
AAGF,IAAI,CAACG,KAAK,CAAC,GAAG,CAAC,AAAC;YAC9B,KAAK,MAAMC,IAAI,IAAIF,KAAK,CAAE;
gBACxB,IAAIE,IAAI,CAACC,QAAQ,CAAC,aAAa,CAAC,EAAE;oBAChC,qEAAqE;oBACrEJ,OAAO,CAACZ,
MAAM,CAACC,IAAI,CAACc,IAAI,CAACD,KAAK,CAAC,GAAG,CAAC,CAAC,CAAC,CAAC,EAAE,KAAK,
CAAC,CAACrB,QAAQ,CAAC,OAAO,CAAC,CAAC,CAAC;iBACnE;aACF;SACF,CAAC,CAAC;KACj;IAED,
wBAAwB;IACxB,iEAAiE;IACjE,uBAAuB;IACvB,MAAMwB,SAAS,CAACC,OAAe,EAAEC,cAAsB,EAAE;QA
CvD,MAAMC,QAAQ,GAAGiC,IAAI,CAACuC,IAAI,CAACH,OAAO,EAAEC,cAAc,CAAC,AAAC;QACpD,M
AAMG,UAAU,GAAGtB,MAAM,CAACC,IAAI,CAACmB,QAAQ,CAAC,CAAC3B,QAAQ,CAAC,KAAK,CAA
C,AAAC;QACzD,MAAM8B,UAAU,GAAG,CAAC,CAAC,EAAED,UAAU,CAACE,MAAM,CAAC,GAAG,EA
EF,UAAU,CAAC,CAAC,AAAC;QAC3D,OAAO,IAAI,CAAC9B,WAAW,CAAC+B,UAAU,EAAE,EAAE,CAAC

```

,CAAC;KACzC;IAED,MAAM/B,WAAW,CAACgB,GAAW,EAAEC,IAAc,EAAE;QAC7C,MAAMF,GAAG,GAAG;YAAEC,GAAG;YAAEC,IAAI;SAAE,AAAC;QAC1B1B,KAAK,CAAC,CAAC,iBAAiB,EAAEyB,GAAG,CAAC,QAAQ,EAAEC,IAAI,CAAC,CAAC,CAAC,CAAC;QACbD,MAAME,IAAI,GAAG,MAAM,IAAI,CAACP,cAAc,CAACM,WAAW,CAACH,GAAG,CAAC,AAAC;QACxD,yBAAyB;QACzB,IAAI,CAACH,cAAc,CAACHB,MAAM,CAACiB,KAAK,CAAC,GAAG,CAAC,CAAC;QACtC,OAAOM,IAAI,CAAC;KACb;CACF;QAIEY1B,iBAAiB,GAAjBA,iBAAiB"}

Found in path(s):

\* /opt/cola/permits/1381072539\_1659629317.1562185/0/cli-0-1-5-tgz/package/build/src/run/ios/appleDevice/client/DebugserverClient.js.map  
No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../../../../src/run/ios/appleDevice/protocol/LockdownProtocol.ts"],"sourcesContent":["/*\n * Copyright (c) 2021 Expo, Inc.\n * Copyright (c) 2018 Drifty Co.\n * This source code is licensed under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n */\n\nimport plist from '@expo/plist';\nimport Debug from 'debug';\nimport { Socket } from 'net';\nimport { CommandError } from './../../../../utils/errors';\nimport type { ProtocolWriter } from './AbstractProtocol';\nimport { PlistProtocolReader, ProtocolClient, ProtocolReaderFactory } from './AbstractProtocol';\n\nconst debug = Debug('expo:apple-device:protocol:lockdown');\n\nexport const LOCKDOWN_HEADER_SIZE = 4;\n\nexport interface LockdownCommand {\n  Command: string;\n  [key: string]: any;\n}\n\nexport interface LockdownResponse {\n  Status: string;\n  [key: string]: any;\n}\n\nexport interface LockdownErrorResponse {\n  Error: string;\n  Request?: string;\n  Service?: string;\n}\n\nexport interface LockdownRequest {\n  Request: string;\n  [key: string]: any;\n}\n\nfunction isDefined(val: any) {\n  return typeof val !== 'undefined';\n}\n\nexport function isLockdownResponse(resp: any): resp is LockdownResponse {\n  return isDefined(resp.Status);\n}\n\nexport function isLockdownErrorResponse(resp: any): resp is LockdownErrorResponse {\n  return isDefined(resp.Error);\n}\n\nexport class LockdownProtocolClient<MessageType extends LockdownRequest | LockdownCommand = LockdownRequest> extends ProtocolClient<MessageType> {\n  constructor(socket: Socket) {\n    super(socket, new ProtocolReaderFactory(LockdownProtocolReader), new LockdownProtocolWriter());\n  }\n}\n\nexport class LockdownProtocolReader extends PlistProtocolReader {\n  constructor(callback: (data: any) => any) {\n    super(LOCKDOWN_HEADER_SIZE, callback);\n  }\n\n  parseHeader(data: Buffer) {\n    return data.readUInt32BE(0);\n  }\n\n  parseBody(data: Buffer) {\n    const resp = super.parseBody(data);\n    debug(`Response: ${JSON.stringify(resp)}`);\n    if (isLockdownErrorResponse(resp)) {\n      if (resp.Error === 'DeviceLocked') {\n        throw new CommandError('APPLE_DEVICE_LOCKED', 'Device is currently locked.);\n      }\n      if (resp.Error === 'InvalidService') {\n        let errorMessage = `${resp.Error}: ${resp.Service} (request: ${resp.Request})`;\n        if (resp.Service === 'com.apple.debugserver') {\n          errorMessage += '\n\nTry reconnecting your device. You can also debug service logs with `export DEBUG=expo:xdl:ios:*`';\n        }\n        throw new CommandError('APPLE_DEVICE_LOCKDOWN', errorMessage);\n      }\n      throw new CommandError('APPLE_DEVICE_LOCKDOWN', resp.Error);\n    }\n    return resp;\n  }\n}\n\nexport class LockdownProtocolWriter implements ProtocolWriter {\n  write(socket: Socket, plistData: any) {\n    debug(`socket write: ${JSON.stringify(plistData)}`);\n    const plistMessage = plist.build(plistData);\n    const header = Buffer.alloc(LOCKDOWN_HEADER_SIZE);\n    header.writeUInt32BE(plistMessage.length, 0);\n    socket.write(header);\n    socket.write(plistMessage);\n  }\n}\n\n"],"names":["isLockdownResponse","isLockdownErrorResponse","debug","Debug","LOCKDOWN_HEADER_SIZE","isDefined","val","resp","Status","Error","LockdownProtocolClient","ProtocolClient","constructor","socket","ProtocolReaderFactory","LockdownProtocolReader","LockdownProtocolWriter","PlistProtocolReader","callback","parseHeader","data","readUInt32BE","parseBody","JSON","stringify","CommandError","errorMessage","Service","Request","write","plistData","plistMessage","plist","build","header","Buffer","alloc","writeUInt32BE","length"],"mappings":"AAQA;;;QAoCgBA,kBAAkB,GAAIBA,kBAAkB;QAIIbC,uBAAuB,GAAvBA,uBAAuB;;AAxCr
```

B,IAAA,MAAA,kCAAb,aAAa,EAAA;AACb,IAAA,MAAO,kCAAP,OAAO,EAAA;AAGI,IAAA,OAA0B,WAA1  
B,0BAA0B,CAAA;AAEoB,IAAA,iBAAoB,WAApB,oBAAoB,CAAA;::;AAE/F,MAAMC,KAAK,GAAGC,CAA  
AA,GAAAA,MAAK,AAAUc,CAAA,QAAvC,CAAC,qCAAqC,CAAC,AAAC;AACpD,MAAMC,oBAAoB,GAA  
G,CAAC,AAAC;QAAzBA,oBAAoB,GAAPBA,oBAAoB;AAuBjC,SAASC,SAAS,CAACC,GAAQ,EAAE;IAC3B,  
OAAO,OAAOA,GAAG,KAAK,WAAW,CAAC;CACnC;AAEM,SAASN,kBAaKb,CAACO,IAAS,EAA4B;IACtE  
,OAAOF,SAAS,CAACE,IAAI,CAACC,MAAM,CAAC,CAAC;CAC/B;AAEM,SAASP,uBAAuB,CAACM,IAAS,  
EAAiC;IAChF,OAAOF,SAAS,CAACE,IAAI,CAACE,KAAK,CAAC,CAAC;CAC9B;AAEM,MAAMC,sBAAsB,  
SAEzBC,iBAAc,eAAA;IACtBC,YAAYC,MAAc,CAAE;QAC1B,KAAK,CAACA,MAAM,EAAE,IAAIC,iBAAqB  
,sBAAA,CAACC,sBAAsB,CAAC,EAAE,IAAIC,sBAAsB,EAAE,CAAC,CAAC;KACgG;CACF;QANYN,sBAAs  
B,GAAtBA,sBAAsB;AAQ5B,MAAMK,sBAAsB,SAASE,iBAAmB,oBAAA;IAC7DL,YAAYM,QAA4B,CAAE;Q  
ACxC,KAAK,CAACd,oBAAoB,EAAEc,QAAQ,CAAC,CAAC;KACvC;IAEDC,WAAW,CAACC,IAAY,EAAE;Q  
ACxB,OAAOA,IAAI,CAACC,YAAY,CAAC,CAAC,CAAC,CAAC;KAC7B;IAEDC,SAAS,CAACF,IAAY,EAAE  
;QACtB,MAAMb,IAAI,GAAG,KAAK,CAACe,SAAS,CAACF,IAAI,CAAC,AAAC;QACnClB,KAAK,CAAC,CA  
AC,UAAU,EAAEqB,IAAI,CAACC,SAAS,CAACjB,IAAI,CAAC,CAAC,CAAC,CAAC,CAAC;QAC3C,IAAIN,u  
BAAuB,CAACM,IAAI,CAAC,EAAE;YACjC,IAAIA,IAAI,CAACE,KAAK,KAAK,cAAc,EAAE;gBACjC,MAA  
M,IAAIgB,OAAy,aAAA,CAAC,qBAAqB,EAAE,6BAA6B,CAAC,CAAC;aAC9E;YAED,IAAIIB,IAAI,CAACE,  
KAAK,KAAK,gBAAgB,EAAE;gBACnC,IAAIiB,YAAY,GAAG,CAAC,EAAEnB,IAAI,CAACE,KAAK,CAAC,E  
AAE,EAAEF,IAAI,CAACoB,OAAO,CAAC,WAAW,EAAEpB,IAAI,CAACqB,OAAO,CAAC,CAAC,CAAC,AA  
AC;gBAC/E,IAAIrB,IAAI,CAACoB,OAAO,KAAK,uBAAuB,EAAE;oBAC5CD,YAAY,IACV,oGAAoG,CAAC;i  
BACxG;gBACD,MAAM,IAAID,OAAy,aAAA,CAAC,uBAAuB,EAAEC,YAAY,CAAC,CAAC;aAC/D;YAED,M  
AAM,IAAID,OAAy,aAAA,CAAC,uBAAuB,EAAEIB,IAAI,CAACE,KAAK,CAAC,CAAC;SAC7D;QACD,OAA  
OF,IAAI,CAAC;KACb;CACF;QA9BYQ,sBAAsB,GAAtBA,sBAAsB;AAgC5B,MAAMC,sBAAsB;IACjCa,KAA  
K,CAACb,MAAc,EAAEiB,SAAc,EAAE;QACpC5B,KAAK,CAAC,CAAC,cAAc,EAAEqB,IAAI,CAACC,SAA  
S,CAACM,SAAS,CAAC,CAAC,CAAC,CAAC,CAAC;QACpD,MAAMC,YAAY,GAAGC,MAAK,QAAA,CAAC  
C,KAAK,CAACH,SAAS,CAAC,AAAC;QAC5C,MAAMI,MAAM,GAAGC,MAAM,CAACC,KAAK,CAACc,o  
BAAoB,CAAC,AAAC;QACID8B,MAAM,CAACG,aAAa,CAACN,YAAY,CAACO,MAAM,EAAE,CAAC,CAA  
C,CAAC;QAC7CzB,MAAM,CAACgB,KAAK,CAACK,MAAM,CAAC,CAAC;QACrBrB,MAAM,CAACgB,KA  
AK,CAACE,YAAY,CAAC,CAAC;KAC5B;CACF;QATYf,sBAAsB,GAAtBA,sBAAsB"} }

Found in path(s):

```
* /opt/cola/permits/1381072539_1659629317.1562185/0/cli-0-1-5-  
tgz/package/build/src/run/ios/appleDevice/protocol/LockdownProtocol.js.map
```

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../src/run/ios/appleDevice/client/MobileImageMounterClient.ts"],"sourcesConten  
t":["/*\n * Copyright (c) 2021 Expo, Inc.\n * Copyright (c) 2018 Drifty Co.\n *\n * This source code is licensed  
under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n */\nimport Debug  
from 'debug';\nimport * as fs from 'fs';\nimport { Socket } from 'net';\nimport type { LockdownCommand,  
LockdownResponse } from '../protocol/LockdownProtocol';\nimport { isLockdownResponse,  
LockdownProtocolClient } from '../protocol/LockdownProtocol';\nimport { ResponseError, ServiceClient } from  
 './ServiceClient';\n\nconst debug = Debug('expo:apple-device:client:mobile_image_mounter');\n\nexport type  
MIMMountResponse = LockdownResponse;\n\nexport interface MIMMessage extends LockdownCommand {\n  ImageType: string;\n}\n\nexport interface MIMLookupResponse extends LockdownResponse {\n  ImageSignature?:  
string;\n}\n\nexport interface MIMUploadCompleteResponse extends LockdownResponse {\n  Status:  
'Complete';\n}\n\nexport interface MIMUploadReceiveBytesResponse extends LockdownResponse {\n  Status:  
'ReceiveBytesAck';\n}\n\nfunction isMIMUploadCompleteResponse(resp: any): resp is  
MIMUploadCompleteResponse {\n  return resp.Status === 'Complete';\n}\n\nfunction  
isMIMUploadReceiveBytesResponse(resp: any): resp is MIMUploadReceiveBytesResponse {\n  return resp.Status
```

```

=== 'ReceiveBytesAck';\n\n\nexport class MobileImageMounterClient extends
ServiceClient<LockdownProtocolClient<MIMMessage>> {\n  constructor(socket: Socket) {\n    super(socket, new
LockdownProtocolClient(socket));\n  }\n\n  async mountImage(imagePath: string, imageSig: Buffer) {\n
debug(`mountImage: ${imagePath}`);\n\n    const resp = await this.protocolClient.sendMessage({\n      Command:
'MountImage',\n      ImagePath: imagePath,\n      ImageSignature: imageSig,\n      ImageType: 'Developer',\n
});\n\n    if (!isLockdownResponse(resp) || resp.Status !== 'Complete') {\n      throw new ResponseError(`There was
an error mounting ${imagePath} on device`, resp);\n    }\n\n    async uploadImage(imagePath: string, imageSig:
Buffer) {\n      debug(`uploadImage: ${imagePath}`);\n\n      const imageSize = fs.statSync(imagePath).size;\n
return
this.protocolClient.sendMessage({\n        Command: 'ReceiveBytes',\n        ImageSize: imageSize,\n
ImageSignature: imageSig,\n        ImageType: 'Developer',\n      },\n      (resp: any, resolve, reject) => {\n
if
(isMIMUploadReceiveBytesResponse(resp)) {\n          const imageStream = fs.createReadStream(imagePath);\n
imageStream.pipe(this.protocolClient.socket, { end: false });\n          imageStream.on('error', (err) =>
reject(err));\n        }\n        else if (isMIMUploadCompleteResponse(resp)) {\n          resolve();\n        }
else {\n          reject(\n            new
ResponseError(`There was an error uploading image ${imagePath} to the device`, resp)\n          );\n        }\n
});\n\n    }\n\n    async lookupImage() {\n      debug('lookupImage');\n\n      return
this.protocolClient.sendMessage<MIMLookupResponse>({\n        Command: 'LookupImage',\n        ImageType:
'Developer',\n      });\n    }\n  }\n\n  "names":["fs","debug","Debug","isMIMUploadCompleteResponse","resp","Status","isMIMUploadReceive
BytesResponse","MobileImageMounterClient","ServiceClient","constructor","socket","LockdownProtocolClient","
mountImage","imagePath","imageSig","protocolClient","sendMessage","Command","ImagePath","ImageSignature",
"ImageType","isLockdownResponse","ResponseError","uploadImage","imageSize","statSync","size","ImageSize",
"resolve","reject","imageStream","createReadStream","pipe","end","on","err","lookupImage"],"mappings":"AAOA
;;;AAAkB,IAAA,MAAO,kCAAP,OAAO,EAAA;AACbA,IAAAA,EAAE,mCAAM,IAAI,EAAV;AAI6C,IAAA,iB
AA8B,WAA9B,8BAA8B,CAAA;AAC5C,IAAA,cAAiB,WAAjB,iBAAiB,CAAA;:::;AAE9D,MAA
MC,KAAK,GAAGC,CAAAA,GAAAA,MAAK,AAAI,CAAA,QAAjD,CAAC,+CAA+C,CAAC,AAAC;AAoBrE,
SAASC,2BAA2B,CAACC,IAAS,EAAqC;IACjF,OAAOA,IAAI,CAACC,MAAM,KAAK,UAAU,CAAC;CACnC;
AAED,SAASC,+BAA+B,CAACF,IAAS,EAAyC;IACzF,OAAOA,IAAI,CAACC,MAAM,KAAK,iBAAiB,CAAC;
CAC1C;AAEM,MAAME,wBAAwB,SAASC,cAAa,cAAA;IACzDC,YAAyC,MAAc,CAAe;QAC1B,KAAK,CAA
CA,MAAM,EAAE,IAAIC,iBAAsB,uBAAA,CAACD,MAAM,CAAC,CAAC,CAAC;KACnD;IAED,MAAME,UA
AU,CAACC,SAAiB,EAAEC,QAAgB,EAAE;QACpDb,KAAK,CAAC,CAAC,YAAy,EAAEY,SAAS,CAAC,CAA
C,CAAC,CAAC;QAEIC,MAAMT,IAAI,GAAG,MAAM,IAAI,CAACW,cAAc,CAACC,WAAW,CAAC;YACjDC,
OAAO,EAAE,YAAy;YACrBC,SAAS,EAAEL,SAAS;YACpBM,cAAc,EAAEL,QAAQ;YACxBM,SAAS,EAAE,
WAAW;SACvB,CAAC,AAAC;QAEH,IAAI,CAACC,CAAAA,GAAAA,iBAAkB,AAAM,CAAA,mBAAN,CAAC
jB,IAAI,CAAC,IAAIA,IAAI,CAACC,MAAM,KAAK,UAAU,EAAE;YAC3D,MAAM,IAAI,CAAA,cAAA,CAA
C,CAAC,4BAA4B,EAAET,SAAS,CAAC,UAAU,CAAC,EAAET,IAAI,CAAC,CAAC;SACrF;KACF;IAED,MAA
MmB,WAAW,CAACV,SAAiB,EAAEC,QAAgB,EAAE;QACrDb,KAAK,CAAC,CAAC,aAAa,EAAEY,SAAS,CA
AC,CAAC,CAAC,CAAC;QAEhC,MAAMW,SAAS,GAAGxB,EAAE,CAACyB,QAAQ,CAACZ,SAAS,CAAC,C
AAc,IAAI,AAAC;QAC9C,OAAO,IAAI,CAACX,cAAc,CAACC,WAAW,CACpC;YACEC,OAAO,EAAE,cAAc;
YACvBU,SAAS,EAAEH,SAAS;YACpBL,cAAc,EAAEL,QAAQ;YACxBM,SAAS,EAAE,WAAW;SACvB,EACD
,CAACHB,IAAS,EAAEWB,OAAO,EAAEC,MAAM,GAAG;YAC9B,IAAIvB,+BAA+B,CAACF,IAAI,CAAC,EA
AE;gBACzC,MAAM0B,WAAW,GAAG9B,EAAE,CAAC+B,gBAAgB,CAACIB,SAAS,CAAC,AAAC;gBACnDi
B,WAAW,CAACE,IAAI,CAAC,IAAI,CAACjB,cAAc,CAACL,MAAM,EAAE;oBAAEuB,GAAG,EAAE,KAAK;i
BAAE,CAAC,CAAC;gBAC7DH,WAAW,CAACI,EAAE,CAAC,OAAO,EAAE,CAACC,GAAG,GAAGN,MAAM
,CAACM,GAAG,CAAC;gBAAA,CAAC,CAAC;aAC/C,MAAM,IAAIhC,2BAA2B,CAACC,IAAI,CAAC,EAAE;g
BAC5CwB,OAAO,EAAE,CAAC;aACX,MAAM;gBACL,MAAM,CACJ,IAAIP,cAAa,cAAA,CAAC,CAAC,mC
AAmC,EAAET,SAAS,CAAC,cAAc,CAAC,EAAET,IAAI,CAAC,CACzF,CAAC;aACH;SACF,CACF,CAAC;KA
CH;IAED,MAAMgC,WAAW,GAAG;QACIBnC,KAAK,CAAC,aAAa,CAAC,CAAC;QAErB,OAAO,IAAI,CAAC
c,cAAc,CAACC,WAAW,CAAoB;YACxDC,OAAO,EAAE,aAAa;YACTBG,SAAS,EAAE,WAAW;SACvB,CAAC,

```



CAAC;KACJ;CACF;QAvDYb,wBAAwB,GAAXBA,wBAAwB" }

Found in path(s):

\* /opt/cola/permits/1381072539\_1659629317.1562185/0/cli-0-1-5-

tgz/package/build/src/run/ios/appleDevice/client/MobileImageMounterClient.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../../../../src/run/ios/appleDevice/ClientManager.ts"],"sourcesContent":["/**\n * Copyright\n (c) 2021 Expo, Inc.\n * Copyright (c) 2018 Drifty Co.\n * This source code is licensed under the MIT license\n found in the\n * LICENSE file in the root directory of this source tree.\n */\nimport { Socket } from 'net';\nimport { Duplex } from 'stream';\nimport * as tls from 'tls';\nimport { CommandError } from '../../utils/errors';\nimport { AFCCClient } from './client/AFCCClient';\nimport { DebuggerServerClient } from './client/DebuggerServerClient';\nimport { InstallationProxyClient } from './client/InstallationProxyClient';\nimport { LockdownClient } from './client/LockdownClient';\nimport { MobileImageMounterClient } from './client/MobileImageMounterClient';\nimport { ServiceClient } from './client/ServiceClient';\nimport { UsbmuxdClient, UsbmuxdDevice, UsbmuxdPairRecord } from './client/UsbmuxdClient';\n\nexport class ClientManager {\n  private connections: Socket[];\n  constructor(\n    public pairRecord: UsbmuxdPairRecord,\n    public device: UsbmuxdDevice,\n    private lockdownClient: LockdownClient\n  ) {\n    this.connections = [lockdownClient.socket];\n  }\n\n  static async create(udid?: string) {\n    const usbmuxClient = new UsbmuxdClient(UsbmuxdClient.connectUsbmuxdSocket());\n    const device = await usbmuxClient.getDevice(udid);\n    const pairRecord = await usbmuxClient.readPairRecord(device.Properties.SerialNumber);\n    const lockdownSocket = await usbmuxClient.connect(device, 62078);\n    const lockdownClient = new LockdownClient(lockdownSocket);\n    await lockdownClient.doHandshake(pairRecord);\n    return new ClientManager(pairRecord, device, lockdownClient);\n  }\n\n  async getUsbmuxdClient() {\n    const usbmuxClient = new UsbmuxdClient(UsbmuxdClient.connectUsbmuxdSocket());\n    this.connections.push(usbmuxClient.socket);\n    return usbmuxClient;\n  }\n\n  async getLockdownClient() {\n    const usbmuxClient = new UsbmuxdClient(UsbmuxdClient.connectUsbmuxdSocket());\n    const lockdownSocket = await usbmuxClient.connect(this.device, 62078);\n    const lockdownClient = new LockdownClient(lockdownSocket);\n    this.connections.push(lockdownClient.socket);\n    return lockdownClient;\n  }\n\n  async getLockdownClientWithHandshake() {\n    const lockdownClient = await this.getLockdownClient();\n    await lockdownClient.doHandshake(this.pairRecord);\n    return lockdownClient;\n  }\n\n  async getAFCCClient() {\n    return this.getServiceClient('com.apple.afc', AFCCClient);\n  }\n\n  async getInstallationProxyClient() {\n    return this.getServiceClient('com.apple.mobile.installation_proxy', InstallationProxyClient);\n  }\n\n  async getMobileImageMounterClient() {\n    return this.getServiceClient('com.apple.mobile.mobile_image_mounter', MobileImageMounterClient);\n  }\n\n  async getDebuggerServerClient() {\n    try {\n      // iOS 14 added support for a secure debug service so try to connect to that first\n      return await this.getServiceClient('com.apple.debugserver.DVTSecureSocketProxy', DebuggerServerClient);\n    } catch {\n      // otherwise, fall back to the previous implementation\n      return this.getServiceClient('com.apple.debugserver', DebuggerServerClient, true);\n    }\n  }\n\n  private async getServiceClient<T extends ServiceClient<any>>(\n    name: string,\n    ServiceType: new (...args: any[]) => T,\n    disableSSL = false\n  ) {\n    const { port: servicePort, enableServiceSSL } = await this.lockdownClient.startService(name);\n    const usbmuxClient = new UsbmuxdClient(UsbmuxdClient.connectUsbmuxdSocket());\n    let usbmuxdSocket = await usbmuxClient.connect(this.device, servicePort);\n    if (enableServiceSSL) {\n      const tlsOptions: tls.ConnectionOptions = {\n        rejectUnauthorized: false,\n        secureContext: tls.createSecureContext({\n          secureProtocol: 'TLSv1_method',\n          cert: this.pairRecord.RootCertificate,\n          key: this.pairRecord.RootPrivateKey,\n        }),\n      };\n      // Some services seem to not support TLS/SSL after the initial handshake\n      // More info: https://github.com/libimobiledevice/libimobiledevice/issues/793\n      if
```

```

(disableSSL) {\n    // According to https://nodejs.org/api/tls.html#tls_tls_connect_options_callback we can\n
// pass any Duplex in to tls.connect instead of a Socket. So we'll use our proxy to keep\n    // the TLS wrapper and\n
underlying usbmuxd socket separate.\n    const proxy: any = new UsbmuxdProxy(usbmuxdSocket);\n
tlsOptions.socket = proxy;\n\n    await new Promise<void>((resolve, reject) => {\n        const timeoutId =\n
setTimeout(() => {\n            reject(\n                new CommandError('APPLE_DEVICE', 'The TLS handshake failed to\n
complete after 5s.')

```

ED,MAAMM,+BAA+B,GAAG;QACtC,MAAMN,cAAc,GAAG,MAAM,IAAI,CAACK,kBAaKb,EAAE,AAAC;  
QACvD,MAAML,cAAc,CAACE,WAAW,CAAC,IAAI,CAACIB,UAAU,CAAC,CAAC;QACID,OAAOgB,cAAc,  
CAAC;KACvB;IAED,MAAMO,YAAy,GAAG;QACnB,OAAO,IAAI,CAACC,gBAAgB,CAAC,eAAe,EAAEC,U  
AAS,UAAA,CAAC,CAAC;KACID;IAED,MAAMC,0BAA0B,GAAG;QACjC,OAAO,IAAI,CAACF,gBAAgB,C  
AAC,qCAAqC,EAAEG,wBAAuB,wBAAA,CAAC,CAAC;KAC9F;IAED,MAAMC,2BAA2B,GAAG;QACIC,OA  
AO,IAAI,CAACJ,gBAAgB,CAAC,uCAAuC,EAAEK,yBAAwB,yBAAA,CAAC,CAAC;KACjG;IAED,MAAMC,o  
BAAoB,GAAG;QAC3B,IAAI;YACf,kFAAKF;YACIF,OAAO,MAAM,IAAI,CAACN,gBAAgB,CAChC,4CAA4C  
,EAC5CO,kBAAiB,kBAAA,CACIB,CAAC;SACH,CAAC,OAAM;YACN,sDAAsD;YACtD,OAAO,IAAI,CAACP  
,gBAAgB,CAAC,uBAAuB,EAAEO,kBAAiB,kBAAA,EAAE,IAAI,CAAC,CAAC;SACHF;KACF;IAED,MAAcP,g  
BAAgB,CAC5BQ,IAAY,EACZC,WAAc,EACtCC,UAAU,GAAG,KAAC,EACIB;QACA,MAAM,EAAEC,IAAI,  
EAAEC,WAAW,CAAA,EAAEC,gBAAgB,CAAA,EAAE,GAAG,MAAM,IAAI,CAACnC,eAAe,CAACoC,YAAy  
,CAACN,IAAI,CAAC,AAAC;QAC9F,MAAMzB,YAAy,GAAG,IAAIC,cAAa,cAAA,CAACA,cAAa,cAAA,CAA  
CC,oBAAoB,EAAE,CAAC,AAAC;QAC7E,IAAI8B,aAAa,GAAG,MAAMhC,YAAy,CAACQ,OAAO,CAAC,IA  
AI,CAACd,MAAM,EAAEmC,WAAW,CAAC,AAAC;QAEzE,IAAIC,gBAAgB,EAAE;YACpB,MAAMG,UAAU,  
GAA0B;gBACxCC,kBAaKb,EAAE,KAAC;gBACzBC,aAAa,EAAE7C,GAAG,CAAC8C,mBAAmB,CAAC;oBA  
CrCC,cAAc,EAAE,cAAc;oBAC9BC,IAAI,EAAE,IAAI,CAAC7C,UAAU,CAAC8C,eAAe;oBACrCC,GAAG,EAA  
E,IAAI,CAAC/C,UAAU,CAACgD,cAAc;iBACpC,CAAC;aACH,AAAC;YAEF,wEAAwE;YACxE,6EAA6E;YAC  
7E,IAAI,UAAU,EAAE;gBACd,uFAAuF;gBACvF,wFAAwF;gBACxF,0DAA0D;gBAC1D,MAAMe,KAAC,GA  
AQ,IAAIC,YAAy,CAACX,aAAa,CAAC,AAAC;gBACnDC,UAAU,CAACpC,MAAM,GAAG6C,KAAC,CAAC;  
gBAE1B,MAAM,IAAIE,OAAO,CAAO,CAACC,OAAO,EAAEC,MAAM,GAAC;oBAC3C,MAAMC,SAAS,GAA  
GC,UAAU,CAAC,IAAM;wBACjCF,MAAM,CACJ,IAAIG,OAAy,aAAA,CAAC,cAAc,EAAE,gDAAgD,CAAC,  
CACnF,CAAC;qBACH,EAAE,IAAI,CAAC,AAAC;oBACT3D,GAAG,CAACKB,OAAO,CAACyB,UAAU,EAAE,  
WAA+B;wBACrDiB,YAAy,CAACH,SAAS,CAAC,CAAC;wBACxB,+DAA+D;wBAC/D,0EAA0E;wBAC1E,IA  
AI,CAACI,OAAO,EAAE,CAAC;wBACfN,OAAO,EAAE,CAAC;qBACX,CAAC,CAAC;iBACJ,CAAC,CAAC;a  
ACJ,MAAM;gBACLZ,UAAU,CAACpC,MAAM,GAAGmC,aAAa,CAAC;gBACICA,aAAa,GAAG1C,GAAG,CA  
ACKB,OAAO,CAACyB,UAAU,CAAC,CAAC;aACzC;SACF;QACD,MAAMmB,MAAM,GAAG,IAAI1B,WAA  
W,CAACM,aAAa,CAAC,AAAC;QAC9C,IAAI,CAACpC,WAAW,CAACiB,IAAI,CAACuC,MAAM,CAACvD,M  
AAM,CAAC,CAAC;QACrC,OAAOuD,MAAM,CAAC;KACf;IAEDC,GAAG,GAAG;QACJ,KAAC,MAAMxD,M  
AAM,IAAI,IAAI,CAACD,WAAW,CAAE;YACrC,wBAAwB;YACxB,IAAI;gBACFC,MAAM,CAACwD,GAAG,  
EAAE,CAAC;aACd,CAAC,OAAM,EAAE;SACX;KACF;CACF;QA7HY9D,aAAa,GAAbA,aAAa;AA+H1B,MAA  
MoD,YAAy,SAASW,OAAM,OAAA;IAC/B9D,YAAoB+D,WAAmB,CAAE;QACvC,KAAC,EAAE,CAAC;aAD  
UA,WAAmB,GAAmBA,WAAmB;QAGrC,IAAI,CAACA,WAAW,CAACC,EAAE,CAAC,MAAM,EAAE,CAACC  
,IAAI,GAAC;YACpC,IAAI,CAAC5C,IAAI,CAAC4C,IAAI,CAAC,CAAC;SACjB,CAAC,CAAC;KACJ;IAEDC,  
MAAM,CAACC,KAAU,EAAEC,QAAgB,EAAEC,QAA+B,EAAE;QACpE,IAAI,CAACN,WAAW,CAACO,KAA  
K,CAACH,KAAC,CAAC,CAAC;QAC9BE,QAAQ,EAAE,CAAC;KACZ;IAEDE,KAAC,CAACC,IAAY,EAAE;I  
ACIB,uFAAuF;IACvF,+BAA+B;KACHC;IAEDC,QAAQ,GAAG;QACT,IAAI,CAACV,WAAW,CAACW,kBAaK  
B,EAAE,CAAC;KACvC;CACF" }

Found in path(s):

\* /opt/cola/permits/1381072539\_1659629317.1562185/0/cli-0-1-5-

tgz/package/build/src/run/ios/appleDevice/ClientManager.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../../../../../../../src/run/ios/appleDevice/client/InstallationProxyClient.ts"],"sourcesContent":["  
**\n * Copyright (c) 2021 Expo, Inc.\n * Copyright (c) 2018 Drifty Co.\n * \n * This source code is licensed under  
the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n * \n\nimport Debug from  
'debug';\nimport { Socket } from 'net';\nimport { LockdownProtocolClient } from  
'./protocol/LockdownProtocol';\nimport type { LockdownCommand, LockdownResponse } from
```

```

'./protocol/LockdownProtocol';\nimport { ResponseError, ServiceClient } from './ServiceClient';\n\nconst debug =
Debug('expo:apple-device:client:installation_proxy');\n\nexport type OnInstallProgressCallback = (props: {\n
status: string;\n isComplete: boolean;\n // copiedFiles: number;\n progress: number;\n}) => void;\n\ninterface
IPOptions {\n ApplicationsType?: 'Any';\n PackageType?: 'Developer';\n CFBundleIdentifier?: string;\n
ReturnAttributes?: ('CFBundleIdentifier' | 'CFBundleExecutable' | 'Container' | 'Path')[];\n BundleIDs?: string[];\n
[key: string]: undefined | string | string[];\n}\n\ninterface IInstallPercentCompleteResponseItem extends
LockdownResponse {\n PercentComplete: number;\n}\n\ninterface IInstallCFBundleIdentifierResponseItem {\n
CFBundleIdentifier: string;\n}\n\ninterface IInstallCompleteResponseItem extends LockdownResponse {\n
Status: 'Complete';\n}\n\n/*\n * [{"PercentComplete": 5, "Status": "CreatingStagingDirectory"}]\n * ...*\n * [{"
PercentComplete": 90, "Status": "GeneratingApplicationMap"}]\n * [{"CFBundleIdentifier":
"my.company.app"}]\n * [{"Status": "Complete"}]\n */\n\nexport type IInstallPercentCompleteResponse =
IInstallPercentCompleteResponseItem[];\n\nexport type IInstallCFBundleIdentifierResponse =
IInstallCFBundleIdentifierResponseItem[];\n\nexport type IInstallCompleteResponse =
IInstallCompleteResponseItem[];\n\ninterface IMessage extends LockdownCommand {\n Command: string;\n
ClientOptions: IPOptions;\n}\n\ninterface ILookupResponseItem extends LockdownResponse {\n LookupResult:
ILookupResult;\n}\n\n/*\n * [{"LookupResult: ILookupResult, Status: "Complete"}]\n */\n\nexport type
ILookupResponse = ILookupResponseItem[];\n\nexport interface ILookupResult {\n // BundleId\n [key:
string]: {\n Container: string;\n CFBundleIdentifier: string;\n CFBundleExecutable: string;\n Path: string;\n
};\n}\n\nfunction isILookupResponse(resp: any): resp is ILookupResponse {\n return resp.length &&
resp[0].LookupResult !== undefined;\n}\n\nfunction isIInstallPercentCompleteResponse(resp: any): resp is
IInstallPercentCompleteResponse {\n return resp.length && resp[0].PercentComplete !==
undefined;\n}\n\nfunction isIInstallCFBundleIdentifierResponse(\n resp: any\n): resp is
IInstallCFBundleIdentifierResponse {\n return resp.length && resp[0].CFBundleIdentifier !==
undefined;\n}\n\nfunction isIInstallCompleteResponse(resp: any): resp is IInstallCompleteResponse {\n
return resp.length && resp[0].Status === 'Complete';\n}\n\nexport class InstallationProxyClient extends
ServiceClient<LockdownProtocolClient<IMessage>> {\n constructor(public socket: Socket) {\n super(socket,
new LockdownProtocolClient(socket));\n }\n\n async lookupApp(\n bundleIds: string[],\n options: IPOptions =
{\n ReturnAttributes: ['Path', 'Container', 'CFBundleExecutable', 'CFBundleIdentifier'],\n ApplicationsType:
'Any',\n }) {\n debug('lookupApp, options: ${JSON.stringify(options)}');\n\n let resp = await
this.protocolClient.sendMessage({\n Command: 'Lookup',\n ClientOptions: {\n BundleIDs: bundleIds,\n
...options,\n },\n });\n\n if (resp && !Array.isArray(resp)) resp = [resp];\n\n if (isILookupResponse(resp))
{\n return resp[0].LookupResult;\n } else {\n throw new ResponseError('There was an error looking up
app', resp);\n }\n }\n\n async installApp(\n packagePath: string,\n bundleId: string,\n options: IPOptions =
{\n ApplicationsType: 'Any',\n PackageType: 'Developer',\n },\n onProgress: OnInstallProgressCallback\n
) {\n debug('installApp, packagePath: ${packagePath}, bundleId: ${bundleId}');\n\n return
this.protocolClient.sendMessage({\n Command: 'Install',\n PackagePath: packagePath,\n
ClientOptions: {\n CFBundleIdentifier: bundleId,\n ...options,\n },\n },\n (resp, resolve, reject)
=> {\n if (resp && !Array.isArray(resp)) resp = [resp];\n\n if (isIInstallCompleteResponse(resp)) {\n
onProgress({\n isComplete: true,\n progress: 100,\n status: resp[0].Status,\n });\n
resolve();\n } else if (isIInstallPercentCompleteResponse(resp)) {\n onProgress({\n isComplete:
false,\n progress: resp[0].PercentComplete,\n status: resp[0].Status,\n });\n
debug('Installation status: ${resp[0].Status}, %${resp[0].PercentComplete}');\n } else if
(isIInstallCFBundleIdentifierResponse(resp)) {\n debug('Installed app: ${resp[0].CFBundleIdentifier}');\n
} else {\n reject(\n new ResponseError(\n 'There was an error installing app: ' +
require('util').inspect(resp),\n resp\n ))\n );\n }\n }\n });\n }\n\n },\n "names":["debug", "Debug", "isILookupResponse", "resp", "length", "LookupResult", "undefined", "isIPInstal
IPercentCompleteResponse", "PercentComplete", "isIInstallCFBundleIdentifierResponse", "CFBundleIdentifier", "isI
IInstallCompleteResponse", "Status", "InstallationProxyClient", "ServiceClient", "constructor", "socket", "LockdownPr

```

```
otocolClient","lookupApp","bundleIds","options","ReturnAttributes","ApplicationsType","JSON","stringify","proto
colClient","sendMessage","Command","ClientOptions","BundleIDs","Array","isArray","ResponseError","installAp
p","packagePath","bundleId","PackageType","onProgress","PackagePath","resolve","reject","isComplete","progress
","status","require","inspect"],"mappings":":AAOA;;;AAAkB,IAAA,MAAO,kCAAP,OAAO,EAAA;AAGc,IAAA,i
BAA8B,WAA9B,8BAA8B,CAAA;AAExB,IAAA,cAAiB,WAAjB,iBAAiB,CAAA;,,,,;AAE9D,MAAMA,KAAK,
GAAGC,CAAAA,GAAAA,MAAK,AAA+C,CAAA,QAA/C,CAAC,6CAA6C,CAAC,AAAC;AAkEnE,SAASC,kB
AAkB,CAACC,IAAS,EAA4B;IAC/D,OAAOA,IAAI,CAACC,MAAM,IAAID,IAAI,CAAC,CAAC,CAAC,CAAC
E,YAAY,KAAKC,SAAS,CAAC;CAC1D;AAED,SAASC,kCAAKC,CAACJ,IAAS,EAA4C;IAC/F,OAAOA,IAAI,
CAACC,MAAM,IAAID,IAAI,CAAC,CAAC,CAAC,CAAC,CAACK,eAAe,KAAKF,SAAS,CAAC;CAC7D;AAED,SAAS
G,qCAAqC,CAC5CN,IAAS,EACoC;IAC7C,OAAOA,IAAI,CAACC,MAAM,IAAID,IAAI,CAAC,CAAC,CAAC,
CAACO,kBAaKB,KAAKJ,SAAS,CAAC;CACHe;AAED,SAASK,2BAA2B,CAACR,IAAS,EAAqC;IACjF,OAAO
A,IAAI,CAACC,MAAM,IAAID,IAAI,CAAC,CAAC,CAAC,CAAC,CAACS,MAAM,KAAK,UAAU,CAAC;CACrD;AA
EM,MAAMC,uBAAuB,SAASC,cAAa,cAAA;IACxDC,YAAmBC,MAAc,CAAE;QACjC,KAAK,CAACA,MAAM
,EAAE,IAAIC,iBAAsB,uBAAA,CAACD,MAAM,CAAC,CAAC,CAAC;AADjCA,MAAc,GAAdA,MAAc;KAehC
;IAED,MAAME,SAAS,CACbC,SAAmB,EACnBC,OAAkB,GAAG;QACnBC,gBAAgB,EAAE;YAAC,MAAM;Y
AAE,WAAW;YAAE,oBAAoB;YAAE,oBAAoB;SAAC;QACnFC,gBAAgB,EAAE,KAAK;KACxB,EACD;QACA
tB,KAAK,CAAC,CAAC,oBAAoB,EAAEuB,IAAI,CAACC,SAAS,CAACJ,OAAO,CAAC,CAAC,CAAC,CAAC,C
AAC;QAExD,IAAIjB,IAAI,GAAG,MAAM,IAAI,CAACsB,cAAc,CAACC,WAAW,CAAC;YAC/CC,OAAO,EAA
E,QAAQ;YACjBC,aAAa,EAAE;gBACbC,SAAS,EAAEV,SAAS;gBACpB,GAAG,OAAO;aACX;SACF,CAAC,
AAAC;QACH,IAAIjB,IAAI,IAAI,CAAC2B,KAAK,CAACC,OAAO,CAAC5B,IAAI,CAAC,EAAEA,IAAI,GAA
G;YAACA,IAAI;SAAC,CAAC;QACHD,IAAID,kBAaKB,CAACC,IAAI,CAAC,EAAE;YAC5B,OAAOA,IAAI,C
AAC,CAAC,CAAC,CAACE,YAAY,CAAC;SAC7B,MAAM;YAcl,MAAM,IAAI2B,cAAa,cAAA,CAAC,CAAC,
iCAAiC,CAAC,EAAE7B,IAAI,CAAC,CAAC;SACpE;KACF;IAED,MAAM8B,UAAU,CACdC,WAAmB,EACnB
C,QAAgB,EACHbF,OAAkB,GAAG;QACnBE,gBAAgB,EAAE,KAAK;QACvBc,WAAW,EAAE,WAAW;KACzB
,EACDC,UAAqC,EACrC;QACArC,KAAK,CAAC,CAAC,yBAAyB,EAAEkC,WAAW,CAAC,YAAY,EAAEC,Q
AAQ,CAAC,CAAC,CAAC,CAAC;QAExE,OAAO,IAAI,CAACV,cAAc,CAACC,WAAW,CACpC;YACEC,OAA
O,EAAE,SAAS;YACIBW,WAAW,EAAEJ,WAAW;YACxBN,aAAa,EAAE;gBACbIB,kBAaKB,EAAEyB,QAAQ;
gBAC5B,GAAGf,OAAO;aACX;SACF,EACD,CAACjB,IAAI,EAAEoC,OAAO,EAAEC,MAAM,GAAK;YACzB,I
AAIrc,IAAI,IAAI,CAAC2B,KAAK,CAACC,OAAO,CAAC5B,IAAI,CAAC,EAAEA,IAAI,GAAG;gBAACA,IAA
I;aAAC,CAAC;YAEhD,IAAIQ,2BAA2B,CAACR,IAAI,CAAC,EAAE;gBACrCkC,UAAU,CAAC;oBACTI,UAA
U,EAAE,IAAI;oBACHBC,QAAQ,EAAE,GAAG;oBACbC,MAAM,EAAExC,IAAI,CAAC,CAAC,CAAC,CAACS,
MAAM;iBACvB,CAAC,CAAC;gBACH2B,OAAO,EAAE,CAAC;aACX,MAAM,IAAIhC,kCAAKC,CAACJ,IAAI,
CAAC,EAAE;gBACnDkC,UAAU,CAAC;oBACTI,UAAU,EAAE,KAAK;oBACjBC,QAAQ,EAAEvC,IAAI,CAA
C,CAAC,CAAC,CAACK,eAAe;oBACjCmC,MAAM,EAAExC,IAAI,CAAC,CAAC,CAAC,CAACS,MAAM;iBA
CvB,CAAC,CAAC;gBACHZ,KAAK,CAAC,CAAC,qBAAqB,EAAEG,IAAI,CAAC,CAAC,CAAC,CAACS,MAA
M,CAAC,GAAG,EAAET,IAAI,CAAC,CAAC,CAAC,CAACK,eAAe,CAAC,CAAC,CAAC,CAAC;aAC9E,MAA
M,IAAIC,qCAAqC,CAACN,IAAI,CAAC,EAAE;gBACiDH,KAAK,CAAC,CAAC,eAAe,EAAEG,IAAI,CAAC,C
AAC,CAAC,CAACO,kBAaKB,CAAC,CAAC,CAAC,CAAC;aACvD,MAAM;gBACL8B,MAAM,CACJ,IAAIR,c
AAa,cAAA,CACf,qCAAqC,GAAGY,OAAO,CAAC,MAAM,CAAC,CAACC,OAAO,CAAC1C,IAAI,CAAC,EAC
rEA,IAAI,CACL,CACF,CAAC;aACH;SACF,CACF,CAAC;KACH;CACF;QA/EYU,uBAAuB,GAAvBA,uBAAuB
"}
}
```

Found in path(s):

\* /opt/cola/permits/1381072539\_1659629317.1562185/0/cli-0-1-5-

tgz/package/build/src/run/ios/appleDevice/client/InstallationProxyClient.js.map

No license file was found, but licenses were detected in source scan.

```
{"version":3,"sources":["../../../../../../../../src/run/ios/appleDevice/client/LockdownClient.ts"],"sourcesContent":["/**\n
```

```

* Copyright (c) 2021 Expo, Inc.\n * Copyright (c) 2018 Drifty Co.\n *\n * This source code is licensed under the
MIT license found in the\n * LICENSE file in the root directory of this source tree.\n */\nimport Debug from
'debug';\nimport { Socket } from 'net';\nimport * as tls from 'tls';\nimport { LockdownProtocolClient } from
'./protocol/LockdownProtocol';\nimport { ResponseError, ServiceClient } from './ServiceClient';\nimport {
UsbmuxdPairRecord } from './UsbmuxdClient';\n\nconst debug = Debug('expo:apple-
device:client:lockdown');\n\nexport interface DeviceValues {\n  BasebandCertId: number;\n  BasebandKeyHashInformation: {\n    AKeyStatus: number;\n    SKeyHash: Buffer;\n    SKeyStatus: number;\n  };\n  BasebandSerialNumber: Buffer;\n  BasebandVersion: string;\n  BoardId: number;\n  BuildVersion: string;\n  ChipID: number;\n  DeviceClass: string;\n  DeviceColor: string;\n  DeviceName: string;\n  DieID: number;\n  HardwareModel: string;\n  HasSiDP: boolean;\n  PartitionType: string;\n  ProductName: string;\n  ProductType:
string;\n  ProductVersion: string;\n  ProductionSOC: boolean;\n  ProtocolVersion: string;\n  TelephonyCapability:
boolean;\n  UniqueChipID: number;\n  UniqueDeviceID: string;\n  WiFiAddress: string;\n  [key: string]:
any;\n}\n\ninterface LockdownServiceResponse {\n  Request: 'StartService';\n  Service: string;\n  Port: number;\n  EnableServiceSSL?: boolean; // Only on iOS 13+\n}\n\ninterface LockdownSessionResponse {\n  Request:
'StartSession';\n  EnableSessionSSL: boolean;\n}\n\ninterface LockdownAllValuesResponse {\n  Request:
'GetValue';\n  Value: DeviceValues;\n}\n\ninterface LockdownValueResponse {\n  Request: 'GetValue';\n  Key:
string;\n  Value: string;\n}\n\ninterface LockdownQueryTypeResponse {\n  Request: 'QueryType';\n  Type:
string;\n}\n\nfunction isLockdownServiceResponse(resp: any): resp is LockdownServiceResponse {\n  return
resp.Request === 'StartService' && resp.Service !== undefined && resp.Port !== undefined;\n}\n\nfunction
isLockdownSessionResponse(resp: any): resp is LockdownSessionResponse {\n  return resp.Request ===
'StartSession';\n}\n\nfunction isLockdownAllValuesResponse(resp: any): resp is LockdownAllValuesResponse
{\n  return resp.Request === 'GetValue' && resp.Value !== undefined;\n}\n\nfunction
isLockdownValueResponse(resp: any): resp is LockdownValueResponse {\n  return resp.Request === 'GetValue'
&& resp.Key !== undefined && typeof resp.Value === 'string';\n}\n\nfunction
isLockdownQueryTypeResponse(resp: any): resp is LockdownQueryTypeResponse {\n  return resp.Request ===
'QueryType' && resp.Type !== undefined;\n}\n\nexport class LockdownClient extends
ServiceClient<LockdownProtocolClient> {\n  constructor(public socket: Socket) {\n    super(socket, new
LockdownProtocolClient(socket));\n  }\n\n  async startService(name: string) {\n    debug(`startService:
${name}`);\n    const resp = await this.protocolClient.sendMessage({\n      Request: 'StartService',\n      Service:
name,\n    });\n    if (isLockdownServiceResponse(resp)) {\n      return { port: resp.Port, enableServiceSSL:
!!resp.EnableServiceSSL }; \n    } else {\n      throw new ResponseError(`Error starting service ${name}`, resp);\n
    }\n  }\n\n  async startSession(pairRecord: UsbmuxdPairRecord) {\n    debug(`startSession: ${pairRecord}`);\n
const resp = await this.protocolClient.sendMessage({\n      Request: 'StartSession',\n      HostID:
pairRecord.HostID,\n      SystemBUID: pairRecord.SystemBUID,\n    });\n    if
(isLockdownSessionResponse(resp)) {\n      if (resp.EnableSessionSSL) {\n        this.protocolClient.socket = new
tls.TLSSocket(this.protocolClient.socket, {\n          secureContext: tls.createSecureContext({\n
secureProtocol: 'TLSv1_method',\n          cert: pairRecord.RootCertificate,\n          key:
pairRecord.RootPrivateKey,\n        }),\n      });\n      debug(`Socket upgraded to TLS connection`);\n    } \n    //
TODO: save sessionID for StopSession?\n    } else {\n      throw new ResponseError('Error starting session', resp);\n
    }\n  }\n\n  async getAllValues() {\n    debug(`getAllValues`);\n    const resp = await
this.protocolClient.sendMessage({ Request: 'GetValue' });\n    if (isLockdownAllValuesResponse(resp)) {\n
return resp.Value;\n    } else {\n      throw new ResponseError('Error getting lockdown value', resp);\n    }\n
}\n\n  async getValue(val: string) {\n    debug(`getValue: ${val}`);\n    const resp = await
this.protocolClient.sendMessage({\n      Request: 'GetValue',\n      Key: val,\n    });\n    if
(isLockdownValueResponse(resp)) {\n      return resp.Value;\n    } else {\n      throw new ResponseError('Error
getting lockdown value', resp);\n    }\n  }\n\n  async queryType() {\n    debug(`queryType`);\n    const resp = await
this.protocolClient.sendMessage({\n      Request: 'QueryType',\n    });\n    if
(isLockdownQueryTypeResponse(resp)) {\n      return resp.Type;\n    } else {\n      throw new

```

```
ResponseError('Error getting lockdown query type', resp);\n }\n }\n\n async doHandshake(pairRecord:\n UsbmuxdPairRecord) {\n   debug('doHandshake');\n   // if (await this.lockdownQueryType() !==\n 'com.apple.mobile.lockdown') {\n     // throw new CommandError('Invalid type received from lockdown\n handshake');\n   }\n   // await this.getLockdownValue('ProductVersion');\n   // TODO: validate pair and pair\n   await this.startSession(pairRecord);\n }\n }\n\n}], "names": ["tls", "debug", "Debug", "isLockdownServiceResponse", "resp", "Request", "Service", "undefined", "\n Port", "isLockdownSessionResponse", "isLockdownAllValuesResponse", "Value", "isLockdownValueResponse", "Key", "isLockdownQueryTypeResponse", "Type", "LockdownClient", "ServiceClient", "constructor", "socket", "LockdownProtocolClient", "startService", "name", "protocolClient", "sendMessage", "port", "enableServiceSSL", "EnableServiceSSL", "ResponseError", "startSession", "pairRecord", "HostID", "SystemBUID", "EnableSessionSSL", "TLSSocket", "secureContext", "createSecureContext", "secureProtocol", "cert", "RootCertificate", "key", "RootPrivateKey", "getAllValues", "getValue", "val", "queryType", "doHandshake"], "mappings": "AAOA;;;AAAKB,IAAA,MAAO,kCAAP,OA\n AO,EAAA;AAEBa,IAAAA,GAAG,mCAAM,KAAK,EAAX;AAEWb,IAAA,iBAA8B,WAA9B,8BAA8B,CAAA;\n AACxB,IAAA,cAAiB,WAAjB,iBAAiB,CAAA;,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,AAAG9D,MAAMC,KAAK,GAAGC,CAAAA,G\n AAAA,MAAK,AAAsC,CAAA,QAAtC,CAAC,oCAAoC,CAAC,AAAC;AA6D1D,SAASC,0BAA0B,CAACC,IA\n S,EAAoC;IAC/E,OAAOA,IAAI,CAACC,OAAO,KAAK,cAAc,IAAID,IAAI,CAACE,OAAO,KAAKC,SAAS,IA\n IH,IAAI,CAACI,IAAI,KAAKD,SAAS,CAAC;CACjG;AAED,SAASE,0BAA0B,CAACL,IAAS,EAAoC;IAC/E,O\n AAOA,IAAI,CAACC,OAAO,KAAK,cAAc,CAAC;CACxC;AAED,SAASK,4BAA4B,CAACN,IAAS,EAAcC;IAC\n nF,OAAOA,IAAI,CAACC,OAAO,KAAK,UAAU,IAAID,IAAI,CAACO,KAAK,KAAKJ,SAAS,CAAC;CACHe;A\n AED,SAASK,wBAAwB,CAACR,IAAS,EAAKc;IAC3E,OAAOA,IAAI,CAACC,OAAO,KAAK,UAAU,IAAID,IA\n AI,CAACS,GAAG,KAAKN,SAAS,IAAI,OAAOH,IAAI,CAACO,KAAK,KAAK,QAAQ,CAAC;CACHg;AAED,S\n AASG,4BAA4B,CAACV,IAAS,EAAcC;IACnF,OAAOA,IAAI,CAACC,OAAO,KAAK,WAAW,IAAID,IAAI,CA\n ACW,IAAI,KAAKR,SAAS,CAAC;CACHe;AAEM,MAAMS,eAAe,SAASC,cAAa,cAAA;IACHDC,YAAmBC,M\n AAc,CAAE;QACjC,KAAK,CAACA,MAAM,EAAE,IAAIC,iBAAsB,uBAAA,CAACD,MAAM,CAAC,CAAC,CA\n AC;aAdjCA,MAAc,GAAdA,MAAc;KAEhC;IAED,MAAME,YAAy,CAACC,IAAY,EAAE;QAC/BrB,KAAK,CA\n AC,CAAC,cAAc,EAAEqB,IAAI,CAAC,CAAC,CAAC,CAAC;QAE/B,MAAMIB,IAAI,GAAG,MAAM,IAAI,CA\n ACmB,cAAc,CAACC,WAAW,CAAC;YACjDnB,OAAO,EAAE,cAAc;YACvBC,OAAO,EAAEGb,IAAI;SACd,C\n AAC,AAAC;QAEH,IAAI,0BAA0B,CAACC,IAAI,CAAC,EAAE;YACpC,OAAO;gBAAEqB,IAAI,EAAErB,IA\n AI,CAACI,IAAI;gBAAEkB,gBAAGB,EAAE,CAAC,CAACtB,IAAI,CAACuB,gBAAGB;aAAE,CAAC;SACvE,M\n AAM;YAcl,MAAM,IAAIC,cAAa,cAAA,CAAC,CAAC,uBAAuB,EAAEN,IAAI,CAAC,CAAC,EAAEIB,IAAI,C\n AAC,CAAC;SACjE;KACF;IAED,MAAMyB,YAAy,CAACC,UAA6B,EAAE;QACHD7B,KAAK,CAAC,CAAC,c\n AAc,EAAE6B,UAAU,CAAC,CAAC,CAAC,CAAC;QAErC,MAAMIB,IAAI,GAAG,MAAM,IAAI,CAACmB,cA\n Ac,CAACC,WAAW,CAAC;YACjDnB,OAAO,EAAE,cAAc;YACvB0B,MAAM,EAAED,UAAU,CAACC,MAA\n M;YACzBC,UAAU,EAAEF,UAAU,CAACE,UAAU;SACIC,CAAC,AAAC;QAEH,IAAI,0BAA0B,CAACL,IA\n AI,CAAC,EAAE;YACpC,IAAIA,IAAI,CAAC6B,gBAAGB,EAAE;gBACzB,IAAI,CAACV,cAAc,CAACJ,MAAM\n ,GAAG,IAAI,GAAG,CAACKc,SAAS,CAAC,IAAI,CAACX,cAAc,CAACJ,MAAM,EAAE;oBACzEgB,aAAa,\n EAAEnC,GAAG,CAACoC,mBAAmB,CAAC;wBACrCC,cAAc,EAAE,cAAc;wBAC9BC,IAAI,EAAER,UAAU,C\n AACS,eAAe;wBACHcC,GAAG,EAAEV,UAAU,CAACW,cAAc;qBAC/B,CAAC;iBACH,CAAC,CAAC;gBACH\n xC,KAAK,CAAC,CAAC,iCAAiC,CAAC,CAAC,CAAC;aAC5C;QACD,wCAAwC;SACzC,MAAM;YAcl,MAA\n M,IAAI2B,cAAa,cAAA,CAAC,wBAAwB,EAAExB,IAAI,CAAC,CAAC;SACzD;KACF;IAED,MAAMsC,YAAy,\n GAAG;QACnBzC,KAAK,CAAC,CAAC,YAAy,CAAC,CAAC,CAAC;QAEtB,MAAMG,IAAI,GAAG,MAAM,IA\n AI,CAACmB,cAAc,CAACC,WAAW,CAAC;YAAEnB,OAAO,EAAE,UAAU;SAAE,CAAC,AAAC;QAE5E,IAAI\n K,4BAA4B,CAACN,IAAI,CAAC,EAAE;YACtC,OAAOA,IAAI,CAACO,KAAK,CAAC;SACnB,MAAM;YAcl,\n MAAM,IAAIiB,cAAa,cAAA,CAAC,8BAA8B,EAAExB,IAAI,CAAC,CAAC;SAC/D;KACF;IAED,MAAMuC,QA\n AQ,CAACC,GAAW,EAAE;QAC1B3C,KAAK,CAAC,CAAC,UAAU,EAAE2C,GAAG,CAAC,CAAC,CAAC,CA\n AC;QAE1B,MAAMxC,IAAI,GAAG,MAAM,IAAI,CAACmB,cAAc,CAACC,WAAW,CAAC;YACjDnB,OAAO,E\n AAE,UAAU;YACnBQ,GAAG,EAAE+B,GAAG;SACT,CAAC,AAAC;QAEH,IAAIhC,wBAAwB,CAACR,IAAI,\n CAAC,EAAE;YACIC,OAAOA,IAAI,CAACO,KAAK,CAAC;SACnB,MAAM;YAcl,MAAM,IAAIiB,cAAa,cAA
```

A,CAAC,8BAA8B,EAAExB,IAAI,CAAC,CAAC;SAC/D;KACF;IAED,MAAMyC,SAAS,GAAG;QACb5C,KA  
AK,CAAC,WAAW,CAAC,CAAC;QAEbB,MAAMG,IAAI,GAAG,MAAM,IAAI,CAACmB,cAAc,CAACC,WAA  
W,CAAC;YACjDnB,OAAO,EAAE,WAAW;SACrB,CAAC,AAAC;QAEH,IAAIS,4BAA4B,CAACV,IAAI,CAAC  
,EAAE;YACtC,OAAOA,IAAI,CAACW,IAAI,CAAC;SACIB,MAAM;YACL,MAAM,IAAIa,cAAa,cAAA,CAAC,  
mCAAmC,EAAExB,IAAI,CAAC,CAAC;SACpE;KACF;IAED,MAAM0C,WAAW,CAACbB,UAA6B,EAAE;QA  
C/C7B,KAAK,CAAC,aAAa,CAAC,CAAC;QAErB,wEAAwE;QACxE,6EAA6E;QAC7E,IAAI;QACJ,iDAAiD;QA  
CjD,+BAA+B;QAC/B,MAAM,IAAI,CAAC4B,YAAAY,CAACC,UAAU,CAAC,CAAC;KACrC;CACF;QAJGYd,e  
AAe,GAAfA,eAAe" }

Found in path(s):

\* /opt/cola/permits/1381072539\_1659629317.1562185/0/cli-0-1-5-  
tgz/package/build/src/run/ios/appleDevice/client/LockdownClient.js.map  
No license file was found, but licenses were detected in source scan.

```
["version":3,"sources":["../../../../../src/start/server/webpack/formatWebpackMessages.ts"],"sourcesContent":["/**\n * Copyright (c) 2022 Expo, Inc.\n * Copyright (c) 2015-present, Facebook, Inc.\n * This source code is licensed\n under the MIT license found in the\n * LICENSE file in the root directory of this source tree.\n * Based on\n https://github.com/facebook/create-react-app/blob/b172b5e/packages/react-dev-utils/ModuleNotFoundPlugin.js\n * But with Node LTS support.\n */\nimport type { Stats } from 'webpack';\nconst friendlySyntaxErrorLabel =\n 'Syntax error: '\nfunction isLikelyASyntaxError(message: string): boolean {\n return\n message.indexOf(friendlySyntaxErrorLabel) !== -1;\n}\n// Cleans up webpack error messages.\nfunction\n formatMessage(message: string | { message: string } | { message: string }) {\n let lines: string[] = [];\n\n if\n (typeof message === 'string') {\n lines = message.split('\\n');\n } else if ('message' in message) {\n lines =\n message['message'].split('\\n');\n } else if (Array.isArray(message)) {\n message.forEach((message) => {\n if\n ('message' in message) {\n lines = message['message'].split('\\n');\n }\n });\n }\n\n // Strip webpack-added\n headers off errors/warnings\n // https://github.com/webpack/webpack/blob/master/lib/ModuleError.js\n lines =\n lines.filter((line) => !/Module [A-z ]+\\((from/.test(line));\n\n // Transform parsing error into syntax error\n //\n // TODO: move this to our ESLint formatter?\n lines = lines.map((line) => {\n const parsingError = /Line\n (\\d+):(?:\\(\\d+):)?\\s*Parsing error: (.+)$/.exec(line);\n if (!parsingError) {\n return line;\n }\n const [\n errorLine, errorColumn, errorMessage] = parsingError;\n return ` ${friendlySyntaxErrorLabel} ${errorMessage}\n ($ {errorLine}:$ {errorColumn}) `;\n });\n\n message = lines.join('\\n');\n\n // Smoosh syntax errors (commonly found\n in CSS)\n message = message.replace(\n /SyntaxError\\s+\\(\\(\\d+):(\\d+):\\)\\s*(.+?)\\n/g,\n ` ${friendlySyntaxErrorLabel} $3 ($1:$2)\\n `);\n\n // Clean up export errors\n message = message.replace(\n /\\.\\.\\.export '(.+?)' was not found in '(.+?)'\\.\\.\\.*/gm,\n ` Attempted import error: '$1' is not exported from '$2'. `);\n\n message = message.replace(\n /\\.\\.\\.export 'default' \\(\\(imported as '(.+?)'\\)\\) was not found in '(.+?)'\\.\\.\\.*/gm,\n ` Attempted import error: '$2' does not contain a default export (imported as '$1'). `);\n\n message =\n message.replace(\n /\\.\\.\\.export '(.+?)' \\(\\(imported as '(.+?)'\\)\\) was not found in '(.+?)'\\.\\.\\.*/gm,\n ` Attempted import\n error: '$1' is not exported from '$3' (imported as '$2'). `);\n\n lines = message.split('\\n');\n\n // Remove leading\n newline\n if (lines.length > 2 && lines[1].trim() === '') {\n lines.splice(1, 1);\n }\n\n // Clean up file name\n lines[0] = lines[0].replace(/^(.*) \\d+:\\d+\\-\\d+$/, '$1');\n\n // Cleans up verbose \"module not found\" messages for\n files and packages.\n if (lines[1] && lines[1].indexOf('Module not found: ') === 0) {\n lines = [\n lines[0],\n lines[1].\n .replace('Error: ', '')\n .replace('Module not found: Cannot find file:', 'Cannot find file:'),\n ];\n }\n\n // Add helpful message for users trying to use Sass for the first time\n if (lines[1] && lines[1].match(/Cannot\n find module.+sass/)) {\n lines[1] = 'To import Sass files, you first need to install sass.\\n';\n lines[1] += 'Run\n `npm install sass` or `yarn add sass` inside your workspace.\\n';\n }\n\n message = lines.join('\\n');\n\n // Internal stacks\n are generally useless so we strip them... with the\n // exception of stacks containing `webpack:` because they're\n normally\n // from user code generated by webpack. For more information see\n //\n // https://github.com/facebook/create-react-app/pull/1050\n message =
```



```

message.replace(/^\s*at\s((?!webpack:).)*:\d+:\d+[\s]*(\n|$)/gm, ""); // at ... :x:y\n message =
message.replace(/^\s*at\s<anonymous>(\n|$)/gm, ""); // at <anonymous>\n lines = message.split("\n");\n\n //
Remove duplicated newlines\n lines = lines.filter(\n (line, index, arr) => index === 0 || line.trim() !== " ||
line.trim() !== arr[index - 1].trim()\n );\n\n // Reassemble the message\n message = lines.join("\n");\n return
message.trim();\n\n\nexport function formatWebpackMessages(json?: Stats.ToJsonOutput) {\n const
formattedErrors = json?.errors?.map(formatMessage);\n const formattedWarnings =
json?.warnings?.map(formatMessage);\n const result = { errors: formattedErrors, warnings: formattedWarnings };
if (result.errors?.some(isLikelyASyntaxError)) {\n // If there are any syntax errors, show just them.\n
result.errors = result.errors.filter(isLikelyASyntaxError);\n }\n return
result;\n}\n\n], "names": ["formatWebpackMessages", "friendlySyntaxErrorLabel", "isLikelyASyntaxError", "message",
"indexOf", "formatMessage", "lines", "split", "Array", "isArray", "forEach", "filter", "line", "test", "map", "parsingError",
"exec", "errorLine", "errorColumn", "errorMessage", "join", "replace", "length", "trim", "splice", "match", "index", "arr", "js
on", "result", "formattedErrors", "errors", "formattedWarnings", "warnings", "some"], "mappings": "AAWA;;;QAsGgB
A,qBAaQb,GAARBA,qBAaQb;AApGrC,MAAMC,wBAAwB,GAAG,eAAe,AAAC;AAEjD,SAASC,oBAAoB,CA
ACC,OAAe,EAAW;IACtD,OAAOA,OAAO,CAACC,OAAO,CAACH,wBAAwB,CAAC,KAAC,CAAC,CAAC,C
AAC;CACzD;AAED,oCAAoC;AACpC,SAASI,aAAa,CAACF,QAA6D,EAAE;IACpF,IAAIG,KAAC,GAAa,EAA
E,AAAC;IAEzB,IAAI,OAAOH,QAAO,KAAC,QAAQ,EAAE;QAC/BG,KAAC,GAAGH,QAAO,CAACI,KAAC,
CAAC,IAAI,CAAC,CAAC;KAC7B,MAAM,IAAI,SAAS,IAAIJ,QAAO,EAAE;QAC/BG,KAAC,GAAGH,QAAO,
CAAC,SAAS,CAAC,CAACI,KAAC,CAAC,IAAI,CAAC,CAAC;KACxC,MAAM,IAAIC,KAAC,CAACC,OAAO
,CAACN,QAAO,CAAC,EAAE;QACjCA,QAAO,CAACO,OAAO,CAAC,CAACP,OAAO,GAAG;YAC3B,IAAI,S
AAS,IAAIA,OAAO,EAAE;gBACxBG,KAAC,GAAGH,OAAO,CAAC,SAAS,CAAC,CAACI,KAAC,CAAC,IAAI
,CAAC,CAAC;aACxC;SACF,CAAC,CAAC;KACJ;IAED,kDAaKd;IACID,oEAAoE;IACpED,KAAC,GAAGA,K
AAK,CAACK,MAAM,CAAC,CAACC,IAAI,GAAG,CAAC,uBAAuBC,IAAI,CAACD,IAAI,CAAC;IAAA,CAAC
,CAAC;IAEnE,4CAA4C;IAC5C,2CAA2C;IAC3CN,KAAC,GAAGA,KAAC,CAACQ,GAAG,CAAC,CAACF,IA
AI,GAAG;QAC1B,MAAMG,YAAY,GAAG,gDAAGDC,IAAI,CAACJ,IAAI,CAAC,AAAC;QACHf,IAAI,CAAC
G,YAAY,EAAE;YACjB,OAAOH,IAAI,CAAC;SACb;QACD,MAAM,GAAGK,SAAS,EAAEC,WAAW,EAAEC,
YAAY,CAAC,GAAGJ,YAAY,AAAC;QAC9D,OAAO,CAAC,EAAEd,wBAAwB,CAAC,CAAC,EAAEkB,YAAY
,CAAC,EAAE,EAAEF,SAAS,CAAC,CAAC,EAAEC,WAAW,CAAC,CAAC,CAAC,CAAC;KACpF,CAAC,CAA
C;IAEHf,QAAO,GAAGG,KAAC,CAACc,IAAI,CAAC,IAAI,CAAC,CAAC;IAC3B,+CAA+C;IAC/CjB,QAAO,G
AAGA,QAAO,CAACKB,OAAO,6CAEvB,CAAC,EAAEpB,wBAAwB,CAAC,aAAa,CAAC,CAC3C,CAAC;IACF
,yBAAyB;IACzBE,QAAO,GAAGA,QAAO,CAACKB,OAAO,oDAEvB,CAAC,uDAAuD,CAAC,CAC1D,CAAC;I
ACFIB,QAAO,GAAGA,QAAO,CAACKB,OAAO,8EAEvB,CAAC,kFAAkF,CAAC,CACrF,CAAC;IACFIB,QAA
O,GAAGA,QAAO,CAACKB,OAAO,4EAEvB,CAAC,0EAA0E,CAAC,CAC7E,CAAC;IACFf,KAAC,GAAGH,Q
AAO,CAACI,KAAC,CAAC,IAAI,CAAC,CAAC;IAE5B,yBAAyB;IACzB,IAAID,KAAC,CAACgB,MAAM,GAA
G,CAAC,IAAIhB,KAAC,CAAC,CAAC,CAAC,CAACiB,IAAI,EAAE,KAAC,EAAE,EAAE;QAC9CjB,KAAC,C
AACKB,MAAM,CAAC,CAAC,EAAE,CAAC,CAAC,CAAC;KACpB;IACD,qBAaQb;IACrBIB,KAAC,CAAC,C
AAC,CAAC,GAAGA,KAAC,CAAC,CAAC,CAAC,CAACe,OAAO,uBAAuB,IAAI,CAAC,CAAC;IAExD,wEAA
wE;IACxE,IAAI,KAAC,CAAC,CAAC,CAAC,IAAIA,KAAC,CAAC,CAAC,CAAC,CAACf,OAAO,CAAC,oBA
AoB,CAAC,KAAC,CAAC,EAAE;QAC5DE,KAAC,GAAG;YACNA,KAAC,CAAC,CAAC,CAAC;YACRA,KAA
K,CAAC,CAAC,CAAC,CACLe,OAAO,CAAC,SAAS,EAAE,EAAE,CAAC,CACtBA,OAAO,CAAC,qCAAqC,EA
AE,mBAAmB,CAAC;SACvE,CAAC;KACH;IAED,sEAAeE;IACtE,IAAI,KAAC,CAAC,CAAC,CAAC,IAAIA,K
AAK,CAAC,CAAC,CAAC,CAACmB,KAAC,4BAA4B,EAAE;QAC1DnB,KAAC,CAAC,CAAC,CAAC,GAAG,y
DAAyD,CAAC;QACrEA,KAAC,CAAC,CAAC,CAAC,IAAI,kEAAkE,CAAC;KACHf;IAEDH,QAAO,GAAGG,
KAAC,CAACc,IAAI,CAAC,IAAI,CAAC,CAAC;IAC3B,qEAAqE;IACrE,qEAAqE;IACrE,gEAAgE;IACHE,yDA
AyD;IACzDjB,QAAO,GAAGA,QAAO,CAACKB,OAAO,mDAAmD,EAAE,CAAC,CAAC,CAAC,iBAAiB;IACI
GIB,QAAO,GAAGA,QAAO,CAACKB,OAAO,gCAAgC,EAAE,CAAC,CAAC,CAAC,iBAAiB;IAC/Ef,KAAC,G
AAGH,QAAO,CAACI,KAAC,CAAC,IAAI,CAAC,CAAC;IAE5B,6BAA6B;IAC7BD,KAAC,GAAGA,KAAC,CA
ACK,MAAM,CACIB,CAACC,IAAI,EAAEc,KAAC,EAAEC,GAAG,GAAKD,KAAC,KAAC,CAAC,IAAI,IAAI,

```

```
CAACW,IAAI,EAAE,KAAK,EAAE,IAAIX,IAAI,CAACW,IAAI,EAAE,KAAKI,GAAG,CAACD,KAAK,GAAG,
CAAC,CAAC,CAACH,IAAI,EAAE;IAAA,CACjG,CAAC;IAEF,yBAAYB;IACzBpB,QAAO,GAAGG,KAAK,CA
ACc,IAAI,CAAC,IAAI,CAAC,CAAC;IAC3B,OAAOjB,QAAO,CAACoB,IAAI,EAAE,CAAC;CACvB;AAEM,SA
ASvB,qBAAqB,CAAC4B,IAAYB,EAAE;QACvCA,GAAY,EACVA,IAAc,EAEPCC,IAAa;IAHjB,MAAMC,eAAe
,GAAGF,IAAI,QAAQ,GAAZA,KAAAA,CAAY,GAAZA,CAAAA,GAAY,GAAZA,IAAI,CAAEG,MAAM,SAA
A,GAAZH,KAAAA,CAAY,GAAZA,GAAY,CAAEEd,GAAG,CAACT,aAAa,CAAC,AAAC;IACzD,MAAM2B,iB
AAiB,GAAGJ,IAAI,QAAU,GAAdA,KAAAA,CAAc,GAAdA,CAAAA,IAAc,GAAdA,IAAI,CAA EK,QAAQ,SAA
A,GAAdL,KAAAA,CAAc,GAAdA,IAAc,CAAEEd,GAAG,CAACT,aAAa,CAAC,AAAC;IAC7D,MAAMwB,MAA
M,GAAG;QAAEE,MAAM,EAAED,eAAe;QAAEG,QAAQ,EAAED,iBAAiB;KAAE,AAAC;IACxE,IAAIH,CAA
AA,IAAa,GAAbA,MAAM,CAACE,MAAM,SAAM,GAAnBF,KAAAA,CAAmB,GAAnBA,IAAa,CAA EK,IAAI,
CAACHc,oBAAoB,CAAC,EAAE;QAC7C,kDAaKd;QACID2B,MAAM,CAACE,MAAM,GAAGF,MAAM,CAA
CE,MAAM,CAACpB,MAAM,CAACT,oBAAoB,CAAC,CAAC;KAC5D;IACD,OAAO2B,MAAM,CAAC;CACF"
}
```

Found in path(s):

```
* /opt/cola/permits/1381072539_1659629317.1562185/0/cli-0-1-5-
tgz/package/build/src/start/server/webpack/formatWebpackMessages.js.map
```

## 1.781 @babel/plugin-transform-modules-umd

### 7.18.6

#### 1.781.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.782 @babel/helper-validator-option 7.18.6

## 1.782.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.783 rimraf 3.0.2

## 1.783.1 Available under license :

The ISC License

Copyright (c) Isaac Z. Schlueter and Contributors

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

# 1.784 reselect 4.1.6

## 1.784.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015-2018 Reselect Contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.785 source-map-support 0.5.21

## 1.785.1 Available under license :

The MIT License (MIT)

Copyright (c) 2014 Evan Wallace

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER

LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.786 @babel/plugin-syntax-json-strings 7.8.3

### 1.786.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.787 readable-stream 3.6.0

### 1.787.1 Available under license :

Node.js is licensed for use as follows:

""

Copyright Node.js contributors. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""

This license applies to parts of Node.js originating from the <https://github.com/joyent/node> repository:

""

Copyright Joyent, Inc. and other Node contributors. All rights reserved. Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

""

## 1.788 cli-cursor 2.1.0

### 1.788.1 Available under license :

The MIT License (MIT)

Copyright (c) Sindre Sorhus <[sindresorhus@gmail.com](mailto:sindresorhus@gmail.com)> ([sindresorhus.com](http://sindresorhus.com))

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is

furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.789 buffer-from 1.1.2

### 1.789.1 Available under license :

MIT License

Copyright (c) 2016, 2018 Linus Unnebck

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.790 @babel/helper-simple-access 7.18.6

### 1.790.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining

a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.791 color-convert 2.0.1

### 1.791.1 Available under license :

Copyright (c) 2011-2016 Heather Arthur <fayearthur@gmail.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.792 execa 1.0.0



## 1.792.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.793 find-yarn-workspace-root 2.0.0

### 1.793.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

#### TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

##### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2017 Square, Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

# 1.794 on-finished 2.3.0

## 1.794.1 Available under license :

(The MIT License)

Copyright (c) 2013 Jonathan Ong <me@jongleberry.com>

Copyright (c) 2014 Douglas Christopher Wilson <doug@somethingdoug.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.795 ieee754 1.2.1

### 1.795.1 Available under license :

Copyright 2008 Fair Oaks Labs, Inc.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

## 1.796 cross-fetch-polyfill 0.0.0

## 1.796.1 Available under license :

The MIT License (MIT)

Copyright (c) 2017 Leonardo Quixadá

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.797 @babel/plugin-proposal-unicode-property-regex 7.18.6

### 1.797.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND

NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.798 resolve-from 5.0.0

### 1.798.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.799 @babel/helper-string-parser 7.18.10

### 1.799.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,



EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.800 slash 2.0.0

### 1.800.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.801 @babel/core 7.18.13

### 1.801.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.802 path-browserify 1.0.1

### 1.802.1 Available under license :

MIT License

Copyright (c) 2013 James Halliday

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.803 bplist-creator 0.1.0

### 1.803.1 Available under license :

(The MIT License)

Copyright (c) 2012 Near Infinity Corporation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.804 install 0.13.0

### 1.804.1 Available under license :

The MIT License (MIT)

Copyright (c) 2015 Benjamin Newman <ben@benjamn.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

## 1.805 ansi-regex 5.0.1

### 1.805.1 Available under license :

MIT License

Copyright (c) Sindre Sorhus <sindresorhus@gmail.com> (sindresorhus.com)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated

documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

# 1.806 @babel/plugin-transform-typeof-symbol 7.18.9

## 1.806.1 Available under license :

MIT License

Copyright (c) 2014-present Sebastian McKenzie and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2022 Cisco Systems, Inc. All rights reserved.

